

Е.Ф. Турута

SMD-codes

активные SMD КОМПОНЕНТЫ

маркировка
характеристики
замена



SMD-коды для 33 тысяч
микросхем, транзисторов,
тиристоров, диодов

Типовые схемы включения микросхем

Удобная система поиска элемента



Albatros Electronics

+7 (495) 782-92-00 www.a-e.ru group00@a-e.ru

Электронные компоненты со всего мира

redjvu AH10

электронные



компоненты

Е.Ф.Турута

АКТИВНЫЕ SMD КОМПОНЕНТЫ

**маркировка,
характеристики,
замена**

**Наука и техника
2006**

СОДЕРЖАНИЕ

Как пользоваться справочником	6
SMD-компоненты в 2-выводных корпусах. SMD-коды электронных компонентов в корпусах с 2 выводами	9
SMD-компоненты в 3-выводных корпусах. SMD-коды электронных компонентов в корпусах с 3 выводами	155
SMD-компоненты в корпусах SOT-89. SMD-коды электронных компонентов в корпусах SOT-89	315
SMD-компоненты в корпусах SOT223. SMD-коды электронных компонентов в корпусах SOT223	347
SMD-компоненты в корпусах SOT143. SMD-коды электронных компонентов в корпусах SOT143	351
SMD-компоненты с 5-выводными корпусами. SMD-коды электронных компонентов в корпусах с 5 выводами	379
SMD-компоненты с 6 и более выводными корпусами. SMD-коды электронных компонентов в корпусах с 6 и более выводами	473
SMD-компоненты в корпусах SOT-173. SMD-коды электронных компонентов в корпусах SOT-173	515
Приложение 1. Логотипы и адреса производителей электронных компонентов	519
Приложение 2. Корпуса и расположение (назначение) выводов SMD электронных компонентов	525
Приложение 3. Назначение выводов SMD электронных компонентов	528
Приложение 4. Типовые схемы подключения SMD электронных компонентов	535

Как пользоваться справочником

В электронной промышленности наибольшим спросом пользуются устройства, являющиеся multifunctionalными, с компонентами, установленными как можно более плотно и компактно.

Для удовлетворения указанных требований активные электронные компоненты (диоды, транзисторы, интегральные микросхемы) изготавливаются в специальных корпусах и устанавливаются на печатные платы методом **поверхностного монтажа** (SMD — surface mount devices). Этот метод заменяет обычный метод монтажа, при котором компоненты вставляются в отверстия печатных плат.

В настоящее время более 50% электронных компонентов, применяемых в устройствах промышленной и бытовой электроники, являются приборами SMD, и их процентное соотношение увеличивается. Экспертные оценки говорят о том, что их доля в ближайшие 5 лет составит 75—80%.

SMD-компоненты становятся все меньше, улучшая такую характеристику устройств как повышенную плотность монтажа. В то же самое время, SMD-компоненты из-за своих миниатюрных размеров не позволяют наносить на корпус **типономинал** (полное наименование) прибора, соответствующий фирменному названию, подобно стандартным полупроводниковым приборам. Поэтому производители маркируют SMD-приборы специальным кодом (**SMD-кодом**), который может содержать один или несколько произвольных символов (буквы, цифры, графические символы). Система кодировки является совершенно произвольной, не подчиняясь никаким стандартам. Необходимо также принять во внимание, что цвет и (или) порядок размещения алфавитно-цифровых или графических символов на корпусе также имеет значение.

Таким образом, идентификация типономинала прибора по его SMD-коду может быть трудной задачей. И еще, к сожалению, каждый SMD-код прибора не обязательно уникален.

Вполне возможно, чтобы различные производители помещали различные приборы в одинаковые корпуса с тем же самым SMD-кодом. Например, прибор с SMD-кодом 6H в корпусе SOT-23 может быть или p-n-транзистором BC818 (CDIL), или варикапом FMMV2104 (ZETEX), или N-канальным полевым транзистором MMBF5486 (MOTOROLA), или p-n-цифровым транзистором MUN2131 (MOTOROLA), или p-n-цифровым транзистором UN2117 (MATSUSHITA), или CMOS-интегральной микросхемой-детектором напряжения R3131N36EA (RICOH). Даже тот же самый производитель может использовать один и тот же самый код для различных устройств.

Для идентификации типономинала прибора по его SMD-коду необходимо узнать производителя, тип корпуса и прочитав SMD-код, напечатанный на корпусе.

Идентификация производителя возможна, если на корпусе прибора напечатан логотип последнего (**приложение 1**), но это бывает редко. Кроме того, иногда возможно определить изготовителя по косвенным признакам. Например, маркировка приборов фирмы MOTOROLA после SMD-кода содержит верхний индекс (этот индекс — просто месяц изготовления прибора). Фирмы SIEMENS и INFINEON обычно используют в SMD-коде строчную букву “s” (ATs, LOs). Фирма PHILIPS использует в SMD-коде строчную букву “p” (AHP, Z1p, pB0) для приборов, изготовленных в Гонконге, “t” (ZtS, tT9, Y7t) или “-” (D-Q, Z-S) для приборов, изготовленных в Малайзии и “w” для приборов, изготовленных в Китае.

Тип корпуса очень важен, поскольку внешне многие корпуса похожи друг на друга, а для идентификации прибора необходимо знать не только маркировку, но и тип корпуса. Проблема осложняется тем, что различные фирмы обозначают те же самые корпуса разными названиями (в соответствии со стандартным или внутрифирменным обозначением). Соответствие наиболее популярных SMD-корпусов различных производителей представлено в следующей таблице.

JEDEC	EIAJ	Central Maxim Philips Siemens	Rohm	Sanyo	Hitachi	Motorola	KEC Toshiba	Panasonic
TO-236	SC-59	SOT-346	SMT3		MPAK2	SC-59	S-Mini	Mini3
TO-236AB		SOT-23	SST3	CP		SOT-23		
TO-243AA	SC-62	SOT-89A	MPT3		UPAK		PW-Mini	
TO-243AB	SC-62	SOT-89B						
TO252-3	SC-63		CPT3					
TO-253		SOT-143	SMT4			SOT-143		
TO-253	SC-61B	SOT-143R						
		SOD-123				SOD-123		
	SC-76	SOD-323	UMD2				USC	
		SOT-343						
		SOT-343R			CMPAK4			
	SC-70	SOT-323	UMT3	MCP	CMPAK	SOT-323	USM	
	SC-74		SMT6				SM6	
	SC-74A	SOT-753	SMT5				SMV	Mini5
	SC-75A	SOT-416	EMT3		SMPAK	SC-90	SSM	
	SC-79	SOT-523	EMD2	SSFP			S-Flat	SMini3
	SC-82		UMT4					
	SC-88	SOT-363	UMT6				US6	
	SC-88A	SOT-353	UMT5			SC70-5	USV	
	SC-89	SOT-490						
		SOT23-5				SC59-5		
	SC-73	SOT-223						
DO-214AC		SOD-106	PMDS					
DO-214AC		SOD-124						
	SC-81							SSMini3

SMD-коды разделены в справочнике по типам корпусов и расположены в таблицах в алфавитно-цифровом порядке.

Колонка 1 (“SMD код”)

...(..blue) Цвет SMD кодового обозначения
 ...+ blue Цвет полосы у катода

Колонка 2 (“Тип”)

Тип прибора, соответствующий фирменному обозначению

Колонка 3 (“Функ.”)

Краткая спецификация функционального назначения электронного прибора

C-Diode	Емкостной диод (варактор, варикап)
CMOS-IC	CMOS интегральная микросхема
CMOS-Logic	Логическая CMOS интегральная микросхема
Comp-IC	Компаратор напряжения
CPE	Защитный элемент
Digi-IC	Цифровая интегральная микросхема
GaAs-Diode	Арсенид-галлиевый диод

GaAs-N-FET	Арсенид-галлиевый N-канальный полевой транзистор
H-IC	Интегральная микросхема с эффектом Холла
Lin/Dig-IC	Линейно/цифровая комбинированная интегральная микросхема
Lin-IC	Линейная интегральная микросхема
MOS-...*	Со встроенным защитным диодом в затворе
MOS-FET-d*	Металл-оксидный полевой транзистор с обедненной структурой
MOS-FET-e*	Металл-оксидный полевой транзистор с обогащенной структурой
N-FET	N-канальный полевой транзистор
P-FET	P-канальный полевой транзистор
Op-IC	Операционный усилитель
SA-Diode	Диодный сглаживатель перепадов напряжения
Si-Diode	Кремниевый диод
Si-Diode/TVS	Кремниевый диод/подавитель выбросов напряжения

Si-NPN	Кремниевый p-n-p транзистор
Si-NPN-Darl	Кремниевый p-n-p транзистор Дарлингтона (составной)
Si-NPN-Digi	Кремниевый p-n-p "цифровой" транзистор
SiGe-NPN	Кремниевый/германиевый pnp транзистор
Si-PNP	Кремниевый p-n-p транзистор
Si-PNP-Darl	Кремниевый p-n-p транзистор Дарлингтона (составной)
Si-PNP-Digi	Кремниевый p-n-p "цифровой" транзистор
Si-Stab	Кремниевый стабилитрон
Therm-S	ИМС термического сенсора
Thy-SPD	Тиристорный сглаживатель перепадов напряжения
TTL-Logic	Транзистор-транзисторная логика
TVS	Подавитель выбросов напряжения
VR-IC	ИМС стабилизатора напряжения
Vref-IC	ИМС источника опорного напряжения
Z-Diode	Стабилитрон
Z-Diode/TVS	Стабилитрон/подавитель выбросов напряжения

Колонка 4 ("Краткое описание")

Краткое описание характеристик и параметров прибора

AF	Звуковая частота
AGC	Автоматическая регулировка усиления
ALC	Автоматическая регулировка уровня
AM	Амплитудная модуляция
Amp	Усилитель
Ant	Антенна
Att	Аттенюатор
Aval	Лавинный
BTL	Мостовое подключение
Buff	Буфер
CATV	Широкополосный кабельный усилитель
Cell	Сотовый
Contr	Управляемый
Conv	Преобразователь
Cordl	Безпроводной
Det	Детектор
Diff	Дифференциальный
Dr, Drv	Драйвер
Ext.	Внешний
FM	Частотная модуляция (FM диапазон)
GaAs	Арсенид галлия
GP	Общего применения
HF	Высокочастотный
Hi-sp	Быстродействующий

HV	Высоковольтный
Instrum.	Инструментальный
Latch-Pr.	Триггерная защита
LDO	Низкое падение напряжения
LED	Светодиод
LLS	Сдвиг логического уровня
LN	Малошумящий
LogL	Логический уровень ($U_{th} > 0,8...2V$)
Lo-sat	Низкое напряжение насыщения коллектор-эмиттер
Mix	Микширующий
MR	Ручной сброс
ODO	Выход с открытым стоком
OVP	Защита от перенапряжения
Osc	Генератор (генераторный)
Out	Выход
PA	Усилитель мощности
Pow	Мощность
PPO	Двухтактный выход
PWM	Широтно-импульсная модуляция
Rect	Выпрямитель (выпрямительный)
Reg	Регулируемый
Res.	Резистор
Reset-Pr.	Защита со сбросом
RF	Высокочастотный
St-Down	С пошаговым нарастанием
Supress.	Подавитель
Sw	Ключевой (переключательный)
Tun	Тюнер
U-Speed	Сверхбыстродействующий
UHF	Сверхвысокочастотный (>250 MHz)
Var	Переменный
VCO	Генератор управляемый напряжением
VDet	Детектор напряжения
VHF	Высокочастотный (100...250 MHz)
Vid	Выходной каскад видеоусилителя
VR	Стабилизатор напряжения
WB	Широкополосный

Колонка 5 ("Корп.")

Фирменное обозначение типа корпуса

Колонка 6 ("Цок.")

Схематический рисунок корпуса (цифровая часть, приложение 2) и назначение выводов (буквенная часть, приложение 3) прибора

Колонка 7 ("Сх.")

Типовая схема подключения прибора (приложение 4)

Колонка 8 ("Пр.")

Сокращенное название производителя прибора (приложение 1)



SMD-компоненты в 2-выводных корпусах

**SMD-коды электронных
компонентов в корпусах
с 2 выводами**

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
0	HVU300A	C-Diode	VHF-Tuning, 32V, 2,6..39,5pF (25..2V, 1MHz)	SOD-323	5d	Ren
00	MM3Z2V4	Z-Diode	2,4V±6%, 200mW	SOD-323	5d	Ons
01	MM3Z2V7	Z-Diode	2,7V±6%, 200mW	SOD-323	5d	Ons
010	STBB010	Z-Diode/TVS	9.50..11V, 27.6A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
010	STBS010	Z-Diode/TVS	9.44..11.5V, 31.4A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
010	STUB010	Z-Diode/TVS	9.50..11V. 27.6A, 400W (1ms)	DO-214AC	1d	Eic
010	STUS010	Z-Diode/TVS	9.44..11.5V, 31.4A, 500W (1ms)	DO-214AC	1d	Eic
011	STBB011	Z-Diode/TVS	10.5..12.1V, 25.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
011	STBS011	Z-Diode/TVS	10..12.2V, 29.5A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
011	STUB011	Z-Diode/TVS	10.5..12.1V, 25.7A, 400W (1ms)	DO-214AC	1d	Eic
011	STUS011	Z-Diode/TVS	10..12.2V, 29.5A, 500W (1ms)	DO-214AC	1d	Eic
012	STBB012	Z-Diode/TVS	11.4..13.2V, 24A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
012	STBS012	Z-Diode/TVS	11.1..13.6V, 26.6A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
012	STUB012	Z-Diode/TVS	11.4..13.2V, 24A, 400W (1ms)	DO-214AC	1d	Eic
012	STUS012	Z-Diode/TVS	11.1..13.6V, 26.6A, 500W (1ms)	DO-214AC	1d	Eic
013	STBB013	Z-Diode/TVS	12.4..14.3V, 22A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
013	STBS013	Z-Diode/TVS	12.2..14.9V. 24.9A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
013	STUB013	Z-Diode/TVS	12.4..14.3V, 22A, 400W (1ms)	DO-214AC	1d	Eic
013	STUS013	Z-Diode/TVS	12.2..14.9V, 24.9A, 500W (1ms)	DO-214AC	1d	Eic
014	STBS014	Z-Diode/TVS	13.3..16.3V, 22.7A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
014	STUS014	Z-Diode/TVS	13.3..16.3V, 22.7A, 500W (1ms)	DO-214AC	1d	Eic
015	STBB015	Z-Diode/TVS	14.3..16.5V, 19A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
015	STBS015	Z-Diode/TVS	14.4..17.6V, 21A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
015	STUB015	Z-Diode/TVS	14.3..16.5V, 19A, 400W (1ms)	DO-214AC	1d	Eic
015	STUS015	Z-Diode/TVS	14.4..17.6V, 21A, 500W (1ms)	DO-214AC	1d	Eic
016	STBB016	Z-Diode/TVS	15.2..17.6V, 17.8A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
016	STBS016	Z-Diode/TVS	15.6..19.1V, 19.4A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
016	STUB016	Z-Diode/TVS	15.2..17.6V, 17.8A, 400W (1ms)	DO-214AC	1d	Eic
016	STUS016	Z-Diode/TVS	15.6..19.1V, 19.4A, 500W (1ms)	DO-214AC	1d	Eic
018	STBB018	Z-Diode/TVS	17.1..19.8V, 16A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
018	STBS018	Z-Diode/TVS	16.7..20.4V, 18.8A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
018	STUB018	Z-Diode/TVS	17.1..19.8V, 16A, 400W (1ms)	DO-214AC	1d	Eic
018	STUS018	Z-Diode/TVS	16.7..20.4V, 18.8A, 500W (1ms)	DO-214AC	1d	Eic
019	STBS019	Z-Diode/TVS	17.8..21.8V, 17.6A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
019	STUS019	Z-Diode/TVS	17.8..21.8V, 17.6A, 500W (1ms)	DO-214AC	1d	Eic
01C100PH	BZG01-C100	Z-Diode	100V, 5%, 1,5W	DO-214AC	1d	Phi
01C10PH	BZG01-C10	Z-Diode	10V, 5%, 1,5W	DO-214AC	1d	Phi
01C110PH	BZG01-C110	Z-Diode	110V, 5%, 1,5W	DO-214AC	1d	Phi
01C11PH	BZG01-C11	Z-Diode	11V, 5%, 1,5W	DO-214AC	1d	Phi
01C120PH	BZG01-C120	Z-Diode	120V, 5%, 1,5W	DO-214AC	1d	Phi
01C12PH	BZG01-C12	Z-Diode	12V, 5%, 1,5W	DO-214AC	1d	Phi
01C130PH	BZG01-C130	Z-Diode	130V, 5%, 1,5W	DO-214AC	1d	Phi
01C13PH	BZG01-C13	Z-Diode	13V, 5%, 1,5W	DO-214AC	1d	Phi
01C150PH	BZG01-C150	Z-Diode	150V, 5%, 1,5W	DO-214AC	1d	Phi
01C15PH	BZG01-C15	Z-Diode	15V, 5%, 1,5W	DO-214AC	1d	Phi
01C160PH	BZG01-C160	Z-Diode	160V, 5%, 1,5W	DO-214AC	1d	Phi
01C16PH	BZG01-C16	Z-Diode	16V, 5%, 1,5W	DO-214AC	1d	Phi
01C180PH	BZG01-C180	Z-Diode	180V, 5%, 1,5W	DO-214AC	1d	Phi
01C18PH	BZG01-C18	Z-Diode	18V, 5%, 1,5W	DO-214AC	1d	Phi
01C200PH	BZG01-C200	Z-Diode	200V, 5%, 1,5W	DO-214AC	1d	Phi
01C20PH	BZG01-C20	Z-Diode	20V, 5%, 1,5W	DO-214AC	1d	Phi
01C220PH	BZG01-C220	Z-Diode	220V, 5%, 1,5W	DO-214AC	1d	Phi
01C22PH	BZG01-C22	Z-Diode	22V, 5%, 1,5W	DO-214AC	1d	Phi
01C240PH	BZG01-C240	Z-Diode	270V, 5%, 1,5W	DO-214AC	1d	Phi
01C24PH	BZG01-C24	Z-Diode	24V, 5%, 1,5W	DO-214AC	1d	Phi
01C270PH	BZG01-C270	Z-Diode	270V, 5%, 1,5W	DO-214AC	1d	Phi
01C27PH	BZG01-C27	Z-Diode	27V, 5%, 1,5W	DO-214AC	1d	Phi
01C30PH	BZG01-C30	Z-Diode	30V, 5%, 1,5W	DO-214AC	1d	Phi
01C33PH	BZG01-C33	Z-Diode	33V, 5%, 1,5W	DO-214AC	1d	Phi
01C36PH	BZG01-C36	Z-Diode	36V, 5%, 1,5W	DO-214AC	1d	Phi
01C39PH	BZG01-C39	Z-Diode	39V, 5%, 1,5W	DO-214AC	1d	Phi
01C43PH	BZG01-C43	Z-Diode	43V, 5%, 1,5W	DO-214AC	1d	Phi
01C47PH	BZG01-C47	Z-Diode	47V, 5%, 1,5W	DO-214AC	1d	Phi
01C51PH	BZG01-C51	Z-Diode	51V, 5%, 1,5W	DO-214AC	1d	Phi
01C56PH	BZG01-C56	Z-Diode	56V, 5%, 1,5W	DO-214AC	1d	Phi
01C62PH	BZG01-C62	Z-Diode	62V, 5%, 1,5W	DO-214AC	1d	Phi
01C68PH	BZG01-C68	Z-Diode	68V, 5%, 1,5W	DO-214AC	1d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
01C75PH	BZG01-C75	Z-Diode	75V, 5%, 1,5W	DO-214AC	1d	Phi
01C82PH	BZG01-C82	Z-Diode	82V, 5%, 1,5W	DO-214AC	1d	Phi
01C91PH	BZG01-C91	Z-Diode	91V, 5%, 1,5W	DO-214AC	1d	Phi
02	GDZ2.0B	Z-Diode	2.0V, 200mW	SOD-323	5d	Vis
02	MM3Z3V0	Z-Diode	3V±6%, 200mW	SOD-323	5d	Ons
02	UDZ2.0B	Z-Diode	2V±2,5%, 200mW	SOD-323	5d	Rhm
020	STBB020	Z-Diode/TVS	19..22V, 14.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
020	STBS020	Z-Diode/TVS	18.9..23.1V, 16.4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
020	STUB020	Z-Diode/TVS	19..22V, 14.5A, 400W(1ms)	DO-214AC	1d	Eic
020	STUS020	Z-Diode/TVS	18.9..23.1V, 16.4A, 500W(1ms)	DO-214AC	1d	Eic
021	STBS021	Z-Diode/TVS	20..24.4V, 15.5A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
021	STUS021	Z-Diode/TVS	20..24.4V, 15.5A, 500W(1ms)	DO-214AC	1d	Eic
022	STBB022	Z-Diode/TVS	20.9..24.2V, 13A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
022	STUB022	Z-Diode/TVS	20.9..24.2V, 13A, 400W(1ms)	DO-214AC	1d	Eic
023	STBS023	Z-Diode/TVS	22.2..27.1V, 13.9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
023	STUS023	Z-Diode/TVS	22.2..27.1V, 13.9A, 500W(1ms)	DO-214AC	1d	Eic
024	STBB024	Z-Diode/TVS	22.8..26.4V, 12A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
024	STUB024	Z-Diode/TVS	22.8..26.4V, 12A, 400W(1ms)	DO-214AC	1d	Eic
026	STBS026	Z-Diode/TVS	24.4..29.8V, 12.7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
026	STUS026	Z-Diode/TVS	24.4..29.8V, 12.7A, 500W(1ms)	DO-214AC	1d	Eic
027	STBB027	Z-Diode/TVS	25.7..29.7V, 10.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
027	STUB027	Z-Diode/TVS	25.7..29.7V, 10.7A, 400W(1ms)	DO-214AC	1d	Eic
028	STBS028	Z-Diode/TVS	26.7..32.6V, 11.6A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
028	STUS028	Z-Diode/TVS	26.7..32.6V, 11.6A, 500W(1ms)	DO-214AC	1d	Eic
030	STBB030	Z-Diode/TVS	28.5..33V, 9.6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
030	STBS030	Z-Diode/TVS	28.9..35.3V, 10.7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
030	STUB030	Z-Diode/TVS	28.5..33V, 9.6A, 400W(1ms)	DO-214AC	1d	Eic
030	STUS030	Z-Diode/TVS	28.9..35.3V, 10.7A, 500W(1ms)	DO-214AC	1d	Eic
033	STBB033	Z-Diode/TVS	31.4..36.3V, 8.8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
033	STBS033	Z-Diode/TVS	31.1..38V, 9.9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
033	STUB033	Z-Diode/TVS	31.4..36.3V, 8.8A, 400W(1ms)	DO-214AC	1d	Eic
033	STUS033	Z-Diode/TVS	31.1..38V, 9.9A, 500W(1ms)	DO-214AC	1d	Eic
035	STBS035	Z-Diode/TVS	33.3..40.7V, 9.3A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
035	STUS035	Z-Diode/TVS	33.3..40.7V, 9.3A, 500W(1ms)	DO-214AC	1d	Eic
036	STBB036	Z-Diode/TVS	34.2..39.6V, 8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
036	STUB036	Z-Diode/TVS	34.2..39.6V, 8A, 400W(1ms)	DO-214AC	1d	Eic
039	STBB039	Z-Diode/TVS	37.1..42.9V, 7.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
039	STBS039	Z-Diode/TVS	36.7..44.9V, 8.5A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
039	STUB039	Z-Diode/TVS	37.1..42.9V, 7.4A, 400W(1ms)	DO-214AC	1d	Eic
039	STUS039	Z-Diode/TVS	36.7..44.9V, 8.5A, 500W(1ms)	DO-214AC	1d	Eic
03C10	BZG03-C10	Z-Diode	10V 5%, 1,25W	DO-214AC	1d	Tem
03C100	BZG03-C100	Z-Diode	100V 5%, 1,25W	DO-214AC	1d	Tem
03C100PH	BZG03-C100	Z-Diode	100V 5%, 1,25W	DO-214AC	1d	Phi
03C10PH	BZG03-C10	Z-Diode	10V 5%, 1,25W	DO-214AC	1d	Phi
03C11	BZG03-C11	Z-Diode	11V, 5%, 1,25W	DO-214AC	1d	Tem
03C110	BZG03-C110	Z-Diode	110V 5%, 1,25W	DO-214AC	1d	Tem
03C110PH	BZG03-C110	Z-Diode	110V 5%, 1,25W	DO-214AC	1d	Phi
03C11PH	BZG03-C11	Z-Diode	11V, 5%, 1,25W	DO-214AC	1d	Phi
03C12	BZG03-C12	Z-Diode	12V, 5%, 1,25W	DO-214AC	1d	Tem
03C120	BZG03-C120	Z-Diode	120V, 5%, 1,25W	DO-214AC	1d	Tem
03C120PH	BZG03-C120	Z-Diode	120V, 5%, 1,25W	DO-214AC	1d	Phi
03C12PH	BZG03-C12	Z-Diode	12V, 5%, 1,25W	DO-214AC	1d	Phi
03C13	BZG03-C13	Z-Diode	13V, 5%, 1,25W	DO-214AC	1d	Tem
03C130	BZG03-C130	Z-Diode	130V, 5%, 1,25W	DO-214AC	1d	Tem
03C130PH	BZG03-C130	Z-Diode	130V, 5%, 1,25W	DO-214AC	1d	Phi
03C13PH	BZG03-C13	Z-Diode	13V, 5%, 1,25W	DO-214AC	1d	Phi
03C15	BZG03-C15	Z-Diode	15V, 5%, 1,25W	DO-214AC	1d	Tem
03C150	BZG03-C150	Z-Diode	150V, 5%, 1,25W	DO-214AC	1d	Tem
03C150PH	BZG03-C150	Z-Diode	150V, 5%, 1,25W	DO-214AC	1d	Phi
03C15PH	BZG03-C15	Z-Diode	15V, 5%, 1,25W	DO-214AC	1d	Phi
03C16	BZG03-C16	Z-Diode	16V, 5%, 1,25W	DO-214AC	1d	Tem
03C160	BZG03-C160	Z-Diode	160V, 5%, 1,25W	DO-214AC	1d	Tem
03C160PH	BZG03-C160	Z-Diode	160V, 5%, 1,25W	DO-214AC	1d	Phi
03C16PH	BZG03-C16	Z-Diode	16V, 5%, 1,25W	DO-214AC	1d	Phi
03C18	BZG03-C18	Z-Diode	18V, 5%, 1,25W	DO-214AC	1d	Tem
03C180	BZG03-C180	Z-Diode	180V, 5%, 1,25W	DO-214AC	1d	Tem
03C180PH	BZG03-C180	Z-Diode	180V, 5%, 1,25W	DO-214AC	1d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
03C18PH	BZG03-C18	Z-Diode	18V, 5%, 1,25W	DO-214AC	1d	Phi
03C20	BZG03-C20	Z-Diode	20V, 5%, 1,25W	DO-214AC	1d	Tem
03C200	BZG03-C200	Z-Diode	200V, 5%, 1,25W	DO-214AC	1d	Tem
03C200PH	BZG03-C200	Z-Diode	200V, 5%, 1,25W	DO-214AC	1d	Phi
03C20PH	BZG03-C20	Z-Diode	20V, 5%, 1,25W	DO-214AC	1d	Phi
03C22	BZG03-C22	Z-Diode	22V, 5%, 1,25W	DO-214AC	1d	Tem
03C220	BZG03-C220	Z-Diode	220V, 5%, 1,25W	DO-214AC	1d	Tem
03C220PH	BZG03-C220	Z-Diode	220V, 5%, 1,25W	DO-214AC	1d	Phi
03C22PH	BZG03-C22	Z-Diode	22V, 5%, 1,25W	DO-214AC	1d	Phi
03C24	BZG03-C24	Z-Diode	24V, 5%, 1,25W	DO-214AC	1d	Tem
03C240	BZG03-C240	Z-Diode	270V, 5%, 1,25W	DO-214AC	1d	Tem
03C240PH	BZG03-C240	Z-Diode	270V, 5%, 1,25W	DO-214AC	1d	Phi
03C24PH	BZG03-C24	Z-Diode	24V, 5%, 1,25W	DO-214AC	1d	Phi
03C27	BZG03-C27	Z-Diode	27V, 5%, 1,25W	DO-214AC	1d	Tem
03C270	BZG03-C270	Z-Diode	270V, 5%, 1,25W	DO-214AC	1d	Tem
03C270PH	BZG03-C270	Z-Diode	270V, 5%, 1,25W	DO-214AC	1d	Phi
03C27PH	BZG03-C27	Z-Diode	27V, 5%, 1,25W	DO-214AC	1d	Phi
03C30	BZG03-C30	Z-Diode	30V, 5%, 1,25W	DO-214AC	1d	Tem
03C30PH	BZG03-C30	Z-Diode	30V, 5%, 1,25W	DO-214AC	1d	Phi
03C33	BZG03-C33	Z-Diode	33V, 5%, 1,25W	DO-214AC	1d	Tem
03C33PH	BZG03-C33	Z-Diode	33V, 5%, 1,25W	DO-214AC	1d	Phi
03C36	BZG03-C36	Z-Diode	36V, 5%, 1,25W	DO-214AC	1d	Tem
03C36PH	BZG03-C36	Z-Diode	36V, 5%, 1,25W	DO-214AC	1d	Phi
03C39	BZG03-C39	Z-Diode	39V, 5%, 1,25W	DO-214AC	1d	Tem
03C39PH	BZG03-C39	Z-Diode	39V, 5%, 1,25W	DO-214AC	1d	Phi
03C43	BZG03-C43	Z-Diode	43V, 5%, 1,25W	DO-214AC	1d	Tem
03C43PH	BZG03-C43	Z-Diode	43V, 5%, 1,25W	DO-214AC	1d	Phi
03C47	BZG03-C47	Z-Diode	47V, 5%, 1,25W	DO-214AC	1d	Tem
03C47PH	BZG03-C47	Z-Diode	47V, 5%, 1,25W	DO-214AC	1d	Phi
03C51	BZG03-C51	Z-Diode	51V, 5%, 1,25W	DO-214AC	1d	Tem
03C51PH	BZG03-C51	Z-Diode	51V, 5%, 1,25W	DO-214AC	1d	Phi
03C56	BZG03-C56	Z-Diode	56V, 5%, 1,25W	DO-214AC	1d	Tem
03C56PH	BZG03-C56	Z-Diode	56V, 5%, 1,25W	DO-214AC	1d	Phi
03C62	BZG03-C62	Z-Diode	62V, 5%, 1,25W	DO-214AC	1d	Tem
03C62PH	BZG03-C62	Z-Diode	62V, 5%, 1,25W	DO-214AC	1d	Phi
03C68	BZG03-C68	Z-Diode	68V, 5%, 1,25W	DO-214AC	1d	Tem
03C68PH	BZG03-C68	Z-Diode	68V, 5%, 1,25W	DO-214AC	1d	Phi
03C75	BZG03-C75	Z-Diode	75V, 5%, 1,25W	DO-214AC	1d	Tem
03C75PH	BZG03-C75	Z-Diode	75V, 5%, 1,25W	DO-214AC	1d	Phi
03C82	BZG03-C82	Z-Diode	82V, 5%, 1,25W	DO-214AC	1d	Tem
03C82PH	BZG03-C82	Z-Diode	82V, 5%, 1,25W	DO-214AC	1d	Phi
03C91	BZG03-C91	Z-Diode	91V, 5%, 1,25W	DO-214AC	1d	Tem
03C91PH	BZG03-C91	Z-Diode	91V, 5%, 1,25W	DO-214AC	1d	Phi
0410	BZG04-10	Z-Diode/TVS	10V, 17,7A, 300W(10/1000µs)	DO-214AC	1d	Tem
04100	BZG04-100	Z-Diode/TVS	100V, 1,8A, 300W(10/1000µs)	DO-214AC	1d	Tem
04100PH	BZG04-100	Z-Diode/TVS	100V, 1,8A, 300W(10/1000µs)	DO-214AC	1d	Phi
0410PH	BZG04-10	Z-Diode/TVS	10V, 17,7A, 300W(10/1000µs)	DO-214AC	1d	Phi
0411	BZG04-11	Z-Diode/TVS	11V, 15,9A, 300W(10/1000µs)	DO-214AC	1d	Tem
04110	BZG04-110	Z-Diode/TVS	110V, 1,6A, 300W(10/1000µs)	DO-214AC	1d	Tem
04110PH	BZG04-110	Z-Diode/TVS	110V, 1,6A, 300W(10/1000µs)	DO-214AC	1d	Phi
0411PH	BZG04-11	Z-Diode/TVS	11V, 15,9A, 300W(10/1000µs)	DO-214AC	1d	Phi
0412	BZG04-12	Z-Diode/TVS	12V, 14,4A, 300W(10/1000µs)	DO-214AC	1d	Tem
04120	BZG04-120	Z-Diode/TVS	120V, 1,5A, 300W(10/1000µs)	DO-214AC	1d	Tem
04120PH	BZG04-120	Z-Diode/TVS	120V, 1,5A, 300W(10/1000µs)	DO-214AC	1d	Phi
0412PH	BZG04-12	Z-Diode/TVS	12V, 14,4A, 300W(10/1000µs)	DO-214AC	1d	Phi
0413	BZG04-13	Z-Diode/TVS	13V, 13,1A, 300W(10/1000µs)	DO-214AC	1d	Tem
04130	BZG04-130	Z-Diode/TVS	130V, 1,3A, 300W(10/1000µs)	DO-214AC	1d	Tem
04130PH	BZG04-130	Z-Diode/TVS	130V, 1,3A, 300W(10/1000µs)	DO-214AC	1d	Phi
0413PH	BZG04-13	Z-Diode/TVS	13V, 13,1A, 300W(10/1000µs)	DO-214AC	1d	Phi
0415	BZG04-15	Z-Diode/TVS	15V, 11,7A, 300W(10/1000µs)	DO-214AC	1d	Tem
04150	BZG04-150	Z-Diode/TVS	150V, 1,2A, 300W(10/1000µs)	DO-214AC	1d	Tem
04150PH	BZG04-150	Z-Diode/TVS	150V, 1,2A, 300W(10/1000µs)	DO-214AC	1d	Phi
0415PH	BZG04-15	Z-Diode/TVS	15V, 11,7A, 300W(10/1000µs)	DO-214AC	1d	Phi
0416	BZG04-16	Z-Diode/TVS	13V, 10,6A, 300W(10/1000µs)	DO-214AC	1d	Tem
04160	BZG04-160	Z-Diode/TVS	160V, 1,1A, 300W(10/1000µs)	DO-214AC	1d	Tem
04160PH	BZG04-160	Z-Diode/TVS	160V, 1,1A, 300W(10/1000µs)	DO-214AC	1d	Phi
0416PH	BZG04-16	Z-Diode/TVS	13V, 10,6A, 300W(10/1000µs)	DO-214AC	1d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
0418	BZG04-18	Z-Diode/TVS	18V, 9,7A, 300W(10/1000µs)	DO-214AC	1d	Tem
04180	BZG04-180	Z-Diode/TVS	180V, 1A, 300W(10/1000µs)	DO-214AC	1d	Tem
04180PH	BZG04-180	Z-Diode/TVS	180V, 1A, 300W(10/1000µs)	DO-214AC	1d	Phi
0418PH	BZG04-18	Z-Diode/TVS	18V, 9,7A, 300W(10/1000µs)	DO-214AC	1d	Phi
042	STBS042	Z-Diode/TVS	40..48.9V, 7.8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
042	STUS042	Z-Diode/TVS	40..48.9V, 7.8A, 500W(1ms)	DO-214AC	1d	Eic
0420	BZG04-20	Z-Diode/TVS	20V, 8,9A, 300W(10/1000µs)	DO-214AC	1d	Tem
04200	BZG04-200	Z-Diode/TVS	200V, 0,9A, 300W(10/1000µs)	DO-214AC	1d	Tem
04200PH	BZG04-200	Z-Diode/TVS	200V, 0,9A, 300W(10/1000µs)	DO-214AC	1d	Phi
0420PH	BZG04-20	Z-Diode/TVS	20V, 8,9A, 300W(10/1000µs)	DO-214AC	1d	Phi
0422	BZG04-22	Z-Diode/TVS	22V, 7,9A, 300W(10/1000µs)	DO-214AC	1d	Tem
04220	BZG04-220	Z-Diode/TVS	220V, 0,8A, 300W(10/1000µs)	DO-214AC	1d	Tem
04220PH	BZG04-220	Z-Diode/TVS	220V, 0,8A, 300W(10/1000µs)	DO-214AC	1d	Phi
0422PH	BZG04-22	Z-Diode/TVS	22V, 7,9A, 300W(10/1000µs)	DO-214AC	1d	Phi
0424	BZG04-24	Z-Diode/TVS	24V, 7,1A, 300W(10/1000µs)	DO-214AC	1d	Tem
0424PH	BZG04-24	Z-Diode/TVS	24V, 7,1A, 300W(10/1000µs)	DO-214AC	1d	Phi
0427	BZG04-27	Z-Diode/TVS	27V, 6,5A, 300W(10/1000µs)	DO-214AC	1d	Tem
0427PH	BZG04-27	Z-Diode/TVS	27V, 6,5A, 300W(10/1000µs)	DO-214AC	1d	Phi
043	STBB043	Z-Diode/TVS	40.9..47.3V 6.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
043	STUB043	Z-Diode/TVS	40.9..47.3V 6.7A, 400W(1ms)	DO-214AC	1d	Eic
0430	BZG04-30	Z-Diode/TVS	30V, 6A, 300W(10/1000µs)	DO-214AC	1d	Tem
0430PH	BZG04-30	Z-Diode/TVS	30V, 6A, 300W(10/1000µs)	DO-214AC	1d	Phi
0433	BZG04-33	Z-Diode/TVS	33V, 5,5A, 300W(10/1000µs)	DO-214AC	1d	Tem
0433PH	BZG04-33	Z-Diode/TVS	33V, 5,5A, 300W(10/1000µs)	DO-214AC	1d	Phi
0436	BZG04-36	Z-Diode/TVS	36V, 4,9A, 300W(10/1000µs)	DO-214AC	1d	Tem
0436PH	BZG04-36	Z-Diode/TVS	36V, 4,9A, 300W(10/1000µs)	DO-214AC	1d	Phi
0439	BZG04-39	Z-Diode/TVS	39V, 4,6A, 300W(10/1000µs)	DO-214AC	1d	Tem
0439PH	BZG04-39	Z-Diode/TVS	39V, 4,6A, 300W(10/1000µs)	DO-214AC	1d	Phi
0443	BZG04-43	Z-Diode/TVS	43V, 4,2A, 300W(10/1000µs)	DO-214AC	1d	Tem
0443PH	BZG04-43	Z-Diode/TVS	43V, 4,2A, 300W(10/1000µs)	DO-214AC	1d	Phi
0447	BZG04-47	Z-Diode/TVS	47V, 3,8A, 300W(10/1000µs)	DO-214AC	1d	Tem
0447PH	BZG04-47	Z-Diode/TVS	47V, 3,8A, 300W(10/1000µs)	DO-214AC	1d	Phi
0451	BZG04-51	Z-Diode/TVS	51V, 3,5A, 300W(10/1000µs)	DO-214AC	1d	Tem
0451PH	BZG04-51	Z-Diode/TVS	51V, 3,5A, 300W(10/1000µs)	DO-214AC	1d	Phi
0456	BZG04-56	Z-Diode/TVS	56V, 3,2A, 300W(10/1000µs)	DO-214AC	1d	Tem
0456PH	BZG04-56	Z-Diode/TVS	56V, 3,2A, 300W(10/1000µs)	DO-214AC	1d	Phi
0462	BZG04-62	Z-Diode/TVS	62V, 2,9A, 300W(10/1000µs)	DO-214AC	1d	Tem
0462PH	BZG04-62	Z-Diode/TVS	62V, 2,9A, 300W(10/1000µs)	DO-214AC	1d	Phi
0468	BZG04-68	Z-Diode/TVS	68V, 2,6A, 300W(10/1000µs)	DO-214AC	1d	Tem
0468PH	BZG04-68	Z-Diode/TVS	68V, 2,6A, 300W(10/1000µs)	DO-214AC	1d	Phi
047	STBB047	Z-Diode/TVS	44.7..51.7V 6.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
047	STBS047	Z-Diode/TVS	44.4..54.3V 7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
047	STUB047	Z-Diode/TVS	44.7..51.7V 6.2A, 400W(1ms)	DO-214AC	1d	Eic
047	STUS047	Z-Diode/TVS	44.4..54.3V 7A, 500W(1ms)	DO-214AC	1d	Eic
0475	BZG04-75	Z-Diode/TVS	75V, 2,4A, 300W(10/1000µs)	DO-214AC	1d	Tem
0475PH	BZG04-75	Z-Diode/TVS	75V, 2,4A, 300W(10/1000µs)	DO-214AC	1d	Phi
0482	BZG04-82	Z-Diode/TVS	82V, 2,2A, 300W(10/1000µs)	DO-214AC	1d	Tem
0482PH	BZG04-82	Z-Diode/TVS	82V, 2,2A, 300W(10/1000µs)	DO-214AC	1d	Phi
048V2	BZG04-8V2	Z-Diode/TVS	8,2V, 20,3A, 300W(10/1000µs)	DO-214AC	1d	Tem
048V2PH	BZG04-8V2	Z-Diode/TVS	8,2V, 20,3A, 300W(10/1000µs)	DO-214AC	1d	Phi
0491	BZG04-91	Z-Diode/TVS	91V, 2A, 300W(10/1000µs)	DO-214AC	1d	Tem
0491PH	BZG04-91	Z-Diode/TVS	91V, 2A, 300W(10/1000µs)	DO-214AC	1d	Phi
049V1	BZG04-9V1	Z-Diode/TVS	9,1V, 19,1A, 300W(10/1000µs)	DO-214AC	1d	Tem
049V1PH	BZG04-9V1	Z-Diode/TVS	9,1V, 19,1A, 300W(10/1000µs)	DO-214AC	1d	Phi
05	MM3Z3V3	Z-Diode	3,3V±6%, 200mW	SOD-323	5d	Ons
05	UDZ10B	Z-Diode	10V±2,5%, 200mW	SOD-323	5d	Rhm
05	UDZS10B	Z-Diode	10V 10%, 5mA, 200mW	SOD-106	1d	Rhm
05	VDZS10B	Z-Diode	10V 10%, 5mA, 100mW	VMD2	5d	Rhm
050	STBS050	Z-Diode/TVS	47.8..58.4V, 6.5A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
050	STUS050	Z-Diode/TVS	47.8..58.4V, 6.5A, 500W(1ms)	DO-214AC	1d	Eic
051	STBB051	Z-Diode/TVS	48.5..56.1V 5.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
051	STUB051	Z-Diode/TVS	48.5..56.1V 5.7A, 400W(1ms)	DO-214AC	1d	Eic
053	STBS053	Z-Diode/TVS	50..61.1V, 6.2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
053	STUS053	Z-Diode/TVS	50..61.1V, 6.2A, 500W(1ms)	DO-214AC	1d	Eic
056	STBB056	Z-Diode/TVS	53.2..61.6V 5.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
056	STBS056	Z-Diode/TVS	53.3..65.1V, 5.8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
056	STUB056	Z-Diode/TVS	53.2..61.6V 5.2A, 400W(1ms)	DO-214AC	1d	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
056	STUS056	Z-Diode/TVS	53.3..65.1V, 5.8A, 500W(1ms)	DO-214AC	1d	Eic
058A	TSP058SA	Thy-SPD	V OF-St=58V, 50A(1ms), Bidirectional	SMB	2	Pjt
058B	TSP058SB	Thy-SPD	V OF-St=58V, 80A(1ms), Bidirectional	SMB	2	Pjt
058C	TSP058SC	Thy-SPD	V OF-St=58V, 100A(1ms), Bidirectional	SMB	2	Pjt
06	MM3Z3V6	Z-Diode	3.6V±6%, 200mW	SOD-323	5d	Ons
060	STBS060	Z-Diode/TVS	56.7..69.3V, 5.5A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
060	STBUS060	Z-Diode/TVS	56.7..69.3V, 5.5A, 500W(1ms)	DO-214AC	1d	Eic
061	HZU6LA1	Z-Diode	5.2..5.5V, 150mW	URP	5d	Ren
062	HZU6LA2	Z-Diode	5.3..5.6V, 150mW	URP	5d	Ren
062	STBB062	Z-Diode/TVS	58.9..68.2V 4.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
062	STUB062	Z-Diode/TVS	58.9..68.2V 4.7A, 400W(1ms)	DO-214AC	1d	Eic
063	HZU6LA3	Z-Diode	5.4..5.7V, 150mW	URP	5d	Ren
063	STBS063	Z-Diode/TVS	60..73.3V, 5.2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
063	STUS063	Z-Diode/TVS	60..73.3V, 5.2A, 500W(1ms)	DO-214AC	1d	Eic
064	HZU6LB1	Z-Diode	5.5..5.8V, 150mW	URP	5d	Ren
065	HZU6LB2	Z-Diode	5.6..5.9V, 150mW	URP	5d	Ren
065A	TSP065SA	Thy-SPD	V OF-St=65V, 50A(1ms), Bidirectional	SMB	2	Pjt
065B	TSP065SB	Thy-SPD	V OF-St=65V, 80A(1ms), Bidirectional	SMB	2	Pjt
065C	TSP065SC	Thy-SPD	V OF-St=65V, 100A(1ms), Bidirectional	SMB	2	Pjt
066	HZU6LB3	Z-Diode	5.7..6.V, 150mW	URP	5d	Ren
067	HZU6LC1	Z-Diode	5.8..6.1V, 150mW	URP	5d	Ren
068	HZU6LC2	Z-Diode	6..6.3V, 150mW	URP	5d	Ren
068	STBB068	Z-Diode/TVS	64.6..74.8V 4.3A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
068	STBS068	Z-Diode/TVS	64.4..78.7V, 4.9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
068	STUB068	Z-Diode/TVS	64.6..74.8V 4.3A, 400W(1ms)	DO-214AC	1d	Eic
068	STUS068	Z-Diode/TVS	64.4..78.7V, 4.9A, 500W(1ms)	DO-214AC	1d	Eic
069	HZU6LC3	Z-Diode	6.1..6.4V, 150mW	URP	5d	Ren
06H	STBS06H	Z-Diode/TVS	6.4..7.3V, 52A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
06H	STUS06H	Z-Diode/TVS	6.4..7.3V, 52A, 500W(1ms)	DO-214AC	1d	Eic
06I	STBB06I	Z-Diode/TVS	6.45..7.48V, 38A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
06I	STUS06I	Z-Diode/TVS	6.45..7.48V, 38A, 400W(1ms)	DO-214AC	1d	Eic
07	KL3L07	Thy-SPD	V OF-St=65V, Ifsm=30A(1ms), It=100mA, Bidirectional	DO-214	2	Shi
07	KL3LU07	Thy-SPD	V OF-St=65V, Ifsm=30A(1ms), It=100mA, Bidirectional	DO-214	2	Shi
07	MM3Z3V9	Z-Diode	3.9V±6%, 200mW	SOD-323	5d	Ons
071	HZU7LA1	Z-Diode	6.3..6.6V, 150mW	URP	5d	Ren
071	STBS071	Z-Diode/TVS	66.7..81.5V, 4.7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
071	STUS071	Z-Diode/TVS	66.7..81.5V, 4.7A, 500W(1ms)	DO-214AC	1d	Eic
072	HZU7LA2	Z-Diode	6.4..6.7V, 150mW	URP	5d	Ren
073	HZU7LA3	Z-Diode	6.6..6.9V, 150mW	URP	5d	Ren
074	HZU7LB1	Z-Diode	6.7..7V, 150mW	URP	5d	Ren
075	HZU7LB2	Z-Diode	6.9..7.2V, 150mW	URP	5d	Ren
075	STBB075	Z-Diode/TVS	71.3..82.5V 3.9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
075	STBS075	Z-Diode/TVS	71.1..86.9V, 4.4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
075	STUB075	Z-Diode/TVS	71.3..82.5V 3.9A, 400W(1ms)	DO-214AC	1d	Eic
075	STUS075	Z-Diode/TVS	71.1..86.9V, 4.4A, 500W(1ms)	DO-214AC	1d	Eic
075A	TSP075SA	Thy-SPD	V OF-St=75V, 50A(1ms), Bidirectional	SMB	2	Pjt
075B	TSP075SB	Thy-SPD	V OF-St=75V, 80A(1ms), Bidirectional	SMB	2	Pjt
075C	TSP075SC	Thy-SPD	V OF-St=75V, 100A(1ms), Bidirectional	SMB	2	Pjt
076	HZU7LB3	Z-Diode	7..7.3V, 150mW	URP	5d	Ren
077	HZU7LC1	Z-Diode	7.2..7.6V, 150mW	URP	5d	Ren
078	HZU7LC2	Z-Diode	7.3..7.7V, 150mW	URP	5d	Ren
079	HZU7LC3	Z-Diode	7.5..7.9V, 150mW	URP	5d	Ren
07A	STBS07A	Z-Diode/TVS	6.67..8.15V, 43.9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
07A	STUS07A	Z-Diode/TVS	6.67..8.15V, 43.9A, 500W(1ms)	DO-214AC	1d	Eic
07F	STBB07F	Z-Diode/TVS	7.13..8.25V, 35.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
07F	STUB07F	Z-Diode/TVS	7.13..8.25V, 35.4A, 400W(1ms)	DO-214AC	1d	Eic
07G	STBS07G	Z-Diode/TVS	7.22..8.82V, 40.7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
07G	STUS07G	Z-Diode/TVS	7.22..8.82V, 40.7A, 500W(1ms)	DO-214AC	1d	Eic
08	MM3Z4V3	Z-Diode	4.3V±6%, 200mW	SOD-323	5d	Ons
082	STBB082	Z-Diode/TVS	77.9..90.2V 3.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
082	STBS082	Z-Diode/TVS	77.8..95.1V, 4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
082	STUB082	Z-Diode/TVS	77.9..90.2V 3.5A, 400W(1ms)	DO-214AC	1d	Eic
082	STUS082	Z-Diode/TVS	77.8..95.1V, 4A, 500W(1ms)	DO-214AC	1d	Eic
088	STBS088	Z-Diode/TVS	83.3..102V, 3.7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
088	STUS088	Z-Diode/TVS	83.3..102V, 3.7A, 500W(1ms)	DO-214AC	1d	Eic
08C	STBB08C	Z-Diode/TVS	77.9..9.02V, 33A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
08C	STBS08C	Z-Diode/TVS	77.8..9.51V, 37.8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
08C	STUB08C	Z-Diode/TVS	7.79..9.02V, 33A, 400W(1ms)	DO-214AC	1d	Eic
08C	STUS08C	Z-Diode/TVS	7.78..9.51V, 37.8A, 500W(1ms)	DO-214AC	1d	Eic
08I	STBS08I	Z-Diode/TVS	8.33..10.2V, 35A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
08I	STUS08I	Z-Diode/TVS	8.33..10.2V, 35A, 500W(1ms)	DO-214AC	1d	Eic
09	MM3Z4V7	Z-Diode	4.7V±6%, 200mW	SOD-323	5d	Ons
090A	TSP090SA	Thy-SPD	V Of-St=90V, 50A(1ms), Bidirectional	SMB	2	Pjt
090B	TSP090SB	Thy-SPD	V Of-St=90V, 80A(1ms), Bidirectional	SMB	2	Pjt
090C	TSP090SC	Thy-SPD	V Of-St=90V, 100A(1ms), Bidirectional	SMB	2	Pjt
091	HZU9LA1	Z-Diode	7.7..8.1V, 150mW	URP	5d	Ren
091	STBB091	Z-Diode/TVS	86.5..100V 3.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
091	STBS091	Z-Diode/TVS	86.7..106V, 3.6A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
091	STUB091	Z-Diode/TVS	86.5..100V 3.2A, 400W(1ms)	DO-214AC	1d	Eic
091	STUS091	Z-Diode/TVS	86.7..106V, 3.6A, 500W(1ms)	DO-214AC	1d	Eic
092	HZU9LA2	Z-Diode	7.9..8.3V, 150mW	URP	5d	Ren
093	HZU9LA3	Z-Diode	8.1..8.5V, 150mW	URP	5d	Ren
094	HZU9LB1	Z-Diode	8.3..8.7V, 150mW	URP	5d	Ren
095	HZU9LB2	Z-Diode	8.5..8.9V, 150mW	URP	5d	Ren
096	HZU9LB3	Z-Diode	8.7..9.1V, 150mW	URP	5d	Ren
097	HZU9LC1	Z-Diode	8.9..9.3V, 150mW	URP	5d	Ren
098	HZU9LC2	Z-Diode	9.1..9.5V, 150mW	URP	5d	Ren
099	HZU9LC3	Z-Diode	9.3..9.7V, 150mW	URP	5d	Ren
099	STBS099	Z-Diode/TVS	94.4..115V, 3.3A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
099	STUS099	Z-Diode/TVS	94.4..115V, 3.3A, 500W(1ms)	DO-214AC	1d	Eic
09B	STBB09B	Z-Diode/TVS	8.65..10V, 30A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
09B	STBS09B	Z-Diode/TVS	8.89..10.9V, 33.3A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
09B	STUB09B	Z-Diode/TVS	8.65..10V, 30A, 400W(1ms)	DO-214AC	1d	Eic
09B	STUS09B	Z-Diode/TVS	8.89..10.9V, 33.3A, 500W(1ms)	DO-214AC	1d	Eic
0A	MM1Z9V18	Z-Diode	9.1V±2%, 500mW	SOD-123	5d	Sme
0A	MM3Z5V1	Z-Diode	5.1V±6%, 200mW	SOD-323	5d	Ons
0B	MM1Z10B	Z-Diode	10V±2%, 500mW	SOD-123	5d	Sme
0B0	STBB0B0	Z-Diode/TVS	95..110V 2.9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B0	STUB0B0	Z-Diode/TVS	95..110V 2.9A, 400W(1ms)	DO-214AC	1d	Eic
0B1	STBB0B1	Z-Diode/TVS	105..121V 2.6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B1	STBS0B1	Z-Diode/TVS	100..122V, 3.1A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0B1	STUB0B1	Z-Diode/TVS	105..121V 2.6A, 400W(1ms)	DO-214AC	1d	Eic
0B1	STUS0B1	Z-Diode/TVS	100..122V, 3.1A, 500W(1ms)	DO-214AC	1d	Eic
0B2	STBB0B2	Z-Diode/TVS	114..132V 2.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B2	STBS0B2	Z-Diode/TVS	111..136V, 2.8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0B2	STUB0B2	Z-Diode/TVS	114..132V 2.4A, 400W(1ms)	DO-214AC	1d	Eic
0B2	STUS0B2	Z-Diode/TVS	111..136V, 2.8A, 500W(1ms)	DO-214AC	1d	Eic
0B3	STBB0B3	Z-Diode/TVS	124..143V 2.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B3	STBS0B3	Z-Diode/TVS	122..149V, 2.6A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0B3	STUB0B3	Z-Diode/TVS	124..143V 2.2A, 400W(1ms)	DO-214AC	1d	Eic
0B3	STUS0B3	Z-Diode/TVS	122..149V, 2.6A, 500W(1ms)	DO-214AC	1d	Eic
0B4	STBS0B4	Z-Diode/TVS	133..163V, 2.3A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0B4	STUS0B4	Z-Diode/TVS	133..163V, 2.3A, 500W(1ms)	DO-214AC	1d	Eic
0B5	STBB0B5	Z-Diode/TVS	143..165V 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B5	STBS0B5	Z-Diode/TVS	144..176V, 2.2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0B5	STUB0B5	Z-Diode/TVS	143..165V 2A, 400W(1ms)	DO-214AC	1d	Eic
0B5	STUS0B5	Z-Diode/TVS	144..176V, 2.2A, 500W(1ms)	DO-214AC	1d	Eic
0B6	STBB0B6	Z-Diode/TVS	152..176V 1.8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B6	STUB0B6	Z-Diode/TVS	152..176V 1.8A, 400W(1ms)	DO-214AC	1d	Eic
0B7	STBB0B7	Z-Diode/TVS	161..187V 1.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B7	STUB0B7	Z-Diode/TVS	161..187V 1.7A, 400W(1ms)	DO-214AC	1d	Eic
0B8	STBB0B8	Z-Diode/TVS	171..198V 1.6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0B8	STBS0B8	Z-Diode/TVS	187..204V, 1.9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0B8	STUB0B8	Z-Diode/TVS	171..198V 1.6A, 400W(1ms)	DO-214AC	1d	Eic
0B8	STUS0B8	Z-Diode/TVS	167..204V, 1.9A, 500W(1ms)	DO-214AC	1d	Eic
0B9	STBS0B9	Z-Diode/TVS	178..218V, 1.7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0B9	STUS0B9	Z-Diode/TVS	178..218V, 1.7A, 500W(1ms)	DO-214AC	1d	Eic
0C	MM1Z11B	Z-Diode	11V±2%, 500mW	SOD-123	5d	Sme
0C	MM3Z5V6	Z-Diode	5.6V±6%, 200mW	SOD-323	5d	Ons
0D	MM1Z12B	Z-Diode	12V±2%, 500mW	SOD-123	5d	Sme
0D0	STBB0D0	Z-Diode/TVS	190..220V 1.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
0D0	STBS0D0	Z-Diode/TVS	189..231V, 1.6A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
0D0	STUB0D0	Z-Diode/TVS	190..220V 1.5A, 400W(1ms)	DO-214AC	1d	Eic
0D0	STUS0D0	Z-Diode/TVS	189..231V, 1.6A, 500W(1ms)	DO-214AC	1d	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
0D2	STB80D2	Z-Diode/TVS	209..242V 1.4A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0D2	STUB0D2	Z-Diode/TVS	209..242V 1.4A, 400W (1ms)	DO-214AC	1d	Eic
0D5	STB80D5	Z-Diode/TVS	237..275V 1.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0D5	STUB0D5	Z-Diode/TVS	237..275V 1.3A, 400W (1ms)	DO-214AC	1d	Eic
0D8	STB80D8	Z-Diode/TVS	266..308V 1.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0D8	STUB0D8	Z-Diode/TVS	266..308V 1.3A, 400W (1ms)	DO-214AC	1d	Eic
0E	MM1Z13B	Z-Diode	13V±2%, 500mW	SOD-123	5d	Sme
0E	MM3Z6V2	Z-Diode	6.2V±6%, 200mW	SOD-323	5d	Ons
0E0	STB80E0	Z-Diode/TVS	285..330V 1.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0E0	STUB0E0	Z-Diode/TVS	285..330V 1.2A, 400W (1ms)	DO-214AC	1d	Eic
0E2	STB80E2	Z-Diode/TVS	304..352V 1.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0E2	STUB0E2	Z-Diode/TVS	304..352V 1.2A, 400W (1ms)	DO-214AC	1d	Eic
0E5	STB80E5	Z-Diode/TVS	332..385V 0.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0E5	STUB0E5	Z-Diode/TVS	332..385V 0.9A, 400W (1ms)	DO-214AC	1d	Eic
0F	MM1Z15B	Z-Diode	15V±2%, 500mW	SOD-123	5d	Sme
0F	MM3Z6V8	Z-Diode	6.8V±6%, 200mW	SOD-323	5d	Ons
0G	MM3Z7V5	Z-Diode	5.7V±6%, 200mW	SOD-323	5d	Ons
0G0	STB80G0	Z-Diode/TVS	380..440V 0.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0G0	STUB0G0	Z-Diode/TVS	380..440V 0.9A, 400W (1ms)	DO-214AC	1d	Eic
0G4	STB80G4	Z-Diode/TVS	418..484V 0.8A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
0G4	STUB0G4	Z-Diode/TVS	418..484V 0.8A, 400W (1ms)	DO-214AC	1d	Eic
0H	MM1Z16B	Z-Diode	16V±2%, 500mW	SOD-123	5d	Sme
0H	MM3Z8V2	Z-Diode	8.2V±6%, 200mW	SOD-323	5d	Ons
0J	MM1Z18B	Z-Diode	18V±2%, 500mW	SOD-123	5d	Sme
0K	MM1Z20B	Z-Diode	20V±2%, 500mW	SOD-123	5d	Sme
0K	MM3Z9V1	Z-Diode	9.1V±6%, 200mW	SOD-323	5d	Ons
0L	MM3Z10V	Z-Diode	10V±6%, 200mW	SOD-323	5d	Ons
0M	MM1Z22B	Z-Diode	22V±2%, 500mW	SOD-123	5d	Sme
0M	MM3Z11V	Z-Diode	11V±6%, 200mW	SOD-323	5d	Ons
0N	MM1Z24B	Z-Diode	24V±2%, 500mW	SOD-123	5d	Sme
0N	MM3Z12V	Z-Diode	12V±6%, 200mW	SOD-323	5d	Ons
0P	MM1Z27B	Z-Diode	27V±2%, 500mW	SOD-123	5d	Sme
0P	MM3Z13V	Z-Diode	13V±6%, 200mW	SOD-323	5d	Ons
0R	MM1Z30B	Z-Diode	30V±2%, 500mW	SOD-123	5d	Sme
0T	MM3Z15V	Z-Diode	15V±6%, 200mW	SOD-323	5d	Ons
0U	MM3Z18V	Z-Diode	18V±6%, 200mW	SOD-323	5d	Ons
0W	MM3Z18V	Z-Diode	18V±6%, 200mW	SOD-323	5d	Ons
0X	MM1Z33B	Z-Diode	33V±2%, 500mW	SOD-123	5d	Sme
0Y	MM1Z36B	Z-Diode	36V±2%, 500mW	SOD-123	5d	Sme
0Z	MM1Z39B	Z-Diode	39V±2%, 500mW	SOD-123	5d	Sme
0Z	MM3Z20V	Z-Diode	20V±6%, 200mW	SOD-323	5d	Ons
1	BA277	Si-Diode	VHF, Band-switching, 35V, 0.1A, 0.715W, 1.2pF	SOD-523	6d	Phi
1	BB669	C-Diode	VHF-Tuning, Hyperband, 35V, 2.7/56pF (28/1V)	SOD-123	5d	Sie
10	HZU10G	Z-Diode	9.45..10.55V, 200mW	SOD-323	5d	Ren
10	KDZ10EV	Z-Diode	9.4..10.6V, 150mW	ESC	6d	Kec
10	KDZ10V	Z-Diode	9.4..10.6V, 150mW	USC	5d	Kec
10	MAZ5100	Z-Diode	9.4..10V, 500mW	MP2	11d	Pan
10	MAZS100	Z-Diode	9.4..10.6V, 200mW	SC-79	6d	Pan
10	MAZY100	Z-Diode	9..11V, 1W	NMiniP2	1d	Pan
10	MM3Z22V	Z-Diode	22V±6%, 200mW	SOD-323	5d	Ons
10	P6SMBJ10	Z-Diode/TVS	9..11V, 40A, 600W (1ms)	DO-214AA	1d	Lif
10	SML4740	Z-Diode	10V, Z _{fl} =7Ω	DO-214AC	1d	Gse
10	U1Z10	Z-Diode	9..11V, 1W	SOD-6	1d	Tos
10	U1ZB10	Z-Diode/TVS	9..11V, 1W	3-4D1A	1d	Tos
10-	MAZ8100	Z-Diode	9.4..10.6V, 150mW	SC-76	6d	Pan
10-	MAZS100	Z-Diode	9.4..10.6V, 200mW	SC-79	6d	Pan
10-	MAZS1000M	Z-Diode	9.75..10.25V, 200mW	SC-79	6d	Pan
10*	HZC10	Z-Diode	10V±10%, 150mW	SOD-523	6d	Ren
10^	MAZ8100	Z-Diode	9.4..10.6V, 150mW	SC-76	6d	Pan
10^	MAZS100	Z-Diode	9.4..10.6V, 200mW	SC-79	6d	Pan
10^	MAZS1000H	Z-Diode	10.07..10.59V, 200mW	SC-79	6d	Pan
10_	MAZ8100	Z-Diode	9.4..10.6V, 150mW	SC-76	6d	Pan
10_	MAZS100	Z-Diode	9.4..10.6V, 200mW	SC-79	6d	Pan
10_	MAZS1000L	Z-Diode	9.44..9.92 5V, 200mW	SC-79	6d	Pan
100	P6SMBJ100	Z-Diode/TVS	90..110V, 4.2A, 600W (1ms)	DO-214AA	1d	Lif
100	U1Z100	Z-Diode	90..110V, 1W	SOD-6	1d	Tos
100	U1ZB100	Z-Diode/TVS	90..110V, 1W	3-4D1A	1d	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
100A	1.5SMC100A	Z-Diode/TVS	95..105V, 10.9A, 1500W (1ms)	DO-214AB	1d	Vis
100A	P4SMA100A	Z-Diode/TVS	95.0..105V, 2.2A, 400W (1ms)	DO-214AC	1d	Vis
100A	P6SMB100A	Z-Diode/TVS	95..105V, 4.4A, 600W (1ms)	DO-214AA	1d	Vis
100A	P6SMB100AT3	Z-Diode/TVS	100V, 4.4A, 600W (1ms)	403A	3d	Mot,Ons
100A	P6SMBJ100A	Z-Diode/TVS	95..105V, 4.4A, 600W (1ms)	DO-214AA	1d	Lif
100B	1SMB3EZ100	Z-Diode	100V±5%, 3W	SMB	1d	Pjt
100C	1.5SMC100CA	Z-Diode/TVS	95..105V, 10.9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
100C	P4SMA100CA	Z-Diode/TVS	95.0..105V, 2.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
100C	P6SMB100CA	Z-Diode/TVS	95..105V, 4.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
100C	P6SMBJ100C	Z-Diode/TVS	90..110V, 4.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
100CA	P6SMBJ100CA	Z-Diode/TVS	95..105V, 4.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
100PH	BZD27-C100	Z-Diode	100V±5%, 2.3W	SOD-87	15d	Phi
1010	SZ1010	Z-Diode	10V±10%, 1W	DO-214AC	1d	Eic,Sun
1011	SZ1011	Z-Diode	11V±10%, 1W	DO-214AC	1d	Eic,Sun
1012	SZ1012	Z-Diode	12V±10%, 1W	DO-214AC	1d	Eic,Sun
1013	SZ1013	Z-Diode	13V±10%, 1W	DO-214AC	1d	Eic,Sun
1015	SZ1015	Z-Diode	15V±10%, 1W	DO-214AC	1d	Eic,Sun
1016	SZ1016	Z-Diode	16V±10%, 1W	DO-214AC	1d	Eic,Sun
1018	SZ1018	Z-Diode	18V±10%, 1W	DO-214AC	1d	Eic,Sun
1020	SZ1020	Z-Diode	20V±10%, 1W	DO-214AC	1d	Eic,Sun
1022	SZ1022	Z-Diode	22V±10%, 1W	DO-214AC	1d	Eic,Sun
1024	SZ1024	Z-Diode	24V±10%, 1W	DO-214AC	1d	Eic,Sun
1027	SZ1027	Z-Diode	27V±10%, 1W	DO-214AC	1d	Eic,Sun
1030	SZ1030	Z-Diode	30V±10%, 1W	DO-214AC	1d	Eic,Sun
1033	SZ1033	Z-Diode	33V±10%, 1W	DO-214AC	1d	Eic,Sun
1036	SZ1036	Z-Diode	36V±10%, 1W	DO-214AC	1d	Eic,Sun
1039	SZ1039	Z-Diode	39V±10%, 1W	DO-214AC	1d	Eic,Sun
103D	SZ103D	Z-Diode	3.3V±10%, 1W	DO-214AC	1d	Eic,Sun
103G	SZ103G	Z-Diode	3.6V±10%, 1W	DO-214AC	1d	Eic,Sun
103J	SZ103J	Z-Diode	3.9V±10%, 1W	DO-214AC	1d	Eic,Sun
1043	SZ1043	Z-Diode	43V±10%, 1W	DO-214AC	1d	Eic,Sun
1047	SZ1047	Z-Diode	47V±10%, 1W	DO-214AC	1d	Eic,Sun
104D	SZ104D	Z-Diode	4.3V±10%, 1W	DO-214AC	1d	Eic,Sun
104H	SZ104H	Z-Diode	4.7V±10%, 1W	DO-214AC	1d	Eic,Sun
1051	SZ1051	Z-Diode	51V±10%, 1W	DO-214AC	1d	Eic,Sun
1056	SZ1056	Z-Diode	56V±10%, 1W	DO-214AC	1d	Eic,Sun
105B	SZ105B	Z-Diode	5.1V±10%, 1W	DO-214AC	1d	Eic,Sun
105G	SZ105G	Z-Diode	5.6V±10%, 1W	DO-214AC	1d	Eic,Sun
1062	SZ1062	Z-Diode	62V±10%, 1W	DO-214AC	1d	Eic,Sun
1068	SZ1068	Z-Diode	68V±10%, 1W	DO-214AC	1d	Eic,Sun
106C	SZ106C	Z-Diode	6.2V±10%, 1W	DO-214AC	1d	Eic,Sun
106I	SZ106I	Z-Diode	6.8V±10%, 1W	DO-214AC	1d	Eic,Sun
1075	SZ1075	Z-Diode	75V±10%, 1W	DO-214AC	1d	Eic,Sun
107F	SZ107F	Z-Diode	7.5V±10%, 1W	DO-214AC	1d	Eic,Sun
1082	SZ1082	Z-Diode	82V±10%, 1W	DO-214AC	1d	Eic,Sun
108C	SZ108C	Z-Diode	8.2V±10%, 1W	DO-214AC	1d	Eic,Sun
1091	SZ1091	Z-Diode	91V±10%, 1W	DO-214AC	1d	Eic,Sun
109B	SZ109B	Z-Diode	9.1V±10%, 1W	DO-214AC	1d	Eic,Sun
10A	1.5SMC10A	Z-Diode/TVS	9.5..10.5V, 103A, 1500W (1ms)	DO-214AB	1d	Vis
10A	1.5SMC10AT3	Z-Diode/TVS	10V, 103A, 1500W (1ms)	403	3d	Mot,Ons
10A	P4SMA10A	Z-Diode/TVS	9.5..10.5V, 27.6A, 400W (1ms)	DO-214AC	1d	Vis
10A	P6SMB10A	Z-Diode/TVS	9.5..10.5V, 41.4A, 600W (1ms)	DO-214AA	1d	Vis
10A	P6SMB10AT3	Z-Diode/TVS	10V, 41A, 600W (1ms)	403A	3d	Mot,Ons
10A	P6SMBJ10A	Z-Diode/TVS	9.5..10.5V, 41A, 600W (1ms)	DO-214AA	1d	Lif
10B	HZF10BP	Z-Diode	10V±5%, 0.9W	DO-214	1d	Ren
10B	PTZ10B	Z-Diode	10V 10%, 40mA, 1W	SOD-106	1d	Rhm
10B0	SZ10B0	Z-Diode	100V±10%, 1W	DO-214AC	1d	Eic,Sun
10B1	SZ10B1	Z-Diode	110V±10%, 1W	DO-214AC	1d	Eic,Sun
10B2	SZ10B2	Z-Diode	120V±10%, 1W	DO-214AC	1d	Eic,Sun
10B3	SZ10B3	Z-Diode	130V±10%, 1W	DO-214AC	1d	Eic,Sun
10B5	SZ10B5	Z-Diode	150V±10%, 1W	DO-214AC	1d	Eic,Sun
10B6	SZ10B6	Z-Diode	160V±10%, 1W	DO-214AC	1d	Eic,Sun
10B8	SZ10B8	Z-Diode	180V±10%, 1W	DO-214AC	1d	Eic,Sun
10C	1.5SMC10CA	Z-Diode/TVS	9.5..10.5V, 103A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
10C	HZF10CP	Z-Diode	10V±10%, 0.9W	DO-214	1d	Ren
10C	P4SMA10CA	Z-Diode/TVS	9.5..10.5V, 27.6A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
10C	P6SMB10CA	Z-Diode/TVS	9.5..10.5V, 41.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
10C	P6SMBJ10C	Z-Diode/TVS	9..11V, 40A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
10CA	P6SMBJ10CA	Z-Diode/TVS	9.5..10.5V, 41A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
10D0	S210D0	Z-Diode	200V±10%, 1W	DO-214AC	1d	Eic,Sun
10L6	KP10L06	Thy-SPD	V Of-St=55V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
10L7	KP10L07	Thy-SPD	V Of-St=65V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
10L8	KP10L08	Thy-SPD	V Of-St=70V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
10LU06	KP10LU06	Thy-SPD	V Of-St=55V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	SOD-123	2	Shi
10LU08	KP10LU08	Thy-SPD	V Of-St=70V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	SOD-123	2	Shi
10N12	KP10N12	Thy-SPD	V Of-St=110V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
10N14	KP10N14	Thy-SPD	V Of-St=130V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
10PH	BZD27-C10	Z-Diode	10V±5%, 2.3W	SOD-87	15d	Phi
10R25	KP10R25	Thy-SPD	V Of-St=220V, Ifsm=100A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
11	KDZ11EV	Z-Diode	10.4..11.6V, 150mW	ESC	6d	Kec
11	KDZ11V	Z-Diode	10.4..11.6V, 150mW	USC	5d	Kec
11	MAZ5110	Z-Diode	10.4..11.6V, 500mW	MP2	11d	Pan
11	MAZS110	Z-Diode	10.4..11.6V, 200mW	SC-79	6d	Pan
11	MAZY110	Z-Diode	9.9..12.1V, 1W	NMiniP2	1d	Pan
11	MM3Z24V	Z-Diode	24V±6%, 200mW	SOD-323	5d	Ons
11	P6SMBJ11	Z-Diode/TVS	9.9..12.1V, 37A, 600W (1ms)	DO-214AA	1d	Lif
11	SML4741	Z-Diode	11V, Zzt=8Ω	DO-214AC	1d	Gse
11	U1Z11	Z-Diode	9.9..12.1V, 1W	SOD-6	1d	Tos
11	U1ZB11	Z-Diode/TVS	9.9..12.1V, 1W	3-4D1A	1d	Tos
11-	MAZ8110	Z-Diode	10.4..11.6V, 150mW	SC-76	6d	Pan
11-	MAZS110	Z-Diode	10.4..11.6V, 200mW	SC-79	6d	Pan
11-	MAZS1100M	Z-Diode	10.73..11.28V, 200mW	SC-79	6d	Pan
11*	HZC11	Z-Diode	11V±10%, 150mW	SOD-523	6d	Ren
11^	MAZ8110	Z-Diode	10.4..11.6V, 150mW	SC-76	6d	Pan
11^	MAZS110	Z-Diode	10.4..11.6V, 200mW	SC-79	6d	Pan
11^	MAZS1100H	Z-Diode	11.05..11.6V, 200mW	SC-79	6d	Pan
11_	MAZ8110	Z-Diode	10.4..11.6V, 150mW	SC-76	6d	Pan
11_	MAZS110	Z-Diode	10.4..11.6V, 200mW	SC-79	6d	Pan
11_	MAZS1100L	Z-Diode	10.4..10.94V, 200mW	SC-79	6d	Pen
110	P6SMBJ110	Z-Diode/TVS	99..121V, 3.8A, 600W (1ms)	DO-214AA	1d	Lif
110	U1Z110	Z-Diode	99..121V, 1W	SOD-6	1d	Tos
110	U1ZB110	Z-Diode/TVS	99..121V, 1W	3-4D1A	1d	Tos
110A	1.5SMC110A	Z-Diode/TVS	105..116V, 9.9A, 1500W (1ms)	DO-214AB	1d	Vis
110A	P4SMA110A	Z-Diode/TVS	105..116V, 2A, 400W (1ms)	DO-214AC	1d	Vis
110A	P6SMB110A	Z-Diode/TVS	105..116V, 3.9A, 600W (1ms)	DO-214AA	1d	Vis
110A	P6SMB110AT3	Z-Diode/TVS	110V, 4A, 600W (1ms)	403A	3d	Mot,Ons
110A	P6SMBJ110A	Z-Diode/TVS	105..116V, 4A, 600W (1ms)	DO-214AA	1d	Lif
110B	1SMB3EZ110	Z-Diode	110V±5%, 3W	SMB	1d	Pjt
110C	1.5SMC110CA	Z-Diode/TVS	105..116V, 9.9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
110C	P4SMA110CA	Z-Diode/TVS	105..116V, 2A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
110C	P6SMB110CA	Z-Diode/TVS	105..116V, 3.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
110C	P6SMBJ110C	Z-Diode/TVS	99..121V, 3.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
110CA	P6SMBJ110CA	Z-Diode/TVS	105..116V, 4A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
110PH	BZD27-C110	Z-Diode	110V±5%, 2.3W	SOD-87	15d	Phi
110Z	1SMA110Z	Z-Diode	110V±5%, 1W	SMA	1d	Trs
111	HZU11LA1	Z-Diode	9.5..9.9V, 150mW	URP	5d	Ren
112	HZU11LA2	Z-Diode	9.7..10.1V, 150mW	URP	5d	Ren
113	HZU11LA3	Z-Diode	9.9..10.3V, 150mW	URP	5d	Ran
114	HZU11LB1	Z-Diode	10.2..10.6V, 150mW	URP	5d	Ren
115	HZU11LB2	Z-Diode	10.4..10.8V, 150mW	URP	5d	Ren
116	HZU11LB3	Z-Diode	10.7..11.1V, 150mW	URP	5d	Ren
117	HZU11LC1	Z-Diode	10.9..11.3V, 150mW	URP	5d	Ren
118	HZU11LC2	Z-Diode	11.1..11.6V, 150mW	URP	5d	Ren
119	HZU11LC3	Z-Diode	11.4..11.9V, 150mW	URP	5d	Ren
11A	1.5SMC11A	Z-Diode/TVS	10.5..11.6V, 96.2A, 1500W (1ms)	DO-214AB	1d	Vis
11A	1.5SMC11AT3	Z-Diode/TVS	11V, 96A, 1500W (1ms)	403	3d	Mot,Ons
11A	P4SMA11A	Z-Diode/TVS	10.5..11.6V, 25.6A, 400W (1ms)	DO-214AC	1d	Vis
11A	P6SMB11A	Z-Diode/TVS	10.5..11.6V, 38.5A, 600W (1ms)	DO-214AA	1d	Vis
11A	P6SMB11AT3	Z-Diode/TVS	11V, 38A, 600W (1ms)	403A	3d	Mot,Ons
11A	P6SMBJ11A	Z-Diode/TVS	10.5..11.6V, 38A, 600W (1ms)	DO-214AA	1d	Lif
11B	1SMB3EZ11	Z-Diode	11V±5%, 3W	SMB	1d	Pjt
11B	HZF11BP	Z-Diode	11V±5%, 0.9W	DO-214	1d	Ren
11B	PTZ11B	Z-Diode	11V 10%, 20mA, 1W	SOD-106	1d	Rhm
11C	1.5SMC11CA	Z-Diode/TVS	10.5..11.6V, 96.2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
11C	HZF11CP	Z-Diode	11V±10%, 0,9W	DO-214	1d	Ren
11C	P4SMA11CA	Z-Diode/TVS	10.5..11.6V, 25.6A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
11C	P6SMB11CA	Z-Diode/TVS	10.5..11.6V, 38.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
11C	P6SMB11CAT3	Z-Diode/TVS	11V, 38A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
11C	P6SMBJ11C	Z-Diode/TVS	9.9..12.1V, 37A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
11CA	P6SMBJ11CA	Z-Diode/TVS	10.5..11.6V, 38A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
11PH	BZD27-C11	Z-Diode	11V±5%, 2.3W	SOD-87	15d	Phi
12	CMZ12	Z-Diode	12V±5%, 2W	M-Flat	7d	Tos
12	GDZ2.2B	Z-Diode	2.2V, 200mW	SOD-323	5d	Vis
12	KDZ12EV	Z-Diode	11.4..12.6V, 150mW	ESC	6d	Kec
12	KDZ12V	Z-Diode	11.4..12.6V, 150mW	USC	5d	Kec
12	MAZ5120	Z-Diode	11.4..12.7V, 500mW	MP2	11d	Pan
12	MAZS120	Z-Diode	11.4..12.7V, 200mW	SC-79	6d	Pan
12	MAZY120	Z-Diode	10.8..13.2V, 1W	NMinP2	1d	Pan
12	MM3Z27V	Z-Diode	27V±8%, 200mW	SOD-323	5d	Ons
12	P6SMBJ12	Z-Diode/TVS	10.8..13.2V, 35A, 600W(1ms)	DO-214AA	1d	Lif
12	SML4742	Z-Diode	12V, Zzt=9Ω	DO-214AC	1d	Gse
12	U1Z12	Z-Diode	10.8..13.2V, 1W	SOD-6	1d	Tos
12	U1ZB12	Z-Diode/TVS	10.8..13.2V, 1W	3-4D1A	1d	Tos
12	UDZ2.2B	Z-Diode	2.2V±2.5%, 200mW	SOD-323	5d	Rhm
12-	MAZ8120	Z-Diode	11.4..12.7V, 150mW	SC-76	6d	Pen
12-	MAZS120	Z-Diode	11.4..12.7V, 200mW	SC-79	6d	Pan
12-	MAZS1200M	Z-Diode	11.73..12.33V, 200mW	SC-79	6d	Pan
12*	HZC12	Z-Diode	12V±10%, 150mW	SOD-523	6d	Ren
12Z1	SD12C	TVS	12V, 15A, 350W(1ms), Bidirectional	SOD-323	5c	Smt
12*	MAZ8120	Z-Diode	11.4..12.7V, 150mW	SC-76	6d	Pan
12*	MAZS120	Z-Diode	11.4..12.7V, 200mW	SC-79	6d	Pan
12*	MAZS1200H	Z-Diode	12.06..12.66V, 200mW	SC-79	6d	Pan
12_	MAZ8120	Z-Diode	11.4..12.7V, 150mW	SC-76	6d	Pan
12_	MAZS120	Z-Diode	11.4..12.7V, 200mW	SC-79	6d	Pan
12_	MAZS1200L	Z-Diode	11.4..11.96V, 200mW	SC-79	6d	Pan
120	P6SMBJ120	Z-Diode/TVS	108..132V, 3.5A, 600W(1ms)	DO-214AA	1d	Lif
120A	1.5SMC120A	Z-Diode/TVS	114..126V, 9.1A, 1500W (1ms)	DO-214AB	1d	Vis
120A	P4SMA120A	Z-Diode/TVS	114..126V, 1.8A, 400W (1ms)	DO-214AC	1d	Vis
120A	P6SMB120A	Z-Diode/TVS	114..126V, 3.6A, 600W (1ms)	DO-214AA	1d	Vis
120A	P6SMB120AT3	Z-Diode/TVS	120V, 3.6A, 600W (1ms)	403A	3d	Mot,Ons
120A	P6SMBJ120A	Z-Diode/TVS	114..126V, 3.6A, 600W(1ms)	DO-214AA	1d	Lif
120A	TSP120SA	Thy-SPD	V Of-S=120V, 50A(1ms), Bidirectional	SMB	2	Pjt
120B	1SMB3EZ120	Z-Diode	120V±5%, 3W	SMB	1d	Pjt
120B	1SMB3EZ130	Z-Diode	130V±5%, 3W	SMB	1d	Pjt
120B	TSP120SB	Thy-SPD	V Of-S=120V, 80A(1ms), Bidirectional	SMB	2	Pjt
120C	1.5SMC120CA	Z-Diode/TVS	114..126V, 9.1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
120C	P4SMA120CA	Z-Diode/TVS	114..126V, 1.8A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
120C	P6SMB120CA	Z-Diode/TVS	114..126V, 3.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
120C	P6SMBJ120C	Z-Diode/TVS	108..132V, 3.5A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
120C	TSP120SC	Thy-SPD	V Of-S=120V, 100A(1ms), Bidirectional	SMB	2	Pjt
120CA	P6SMBJ120CA	Z-Diode/TVS	114..126V, 3.6A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
120PH	BZD27-C120	Z-Diode	120V±5%, 2.3W	SOD-87	15d	Phi
120Z	1SMA110Z	Z-Diode	120V±5%, 1W	SMA	1d	Trs
121	HZU12LA1	Z-Diode	11.6..12.1V, 150mW	URP	5d	Ren
122	HZU12LA2	Z-Diode	11.9..12.4V, 150mW	URP	5d	Ren
123	HZU12LA3	Z-Diode	12.2..12.7V, 150mW	URP	5d	Ren
124	HZU12LB1	Z-Diode	12.4..12.9V, 150mW	URP	5d	Ren
125	HZU12LB2	Z-Diode	12.6..13.1V, 150mW	URP	5d	Ren
126	HZU12LB3	Z-Diode	12.9..13.4V, 150mW	URP	5d	Ren
127	HZU12LC1	Z-Diode	13.2..13.7V, 150mW	URP	5d	Ren
127Z	BYD127	Si-Diode	U-Fast Rectifier, 200V, 1A, Vf<0.93V(1A), 30ns	1206	14d	Zow
128	HZU12LC2	Z-Diode	13.5..14V, 150mW	URP	5d	Ren
129	HZU12LC3	Z-Diode	13.8..14.3V, 150mW	URP	5d	Ren
12A	1.5SMC12A	Z-Diode/TVS	11.4..12.6V, 89.8A, 1500W (1ms)	DO-214AB	1d	Vis
12A	1.5SMC12AT3	Z-Diode/TVS	12V, 90A, 1500W (1ms)	403	3d	Mot,Ons
12A	P4SMA12A	Z-Diode/TVS	11.4..12.6V, 24A, 400W (1ms)	DO-214AC	1d	Vis
12A	P6SMB12A	Z-Diode/TVS	11.4..12.6V, 35.9A, 600W (1ms)	DO-214AA	1d	Vis
12A	P6SMB12AT3	Z-Diode/TVS	12V, 36A, 600W (1ms)	403A	3d	Mot,Ons
12A	P6SMBJ12A	Z-Diode/TVS	11.4..12.6V, 36A, 600W(1ms)	DO-214AA	1d	Lif
12B	1SMB3EZ12	Z-Diode	12V±5%, 3W	SMB	1d	Pjt
12B	HZF12BP	Z-Diode	12V±5%, 0.9W	DO-214	1d	Ren

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
12B	PTZ12B	Z-Diode	12V 10%, 20mA, 1W	SOD-106	1d	Rhm
12C	1.5SMC12CA	Z-Diode/TVS	11.4..12.6V, 89.8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
12C	HZF12CP	Z-Diode	12V±10%, 0,9W	DO-214	1d	Ren
12C	P4SMA12CA	Z-Diode/TVS	11.4..12.6V, 24A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
12C	P6SMB12CA	Z-Diode/TVS	11.4..12.6V, 35.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
12C	P6SMB12CAT3	Z-Diode/TVS	12V, 36A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
12C	P6SMBJ12C	Z-Diode/TVS	10.8..13.2V, 35A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
12CA	P6SMBJ12CA	Z-Diode/TVS	11.4..12.6V, 36A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
12PH	BZD27-C12	Z-Diode	12V±5%, 2,3W	SOD-87	15d	Phi
13	CMZ13	Z-Diode	13V±5%, 2W	M-Fiat	7d	Tos
13	KDZ13EV	Z-Diode	12.4..14.1V, 150mW	ESC	6d	Kec
13	KDZ13V	Z-Diode	12.4..14.1V, 150mW	USC	5d	Kec
13	MAZ5130	Z-Diode	12.4..14.1V, 500mW	MP2	11d	Pan
13	MAZS130	Z-Diode	12.4..14.1V, 200mW	SC-79	6d	Pan
13	MAZY130	Z-Diode	11.7..14.3V, 1W	NMiniP2	1d	Pan
13	P6SMBJ13	Z-Diode/TVS	11.7..14.3V, 32A, 600W (1ms)	DO-214AA	1d	Lif
13	SML4743	Z-Diode	13V, Zzt=10Ω	DO-214AC	1d	Gse
13	UIZ13	Z-Diode	11.7..14.3V, 1W	SOD-6	1d	Tos
13	UIZB13	Z-Diode/TVS	11.7..14.3V, 1W	3-4D1A	1d	Tos
13-	MAZ8130	Z-Diode	12.4..14.1V, 150mW	SC-76	6d	Pan
13-	MAZS130	Z-Diode	12.4..14.1V, 200mW	SC-79	6d	Pan
13-	MAZS1300M	Z-Diode	12.73..13.4V, 200mW	SC-79	6d	Pan
13*	HZC13	Z-Diode	13V±10%, 150mW	SOD-523	6d	Ren
13^	MAZ8130	Z-Diode	12.4..14.1V, 150mW	SC-76	6d	Pan
13^	MAZS130	Z-Diode	12.4..14.1V, 200mW	SC-79	6d	Pan
13^	MAZS1300H	Z-Diode	13.25..14.08V, 200mW	SC-79	6d	Pan
13_	MAZ8130	Z-Diode	12.4..14.1V, 150mW	SC-76	6d	Pan
13_	MAZS130	Z-Diode	12.4..14.1V, 200mW	SC-79	6d	Pan
13_	MAZS1300L	Z-Diode	12.4..12.99V, 200mW	SC-79	6d	Pan
130	P6SMBJ130	Z-Diode/TVS	117..143V, 3.2A, 600W (1ms)	DO-214AA	1d	Lif
130A	1.5SMC130A	Z-Diode/TVS	124..137V, 8.4A, 1500W (1ms)	DO-214AB	1d	Vis
130A	P4SMA130A	Z-Diode/TVS	124..137V, 1.7A, 400W (1ms)	DO-214AC	1d	Vis
130A	P6SMB130A	Z-Diode/TVS	124..137V, 3.4A, 600W (1ms)	DO-214AA	1d	Vis
130A	P6SMB130AT3	Z-Diode/TVS	130V, 3.3A, 600W (1ms)	403A	3d	Mot,Ons
130A	P6SMBJ130A	Z-Diode/TVS	124..137V, 3.3A, 600W (1ms)	DO-214AA	1d	Lif
130B	1SMB3EZ140	Z-Diode	140V±5%, 3W	SMB	1d	Pjt
130C	1.5SMC130CA	Z-Diode/TVS	124..137V, 8.4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
130C	P4SMA130CA	Z-Diode/TVS	124..137V, 1.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
130C	P6SMB130CA	Z-Diode/TVS	124..137V, 3.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
130C	P6SMBJ130C	Z-Diode/TVS	117..143V, 3.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
130CA	P6SMBJ130CA	Z-Diode/TVS	124..137V, 3.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
130PH	BZD27-C130	Z-Diode	130V±5%, 2,3W	SOD-87	15d	Phi
130Z	1SMA110Z	Z-Diode	130V±5%, 1W	SMA	1d	Trs
13A	1.5SMC13A	Z-Diode/TVS	12.4..13.7V, 82.4A, 1500W (1ms)	DO-214AB	1d	Vis
13A	1.5SMC13AT3	Z-Diode/TVS	13V, 82A, 1500W (1ms)	403	3d	Mot,Ons
13A	P4SMA13A	Z-Diode/TVS	12.4..13.7V, 22A, 400W (1ms)	DO-214AC	1d	Vis
13A	P6SMB13A	Z-Diode/TVS	12.4..13.7V, 33A, 600W (1ms)	DO-214AA	1d	Vis
13A	P6SMB13AT3	Z-Diode/TVS	13V, 33A, 600W (1ms)	403A	3d	Mot,Ons
13A	P6SMBJ13A	Z-Diode/TVS	12.4..13.7V, 33A, 600W (1ms)	DO-214AA	1d	Lif
13B	1SMB3EZ13	Z-Diode	13V±5%, 3W	SMB	1d	Pjt
13B	HZF13BP	Z-Diode	13V±5%, 0,9W	DO-214	1d	Ren
13B	PTZ13B	Z-Diode	13V 10%, 20mA, 1W	SOD-106	1d	Rhm
13C	1.5SMC13CA	Z-Diode/TVS	12.4..13.7V, 82.4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
13C	HZF13CP	Z-Diode	13V±10%, 0,9W	DO-214	1d	Ren
13C	P4SMA13CA	Z-Diode/TVS	12.4..13.7V, 22A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
13C	P6SMB13CA	Z-Diode/TVS	12.4..13.7V, 33A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
13C	P6SMB13CAT3	Z-Diode/TVS	13V, 33A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
13C	P6SMBJ13C	Z-Diode/TVS	11.7..14.3V, 32A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
13CA	P6SMBJ13CA	Z-Diode/TVS	12.4..13.7V, 33A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
13PH	BZD27-C13	Z-Diode	13V±5%, 2,3W	SOD-87	15d	Phi
14	1SR154-400	Si-Diode/TVS	400V, 1A, V _{rr} =1V(1A)	SOD-106	1d	Rhm
14	CMZ15	Z-Diode	15V±5%, 2W	M-Fiat	7d	Tos
14	KL3N14	Thy-SPD	V _{OF-S} =130V, I _{flsm} =30A(1ms), I _h =100mA, Bidirectional	DO-214	2	Shi
14	MM3Z30V	Z-Diode	30V±6%, 200mW	SOD-323	5d	Ons
14-	MAZ8140	Z-Diode	13.6..14.35V, 150mW	SC-76	6d	Pan
140A	TSP140SA	Thy-SPD	V _{OF-S} =140V, 50A(1ms), Bidirectional	SMB	2	Pjt
140B	1SMB3EZ150	Z-Diode	150V±5%, 3W	SMB	1d	Pjt

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
140B	TSP140SB	Thy-SPD	V Of-St=140V, 80A(1ms), Bidirectional	SMB	2 Pjt
140C	TSP140SC	Thy-SPD	V Of-St=140V, 100A(1ms), Bidirectional	SMB	2 Pjt
147Z	BYD147	St-Diode	U-Fast Rectifier, 400V, 1A, Vf<1,05V(1A), 35ns	1206	14d Zow
14B	1SMB3EZ14	Z-Diode	14V±5%, 3W	SMB	1d Pjt
15	KDZ15EV	Z-Diode	13.8..15.6V, 150mW	ESC	6d Kec
15	KDZ15V	Z-Diode	13.8..15.6V, 150mW	USC	5d Kec
15	MAZS150	Z-Diode	13.9..15.6V, 500mW	MP2	11d Pan
15	MAZS150	Z-Diode	13.9..15.6V, 200mW	SC-79	6d Pan
15	MAZY150	Z-Diode	13.5..16.5V, 1W	NMiniP2	1d Pan
15	P6SMBJ15	Z-Diode/TVS	13.5..16.5V, 27A, 600W (1ms)	DO-214AA	1d Lif
15	SML4744	Z-Diode	15V, Zzt=14Ω	DO-214AC	1d Gse
15	U1Z15	Z-Diode	13.5..16.5V, 1W	SOD-6	1d Tos
15	U1ZB15	Z-Diode/TVS	13.5..16.5V, 1W	3-4D1A	1d Tos
15	UDZ11B	Z-Diode	11V±2.5%, 200mW	SOD-323	5d Rhm
15	VDZS11B	Z-Diode	11V 10%, 5mA, 200mW	SOD-106	1d Rhm
15	VDZS11B	Z-Diode	11V 10%, 5mA, 100mW	VMD2	5d Rhm
15-	MAZB150	Z-Diode	13.9..15.6V, 150mW	SC-76	6d Pan
15-	MAZS150	Z-Diode	13.9..15.6V, 200mW	SC-79	6d Pan
15-	MAZS1500M	Z-Diode	14.6..15.35V, 200mW	SC-79	6d Pan
15*	HZC15	Z-Diode	15V±10%, 150mW	SOD-523	6d Ren
15/5	SD15C	TVS	15V, 15A, 350W(1ms), Bidirectional	SOD-323	5c Sml
15^	MAZB150	Z-Diode	13.9..15.6V, 150mW	SC-76	6d Pan
15^	MAZS150	Z-Diode	13.9..15.6V, 200mW	SC-79	6d Pan
15^	MAZS1500H	Z-Diode	14.95..15.6V, 200mW	SC-79	6d Pan
15_	MAZB150	Z-Diode	13.9..15.6V, 150mW	SC-76	6d Pan
15_	MAZS150	Z-Diode	13.9..15.6V, 200mW	SC-79	6d Pan
15_	MAZS1500L	Z-Diode	13.9..14.76V, 200mW	SC-79	6d Pan
150	P6SMBJ150	Z-Diode/TVS	135..165V, 2.8A, 600W (1ms)	DO-214AA	1d Lif
150	U1Z150	Z-Diode	135..165V, 1W	SOD-6	1d Tos
150	U1ZB150	Z-Diode/TVS	135..165V, 1W	3-4D1A	1d Tos
150A	1.5SMC150A	Z-Diode/TVS	143..158V, 7.2A, 1500W (1ms)	DO-214AB	1d Vis
150A	P4SMA150A	Z-Diode/TVS	143..158V, 1.4A, 400W (1ms)	DO-214AC	1d Vis
150A	P6SMB150A	Z-Diode/TVS	143..158V, 2.9A, 600W (1ms)	DO-214AA	1d Vis
150A	P6SMB150AT3	Z-Diode/TVS	150V, 2.9A, 600W (1ms)	403A	3d Mol,Ons
150A	P6SMBJ150A	Z-Diode/TVS	143..158V, 2.9A, 600W(1ms)	DO-214AA	1d Lif
150B	1SMB3EZ160	Z-Diode	160V±5%, 3W	SMB	1d Pjt
150C	1.5SMC150CA	Z-Diode/TVS	143..158V, 7.2A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
150C	P4SMA150CA	Z-Diode/TVS	143..158V, 1.4A, 400W (1ms), Bidirectional	DO-214AC	2c Vis
150C	P6SMB150CA	Z-Diode/TVS	143..158V, 2.9A, 600W (1ms), Bidirectional	DO-214AA	1c Vis
150C	P6SMBJ150C	Z-Diode/TVS	135..165V, 2.8A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
150CA	P6SMBJ150CA	Z-Diode/TVS	143..158V, 2.9A, 600W(1ms), Bidirectional	DO-214AA	1c Lif
150PH	BZD27-C150	Z-Diode	150V±5%, 2.3W	SOD-87	15d Phi
150Z	1SMA110Z	Z-Diode	150V±5%, 1W	SMA	1d Trs
151	HZU15L-1	Z-Diode	14.1..14.7V, 150mW	URP	5d Ren
152	HZU15L-2	Z-Diode	14.5..15.1V, 150mW	URP	5d Ren
153	HZU15L-3	Z-Diode	14.9..15.5V, 150mW	URP	5d Ren
15A	1.5SMC15A	Z-Diode/TVS	14.3..15.8V, 70.8A, 1500W (1ms)	DO-214AB	1d Vis
15A	1.5SMC15AT3	Z-Diode/TVS	15V, 71A, 1500W (1ms)	403	3d Mol,Ons
15A	P4SMA15A	Z-Diode/TVS	14.3..15.8V, 18.9A, 400W (1ms)	DO-214AC	1d Vis
15A	P6SMB15A	Z-Diode/TVS	14.3..15.8V, 28.3A, 600W (1ms)	DO-214AA	1d Vis
15A	P6SMB15AT3	Z-Diode/TVS	15V, 28A, 600W (1ms)	403A	3d Mol,Ons
15A	P6SMBJ15A	Z-Diode/TVS	14.3..15.8V, 28A, 600W(1ms)	DO-214AA	1d Lif
15B	1SMB3EZ15	Z-Diode	15V±5%, 3W	SMB	1d Pjt
15B	HZF15BP	Z-Diode	15V±5%, 0.9W	DO-214	1d Ren
15B	PTZ15B	Z-Diode	15V 10%, 20mA, 1W	SOD-106	1d Rhm
15C	1.5SMC15CA	Z-Diode/TVS	14.3..15.8V, 70.8A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
15C	HZF15CP	Z-Diode	15V±10%, 0.9W	DO-214	1d Ren
15C	P4SMA15CA	Z-Diode/TVS	14.3..15.8V, 18.9A, 400W (1ms), Bidirectional	DO-214AC	2c Vis
15C	P6SMB15CA	Z-Diode/TVS	14.3..15.8V, 28.3A, 600W (1ms), Bidirectional	DO-214AA	1c Vis
15C	P6SMB15CAT3	Z-Diode/TVS	15V, 28A, 600W (1ms), Bidirectional	403A	3c Mol,Ons
15C	P6SMBJ15C	Z-Diode/TVS	13.5..16.5V, 27A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
15CA	P6SMBJ15CA	Z-Diode/TVS	14.3..15.8V, 28A, 600W(1ms), Bidirectional	DO-214AA	1c Lif
15L7	KP15L07	Thy-SPD	V Of-St=65V, Ifsm=150A(1ms), Ih=100mA, Bidirectional	DO-214A	2 Shi
15L8	KP15L08	Thy-SPD	V Of-St=70V, Ifsm=150A(1ms), Ih=100mA, Bidirectional	DO-214	2 Shi
15N12	KP15N12	Thy-SPD	V Of-St=110V, Ifsm=150A(1ms), Ih=100mA, Bidirectional	DO-214	2 Shi
15N14	KP15N14	Thy-SPD	V Of-St=130V, Ifsm=150A(1ms), Ih=100mA, Bidirectional	DO-214	2 Shi
15PH	BZD27-C15	Z-Diode	15V±5%, 2.3W	SOD-87	15d Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
15R25	KP15R25	Thy-SPD	V OF-St=220V, Ifsm=150A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
16	1SR154-800	Si-Diode/TVS	600V, 1A, Vf<1V(1A)	SOD-106	1d	Rhm
16	CMZ16	Z-Diode	16V±5%, 2W	M-Flat	7d	Tos
16	KDZ16EV	Z-Diode	15.3..17.1V, 150mW	ESC	6d	Kec
16	KDZ16V	Z-Diode	15.3..17.1V, 150mW	USC	5d	Kec
16	MAZS160	Z-Diode	15.3..17.1V, 500mW	MP2	11d	Pan
16	MAZS160	Z-Diode	15.3..17.1V, 200mW	SC-79	6d	Pan
16	MAZY160	Z-Diode	14.4..17.6V, 1W	NMiniP2	1d	Pan
16	P6SMBJ16	Z-Diode/TVS	14.4..17.6V, 26A, 600W(1ms)	DO-214AA	1d	Lif
16	SML4745	Z-Diode	16V, Zzt=16Ω	DO-214AC	1d	Gse
16	U1Z16	Z-Diode	14.4..17.6V, 1W	SOD-6	1d	Tos
16	U1ZB16	Z-Diode/TVS	14.4..17.6V, 1W	3-4D1A	1d	Tos
16-	MAZB160	Z-Diode	15.3..17.1V, 150mW	SC-76	6d	Pan
16-	MAZS160	Z-Diode	15.3..17.1V, 200mW	SC-79	6d	Pan
16-	MAZS1600M	Z-Diode	15.7..16.5V, 200mW	SC-79	6d	Pan
16*	HZC16	Z-Diode	16V±10%, 150mW	SOD-523	6d	Ren
16^	MAZB160	Z-Diode	15.3..17.1V, 150mW	SC-76	6d	Pan
16^	MAZS160	Z-Diode	15.3..17.1V, 200mW	SC-79	6d	Pan
16^	MAZS1600H	Z-Diode	16.26..17.1V, 200mW	SC-79	6d	Pan
16_	MAZB160	Z-Diode	15.3..17.1V, 150mW	SC-76	6d	Pan
16_	MAZS160	Z-Diode	15.3..17.1V, 200mW	SC-79	6d	Pan
16_	MAZS1600L	Z-Diode	15.3..16.09V, 200mW	SC-79	6d	Pan
160	P6SMBJ160	Z-Diode/TVS	144..176V, 2.6A, 600W(1ms)	DO-214AA	1d	Lif
160A	1.5SMC160A	Z-Diode/TVS	152..168V, 6.8A, 1500W(1ms)	DO-214AB	1d	Vis
160A	P4SMA160A	Z-Diode/TVS	152..168V, 1.4A, 400W(1ms)	DO-214AC	1d	Vis
160A	P6SMB160A	Z-Diode/TVS	152..168V, 2.7A, 600W(1ms)	DO-214AA	1d	Vis
160A	P6SMB160AT3	Z-Diode/TVS	160V, 2.7A, 600W(1ms)	403A	3d	Mot,Ons
160A	P6SMBJ160A	Z-Diode/TVS	152..168V, 2.7A, 600W(1ms)	DO-214AA	1d	Lif
160A	TSP160SA	Thy-SPD	V OF-St=160V, 50A(1ms), Bidirectional	SMB	2	Pjt
160B	1SMB3EZ170	Z-Diode	170V±5%, 3W	SMB	1d	Pjt
160B	TSP160SB	Thy-SPD	V OF-St=160V, 80A(1ms), Bidirectional	SMB	2	Pjt
160C	1.5SMC160CA	Z-Diode/TVS	152..168V, 6.8A, 1500W(1ms), Bidirectional	DO-214AB	1c	Vis
160C	P4SMA160CA	Z-Diode/TVS	152..168V, 1.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Vis
160C	P6SMB160CA	Z-Diode/TVS	152..168V, 2.7A, 600W(1ms), Bidirectional	DO-214AA	1c	Vis
160C	P6SMBJ160C	Z-Diode/TVS	144..176V, 2.6A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
160C	TSP160SC	Thy-SPD	V OF-St=160V, 100A(1ms), Bidirectional	SMB	2	Pjt
160CA	P6SMBJ160CA	Z-Diode/TVS	152..168V, 2.7A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
160PH	BZD27-C160	Z-Diode	160V±5%, 2.3W	SOD-87	15d	Phi
160Z	1SMA110Z	Z-Diode	160V±5%, 1W	SMA	1d	Trs
161	HZU16L-1	Z-Diode	15.3..15.9V, 150mW	URP	5d	Ren
162	HZU16L-2	Z-Diode	15.7..16.5V, 150mW	URP	5d	Ren
163	HZU16L-3	Z-Diode	16.3..17.1V, 150mW	URP	5d	Ren
167Z	BYD167	Si-Diode	U-Fast Rectifier, 600V, 1A, Vf<1.25V(1A), 35ns	1206	14d	Zow
16A	1.5SMC16A	Z-Diode/TVS	152..16.8V, 66.7A, 1500W(1ms)	DO-214AB	1d	Vis
16A	1.5SMC16AT3	Z-Diode/TVS	16V, 67A, 1500W(1ms)	403	3d	Mot,Ons
16A	P4SMA16A	Z-Diode/TVS	15.2..16.8V, 17.8A, 400W(1ms)	DO-214AC	1d	Vis
16A	P6SMB16A	Z-Diode/TVS	15.2..16.8V, 26.7A, 600W(1ms)	DO-214AA	1d	Vis
16A	P6SMB16AT3	Z-Diode/TVS	16V, 27A, 600W(1ms)	403A	3d	Mot,Ons
16A	P6SMBJ16A	Z-Diode/TVS	15.2..16.8V, 2.7A, 600W(1ms)	DO-214AA	1d	Lif
16B	1SMB3EZ16	Z-Diode	16V±5%, 3W	SMB	1d	Pjt
16B	HZF16BP	Z-Diode	16V±5%, 0.9W	DO-214	1d	Ren
16B	PTZ16B	Z-Diode	16V 10%, 20mA, 1W	SOD-106	1d	Rhm
16C	1.5SMC16CA	Z-Diode/TVS	15.2..16.8V, 66.7A, 1500W(1ms), Bidirectional	DO-214AB	1c	Vis
16C	HZF16CP	Z-Diode	16V±10%, 0.9W	DO-214	1d	Ren
16C	P4SMA16CA	Z-Diode/TVS	15.2..16.8V, 17.8A, 400W(1ms), Bidirectional	DO-214AC	2c	Vis
16C	P6SMB16CA	Z-Diode/TVS	15.2..16.8V, 26.7A, 600W(1ms), Bidirectional	DO-214AA	1c	Vis
16C	P6SMB16CAT3	Z-Diode/TVS	16V, 27A, 600W(1ms), Bidirectional	403A	3c	Mot,Ons
16C	P6SMBJ16C	Z-Diode/TVS	14.4..17.6V, 26A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
16CA	P6SMBJ16CA	Z-Diode/TVS	15.2..16.8V, 2.7A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
16PH	BZD27-C16	Z-Diode	16V±5%, 2.3W	SOD-87	15d	Phi
170	P6SMBJ170	Z-Diode/TVS	153..187V, 2.5A, 600W(1ms)	DO-214AA	1d	Lif
170A	1.5SMC170A	Z-Diode/TVS	162..179V, 6.4A, 1500W(1ms)	DO-214AB	1d	Vis
170A	P4SMA170A	Z-Diode/TVS	162..179V, 1.3A, 400W(1ms)	DO-214AC	1d	Vis
170A	P6SMB170A	Z-Diode/TVS	162..179V, 2.6A, 600W(1ms)	DO-214AA	1d	Vis
170A	P6SMB170AT3	Z-Diode/TVS	170V, 2.6A, 600W(1ms)	403A	3d	Mot,Ons
170A	P6SMBJ170A	Z-Diode/TVS	162..179V, 2.6A, 600W(1ms)	DO-214AA	1d	Lif
170B	1SMB3EZ180	Z-Diode	180V±5%, 3W	SMB	1d	Pjt

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
170C	1.5SMC170CA	Z-Diode/TVS	162..179V, 6.4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
170C	P4SMA170CA	Z-Diode/TVS	162..179V, 1.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
170C	P6SMB170CA	Z-Diode/TVS	162..179V, 2.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
170C	P6SMBJ170C	Z-Diode/TVS	153..187V, 2.5A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
170CA	P6SMBJ170CA	Z-Diode/TVS	162..179V, 2.6A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
175A	TSP275SA	Thy-SPD	V OF-SI=275V, 50A(1ms), Bidirectional	SMB	2	Pjt
175B	TSP275SB	Thy-SPD	V OF-SI=275V, 80A(1ms), Bidirectional	SMB	2	Pjt
175C	TSP275SC	Thy-SPD	V OF-SI=275V, 100A(1ms), Bidirectional	SMB	2	Pjt
17B	1SMB3EZ17	Z-Diode	17V±5%, 3W	SMB	1d	Pjt
17DPH	BYD17D	Si-Diode	Rectifier, Contr.avalanche, 200V, 0.6A, 3µs, 21pF	SOD-87	15d	Phi
17GPH	BYD17G	Si-Diode	Rectifier, Contr.avalanche, 400V, 0.6A, 3µs, 21pF	SOD-87	15d	Phi
17JPH	BYD17J	Si-Diode	Rectifier, Contr.avalanche, 600V, 0.6A, 3µs, 21pF	SOD-87	15d	Phi
17KPH	BYD17K	Si-Diode	Rectifier, Contr.avalanche, 800V, 0.6A, 3µs, 21pF	SOD-87	15d	Phi
17MPH	BYD17M	Si-Diode	Rectifier, Contr.avalanche, 1000V, 0.6A, 3µs, 21pF	SOD-87	15d	Phi
18	CMZ18	Z-Diode	18V±5%, 2W	M-Flat	7d	Tos
18	KDZ18EV	Z-Diode	16.8..19.1V, 150mW	ESC	6d	Kec
18	KDZ18V	Z-Diode	16.8..19.1V, 150mW	USC	5d	Kec
18	MAZ5180	Z-Diode	16.9..19.1V, 500mW	MP2	11d	Pan
18	MAZS180	Z-Diode	16.9..19.1V, 200mW	SC-79	6d	Pan
18	MAZY180	Z-Diode	16.2..19.8V, 1W	NMiniP2	1d	Pan
18	MM3Z33V	Z-Diode	33V±6%, 200mW	SOD-323	5d	Ons
18	P6SMBJ18	Z-Diode/TVS	16.2..19.8V, 23A, 600W(1ms)	DO-214AA	1d	Lif
18	SML4746	Z-Diode	18V, Zzt=20Q	DO-214AC	1d	Gse
18	U1Z18	Z-Diode	16.2..19.8V, 1W	SOD-6	1d	Tos
18	U1ZB18	Z-Diode/TVS	16.2..19.8V, 1W	3-4D1A	1d	Tos
18-	MAZB180	Z-Diode	16.9..19.1V, 150mW	SC-76	6d	Pan
18-	MAZS180	Z-Diode	16.9..19.1V, 200mW	SC-79	6d	Pan
18-	MAZS1800M	Z-Diode	17.55..18.45V, 200mW	SC-79	6d	Pan
18*	HZC18	Z-Diode	18V±10%, 150mW	SOD-523	6d	Ren
18^	MAZB180	Z-Diode	16.9..19.1V, 150mW	SC-76	6d	Pan
18^	MAZS180	Z-Diode	16.9..19.1V, 200mW	SC-79	6d	Pan
18^	MAZS1800H	Z-Diode	18.2..19.1V, 200mW	SC-79	6d	Pan
18_	MAZB180	Z-Diode	16.9..19.1V, 150mW	SC-76	6d	Pan
18_	MAZS180	Z-Diode	16.9..19.1V, 200mW	SC-79	6d	Pan
18_	MAZS1800L	Z-Diode	16.9..17.76V, 200mW	SC-79	6d	Pan
180	P6SMBJ180	Z-Diode/TVS	162..198V, 2.3A, 600W(1ms)	DO-214AA	1d	Lif
180	U1Z180	Z-Diode	162..198V, 1W	SOD-6	1d	Tos
180	U1ZB180	Z-Diode/TVS	162..198V, 1W	3-4D1A	1d	Tos
180A	1.5SMC180A	Z-Diode/TVS	171 189V, 6.1A, 1500W (1ms)	DO-214AB	1d	Vis
180A	P4SMA180A	Z-Diode/TVS	171..189V, 1.2A, 400W (1ms)	DO-214AC	1d	Vis
180A	P6SMB180A	Z-Diode/TVS	171 189V, 2.4A, 600W (1ms)	DO-214AA	1d	Vis
180A	P6SMB180AT3	Z-Diode/TVS	180V, 2.4A, 600W (1ms)	403A	3d	Mot,Ons
180A	P6SMBJ180A	Z-Diode/TVS	171..189V, 2.4A, 600W(1ms)	DO-214AA	1d	Lif
180B	1SMB3EZ190	Z-Diode	190V±5%, 3W	SMB	1d	Pjt
180C	1.5SMC180CA	Z-Diode/TVS	171 189V, 6.1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
180C	P4SMA180CA	Z-Diode/TVS	171..189V, 1.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
180C	P6SMB180CA	Z-Diode/TVS	171 189V, 2.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
180C	P6SMBJ180C	Z-Diode/TVS	162..198V, 2.3A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
180CA	P6SMBJ180CA	Z-Diode/TVS	171..189V, 2.4A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
180PH	BZD27-C180	Z-Diode	180V±5%, 2.3W	SOD-87	15d	Phi
180Z	1SMA110Z	Z-Diode	180V±5%, 1W	SMA	1d	Trs
181	HZU18L-1	Z-Diode	16.9..17.7V, 150mW	URP	5d	Ren
182	HZU18L-2	Z-Diode	17.5..18.3V, 150mW	URP	5d	Ren
183	HZU18L-3	Z-Diode	18.1..19V, 150mW	URP	5d	Ren
187Z	BYD187	Si-Diode	U-Fast Rectifier, 800V, 1A, Vf<2.5V(1A), 35ns	1206	14d	Zow
18A	1.5SMC18A	Z-Diode/TVS	17.1..18.9V, 59.5A, 1500W (1ms)	DO-214AB	1d	Vis
18A	1.5SMC18AT3	Z-Diode/TVS	18V, 59.5A, 1500W (1ms)	403	3d	Mot,Ons
18A	P4SMA18A	Z-Diode/TVS	17.1..18.9V, 15.9A, 400W (1ms)	DO-214AC	1d	Vis
18A	P6SMB18A	Z-Diode/TVS	17.1..18.9V, 23.8A, 600W (1ms)	DO-214AA	1d	Vis
18A	P6SMB18AT3	Z-Diode/TVS	18V, 24A, 600W (1ms)	403A	3d	Mot,Ons
18A	P6SMBJ18A	Z-Diode/TVS	17.1..18.9V, 24A, 600W(1ms)	DO-214AA	1d	Lif
18B	1SMB3EZ18	Z-Diode	18V±5%, 3W	SMB	1d	Pjt
18B	HZF18BP	Z-Diode	18V±5%, 0.9W	DO-214	1d	Ren
18B	PTZ18B	Z-Diode	18V 10%, 20mA, 1W	SOD-106	1d	Rhm
18C	1.5SMC18CA	Z-Diode/TVS	17.1..18.9V, 59.5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
18C	HZF18CP	Z-Diode	18V±10%, 0.9W	DO-214	1d	Ren
18C	P4SMA18CA	Z-Diode/TVS	17.1..18.9V, 15.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
18C	P6SMB18CA	Z-Diode/TVS	17.1..18.9V, 23,8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
18C	P6SMB18CAT3	Z-Diode/TVS	18V, 24A, 600W (1ms), Bidirectional	403A	3c	Mot.Ons
18C	P6SMBJ18C	Z-Diode/TVS	16.2..19.8V, 23A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
18CA	P6SMBJ18CA	Z-Diode/TVS	17.1..18.9V, 24A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
18PH	BZD27-C18	Z-Diode	18V±5%, 2,3W	SOD-87	15d	Phi
19	MM3Z36V	Z-Diode	36V±6%, 200mW	SOD-323	5d	Ons
190A	TSP190SA	Thy-SPD	V Of-St=190V, 50A(1ms), Bidirectional	SMB	2	Pjl
190B	1SMB3EZ200	Z-Diode	200V±5%, 3W	SMB	1d	Pjl
190B	TSP190SB	Thy-SPD	V Of-St=190V, 80A(1ms), Bidirectional	SMB	2	Pjl
190C	TSP190SC	Thy-SPD	V Of-St=190V, 100A(1ms), Bidirectional	SMB	2	Pjl
19B	1SMB3EZ19	Z-Diode	19V±5%, 3W	SMB	1d	Pjl
1A	MA110	Si-Diode	Fast, Switching, 40V, 0,1A, <3ns	SOD-123	5d	Pan
1A	MM3Z47V	Z-Diode	47V±6%, 200mW	SOD-323	5d	Ons
1B	MA2J111	Si-Diode	Fast, Switching, 80V, 100mA, Vf<1,2V(100mA), <3ns	S-Mini	9d	Pan
1BL3	MBRS130L	Si-Diode	Schottky, Power Rectifier, 30V, 1A, Vf=0,55V(1A)	SOD-323	5d	Ons
1BL3	MBRS130LT3	Si-Diode	Schottky, Power Rectifier, 30V, 1A, Vf=0,39V(1A)	403A-03	3d	Ons
1C	MM3Z51V	Z-Diode	51V±6%, 200mW	SOD-323	5d	Ons
1D	MA2J113	Si-Diode	Fast, Switching, 80V, 200mA, Vf<1,1V(200mA), <10ns	S-Mini	9d	Pan
1D	MM3Z56V	Z-Diode	56V±6%, 200mW	SOD-323	5d	Ons
1E	MM3Z62V	Z-Diode	62V±6%, 200mW	SOD-323	5d	Ons
1E1	MBRM110ET1	Si-Diode	Schottky, Power Rectifier, 10V, 1A, Vf=0,45V(1A)	DO-216AA	4d	Ons
1F	MAZD024	Z-Diode	2,28..2,6V, 120mW	SSSMini2	7d	Pan
1F	MM3Z68V	Z-Diode	68V±6%, 200mW	SOD-323	5d	Ons
1G	MM3Z75V	Z-Diode	75V±6%, 200mW	SOD-323	5d	Ons
1L1	MBRM110LT1	Si-Diode	Schottky, Power Rectifier, 10V, 1A, Vf=0,27V(1A)	DO-216AA	4d	Ons
1P	CMDZ18L	Z-Diode	18V, 250mW, I _z =0,5mA	SOD-323	5d	Can
2	1SV200	C-Diode	VHF-Tuning, 30V, 2,55..3,16pF(25V)	SOD-123	5d	Hlt
2	BB182	C-Diode	TV-VHF-Tuning, 32V, 20mA, I _r <0,02µA; C _v =26..32pF	SOD-523	6d	Phi
2	HVR100	C-Diode	AM-Tuning, 421..524pF(1V)	SOD-123	5d	Ren
2	MAZS027	Z-Diode	2,5..2,9V, 200mW	SC-79	6d	Pan
2	RB500V-40	Si-Diode	Schottky Rect, 40V, 100mA, Vf<0,45V(10mA)	SOD-323	5d	Rhm,Trs
2 (blue)	BAR64-03W	PIN-Diode	Sw, RF-Ant, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SOD-323	5d	Inf
2 (white)	BB419	C-Diode	VHF-Tuning, 28V, 20mA, I _r <0,02µA; C _v =26..32pF	SOD-123	5d	Sie
2 (white)	BB439	C-Diode	VHF-Tuning, 28V, 20mA, I _r <0,02µA; C _v =26..32pF	SOD-323	5d	Sie
2.0B	HZF2.0BP	Z-Diode	2V±5%, 0,9W	DO-214	1d	Ren
2.0C	HZF2.0CP	Z-Diode	2V±10%, 0,9W	DO-214	1d	Ren
2.2B	HZF2.2BP	Z-Diode	2,2V±5%, 0,9W	DO-214	1d	Ren
2.2C	HZF2.2CP	Z-Diode	2,2V±10%, 0,9W	DO-214	1d	Ren
2.4	MAZ8024	Z-Diode	2,28..2,6V, 150mW	SC-76	6d	Pan
2.4B	HZF2.4BP	Z-Diode	2,4V±5%, 0,9W	DO-214	1d	Ren
2.4C	HZF2.4CP	Z-Diode	2,4V±10%, 0,9W	DO-214	1d	Ren
2.7B	HZF2.7BP	Z-Diode	2,7V±5%, 0,9W	DO-214	1d	Ren
2.7C	HZF2.7CP	Z-Diode	2,7V±10%, 0,9W	DO-214	1d	Ren
2^	MAZS027	Z-Diode	2,5..2,9V, 200mW	SC-79	6d	Pan
2^	MAZS0270H	Z-Diode	2,65..2,9V, 200mW	SC-79	6d	Pan
2^7	MAZ8027	Z-Diode	2,5..2,9V, 150mW	SC-76	6d	Pan
2_	MAZS027	Z-Diode	2,5..2,9V, 200mW	SC-79	6d	Pan
2_	MAZS0270L	Z-Diode	2,5..2,75V, 200mW	SC-79	6d	Pan
2_7	MAZ8027	Z-Diode	2,5..2,9V, 150mW	SC-76	6d	Pan
20	CMZ20	Z-Diode	20V±5%, 2W	M-Flat	7d	Tos
20	HZC2.0	Z-Diode	2V±10%, 150mW	SOD-523	6d	Ren
20	KDZ20EV	Z-Diode	18,8..21,2V, 150mW	ESC	6d	Kec
20	KDZ20V	Z-Diode	18,8..21,2V, 150mW	USC	5d	Kec
20	KL3R20	Thy-SPD	V Of-St=185V, I _{fsm} =30A(1ms), I _h =100mA, Bidirectional	DO-214	2	Shi
20	MAZ5200	Z-Diode	18,8..21,2V, 500mW	MP2	11d	Pan
20	MAZS200	Z-Diode	18,8..21,2V, 200mW	SC-79	6d	Pan
20	MAZY200	Z-Diode	18..22V, 1W	NMiniP2	1d	Pan
20	MM3Z39V	Z-Diode	39V±6%, 200mW	SOD-323	5d	Ons
20	P6SMBJ20	Z-Diode/TVS	18..22V, 29,1 21A, 600W (1ms)	DO-214AA	1d	Lif
20	SML4747	Z-Diode	20V, Z _{zt} =22Ω	DO-214AC	1d	Gse
20	U1Z20	Z-Diode	18..22V, 1W	SOD-6	1d	Tos
20	U1ZB20	Z-Diode/TVS	18..22V, 1W	3-4D1A	1d	Tos
20-	MAZ8200	Z-Diode	18,8..21,2V, 150mW	SC-76	6d	Pan
20-	MAZS200	Z-Diode	18,8..21,2V, 200mW	SC-79	6d	Pan
20-	MAZS2000M	Z-Diode	19,5..20,5V, 200mW	SC-79	6d	Pan
20*	HZC20	Z-Diode	20V±10%, 150mW	SOD-523	6d	Ren
20^	MAZ8200	Z-Diode	18,8..21,2V, 150mW	SC-76	6d	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
20^	MAZS200	Z-Diode	18,8..21,2V, 200mW	SC-79	6d	Pan
20^	MAZS2000H	Z-Diode	20,15..21,19V, 200mW	SC-79	6d	Pan
20_	MAZB200	Z-Diode	18,8..21,2V, 150mW	SC-76	6d	Pan
20_	MAZS200	Z-Diode	18,8..21,2V, 200mW	SC-79	6d	Pan
20_	MAZS2000L	Z-Diode	18,85..19,81V, 200mW	SC-79	6d	Pan
200	P6SMBJ200	Z-Diode/TVS	180..220V, 2,1A, 600W(1ms)	DO-214AA	1d	Lif
200	U1Z200	Z-Diode	180..220V, 1W	SOD-6	1d	Tos
200	U1ZB200	Z-Diode/TVS	180..220V, 1W	3-4D1A	1d	Tos
200A	1.5SMC200A	Z-Diode/TVS	190..210V, 5,5A, 1500W (1ms)	DO-214AB	1d	Vis
200A	P4SMA200A	Z-Diode/TVS	190..210V, 1,1A, 400W (1ms)	DO-214AC	1d	Vis
200A	P6SMB200A	Z-Diode/TVS	190..210V, 2,2A, 600W (1ms)	DO-214AA	1d	Vis
200A	P6SMB200AT3	Z-Diode/TVS	200V, 2,2A, 600W (1ms)	403A	3d	Mot,Ons
200A	P6SMBJ200A	Z-Diode/TVS	190..210V, 2,2A, 600W(1ms)	DO-214AA	1d	Lif
200C	1.5SMC200CA	Z-Diode/TVS	190..210V, 5,5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
200C	P4SMA200CA	Z-Diode/TVS	190..210V, 1,1A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
200C	P6SMB200CA	Z-Diode/TVS	190..210V, 2,2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
200C	P6SMBJ200C	Z-Diode/TVS	180..220V, 2,1A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
200CA	P6SMBJ200CA	Z-Diode/TVS	190..210V, 2,2A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
200PH	BZD27-C200	Z-Diode	200V±5%, 2,3W	SOD-87	15d	Phi
200Y	U1ZB200-Y	Z-Diode/TVS	190..210V, 1W	3-4D1A	1d	Tos
200Z	1SMA110Z	Z-Diode	200V±5%, 1W	SMA	1d	Trs
200Z	U1ZB200-Z	Z-Diode/TVS	200..220V, 1W	3-4D1A	1d	Tos
201	HZU20L-1	Z-Diode	18,8..19,7V, 150mW	URP	5d	Ren
2011	1SMB2EZ11	Z-Diode	11V±5%, 2W	SMB	1d	PJLTrs
2012	1SMB2EZ12	Z-Diode	12V±5%, 2W	SMB	1d	PJLTrs
2013	1SMB2EZ13	Z-Diode	13V±5%, 2W	SMB	1d	PJLTrs
2014	1SMB2EZ14	Z-Diode	14V±5%, 2W	SMB	1d	PJLTrs
2015	1SMB2EZ15	Z-Diode	15V±5%, 2W	SMB	1d	PJLTrs
2016	1SMB2EZ16	Z-Diode	16V±5%, 2W	SMB	1d	PJLTrs
2017	1SMB2EZ17	Z-Diode	17V±5%, 2W	SMB	1d	PJLTrs
2018	1SMB2EZ18	Z-Diode	18V±5%, 2W	SMB	1d	PJLTrs
2019	1SMB2EZ19	Z-Diode	19V±5%, 2W	SMB	1d	PJLTrs
202	HZU20L-2	Z-Diode	19,5..20,4V, 150mW	URP	5d	Ren
2020	1SMB2EZ20	Z-Diode	20V±5%, 2W	SMB	1d	PJLTrs
2022	1SMB2EZ22	Z-Diode	22V±5%, 2W	SMB	1d	PJLTrs
2024	1SMB2EZ24	Z-Diode	24V±5%, 2W	SMB	1d	PJLTrs
2027	1SMB2EZ27	Z-Diode	27V±5%, 2W	SMB	1d	PJLTrs
2028	1SMB2EZ28	Z-Diode	28V±5%, 2W	SMB	1d	PJLTrs
203	HZU20L-3	Z-Diode	20,2..21,1V, 150mW	URP	5d	Ren
2030	1SMB2EZ30	Z-Diode	30V±5%, 2W	SMB	1d	PJLTrs
2033	1SMB2EZ33	Z-Diode	33V±5%, 2W	SMB	1d	PJLTrs
2036	1SMB2EZ36	Z-Diode	36V±5%, 2W	SMB	1d	PJLTrs
2039	1SMB2EZ39	Z-Diode	39V±5%, 2W	SMB	1d	PJLTrs
2043	1SMB2EZ43	Z-Diode	43V±5%, 2W	SMB	1d	PJLTrs
2047	1SMB2EZ47	Z-Diode	47±5%, 2W	SMB	1d	PJLTrs
2051	1SMB2EZ51	Z-Diode	51V±5%, 2W	SMB	1d	PJLTrs
2056	1SMB2EZ56	Z-Diode	56V±5%, 2W	SMB	1d	PJLTrs
2058	1SMB2EZ68	Z-Diode	68V±5%, 2W	SMB	1d	PJLTrs
2062	1SMB2EZ62	Z-Diode	62V±5%, 2W	SMB	1d	PJLTrs
2075	1SMB2EZ75	Z-Diode	75V±5%, 2W	SMB	1d	PJLTrs
2082	1SMB2EZ82	Z-Diode	82V±5%, 2W	SMB	1d	PJLTrs
2091	1SMB2EZ91	Z-Diode	91V±5%, 2W	SMB	1d	PJLTrs
20A	1.5SMC20A	Z-Diode/TVS	19..21,0V, 5,42A, 1500W (1ms)	DO-214AB	1d	Vis
20A	1.5SMC20AT3	Z-Diode/TVS	20V, 54A, 1500W (1ms)	403	3d	Mot,Ons
20A	P4SMA20A	Z-Diode/TVS	19,0..21V, 14,4A, 400W (1ms)	DO-214AC	1d	Vis
20A	P6SMB20A	Z-Diode/TVS	19..21,0V, 21,7A, 600W (1ms)	DO-214AA	1d	Vis
20A	P6SMB20AT3	Z-Diode/TVS	20V, 22A, 600W (1ms)	403A	3d	Mot,Ons
20A	P6SMBJ20A	Z-Diode/TVS	19..21V, 27,7 22A, 600W(1ms)	DO-214AA	1d	Lif
20B	1PMT5920B	Z-Diode	6,2V±5%, 241mA, 2,5W	SOD-323	5d	Ons
20B	1SMB3EZ20	Z-Diode	20V±5%, 3W	SMB	1d	PJL
20B	HZF20BP	Z-Diode	20V±5%, 0,9W	DO-214	1d	Ren
20B	PTZ20B	Z-Diode	20V 10%, 20mA, 1W	SOD-106	1d	Rhm
20C	1.5FMC20CA	Z-Diode/TVS	19..21,0V, 5,42A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
20C	HZF20CP	Z-Diode	20V±10%, 0,9W	DO-214	1d	Ren
20C	P4SMA20CA	Z-Diode/TVS	19,0..21V, 14,4A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
20C	P6SMB20CA	Z-Diode/TVS	19..21,0V, 21,7A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
20C	P6SMB20CAT3	Z-Diode/TVS	20V, 22A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
20C	P6SMBJ20C	Z-Diode/TVS	18..22V, 29.1 21A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
20CA	P6SMBJ20CA	Z-Diode/TVS	19..21V, 27.7 22A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
20PH	BZD27-C20	Z-Diode	20V±5%, 2.3W	SOD-87	15d	Phi
21	MM3Z43V	Z-Diode	43V±5%, 200mW	SOD-323	5d	Ons
2100	1SMB2EZ100	Z-Diode	100V±5%, 2W	SMB	1d	PjLTrs
2110	1SMB2EZ110	Z-Diode	110V±5%, 2W	SMB	1d	PjLTrs
2120	1SMB2EZ120	Z-Diode	120V±5%, 2W	SMB	1d	PjLTrs
2130	1SMB2EZ130	Z-Diode	130V±5%, 2W	SMB	1d	PjLTrs
2140	1SMB2EZ140	Z-Diode	140V±5%, 2W	SMB	1d	PjLTrs
2150	1SMB2EZ150	Z-Diode	150V±5%, 2W	SMB	1d	PjLTrs
2160	1SMB2EZ160	Z-Diode	160V±5%, 2W	SMB	1d	PjLTrs
2170	1SMB2EZ170	Z-Diode	170V±5%, 2W	SMB	1d	PjLTrs
2180	1SMB2EZ180	Z-Diode	180V±5%, 2W	SMB	1d	PjLTrs
2190	1SMB2EZ190	Z-Diode	190V±5%, 2W	SMB	1d	PjLTrs
21B	1PMT5921B	Z-Diode	6.8V±5%, 220mA, 2.5W	SOD-323	5d	Ons
22	CMZ22	Z-Diode	22V±5%, 2W	M-Flat	7d	Tos
22	GDZ2.4B	Z-Diode	2.4V, 200mW	SOD-323	5d	Vis
22	HZC2.2	Z-Diode	2.2V±10%, 150mW	SOD-523	6d	Ren
22	KDZ22EV	Z-Diode	20.8..23.3V, 150mW	ESC	6d	Kec
22	KDZ22V	Z-Diode	20.8..23.3V, 150mW	USC	5d	Kec
22	MAZ5220	Z-Diode	20.8..23.3V, 500mW	MP2	11d	Pan
22	MAZS220	Z-Diode	20.8..23.3V, 200mW	SC-79	6d	Pan
22	MAZY220	Z-Diode	19.8..24.2V, 1W	NMiniP2	1d	Pan
22	P6SMBJ22	Z-Diode/TVS	19.8..24.2V, 19A, 600W (1ms)	DO-214AA	1d	Lif
22	SML4748	Z-Diode	22V, Zzt=23Ω	DO-214AC	1d	Gse
22	U1Z22	Z-Diode	19.8..24.2V, 1W	SOD-6	1d	Tos
22	U1ZB22	Z-Diode/TVS	19.8..24.2V, 1W	3-4D1A	1d	Tos
22	UDZ2.4B	Z-Diode	2.4V±2.5%, 200mW	SOD-323	5d	Rhm
22-	MAZB220	Z-Diode	20.8..23.3V, 150mW	SC-76	6d	Pan
22-	MAZS220	Z-Diode	20.8..23.3V, 200mW	SC-79	6d	Pan
22-	MAZS2200M	Z-Diode	21.45..22.55V, 200mW	SC-79	6d	Pan
22*	HZC22	Z-Diode	22V±10%, 150mW	SOD-523	6d	Ren
22^	MAZB220	Z-Diode	20.8..23.3V, 150mW	SC-76	6d	Pan
22^	MAZS220	Z-Diode	20.8..23.3V, 200mW	SC-79	6d	Pan
22^	MAZS2200H	Z-Diode	22.1..23.24V, 200mW	SC-79	6d	Pan
22_	MAZB220	Z-Diode	20.8..23.3V, 150mW	SC-76	6d	Pan
22_	MAZS220	Z-Diode	20.8..23.3V, 200mW	SC-79	6d	Pan
22_	MAZS2200L	Z-Diode	20.8..21.86V, 200mW	SC-79	6d	Pan
220	P6SMBJ220	Z-Diode/TVS	198..242V, 1.8A, 600W (1ms)	DO-214AA	1d	Lif
220	U1Z220	Z-Diode	198..242V, 1W	SOD-6	1d	Tos
220	U1ZB220	Z-Diode/TVS	198..242V, 1W	3-4D1A	1d	Tos
2200	1SMB2EZ200	Z-Diode	200V±5%, 2W	SMB	1d	PjLTrs
220A	1.5SMC220A	Z-Diode/TVS	209..231V, 4.6A, 1500W (1ms)	DO-214AB	1d	Vis
220A	P4SMA220A	Z-Diode/TVS	209..231V, 0.9A, 400W (1ms)	DO-214AC	1d	Vis
220A	P6SMB220A	Z-Diode/TVS	209..231V, 1.8A, 600W (1ms)	DO-214AA	1d	Vis
220A	P6SMBJ220A	Z-Diode/TVS	209..231V, 1.8A, 600W (1ms)	DO-214AA	1d	Lif
220A	TSP220SA	Thy-SPD	V OF-St=220V, 50A (1ms), Bidirectional	SMB	2	PjL
220B	TSP220SB	Thy-SPD	V OF-St=220V, 80A (1ms), Bidirectional	SMB	2	PjL
220C	1.5SMC220CA	Z-Diode/TVS	209..231V, 4.6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
220C	P4SMA220CA	Z-Diode/TVS	209..231V, 0.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
220C	P6SMB220CA	Z-Diode/TVS	209..231V, 1.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
220C	P6SMBJ220C	Z-Diode/TVS	198..242V, 1.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
220C	TSP220SC	Thy-SPD	V OF-St=220V, 100A (1ms), Bidirectional	SMB	2	PjL
220CA	P6SMBJ220CA	Z-Diode/TVS	209..231V, 1.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
220PH	BZD27-C220	Z-Diode	220V±5%, 2.3W	SOD-87	15d	Phi
220Y	U1ZB220-Y	Z-Diode/TVS	210..230V, 1W	3-4D1A	1d	Tos
220Z	U1ZB220-Z	Z-Diode/TVS	220..240V, 1W	3-4D1A	1d	Tos
221	HZU22L-1	Z-Diode	20.9..21.9V, 150mW	URP	5d	Ren
222	HZU22L-2	Z-Diode	21.6..22.6V, 150mW	URP	5d	Ren
223	HZU22L-3	Z-Diode	22.3..23.3V, 150mW	URP	5d	Ren
22A	1.5SMC22A	Z-Diode/TVS	20.9..23.1V, 49A, 1500W (1ms)	DO-214AB	1d	Vis
22A	1.5SMC22AT3	Z-Diode/TVS	22V, 49A, 1500W (1ms)	403	3d	Mot,Ons
22A	P4SMA22A	Z-Diode/TVS	20.9..23.1V, 13.1A, 400W (1ms)	DO-214AC	1d	Vis
22A	P6SMB22A	Z-Diode/TVS	20.9..23.1V, 19.6A, 600W (1ms)	DO-214AA	1d	Vis
22A	P6SMB-22AT3	Z-Diode/TVS	22V, 20A, 600W (1ms)	403A	3d	Mot,Ons
22A	P6SMBJ22A	Z-Diode/TVS	20.9..23.1V, 20A, 600W (1ms)	DO-214AA	1d	Lif
22B	1PMT5922B	Z-Diode	7.5V±5%, 200mA, 2.5W	SOD-323	5d	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
22B	1SMB3EZ22	Z-Diode	22V±5%, 3W	SMB	1d	Pjl
22B	HZF22BP	Z-Diode	22V±5%, 0,9W	DO-214	1d	Ren
22B	PTZ22B	Z-Diode	22V 10%, 10mA, 1W	SOD-106	1d	Rhm
22C	1.5SMC22CA	Z-Diode/TVS	20.9..23.1V, 49A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
22C	F1C2200	Z-Diode/TVS	180V, 1A, 500W (1ms)	DO-214AC	1d	Org
22C	HZF22CP	Z-Diode	22V±10%, 0,9W	DO-214	1d	Ren
22C	P4SMA22CA	Z-Diode/TVS	20.9..23.1V, 13.1A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
22C	P6SMB22CA	Z-Diode/TVS	20.9..23.1V, 19.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
22C	P6SMB22CAT3	Z-Diode/TVS	22V, 20A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
22C	P8SMBJ22C	Z-Diode/TVS	19.8..24.2V, 19A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
22CA	P6SMBJ22CA	Z-Diode/TVS	20.9..23.1V, 20A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
22D	F1C2230	Z-Diode/TVS	180V, 0,6A, 500W (1ms)	DO-214AC	1d	Org
22F	F1C2250	Z-Diode/TVS	200V, 0,6A, 500W (1ms)	DO-214AC	1d	Org
22G	F1C2260	Z-Diode/TVS	208V, 0,6A, 500W (1ms)	DO-214AC	1d	Org
22H	F1C2270	Z-Diode/TVS	216V, 0,5A, 500W (1ms)	DO-214AC	1d	Org
22I	F1C2280	Z-Diode/TVS	224V, 0,5A, 500W (1ms)	DO-214AC	1d	Org
22J	F1C2290	Z-Diode/TVS	232V, 0,5A, 500W (1ms)	DO-214AC	1d	Org
22PH	BZD27-C22	Z-Diode	22V±5%, 2,3W	SOD-87	15d	Phi
23A	F1C2300	Z-Diode/TVS	240V, 0,5A, 500W (1ms)	DO-214AC	1d	Org
23B	1PMT5923B	Z-Diode	8,2V±5%, 182mA, 2,5W	SOD-323	5d	Ons
23B	F1C2310	Z-Diode/TVS	248V, 0,5A, 500W (1ms)	DO-214AC	1d	Org
23C	F1C2320	Z-Diode/TVS	256V, 0,5A, 500W (1ms)	DO-214AC	1d	Org
23D	F1C2330	Z-Diode/TVS	264V, 0,5A, 500W (1ms)	DO-214AC	1d	Org
24	1SR156-400	Si-Diode/TVS	400V, 1A, Vf<1,3V(800mA)	SOD-106	1d	Rhm
24	CM224	Z-Diode	24V±5%, 2W	M-Flat	7d	Tos
24	HZC24	Z-Diode	24V±10%, 150mW	SOD-523	8d	Ren
24	KDZ24EV	Z-Diode	22.8..25.6V, 150mW	ESC	6d	Kec
24	KDZ24V	Z-Diode	22.8..25.6V, 150mW	USC	5d	Kec
24	MAZ5240	Z-Diode	22.8..25.6V, 500mW	MP2	11d	Pan
24	MAZS240	Z-Diode	22.8..25.6V, 200mW	SC-79	6d	Pan
24	MAZY240	Z-Diode	21.6..26.4V, 1W	NMiniP2	1d	Pan
24	P6SMBJ24	Z-Diode/TVS	21.6..26.4V, 17A, 600W (1ms)	DO-214AA	1d	Lif
24	SML4749	Z-Diode	24V, Zzt=25Ω	DO-214AC	1d	Gae
24	U1Z24	Z-Diode	21.6..26.4V, 1W	SOD-6	1d	Tos
24	U1ZB24	Z-Diode/TVS	21.6..26.4V, 1W	3-4D1A	1d	Tos
24-	MAZ8240	Z-Diode	22.8..25.6V, 150mW	SC-76	6d	Pan
24-	MAZS240	Z-Diode	22.8..25.6V, 200mW	SC-79	6d	Pan
24-	MAZS2400M	Z-Diode	23.5..24.7V, 200mW	SC-79	6d	Pan
24*	HZC24	Z-Diode	24V±10%, 150mW	SOD-523	6d	Ren
24/VZ	SD24C	TVS	24V, 8A, 350W (1ms), Bidirectional	SOD-323	5c	Sml
24^	MAZ8240	Z-Diode	22.8..25.6V, 150mW	SC-76	6d	Pan
24^	MAZS240	Z-Diode	22.8..25.6V, 200mW	SC-79	6d	Pan
24^	MAZS2400H	Z-Diode	24.35..25.6V, 200mW	SC-79	6d	Pan
24_	MAZ8240	Z-Diode	22.8..25.6V, 150mW	SC-76	6d	Pan
24_	MAZS240	Z-Diode	22.8..25.6V, 200mW	SC-79	6d	Pan
24_	MAZS2400L	Z-Diode	22.8..23.97V, 200mW	SC-79	6d	Pan
240	U1Z240	Z-Diode	216..264V, 1W	SOD-6	1d	Tos
240	U1ZB240	Z-Diode/TVS	216..264V, 1W	3-4D1A	1d	Tos
240PH	BZD27-C240	Z-Diode	240V±5%, 2,3W	SOD-87	15d	Phi
240Y	U1ZB240-Y	Z-Diode/TVS	230..250V, 1W	3-4D1A	1d	Tos
240Z	U1ZB240-Z	Z-Diode/TVS	240..260V, 1W	3-4D1A	1d	Tos
241	HZU24L-1	Z-Diode	22.9..24V, 150mW	URP	5d	Ren
242	HZU24L-2	Z-Diode	23.6..24.7V, 150mW	URP	5d	Ren
243	HZU24L-3	Z-Diode	24.3..25.5V, 150mW	URP	5d	Ren
24A	1.5SMC24A	Z-Diode/TVS	22.8..25.2V, 45.2A, 1500W (1ms)	DO-214AB	1d	Vis
24A	1.5SMC24AT3	Z-Diode/TVS	27V, 45A, 1500W (1ms)	403	3d	Mot,Ons
24A	P4SMA24A	Z-Diode/TVS	22.8..25.2V, 12A, 400W (1ms)	DO-214AC	1d	Vis
24A	P6SMB24A	Z-Diode/TVS	22.8..25.2V, 18.1A, 600W (1ms)	DO-214AA	1d	Vis
24A	P6SMB24AT3	Z-Diode/TVS	24V, 18A, 600W (1ms)	403A	3d	Mot,Ons
24A	P6SMBJ24A	Z-Diode/TVS	22.8..25.2V, 18A, 600W (1ms)	DO-214AA	1d	Lif
24B	1PMT5924B	Z-Diode	9,1V±5%, 164mA, 2,5W	SOD-323	5d	Ons
24B	1SMB3EZ24	Z-Diode	24V±5%, 3W	SMB	1d	Pjl
24B	HZF24BP	Z-Diode	24V±5%, 0,9W	DO-214	1d	Ren
24B	PTZ24B	Z-Diode	24V 10%, 10mA, 1W	SOD-106	1d	Rhm
24C	1.5SMC24CA	Z-Diode/TVS	22.8..25.2V, 45.2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
24C	HZF24CP	Z-Diode	24V±10%, 0,9W	DO-214	1d	Ren
24C	P4SMA24CA	Z-Diode/TVS	22.8..25.2V, 12A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
24C	P6SMB24CA	Z-Diode/TVS	22.8..25.2V, 18,1A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
24C	P6SMB24CAT3	Z-Diode/TVS	24V, 18A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
24C	P6SMBJ24C	Z-Diode/TVS	21.6..26.4V, 17A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
24CA	P6SMBJ24CA	Z-Diode/TVS	22.8..25.2V, 18A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
24PH	B2D27-C24	Z-Diode	24V±5%, 2,3W	SOD-87	15d	Phi
25	KL3R25	Thy-SPD	V Of-St=220V, Ifsm=30A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
25	KL3RU25	Thy-SPD	V Of-St=220V, Ifsm=30A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
25	UDZ12B	Z-Diode	12V±2,5%, 200mW	SOD-323	5d	Rhm
25	UDZS12B	Z-Diode	12V 10%, 5mA, 200mW	SOD-106	1d	Rhm
25	VDZS12B	Z-Diode	12V 10%, 5mA, 100mW	VMD2	5d	Rhm
250A	1.5SMC250A	Z-Diode/TVS	237..263V, 4.4A, 1500W (1ms)	DO-214AB	1d	Vis
250A	P4SMA250A	Z-Diode/TVS	237..263V, 0.87A, 400W (1ms)	DO-214AC	1d	Vis
250A	P6SMB250A	Z-Diode/TVS	237..263V, 1.74A, 600W (1ms)	DO-214AA	1d	Vis
25B	1PMT5925B	Z-Diode	10V±5%, 150mA, 2,5W	SOD-323	5d	Ons
27	CMZ27	Z-Diode	27V±5%, 2W	M-Flat	7d	Tos
27	HZC2.7	Z-Diode	2.7V±10%, 150mW	SOD-523	6d	Ren
27	MAZS270	Z-Diode	25,1..28,9V, 200mW	SC-79	8d	Pan
27	MAZY270	Z-Diode	24,3..29,7V, 1W	NMiniP2	1d	Pan
27	P6SMBJ27	Z-Diode/TVS	24.3..29.7V, 15A, 600W(1ms)	DO-214AA	1d	Lif
27	SML4750	Z-Diode	27V, Zzt=35Ω	DO-214AC	1d	Gse
27	U1Z27	Z-Diode	24.3..29.7V, 1W	SOD-6	1d	Tos
27	U1ZB27	Z-Diode/TVS	24.3..29.7V, 1W	3-4D1A	1d	Tos
27-	MAZB270	Z-Diode	25,1..28,9V, 150mW	SC-76	6d	Pan
27-	MAZS270	Z-Diode	25,1..28,9V, 200mW	SC-79	6d	Pan
27-	MAZS2700M	Z-Diode	26,3..27,7V, 200mW	SC-79	6d	Pan
27*	HZC27	Z-Diode	27V±10%, 150mW	SOD-523	6d	Ren
27^	MAZB270	Z-Diode	25,1..28,9V, 150mW	SC-76	6d	Pan
27^	MAZS270	Z-Diode	25,1..28,9V, 200mW	SC-79	6d	Pan
27^	MAZS2700H	Z-Diode	27,3..28,7V, 200mW	SC-79	6d	Pan
27_	MAZB270	Z-Diode	25,1..28,9V, 150mW	SC-76	6d	Pan
27_	MAZS270	Z-Diode	25,1..28,9V, 200mW	SC-79	6d	Pan
27_	MAZS2700L	Z-Diode	25,3..26,7V, 200mW	SC-79	6d	Pan
270	U1Z270	Z-Diode	243..297V, 1W	SOD-6	1d	Tos
270	U1ZB270	Z-Diode/TVS	243..297V, 1W	3-4D1A	1d	Tos
270PH	B2D27-C270	Z-Diode	270V±5%, 2,3W	SOD-87	15d	Phi
270X	U1ZB270-X	Z-Diode/TVS	250..270V, 1W	3-4D1A	1d	Tos
270Y	U1ZB270-Y	Z-Diode/TVS	260..280V, 1W	3-4D1A	1d	Tos
270Z	U1ZB270-Z	Z-Diode/TVS	270..290V, 1W	3-4D1A	1d	Tos
271	HZU27L-1	Z-Diode	25.2..26.6V, 150mW	URP	5d	Ren
272	HZU27L-2	Z-Diode	26.2..27.6V, 150mW	URP	5d	Ren
273	HZU27L-3	Z-Diode	27.2..28.6V, 150mW	URP	5d	Ren
274	P6SMB27AT3	Z-Diode/TVS	27V, 16A, 600W (1ms)	403A	3d	Mot,Ons
27A	1.5SMC27A	Z-Diode/TVS	25.7..28.4V, 40A, 1500W (1ms)	DO-214AB	1d	Vis
27A	1.5SMC27AT3	Z-Diode/TVS	27V, 40A, 1500W (1ms)	403	3d	Mot,Ons
27A	P4SMA27A	Z-Diode/TVS	25.7..28.4V, 10.7A, 400W (1ms)	DO-214AC	1d	Vis
27A	P6SMB27A	Z-Diode/TVS	25.7..28.4V, 16A, 600W (1ms)	DO-214AA	1d	Vis
27A	P6SMBJ27A	Z-Diode/TVS	25.7..28.4V, 16A, 600W(1ms)	DO-214AA	1d	Lif
27B	1PMT5927B	Z-Diode	12V±5%, 125mA, 2,5W	SOD-323	5d	Ons
27B	1SMB3EZ27	Z-Diode	27V±5%, 3W	SMB	1d	Pjt
27B	HZF27BP	Z-Diode	27V±5%, 0,9W	DO-214	1d	Ren
27B	PTZ27B	Z-Diode	27V 10%, 10mA, 1W	SOD-106	1d	Rhm
27C	1.5SMC27CA	Z-Diode/TVS	25.7..28.4V, 40A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
27C	HZF27CP	Z-Diode	27V±10%, 0,9W	DO-214	1d	Ren
27C	P4SMA27CA	Z-Diode/TVS	25.7..28.4V, 10.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
27C	P6SMB27CA	Z-Diode/TVS	25.7..28.4V, 16A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
27C	P6SMB27CAT3	Z-Diode/TVS	27V, 16A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
27C	P6SMBJ27C	Z-Diode/TVS	24.3..29.7V, 15A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
27C	U5ZA27C	Z-Diode	24..30V, 5W, Zzt=30Ω	DO-218	8d	Tos
27CA	P6SMBJ27CA	Z-Diode/TVS	25.7..28.4V, 16A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
27PH	B2D27-C27	Z-Diode	27V±5%, 2,3W	SOD-87	15d	Phi
28B	1SMB3EZ28	Z-Diode	28V±5%, 3W	SMB	1d	Pjt
29B	1PMT5929B	Z-Diode	13V±5%, 115mA, 2,5W	SOD-323	5d	Ons
2B	KDZ2.2EV	Z-Diode	2.05..2.38V, 150mW	ESC	6d	Kec
2B	KDZ2.2V	Z-Diode	2.05..2.38V, 150mW	USC	5d	Kec
2BL4	MBR5240LT3	Si-Diode	Schottky, Power Rectifier, 40V, 2A, Vf=0,5V(4A)	403A-03	3d	Ons
2C	KDZ2.4EV	Z-Diode	2.28..2.6V, 150mW	ESC	6d	Kec
2C	KDZ2.4V	Z-Diode	2.28..2.6V, 150mW	USC	5d	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
2C	USCD032	Si-Diode	Schottky Barrier Rectifier, 20V, 0.3A, Vf<0.5V(0.3A)	0603	14d	Zow
2D	KDZ2.7EV	Z-Diode	2.5..2.9V, 150mW	ESC	6d	Kec
2D	KDZ2.7V	Z-Diode	2.5..2.9V, 150mW	USC	5d	Kec
2D	USCD022	Si-Diode	Schottky Barrier Rectifier, 20V, 0.2A, Vf<0.45V(0.2A)	0603	14d	Zow
2F	MAZD027	Z-Diode	2.5..2.9V, 120mW	SSSMini2	7d	Pan
2F	USCD012	Si-Diode	Schottky Barrier Rectifier, 20V, 0.1A, Vf<0.4V(0.1A)	0603	14d	Zow
2FS4	D2FS4	Si-Diode	Schottky Rectifier, 40V, 1.6A, Vf<0.55V(1.6A)	F2	1d	Shi
2FS6	D2FS6	Si-Diode	Schottky Rectifier, 60V, 1.5A, Vf<0.58V(1.5A)	F2	1d	Shi
2K	DDZ22D	Z-Diode	22V±10%, 200mW	SOD-323	5d	Dil
2K	DDZ22DS	Z-Diode	22V±10%, 200mW	SOD-323	5d	Dil
2M	DDZ27D	Z-Diode	27V±10%, 200mW	SOD-323	5d	Dil
2M	DDZ27DS	Z-Diode	27V±10%, 200mW	SOD-323	5d	Dil
2N	DDZ30D	Z-Diode	30V±10%, 200mW	SOD-323	5d	Dil
2N	DDZ30DS	Z-Diode	30V±10%, 200mW	SOD-323	5d	Dil
2P	CMDZ20L	Z-Diode	20V, 250mW, Iz=0.5mA	SOD-323	5d	Gen
3	BA516-02W	Si-Diode	Switching, Fast, 80V, 250mA, 100mW, <6ns	SCD-80	6d	Sie
3	MA2SV02	C-Diode	VCO, 6V, 19/8pF(1/4V)	DO-214	1d	Pan
3	MAZS030	Z-Diode	2.8..3.2V, 200mW	SC-79	6d	Pan
3.0B	HZF3.0BP	Z-Diode	3V±5%, 0.9W	DO-214	1d	Ren
3.0C	HZF3.0CP	Z-Diode	3V±10%, 0.9W	DO-214	1d	Ren
3.3B	HZF3.3BP	Z-Diode	3.3V±5%, 0.9W	DO-214	1d	Ren
3.3C	HZF3.3CP	Z-Diode	3.3V±10%, 0.9W	DO-214	1d	Ren
3.6B	HZF3.6BP	Z-Diode	3.6V±5%, 0.9W	DO-214	1d	Ren
3.6B	PTZ3.6B	Z-Diode	3.6V 10%, 40mA, 1W	SOD-106	1d	Rhm
3.6C	HZF3.6CP	Z-Diode	3.6V±10%, 0.9W	DO-214	1d	Ren
3.9B	HZF3.9BP	Z-Diode	3.9V±5%, 0.9W	DO-214	1d	Ren
3.9B	PTZ3.9B	Z-Diode	3.9V 10%, 40mA, 1W	SOD-106	1d	Rhm
3.9C	HZF3.9CP	Z-Diode	3.9V±10%, 0.9W	DO-214	1d	Ren
3^	MAZS030	Z-Diode	2.8..3.2V, 200mW	SC-79	6d	Pan
3^	MAZS0300H	Z-Diode	2.95..3.2V, 200mW	SC-79	6d	Pan
3^0	MAZB030	Z-Diode	2.8..3.2V, 150mW	SC-76	6d	Pan
3^3	MAZB033	Z-Diode	3.1..3.5V, 150mW	SC-76	6d	Pan
3^6	MAZB036	Z-Diode	3.4..3.8V, 150mW	SC-76	6d	Pan
3^9	MAZB039	Z-Diode	3.7..4.1V, 150mW	SC-76	6d	Pan
3_	MAZS030	Z-Diode	2.8..3.2V, 200mW	SC-79	6d	Pan
3_	MAZS0300L	Z-Diode	2.8..3.05V, 200mW	SC-79	6d	Pan
3_0	MAZB030	Z-Diode	2.8..3.2V, 150mW	SC-76	6d	Pan
3_3	MAZB033	Z-Diode	3.1..3.5V, 150mW	SC-76	6d	Pan
3_6	MAZB036	Z-Diode	3.4..3.8V, 150mW	SC-76	6d	Pan
3_9	MAZB039	Z-Diode	3.7..4.1V, 150mW	SC-76	6d	Pan
30	CMZ30	Z-Diode	30V±5%, 2W	M-Fiat	7d	Tos
30	HZC3.0	Z-Diode	3V±10%, 150mW	SOD-523	6d	Ren
30	KDZ3.0EV	Z-Diode	2.8..3.2V, 150mW	ESC	6d	Kec
30	KDZ3.0V	Z-Diode	2.8..3.2V, 150mW	USC	5d	Kec
30	MAZS300	Z-Diode	28..32V, 200mW	SC-79	6d	Pan
30	MAZY300	Z-Diode	27..33V, 1W	NMiniP2	1d	Pan
30	P6SMBJ30	Z-Diode/TVS	27..33V, 14A, 600W(1ms)	DO-214AA	1d	Lif
30	P6SMBJ33	Z-Diode/TVS	29.7..36.3V, 12.6A, 600W(1ms)	DO-214AA	1d	Lif
30	SML4751	Z-Diode	30V, Zzt=40Ω	DO-214AC	1d	Gse
30	U1Z30	Z-Diode	27..33V, 1W	SOD-6	1d	Tos
30	U1ZB30	Z-Diode/TVS	27..33V, 1W	3-4D1A	1d	Tos
30-	MAZB300	Z-Diode	28..32V, 150mW	SC-76	6d	Pan
30-	MAZS300	Z-Diode	28..32V, 200mW	SC-79	6d	Pan
30*	HZC30	Z-Diode	30V±10%, 150mW	SOD-523	6d	Ren
30?	MAZS3000M	Z-Diode	29.3..30.8V, 200mW	SC-79	6d	Pan
30^	MAZB300	Z-Diode	28..32V, 150mW	SC-76	6d	Pan
30^	MAZS300	Z-Diode	28..32V, 200mW	SC-79	6d	Pan
30^	MAZS3000H	Z-Diode	30.2..31.8V, 200mW	SC-79	6d	Pan
30_	MAZB300	Z-Diode	28..32V, 150mW	SC-76	6d	Pan
30_	MAZS300	Z-Diode	28..32V, 200mW	SC-79	6d	Pan
30_	MAZS3000L	Z-Diode	28.3..29.7V, 200mW	SC-79	6d	Pan
300	U1Z300	Z-Diode	270..330V, 1W	SOD-6	1d	Tos
300	U1ZB300	Z-Diode/TVS	270..330V, 1W	3-4D1A	1d	Tos
300A	1.5SMC300A	Z-Diode/TVS	285..315V, 3.6A, 1500W (1ms)	DO-214AB	1d	Vis
300A	P4SMA300A	Z-Diode/TVS	285..315V, 0.73A, 400W (1ms)	DO-214AC	1d	Vis
300A	P6SMB300A	Z-Diode/TVS	285..315V, 1.45A, 600W (1ms)	DO-214AA	1d	Vis
300PH	BZD27-C300	Z-Diode	300V±5%, 2.3W	SOD-87	15d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
300X	U1ZB300-X	Z-Diode/TVS	280..300V, 1W	3-4D1A	1d	Tos
300Y	U1ZB300-Y	Z-Diode/TVS	290..310V, 1W	3-4D1A	1d	Tos
300Z	U1ZB300-Z	Z-Diode/TVS	300..320V, 1W	3-4D1A	1d	Tos
301	HZU30L-1	Z-Diode	28.2..29.6V, 150mW	URP	5d	Ren
302	HZU30L-2	Z-Diode	29.2..30.6V, 150mW	URP	5d	Ren
303	HZU30L-3	Z-Diode	30.2..31.6V, 150mW	URP	5d	Ren
30A	1.5SMC30A	Z-Diode/TVS	28.5..31.5V, 36.2A, 1500W (1ms)	DO-214AB	1d	Vis
30A	1.5SMC30AT3	Z-Diode/TVS	30V, 36A, 1500W (1ms)	403	3d	Mot,Ons
30A	P4SMA30A	Z-Diode/TVS	28.5..31.5V, 9.7A, 400W (1ms)	DO-214AC	1d	Vis
30A	P6SMB30A	Z-Diode/TVS	28.5..31.5V, 14.5A, 600W (1ms)	DO-214AA	1d	Vis
30A	P6SMB30AT3	Z-Diode/TVS	30V, 14.4A, 600W (1ms)	403A	3d	Mot,Ons
30A	P6SMBJ30A	Z-Diode/TVS	28.5..31.5V, 14.4A, 600W (1ms)	DO-214AA	1d	Lif
30B	1SMB3EZ30	Z-Diode	30V±5%, 3W	SMB	1d	Pjt
30B	HZF30BP	Z-Diode	30V±5%, 0.9W	DO-214	1d	Ren
30B	PTZ30B	Z-Diode	30V 10%, 10mA, 1W	SOD-106	1d	Rhm
30C	1.5SMC30CA	Z-Diode/TVS	28.5..31.5V, 36.2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
30C	HZF30CP	Z-Diode	30V±10%, 0.9W	DO-214	1d	Ren
30C	P4SMA30CA	Z-Diode/TVS	28.5..31.5V, 9.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
30C	P6SMB30CA	Z-Diode/TVS	28.5..31.5V, 14.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
30C	P6SMB30CAT3	Z-Diode/TVS	30V, 14.4A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
30C	P6SMBJ30C	Z-Diode/TVS	27..33V, 14A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
30CA	P6SMBJ30CA	Z-Diode/TVS	28.5..31.5V, 14.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
30PH	BZD27-C30	Z-Diode	30V±5%, 2.3W	SOD-87	15d	Phi
32	CMZ33	Z-Diode	33V±5%, 2W	M-Flat	7d	Tos
32	GD22.7B	Z-Diode	2.7V, 200mW	SOD-323	5d	Vis
32	UD22.7B	Z-Diode	2.4V±2.5%, 200mW	SOD-323	5d	Rhm
320A	TSP320SA	Thy-SPD	V OF-SI=320V, 50A(1ms), Bidirectional	SMB	2	Pjt
320B	TSP320SB	Thy-SPD	V OF-SI=320V, 80A(1ms), Bidirectional	SMB	2	Pjt
320C	TSP320SC	Thy-SPD	V OF-SI=320V, 100A(1ms), Bidirectional	SMB	2	Pjt
33	HZC3.3	Z-Diode	3.3V±10%, 150mW	SOD-523	6d	Ren
33	KDZ3.3EV	Z-Diode	3.1..3.5V, 150mW	ESC	6d	Kec
33	KDZ3.3V	Z-Diode	3.1..3.5V, 150mW	USC	5d	Kec
33	MAZS330	Z-Diode	31..35V, 200mW	SC-79	6d	Pan
33	MAZY330	Z-Diode	29.7..36.3V, 1W	NMiniP2	1d	Pan
33	SML4752	Z-Diode	33V, ZZI=45Ω	DO-214AC	1d	Gse
33	U1Z33	Z-Diode	29.7..36.3V, 1W	SOD-6	1d	Tos
33	U1ZB33	Z-Diode/TVS	29.7..36.3V, 1W	3-4D1A	1d	Tos
33-	MAZ8330	Z-Diode	31..35V, 150mW	SC-76	6d	Pan
33-	MAZS330	Z-Diode	31..35V, 200mW	SC-79	6d	Pan
33-	MAZS3300M	Z-Diode	32.2..33.8V, 200mW	SC-79	6d	Pan
33*	HZC33	Z-Diode	33V±10%, 150mW	SOD-523	6d	Ren
33^	MAZ8330	Z-Diode	31..35V, 150mW	SC-76	6d	Pan
33^	MAZS330	Z-Diode	31..35V, 200mW	SC-79	6d	Pan
33^	MAZS3300H	Z-Diode	33.2..34.9V, 200mW	SC-79	6d	Pan
33_	MAZ8330	Z-Diode	31..35V, 150mW	SC-76	6d	Pan
33_	MAZS330	Z-Diode	31..35V, 200mW	SC-79	6d	Pan
33_	MAZS3300L	Z-Diode	31.2..32.8V, 200mW	SC-79	6d	Pan
330	HZU33L-1	Z-Diode	31.2..32.6V, 150mW	URP	5d	Ren
330	U1Z330	Z-Diode	297..363V, 1W	SOD-6	1d	Tos
330	U1ZB330	Z-Diode/TVS	297..363V, 1W	3-4D1A	1d	Tos
330PH	BZD27-C330	Z-Diode	330V±5%, 2.3W	SOD-87	15d	Phi
330X	U1ZB330-X	Z-Diode/TVS	310..330V, 1W	3-4D1A	1d	Tos
330Y	U1ZB330-Y	Z-Diode/TVS	320..340V, 1W	3-4D1A	1d	Tos
330Z	U1ZB330-Z	Z-Diode/TVS	330..350V, 1W	3-4D1A	1d	Tos
331	HZU33L-2	Z-Diode	32.2..33.6V, 150mW	URP	5d	Ren
332	HZU33L-3	Z-Diode	33.2..34.6V, 150mW	URP	5d	Ren
33A	1.5SMC33A	Z-Diode/TVS	31.4..34.7V, 32.8A, 1500W (1ms)	DO-214AB	1d	Vis
33A	1.5SMC33AT3	Z-Diode/TVS	33V, 33A, 1500W (1ms)	403	3d	Mot,Ons
33A	P4SMA33A	Z-Diode/TVS	31.4..34.7V, 8.8A, 400W (1ms)	DO-214AC	1d	Vis
33A	P6SMB33A	Z-Diode/TVS	31.4..34.7V, 13.1A, 600W (1ms)	DO-214AA	1d	Vis
33A	P6SMB33AT3	Z-Diode/TVS	33V, 13.2A, 600W (1ms)	403A	3d	Mot,Ons
33A	P6SMBJ33A	Z-Diode/TVS	31.4..34.7V, 13.2A, 600W (1ms)	DO-214AA	1d	Lif
33B	1SMB3EZ33	Z-Diode	33V±5%, 3W	SMB	1d	Pjt
33B	HZF33BP	Z-Diode	33V±5%, 0.9W	DO-214	1d	Ren
33B	PTZ33B	Z-Diode	33V 10%, 10mA, 1W	SOD-106	1d	Rhm
33C	1.5SMC33CA	Z-Diode/TVS	31.4..34.7V, 32.8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
33C	HZF33CP	Z-Diode	33V±10%, 0.9W	DO-214	1d	Ren

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
33C	P4SMA33CA	Z-Diode/TVS	31.4..34.7V, 8.8A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
33C	P6SMB33CA	Z-Diode/TVS	31.4..34.7V, 131A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
33C	P6SMB33CAT3	Z-Diode/TVS	33V, 13.2A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
33C	P6SMBJ33C	Z-Diode/TVS	29.7..36.3V, 12.6A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
33CA	P6SMBJ33CA	Z-Diode/TVS	31.4..34.7V, 13.2A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
33PH	BZD27-C33	Z-Diode	33V±5%, 2.3W	SOD-87	15d	Phi
348B	1SMC5348	Z-Diode	11V±10%, 5W	SMC	1d	Pjt
349B	1SMC5349	Z-Diode	12V±10%, 5W	SMC	1d	Pjt
35	UDZ13B	Z-Diode	13V±2.5%, 200mW	SOD-323	5d	Rhm
35	UDZS13B	Z-Diode	13V 10%, 5mA, 200mW	SOD-108	1d	Rhm
35	VDZS13B	Z-Diode	13V 10%, 5mA, 100mW	VMD2	5d	Rhm
350A	1.5SMC350A	Z-Diode/TVS	333..368V, 3.1A, 1500W (1ms)	DO-214AB	1d	Vis
350A	P4SMA350A	Z-Diode/TVS	333..368V, 0.62A, 400W (1ms)	DO-214AC	1d	Vis
350A	P6SMB350A	Z-Diode/TVS	333..366, 1.24A, 600W (1ms)	DO-214AA	1d	Vis
350B	1SMC5350	Z-Diode	13V±10%, 5W	SMC	1d	Pjt
351B	1SMC5351	Z-Diode	14V±10%, 5W	SMC	1d	Pjt
352B	1SMC5352	Z-Diode	15V±10%, 5W	SMC	1d	Pjt
353B	1SMC5353	Z-Diode	16V±10%, 5W	SMC	1d	Pjt
354B	1SMC5354	Z-Diode	17V±10%, 5W	SMC	1d	Pjt
355B	1SMC5355	Z-Diode	18V±10%, 5W	SMC	1d	Pjt
356B	1SMC5356	Z-Diode	19V±10%, 5W	SMC	1d	Pjt
357B	1SMC5357	Z-Diode	20V±10%, 5W	SMC	1d	Pjt
358B	1SMC5358	Z-Diode	22V±10%, 5W	SMC	1d	Pjt
359B	1SMC5359	Z-Diode	24V±10%, 5W	SMC	1d	Pjt
36	CMZ36	Z-Diode	36V±5%, 2W	M-Flat	7d	Tos
36	HZC3.6	Z-Diode	3.6V±10%, 150mW	SOD-523	6d	Ren
36	KDZ3.6EV	Z-Diode	3.4..3.8V, 150mW	ESC	6d	Kec
36	KDZ3.6V	Z-Diode	3.4..3.8V, 150mW	USC	5d	Kec
36	MAZS360	Z-Diode	34..38V, 200mW	SC-79	6d	Pan
36	MAZY360	Z-Diode	32.4..39.6V, 1W	NMiniP2	1d	Pan
36	P6SMBJ36	Z-Diode/TVS	32.4..39.6V, 11.6A, 600W(1ms)	DO-214AA	1d	Lif
36	SML4753	Z-Diode	36V, Zzt=50Q	DO-214AC	1d	Gse
36	U1Z36	Z-Diode	32.4..39.6V, 1W	SOD-8	1d	Tos
36	U1ZB36	Z-Diode/TVS	32.4..39.6V, 1W	3-4D1A	1d	Tos
36-	MAZ8360	Z-Diode	34..38V, 150mW	SC-78	6d	Pan
36-	MAZS360	Z-Diode	34..38V, 200mW	SC-79	6d	Pan
36-	MAZS3600M	Z-Diode	35.1..36.9V, 200mW	SC-79	6d	Pan
36*	HZC36	Z-Diode	36V±10%, 150mW	SOD-523	6d	Ren
36*	MAZ8360	Z-Diode	34..38V, 150mW	SC-78	6d	Pan
36*	MAZS360	Z-Diode	34..38V, 200mW	SC-79	6d	Pan
36*	MAZS3600H	Z-Diode	36.1..37.9V, 200mW	SC-79	6d	Pan
36_	MAZ8360	Z-Diode	34..38V, 150mW	SC-78	6d	Pan
36_	MAZS360	Z-Diode	34..38V, 200mW	SC-79	6d	Pan
36_	MAZS3600L	Z-Diode	34.1..35.9V, 200mW	SC-79	6d	Pan
360B	1SMC5360	Z-Diode	25V±10%, 5W	SMC	1d	Pjt
360PH	BZD27-C360	Z-Diode	360V±5%, 2.3W	SOD-87	15d	Phi
361	HZU36L-1	Z-Diode	34.2..35.7V, 150mW	URP	5d	Ren
361B	1SMC5361	Z-Diode	27V±10%, 5W	SMC	1d	Pjt
362	HZU36L-2	Z-Diode	35.3..36.8V, 150mW	URP	5d	Ren
362B	1SMC5362	Z-Diode	28V±10%, 5W	SMC	1d	Pjt
363	HZU36L-3	Z-Diode	36.4..38V, 150mW	URP	5d	Ren
363B	1SMC5363	Z-Diode	30V±10%, 5W	SMC	1d	Pjt
364B	1SMC5364	Z-Diode	33V±10%, 5W	SMC	1d	Pjt
365B	1SMC5365	Z-Diode	36V±10%, 5W	SMC	1d	Pjt
366B	1SMC5366	Z-Diode	39V±10%, 5W	SMC	1d	Pjt
367B	1SMC5367	Z-Diode	43V±10%, 5W	SMC	1d	Pjt
368B	1SMC5368	Z-Diode	47V±10%, 5W	SMC	1d	Pjt
369B	1SMC5369	Z-Diode	51V±10%, 5W	SMC	1d	Pjt
36A	1.5SMC36A	Z-Diode/TVS	34.2..37.6V, 30.1A, 1500W (1ms)	DO-214AB	1d	Vis
36A	1.5SMC36AT3	Z-Diode/TVS	36V, 30A, 1500W (1ms)	403	3d	Mot,Ons
36A	P4SMA36A	Z-Diode/TVS	34.2..37.8V, 6A, 400W (1ms)	DO-214AC	1d	Vis
36A	P6SMB36A	Z-Diode/TVS	34.2..37.8V, 12A, 600W (1ms)	DO-214AA	1d	Vis
36A	P6SMB36AT3	Z-Diode/TVS	36V, 12A, 600W (1ms)	403A	3d	Mot,Ons
36A	P6SMBJ36A	Z-Diode/TVS	34.2..37.8V, 12A, 600W(1ms)	DO-214AA	1d	Lif
36B	1SMB3EZ36	Z-Diode	36V±5%, 3W	SMB	1d	Pjt
36B	HZF36BP	Z-Diode	36V±5%, 0.9W	DO-214	1d	Ren
36B	PTZ36B	Z-Diode	36V 10%, 10mA, 1W	SOD-108	1d	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Чок.	Прозв.
36C	1.5SMC36CA	Z-Diode/TVS	34.2..37.8V, 30.1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
36C	HZF36CP	Z-Diode	36V±10%, 0.9W	DO-214	1d	Ren
36C	P4SMA36CA	Z-Diode/TVS	34.2..37.8V, 8A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
36C	P6SMB36CA	Z-Diode/TVS	34.2..37.8V, 12A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
36C	P6SMB36CAT3	Z-Diode/TVS	36V, 12A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
36C	P6SMBJ36C	Z-Diode/TVS	32.4..39.6V, 11.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
36CA	P6SMBJ36CA	Z-Diode/TVS	34.2..37.8V, 12A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
36PH	BZD27-C36	Z-Diode	36V±5%, 2.3W	SOD-87	15d	Phi
370B	1SMC5370	Z-Diode	56V±10%, 5W	SMC	1d	Pjt
371B	1SMC5371	Z-Diode	60V±10%, 5W	SMC	1d	Pjt
372B	1SMC5372	Z-Diode	62V±10%, 5W	SMC	1d	Pjt
373B	1SMC5373	Z-Diode	68V±10%, 5W	SMC	1d	Pjt
374B	1SMC5374	Z-Diode	75V±10%, 5W	SMC	1d	Pjt
375B	1SMC5375	Z-Diode	82V±10%, 5W	SMC	1d	Pjt
376B	1SMC5376	Z-Diode	87V±10%, 5W	SMC	1d	Pjt
377B	1SMC5377	Z-Diode	91V±10%, 5W	SMC	1d	Pjt
378B	1SMC5378	Z-Diode	100V±10%, 5W	SMC	1d	Pjt
379B	1SMC5379	Z-Diode	110V±10%, 5W	SMC	1d	Pjt
37DPH	BYD37D	Si-Diode	Rectifier, Contr.avalanche, 200V, 0.6A, 250ns, 20pF	SOD-87	15d	Phi
37GPH	BYD37G	Si-Diode	Rectifier, Contr.avalanche, 400V, 0.6A, 250ns, 20pF	SOD-87	15d	Phi
37JPH	BYD37J	Si-Diode	Rectifier, Contr.avalanche, 600V, 0.6A, 250ns, 20pF	SOD-87	15d	Phi
37KPH	BYD37K	Si-Diode	Rectifier, Contr.avalanche, 800V, 0.6A, 300ns, 20pF	SOD-87	15d	Phi
37MPH	BYD37M	Si-Diode	Rectifier, Contr.avalanche, 1000V, 0.6A, 300ns, 20pF	SOD-87	15d	Phi
37ZD	BYD37D	Si-Diode	Rectifier, Contr.avalanche, 200V, 1A, 250ns, 20pF	1206	14d	Zow
37ZG	BYD37G	Si-Diode	Rectifier, Contr.avalanche, 400V, 1A, 250ns, 20pF	1206	14d	Zow
37ZJ	BYD37J	Si-Diode	Rectifier, Contr.avalanche, 600V, 1A, 250ns, 20pF	1206	14d	Zow
37ZK	BYD37K	Si-Diode	Rectifier, Contr.avalanche, 800V, 1A, 300ns, 20pF	1206	14d	Zow
37ZM	BYD37M	Si-Diode	Rectifier, Contr.avalanche, 1000V, 1A, 300ns, 20pF	1206	14d	Zow
380B	1SMC5380	Z-Diode	120V±10%, 5W	SMC	1d	Pjt
381B	1SMC5381	Z-Diode	130V±10%, 5W	SMC	1d	Pjt
382B	1SMC5382	Z-Diode	140V±10%, 5W	SMC	1d	Pjt
383B	1SMC5383	Z-Diode	150V±10%, 5W	SMC	1d	Pjt
384B	1SMC5384	Z-Diode	160V±10%, 5W	SMC	1d	Pjt
385B	1SMC5385	Z-Diode	170V±10%, 5W	SMC	1d	Pjt
386B	1SMC5386	Z-Diode	180V±10%, 5W	SMC	1d	Pjt
387B	1SMC5387	Z-Diode	190V±10%, 5W	SMC	1d	Pjt
388B	1SMC5388	Z-Diode	200V±10%, 5W	SMC	1d	Pjt
39	CMZ39	Z-Diode	39V±5%, 2W	M-Flat	7d	Tos
39	HZC3.9	Z-Diode	3.9V±10%, 150mW	SOD-523	6d	Ren
39	KDZ3.9EV	Z-Diode	3.7..4.1V, 150mW	ESC	6d	Kec
39	KDZ3.9V	Z-Diode	3.7..4.1V, 150mW	USC	5d	Kec
39	MAZS390	Z-Diode	37V..41V, 200mW	SC-79	6d	Pan
39	MAZY390	Z-Diode	35.1..42.9V, 1W	NMiniP2	1d	Pan
39	P6SMBJ39	Z-Diode/TVS	35.1..42.9V, 10.5A, 600W (1ms)	DO-214AA	1d	Lif
39	SML4754	Z-Diode	39V, Zzt=60Q	DO-214AC	1d	Gse
39-	MAZ8390	Z-Diode	37..41V, 150mW	SC-76	6d	Pan
39-	MAZS390	Z-Diode	37V..41V, 200mW	SC-79	6d	Pan
39-	MAZS3900M	Z-Diode	38..40V, 200mW	SC-79	6d	Pan
39^	MAZ8390	Z-Diode	37..41V, 150mW	SC-76	6d	Pan
39^	MAZS390	Z-Diode	37V..41V, 200mW	SC-79	6d	Pan
39^	MAZS3900H	Z-Diode	39..40V, 200mW	SC-79	6d	Pan
39_	MAZ8390	Z-Diode	37..41V, 150mW	SC-76	6d	Pan
39_	MAZS390	Z-Diode	37V..41V, 200mW	SC-79	6d	Pan
39_	MAZS3900L	Z-Diode	37.1..39V, 200mW	SC-79	6d	Pan
390	U1ZB390	Z-Diode/TVS	351..429V, 1W	3-4D1A	1d	Tos
390PH	BZD27-C390	Z-Diode	390V±5%, 2.3W	SOD-87	15d	Phi
39A	1.5SMC39A	Z-Diode/TVS	37.1..41V, 27.8A, 1500W (1ms)	DO-214AB	1d	Vis
39A	1.5SMC39AT3	Z-Diode/TVS	39V, 28A, 1500W (1ms)	403	3d	Mot,Ons
39A	P4SMA39A	Z-Diode/TVS	37.1..41V, 7.4A, 400W (1ms)	DO-214AC	1d	Vis
39A	P6SMB39A	Z-Diode/TVS	37.1..41V, 11.1A, 600W (1ms)	DO-214AA	1d	Vis
39A	P6SMB39AT3	Z-Diode/TVS	39V, 11.2A, 600W (1ms)	403A	3d	Mot,Ons
39A	P6SMBJ39A	Z-Diode/TVS	37.1..41V, 11.2A, 600W (1ms)	DO-214AA	1d	Lif
39B	1SMB3E39	Z-Diode	39V±5%, 3W	SMB	1d	Pjt
39C	1.5SMC39CA	Z-Diode/TVS	37.1..41V, 27.8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
39C	P4SMA39CA	Z-Diode/TVS	37.1..41V, 7.4A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
39C	P6SMB39CA	Z-Diode/TVS	37.1..41V, 11.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
39C	P6SMB39CAT3	Z-Diode/TVS	39V, 11.2A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
39C	P6SMBJ39C	Z-Diode/TVS	35.1..42.9V, 10.5A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
39CA	P6SMBJ39CA	Z-Diode/TVS	37.1..41V, 11.2A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
39PH	BZD27-C39	Z-Diode	39V±5%, 2.3W	SOD-87	15d	Phi
3F	MAZD030	Z-Diode	2.8..3.2V, 120mW	SSSMIn2	7d	Pan
3P	CMD222L	Z-Diode	22V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
3V6PH	BZD27-C3V6	Z-Diode	3.6V±5%, 1.7W	SOD-87	15d	Phi
3V9PH	BZD27-C3V9	Z-Diode	3.9V±5%, 1.7W	SOD-87	15d	Phi
4	MAZSV03	C-Diode	VCO, 6V, 5,5/2,35pF(1/4V)	DO-214	1d	Pan
4	RB501V-40	Si-Diode	Schottky Rectifier, 45V, 100mA, Vf<0,55V(100mA), <6pF	SOD-323	5d	Rhm,Trs
4.3B	HZF4.3BP	Z-Diode	4.3V±5%, 0.9W	DO-214	1d	Ren
4.3B	PTZ4.3B	Z-Diode	4.3V 10%, 40mA, 1W	SOD-106	1d	Rhm
4.3C	HZF4.3CP	Z-Diode	4.3V±10%, 0.9W	DO-214	1d	Ren
4.7	MAZ5047	Z-Diode	4.4..5V, 500mW	MP2	11d	Pan
4.7	MAZY047	Z-Diode	4.4..5V, 1W	NMinIP2	1d	Pan
4.7B	HZF4.7BP	Z-Diode	4.7V±5%, 0.9W	DO-214	1d	Ren
4.7B	PTZ4.7B	Z-Diode	4.7V 10%, 40mA, 1W	SOD-106	1d	Rhm
4.7C	HZF4.7CP	Z-Diode	4.7V±10%, 0.9W	DO-214	1d	Ren
4*3	MAZ8043	Z-Diode	4.4..6V, 150mW	SC-76	6d	Pan
4*7	MAZ8047	Z-Diode	4.4..5V, 150mW	SC-76	6d	Pan
4_3	MAZ8043	Z-Diode	4.4..6V, 150mW	SC-76	6d	Pan
4_7	MAZ8047	Z-Diode	4.4..5V, 150mW	SC-76	6d	Pan
40	ZLLS400TA	Si-Diode	Schottky Rectifier, 40V, 520mA, 330mW, Vf<0,52V(400mA)	SOD-323	5d	Ztx
40	ZLLS400TC	Si-Diode	Schottky Rectifier, 40V, 520mA, 330mW, Vf<0,52V(400mA)	SOD-323	5d	Ztx
400A	1.5SMC400A	Z-Diode/TVS	380..420V, 2.7A, 1500W (1ms)	DO-214AB	1d	Vis
400A	P4SMA400A	Z-Diode/TVS	380..420V, 0.55A, 400W (1ms)	DO-214AC	1d	Vis
400A	P6SMB400A	Z-Diode/TVS	380..420V, 1.1A, 600W (1ms)	DO-214AA	1d	Vis
40C	U5ZA40C	Z-Diode	38..44V, 5W, Zzt=30Ω	DO-218	8d	Tos
42	GDZ3.0B	Z-Diode	3.0V, 200mW	SOD-323	5d	Vis
42	UDZ3.0B	Z-Diode	3V±2.5%, 200mW	SOD-323	5d	Rhm
43	CMZ43	Z-Diode	43V±5%, 2W	M-Flat	7d	Tos
43	HZC4.3	Z-Diode	4.3V±10%, 150mW	SOD-523	6d	Ren
43	KDZ4.3EV	Z-Diode	4.4..5V, 150mW	ESC	6d	Kec
43	KDZ4.3V	Z-Diode	4.4..5V, 150mW	USC	5d	Kec
43	MAZY430	Z-Diode	38.7..47.3V, 1W	NMinIP2	1d	Pan
43	P6SMBJ43	Z-Diode/TVS	38.7..47.3V, 9.6A, 600W(1ms)	DO-214AA	1d	Lif
43	SML4755	Z-Diode	43V, Zzt=70Ω	DO-214AC	1d	Gse
43	U1Z43	Z-Diode	38.7..47.3V, 1W	SOD-6	1d	Tos
43	U1ZB43	Z-Diode/TVS	38.7..47.3V, 1W	3-4D1A	1d	Tos
4-3	MAZ8043	Z-Diode	4.4..6V, 150mW	SC-76	6d	Pan
430PH	BZD27-C430	Z-Diode	430V±5%, 2.3W	SOD-87	15d	Phi
43A	1.5SMC43A	Z-Diode/TVS	40.9..45.2V, 25.3A, 1500W (1ms)	DO-214AB	1d	Vis
43A	1.5SMC43AT3	Z-Diode/TVS	43V, 25.3A, 1500W (1ms)	403	3d	Mot,Ons
43A	P4SMA43A	Z-Diode/TVS	40.9..45.2V, 6.7A, 400W (1ms)	DO-214AC	1d	Vis
43A	P6SMB43A	Z-Diode/TVS	40.9..45.2V, 10.1A, 800W (1ms)	DO-214AA	1d	Vis
43A	P6SMB43AT3	Z-Diode/TVS	43V, 10.1A, 600W (1ms)	403A	3d	Mot,Ons
43A	P6SMBJ43A	Z-Diode/TVS	40.9..45.2V, 10.1A, 600W(1ms)	DO-214AA	1d	Lif
43B	1SMB3EZ43	Z-Diode	43V±5%, 3W	SMB	1d	Pjt
43C	1.5SMC43CA	Z-Diode/TVS	40.9..45.2V, 25.3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
43C	P4SMA43CA	Z-Diode/TVS	40.9..45.2V, 6.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
43C	P6SMB43CA	Z-Diode/TVS	40.9..45.2V, 10.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
43C	P6SMB43CAT3	Z-Diode/TVS	43V, 10.1A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
43C	P6SMBJ43C	Z-Diode/TVS	38.7..47.3V, 9.6A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
43CA	P6SMBJ43CA	Z-Diode/TVS	40.9..45.2V, 10.1A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
43PH	BZD27-C43	Z-Diode	43V±5%, 2.3W	SOD-87	15d	Phi
440A	1.5SMC440A	Z-Diode/TVS	418..462V, 2.5A, 1500W (1ms)	DO-214AB	1d	Vis
440A	P4SMA440A	Z-Diode/TVS	418..462V, 0.5A, 400W (1ms)	DO-214AC	1d	Vis
440A	P6SMB440A	Z-Diode/TVS	418..462V, 1A, 600W (1ms)	DO-214AA	1d	Vis
45	UDZ15B	Z-Diode	15V±2.5%, 200mW	SOD-323	5d	Rhm
45	UDZS15B	Z-Diode	15V 10%, 5mA, 200mW	SOD-106	1d	Rhm
45	VDZS15B	Z-Diode	15V 10%, 5mA, 100mW	VMD2	5d	Rhm
47	CMZ47	Z-Diode	47V±5%, 2W	M-Flat	7d	Tos
47	HZC4.7	Z-Diode	4.7V±10%, 150mW	SOD-523	6d	Ren
47	KDZ4.7EV	Z-Diode	4.4..4.9V, 150mW	ESC	6d	Kec
47	KDZ4.7V	Z-Diode	4.4..4.9V, 150mW	USC	5d	Kec
47	MAZY470	Z-Diode	42.3..51.7V, 1W	NMinIP2	1d	Pan
47	P6SMBJ47	Z-Diode/TVS	42.3..51.7V, 8.9A, 600W(1ms)	DO-214AA	1d	Lif
47	SML4756	Z-Diode	47V, Zzt=80Ω	DO-214AC	1d	Gse

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
47	U1Z47	Z-Diode	42.3..51.7V, 1W	SOD-6	1d	Tos
47	U1ZB47	Z-Diode/TVS	42.3..51.7V, 1W	3-4D1A	1d	Tos
4-7	MAZ8047	Z-Diode	4.4..5V, 150mW	SC-76	6d	Pan
470PH	BZD27-C470	Z-Diode	470V±5%, 2.3W	SOD-87	15d	Phi
47-16PH	BYD47-16	Si-Diode	Rectifier, Contr.avalanche, 1700V, 0.34A, 300ns, 15pF	SOD-87	15d	Phi
47-18PH	BYD47-18	Si-Diode	Rectifier, Contr.avalanche, 1900V, 0.34A, 300ns, 15pF	SOD-87	15d	Phi
47-20PH	BYD47-20	Si-Diode	Rectifier, Contr.avalanche, 2100V, 0.34A, 300ns, 15pF	SOD-87	15d	Phi
47A	1.5SMC47A	Z-Diode/TVS	44.7..49.4V, 23.1A, 1500W (1ms)	DO-214AB	1d	Vis
47A	1.5SMC47AT3	Z-Diode/TVS	47V, 23.2A, 1500W (1ms)	403	3d	Mot,Ons
47A	P4SMA47A	Z-Diode/TVS	44.7..49.4V, 6.2A, 400W (1ms)	DO-214AC	1d	Vis
47A	P6SMB47A	Z-Diode/TVS	44.7..49.4V, 9.3A, 600W (1ms)	DO-214AA	1d	Vis
47A	P6SMB47AT3	Z-Diode/TVS	47V, 9.3A, 600W (1ms)	403A	3d	Mot,Ons
47A	P6SMBJ47A	Z-Diode/TVS	44.7..49.4V, 9.3A, 600W (1ms)	DO-214AA	1d	Lif
47B	1SMB3E247	Z-Diode	47V±5%, 3W	SMB	1d	Pjt
47C	1.5SMC47CA	Z-Diode/TVS	44.7..49.4V, 23.1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
47C	P4SMA47CA	Z-Diode/TVS	44.7..49.4V, 6.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
47C	P6SMB47CA	Z-Diode/TVS	44.7..49.4V, 9.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
47C	P6SMB47CAT3	Z-Diode/TVS	47V, 9.3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
47C	P6SMBJ47C	Z-Diode/TVS	42.3..51.7V, 8.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
47CA	P6SMBJ47CA	Z-Diode/TVS	44.7..49.4V, 9.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
47PH	BZD27-C47	Z-Diode	47V±5%, 2.3W	SOD-87	15d	Phi
480A	1.5SMC480A	Z-Diode/TVS	456..504V, 2.28A, 1500W (1ms)	DO-214AB	1d	Vis
480A	P4SMA480A	Z-Diode/TVS	456..504V, 0.46A, 400W (1ms)	DO-214AC	1d	Vis
480A	P6SMB480A	Z-Diode/TVS	456..504, 0.91A, 600W (1ms)	DO-214AA	1d	Vis
48C	USZA48C	Z-Diode	43.2..52.8V, 5W, Zzt=65Ω	DO-218	8d	Tos
4A	D3FS4A	Si-Diode	Schottky Rectifier, 60V, 2.6A, Vf<0.45V(2.6A)	2F	1d	Shi
4A	MA72	C-Diode	VHF-Band-S, 35V, <2pF(6V)	SOD-123	5d	Pan
4A	MMVL109T1	C-Diode	VHF-Tuning, 30V, 200mA, 200mW, 26..32pF(3V, 1MHz)	SOD-323	5d	Ons
4B	MA73	C-Diode	VHF-Band-S, 35V, <1.2pF(6V)	SOD-123	5d	Pan
4C	MA79	C-Diode	VHF-Band-S, 25V, <1.5pF(6V)	SOD-123	5d	Pan
4C	MMVL3102T1	C-Diode	FM/VHF-Tuning, 30V, 200mA, 200mW, 20..25pF(3V, 1MHz)	SOD-323	5d	Ons
4C	USCD034	Si-Diode	Schottky Barrier Rectifier, 40V, 0.3A, Vf<0.5V(0.3A)	0603	14d	Zow
4D	MA81	C-Diode	VHF-Band-S, 25V, <1.5pF(6V)	SOD-123	5d	Pan
4D	MMVL3401T1	PIN-Diode	VHF-Sw, 20V, 20mA, 200mW, <1pF, <0.7Ω(10mA/100MHz)	SOD-323	5d	Ons
4D	USCD024	Si-Diode	Schottky Barrier Rectifier, 40V, 0.2A, Vf<0.45V(0.2A)	0603	14d	Zow
4D1	USCD024R	Si-Diode	Schottky Barrier Rectifier, 40V, 0.2A, Vf<0.45V(0.2A)	0603	14d	Zow
4E	MMVL105GT1	C-Diode	VHF-Tuning, 30V, 200mA, 200mW, 1.5..2.8pF(25V, 1MHz)	SOD-323	5d	Ons
4F	MAZD033	Z-Diode	3.1..3.5V, 120mW	SSSMini2	7d	Pan
4F	USCD014	Si-Diode	Schottky Barrier Rectifier, 40V, 0.1A, Vf<0.4V(0.1A)	0603	14d	Zow
4G	MMVL2101T1	C-Diode	FM/VHF-Tuning, 30V, 200mA, 200mW, 6.1..7.5pF(4V, 1MHz)	SOD-323	5d	Ons
4L7	KP4L07	Thy-SPD	V OF-St=65V, Ifsm=40A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
4L8	KP4L08	Thy-SPD	V OF-St=70V, Ifsm=40A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
4M	MMDL101T1	Si-Diode	UHF/VHF Det, Schottky Barner, 7V, 200mW, <0.88pF	SOD-323	5d	Ons
4N12	KP4N12	Thy-SPD	V OF-St=110V, Ifsm=40A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
4N14	KP4N14	Thy-SPD	V OF-St=130V, Ifsm=40A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
4P	CMOZ24L	Z-Diode	24V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
4R	MMVL3700T1	PIN-Diode	VHF-Sw, 200V, 20mA, 200mW, <1pF, <1Ω(10mA/100MHz)	SOD-323	5d	Ons
4R25	KP4R25	Thy-SPD	V OF-St=220V, Ifsm=40A(1ms), Ih=100mA, Bidirectional	DO-214	2	Shi
4T	MMDL301T1	Si-Diode	UHF/VHF Det, Schottky Barrier, 30V, 200mW, <0.9pF	SOD-323	5d	Ons
4U	MMVL2105T1	C-Diode	VHF-Tuning, 30V, 200mA, 200mW, 13.5..16.5pF(4V, 1MHz)	SOD-323	5d	Ons
4V3PH	BZD27-C4V3	Z-Diode	4.3V±5%, 1.7W	SOD-87	15d	Phi
4V7PH	BZD27-C4V7	Z-Diode	4.7V±5%, 1.7W	SOD-87	15d	Phi
5	1SV202	C-Diode	UHF-Tuning, 30V, 2.1..2.39pF(25V)	SOD-123	5d	Hil
5	BA892	Si-Diode	VHF, TV-Band-Sw, 35V, 0.1A, 715mW, Vf<1V(10mA), <1.4pF	SOD-523	6d	Phi
5	BBY57-02W	C-Diode	Dual, Tuning, VCO, 10V, 4..5.5/16.5..18.8pF(4/1V)	DO-214	1d	Sie
5	HVR300	C-Diode	VHF-Tuning, 38.5..46.1pF(2V)	SOD-123	5d	Ren
5	HVU202	C-Diode	UHF-Tuning, 14..16.3pF(2V)	SOD-123	5d	Ren
5	MA2S0V4	C-Diode	VCO, 6V, 10.5/6.1pF(1/3V)	DO-214	1d	Pan
5	MA2S051	Z-Diode	4.8..5.4V, 200mW	SC-79	6d	Pan
5	RB751G-40	Si-Diode	Schottky Rectifier, 30V, 30mA, Vf<0.37V(1mA), 2pF	SOD-723	5d	Rhm,Trs
5	RB751S-40	Si-Diode	Schottky Rectifier, 30V, 30mA, Vf<0.37V(1mA), 2pF	SOD-523	6d	Rhm,Trs
5	RB751V-40	Si-Diode	Schottky Rectifier, 30V, 30mA, Vf<0.37V(1mA), 2pF	SOD-323	5d	Rhm,Trs
5-	MA2S051	Z-Diode	4.8..5.4V, 200mW	SC-79	6d	Pan
5-	MA2S0510M	Z-Diode	5..5.26V, 200mW	SC-79	6d	Pan
5.1	MA2S051	Z-Diode	4.8..5.4V, 500mW	MP2	11d	Pan
5.1	MAZY051	Z-Diode	4.8..5.4V, 1W	NMiniP2	1d	Pan
5.1B	HZF5.18P	Z-Diode	5.1V±5%, 0.9W	DO-214	1d	Ren

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
5.1B	PT25.1B	Z-Diode	5.1V 10%, 40mA, 1W	SOD-106	1d	Rhm
5.1C	HZF5.1CP	Z-Diode	5.1V±10%, 0.9W	DO-214	1d	Ren
5.6	MAZ5056	Z-Diode	5.3..6V, 500mW	MP2	11d	Pan
5.6	MAZY056	Z-Diode	5.2..6V, 1W	NMinIP2	1d	Pan
5.6B	HZF5.6BP	Z-Diode	5.6V±5%, 0.9W	DO-214	1d	Ren
5.6B	PT25.6B	Z-Diode	5.6V 10%, 40mA, 1W	SOD-106	1d	Rhm
5.6C	HZF5.6CP	Z-Diode	5.6V±10%, 0.9W	DO-214	1d	Ren
5/9	SD05C	TVS	5V, 24A, 350W (1ms), Bidirectional	SOD-323	5c	Sml
5 ^A	MAZS051	Z-Diode	4.8..5.4V, 200mW	SC-79	6d	Pan
5 ^A	MAZS0510H	Z-Diode	5.14..5.4V, 200mW	SC-79	6d	Pen
5 ^{A1}	MAZ8051	Z-Diode	4.8..5.4V, 150mW	SC-76	6d	Pan
5 ^{A6}	MAZ8056	Z-Diode	5.3..6.0V, 150mW	SC-76	6d	Pan
5 ₋	MAZS051	Z-Diode	4.8..5.4V, 200mW	SC-79	6d	Pan
5 ₋	MAZS0510L	Z-Diode	4.87..5.12V, 200mW	SC-79	6d	Pan
5 ₋₁	MAZ8051	Z-Diode	4.8..5.4V, 150mW	SC-76	6d	Pan
5 ₋₆	MAZ8056	Z-Diode	5.3..6.0V, 150mW	SC-76	6d	Pan
50	ZV950V2TA	C-Diode	Hyperabrupt varicap, 12V, 100mA, 9.5..7.8pF(0.5..1.5V)	SOD-523	6d	Zlx
50DPH	BYG50D	Si-Diode	Controlled Avalanche Rectifier, 200V, 1A, Vf<0.85V(1A), 2µs	DO-214AC	1d	Phi
50GPH	BYG50G	Si-Diode	Controlled Avalanche Rectifier, 400V, 1A, Vf<0.85V(1A), 2µs	DO-214AC	1d	Phi
50JPH	BYG50J	Si-Diode	Controlled Avalanche Rectifier, 600V, 1A, Vf<0.85V(1A), 2µs	DO-214AC	1d	Phi
50KPH	BYG50K	Si-Diode	Controlled Avalanche Rectifier, 800V, 1A, Vf<0.85V(1A), 2µs	DO-214AC	1d	Phi
50MPH	BYG50M	Si-Diode	Controlled Avalanche Rectifier, 1000V, 1A, Vf<0.85V(1A), 2µs	DO-214AC	1d	Phi
51	CMZ51	Z-Diode	51V±5%, 2W	M-Flat	7d	Tos
51	HZC5.1	Z-Diode	5.1V±10%, 150mW	SOD-523	6d	Ren
51	HZU5.1G	Z-Diode	4.84..5.37V, 200mW	SOD-323	5d	Ren
51	KDZ5.1EV	Z-Diode	4.8..5.4V, 150mW	ESC	6d	Kec
51	KDZ5.1V	Z-Diode	4.8..5.4V, 150mW	USC	5d	Kec
51	MAZY510	Z-Diode	45.9..56.1V, 1W	NMinIP2	1d	Pan
51	P6SMBJ51	Z-Diode/TVS	45.9..56.1V, 8.2A, 600W (1ms)	DO-214AA	1d	Lif
51	SML4757	Z-Diode	51V, Zzt=95Ω	DO-214AC	1d	Gse
51	U1Z51	Z-Diode	45.9..56.1, 1W	SOD-6	1d	Tos
51	U1ZB51	Z-Diode/TVS	45.9..56.1, 1W	3-4D1A	1d	Tos
5-1	MAZ8051	Z-Diode	4.8..5.4V, 150mW	SC-76	6d	Pan
510	F1C510	Z-Diode/TVS	8V, 35A, 500W (1ms)	DO-214AC	1d	Org
510	STBB510	Z-Diode/TVS	9.50..10.5V, 27.6A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
510	STBS510	Z-Diode/TVS	9.44..10.4V, 34.7A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
510	STUB510	Z-Diode/TVS	9.50..10.5V, 27.6A, 400W (1ms)	DO-214AC	1d	Eic
510	STUS510	Z-Diode/TVS	9.44..10.4V, 34.7A, 500W (1ms)	DO-214AC	1d	Eic
510A	1.5SMC510A	Z-Diode/TVS	485..535V, 2.15A, 1500W (1ms)	DO-214AB	1d	Vis
510A	P4SMA510A	Z-Diode/TVS	485..535V, 0.43A, 400W (1ms)	DO-214AC	1d	Vis
510A	P6SMB510A	Z-Diode/TVS	465..535, 0.86A, 600W (1ms)	DO-214AA	1d	Vis
510PH	BZD27-C510	Z-Diode	510V±5%, 2.3W	SOD-87	15d	Phi
511	STBB511	Z-Diode/TVS	10.5..11.6V, 25.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
511	STBS511	Z-Diode/TVS	10..11.1V, 32.5A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
511	STUB511	Z-Diode/TVS	10.5..11.6V, 25.7A, 400W (1ms)	DO-214AC	1d	Eic
511	STUS511	Z-Diode/TVS	10..11.1V, 32.5A, 500W (1ms)	DO-214AC	1d	Eic
512	F1C512	Z-Diode/TVS	9.6V, 30A, 500W (1ms)	DO-214AC	1d	Org
512	STBB512	Z-Diode/TVS	11.4..12.6V, 24A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
512	STBS512	Z-Diode/TVS	11.1..12.3V, 29.4A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
512	STUB512	Z-Diode/TVS	11.4..12.6V, 24A, 400W (1ms)	DO-214AC	1d	Eic
512	STUS512	Z-Diode/TVS	11.1..12.3V, 29.4A, 500W (1ms)	DO-214AC	1d	Eic
513	STBB513	Z-Diode/TVS	12.4..13.7V, 22A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
513	STBS513	Z-Diode/TVS	12.2..13.5V, 27.4A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
513	STUB513	Z-Diode/TVS	12.4..13.7V, 22A, 400W (1ms)	DO-214AC	1d	Eic
513	STUS513	Z-Diode/TVS	12.2..13.5V, 27.4A, 500W (1ms)	DO-214AC	1d	Eic
514	STBS514	Z-Diode/TVS	13.3..14.7V, 25.1A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
514	STUS514	Z-Diode/TVS	13.3..14.7V, 25.1A, 500W (1ms)	DO-214AC	1d	Eic
515	STBB515	Z-Diode/TVS	14.3..15.8V, 19A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
515	STBS515	Z-Diode/TVS	14.4..15.9V, 23.2A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
515	STUB515	Z-Diode/TVS	14.3..15.8V, 19A, 400W (1ms)	DO-214AC	1d	Eic
515	STUS515	Z-Diode/TVS	14.4..15.9V, 23.2A, 500W (1ms)	DO-214AC	1d	Eic
516	F1C516	Z-Diode/TVS	12.5V, 22A, 500W (1ms)	DO-214AC	1d	Org
516	STBB516	Z-Diode/TVS	15.2..16.8V, 17.8A, 400W (1ms), Bidirectional	DO-214AC	2c	Eic
516	STBS516	Z-Diode/TVS	15.6..17.2V, 21.5A, 500W (1ms), Bidirectional	DO-214AC	2c	Eic
516	STUB516	Z-Diode/TVS	15.2..16.8V, 17.8A, 400W (1ms)	DO-214AC	1d	Eic
516	STUS516	Z-Diode/TVS	15.6..17.2V, 21.5A, 500W (1ms)	DO-214AC	1d	Eic
518	F1C518	Z-Diode/TVS	14.5V, 20A, 500W (1ms)	DO-214AC	1d	Org

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
518	STB8518	Z-Diode/TVS	17.1..18.9V, 16A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
518	STB8518	Z-Diode/TVS	16.7..18.5V, 20.6A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
518	STUB8518	Z-Diode/TVS	17.1..18.9V, 16A, 400W(1ms)	DO-214AC	1d	Eic
518	STUS518	Z-Diode/TVS	16.7..18.5V, 20.6A, 500W(1ms)	DO-214AC	1d	Eic
519	STB8519	Z-Diode/TVS	17.8..19.7V, 19.2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
519	STUS519	Z-Diode/TVS	17.8..19.7V, 19.2A, 500W(1ms)	DO-214AC	1d	Eic
51A	1.5SMC51A	Z-Diode/TVS	48.5..53.6V, 21.4A, 1500W(1ms)	DO-214AB	1d	Vis
51A	1.5SMC51AT3	Z-Diode/TVS	51V, 21.4A, 1500W(1ms)	403	3d	Mot,Ons
51A	P4SMA51A	Z-Diode/TVS	48.5..53.6V, 5.7A, 400W(1ms)	DO-214AC	1d	Vis
51A	P6SMB51A	Z-Diode/TVS	48.5..53.6V, 8.6A, 600W(1ms)	DO-214AA	1d	Vis
51A	P6SMB51AT3	Z-Diode/TVS	51V, 8.6A, 600W(1ms)	403A	3d	Mot,Ons
51A	P6SMBJ51A	Z-Diode/TVS	48.5..53.6V, 8.6A, 600W(1ms)	DO-214AA	1d	Lif
51B	1SMB3EZ51	Z-Diode	51V±5%, 3W	SMB	1d	Pjl
51C	1.5SMC51CA	Z-Diode/TVS	48.5..53.6V, 21.4A, 1500W(1ms), Bidirectional	DO-214AB	1c	Vis
51C	F1C5120	Z-Diode/TVS	96V, 3A, 500W(1ms)	DO-214AC	1d	Org
51C	P4SMA51CA	Z-Diode/TVS	48.5..53.6V, 5.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Vis
51C	P6SMB51CA	Z-Diode/TVS	48.5..53.6V, 8.6A, 600W(1ms), Bidirectional	DO-214AA	1c	Vis
51C	P6SMB51CAT3	Z-Diode/TVS	51V, 8.6A, 600W(1ms), Bidirectional	403A	3c	Mot,Ons
51C	P6SMBJ51C	Z-Diode/TVS	45.9..56.1V, 8.2A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
51CA	P6SMBJ51CA	Z-Diode/TVS	48.5..53.6V, 8.6A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
51PH	BZD27-C51	Z-Diode	51V±5%, 2.3W	SOD-87	15d	Phi
52	GDZ3.3B	Z-Diode	3.3V, 200mW	SOD-323	5d	Vis
52	UDZ3.3B	Z-Diode	3V±2.5%, 200mW	SOD-323	5d	Rhm
52	ZV952V2TA	C-Diode	Hyperabrupt varicap, 12V, 100mA, 19..15.7pF(0.5..1.5V)	SOD-523	6d	Zlx
520	STB8520	Z-Diode/TVS	19..21V, 14.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
520	STB8520	Z-Diode/TVS	18.9..20.9V, 18.1A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
520	STUB520	Z-Diode/TVS	19..21V, 14.5A, 400W(1ms)	DO-214AC	1d	Eic
520	STUS520	Z-Diode/TVS	18.9..20.9V, 18.1A, 500W(1ms)	DO-214AC	1d	Eic
521	STB8521	Z-Diode/TVS	20..22.1V, 17.2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
521	STUS521	Z-Diode/TVS	20..22.1V, 17.2A, 500W(1ms)	DO-214AC	1d	Eic
522	STB8522	Z-Diode/TVS	20.9..23.1V, 13A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
522	STUB522	Z-Diode/TVS	20.9..23.1V, 13A, 400W(1ms)	DO-214AC	1d	Eic
523	STB8523	Z-Diode/TVS	22.2..24.5V, 15.4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
523	STUS523	Z-Diode/TVS	22.2..24.5V, 15.4A, 500W(1ms)	DO-214AC	1d	Eic
524	STB8524	Z-Diode/TVS	22.8..25.2V, 12A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
524	STUB524	Z-Diode/TVS	22.8..25.2V, 12A, 400W(1ms)	DO-214AC	1d	Eic
526	STB8526	Z-Diode/TVS	24.4..26.9V, 14.1A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
526	STUS526	Z-Diode/TVS	24.4..26.9V, 14.1A, 500W(1ms)	DO-214AC	1d	Eic
527	F1C527	Z-Diode/TVS	21.6V, 13A, 500W(1ms)	DO-214AC	1d	Org
527	STB8527	Z-Diode/TVS	25.7..28.4V, 10.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
527	STUB527	Z-Diode/TVS	25.7..28.4V, 10.7A, 400W(1ms)	DO-214AC	1d	Eic
528	STB8528	Z-Diode/TVS	26.7..29.5V, 12.8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
528	STUS528	Z-Diode/TVS	26.7..29.5V, 12.8A, 500W(1ms)	DO-214AC	1d	Eic
53	CMZ53	Z-Diode	53V±5%, 2W	M-Flat	7d	Tos
53	ZV953V2TA	C-Diode	Hyperabrupt varicap, 12V, 100mA, 45p..37pF(0.5..1.5V)	SOD-523	6d	Zlx
530	STB8530	Z-Diode/TVS	28.5..31.5V, 9.6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
530	STB8530	Z-Diode/TVS	28.9..31.9V, 11.9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
530	STUB530	Z-Diode/TVS	28.5..31.5V, 9.6A, 400W(1ms)	DO-214AC	1d	Eic
530	STUS530	Z-Diode/TVS	28.9..31.9V, 11.9A, 500W(1ms)	DO-214AC	1d	Eic
533	STB8533	Z-Diode/TVS	31.4..34.7V, 8.8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
533	STB8533	Z-Diode/TVS	31.1..34.4V, 11A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
533	STUB533	Z-Diode/TVS	31.4..34.7V, 8.8A, 400W(1ms)	DO-214AC	1d	Eic
533	STUS533	Z-Diode/TVS	31.1..34.4V, 11A, 500W(1ms)	DO-214AC	1d	Eic
535	STB8535	Z-Diode/TVS	33.3..36.8V, 10.3A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
535	STUS535	Z-Diode/TVS	33.3..36.8V, 10.3A, 500W(1ms)	DO-214AC	1d	Eic
536	STB8536	Z-Diode/TVS	34.2..37.8V, 8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
536	STUB536	Z-Diode/TVS	34.2..37.8V, 8A, 400W(1ms)	DO-214AC	1d	Eic
539	STB8539	Z-Diode/TVS	37.1..41V, 7.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
539	STB8539	Z-Diode/TVS	36.7..40.6V, 9.4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
539	STUB539	Z-Diode/TVS	37.1..41V, 7.4A, 400W(1ms)	DO-214AC	1d	Eic
539	STUS539	Z-Diode/TVS	36.7..40.6V, 9.4A, 500W(1ms)	DO-214AC	1d	Eic
53C	U5ZA53C	Z-Diode	47.7..58.3V, 5W, Zzt=65Ω	DO-218	8d	Tos
540	F1C540	Z-Diode/TVS	32V, 9A, 500W(1ms)	DO-214AC	1d	Org
540A	1.5SMC540A	Z-Diode/TVS	513..567V, 2.03A, 1500W(1ms)	DO-214AB	1d	Vis
540A	P4SMA540A	Z-Diode/TVS	513..567V, 0.41A, 400W(1ms)	DO-214AC	1d	Vis
540A	P6SMB540A	Z-Diode/TVS	513..587, 0.81A, 600W(1ms)	DO-214AA	1d	Vis
542	STB8542	Z-Diode/TVS	40..44 2V, 8.6A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
542	STUS542	Z-Diode/TVS	40 44 2V, 8 6A, 500W(1ms)	DO-214AC	1d	Eic
543	STB8543	Z-Diode/TVS	40 9 45 2V 6 7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
543	STUB543	Z-Diode/TVS	40 9 45 2V 6 7A, 400W(1ms)	DO-214AC	1d	Eic
547	STB8547	Z-Diode/TVS	44 7 49 4V 6 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
547	STBS547	Z-Diode/TVS	44 4 49 1V, 7 8A 500W(1ms), Bidirectional	DO-214AC	2c	Eic
547	STUB547	Z-Diode/TVS	44 7 49 4V 6 2A, 400W(1ms)	DO-214AC	1d	Eic
547	STUS547	Z-Diode/TVS	44 4 49 1V, 7 8A, 500W(1ms)	DO-214AC	1d	Eic
55	UDZ16B	Z-Diode	16V±2.5%, 200mW	SOD-323	5d	Rhm
55	UDZS16B	Z-Diode	16V 10%, 5mA, 200mW	SOD-108	1d	Rhm
55	VDZS16B	Z-Diode	16V 10%, 5mA, 100mW	VMD2	5d	Rhm
550	F1C550	Z-Diode/TVS	40V, 7A, 500W(1ms)	DO-214AC	1d	Org
550	STBS550	Z-Diode/TVS	47 8 52 8V, 7 2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
550	STUS550	Z-Diode/TVS	47 8 52 8V, 7 2A, 500W(1ms)	DO-214AC	1d	Eic
551	STB8551	Z-Diode/TVS	48 5 53 6V 5 7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
551	STUB551	Z-Diode/TVS	48 5 53 6V 5 7A, 400W(1ms)	DO-214AC	1d	Eic
553	STBS553	Z-Diode/TVS	50 55 3V, 6 9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
553	STUS553	Z-Diode/TVS	50 55 3V, 6 9A, 500W(1ms)	DO-214AC	1d	Eic
556	STB8556	Z-Diode/TVS	53 2 58 8V 5 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
556	STBS556	Z-Diode/TVS	53 3 58 9V, 6 5A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
556	STUB556	Z-Diode/TVS	53 2 58 8V 5 2A, 400W(1ms)	DO-214AC	1d	Eic
556	STUS556	Z-Diode/TVS	53 3 58 9V, 6 5A, 500W(1ms)	DO-214AC	1d	Eic
56	HZC5 6	Z-Diode	5 6V±10%, 150mW	SOD-523	6d	Ren
56	HZU5 6G	Z-Diode	5 31 5 92V, 200mW	SOD-323	5d	Ren
56	KDZ5 6EV	Z-Diode	5 3 6V, 150mW	ESC	6d	Kec
56	KDZ5 6V	Z-Diode	5 3 6V, 150mW	USC	5d	Kec
56	P6SMBJ56	Z-Diode/TVS	50 4 61 6V, 7 4A, 600W(1ms)	DO-214AA	1d	Lif
56	SML4758	Z-Diode	56V, Zzt=110Ω	DO-214AC	1d	Gse
5-6	MAZ8056	Z-Diode	5,3 6,0V, 150mW	SC-76	6d	Pan
560	F1C560	Z-Diode/TVS	48V, 6A, 500W(1ms)	DO-214AC	1d	Org
560	STBS560	Z-Diode/TVS	56 7 62 7V, 6 1A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
560	STUS560	Z-Diode/TVS	56 7 62 7V, 6 1A, 500W(1ms)	DO-214AC	1d	Eic
562	STB8562	Z-Diode/TVS	58 9 65 1V 4 7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
562	STUB562	Z-Diode/TVS	58 9 65 1V 4 7A, 400W(1ms)	DO-214AC	1d	Eic
563	STBS563	Z-Diode/TVS	60 66 3V, 5 7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
563	STUS563	Z-Diode/TVS	60 66 3V, 5 7A, 500W(1ms)	DO-214AC	1d	Eic
568	STB8568	Z-Diode/TVS	64 6 71 4V 4 3A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
568	STBS568	Z-Diode/TVS	64 4 71 2V, 5 3A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
568	STUB568	Z-Diode/TVS	64 6 71 4V 4 3A, 400W(1ms)	DO-214AC	1d	Eic
568	STUS568	Z-Diode/TVS	64 4 71 2V, 5 3A, 500W(1ms)	DO-214AC	1d	Eic
56A	1 5SMC56A	Z-Diode/TVS	53 2 58 8V, 19 5A, 1500W(1ms)	DO-214AB	1d	Vis
56A	1 5SMC56AT3	Z-Diode/TVS	56V, 19 5A, 1500W(1ms)	403	3d	Mot,Ons
56A	P4SMA56A	Z-Diode/TVS	53 2 58 8V, 5 2A, 400W(1ms)	DO-214AC	1d	Vis
56A	P6SMB56A	Z-Diode/TVS	53 2 58 8V, 7 8A, 600W(1ms)	DO-214AA	1d	Vis
56A	P6SMB56AT3	Z-Diode/TVS	45V, 7 8A, 600W(1ms)	403A	3d	Mot,Ons
56A	P6SMBJ56A	Z-Diode/TVS	53 2 58 8V, 7 8A, 600W(1ms)	DO-214AA	1d	Lif
56B	1SMB3EZ56	Z-Diode	56V±5%, 3W	SMB	1d	Pjt
56C	1 5SMC56CA	Z-Diode/TVS	53 2 58 8V, 19 5A, 1500W(1ms), Bidirectional	DO-214AB	1c	Vis
56C	P4SMA56CA	Z-Diode/TVS	53 2 58 8V, 5 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Vis
56C	P6SMB56CA	Z-Diode/TVS	53 2 58 8V, 7 8A, 600W(1ms), Bidirectional	DO-214AA	1c	Vis
56C	P6SMB56CAT3	Z-Diode/TVS	56V, 7 8A, 600W(1ms), Bidirectional	403A	3c	Mot,Ons
56C	P6SMBJ56C	Z-Diode/TVS	50 4 61 6V, 7 4A, 600W(1ms), Bidirectional	DO-214AA	1e	Lif
56CA	P6SMBJ56CA	Z-Diode/TVS	53 2 58 8V, 7 8A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
56H	STBS56H	Z-Diode/TVS	6 4 7V, 54 3A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
56H	STUS56H	Z-Diode/TVS	6 4 7V, 54 3A, 500W(1ms)	DO-214AC	1d	Eic
56I	STB856I	Z-Diode/TVS	6 45 7 14V, 38A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
56I	STUB56I	Z-Diode/TVS	6 45 7 14V, 38A, 400W(1ms)	DO-214AC	1d	Eic
56PH	BZD27-C56	Z-Diode	56V±5%, 2,3W	SOD-87	15d	Phi
56Z	HZU5 6Z	Z-Diode	5 31 5 92V, 200mW	SOD-323	5d	Ren
57	F1C57	Z-Diode/TVS	6V, 40A, 500W(1ms)	DO-214AC	1d	Org
571	STBS571	Z-Diode/TVS	66 7 73 7V, 5 2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
571	STUS571	Z-Diode/TVS	66 7 73 7V, 5 2A, 500W(1ms)	DO-214AC	1d	Eic
575	F1C575	Z-Diode/TVS	60V, 5A, 500W(1ms)	DO-214AC	1d	Org
575	STB8575	Z-Diode/TVS	71 3 78 8V 3 9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
575	STBS575	Z-Diode/TVS	71 1 78 6V, 4 9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
575	STUB575	Z-Diode/TVS	71 3 78 8V 3 9A, 400W(1ms)	DO-214AC	1d	Eic
575	STUS575	Z-Diode/TVS	71 1 78 6V 4 9A, 500W(1ms)	DO-214AC	1d	Eic
57A	STBS57A	Z-Diode/TVS	6 67 7 37V, 48 5A, 500W(1ms) Bidirectional	DO-214AC	2c	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
57A	STUS57A	Z-Diode/TVS	6 67 7 37V, 48 5A, 500W(1ms)	DO-214AC	1d	Eic
57DPH	BYD57D	Si-Diode	U-Fast Recov , Contr avalanche, 200V 1A, 30ns, 20pF	SOD-87	15d	Phi
57F	STB857F	Z-Diode/TVS	7 13 7 88V, 35 4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
57F	STUB57F	Z-Diode/TVS	7 13 7 88V, 35 4A, 400W(1ms)	DO-214AC	1d	Eic
57G	STB557G	Z-Diode/TVS	7 22 7 98V, 44 7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
57G	STUS57G	Z-Diode/TVS	7 22 7 98V 44 7A, 500W(1ms)	DO-214AC	1d	Eic
57GPH	BYD57G	Si-Diode	U-Fast Recov , Contr avalanche, 400V, 1A, 30ns, 20pF	SOD-87	15d	Phi
57JPH	BYD57J	Si-Diode	U-Fast Recov , Contr avalanche 600V 1A, 30ns 20pF	SOD-87	15d	Phi
57KPH	BYD57K	Si-Diode	U-Fast Recov , Contr avalanche, 800V, 1A, 75ns, 20pF	SOD-87	15d	Phi
57MPH	BYD57M	Si-Diode	U-Fast Recov , Contr avalanche, 1000V, 1A, 75ns, 20pF	SOD-87	15d	Phi
57UPH	BYD57U	Si-Diode	U-Fast Recov , Contr avalanche, 1200V, 1,2A, 150ns, 20pF	SOD-87	15d	Phi
57VPH	BYD57V	Si-Diode	U-Fast Recov , Contr avalanche, 1400V, 1,2A, 150ns, 20pF	SOD-87	15d	Phi
57ZD	BYD57D	Si-Diode	U-Fast Recov , Contr avalanche, 200V, 1A, Vf<1.7V(1A), 50ns	1206	14d	Zow
57ZG	BYD57G	Si-Diode	U-Fast Recov , Contr avalanche, 400V, 1A, Vf<1.7V(1A), 50ns	1206	14d	Zow
57ZJ	BYD57J	Si-Diode	U-Fast Recov , Contr avalanche, 600V, 1A, Vf<1.7V(1A), 50ns	1206	14d	Zow
57ZK	BYD57K	Si-Diode	U-Fast Recov , Contr avalanche, 800V, 1A, Vf<1.7V(1A), 75ns	1206	14d	Zow
57ZM	BYD57M	Si-Diode	U-Fast Recov , Contr avalanche, 1000V, 1A, Vf<1.7V(1A), 75ns	1206	14d	Zow
582	STB8582	Z-Diode/TVS	77 9 86 1V 3 5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
582	STB582	Z-Diode/TVS	77 8 86V, 4 4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
582	STUB582	Z-Diode/TVS	77 9 86 1V 3 5A, 400W(1ms)	DO-214AC	1d	Eic
582	STUS582	Z-Diode/TVS	77 8 86V, 4 4A, 500W(1ms)	DO-214AC	1d	Eic
588	STB5588	Z-Diode/TVS	83 3 92 1V, 4 1A, 500W(1ms) Bidirectional	DO-214AC	2c	Eic
588	STUS588	Z-Diode/TVS	83 3 92 1V, 4 1A, 500W(1ms)	DO-214AC	1d	Eic
58C	STB858C	Z-Diode/TVS	7 79 8 61V, 33A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
58C	STB58C	Z-Diode/TVS	7 78 8 6V, 41 7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
58C	STUB58C	Z-Diode/TVS	7 79 8 61V, 33A, 400W(1ms)	DO-214AC	1d	Eic
58C	STUS58C	Z-Diode/TVS	7 78 8 6V, 41 7A, 500W(1ms)	DO-214AC	1d	Eic
58I	STB558I	Z-Diode/TVS	8 33 9 21V, 38 8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
58I	STUS58I	Z-Diode/TVS	8 33 9 21V, 38 8A, 500W(1ms)	DO-214AC	1d	Eic
591	STB8591	Z-Diode/TVS	86 5 95 5V 3 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
591	STB5591	Z-Diode/TVS	86 7 95 8V, 4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
591	STUB591	Z-Diode/TVS	86 5 95 5V 3 2A, 400W(1ms)	DO-214AC	1d	Eic
591	STUS591	Z-Diode/TVS	86 7 95 8V, 4A, 500W(1ms)	DO-214AC	1d	Eic
599	STB5599	Z-Diode/TVS	94 4 104V, 3 6A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
599	STUS599	Z-Diode/TVS	94 4 104V, 3 6A, 500W(1ms)	DO-214AC	1d	Eic
59B	STB859B	Z-Diode/TVS	8 65 9 55V, 30A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
59B	STB559B	Z-Diode/TVS	8 89 9 3V, 36 7A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
59B	STUB59B	Z-Diode/TVS	8 65 9 55V, 30A, 400W(1ms)	DO-214AC	1d	Eic
59B	STUS59B	Z-Diode/TVS	8 89 9 3V, 36 7A, 500W(1ms)	DO-214AC	1d	Eic
5A	MMDL6050T1	Si-Diode	Switching, 70V, 200mA, 200mW, Vf<1.1V(100mA), <4ns	SOD-323	5d	Ons
5B0	STB85B0	Z-Diode/TVS	95 105V 2 9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B0	STUB5B0	Z-Diode/TVS	95 105V 2 9A, 400W(1ms)	DO-214AC	1d	Eic
5B1	STB85B1	Z-Diode/TVS	105 116V 2 6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B1	STB55B1	Z-Diode/TVS	100 111V, 3 4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5B1	STUB5B1	Z-Diode/TVS	105 116V 2 6A, 400W(1ms)	DO-214AC	1d	Eic
5B1	STUS5B1	Z-Diode/TVS	100 111V, 3 4A, 500W(1ms)	DO-214AC	1d	Eic
5B2	STB85B2	Z-Diode/TVS	114 126V 2 4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B2	STB55B2	Z-Diode/TVS	111 123V, 3 1A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5B2	STUB5B2	Z-Diode/TVS	114 126V 2 4A, 400W(1ms)	DO-214AC	1d	Eic
5B2	STUS5B2	Z-Diode/TVS	111 123V, 3 1A, 500W(1ms)	DO-214AC	1d	Eic
5B3	STB85B3	Z-Diode/TVS	124 137V 2 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B3	STB55B3	Z-Diode/TVS	122 135V, 2 8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5B3	STUB5B3	Z-Diode/TVS	124 137V 2 2A, 400W(1ms)	DO-214AC	1d	Eic
5B3	STUS5B3	Z-Diode/TVS	122 135V, 2 8A, 500W(1ms)	DO-214AC	1d	Eic
5B4	STB55B4	Z-Diode/TVS	133 147V, 2A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5B4	STUS5B4	Z-Diode/TVS	133 147V 2A, 500W(1ms)	DO-214AC	1d	Eic
5B5	STB85B5	Z-Diode/TVS	143 158V 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B5	STB55B5	Z-Diode/TVS	144 159V, 2 4A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5B5	STUB5B5	Z-Diode/TVS	143 158V 2A, 400W(1ms)	DO-214AC	1d	Eic
5B5	STUS5B5	Z-Diode/TVS	144 159V, 2 4A, 500W(1ms)	DO-214AC	1d	Eic
5B6	STB85B6	Z-Diode/TVS	152 168V 1 8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B6	STUB5B6	Z-Diode/TVS	152 168V 1 8A 400W(1ms)	DO-214AC	1d	Eic
5B7	STB85B7	Z-Diode/TVS	161 179V 1 7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B7	STUB5B7	Z-Diode/TVS	161 179V 1 7A, 400W(1ms)	DO-214AC	1d	Eic
5B8	STB85B8	Z-Diode/TVS	171 189V 1 6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5B8	STB55B8	Z-Diode/TVS	167 185V, 2 1A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5B8	STUB5B8	Z-Diode/TVS	171 189V 1 6A, 400W(1ms)	DO-214AC	1d	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
5B8	STUS5B8	Z-Diode/TVS	187..185V, 2.1A, 500W(1ms)	DO-214AC	1d	Eic
5B9	STBS5B9	Z-Diode/TVS	178..197V, 1.9A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5B9	STUS5B9	Z-Diode/TVS	178..197V, 1.9A, 500W(1ms)	DO-214AC	1d	Eic
5D	MMDL914T1	Si-Diode	Switching, 100V, 200mA, 200mW, Vf<1V(10mA), <4ns	SOD-323	5d	Ons
5D	MMSD914	Si-Diode	Switching, 100V, 200mA, <4pF, <4ns	SOD-123	5d	Mol
5D	MMSD914T1	Si-Diode	Switching, 100V, 200mA, 225mW, Vf<1V(10mA), <4ns	SOD-123	5d	Ons
5D0	STB85D0	Z-Diode/TVS	190..210V 1.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5D0	STBS5D0	Z-Diode/TVS	189..209V, 1.8A, 500W(1ms), Bidirectional	DO-214AC	2c	Eic
5D0	STUB5D0	Z-Diode/TVS	190..210V 1.5A, 400W(1ms)	DO-214AC	1d	Eic
5D0	STUSSD0	Z-Diode/TVS	189..209V, 1.8A, 500W(1ms)	DO-214AC	1d	Eic
5D2	STB85D2	Z-Diode/TVS	209..231V 1.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5D2	STUB5D2	Z-Diode/TVS	209..231V 1.4A, 400W(1ms)	DO-214AC	1d	Eic
5D5	STB85D5	Z-Diode/TVS	237..263V 1.3A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5D5	STUB5D5	Z-Diode/TVS	237..263V 1.3A, 400W(1ms)	DO-214AC	1d	Eic
5D8	STB85D8	Z-Diode/TVS	266..294V 1.3A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5D8	STUB5D8	Z-Diode/TVS	266..294V 1.3A, 400W(1ms)	DO-214AC	1d	Eic
5E	RB751V40T1	Si-Diode	Schottky, Hi-Speed, 40V, 20mA, 200mW, Vf<0.26V(1mA)	SOD-323	5d	Ons
5E0	STB85E0	Z-Diode/TVS	285..315V 1.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5E0	STUB5E0	Z-Diode/TVS	285..315V 1.2A, 400W(1ms)	DO-214AC	1d	Eic
5E2	STB85E2	Z-Diode/TVS	304..336V 1.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5E2	STUB5E2	Z-Diode/TVS	304..336V 1.2A, 400W(1ms)	DO-214AC	1d	Eic
5E5	STB85E5	Z-Diode/TVS	332..368V 0.9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5E5	STUB5E5	Z-Diode/TVS	332..368V 0.9A, 400W(1ms)	DO-214AC	1d	Eic
5F	MAZD036	Z-Diode	3.4..3.8V, 120mW	SSSMin2	7d	Pan
5G0	STB85G0	Z-Diode/TVS	380..420V 0.9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5G0	STUB5G0	Z-Diode/TVS	380..420V 0.9A, 400W(1ms)	DO-214AC	1d	Eic
5G4	STB85G4	Z-Diode/TVS	418..462V 0.8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
5G4	STUB5G4	Z-Diode/TVS	418..462V 0.8A, 400W(1ms)	DO-214AC	1d	Eic
5H	MMDL770T1	Si-Diode	UHF/VHF Det, Schottky Barrier, 70V, 200mW, <1pF	SOD-323	5d	Ons
5I	MMSD4148T1	Si-Diode	Switching, 200V, 200mA, 225mW, Vf<1V(10mA), <4ns	SOD-123	5d	Ons
5K	MMVL809T1	C-Diode	VHF-Tuning, 20V, 20mA, 200mW, 4.5..6.1pF(2V, 1MHz)	SOD-323	5d	Ons
5P	CMOZ27L	Z-Diode	27V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
5Q	DDZ39F	Z-Diode	39V±10%, 200mW	SOD-323	5d	Dil
5Q	DDZ39FS	Z-Diode	39V±10%, 200mW	SOD-323	5d	Dil
5U	SD05	TVS	5V, 24A, 350W(1ms)	SOD-323	5d	Sml
5V1PH	BZD27-C5V1	Z-Diode	5.1V±5%, 1.7W	SOD-87	15d	Phi
5V6PH	BZD27-C5V6	Z-Diode	5.6V±5%, 1.7W	SOD-87	15d	Phi
6	BAS16-02V	Si-Diode	Switching, Fast, 80V, 200mA, 250mW, <6ns	SC-79	8d	Inf
6	BAS516	Si-Diode	Switching, 85V, 250mA, 500mW, Vf<1.25V(150mA), <4ns	SOD-523	8d	Phi
6	BBV56-02W	C-Diode	Dual, Tuning, VCO, 10V, 15.9..19/59..67pF(3/1V)	DO-214	1d	Sie
6	HVU351	C-Diode	VCO, 14..16pF(2V)	SOD-123	5d	Ren
6	MAZS062	Z-Diode	5.8..6.6V, 200mW	SC-79	6d	Pan
6-	MAZS062	Z-Diode	5.8..6.6V, 200mW	SC-79	6d	Pan
6-	MAZS0620M	Z-Diode	6.05..6.36V, 200mW	SC-79	6d	Pan
6.2	MAZS062	Z-Diode	5.8..6.6V, 500mW	MP2	11d	Pan
6.2	MAZY062	Z-Diode	5.8..6.8V, 1W	NMiniP2	1d	Pan
6.2B	HZF6.2BP	Z-Diode	6.2V±5%, 0.9W	DO-214	1d	Ren
6.2B	PTZ6.2B	Z-Diode	6.2V 10%, 40mA, 1W	SOD-106	1d	Rhm
6.2C	HZF6.2CP	Z-Diode	6.2V±10%, 0.9W	DO-214	1d	Ren
6.8	MAZS068	Z-Diode	6.4..7.2V, 500mW	MP2	11d	Pan
6.8	MAZY068	Z-Diode	6.2..7.4V, 1W	NMiniP2	1d	Pan
6.8	U1Z6.8	Z-Diode	6.2..7.4V, 1W	SOD-6	1d	Tos
6.8	U1ZB6.8	Z-Diode/TVS	6.2..7.4V, 1W	3-4D1A	1d	Tos
6.8B	HZF6.8BP	Z-Diode	6.8V±5%, 0.9W	DO-214	1d	Ren
6.8B	PTZ6.8B	Z-Diode	6.8V 10%, 40mA, 1W	SOD-106	1d	Rhm
6.8C	HZF6.8CP	Z-Diode	6.8V±10%, 0.9W	DO-214	1d	Ren
6^	MAZS062	Z-Diode	5.8..6.6V, 200mW	SC-79	6d	Pan
6^	MAZS0620H	Z-Diode	6.24..6.56V, 200mW	SC-79	6d	Pan
6^2	MAZ8062	Z-Diode	5.8..6.6V, 150mW	SC-76	6d	Pan
6^8	MAZ8068	Z-Diode	6.4..7.2V, 150mW	SC-76	6d	Pan
6_	MAZS062	Z-Diode	5.8..6.6V, 200mW	SC-79	6d	Pan
6_	MAZS0620L	Z-Diode	5.85..6.15V, 200mW	SC-79	6d	Pan
6_2	MAZ8062	Z-Diode	5.8..6.6V, 150mW	SC-76	6d	Pan
6_8	MAZ8068	Z-Diode	6.4..7.2V, 150mW	SC-76	6d	Pan
6010	SMBJ8.5	Z-Diode/TVS	9.44..11.92V, 37.7A, 600W(1ms)	DO-214AA	1d	Eic
6010	SMBJ8.5C	Z-Diode/TVS	9.44..11.5V, 37.7A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
6011	SMBJ9.0	Z-Diode/TVS	10.0..12.6V, 35.5A, 600W(1ms)	DO-214AA	1d	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
6011	SMBJ9 0C	Z-Diode/TVS	10 0 12 2V, 35 5A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6012	SMBJ10	Z-Diode/TVS	11 1 14 1V, 31 9A, 600W (1ms)	DO-214AA	1d	Eic
6012	SMBJ10C	Z-Diode/TVS	11 1 13 6V, 31 9A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6013	SMBJ11	Z-Diode/TVS	12 2 15 4V, 29 9A, 600W (1ms)	DO-214AA	1d	Eic
6013	SMBJ11C	Z-Diode/TVS	12 2 14 9V, 29 9A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6014	SMBJ12	Z-Diode/TVS	13 3 16 9V, 27 3A, 600W (1ms)	DO-214AA	1d	Eic
6014	SMBJ12C	Z-Diode/TVS	13 3 16 3V, 27 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6015	SMBJ13	Z-Diode/TVS	14 4 18 2V, 25 2A, 600W (1ms)	DO-214AA	1d	Eic
6015	SMBJ13C	Z-Diode/TVS	14 4 17 6V, 25 2A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6017	SMBJ14	Z-Diode/TVS	15 6 19 6V, 23 3A, 600W (1ms)	DO-214AA	1d	Eic
6017	SMBJ14C	Z-Diode/TVS	15 6 19 1V, 23 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6016	SMBJ15	Z-Diode/TVS	16 7 21 1V, 22 3A, 600W (1ms)	DO-214AA	1d	Eic
6018	SMBJ15C	Z-Diode/TVS	16 7 20 4V, 22 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6019	SMBJ16	Z-Diode/TVS	17 8 22 6V, 20 8A, 600W (1ms)	DO-214AA	1d	Eic
6019	SMBJ16C	Z-Diode/TVS	17 8 21 8V, 20 8A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6020	SMBJ17	Z-Diode/TVS	18 9 23 9V, 19 7A, 600W (1ms)	DO-214AA	1d	Eic
6020	SMBJ17C	Z-Diode/TVS	18 9 23 1V, 19 7A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6022	SMBJ18	Z-Diode/TVS	20 0 25 3V, 16 6A, 600W (1ms)	DO-214AA	1d	Eic
6022	SMBJ18C	Z-Diode/TVS	20 0 24 4V, 16 6A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6024	SMBJ20	Z-Diode/TVS	22 2 28 1V, 16 7A, 600W (1ms)	DO-214AA	1d	Eic
6024	SMBJ20C	Z-Diode/TVS	22 2 27 1V, 16 7A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6026	SMBJ22	Z-Diode/TVS	24 4 30 9V, 15 2A, 600W (1ms)	DO-214AA	1d	Eic
6026	SMBJ22C	Z-Diode/TVS	24 4 29 8V, 15 2A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6029	SMBJ24	Z-Diode/TVS	26 7 33 8V, 14 0A, 600W (1ms)	DO-214AA	1d	Eic
6029	SMBJ24C	Z-Diode/TVS	26 7 32 6V, 14 0A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6031	SMBJ26	Z-Diode/TVS	28 9 36 6V, 12 4A, 600W (1ms)	DO-214AA	1d	Eic
6031	SMBJ26C	Z-Diode/TVS	28 9 35 3V, 12 4A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6033	SMBJ28	Z-Diode/TVS	31 1 39 4V, 12 0A, 600W (1ms)	DO-214AA	1d	Eic
6033	SMBJ28C	Z-Diode/TVS	31 1 38 1V, 12 0A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6036	SMBJ30	Z-Diode/TVS	33 3 42 2V, 11 2A, 600W (1ms)	DO-214AA	1d	Eic
6036	SMBJ30C	Z-Diode/TVS	33 3 40 7V, 11 2A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6040	SMBJ33	Z-Diode/TVS	36 7 46 5V, 10 2A, 600W (1ms)	DO-214AA	1d	Eic
6040	SMBJ33C	Z-Diode/TVS	36 7 44 9V, 10 2A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6043	SMBJ36	Z-Diode/TVS	40 0 50 7V, 9 3A, 600W (1ms)	DO-214AA	1d	Eic
6043	SMBJ36C	Z-Diode/TVS	40 0 48 9V, 9 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6048	SMBJ40	Z-Diode/TVS	44 4 56 3V, 8 4A, 600W (1ms)	DO-214AA	1d	Eic
6048	SMBJ40C	Z-Diode/TVS	44 4 54 3V, 8 4A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6051	SMBJ43	Z-Diode/TVS	47 8 60 5V, 7 8A, 600W (1ms)	DO-214AA	1d	Eic
6051	SMBJ43C	Z-Diode/TVS	47 8 58 4V, 7 8A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6054	SMBJ45	Z-Diode/TVS	50 0 63 3V, 7 5A, 600W (1ms)	DO-214AA	1d	Eic
6054	SMBJ45C	Z-Diode/TVS	50 0 61 1V, 7 5A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6057	SMBJ48	Z-Diode/TVS	53 3 67 5V, 7 0A, 600W (1ms)	DO-214AA	1d	Eic
6057	SMBJ48C	Z-Diode/TVS	53 3 65 1V, 7 0A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6061	SMBJ51	Z-Diode/TVS	56 7 71 8V, 6 6A, 600W (1ms)	DO-214AA	1d	Eic
6061	SMBJ51C	Z-Diode/TVS	56 7 69 3V, 6 6A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6065	SMBJ54	Z-Diode/TVS	60 0 76 0V, 6 2A, 600W (1ms)	DO-214AA	1d	Eic
6065	SMBJ54C	Z-Diode/TVS	60 0 73 3V, 6 2A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6061	SMBJ5 0	Z-Diode/TVS	6 40 7 55V, 62 5A, 600W (1ms)	DO-214AA	1d	Eic
6061	SMBJ5 0C	Z-Diode/TVS	6 40 7 82V, 62 5A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6070	SMBJ58	Z-Diode/TVS	64 4 81 6V, 5 8A, 600W (1ms)	DO-214AA	1d	Eic
6070	SMBJ58C	Z-Diode/TVS	64 4 78 7V, 5 8A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6072	SMBJ60	Z-Diode/TVS	66 7 84 5V, 5 6A, 600W (1ms)	DO-214AA	1d	Eic
6072	SMBJ60C	Z-Diode/TVS	66 7 81 5V, 5 6A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6076	SMBJ64	Z-Diode/TVS	71 1 90 1V, 5 3A, 600W (1ms)	DO-214AA	1d	Eic
6076	SMBJ64C	Z-Diode/TVS	71 1 86 9V, 5 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
607C	SMBJ6 0	Z-Diode/TVS	6 67 8 45V, 52 6A, 600W (1ms)	DO-214AA	1d	Eic
607C	SMBJ6 0C	Z-Diode/TVS	6 67 8 15V, 52 6A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6071	SMBJ6 5	Z-Diode/TVS	7 22 9 14V, 48 7A, 600W (1ms)	DO-214AA	1d	Eic
6071	SMBJ6 5C	Z-Diode/TVS	7 22 8 62V, 48 7A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6084	SMBJ70	Z-Diode/TVS	77 8 98 6V, 4 8A, 600W (1ms)	DO-214AA	1d	Eic
6084	SMBJ70C	Z-Diode/TVS	77 8 95 1V, 4 8A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
608E	SMBJ7 0	Z-Diode/TVS	7 78 9 86V, 45 1A, 600W (1ms)	DO-214AA	1d	Eic
608E	SMBJ7 0C	Z-Diode/TVS	7 78 9 51V, 45 1A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6090	SMBJ75	Z-Diode/TVS	83 3 105 7V, 4 5A, 600W (1ms)	DO-214AA	1d	Eic
6090	SMBJ75C	Z-Diode/TVS	83 3 102V, 4 5A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic
6093	SMBJ76	Z-Diode/TVS	86 7 109 6V, 4 3A, 600W (1ms)	DO-214AA	1d	Eic
6093	SMBJ78C	Z-Diode/TVS	86 7 106V, 4 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
609A	SMBJ7 5	Z-Diode/TVS	8 33 10 67V, 42 0A, 600W(1ms)	DO-214AA	1d Eic
609A	SMBJ7 5C	Z-Diode/TVS	8 33 10 2V, 42 0A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
609G	SMBJ8 0	Z-Diode/TVS	8 89 11 3V, 40 0A, 600W(1ms)	DO-214AA	1d Eic
609G	SMBJ8 0C	Z-Diode/TVS	8 89 10 9V, 40 0A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60B0	SMBJ85	Z-Diode/TVS	94 4 119 2V, 3 9A, 600W(1ms)	DO-214AA	1d Eic
60B0	SMBJ85C	Z-Diode/TVS	94 4 115V, 3 9A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60B1	SMBJ90	Z-Diode/TVS	100 126 5V, 3 8A, 600W(1ms)	DO-214AA	1d Eic
60B1	SMBJ90C	Z-Diode/TVS	100 122V, 3 8A, 600W(1ms) Bidirectional	DO-214AA	2c Eic
60B2	SMBJ100	Z-Diode/TVS	111 141 0V, 3 4A, 600W(1ms)	DO-214AA	1d Eic
60B2	SMBJ100C	Z-Diode/TVS	111 136V, 3 4A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60B3	SMBJ110	Z-Diode/TVS	122 154 5V, 3 0A, 600W(1ms)	DO-214AA	1d Eic
60B3	SMBJ110C	Z-Diode/TVS	122 149V, 3 0A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60B4	SMBJ120	Z-Diode/TVS	133 169 0V, 2 8A, 600W(1ms)	DO-214AA	1d Eic
60B4	SMBJ120C	Z-Diode/TVS	133 163V, 2 8A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60B5	SMBJ130	Z-Diode/TVS	144 182 5V, 2 6A, 600W(1ms)	DO-214AA	1d Eic
60B5	SMBJ130C	Z-Diode/TVS	144 176V, 2 6A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60B8	SMBJ150	Z-Diode/TVS	167 211 5V, 2 2A, 600W(1ms)	DO-214AA	1d Eic
60B8	SMBJ150C	Z-Diode/TVS	167 204V, 2 2A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60B9	SMBJ160	Z-Diode/TVS	178 226 0V, 2 1A, 600W(1ms)	DO-214AA	1d Eic
60B9	SMBJ160C	Z-Diode/TVS	178 218V, 2 1A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60D0	SMBJ170	Z-Diode/TVS	189 239 5V, 2 0A, 600W(1ms)	DO-214AA	1d Eic
60D0	SMBJ170C	Z-Diode/TVS	189 231V, 2 0A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60D1	SMBJ180C	Z-Diode/TVS	189 255V, 1 7A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
60DPH	BYG60D	Si-Diode	Fast, Soft-Recovery, 200V, 1A, Vf<0,98V(1A), 250ns	DO-214AC	1d Phi
60GPH	BYG60G	Si-Diode	Fast Soft-Recovery, 400V, 1A, Vf<0,98V(1A), 250ns	DO-214AC	1d Phi
60JPH	BYG60J	Si-Diode	Fast, Soft-Recovery, 600V, 1A, Vf<0,98V(1A), 250ns	DO-214AC	1d Phi
60KPH	BYG60K	Si-Diode	Fast, Soft-Recovery, 800V, 1A, Vf<0,98V(1A), 350ns	DO-214AC	1d Phi
60MPH	BYG60M	Si-Diode	Fast, Soft-Recovery, 1000V, 1A, Vf<0,98V(1A), 350ns	DO-214AC	1d Phi
62	GDZ3 6B	Z-Diode	3 6V, 200mW	SOD-323	5d Vis
62	HZC6 2	Z-Diode	6 2V±10%, 150mW	SOD-523	6d Ren
62	HZU6 2G	Z-Diode	5 86 6 53V, 200mW	SOD-323	5d Ren
62	KDZ6 2EV	Z-Diode	5 8 6 6V, 150mW	ESC	6d Kec
62	KDZ6 2V	Z-Diode	5 8 6 6V, 150mW	USC	5d Kec
62	P6SMBJ62	Z-Diode/TVS	55 8 68 2V, 6 8A, 600W(1ms)	DO-214AA	1d Lif
62	SML4759	Z-Diode	62V, Zzt=125Ω	DO-214AC	1d Gse
62	UDZ3 6B	Z-Diode	3,6V±2,5%, 200mW	SOD-323	5d Rhm
62	UDZS3 1B	Z-Diode	3,1V±2,5%, 200mW	SC-76	8d Rhm
62	UDZS3 6B	Z-Diode	3,6V 10%, 5mA, 200mW	SOD-106	1d Rhm
62	VDZS3 6B	Z-Diode	3,6V 10% 5mA, 100mW	VMD2	5d Rhm
6-2	MAZ8062	Z-Diode	5,8 6,6V, 150mW	SC-76	6d Pan
62A	1 5SMC62A	Z-Diode/TVS	58 9 65 1V, 17 6A, 1500W (1ms)	DO-214AB	1d Vis
62A	1 5SMC62AT3	Z-Diode/TVS	58 9 65 1V, 17 6A, 1500W (1ms)	403	3d Mot,Ons
62A	P4SMA62A	Z-Diode/TVS	58 9 65 1V, 4 7A, 400W (1ms)	DO-214AC	1d Vis
62A	P6SMB62A	Z-Diode/TVS	58 9 65 1V, 7 1A, 600W (1ms)	DO-214AA	1d Vis
62A	P6SMB62AT3	Z-Diode/TVS	62V, 7 1A, 600W (1ms)	403A	3d Mot,Ons
62A	P6SMBJ62A	Z-Diode/TVS	58 9 65 1V, 7 1A, 600W(1ms)	DO-214AA	1d Lif
62B	1SMB3EZ62	Z-Diode	62V±5%, 3W	SMB	1d Pjt
62C	1 5SMC62CA	Z-Diode/TVS	58 9 65 1V, 17 6A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
62C	P4SMA62CA	Z-Diode/TVS	58 9 65 1V, 4 7A, 400W (1ms), Bidirectional	DO-214AC	2c Vis
62C	P6SMB62CA	Z-Diode/TVS	58 9 65 1V, 7 1A, 600W (1ms), Bidirectional	DO-214AA	1c Vis
62C	P6SMB62CAT3	Z-Diode/TVS	62V, 7 1A, 600W (1ms), Bidirectional	403A	3c Mot,Ons
62C	P6SMBJ62C	Z-Diode/TVS	55 8 68 2V, 6 8A, 600W(1ms), Bidirectional	DO-214AA	1c Lif
62CA	P6SMBJ62CA	Z-Diode/TVS	58 9 65 1V, 7 1A, 600W(1ms), Bidirectional	DO-214AA	1c Lif
62PH	BZD27-C62	Z-Diode	62V±5%, 2,3W	SOD-87	15d Phi
62Z	HZU6 2Z	Z-Diode	5 9 6 5V, 200mW	SOD-323	5d Ren
63	1SR159-200	Si-Diode/TVS	200V, 1A, Vf<0,98V(1A)	SOD-106	1d Rhm
65	UDZ18B	Z-Diode	18V±2,5%, 200mW	SOD-323	5d Rhm
65	UDZS18B	Z-Diode	18V 10%, 5mA, 200mW	SOD-106	1d Rhm
65	VDZS18B	Z-Diode	18V 10%, 5mA, 100mW	VMD2	5d Rhm
6510	SMBJ8 5A	Z-Diode/TVS	9 44 10 82V, 41 7A, 600W(1ms)	DO-214AA	1d Eic
6510	SMBJ8 5CA	Z-Diode/TVS	9 44 10 4V, 41 7A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
6511	SMBJ9 0A	Z-Diode/TVS	10 0 11 5V, 39 0A, 600W(1ms)	DO-214AA	1d Eic
6511	SMBJ9 0CA	Z-Diode/TVS	10 0 11 1V, 39 0A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
6512	SMBJ10A	Z-Diode/TVS	11 1 12 8V, 35 3A, 600W(1ms)	DO-214AA	1d Eic
6512	SMBJ10CA	Z-Diode/TVS	11 1 12 3V, 35 3A, 600W(1ms), Bidirectional	DO-214AA	2c Eic
6513	SMBJ11A	Z-Diode/TVS	12 2 14 0V, 33 0A, 600W(1ms)	DO-214AA	1d Eic
6513	SMBJ11CA	Z-Diode/TVS	12 2 13 5V, 33 0A, 600W(1ms) Bidirectional	DO-214AA	2c Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
8514	SMBJ12A	Z-Diode/TVS	13 3 15 3V, 30 2A, 600W(1ms)	DO-214AA	1d	Eic
8514	SMBJ12CA	Z-Diode/TVS	13 3 14 7V, 30 2A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8515	SMBJ13A	Z-Diode/TVS	14 4 16 5V, 27 9A, 600W(1ms)	DO-214AA	1d	Eic
8515	SMBJ13CA	Z-Diode/TVS	14 4 15 9V, 27 9A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8517	SMBJ14A	Z-Diode/TVS	15 6 17 9V, 25 8A, 600W(1ms)	DO-214AA	1d	Eic
8517	SMBJ14CA	Z-Diode/TVS	15 6 17 2V, 25 8A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8518	SMBJ15A	Z-Diode/TVS	16 7 19 2V, 24 0A, 600W(1ms)	DO-214AA	1d	Eic
8518	SMBJ15CA	Z-Diode/TVS	16 7 18 5V, 24 0A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8519	SMBJ16A	Z-Diode/TVS	17 8 20 5V, 23 1A, 600W(1ms)	DO-214AA	1d	Eic
8519	SMBJ16CA	Z-Diode/TVS	17 8 19 7V, 23 1A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8520	SMBJ17A	Z-Diode/TVS	18 9 21 7V, 21 7A, 600W(1ms)	DO-214AA	1d	Eic
8520	SMBJ17CA	Z-Diode/TVS	18 9 20 9V, 21 7A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8522	SMBJ18A	Z-Diode/TVS	20 0 23 3V, 20 5A, 600W(1ms)	DO-214AA	1d	Eic
8522	SMBJ18CA	Z-Diode/TVS	20 0 22 1V, 20 5A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8524	SMBJ20A	Z-Diode/TVS	22 2 25 5V, 18 5A, 600W(1ms)	DO-214AA	1d	Eic
8524	SMBJ20CA	Z-Diode/TVS	22 2 24 5V, 18 5A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8526	SMBJ22A	Z-Diode/TVS	24 4 28 0V, 16 9A, 600W(1ms)	DO-214AA	1d	Eic
8526	SMBJ22CA	Z-Diode/TVS	24 4 26 9V, 16 9A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8529	SMBJ24A	Z-Diode/TVS	26 7 30 7V, 15 4A, 600W(1ms)	DO-214AA	1d	Eic
8529	SMBJ24CA	Z-Diode/TVS	26 7 29 5V, 15 4A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8531	SMBJ26A	Z-Diode/TVS	28 9 33 2V, 14 2A, 600W(1ms)	DO-214AA	1d	Eic
8531	SMBJ26CA	Z-Diode/TVS	28 9 31 9V, 14 2A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8533	SMBJ28A	Z-Diode/TVS	31 1 35 8V, 13 2A, 600W(1ms)	DO-214AA	1d	Eic
8533	SMBJ28CA	Z-Diode/TVS	31 1 34 4V, 13 2A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8536	SMBJ30A	Z-Diode/TVS	33 1 38 3V, 12 4A, 600W(1ms)	DO-214AA	1d	Eic
8536	SMBJ30CA	Z-Diode/TVS	33 1 36 8V, 12 4A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8540	SMBJ33A	Z-Diode/TVS	36 7 42 2V, 11 3A, 600W(1ms)	DO-214AA	1d	Eic
8540	SMBJ33CA	Z-Diode/TVS	36 7 40 6V, 11 3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8543	SMBJ36A	Z-Diode/TVS	40 0 46 0V, 10 3A, 600W(1ms)	DO-214AA	1d	Eic
8543	SMBJ36CA	Z-Diode/TVS	40 0 44 2V, 10 3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8548	SMBJ40A	Z-Diode/TVS	44 4 51 1V, 9 3A, 600W(1ms)	DO-214AA	1d	Eic
8548	SMBJ40CA	Z-Diode/TVS	44 4 49 1V, 9 3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8551	SMBJ43A	Z-Diode/TVS	47 8 54 9V, 8 6A, 600W(1ms)	DO-214AA	1d	Eic
8551	SMBJ43CA	Z-Diode/TVS	47 8 52 8V, 8 6A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8554	SMBJ45A	Z-Diode/TVS	50 0 57 5V, 8 3A, 600W(1ms)	DO-214AA	1d	Eic
8554	SMBJ45CA	Z-Diode/TVS	50 0 55 3V, 8 3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8557	SMBJ48A	Z-Diode/TVS	53 3 61 3V, 7 7A, 600W(1ms)	DO-214AA	1d	Eic
8557	SMBJ48CA	Z-Diode/TVS	53 3 58 9V, 7 7A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8561	SMBJ51A	Z-Diode/TVS	56 7 65 2V, 7 3A, 600W(1ms)	DO-214AA	1d	Eic
8561	SMBJ51CA	Z-Diode/TVS	56 7 62 7V, 7 3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8565	SMBJ54A	Z-Diode/TVS	60 0 69 0V, 6 9A, 600W(1ms)	DO-214AA	1d	Eic
8565	SMBJ54CA	Z-Diode/TVS	60 0 66 3V, 6 9A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8561	SMBJ5 0A	Z-Diode/TVS	6 40 7 25V, 65 2A, 600W(1ms)	DO-214AA	1d	Eic
8561	SMBJ5 0CA	Z-Diode/TVS	6 40 7 25V, 65 2A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8570	SMBJ58A	Z-Diode/TVS	64 4 74 1V, 6 4A, 600W(1ms)	DO-214AA	1d	Eic
8570	SMBJ58CA	Z-Diode/TVS	64 4 71 2V, 6 4A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8572	SMBJ60A	Z-Diode/TVS	66 7 76 7V, 6 2A, 600W(1ms)	DO-214AA	1d	Eic
8572	SMBJ60CA	Z-Diode/TVS	66 7 73 7V, 6 2A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8576	SMBJ64A	Z-Diode/TVS	71 1 81 8V, 5 8A, 600W(1ms)	DO-214AA	1d	Eic
8576	SMBJ64CA	Z-Diode/TVS	71 1 78 6V, 5 8A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
857C	SMBJ6 0A	Z-Diode/TVS	6 67 7 67V, 58 3A, 600W(1ms)	DO-214AA	1d	Eic
857C	SMBJ6 0CA	Z-Diode/TVS	6 67 7 37V, 58 3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8571	SMBJ6 5A	Z-Diode/TVS	7 22 8 30V, 53 6A, 600W(1ms)	DO-214AA	1d	Eic
8571	SMBJ6 5CA	Z-Diode/TVS	7 22 7 98V, 53 6A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8584	SMBJ70A	Z-Diode/TVS	77 8 89 5V, 5 3A, 600W(1ms)	DO-214AA	1d	Eic
8584	SMBJ70CA	Z-Diode/TVS	77 8 86 1V, 5 3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
858E	SMBJ7 0A	Z-Diode/TVS	7 78 8 95V, 50 0A, 600W(1ms)	DO-214AA	1d	Eic
858E	SMBJ7 0CA	Z-Diode/TVS	7 78 8 6V, 50 0A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8590	SMBJ75A	Z-Diode/TVS	83 3 95 8V, 4 9A, 600W(1ms)	DO-214AA	1d	Eic
8590	SMBJ75CA	Z-Diode/TVS	83 3 92 1V, 4 9A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
8593	SMBJ78A	Z-Diode/TVS	86 7 99 7V, 4 7A, 600W(1ms)	DO-214AA	1d	Eic
8593	SMBJ78CA	Z-Diode/TVS	86 7 95 8V, 4 7A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
859A	SMBJ7 5A	Z-Diode/TVS	8 33 9 58V, 46 5A, 600W(1ms)	DO-214AA	1d	Eic
859A	SMBJ7 5CA	Z-Diode/TVS	8 33 9 21V, 46 5A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
859G	SMBJ8 0A	Z-Diode/TVS	8 89 10 23V, 44 1A, 600W(1ms)	DO-214AA	1d	Eic
859G	SMBJ8 0CA	Z-Diode/TVS	8 89 9 83V, 44 1A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
85B0	SMBJ85A	Z-Diode/TVS	94 4 108 2V, 4 4A, 600W(1ms)	DO-214AA	1d	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
65B0	SMBJ85CA	Z-Diode/TVS	94.4..104V, 4.4A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65B1	SMBJ90A	Z-Diode/TVS	100..115.5V, 4.1A, 600W(1ms)	DO-214AA	1d	Eic
65B1	SMBJ90CA	Z-Diode/TVS	100..111V, 4.1A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65B2	SMBJ100A	Z-Diode/TVS	111..128.0V, 3.7A, 600W(1ms)	DO-214AA	1d	Eic
65B2	SMBJ100CA	Z-Diode/TVS	111..123V, 3.7A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65B3	SMBJ110A	Z-Diode/TVS	122..140.5V, 3.4A, 600W(1ms)	DO-214AA	1d	Eic
65B3	SMBJ110CA	Z-Diode/TVS	122..135V, 3.4A, 800W(1ms), Bidirectional	DO-214AA	2c	Eic
65B4	SMBJ120A	Z-Diode/TVS	133..153.0V, 3.1A, 600W(1ms)	DO-214AA	1d	Eic
65B4	SMBJ120CA	Z-Diode/TVS	133..147V, 3.1A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65B5	SMBJ130A	Z-Diode/TVS	144..165.5V, 2.9A, 600W(1ms)	DO-214AA	1d	Eic
65B5	SMBJ130CA	Z-Diode/TVS	144..159V, 2.9A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65B8	SMBJ150A	Z-Diode/TVS	167..192.5V, 2.5A, 600W(1ms)	DO-214AA	1d	Eic
65B8	SMBJ150CA	Z-Diode/TVS	167..185V, 2.5A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65B9	SMBJ160A	Z-Diode/TVS	178..205.0V, 2.3A, 600W(1ms)	DO-214AA	1d	Eic
65B9	SMBJ160CA	Z-Diode/TVS	178..197V, 2.3A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65D0	SMBJ170A	Z-Diode/TVS	189..217.5V, 2.2A, 600W(1ms)	DO-214AA	1d	Eic
65D0	SMBJ170CA	Z-Diode/TVS	189..209V, 2.2A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
65D1	SMBJ188CA	Z-Diode/TVS	189..231V, 2.0A, 600W(1ms), Bidirectional	DO-214AA	2c	Eic
68	HZC6.8	Z-Diode	6.8V±10%, 150mW	SOD-523	6d	Ren
68	HZU6.8G	Z-Diode	6.4..7.14V, 200mW	SOD-323	5d	Ren
68	KDZ6.8EV	Z-Diode	6.4..7.2V, 150mW	ESC	6d	Kec
68	KDZ6.8V	Z-Diode	6.4..7.2V, 150mW	USC	5d	Kec
68	P6SMBJ68	Z-Diode/TVS	61.2..74.8V, 6.1A, 600W(1ms)	DO-214AA	1d	Lif
68	SML4760	Z-Diode	68V, Zzt=150Ω	DO-214AC	1d	Gse
68	U1Z68	Z-Diode	61.2..74.8V, 1W	SOD-6	1d	Tos
68	U1Z68	Z-Diode/TVS	61.2..74.8V, 1W	3-AD1A	1d	Tos
68	MAZ8068	Z-Diode	6.4..7.2V, 150mW	SC-76	6d	Pan
68A	1.5SMC68A	Z-Diode/TVS	64.6..71.4V, 16.3A, 1500W(1ms)	DO-214AB	1d	Vis
68A	1.5SMC68AT3	Z-Diode/TVS	68V, 16.3A, 1500W(1ms)	403	3d	Mot,Ons
68A	P4SMA68A	Z-Diode/TVS	64.6..71.4V, 4.3A, 400W(1ms)	DO-214AC	1d	Vis
68A	P6SMB68A	Z-Diode/TVS	64.6..71.4V, 6.5A, 600W(1ms)	DO-214AA	1d	Vis
68A	P6SMB68AT3	Z-Diode/TVS	68V, 6.5A, 600W(1ms)	403A	3d	Mot,Ons
68A	P6SMBJ68A	Z-Diode/TVS	64.6..71.4V, 6.5A, 600W(1ms)	DO-214AA	1d	Lif
68B	1SMB3EZ68	Z-Diode	68V±5%, 3W	SMB	1d	Pjl
68C	1.5SMC68CA	Z-Diode/TVS	64.6..71.4V, 16.3A, 1500W(1ms), Bidirectional	DO-214AB	1c	Vis
68C	P4SMA68CA	Z-Diode/TVS	64.6..71.4V, 4.3A, 400W(1ms), Bidirectional	DO-214AC	2c	Vis
68C	P6SMB68CA	Z-Diode/TVS	64.6..71.4V, 6.5A, 600W(1ms), Bidirectional	DO-214AA	1c	Vis
68C	P6SMB68CAT3	Z-Diode/TVS	68V, 6.5A, 600W(1ms), Bidirectional	403A	3c	Mot,Ons
68C	P6SMBJ68C	Z-Diode/TVS	61.2..74.8V, 6.1A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
68CA	P6SMBJ68CA	Z-Diode/TVS	64.6..71.4V, 6.5A, 600W(1ms), Bidirectional	DO-214AA	1c	Lif
68PH	BZD27-C68	Z-Diode	68V±5%, 2.3W	SOD-87	15d	Phi
68Z	HZU6.8Z	Z-Diode	6.47..7V, 200mW	SOD-323	5d	Ren
6A	MA321	C-Diode	UHF-Tuning, 30V, 15/2.25pF(2/25V)	SOD-123	5d	Pan
6B	MA329	C-Diode	VHF-Tuning, 32V, 2.6..3.2pF(25V)	SOD-123	5d	Pan
6C	MA333	GaAs-Diode	TV-Tuner, VCO, 9V, 3.5pF(6V)	SOD-123	5d	Pan
6D	MA334	C-Diode	VHF/UHF-Tuning, 30V, 2.18pF(25V)	SOD-123	5d	Pan
6E	MA335	C-Diode	VHF-Tuning, 32V, 2.6..3.19pF(25V)	SOD-123	5d	Pan
6F	MA337	C-Diode	CATV-Tuning, 32V, 2.6..3.1pF(25V)	SOD-123	5d	Pan
6F	MAZD039	Z-Diode	3.7..4.1V, 120mW	SSSMi2	7d	Pan
6H	MA336	C-Diode	CATV-Tuning, 34V, 2.6..3.15pF(25V)	SOD-123	5d	Pan
6K	MA341	C-Diode	VHF/UHF-AFC, 30V, 4.5pF(10V)	SOD-123	5d	Pan
6L	MA366	C-Diode	UHF/SHF-Tuning, 30V, 0.7pF(30V)	SOD-123	5d	Pan
6N	MA339	C-Diode	VHF/UHF-Tuning, 32V, 2.6pF(25V)	SOD-123	5d	Pan
6P	CMDZ30L	Z-Diode	30V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
6P2	SML4735	Z-Diode	6.2V, Zzt=2Ω	DO-214AC	1d	Gse
6P8	SML4736	Z-Diode	6.8V, Zzt=3.5Ω	DO-214AC	1d	Gse
6S	MA353	C-Diode	CATV-Tuning, 32V, 2.6/3.2pF(25V)	SOD-123	5d	Pan
6S	MMSD71	Si-Diode	Switching, 80V, 200mA, <2pF, <4ns	SOD-123	5d	Mot
6S	MMSD71RK11	Si-Diode	Switching, 80V, 200mA, 225mW, Vf<1.2V(100mA), <4ns	SOD-123	5d	Ons
6T	MA331	C-Diode	UHF-AFC, 12V, 5.5..6.5pF(10V)	SOD-123	5d	Pan
6U	MA332	C-Diode	UHF-AFC, 6V, 10.5..12.5pF(4V)	SOD-123	5d	Pan
6U	SD12	TVS	12V, 15A, 350W(1ms)	SOD-323	5d	Smt
6V2PH	BZD27-C6V2	Z-Diode	6.2V±5%, 1.7W	SOD-87	15d	Phi
6V8	P6SMBJ6V8	Z-Diode/TVS	6.12..7.48V, 56A, 800W(1ms)	DO-214AA	1d	Lif
6V8A	1.5SMC6.8A	Z-Diode/TVS	6.45..7.14V, 143A, 1500W(1ms)	DO-214AB	1d	Vis
6V8A	1.5SMC6.8AT3	Z-Diode/TVS	6.8V, 143A, 1500W(1ms)	403	3d	Mot,Ons
6V8A	P4SMA6.8A	Z-Diode/TVS	6.45..7.14V, 38.1A, 400W(1ms)	DO-214AC	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
8V8A	P6SMB6.8A	Z-Diode/TVS	6.45..7.14V, 57,1A, 600W (1ms)	DO-214AA	1d	Vis
8V8A	P6SMB-6.8AT3	Z-Diode/TVS	6,8V, 57A, 600W (1ms)	403A	3d	Mot,Ons
8V8A	P6SMBJ6V8A	Z-Diode/TVS	6.45..7.14V, 57A, 600W (1ms)	DO-214AA	1d	Lif
8V8C	1.5SMC6.8CA	Z-Diode/TVS	6.45..7.14V, 143A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
8V8C	P4SMA6.8CA	Z-Diode/TVS	6.45..7.14V, 38.1A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
8V8C	P6SMB6.8CA	Z-Diode/TVS	6.45..7.14V, 57,1A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
8V8C	P6SMBJ6V8C	Z-Diode/TVS	6.12..7.48V, 56A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
8V8CA	P6SMBJ6V8CA	Z-Diode/TVS	6.45..7.14V, 57A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
6V8PH	BZD27-C6V8	Z-Diode	6,8V±5%, 1,7W	SOD-87	15d	Phi
6Y	MA355	C-Diode	CATV-Tuning, 32V, 2.5..2,9pF(25V)	SOD-123	5d	Pan
8Y8	CRY68	Z-Diode	6.2..7.4V, 700mW	S-Flat	6d	Tos
6Z	MA373	C-Diode	UHF-Tuning, 32V, 0.84pF(25V)	SOD-123	5d	Pan
6Z2	CRY62	Z-Diode	5.6..6.8V, 700mW	S-Flat	6d	Tos
7	BA891	Si-Diode	VHF, TV-Band-Sw, 35V, 0,1A, 715mW, 0,8pF	SOD-523	6d	Phi
7	BAS170W	Si-Diode	Schottky, GP, Hi-sp, 70V, 70mA, Vf<1V(15mA), <100ps	SOD-323	5d	Inf
7	BBY55-02W	C-Diode	Dual, Tuning, VCO, 16V, 5.5..6,5/14..16pF(10/2V)	DO-214	1d	Sie
7	HVU307	C-Diode	VHF-Tuning, 32,2..37,5pF(2V)	SOD-123	5d	Ren
7	MAZS075	Z-Diode	7..7,9V, 200mW	SC-79	6d	Pan
7-	MAZS075	Z-Diode	7..7,9V, 200mW	SC-79	6d	Pan
7-	MAZS0750M	Z-Diode	7,29..7,67V, 200mW	SC-79	6d	Pan
7 (white)	BBY55-02W	C-Diode	Dual, Tuning, VCO, 16V, 5.5..6,5/14..16pF(10/2V)	SCD80	6d	Sie
7.5	MAZS075	Z-Diode	7..7,9V, 500mW	MP2	11d	Pan
7.5	MAZY075	Z-Diode	6,8..8,3V, 1W	NMiniP2	1d	Pan
7.5	U1Z7.5	Z-Diode	6,8..8,3V, 1W	SOD-6	1d	Tos
7.5	U1ZB7.5	Z-Diode/TVS	6,8..8,3V, 1W	3-4D1A	1d	Tos
7.5B	HZF7.5BP	Z-Diode	7,5V±5%, 0,9W	DO-214	1d	Ren
7.5B	PTZ7.5B	Z-Diode	7,5V 10%, 40mA, 1W	SOD-106	1d	Rhm
7.5C	HZF7.5CP	Z-Diode	7,5V±10%, 0,9W	DO-214	1d	Ren
7*	MAZS075	Z-Diode	7..7,9V, 200mW	SC-79	6d	Pan
7*	MAZS0750H	Z-Diode	7,51..7,89V, 200mW	SC-79	6d	Pan
7*5	MAZ8075	Z-Diode	7..7,9V, 150mW	SC-76	6d	Pan
7_	MAZS075	Z-Diode	7..7,9V, 200mW	SC-79	6d	Pan
7_	MAZS0750L	Z-Diode	7,07..7,43V, 200mW	SC-79	6d	Pan
7_5	MAZ8075	Z-Diode	7..7,9V, 150mW	SC-76	6d	Pan
70DPH	BYG70D	Si-Diode	Fast, Soft-Recovery, 200V, 1A, Vf<2,1V(1A), 30ns	DO-214AC	1d	Phi
70GPH	BYG70G	Si-Diode	Fast, Soft-Recovery, 400V, 1A, Vf<2,1V(1A), 30ns	DO-214AC	1d	Phi
70JPH	BYG70J	Si-Diode	Fast, Soft-Recovery, 600V, 1A, Vf<2,1V(1A), 30ns	DO-214AC	1d	Phi
72	GDZ3.9B	Z-Diode	3,9V, 200mW	SOD-323	5d	Vis
72	UDZ3.9B	Z-Diode	3,9V±2,5%, 200mW	SOD-323	5d	Rhm
72	UDZS3.9B	Z-Diode	3,9V 10%, 5mA, 200mW	SOD-106	1d	Rhm
72	VDZS3.9B	Z-Diode	3,9V 10%, 5mA, 100mW	VMD2	5d	Rhm
73	BA570-02W	Si-Diode	Schottky, 70V, 70mA, Vf<1V, Cd<2pF, 5ns	SCD80	8d	Inf
741B	1SMA4741	Z-Diode	11V±5%, 1W	SMA	1d	PJLTrs
742B	1SMA4742	Z-Diode	12V±5%, 1W	SMA	1d	PJLTrs
743B	1SMA4743	Z-Diode	13V±5%, 1W	SMA	1d	PJLTrs
744B	1SMA4744	Z-Diode	15V±5%, 1W	SMA	1d	PJLTrs
745B	1SMA4745	Z-Diode	16V±5%, 1W	SMA	1d	PJLTrs
746B	1SMA4746	Z-Diode	18V±5%, 1W	SMA	1d	PJLTrs
747B	1SMA4747	Z-Diode	20V±5%, 1W	SMA	1d	PJLTrs
748B	1SMA4748	Z-Diode	22V±5%, 1W	SMA	1d	PJLTrs
749B	1SMA4749	Z-Diode	24V±5%, 1W	SMA	1d	PJLTrs
75	HZC7.5	Z-Diode	7.5V±10%, 150mW	SOD-523	6d	Ren
75	HZU7.5G	Z-Diode	7,06..7,84V, 200mW	SOD-323	5d	Ren
75	KDZ7.5EV	Z-Diode	7..7,9 5V, 150mW	ESC	6d	Kec
75	KDZ7.5V	Z-Diode	7..7,9V, 150mW	USC	5d	Kec
75	P6SMBJ75	Z-Diode/TVS	67.5..82.5V, 5.5A, 600W (1ms)	DO-214AA	1d	Lif
75	SML4761	Z-Diode	75V, Zzt=175Ω	DO-214AC	1d	Gse
75	U1Z75	Z-Diode	67.5..82.5V, 1W	SOD-6	1d	Tos
75	U1ZB75	Z-Diode/TVS	67.5..82.5V, 1W	3-4D1A	1d	Tos
75	UDZ20B	Z-Diode	20V±2,5%, 200mW	SOD-323	5d	Rhm
75	UDZS20B	Z-Diode	20V 10%, 5mA, 200mW	SOD-106	1d	Rhm
75	VDZS20B	Z-Diode	20V 10%, 5mA, 100mW	VMD2	5d	Rhm
7-5	MAZ8075	Z-Diode	7..7,9V, 150mW	SC-76	6d	Pan
750B	1SMA4750	Z-Diode	27V±5%, 1W	SMA	1d	PJLTrs
751B	1SMA4751	Z-Diode	30V±5%, 1W	SMA	1d	PJLTrs
752B	1SMA4752	Z-Diode	33V±5%, 1W	SMA	1d	PJLTrs
753B	1SMA4753	Z-Diode	36V±5%, 1W	SMA	1d	PJLTrs

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
754B	1SMA4754	Z-Diode	39V±5%, 1W	SMA	1d PjLTrs
755B	1SMA4755	Z-Diode	43V±5%, 1W	SMA	1d PjLTrs
756B	1SMA4756	Z-Diode	47V±5%, 1W	SMA	1d PjLTrs
757B	1SMA4757	Z-Diode	51V±5%, 1W	SMA	1d PjLTrs
758B	1SMA4758	Z-Diode	56V±5%, 1W	SMA	1d PjLTrs
759B	1SMA4759	Z-Diode	62V±5%, 1W	SMA	1d PjLTrs
75A	1.5SMC75A	Z-Diode/TVS	71.3..78.8V, 14.6A, 1500W (1ms)	DO-214AB	1d Vis
75A	1.5SMC75AT3	Z-Diode/TVS	75V, 14.6A, 1500W (1ms)	403	3d Mot,Ons
75A	P4SMA75A	Z-Diode/TVS	71.3..78.8V, 3.9A, 400W (1ms)	DO-214AC	1d Vis
75A	P6SMB75A	Z-Diode/TVS	71.3..78.8V, 5.8A, 600W (1ms)	DO-214AA	1d Vis
75A	P6SMB75AT3	Z-Diode/TVS	75V, 5.8A, 600W (1ms)	403A	3d Mot,Ons
75A	P6SMBJ75A	Z-Diode/TVS	71.3..78.8V, 5.8A, 600W (1ms)	DO-214AA	1d Lif
75B	1SMB3E275	Z-Diode	75V±5%, 3W	SMB	1d PjL
75C	1.5SMC75CA	Z-Diode/TVS	71.3..78.8V, 14.6A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
75C	P4SMA75CA	Z-Diode/TVS	71.3..78.8V, 3.9A, 400W (1ms), Bidirectional	DO-214AC	2c Vis
75C	P6SMB75CA	Z-Diode/TVS	71.3..78.8V, 5.8A, 600W (1ms), Bidirectional	DO-214AA	1c Vis
75C	P6SMB75CAT3	Z-Diode/TVS	75V, 5.8A, 600W (1ms), Bidirectional	403A	3c Mot,Ons
75C	P6SMBJ75C	Z-Diode/TVS	67.5..82.5V, 5.5A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
75CA	P6SMBJ75CA	Z-Diode/TVS	71.3..78.8V, 5.8A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
75PH	BZD27-C75	Z-Diode	75V±5%, 2.3W	SOD-87	15d Phi
760B	1SMA4760	Z-Diode	68V±5%, 1W	SMA	1d PjLTrs
761B	1SMA4761	Z-Diode	75V±5%, 1W	SMA	1d PjLTrs
762B	1SMA4762	Z-Diode	82V±5%, 1W	SMA	1d PjLTrs
763B	1SMA4763	Z-Diode	91V±5%, 1W	SMA	1d PjLTrs
764B	1SMA4764	Z-Diode	100V±5%, 1W	SMA	1d PjLTrs
77APH	BYD77A	Si-Diode	U-Fast, Controlled Avalanche, 50V, 1A, Vf<0.75V(1A), 25ns	SOD-87	15d Phi
77BPH	BYD77B	Si-Diode	U-Fast, Controlled Avalanche, 100V, 1A, Vf<0.75V(1A), 25ns	SOD-87	15d Phi
77CPH	BYD77C	Si-Diode	U-Fast, Controlled Avalanche, 150V, 1A, Vf<0.75V(1A), 25ns	SOD-87	15d Phi
77DPH	BYD77D	Si-Diode	U-Fast, Controlled Avalanche, 200V, 1A, Vf<0.75V(1A), 25ns	SOD-87	15d Phi
77EPH	BYD77E	Si-Diode	U-Fast, Controlled Avalanche, 250V, 1A, Vf<0.83V(1A), 50ns	SOD-87	15d Phi
77FPH	BYD77F	Si-Diode	U-Fast, Controlled Avalanche, 300V, 1A, Vf<0.83V(1A), 50ns	SOD-87	15d Phi
77GPH	BYD77G	Si-Diode	U-Fast, Controlled Avalanche, 400V, 1A, Vf<0.83V(1A), 50ns	SOD-87	15d Phi
77ZA	BYD77A	Si-Diode	U-Fast, Controlled Avalanche, 50V, 1A, Vf<0.95V(1A), 30ns	1206	14d Zow
77ZB	BYD77B	Si-Diode	U-Fast, Controlled Avalanche, 100V, 1A, Vf<0.95V(1A), 30ns	1206	14d Zow
77ZD	BYD77D	Si-Diode	U-Fast, Controlled Avalanche, 200V, 1A, Vf<1V(1A), 25ns	1206	14d Zow
77ZG	BYD77G	Si-Diode	U-Fast, Controlled Avalanche, 400V, 1A, Vf<1V(1A), 50ns	1206	14d Zow
7A	MA374	C-Diode	CATV-Tuning, 32V, 3.05pF(25V)	SOD-123	5d Pan
7C	MA376	C-Diode	UHF-Band VCO, 6V, 7.85pF(3V)	SOD-123	5d Pan
7D	MA377	C-Diode	UHF-Band VCO, 12V, 1.32pF(10V)	SOD-123	5d Pan
7F	MAZD390	Z-Diode	37..41V, 120mW	SSSMini2	7d Pan
7L	MA379	C-Diode	UHF-Tuner, 6.3/0.95pF(2/25V)	SOD-123	5d Pan
7N	CMDZ1L8	Z-Diode	1.8V, 250mW, Iz=0.5mA	SOD-323	5d Cen
7N	MA392	GaAs-Diode	Transmitter VCO, 10V, 3.5..6.5pF(1V)	SOD-123	5d Pan
7P	CMDZ33L	Z-Diode	33V, 250mW, Iz=0.5mA	SOD-323	5d Cen
7P	MA393	GaAs-Diode	Transmitter VCO, 10V, 8..13pF(1V)	SOD-123	5d Pan
7P5	SML4737	Z-Diode	7.5V, Zzt=4Ω	DO-214AC	1d Gse
7S	MA391	GaAs-Diode	Transmitter VCO, 10V, 3.7<5pF(1V)	SOD-123	5d Pan
7U	MA10301	C-Diode	VCO, 15V, 21.5/15.9pF(1/2V)	SOD-123	5d Pan
7V5	P6SMBJ7V5	Z-Diode/TVS	6.75..8.25V, 51A, 600W (1ms)	DO-214AA	1d Lif
7V5A	1.5SMC7.5A	Z-Diode/TVS	7.13..7.88V, 133A, 1500W (1ms)	DO-214AB	1d Vis
7V5A	1.5SMC7.5AT3	Z-Diode/TVS	7.5V, 132A, 1500W (1ms)	403	3d Mot,Ons
7V5A	P4SMA7.5A	Z-Diode/TVS	7.13..7.88V, 35.4A, 400W (1ms)	DO-214AC	1d Vis
7V5A	P6SMB7.5A	Z-Diode/TVS	7.13..7.88V, 53.1A, 600W (1ms)	DO-214AA	1d Vis
7V5A	P6SMB7.5AT3	Z-Diode/TVS	7.5V, 53A, 600W (1ms)	403A	3d Mot,Ons
7V5A	P6SMBJ7V5A	Z-Diode/TVS	7.13..7.88V, 53A, 600W (1ms)	DO-214AA	1d Lif
7V5C	1.5SMC7.5CA	Z-Diode/TVS	7.13..7.88V, 133A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
7V5C	P4SMA7.5CA	Z-Diode/TVS	7.13..7.88V, 35.4A, 400W (1ms), Bidirectional	DO-214AC	2c Vis
7V5C	P6SMB7.5CA	Z-Diode/TVS	7.13..7.88V, 53.1A, 600W (1ms), Bidirectional	DO-214AA	1c Vis
7V5C	P6SMBJ7V5C	Z-Diode/TVS	6.75..8.25V, 51A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
7V5CA	P6SMBJ7V5CA	Z-Diode/TVS	7.13..7.88V, 53A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
7V5PH	BZD27-C7V5	Z-Diode	7.5V±5%, 2.3W	SOD-87	15d Phi
7X	MA2ZV01	C-Diode	VCO, 6V, 16/6pF(1/3V)	SOD-123	5d Pan
7Y	MA2ZV02	C-Diode	VCO, 6V, 19/8..1pF(1/4V)	SOD-123	5d Pan
7Y5	CRY75	Z-Diode	6.8..8.3V, 700mW	S-Flat	6d Tos
7Z	MA2ZV03	C-Diode	VCO, 6V, 5.5/2.35pF(1/4V)	SOD-123	5d Pan
8	BB178	C-Diode	TV-VHF-Tuning, 32V, 20mA, 62..2.9pF(1..28V), 160MHz	SOD-523	6d Phi
8	BBY58-02W	C-Diode	Duel, Tuning, VCO, 10V, 5.5..6.6/17.5..19.3pF(4/1V)	DO-214	1d Sie

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
8	HVU308	C-Diode	UHF-Tuning, 13.9..16,1pF(2V)	SOD-123	5d	Ren
8	MAZS082	Z-Diode	7.7..8.7V, 200mW	SC-79	6d	Pan
8-	MAZS082	Z-Diode	7.7..8.7V, 200mW	SC-79	6d	Pan
8-	MAZS0820M	Z-Diode	8.03..8.43V, 200mW	SC-79	6d	Pan
8.2	MAZ5082	Z-Diode	7.7..8.7V, 500mW	MP2	11d	Pan
8.2	MAZY082	Z-Diode	7.4..9.1V, 1W	NMiniP2	1d	Pan
8.2	U1Z8.2	Z-Diode	7.4..9.1V, 1W	SOD-6	1d	Tos
8.2	U1ZB8.2	Z-Diode/TVS	7.4..9.1V, 1W	3-4D1A	1d	Tos
8.2B	HZF8.2BP	Z-Diode	8.2V±5%, 0.9W	DO-214	1d	Ren
8.2B	PTZ8.2B	Z-Diode	8.2V 10%, 40mA, 1W	SOD-106	1d	Rhm
8.2C	HZF8.2CP	Z-Diode	8.2V±10%, 0.9W	DO-214	1d	Ren
8^	MAZS082	Z-Diode	7.7..8.7V, 200mW	SC-79	6d	Pan
8^	MAZS0820H	Z-Diode	8.29..8.7V, 200mW	SC-79	6d	Pan
8^2	MAZ8082	Z-Diode	7.7..8.7V, 150mW	SC-76	6d	Pan
8_	MAZS082	Z-Diode	7.7..8.7V, 200mW	SC-79	6d	Pan
8_	MAZS0820L	Z-Diode	7.77..8.17V, 200mW	SC-79	6d	Pan
8_2	MAZ8082	Z-Diode	7.7..8.7V, 150mW	SC-76	6d	Pan
80APH	BYG80A	Si-Diode	U-Fast, Contr. Avalanche, 50V, 1.25A, Vf<0.67V(1.25A), 25ns	DO-214AC	1d	Phi
80BPH	BYG80B	Si-Diode	U-Fast, Contr. Avalanche, 100V, 1.25A, Vf<0.67V(1.25A), 25ns	DO-214AC	1d	Phi
80CPH	BYG80C	Si-Diode	U-Fast, Contr. Avalanche, 150V, 1.25A, Vf<0.67V(1.25A), 25ns	DO-214AC	1d	Phi
80DPH	BYG80D	Si-Diode	U-Fast, Contr. Avalanche, 200V, 1.25A, Vf<0.67V(1.25A), 25ns	DO-214AC	1d	Phi
80FPH	BYG80F	Si-Diode	U-Fast, Contr. Avalanche, 300V, 1.15A, Vf<0.73V(1.15A), 50ns	DO-214AC	1d	Phi
80GPH	BYG80G	Si-Diode	U-Fast, Contr. Avalanche, 400V, 1.15A, Vf<0.73V(1.15A), 50ns	DO-214AC	1d	Phi
80JPH	BYG80J	Si-Diode	U-Fast, Contr. Avalanche, 500V, 1.15A, Vf<0.96V(1.15A), 50ns	DO-214AC	1d	Phi
81	ZV831BV2TA	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±5%	SOD-523	6d	Ztx
813B	1SMA5913B3	Z-Diode	3.3V±5%, 454mA, 1.5W	403B-01	3d	Mot
814B	1SMA5914B3	Z-Diode	3.6V±5%, 416mA, 1.5W	403B-01	3d	Mot
815B	1SMA5915B3	Z-Diode	3.9V±5%, 384mA, 1.5W	403B-01	3d	Mot
816B	1SMA5916B3	Z-Diode	4.3V±5%, 348mA, 1.5W	403B-01	3d	Mot
817B	1SMA5917B3	Z-Diode	4.7V±5%, 319mA, 1.5W	403B-01	3d	Mot
818B	1SMA5918B3	Z-Diode	5.1V±5%, 294mA, 1.5W	403B-01	3d	Mot
819B	1SMA5919B3	Z-Diode	5.6V±5%, 267mA, 1.5W	403B-01	3d	Mot
82	GDZ4.3B	Z-Diode	4.3V, 200mW	SOD-323	5d	Vis
82	HZC8.2	Z-Diode	8.2V±10%, 150mW	SOD-523	6d	Ren
82	HZU8.2G	Z-Diode	7.76..8.64V, 200mW	SOD-323	5d	Ren
82	KDZ8.2EV	Z-Diode	7.7..8.7V, 150mW	ESC	6d	Kec
82	KDZ8.2V	Z-Diode	7.7..8.7V, 150mW	USC	5d	Kec
82	P6SMBJ82	Z-Diode/TVS	73..8.90.2V, 5.1A, 600W (1ms)	DO-214AA	1d	Lif
82	SML4762	Z-Diode	82V, Zzt=200Ω	DO-214AC	1d	Gse
82	U1Z82	Z-Diode	73..8.90.2V, 1W	SOD-6	1d	Tos
82	U1ZB82	Z-Diode/TVS	73..8.90.2V, 1W	3-4D1A	1d	Tos
82	UDZ4.3B	Z-Diode	4.3V±2.5%, 200mW	SOD-323	5d	Rhm
82	UDZS4.3B	Z-Diode	4.3V 10%, 5mA, 200mW	SOD-106	1d	Rhm
82	VDZS4.3B	Z-Diode	4.3V 10%, 5mA, 100mW	VMD2	5d	Rhm
82	ZV832BV2TA	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±5%	SOD-523	6d	Ztx
8-2	MAZ8082	Z-Diode	7.7..8.7V, 150mW	SC-76	6d	Pan
820B	1SMA5920B3	Z-Diode	6.2V±5%, 241mA, 1.5W	403B-01	3d	Mot
821B	1SMA5921B3	Z-Diode	6.8V±5%, 220mA, 1.5W	403B-01	3d	Mot
822B	1SMA5922B3	Z-Diode	7.5V±5%, 200mA, 1.5W	403B-01	3d	Mot
823B	1SMA5923B3	Z-Diode	8.2V±5%, 182mA, 1.5W	403B-01	3d	Mot
824B	1SMA5924B3	Z-Diode	9.1V±5%, 164mA, 1.5W	403B-01	3d	Mot
825B	1SMA5925B3	Z-Diode	10V±5%, 150mA, 1.5W	403B-01	3d	Mot
826B	1SMA5926B3	Z-Diode	11V±5%, 136mA, 1.5W	403B-01	3d	Mot
827B	1SMA5927B3	Z-Diode	12V±5%, 125mA, 1.5W	403B-01	3d	Mot
828B	1SMA5928B3	Z-Diode	13V±5%, 115mA, 1.5W	403B-01	3d	Mot
829B	1SMA5929B3	Z-Diode	15V±5%, 100mA, 1.5W	403B-01	3d	Mot
82A	1.5SMC82A	Z-Diode/TVS	77.9..86.1V, 13.3A, 1500W (1ms)	DO-214AB	1d	Vis
82A	1.5SMC82AT3	Z-Diode/TVS	82V, 13.3A, 1500W (1ms)	403	3d	Mot,Ons
82A	P4SMA82A	Z-Diode/TVS	77.9..86.1V, 3.5A, 400W (1ms)	DO-214AC	1d	Vis
82A	P6SMB82A	Z-Diode/TVS	77.9..86.1V, 5.3A, 600W (1ms)	DO-214AA	1d	Vis
82A	P6SMB82AT3	Z-Diode/TVS	82V, 5.3A, 600W (1ms)	403A	3d	Mot,Ons
82A	P6SMBJ82A	Z-Diode/TVS	77.9..86.1V, 5.3A, 600W (1ms)	DO-214AA	1d	Lif
82B	1SMB3EZ82	Z-Diode	82V±5%, 3W	SMB	1d	Pjt
82C	1.5SMC82CA	Z-Diode/TVS	77.9..86.1V, 13.3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
82C	P4SMA82CA	Z-Diode/TVS	77.9..86.1V, 3.5A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
82C	P6SMB82CA	Z-Diode/TVS	77.9..86.1V, 5.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
82C	P6SMB82CAT3	Z-Diode/TVS	82V, 5.3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
82C	P6SMBJ82C	Z-Diode/TVS	73.8..90.2V, 5.1A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
82CA	P6SMBJ82CA	Z-Diode/TVS	77.9..86.1V, 5.3A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
82PH	BZD27-C82	Z-Diode	82V±5%, 2.3W	SOD-87	15d Phi
830B	1SMA5930B3	Z-Diode	16V±5%, 93mA, 1.5W	403B-01	3d Mot
831B	1SMA5931B3	Z-Diode	18V±5%, 83mA, 1.5W	403B-01	3d Mot
832B	1SMA5932B3	Z-Diode	20V±5%, 75mA, 1.5W	403B-01	3d Mot
833B	1SMA5933B3	Z-Diode	22V±5%, 68mA, 1.5W	403B-01	3d Mot
834B	1SMA5934B3	Z-Diode	24V±5%, 62mA, 1.5W	403B-01	3d Mot
835B	1SMA5935B3	Z-Diode	27V±5%, 55mA, 1.5W	403B-01	3d Mot
836B	1SMA5936B3	Z-Diode	30V±5%, 50mA, 1.5W	403B-01	3d Mot
837B	1SMA5937B3	Z-Diode	33V±5%, 45mA, 1.5W	403B-01	3d Mot
838B	1SMA5938B3	Z-Diode	36V±5%, 41mA, 1.5W	403B-01	3d Mot
839B	1SMA5939B3	Z-Diode	39V±5%, 38mA, 1.5W	403B-01	3d Mot
840B	1SMA5940B3	Z-Diode	43V±5%, 34mA, 1.5W	403B-01	3d Mot
841B	1SMA5941B3	Z-Diode	47V±5%, 31mA, 1.5W	403B-01	3d Mot
842B	1SMA5942B3	Z-Diode	51V±5%, 29mA, 1.5W	403B-01	3d Mot
843B	1SMA5943B3	Z-Diode	56V±5%, 26mA, 1.5W	403B-01	3d Mot
844B	1SMA5944B3	Z-Diode	62V±5%, 24mA, 1.5W	403B-01	3d Mot
845B	1SMA5945B3	Z-Diode	68V±5%, 22mA, 1.5W	403B-01	3d Mot
85	UDZ22B	Z-Diode	22V±2.5%, 200mW	SOD-323	5d Rhm
85	UDZS22B	Z-Diode	22V 10%, 5mA, 200mW	SOD-106	1d Rhm
85	VDZS22B	Z-Diode	22V 10%, 5mA, 100mW	VMD2	5d Rhm
8LU07	KP8LU07	Thy-SPD	V Off-SI=65V, Ifsm=80A(1ms), Ih=100mA, Bidirectional	DO-214	2 Shi
8N	CMDZ2L0	Z-Diode	2.0V, 250mW, Iz=0.5mA	SOD-323	5d Cen
8P	CMDZ36L	Z-Diode	36V, 250mW, Iz=0.5mA	SOD-323	5d Cen
8P2	SML473B	Z-Diode	8.2V, Zzt=4.5Ω	DO-214AC	1d Gse
8R	MA304	C-Diode	VCO, 30V, 27.3/7, 1pF(1/4V)	SOD-123	5d Pan
8V2	P6SMBJ8V2	Z-Diode/TVS	7.38..9.02V, 48A, 600W (1ms)	DO-214AA	1d Lif
8V2A	1.5SMC8.2A	Z-Diode/TVS	7.79..8.61V, 124A, 1500W (1ms)	DO-214AB	1d Vis
8V2A	1.5SMC8.2AT3	Z-Diode/TVS	8.2V, 124A, 1500W (1ms)	403	3d Mot,Ons
8V2A	P4SMA8.2A	Z-Diode/TVS	7.79..8.61V, 33.1A, 400W (1ms)	DO-214AC	1d Vis
8V2A	P6SMB8.2A	Z-Diode/TVS	7.79..8.61V, 49.6A, 600W (1ms)	DO-214AA	1d Vis
8V2A	P6SMB8.2AT3	Z-Diode/TVS	8.2V, 50A, 600W (1ms)	403A	3d Mot,Ons
8V2A	P6SMBJ8V2A	Z-Diode/TVS	7.79..8.61V, 50A, 600W (1ms)	DO-214AA	1d Lif
8V2C	1.5SMC8.2CA	Z-Diode/TVS	7.79..8.61V, 124A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
8V2C	P4SMA8.2CA	Z-Diode/TVS	7.79..8.61V, 33.1A, 400W (1ms), Bidirectional	DO-214AC	2c Vis
8V2C	P6SMB8.2CA	Z-Diode/TVS	7.79..8.61V, 49.6A, 600W (1ms), Bidirectional	DO-214AA	1c Vis
8V2C	P6SMBJ8V2C	Z-Diode/TVS	7.38..9.02V, 48A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
8V2CA	P6SMBJ8V2CA	Z-Diode/TVS	7.79..8.61V, 50A, 600W (1ms), Bidirectional	DO-214AA	1c Lif
8V2PH	BZD27-C8V2	Z-Diode	8.2V±5%, 2.3W	SOD-87	15d Phi
8Y2	CRY82	Z-Diode	7.4..9V, 700mW	S-Flat	6d Tos
8Y9	CRY91	Z-Diode	8.2..10V, 700mW	S-Flat	6d Tos
9	BB179	C-Diode	TV-VHF-Tuning, 32V, 20mA, 34.5..2.3pF(1..28V), 460MHz	SOD-523	6d Phi
9	MAZS091	Z-Diode	8.5..9.6V, 200mW	SC-79	6d Pan
9-	MAZS091	Z-Diode	8.5..9.6V, 200mW	SC-79	6d Pan
9-	MAZS0910M	Z-Diode	8.87..9.33V, 200mW	SC-79	6d Pan
9.1	MAZS091	Z-Diode	8.5..9.6V, 500mW	MP2	11d Pan
9.1	MAZY091	Z-Diode	8.2..10.1V, 1W	NMiniP2	1d Pan
9.1	U129.1	Z-Diode	8.2..10.1V, 1W	SOD-6	1d Tos
9.1	U12B9.1	Z-Diode/TVS	8.2..10.1V, 1W	3-4D1A	1d Tos
9.1B	HZF9.1BP	Z-Diode	9.1V±5%, 0.9W	DO-214	1d Ren
9.1B	PTZ9.1B	Z-Diode	9.1V 10%, 40mA, 1W	SOD-106	1d Rhm
9.1C	HZF9.1CP	Z-Diode	9.1V±10%, 0.9W	DO-214	1d Ren
9*	MAZS091	Z-Diode	8.5..9.6V, 200mW	SC-79	6d Pan
9*	MAZS0910H	Z-Diode	9.14..9.6V, 200mW	SC-79	6d Pan
9*1	MAZ8091	Z-Diode	8.5..9.6V, 150mW	SC-76	6d Pan
9_	MAZS091	Z-Diode	8.5..9.6V, 200mW	SC-79	6d Pan
9_	MAZS0910L	Z-Diode	6.58..9.02V, 200mW	SC-79	6d Pan
9_1	MAZ8091	Z-Diode	6.5..9.6V, 150mW	SC-76	6d Pan
91	HZC9.1	Z-Diode	9.1V±10%, 150mW	SOD-523	6d Ren
91	HZU9.1G	Z-Diode	8.58..9.55V, 200mW	SOD-323	5d Ren
91	KDZ9.1EV	Z-Diode	8.5..9.6V, 150mW	ESC	6d Kec
91	KDZ9.1V	Z-Diode	8.5..9.6V, 150mW	USC	5d Kec
91	P6SMBJ91	Z-Diode/TVS	81.9..100V, 4.5A, 600W (1ms)	DO-214AA	1d Lif
91	SML4763	Z-Diode	91V, Zzt=250Ω	DO-214AC	1d Gse
91	ZV931V2TA	C-Diode	VHF-Tuning, 12V, 6.5..7.8pF(2.5V)	SOD-523	6d Zlx
9-1	MAZ8091	Z-Diode	8.5..9.6V, 150mW	SC-76	8d Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
913B	1PMT5913BT3	Z-Diode	3,3V±5%, 454mA, 2,5W	DO-216AA	4d	Mot
913B	1SMB5913B3	Z-Diode	3,3V±5%, 113,6mA, 3W, Zzt=10Ω	403A-03	3d	Mot
913B	1SMB5913BT3	Z-Diode	3,3V±5%, 113,6mA, 3W, Zzt=10Ω	403A-03	3d	Mot
914B	1PMT5914BT3	Z-Diode	3,6V±5%, 416mA, 2,5W	DO-216AA	4d	Mot
914B	1SMB5914B3	Z-Diode	3,6V±5%, 104,2mA, 3W, Zzt=9Ω	403A-03	3d	Mot
914B	1SMB5914BT3	Z-Diode	3,6V±5%, 104,2mA, 3W, Zzt=9Ω	403A-03	3d	Mot
915B	1PMT5915BT3	Z-Diode	3,9V±5%, 384mA, 2,5W	DO-216AA	4d	Mot
915B	1SMB5915B3	Z-Diode	3,9V±5%, 96,1mA, 3W, Zzt=7,5Ω	403A-03	3d	Mot
915B	1SMB5915BT3	Z-Diode	3,9V±5%, 96,1mA, 3W, Zzt=7,5Ω	403A-03	3d	Mot
918B	1PMT5918BT3	Z-Diode	4,3V±5%, 348mA, 2,5W	DO-216AA	4d	Mot
918B	1SMB5918B3	Z-Diode	4,3V±5%, 87,2mA, 3W, Zzt=6Ω	403A-03	3d	Mot
918B	1SMB5918BT3	Z-Diode	4,3V±5%, 87,2mA, 3W, Zzt=6Ω	403A-03	3d	Mot
917B	1PMT5917BT3	Z-Diode	4,7V±5%, 319mA, 2,5W	DO-216AA	4d	Mot
917B	1SMB5917B3	Z-Diode	4,7V±5%, 79,8mA, 3W, Zzt=5Ω	403A-03	3d	Mot
917B	1SMB5917BT3	Z-Diode	4,7V±5%, 79,8mA, 3W, Zzt=5Ω	403A-03	3d	Mot
918B	1PMT5918BT3	Z-Diode	5,1V±5%, 294mA, 2,5W	DO-216AA	4d	Mot
918B	1SMB5918B3	Z-Diode	5,1V±5%, 73,5mA, 3W, Zzt=4Ω	403A-03	3d	Mot
918B	1SMB5918BT3	Z-Diode	5,1V±5%, 73,5mA, 3W, Zzt=4Ω	403A-03	3d	Mot
919B	1PMT5919BT3	Z-Diode	5,6V±5%, 267mA, 2,5W	DO-216AA	4d	Mot
919B	1SMB5919B3	Z-Diode	5,6V±5%, 66,9mA, 3W, Zzt=2Ω	403A-03	3d	Mot
919B	1SMB5919BT3	Z-Diode	5,6V±5%, 66,9mA, 3W, Zzt=2Ω	403A-03	3d	Mot
91A	1.5SMC91A	Z-Diode/TVS	86.5.95.5V, 12A, 1500W (1ms)	DO-214AB	1d	Vis
91A	1.5SMC91AT3	Z-Diode/TVS	91V, 12A, 1500W (1ms)	403	3d	Mot,Ons
91A	P4SMA91A	Z-Diode/TVS	86.5.95.5V, 3.2A, 400W (1ms)	DO-214AC	1d	Vis
91A	P6SMB91A	Z-Diode/TVS	86.5.95.5V, 4.8A, 600W (1ms)	DO-214AA	1d	Vis
91A	P6SMB91AT3	Z-Diode/TVS	91V, 4.8A, 600W (1ms)	403A	3d	Mot,Ons
91A	P6SMBJ91A	Z-Diode/TVS	86.5.95.5V, 4.8A, 600W (1ms)	DO-214AA	1d	Lif
91B	1SMB3E291	Z-Diode	91V±5%, 3W	SMB	1d	Pjl
91C	1.5SMC91CA	Z-Diode/TVS	86.5.95.5V, 12A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
91C	P4SMA91CA	Z-Diode/TVS	86.5.95.5V, 3.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
91C	P6SMB91CA	Z-Diode/TVS	86.5.95.5V, 4.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
91C	P6SMB91CAT3	Z-Diode/TVS	91V, 4.8A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
91C	P6SMBJ91C	Z-Diode/TVS	81.9.100V, 4.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
91CA	P6SMBJ91CA	Z-Diode/TVS	86.5.95.5V, 4.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
91PH	BZD27-C91	Z-Diode	91V±5%, 2,3W	SOD-87	15d	Phi
92	EDZS4.7B	Z-Diode	4,7V 10%, 5mA, 100mW	SOD-523	6d	Rhm
92	GDZ4.7B	Z-Diode	4,7V, 200mW	SOD-323	5d	Vis
92	UDZ4.7B	Z-Diode	4,7V±2,5%, 200mW	SOD-323	5d	Rhm
92	UDZS4.7B	Z-Diode	4,7V 10%, 5mA, 200mW	SOD-106	1d	Rhm
92	VDZS4.7B	Z-Diode	4,7V 10%, 5mA, 100mW	VMD2	5d	Rhm
92	ZV932V2TA	C-Diode	VHF-Tuning, 12V, 8.5...10.5pF(2,5V)	SOD-523	6d	Ztx
920B	1PMT5920BT3	Z-Diode	6,2V±5%, 241mA, 2,5W	DO-216AA	4d	Mot
920B	1SMB5920B3	Z-Diode	6,2V±5%, 60,5mA, 3W, Zzt=2Ω	403A-03	3d	Mot
920B	1SMB5920BT3	Z-Diode	6,2V±5%, 60,5mA, 3W, Zzt=2Ω	403A-03	3d	Mot
921B	1PMT5921BT3	Z-Diode	6,8V±5%, 220mA, 2,5W	DO-216AA	4d	Mot
921B	1SMB5921B3	Z-Diode	6,8V±5%, 55,1mA, 3W, Zzt=2,5Ω	403A-03	3d	Mot
921B	1SMB5921BT3	Z-Diode	6,8V±5%, 55,1mA, 3W, Zzt=2,5Ω	403A-03	3d	Mot
922B	1PMT5922BT3	Z-Diode	7,5V±5%, 200mA, 2,5W	DO-216AA	4d	Mot
922B	1SMB5922B3	Z-Diode	7,5V±5%, 50mA, 3W, Zzt=3Ω	403A-03	3d	Mot
922B	1SMB5922BT3	Z-Diode	7,5V±5%, 50mA, 3W, Zzt=3Ω	403A-03	3d	Mot
923B	1PMT5923BT3	Z-Diode	8,2V±5%, 182mA, 2,5W	DO-216AA	4d	Mot
923B	1SMB5923B3	Z-Diode	8,2V±5%, 45,7mA, 3W, Zzt=3,5Ω	403A-03	3d	Mot
923B	1SMB5923BT3	Z-Diode	8,2V±5%, 45,7mA, 3W, Zzt=3,5Ω	403A-03	3d	Mot
924B	1PMT5924BT3	Z-Diode	9,1V±5%, 164mA, 2,5W	DO-216AA	4d	Mot
924B	1SMB5924B3	Z-Diode	9,1V±5%, 41,2mA, 3W, Zzt=4Ω	403A-03	3d	Mot
924B	1SMB5924BT3	Z-Diode	9,1V±5%, 41,2mA, 3W, Zzt=4Ω	403A-03	3d	Mot
925B	1PMT5925BT3	Z-Diode	10V±5%, 150mA, 2,5W	DO-216AA	4d	Mot
925B	1SMB5925B3	Z-Diode	10V±5%, 37,5mA, 3W, Zzt=4,5Ω	403A-03	3d	Mot
925B	1SMB5925BT3	Z-Diode	10V±5%, 37,5mA, 3W, Zzt=4,5Ω	403A-03	3d	Mot
926B	1PMT5926BT3	Z-Diode	11V±5%, 136mA, 2,5W	DO-216AA	4d	Mot
926B	1SMB5926	Z-Diode	11V±5%, 1,5W	SMB	1d	Pjl
926B	1SMB5926B3	Z-Diode	11V±5%, 34,1mA, 3W, Zzt=5,5Ω	403A-03	3d	Mot
926B	1SMB5926BT3	Z-Diode	11V±5%, 34,1mA, 3W, Zzt=5,5Ω	403A-03	3d	Mot
927B	1PMT5927BT3	Z-Diode	12V±5%, 125mA, 2,5W	DO-216AA	4d	Mot
927B	1SMB5927	Z-Diode	12V±5%, 1,5W	SMB	1d	Pjl
927B	1SMB5927B3	Z-Diode	12V±5%, 31,2mA, 3W, Zzt=6,5Ω	403A-03	3d	Mot
927B	1SMB5927BT3	Z-Diode	12V±5%, 31,2mA, 3W, Zzt=6,5Ω	403A-03	3d	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
928B	1PMT5928BT3	Z-Diode	13V±5%, 115mA, 2,5W	DO-216AA	4d	Mot
928B	1SMB5928	Z-Diode	13V±5%, 1,5W	SMB	1d	Pjt
928B	1SMB5928B3	Z-Diode	13V±5%, 28,8mA, 3W, Zzt=7Ω	403A-03	3d	Mot
928B	1SMB5928BT3	Z-Diode	13V±5%, 28,8mA, 3W, Zzt=7Ω	403A-03	3d	Mot
929B	1PMT5929BT3	Z-Diode	15V±5%, 100mA, 2,5W	DO-216AA	4d	Mot
929B	1SMB5929	Z-Diode	15V±5%, 1,5W	SMB	1d	Pjt
929B	1SMB5929B3	Z-Diode	15V±5%, 25mA, 3W, Zzt=9Ω	403A-03	3d	Mot
929B	1SMB5929BT3	Z-Diode	15V±5%, 25mA, 3W, Zzt=9Ω	403A-03	3d	Mot
93	ZV933V2TA	C-Diode	VHF-Tuning, 12V, 18..27pF(2,5V)	SOD-523	6d	Ztx
930B	1PMT5930BT3	Z-Diode	16V±5%, 93mA, 2,5W	DO-216AA	4d	Mot
930B	1SMB5930	Z-Diode	16V±5%, 1,5W	SMB	1d	Pjt
930B	1SMB5930B3	Z-Diode	16V±5%, 23,4mA, 3W, Zzt=10Ω	403A-03	3d	Mot
930B	1SMB5930BT3	Z-Diode	16V±5%, 23,4mA, 3W, Zzt=10Ω	403A-03	3d	Mot
931B	1PMT5931BT3	Z-Diode	18V±5%, 83mA, 2,5W	DO-216AA	4d	Mot
931B	1SMB5931	Z-Diode	18V±5%, 1,5W	SMB	1d	Pjt
931B	1SMB5931B3	Z-Diode	18V±5%, 20,8mA, 3W, Zzt=12Ω	403A-03	3d	Mot
931B	1SMB5931BT3	Z-Diode	18V±5%, 20,8mA, 3W, Zzt=12Ω	403A-03	3d	Mot
932B	1PMT5932BT3	Z-Diode	20V±5%, 75mA, 2,5W	DO-216AA	4d	Mot
932B	1SMB5932	Z-Diode	20V±5%, 1,5W	SMB	1d	Pjt
932B	1SMB5932B3	Z-Diode	20V±5%, 18,7mA, 3W, Zzt=14Ω	403A-03	3d	Mot
932B	1SMB5932BT3	Z-Diode	20V±5%, 18,7mA, 3W, Zzt=14Ω	403A-03	3d	Mot
933B	1PMT5933BT3	Z-Diode	22V±5%, 68mA, 2,5W	DO-216AA	4d	Mot
933B	1SMB5933	Z-Diode	22V±5%, 1,5W	SMB	1d	Pjt
933B	1SMB5933B3	Z-Diode	22V±5%, 17mA, 3W, Zzt=17,5Ω	403A-03	3d	Mot
933B	1SMB5933BT3	Z-Diode	22V±5%, 17mA, 3W, Zzt=17,5Ω	403A-03	3d	Mot
934B	1PMT5934BT3	Z-Diode	24V±5%, 62mA, 2,5W	DO-216AA	4d	Mot
934B	1SMB5934	Z-Diode	24V±5%, 1,5W	SMB	1d	Pjt
934B	1SMB5934B3	Z-Diode	24V±5%, 15,6mA, 3W, Zzt=19Ω	403A-03	3d	Mot
934B	1SMB5934BT3	Z-Diode	24V±5%, 15,6mA, 3W, Zzt=19Ω	403A-03	3d	Mot
935B	1PMT5935BT3	Z-Diode	27V±5%, 55mA, 2,5W	DO-216AA	4d	Mot
935B	1SMB5935	Z-Diode	27V±5%, 1,5W	SMB	1d	Pjt
935B	1SMB5935B3	Z-Diode	27V±5%, 13,9mA, 3W, Zzt=23Ω	403A-03	3d	Mot
935B	1SMB5935BT3	Z-Diode	27V±5%, 13,9mA, 3W, Zzt=23Ω	403A-03	3d	Mot
936B	1PMT5936BT3	Z-Diode	30V±5%, 50mA, 2,5W	DO-216AA	4d	Mot
936B	1SMB5936	Z-Diode	30V±5%, 1,5W	SMB	1d	Pjt
936B	1SMB5936B3	Z-Diode	30V±5%, 12,5mA, 3W, Zzt=26Ω	403A-03	3d	Mot
936B	1SMB5936BT3	Z-Diode	30V±5%, 12,5mA, 3W, Zzt=26Ω	403A-03	3d	Mot
937B	1PMT5937BT3	Z-Diode	33V±5%, 45mA, 2,5W	DO-216AA	4d	Mot
937B	1SMB5937	Z-Diode	33V±5%, 1,5W	SMB	1d	Pjt
937B	1SMB5937B3	Z-Diode	33V±5%, 11,4mA, 3W, Zzt=33Ω	403A-03	3d	Mot
937B	1SMB5937BT3	Z-Diode	33V±5%, 11,4mA, 3W, Zzt=33Ω	403A-03	3d	Mot
938B	1PMT5938BT3	Z-Diode	36V±5%, 41mA, 2,5W	DO-216AA	4d	Mot
938B	1SMB5938	Z-Diode	36V±5%, 1,5W	SMB	1d	Pjt
938B	1SMB5938B3	Z-Diode	36V±5%, 10,4mA, 3W, Zzt=38Ω	403A-03	3d	Mot
938B	1SMB5938BT3	Z-Diode	36V±5%, 10,4mA, 3W, Zzt=38Ω	403A-03	3d	Mot
939B	1PMT5939BT3	Z-Diode	39V±5%, 38mA, 2,5W	DO-216AA	4d	Mot
939B	1SMB5939	Z-Diode	39V±5%, 1,5W	SMB	1d	Pjt
939B	1SMB5939B3	Z-Diode	39V±5%, 9,6mA, 3W, Zzt=45Ω	403A-03	3d	Mot
939B	1SMB5939BT3	Z-Diode	39V±5%, 9,6mA, 3W, Zzt=45Ω	403A-03	3d	Mot
940B	1PMT5940BT3	Z-Diode	43V±5%, 34mA, 2,5W	DO-216AA	4d	Mot
940B	1SMB5940	Z-Diode	43V±5%, 1,5W	SMB	1d	Pjt
940B	1SMB5940B3	Z-Diode	43V±5%, 8,7mA, 3W, Zzt=53Ω	403A-03	3d	Mot
940B	1SMB5940BT3	Z-Diode	43V±5%, 8,7mA, 3W, Zzt=53Ω	403A-03	3d	Mot
941B	1PMT5941BT3	Z-Diode	47V±5%, 31mA, 2,5W	DO-216AA	4d	Mot
941B	1SMB5941	Z-Diode	47V±5%, 1,5W	SMB	1d	Pjt
941B	1SMB5941B3	Z-Diode	47V±5%, 8mA, 3W, Zzt=67Ω	403A-03	3d	Mot
941B	1SMB5941BT3	Z-Diode	47V±5%, 8mA, 3W, Zzt=67Ω	403A-03	3d	Mot
942B	1PMT5942BT3	Z-Diode	51V±5%, 29mA, 2,5W	DO-216AA	4d	Mot
942B	1SMB5942	Z-Diode	51V±5%, 1,5W	SMB	1d	Pjt
942B	1SMB5942B3	Z-Diode	51V±5%, 7,3mA, 3W, Zzt=70Ω	403A-03	3d	Mot
942B	1SMB5942BT3	Z-Diode	51V±5%, 7,3mA, 3W, Zzt=70Ω	403A-03	3d	Mot
943B	1PMT5943BT3	Z-Diode	56V±5%, 26mA, 2,5W	DO-216AA	4d	Mot
943B	1SMB5943	Z-Diode	56V±5%, 1,5W	SMB	1d	Pjt
943B	1SMB5943B3	Z-Diode	56V±5%, 6,7mA, 3W, Zzt=86Ω	403A-03	3d	Mot
943B	1SMB5943BT3	Z-Diode	56V±5%, 6,7mA, 3W, Zzt=86Ω	403A-03	3d	Mot
944B	1PMT5944BT3	Z-Diode	62V±5%, 24mA, 2,5W	DO-216AA	4d	Mot
944B	1SMB5944	Z-Diode	62V±5%, 1,5W	SMB	1d	Pjt

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
944B	1SMB5944B3	Z-Diode	62V±5%, 6mA, 3W, Zzt=100Ω	403A-03	3d	Mot
944B	1SMB5944BT3	Z-Diode	62V±5%, 6mA, 3W, Zzt=100Ω	403A-03	3d	Mot
945B	1PMT5945BT3	Z-Diode	68V±5%, 22mA, 2.5W	DO-216AA	4d	Mot
945B	1SMB5945	Z-Diode	68V±5%, 1.5W	SMB	1d	Pjt
945B	1SMB5945B3	Z-Diode	68V±5%, 5.5mA, 3W, Zzt=120Ω	403A-03	3d	Mot
945B	1SMB5945BT3	Z-Diode	68V±5%, 5.5mA, 3W, Zzt=120Ω	403A-03	3d	Mot
946B	1PMT5946BT3	Z-Diode	75V±5%, 20mA, 2.5W	DO-216AA	4d	Mot
946B	1SMB5946	Z-Diode	75V±5%, 1.5W	SMB	1d	Pjt
946B	1SMB5946B3	Z-Diode	75V±5%, 5mA, 3W, Zzt=140Ω	403A-03	3d	Mot
946B	1SMB5946BT3	Z-Diode	75V±5%, 5mA, 3W, Zzt=140Ω	403A-03	3d	Mot
947B	1PMT5947BT3	Z-Diode	82V±5%, 18mA, 2.5W	DO-216AA	4d	Mot
947B	1SMB5947	Z-Diode	82V±5%, 1.5W	SMB	1d	Pjt
947B	1SMB5947B3	Z-Diode	82V±5%, 4.6mA, 3W, Zzt=160Ω	403A-03	3d	Mot
947B	1SMB5947BT3	Z-Diode	82V±5%, 4.6mA, 3W, Zzt=160Ω	403A-03	3d	Mot
948B	1PMT5948BT3	Z-Diode	91V±5%, 16mA, 2.5W	DO-216AA	4d	Mot
948B	1SMB5948	Z-Diode	91V±5%, 1.5W	SMB	1d	Pjt
948B	1SMB5948B3	Z-Diode	91V±5%, 4.1mA, 3W, Zzt=200Ω	403A-03	3d	Mot
948B	1SMB5948BT3	Z-Diode	91V±5%, 4.1mA, 3W, Zzt=200Ω	403A-03	3d	Mot
949B	1SMB5949	Z-Diode	100V±5%, 1.5W	SMB	1d	Pjt
949B	1SMB5949B3	Z-Diode	100V±5%, 3.7mA, 3W, Zzt=250Ω	403A-03	3d	Mot
949B	1SMB5949BT3	Z-Diode	100V±5%, 3.7mA, 3W, Zzt=250Ω	403A-03	3d	Mot
95	UDZ24B	Z-Diode	24V±2.5%, 200mW	SOD-323	5d	Rhm
95	UDZS24B	Z-Diode	24V 10%, 5mA, 200mW	SOD-106	1d	Rhm
95	VDZS24B	Z-Diode	24V 10%, 5mA, 100mW	VMD2	5d	Rhm
950B	1SMB5950	Z-Diode	110V±5%, 1.5W	SMB	1d	Pjt
950B	1SMB5950B3	Z-Diode	110V±5%, 3.4mA, 3W, Zzt=300Ω	403A-03	3d	Mot
950B	1SMB5950BT3	Z-Diode	110V±5%, 3.4mA, 3W, Zzt=300Ω	403A-03	3d	Mot
951B	1SMB5951	Z-Diode	120V±5%, 1.5W	SMB	1d	Pjt
951B	1SMB5951B3	Z-Diode	120V±5%, 3.1mA, 3W, Zzt=380Ω	403A-03	3d	Mot
951B	1SMB5951BT3	Z-Diode	120V±5%, 3.1mA, 3W, Zzt=380Ω	403A-03	3d	Mot
952B	1SMB5952	Z-Diode	130V±5%, 1.5W	SMB	1d	Pjt
952B	1SMB5952B3	Z-Diode	130V±5%, 2.9mA, 3W, Zzt=450Ω	403A-03	3d	Mot
952B	1SMB5952BT3	Z-Diode	130V±5%, 2.9mA, 3W, Zzt=450Ω	403A-03	3d	Mot
953B	1SMB5953	Z-Diode	150V±5%, 1.5W	SMB	1d	Pjt
953B	1SMB5953B3	Z-Diode	150V±5%, 2.5mA, 3W, Zzt=600Ω	403A-03	3d	Mot
953B	1SMB5953BT3	Z-Diode	150V±5%, 2.5mA, 3W, Zzt=600Ω	403A-03	3d	Mot
954B	1SMB5954	Z-Diode	160V±5%, 1.5W	SMB	1d	Pjt
954B	1SMB5954B3	Z-Diode	160V±5%, 2.3mA, 3W, Zzt=700Ω	403A-03	3d	Mot
954B	1SMB5954BT3	Z-Diode	160V±5%, 2.3mA, 3W, Zzt=700Ω	403A-03	3d	Mot
955B	1SMB5955	Z-Diode	180V±5%, 1.5W	SMB	1d	Pjt
955B	1SMB5955B3	Z-Diode	180V±5%, 2.1mA, 3W, Zzt=900Ω	403A-03	3d	Mot
955B	1SMB5955BT3	Z-Diode	180V±5%, 2.1mA, 3W, Zzt=900Ω	403A-03	3d	Mot
956B	1SMB5956	Z-Diode	200V±5%, 1.5W	SMB	1d	Pjt
956B	1SMB5956B3	Z-Diode	200V±5%, 1.9mA, 3W, Zzt=1200Ω	403A-03	3d	Mot
956B	1SMB5956BT3	Z-Diode	200V±5%, 1.9mA, 3W, Zzt=1200Ω	403A-03	3d	Mot
9A	MM1Z2V0B	Z-Diode	2V±2%, 500mW	SOD-123	5d	Sme
9B	MM1Z2V2B	Z-Diode	2.2V±2%, 500mW	SOD-123	5d	Sme
9C	MM1Z2V4B	Z-Diode	2.4V±2%, 500mW	SOD-123	5d	Sme
9D	MM1Z2V7B	Z-Diode	2.7V±2%, 500mW	SOD-123	5d	Sme
9E	MM1Z3V0B	Z-Diode	3V±2%, 500mW	SOD-123	5d	Sme
9F	MM1Z3V3B	Z-Diode	3.3V±2%, 500mW	SOD-123	5d	Sme
9H	MM1Z3V6B	Z-Diode	3.6V±2%, 500mW	SOD-123	5d	Sme
9J	MM1Z3V9B	Z-Diode	3.9V±2%, 500mW	SOD-123	5d	Sme
9K	MM1Z4V3B	Z-Diode	4.3V±2%, 500mW	SOD-123	5d	Sme
9M	MM1Z4V7B	Z-Diode	4.7V±2%, 500mW	SOD-123	5d	Sme
9N	CMDZ2L2	Z-Diode	2.2V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
9N	MM1Z5V1B	Z-Diode	5.1V±2%, 500mW	SOD-123	5d	Sme
9P	CMDZ39L	Z-Diode	39V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
9P	MM1Z5V6B	Z-Diode	5.6V±2%, 500mW	SOD-123	5d	Sme
9P1	SML4739	Z-Diode	9.1V, Zzt=5Ω	DO-214AC	1d	Gse
9R	MM1Z6V2B	Z-Diode	6.2V±2%, 500mW	SOD-123	5d	Sme
9V1	P6SMBJ9V1	Z-Diode/TVS	8.19..10V, 44A, 600W(1ms)	DO-214AA	1d	Lif
9V1A	1.5SMC9.1A	Z-Diode/TVS	8.65..9.55V, 112A, 1500W(1ms)	DO-214AB	1d	Vis
9V1A	1.5SMC9.1AT3	Z-Diode/TVS	9.1V, 112A, 1500W(1ms)	403	3d	Mot,Ons
9V1A	P4SMA9.1A	Z-Diode/TVS	8.65..9.55V, 29.9A, 400W(1ms)	DO-214AC	1d	Vis
9V1A	P6SMB9.1A	Z-Diode/TVS	8.65..9.55V, 44.8A, 600W(1ms)	DO-214AA	1d	Vis
9V1A	P6SMB9.1AT3	Z-Diode/TVS	9.1V, 45A, 600W(1ms)	403A	3d	Mot,Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
9V1A	P6SMBJ9V1A	Z-Diode/TVS	8.65..9.55V, 45A, 600W (1ms)	DO-214AA	1d	Lif
9V1C	1.5SMC9.1CA	Z-Diode/TVS	8.65..9.55V, 112A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
9V1C	P4SMA9.1CA	Z-Diode/TVS	8.65..9.55V, 29.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Vis
9V1C	P6SMB9.1CA	Z-Diode/TVS	8.65..9.55V, 44.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
9V1C	P6SMBJ9V1C	Z-Diode/TVS	8.19..10V, 44A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
9V1CA	P6SMBJ9V1CA	Z-Diode/TVS	8.65..9.55V, 45A, 600W (1ms), Bidirectional	DO-214AA	1c	Lif
9V1PH	BZD27-C9V1	Z-Diode	9.1V±5%, 2.3W	SOD-87	15d	Phi
9X	MM1Z6V8B	Z-Diode	6.8V±2%, 500mW	SOD-123	5d	Sme
9Y	MM1Z7V5B	Z-Diode	7.5V±2%, 500mW	SOD-123	5d	Sme
9Z	MM1Z8V2B	Z-Diode	8.2V±2%, 500mW	SOD-123	5d	Sme
a	BAR50-02V	Pin-Diode	RF-Att, 50V, 100mA, 250mW, Vf<1.1V(50mA), <0.5pF	SC-79	6d	Inf
A	1SS400	Si-Diode	Switching, 80V, 100mA, Vf<1.2V(100mA), <4ns	SOD-523	6d	Lrc,Rhm
A	BA892-02V	Si-Diode	VHF, TV-Band-Sw, 35V, 0.1A, Vf<1V(100mA), 1.4pF, <120ns	SC-79	6d	Inf
A	EP05Q04	Si-Diode	Schottky Rect., 40V, 500mA, Vf<0.51V(500mA)	SOD-123	5d	Nih
A (blue)	BAR50-03W	Pin-Diode	RF-Att, 50V, 100mA, 250mW, Vf<1.1V(50mA), <0.5pF	SOD-323	5d	Inf
A (white)	BAT14-098	Si-Diode	Schottky, 4V, 90mA, Vf<0.55V, Cd<0.35pF	SOD-123	5d	Sie
A05	SMBYW02-50	Si-Diode	Rectifier, Fast Recovery, 50V, 2A, Vf<0.65V(1A), <35ns	DO-214AA	1d	Ste
A1	BA591	Si-Diode	VHF, TV-Band-Sw, 35V, 100mA, 0.5W, 0.8pF	SOD-323	5d	Phi
A1	BA5240	Si-Diode	Schottky Barrier, 40V, 120mA, Vf<1V(40mA), <5pF	SOD110	12d	Phi
A1	BZX884-B2V4	Z-Diode	2.4V±2%, 250mW	SOD882	13d	Phi
A1	FSS12	Si-Diode	Schottky Fast Rectifier, 20V, 1A, Vf<0.75V(1A)	DO-214AC	1d	Fag
A1	MMSZ10T1	Z-Diode	10V±5%, 0.5W, Zzt=20Ω	SOD-123	5d	Mot
A10	SMBYW02-100	Si-Diode	Rectifier, Fast Recovery, 100V, 2A, Vf<0.71(1A), <35ns	DO-214AA	1d	Ste
A10	SSCD110	Si-Diode	Schottky Barrier Rectifier, 100V, 1A, Vf<0.85V(1A)	1206	14d	Zow
A15	SMBYW02-150	Si-Diode	Rectifier, Fast Recovery, 150V, 2A, Vf<0.85V(1A), <35ns	DO-214AA	1d	Ste
A2	1N4148W	Si-Diode	Switching, Fast, 75V, 150mA, <2pF, <2ns	SOD-123	5d	Cen,Gse
A2	1N4148WS	Si-Diode	Switching, Fast, 75V, 150mA, <2pF, <2ns	SOD-323	5d	Gse,Pjt
A2	BA592	C-Diode	VHF, TV-Band-Sw, 35V, 0.1A, Vf<1V(100mA), 1.4pF, <120ns	SOD-323	5d	Phi
A2	BZX884-B2V7	Z-Diode	2.7V±2%, 250mW	SOD882	13d	Phi
A2	EDZS5.1B	Z-Diode	5.1V 10%, 5mA, 100mW	SOD-523	6d	Rhm
A2	FSS13	Si-Diode	Schottky Barrier Rectifier, 30V, 1A, Vf<0.75V(1A)	DO-214AC	1d	Fag
A2	MMSZ11T1	Z-Diode	11V±5%, 0.5W, Zzt=20Ω	SOD-123	5d	Mot
A2	MSCD102	Si-Diode	Schottky Barrier Rectifier, 20V, 1A, Vf<0.45V(1A)	0805	14d	Zow
A2	SSCD102	Si-Diode	Schottky Barrier Rectifier, 20V, 1A, Vf<0.5V(1A)	1206	14d	Zow
A2	UDZ5.1B	Z-Diode	5.1V±2.5%, 200mW	SOD-323	5d	Rhm
A2	UDZS5.1B	Z-Diode	5.1V 10%, 5mA, 200mW	SOD-106	1d	Rhm
A2	VDZS5.1B	Z-Diode	5.1V 10%, 5mA, 100mW	VMD2	5d	Rhm
A20	SMBYW02-200	Si-Diode	Rectifier, Fast Recovery, 200V, 2A, Vf<0.91V(1A), <35ns	DO-214AA	1d	Ste
A3	1N4448W	Si-Diode	Switching, Fast, 100V, 500mA, <2pF, <4ns	SOD-123	5d	Cen
A3	1N4448WS	Si-Diode	Switching, Fast, 100V, 500mA, <2pF, <4ns	SOD-323	5d	Gse,Pjt
A3	BAP64-03	PIN-Diode	RF, 175V, 100mA, 0.35pF, 2Ω(10mA/100MHz), 500mW	SOD-323	5d	Phi
A3	BZX884-B3V0	Z-Diode	3V±2%, 250mW	SOD882	13d	Phi
A3	FSS14	Si-Diode	Schottky Barrier Rectifier, 40V, 1A, Vf<0.75V(1A)	DO-214AC	1d	Fag
A3	MMSZ12T1	Z-Diode	12V±5%, 0.5W, Zzt=25Ω	SOD-123	5d	Mot
A4	1N4150W	Si-Diode	Fast, Switching, 50V, 0.2A, <2.5pF(0V), <4ns	SOD-323	5d	Cen
A4	BAT760	Si-Diode	Schottky, Sw, U-Fst, 20V, 1A, Vf<0.55V(1A), <0.3ns	SOD-323	5d	Phi
A4	BZX884-B3V3	Z-Diode	3.3V±2%, 250mW	SOD882	13d	Phi
A4	FSS15	Si-Diode	Schottky Barrier Rectifier, 50V, 1A, Vf<0.75V(1A)	DO-214AC	1d	Fag
A4	MMSZ13T1	Z-Diode	13V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Mot
A4	MSCD104	Si-Diode	Schottky Barrier Rectifier, 40V, 1A, Vf<0.5V(1A)	0805	14d	Zow
A4	SSCD104	Si-Diode	Schottky Barrier Rectifier, 40V, 1A, Vf<0.5V(1A)	1206	14d	Zow
A5	1N4151W	Si-Diode	Fast, Switching, 75V, 0.2A, <2.5pF(0V), <4ns	SOD-323	5d	Cen
A5	BAP51-03	PIN-Diode	RF, 50V, 50mA, 500mW, 0.35pF, 5.5Ω(10mA/100MHz)	SOD-323	5d	Phi
A5	BZX884-B3V6	Z-Diode	3.6V±2%, 250mW	SOD882	13d	Phi
A5	FSS16	Si-Diode	Schottky Barrier Rectifier, 60V, 1A, Vf<0.75V(1A)	DO-214AC	1d	Fag
A5	HVC317B	C-Diode	UHF-Tuning, 30V, 0.6..9pF(25..1V..25V, 1MHz)	UFP	6d	Ren
A5	MMSZ15T1	Z-Diode	15V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Mot
A5	UDZ27B	Z-Diode	27V±2.5%, 200mW	SOD-323	5d	Rhm
A5	UDZS27B	Z-Diode	27V 10%, 5mA, 200mW	SOD-106	1d	Rhm
A5	VDZS27B	Z-Diode	27V 10%, 5mA, 100mW	VMD2	5d	Rhm
A6	BAS16-02L	Si-Diode	Switching, Fast, 80V, 200mA, 250mW, <6ns	TSLP-2-1	13d	Inf
A6	BAS16-02W	Si-Diode	Switching, Fast, 80V, 200mA, 250mW, <6ns	SCD-80	6d	Inf
A6	BAS16D	Si-Diode	Switching, Fast, 75V, 200mA, 200mW, <6ns	SOD-123	5d	Cen
A6	BAS16HT	Si-Diode	Switching, Fast, 75V, 200mA, 200mW, <6ns	SOD-323	5d	Ons
A6	BAS216	Si-Diode	Switching, Fast, 75V, 250mA, 400mW, <4ns	SOD110	12d	Phi
A6	BAS316	Si-Diode	Switching, Hi-Speed, 85V, 250mA, 400mW, 1.5pF, <4ns	SOD-323	5d	Phi
A6	BAV16W	Si-Diode	Switching, Fast, 100V, 300mA, <2pF, <2ns	SOD-123	5d	Gse,Pjt

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
A6	BAV16WS	Si-Diode	Switching, Fast, 100V, 300mA, <2pF, <2ns	SOD-323	5d	Gse,Pjt
A6	BZX884-B3V9	Z-Diode	3,9V±2%, 250mW	SOD882	13d	Phi
A6	MSCD106	Si-Diode	Schottky Barrier Rectifier, 60V, 1A, Vf<0,65V(1A)	0805	14d	Zow
A6	SSCD106	Si-Diode	Schottky Barrier Rectifier, 60V, 1A, Vf<0,7V(1A)	1206	14d	Zow
A7	BAS321	Si-Diode	GP, 250V, 250mA, 300mW, Vf<1,2V(200mA), 2pF, <50ns	SOD-323	5d	Phi
A7	BZX884-B4V3	Z-Diode	4,3V±2%, 250mW	SOD882	13d	Phi
A7	RKV500DDKK	C-Diode	TV-VCR-Tuners, 34V, C2=14.15..15.75pF, n>6,3, Rs<0,57Ω	SFP	8d	Ren
A8	BAP50-03	PIN-Diode	RF, 50V, 50mA, 0,3pF, 3Ω(10mA/100MHz), 500mW	SOD-323	5d	Phi
A8	BAV19W	Si-Diode	Switching, 100V, 200mA, Vf<1,25V(200mA), <50ns	SOD-123	5d	Gen,Dii
A8	BAV19WS	Si-Diode	Switching, 100V, 200mA, Vf<1,25V(200mA), <50ns	SOD-323	5d	Dil
A8	BZX884-B4V7	Z-Diode	4,7V±2%, 250mW	SOD882	13d	Phi
A8	RKV5010DDKK	C-Diode	TV-VCR-Tuners, 34V, C2=14.15..15.75pF, n>6,3, Rs<0,57Ω	SFP	6d	Ren
A9	BAV20W	Si-Diode	Switching, 150V, 200mA, Vf<1,25V(200mA), <50ns	SOD-123	5d	Gen
A9	BZX884-B5V1	Z-Diode	5,1V±2%, 250mW	SOD882	13d	Phi
A9	RKV5020DDKK	Si-Diode	HF, Switching, 35V, Vf<1V(10mA), <1,2pF, Rf<0,7Ω	SFP	6d	Ren
AA	BA892	Si-Diode	VHF, TV-Band-Sw, 35V, 0,1A, Vf<1V(100mA), 1,4pF, <120ns	SCD80	6d	Inf
AA	BA892-02L	Si-Diode	VHF, TV-Band-Sw, 35V, 0,1A, Vf<1V(100mA), 1,4pF, <120ns	TSLP-2-1	13d	Inf
AA	BAV21W	Si-Diode	Switching, 200V, 200mA, Vf<1,25V(200mA), <50ns	SOD-123	5d	Gen
AA	BZX884-B5V6	Z-Diode	5,6V±2%, 250mW	SOD882	13d	Phi
AA	MAZU200	Z-Diode	200V, 200mA, 150mW	SMini	9d	Pan
AA	MAZU200-L	Z-Diode	200V, 200mA, 150mW	SMini	9d	Pan
AA	SMAJ5.0CA	Z-Diode/TVS	5V, 43.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
AA	ZMV829A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 8,2pF(2V), ΔC ±10%	SOD-323	5d	Ztx
AB	BAR50-02L	Pin-Diode	RF-Ant, 50V, 100mA, 250mW, Vf<1,1V(50mA), <0,5pF	TSLP-2-1	13d	Inf
AB	BZX884-B6V2	Z-Diode	6,2V±2%, 250mW	SOD882	13d	Phi
AB	MAZU200	Z-Diode	200V, 200mA, 150mW	SMini	9d	Pan
AB	MAZU200-H	Z-Diode	200V, 200mA, 150mW	SMini	9d	Pan
AB	ZMV830A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 10pF(2V), ΔC ±10%	SOD-323	5d	Ztx
AC	BZX884-B6V8	Z-Diode	6,8V±2%, 250mW	SOD882	13d	Phi
AC	MAZU220	Z-Diode	220V, 200mA, 150mW	SMini	9d	Pan
AC	MAZU220-L	Z-Diode	220V, 200mA, 150mW	SMini	9d	Pan
AC	SMAJ10CA	Z-Diode/TVS	10V, 21.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
AC	ZMV831A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±10%	SOD-323	5d	Ztx
AD	BZX884-B7V5	Z-Diode	7,5V±2%, 250mW	SOD882	13d	Phi
AD	MAZU220	Z-Diode	220V, 200mA, 150mW	SMini	9d	Pan
AD	MAZU220-H	Z-Diode	220V, 200mA, 150mW	SMini	9d	Pan
AD	P4SMA6.8	Z-Diode/TVS	6,8V, 38A, 400W (1ms),	DO-214AC	1d	Fag
AD	P6SMBJ5.0C	Z-Diode/TVS	5V, 62.5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AD	SMAJ5.0	Z-Diode/TVS	5V, 41.7A, 400W (1ms)	DO-214AC	1d	Vis
AD	SMBG5.0C	Z-Diode/TVS	5V, 62.5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AD	SMBJ5.0C	Z-Diode/TVS	5V, 62.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AD	TV04A5V0K	Z-Diode/TVS	5V 10%, 41.6A, 400W(1ms)	DO-214AC	1d	Cmc
AD	TV06B5V0KB	Z-Diode/TVS	5V 10%, 62.5A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
AD	ZMV832A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±10%	SOD-323	5d	Ztx
ADP	TPSMA6.8	Z-Diode/TVS	6,8V, 37A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AE	BZX884-B8V2	Z-Diode	8,2V±2%, 250mW	SOD882	13d	Phi
AE	MAZU240	Z-Diode	240V, 200mA, 150mW	SMini	9d	Pan
AE	MAZU240-L	Z-Diode	240V, 200mA, 150mW	SMini	9d	Pan
AE	P4SMA6.8A	Z-Diode/TVS	6,8V, 40A, 400W (1ms),	DO-214AC	1d	Fag
AE	P6SMBJ5.0AC	Z-Diode/TVS	5V, 62.5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AE	SMAJ5.0A	Z-Diode/TVS	5V, 43.5A, 400W (1ms)	DO-214AC	1d	Ste,Vis
AE	SMBG5.0CA	Z-Diode/TVS	5V, 62.2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AE	SMBJ5.0CA	Z-Diode/TVS	5V, 62.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AE	TV04A5V0J	Z-Diode/TVS	5V 5%, 43.5A, 400W(1ms)	DO-214AC	1d	Cmc
AE	TV06B5V0JB	Z-Diode/TVS	5V 5%, 62.2A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
AE	ZMV833A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 33pF(2V), ΔC ±10%	SOD-323	5d	Ztx
AEP	TPSMA6.8A	Z-Diode/TVS	6,8V 38,1A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AF	BZX884-B9V1	Z-Diode	9,1V±2%, 250mW	SOD882	13d	Phi
AF	MAZD043	Z-Diode	4..4.6V, 120mW	SSSMin2	7d	Pan
AF	MAZU240	Z-Diode	240V, 200mA, 150mW	SMini	9d	Pan
AF	MAZU240-M	Z-Diode	240V, 200mA, 150mW	SMini	9d	Pan
AF	P4SMA7.5	Z-Diode/TVS	7,5V, 36A, 400W (1ms),	DO-214AC	1d	Fag
AF	P6SMBJ6.0C	Z-Diode/TVS	6V, 52.6A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AF	SMAJ6.0	Z-Diode/TVS	6V, 35.1A, 400W (1ms)	DO-214AC	1d	Vis
AF	SMBG6.0C	Z-Diode/TVS	6V, 52.6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AF	SMBJ6.0C	Z-Diode/TVS	6V, 52.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AF	TV04A6V0K	Z-Diode/TVS	6V 10%, 35.1A, 400W(1ms)	DO-214AC	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
AF	TV06B6V0KB	Z-Diode/TVS	6V 10%, 52 6A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
AF	ZMV834A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 47pF(2V), ΔC ±10%	SOD-323	5d	Ztx
AFP	TPSMA7 5	Z-Diode/TVS	7,5V, 34,2A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AG	BZX884-B10	Z-Diode	10V±2%, 250mW	SOD882	13d	Phi
AG	P4SMA7 5A	Z-Diode/TVS	7,5V, 37A, 400W (1ms),	DO-214AC	1d	Fag
AG	P6SMBJ6 0AC	Z-Diode/TVS	6V, 58 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AG	SMAJ6 0A	Z-Diode/TVS	6V, 38 8A, 400W (1ms)	DO-214AC	1d	Vis
AG	SMBG6 0CA	Z-Diode/TVS	6V, 58 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AG	SMBJ6 0CA	Z-Diode/TVS	6V, 58 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AG	TV04A6V0J	Z-Diode/TVS	6V 5%, 38A, 400W (1ms)	DO-214AC	1d	Cmc
AG	TV06B6V0JB	Z-Diode/TVS	6V 5%, 58 3A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
AG	ZMV835A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 68pF(2V), ΔC ±10%	SOD-323	5d	Ztx
AGP	TPSMA7 5A	Z-Diode/TVS	7,5V, 35,4A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AH	BZX884-B11	Z-Diode	11V±2%, 250mW	SOD882	13d	Phi
AH	MAZU240	Z-Diode	240V, 200mA, 150mW	SMini	9d	Pan
AH	MAZU240-H	Z-Diode	240V, 200mA, 150mW	SMini	9d	Pan
AH	P4SMA8 2	Z-Diode/TVS	8,2V, 33A, 400W (1ms),	DO-214AC	1d	Fag
AH	P6SMBJ6 5C	Z-Diode/TVS	6 5V, 48 7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AH	SMAJ6 5	Z-Diode/TVS	6 5V, 32 5A, 400W (1ms)	DO-214AC	1d	Vis
AH	SMBG6 5C	Z-Diode/TVS	6,5V, 48 8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AH	SMBJ6 5C	Z-Diode/TVS	6,5V, 48 8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AH	TV04A6V5K	Z-Diode/TVS	6 5V 10%, 32 5A, 400W (1ms)	DO-214AC	1d	Cmc
AH	TV06B6V5KB	Z-Diode/TVS	6 5V 10%, 48 7A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
AH	ZMV930TA	C-Diode	VHF-Tuning, 12V, 4,3 5,5pF(2,5V)	SOD-323	5d	Ztx
AHP	TPSMA8 2	Z-Diode/TVS	8,2V, 32A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AI	MAZU270	Z-Diode	270V, 200mA, 150mW	SMini	9d	Pan
AI	MAZU270-L	Z-Diode	270V, 200mA, 150mW	SMini	9d	Pan
AJ	BZX884-B12	Z-Diode	12V±2%, 250mW	SOD882	13d	Phi
AJ	SMAJ15CA	Z-Diode/TVS	15V, 16 4A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
AJ	ZMV931TA	C-Diode	VHF-Tuning, 12V, 6,5 7,8pF(2,5V)	SOD-323	5d	Ztx
AK	BZX884-B13	Z-Diode	13V±2%, 250mW	SOD882	13d	Phi
AK	MAZU270	Z-Diode	270V, 200mA, 150mW	SMini	9d	Pan
AK	MAZU270-M	Z-Diode	270V, 200mA, 150mW	SMini	9d	Pan
AK	P4SMA8 2A	Z-Diode/TVS	8,2V, 35A, 400W (1ms),	DO-214AC	1d	Fag
AK	P6SMBJ6 5AC	Z-Diode/TVS	6 5V, 53 6A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AK	SMAJ6 5A	Z-Diode/TVS	6 5V, 35 7A, 400W (1ms)	DO-214AC	1d	Vis
AK	SMBG6 5CA	Z-Diode/TVS	6,5V, 53 6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AK	SMBJ6 5CA	Z-Diode/TVS	6,5V, 53 6A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AK	TV04A6V5J	Z-Diode/TVS	6 5V 5%, 35 7A, 400W (1ms)	DO-214AC	1d	Cmc
AK	TV06B6V5JB	Z-Diode/TVS	6 5V 5%, 53 6A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
AK	ZMV932TA	C-Diode	VHF-Tuning, 12V, 8,5 10,5pF(2,5V)	SOD-323	5d	Ztx
AK7	SM6T7V5CA	Z-Diode/TVS	7 13 7 88V, 53A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
AKP	TPSMA8 2A	Z-Diode/TVS	8,2V, 33,1A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AL	BZX884-B15	Z-Diode	15V±2%, 250mW	SOD882	13d	Phi
AL	MAZU270	Z-Diode	270V, 200mA, 150mW	SMini	9d	Pan
AL	MAZU270-H	Z-Diode	270V, 200mA, 150mW	SMini	9d	Pan
AL	P4SMA9 1	Z-Diode/TVS	8,1V, 30A, 400W (1ms),	DO-214AC	1d	Fag
AL	P6SMBJ7 0C	Z-Diode/TVS	7V, 45 1A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AL	SMAJ7 0	Z-Diode/TVS	7V, 30 1A, 400W (1ms)	DO-214AC	1d	Vis
AL	SMBG7 0C	Z-Diode/TVS	7V, 45 1A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AL	SMBJ7 0C	Z-Diode/TVS	7V, 45 1A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AL	TV04A7V0K	Z-Diode/TVS	7V 10%, 30 1A, 400W (1ms)	DO-214AC	1d	Cmc
AL	TV06B7V0KB	Z-Diode/TVS	7V 10%, 45 1A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
AL	ZMV933TA	C-Diode	VHF-Tuning, 12V, 18 27pF(2,5V)	SOD-323	5d	Ztx
ALP	TPSMA9 1	Z-Diode/TVS	9,1V, 29A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AM	MAZU300	Z-Diode	300V, 200mA, 150mW	SMini	9d	Pan
AM	MAZU300-L	Z-Diode	300V, 200mA, 150mW	SMini	9d	Pan
AM	P4SMA9 1A	Z-Diode/TVS	8,1V, 31A, 400W (1ms),	DO-214AC	1d	Fag
AM	P6SMBJ7 0AC	Z-Diode/TVS	7V, 50A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AM	SMAJ7 0A	Z-Diode/TVS	7V, 33 3A, 400W (1ms)	DO-214AC	1d	Vis
AM	SMBG7 0CA	Z-Diode/TVS	7V, 50A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AM	SMBJ7 0CA	Z-Diode/TVS	7V, 50A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AM	TV04A7V0J	Z-Diode/TVS	7V 5%, 33 3A, 400W (1ms)	DO-214AC	1d	Cmc
AM	TV06B7V0JB	Z-Diode/TVS	7V 5%, 5A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
AM	ZMV933ATA	C-Diode	VHF-Tuning, 12V, 20 24,7pF(2,5V)	SOD-323	5d	Ztx
AMP	TPSMA9 1A	Z-Diode/TVS	9,1V, 29 9A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AN	MAZU300	Z-Diode	300V, 200mA, 150mW	SMini	9d	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
AN	MAZU300-M	Z-Diode	300V, 200mA, 150mW	SMini	9d	Pan
AN	P4SMA10	Z-Diode/TVS	10V, 28A, 400W (1ms),	DO-214AC	1d	Fag
AN	P6SMBJ7.5C	Z-Diode/TVS	7.5V, 42A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AN	SMAJ7.5	Z-Diode/TVS	7.5V, 28A, 400W (1ms)	DO-214AC	1d	Vis
AN	SMBG7.5C	Z-Diode/TVS	7.5V, 42A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AN	SMBJ7.5C	Z-Diode/TVS	7.5V, 42A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AN	TV04A7V5K	Z-Diode/TVS	7.5V 10%, 28A, 400W(1ms)	DO-214AC	1d	Cmc
AN	TV06B7V5KB	Z-Diode/TVS	7.5V 10%, 42A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
AN	ZMV934TA	C-Diode	VHF-Tuning, 12V, 40...65pF(2,5V)	SOD-323	5d	Ztx
ANP	TPSMA10	Z-Diode/TVS	10V, 26.7A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AO	MAZU300	Z-Diode	300V, 200mA, 150mW	SMini	9d	Pan
AO	MAZU300-H	Z-Diode	300V, 200mA, 150mW	SMini	9d	Pan
AO	ZMV934ATA	C-Diode	VHF-Tuning, 12V, 47...57pF(2,5V)	SOD-323	5d	Ztx
AP	CMDZ2L4	Z-Diode	2.4V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
AP	MAZU330	Z-Diode	330V, 200mA, 150mW	SMini	9d	Pan
AP	MAZU330-L	Z-Diode	330V, 200mA, 150mW	SMini	9d	Pan
AP	P4SMA10A	Z-Diode/TVS	10V, 29A, 400W (1ms),	DO-214AC	1d	Fag
AP	P6SMBJ7.5AC	Z-Diode/TVS	7.5V, 46.5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AP	SMAJ7.5A	Z-Diode/TVS	7.5V, 31A, 400W (1ms)	DO-214AC	1d	Vis
AP	SMBG7.5CA	Z-Diode/TVS	7.5V, 46.5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AP	SMBJ7.5CA	Z-Diode/TVS	7.5V, 46.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AP	TV04A7V5J	Z-Diode/TVS	7.5V 5%, 31A, 400W(1ms)	DO-214AC	1d	Cmc
AP	TV06B7V5JB	Z-Diode/TVS	7.5V 5%, 46.5A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
APP	TPSMA10A	Z-Diode/TVS	10V, 27.6A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AQ	P4SMA11	Z-Diode/TVS	11V, 26A, 400W (1ms),	DO-214AC	1d	Fag
AQ	P6SMBJ8.0C	Z-Diode/TVS	8V, 40A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AQ	SMAJ8.0	Z-Diode/TVS	8V, 26.7A, 400W (1ms)	DO-214AC	1d	Vis
AQ	SMBG8.0C	Z-Diode/TVS	8V, 40A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AQ	SMBJ8.0C	Z-Diode/TVS	8V, 40A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AQ	TV04A8V0K	Z-Diode/TVS	8V 10%, 26.5A, 400W(1ms)	DO-214AC	1d	Cmc
AQ	TV06B8V0KB	Z-Diode/TVS	8V 10%, 45A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
AQP	TPSMA11	Z-Diode/TVS	11V, 24.7A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AR	CMDZ43L	Z-Diode	43V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
AR	MAZU330	Z-Diode	330V, 200mA, 150mW	SMini	9d	Pan
AR	MAZU330-M	Z-Diode	330V, 200mA, 150mW	SMini	9d	Pan
AR	P4SMA11A	Z-Diode/TVS	11V, 27A, 400W (1ms),	DO-214AC	1d	Fag
AR	P6SMBJ8.0AC	Z-Diode/TVS	8V, 44.1A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AR	SMAJ8.0A	Z-Diode/TVS	8V, 29.4A, 400W (1ms)	DO-214AC	1d	Vis
AR	SMBG8.0CA	Z-Diode/TVS	8V, 44.1A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AR	SMBJ8.0CA	Z-Diode/TVS	8V, 44.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AR	TV04A8V0J	Z-Diode/TVS	8V 5%, 29.4A, 400W(1ms)	DO-214AC	1d	Cmc
AR	TV06B8V0JB	Z-Diode/TVS	8V 5%, 44.1A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
ARP	TPSMA11A	Z-Diode/TVS	11V, 5.5A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AS	MAZU330	Z-Diode	330V, 200mA, 150mW	SMini	9d	Pan
AS	MAZU330-H	Z-Diode	330V, 200mA, 150mW	SMini	9d	Pan
AS	P4SMA12	Z-Diode/TVS	12V, 24A, 400W (1ms),	DO-214AC	1d	Fag
AS	P6SMBJ8.5C	Z-Diode/TVS	8.5V, 37.7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AS	SMAJ8.5	Z-Diode/TVS	8.5V, 25.2A, 400W (1ms)	DO-214AC	1d	Vis
AS	SMBG8.5C	Z-Diode/TVS	8.5V, 37.7A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AS	SMBJ8.5C	Z-Diode/TVS	8.5V, 37.7A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AS	TV04A8V5K	Z-Diode/TVS	8.5V 10%, 25.1A, 400W(1ms)	DO-214AC	1d	Cmc
AS	TV06B8V5KB	Z-Diode/TVS	8.5V 10%, 37.7A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
ASP	TPSMA12	Z-Diode/TVS	12V, 23.1A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AT	P4SMA12A	Z-Diode/TVS	12V, 25A, 400W (1ms),	DO-214AC	1d	Fag
AT	P6SMBJ8.5AC	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AT	SMAJ8.5A	Z-Diode/TVS	8.5V, 27.8A, 400W (1ms)	DO-214AC	1d	Vis
AT	SMBG8.5CA	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AT	SMBJ8.5CA	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AT	TV04A8V5J	Z-Diode/TVS	8.5V 5%, 27.7A, 400W(1ms)	DO-214AC	1d	Cmc
AT	TV06B8V5JB	Z-Diode/TVS	8.5V 5%, 41.7A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
AT7	SM6T10CA	Z-Diode/TVS	9.5, 10.5V, 41A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
ATP	TPSMA12A	Z-Diode/TVS	12V, 24.0A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AU	P4SMA13	Z-Diode/TVS	13V, 22A, 400W (1ms),	DO-214AC	1d	Fag
AU	P6SMBJ9.0C	Z-Diode/TVS	9V, 35.5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
AU	SMAJ9.0	Z-Diode/TVS	9V, 23.7A, 400W (1ms)	DO-214AC	1d	Vis
AU	SMBG9.0C	Z-Diode/TVS	9V, 35.5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AU	SMBJ9.0C	Z-Diode/TVS	9V, 35.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
AU	TV04A9V0K	Z-Diode/TVS	9V 10%, 23.6A, 400W (1ms)	DO-214AC	1d	Cmc
AU	TV06B9V0KB	Z-Diode/TVS	9V 10%, 35.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
AUP	TPSMA13	Z-Diode/TVS	13V, 21.1A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AV	P4SMA13A	Z-Diode/TVS	13V, 23A, 400W (1ms),	DO-214AC	1d	Fag
AV	P6SMBJ9.0AC	Z-Diode/TVS	9V, 39A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
AV	SMAJ9.0A	Z-Diode/TVS	9V, 26A, 400W (1ms)	DO-214AC	1d	Vis
AV	SMBG9.0CA	Z-Diode/TVS	9V, 39A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AV	SMBJ9.0CA	Z-Diode/TVS	9V, 39A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AV	TV04A9V0J	Z-Diode/TVS	9V 5%, 26A, 400W (1ms)	DO-214AC	1d	Cmc
AV	TV06B9V0JB	Z-Diode/TVS	9V 5%, 39A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
AVP	TPSMA13A	Z-Diode/TVS	13V, 22A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AW	P4SMA15	Z-Diode/TVS	15V, 19A, 400W (1ms),	DO-214AC	1d	Fag
AW	P6SMBJ10C	Z-Diode/TVS	10V, 31.9A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
AW	SMAJ10	Z-Diode/TVS	10V, 21.3A, 400W (1ms)	DO-214AC	1d	Vis
AW	SMBG10C	Z-Diode/TVS	10V, 31.9A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AW	SMBJ10C	Z-Diode/TVS	10V, 31.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
AW	TV04A100K	Z-Diode/TVS	10V 10%, 21.1A, 400W (1ms)	DO-214AC	1d	Cmc
AW	TV06B100KB	Z-Diode/TVS	10V 10%, 31.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
AWP	TPSMA15	Z-Diode/TVS	15V, 18A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AX	P4SMA15A	Z-Diode/TVS	15V, 20A, 400W (1ms),	DO-214AC	1d	Fag
AX	P6SMBJ10AC	Z-Diode/TVS	10V, 35.3A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
AX	SMAJ10A	Z-Diode/TVS	10V, 21.7A, 400W (1ms)	DO-214AC	1d	Ste,Vis
AX	SMBG10CA	Z-Diode/TVS	10V, 35.3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
AX	SMBJ10CA	Z-Diode/TVS	10V, 35.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
AX	TV04A100J	Z-Diode/TVS	10V 5%, 23.5A, 400W (1ms)	DO-214AC	1d	Cmc
AX	TV06B100JB	Z-Diode/TVS	10V 5%, 35.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
AX7	SM6T12CA	Z-Diode/TVS	11.4..12.6V, 36A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
AXP	TPSMA15A	Z-Diode/TVS	15V, 18.9A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AY	MMBD1000T1	Si-Diode	Switching, 30V, 200mA, 225mW, Vf<0.95V(10mA), <2pF	SOD-123	5d	Mot
AY	P4SMA16	Z-Diode/TVS	16V, 18A, 400W (1ms),	DO-214AC	1d	Fag
AY	P6SMBJ11C	Z-Diode/TVS	11V, 29.9A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
AY	SMAJ11	Z-Diode/TVS	11V, 19.9A, 400W (1ms)	DO-214AC	1d	Vis
AY	TV04A110K	Z-Diode/TVS	11V 10%, 20A, 400W (1ms)	DO-214AC	1d	Cmc
AY	TV06B110KB	Z-Diode/TVS	11V 10%, 29.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
AYP	TPSMA16	Z-Diode/TVS	16V, 17A, 400W (1ms)	DO-214AC	1d	Gse,Vis
AZ	MAZU190	Z-Diode	190V, 200mA, 150mW	SMinI	9d	Pan
AZ	P4SMA16A	Z-Diode/TVS	16V, 19A, 400W (1ms),	DO-214AC	1d	Fag
AZ	P6SMBJ11AC	Z-Diode/TVS	11V, 33A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
AZ	SMAJ11A	Z-Diode/TVS	11V, 22A, 400W (1ms)	DO-214AC	1d	Vis
AZ	SMBJ11CA	Z-Diode/TVS	11V, 33A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil
AZ	TV04A110J	Z-Diode/TVS	11V 5%, 22A, 400W (1ms)	DO-214AC	1d	Cmc
AZ	TV06B110JB	Z-Diode/TVS	11V 5%, 33A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
AZP	TPSMA16A	Z-Diode/TVS	16V, 17.8A, 400W (1ms)	DO-214AC	1d	Gse,Vis
B	BAS16-03W	Si-Diode	Switching, Fast, 80V, 200mA, 200mW, <6ns	SOD-323	5d	Inf
B	EP05Q06	Si-Diode	Schottky Rect., 60V, 500mA, Vf<0.62V(500mA)	SOD-123	5d	Nih
B	RBS20S-30	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<0.6V(200mA)	SOD-523	6d	Rhm,Trs
B (white)	BAT15-098	Si-Diode	Schottky, 4V, 110mA, Vf<0.32V, <0.35pF	SOD-123	5d	Sie
B0	BZX399-C4V3	Z-Diode	4.3V±5%, 300mW	SOD-323	5d	Phi
B1	BZX399-C1V8	Z-Diode	1.8V±5%, 300mW	SOD-323	5d	Phi
B1	BZX884-C2V4	Z-Diode	2.4V±5%, 250mW	SOD882	13d	Phi
B1	FSS22	Si-Diode	Schottky Barrier Rectifier, 20V, 2A, Vf<0.7V(2A)	DO-214AA	1d	Fag
B1	SDB310D	Si-Diode	Schottky Barrier Rectifier, 30V, 200mA, 150mW, <10pF, <5ns	SOD-323	5d	Auk
B1	UDZ2V0B	Z-Diode	2V±2.5%, 200mW	SOD-323	5d	Dil
B110	MBRS1100T3	Si-Diode	Schottky, Rectifier, 100V, 1A, Vf<0.75V(1A)	SMB	3d	Mot
B110	SMAB110	Si-Diode	Schottky Barrier Rectifier, 100V, 1A, Vf<0.8V(1A)	SMA	1d	Kec
B12	MBRS120T3	Si-Diode	Schottky, Power Rectifier, 20V, 1A, Vf<0.52V(1A)	403A	3d	Ons
B13	MBRS130T3	Si-Diode	Schottky, Power Rectifier, 30V, 1A, Vf<0.55V(1A)	403A-03	3d	Ons
B13	SMAB13	Si-Diode	Schottky Barrier Rectifier, 30V, 1A, Vf<0.42V(1A)	SMA	1d	Kec
B130	MBRS130LT3	Si-Diode	Schottky, Power Rectifier, 30V, 1A, Vf<0.39V(1A)	403A-03	4d	Mot
B130	MBRS130T3	Si-Diode	Schottky, Power Rectifier, 30V, 1A, Vf<0.55V(1A)	403A	3d	Mot
B14	MBRA140T3	Si-Diode	Schottky, Rectifier, 40V, 1A, Vf<0.55V(1A)	SMA	1d	Ons
B14	MBRS140T3	Si-Diode	Schottky, Power Rectifier, 40V, 1A, Vf<0.55V(1A)	403A-03	3d	Ons
B14	SMAB14	Si-Diode	Schottky Barrier Rectifier, 40V, 1A, Vf<0.5V(1A)	SMA	1d	Kec
B140	MBRS140T3	Si-Diode	Schottky, Power Rectifier, 40V, 1A, Vf<0.55V(1A)	403A-03	3d	Mot
B14L	MBRS140LT3	Si-Diode	Schottky, Power Rectifier, 40V, 1A, Vf<0.55V(1A)	403A-03	3d	Ons
B16	MBRA160T3	Si-Diode	Schottky, Rectifier, 60V, 1A, Vf<0.47V(1A)	SMA	1d	Ons
B16	SMAB16	Si-Diode	Schottky Barrier Rectifier, 60V, 1A, Vf<0.58V(1A)	SMA	1d	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
B19	MBRS190T3	Si-Diode	Schottky, Power Rectifier, 90V, 1A, Vf=0.75V(1A)	403A-03	3d	Ons
B1C	MBRS1100T3	Si-Diode	Schottky, Power Rectifier, 100V, 1A, Vf=0.75V(1A)	403A	3d	Ons
B1E2	MBRA120ET3	Si-Diode	Schottky, Rectifier, 20V, 1A, Vf<0.45V(1A)	SMA	1d	Ons
B1L2	MBRA120LT3	Si-Diode	Schottky, Rectifier, 20V, 1A, Vf<0.3V(1A)	SMA	1d	Ons
B1L3	MBRA130LT3	Si-Diode	Schottky, Rectifier, 30V, 1A, Vf<0.41V(1A)	SMA	1d	Ons
B2	BZX399-C2V0	Z-Diode	2.0V±5%, 300mW	SOD-323	5d	Phi
B2	BZX884-C2V7	Z-Diode	2.7V±5%, 250mW	SOD882	13d	Phi
B2	FSS23	Si-Diode	Schottky Barrier Rectifier, 30V, 2A, Vf<0.7V(2A)	DO-214AA	1d	Fag
B2	MBR0520LT1	Si-Diode	Schottky, Power Rectifier, 20V, 500mA, Vf=0.33V(500mA)	SOD-123	5d	Ons
B2	MSCD052	Si-Diode	Schottky Barrier Rectifier, 20V, 0.5A, Vf<0.44V(0.5A)	0805	14d	Zow
B2	SMBYT01-200	Si-Diode	Rectifier, Fast Recovery, 200V, 1A, Vf<0.71V(1A), <25ns	DO-214AA	1d	Ste
B2	SSCD052	Si-Diode	Schottky Barrier Rectifier, 20V, 0.5A, Vf<0.42V(0.5A)	1206	14d	Zow
B2	UD22V2B	Z-Diode	2.2V±2.5%, 200mW	SOD-323	5d	Dil
B20	SMBYW01-200	Si-Diode	Rectifier, Fast Recovery, 200V, 1A, Vf<0.71V(1A), <25ns	DO-214AA	1d	Ste
B210	SMA8210	Si-Diode	Schottky Barrier Rectifier, 100V, 2A, Vf<0.8V(2A)	SMA	1d	Kec
B23	B230LA	Si-Diode	Schottky Rectifier, 30V, 2A, Vf<0.5V(2A)	DO-214AC	1d	Vis
B24	B240A	Si-Diode	Schottky Rectifier, 40V, 2A, Vf<0.55V(2A)	DO-214AC	1d	Vis
B26	MBRS260T3	Si-Diode	Schottky, Power Rectifier, 60V, 2A, Vf=0.51V(2A)	403A-03	3d	Ons
B2E1	MBRA210ET3	Si-Diode	Schottky, Rectifier, 10V, 2A, Vf<0.38V(1A)	SMB	1d	Ons
B2L1	MBRA210LT3	Si-Diode	Schottky, Rectifier, 10V, 2A, Vf<0.23V(1A)	SMB	1d	Ons
B2L1	MBRA210T3	Si-Diode	Schottky, Rectifier, 10V, 2A, Vf<0.23V(1A)	SMB	1d	Ons
B3	BZX399-C2V2	Z-Diode	2.2V±5%, 300mW	SOD-323	5d	Phi
B3	BZX884-C3V0	Z-Diode	3V±5%, 250mW	SOD882	13d	Phi
B3	FSS24	Si-Diode	Schottky Barrier Rectifier, 40V, 2A, Vf<0.7V(2A)	DO-214AA	1d	Fag
B3	HVC389B	C-Diode	VCO, 15V, 1.85..4.65pF(4..1V, 1MHz), <0.5Ω	UFP	6d	Ren
B3	MBR0530T1	Si-Diode	Schottky, Power Rectifier, 30V, 500mA, Vf=0.43V(500mA)	SOD-123	5d	Ons
B3	MBRA130LT3	Si-Diode	Schottky, Rectifier, 30V, 1A, Vf<0.41V(1A)	403B-01	3d	Mot
B3	MSCD053	Si-Diode	Schottky Barrier Rectifier, 30V, 0.5A, Vf<0.46V(0.5A)	0805	14d	Zow
B3	SMBYT01-300	Si-Diode	Rectifier, Fast Recovery, 300V, 1A, Vf<0.85V(1A), <25ns	DO-214AA	1d	Ste
B3	UD22V4B	Z-Diode	2.4V±2.5%, 200mW	SOD-323	5d	Dil
B310	MBRS3100T3	Si-Diode	Schottky, Power Rectifier, 100V, 3A, Vf=0.79V(2A)	403A-03	3d	Ons
B32	MBRS320T3	Si-Diode	Schottky, Power Rectifier, 20V, 3A, Vf=0.5V(2A)	403A-03	3d	Ons
B33	MBRS110T3	Si-Diode	Schottky, Power Rectifier, 100V, 1A, Vf=0.75V(1A)	403A-03	3d	Mot
B33	MBRS330T3	Si-Diode	Schottky, Power Rectifier, 30V, 3A, Vf=0.5V(2A)	403A-03	3d	Ons
B33	SMA833	Si-Diode	Schottky Barrier Rectifier, 30V, 3A, Vf<0.45V(3A)	SMA	1d	Kec
B34	MBRS340T3	Si-Diode	Schottky, Power Rectifier, 40V, 3A, Vf=0.52V(3A)	403A-03	3d	Mot
B34	SMA834	Si-Diode	Schottky Barrier Rectifier, 40V, 3A, Vf<0.52V(3A)	SMA	1d	Kec
B36	MBRS360T3	Si-Diode	Schottky, Power Rectifier, 60V, 3A, Vf=0.74V(3A)	403A-03	3d	Mot
B36	SMA836	Si-Diode	Schottky Barrier Rectifier, 60V, 3A, Vf<0.6V(3A)	SMA	1d	Kec
B4	BZX399-C2V4	Z-Diode	2.4V±5%, 300mW	SOD-323	5d	Phi
B4	BZX884-C3V3	Z-Diode	3.3V±5%, 250mW	SOD882	13d	Phi
B4	FSS25	Si-Diode	Schottky Barrier Rectifier, 50V, 2A, Vf<0.7V(2A)	DO-214AA	1d	Fag
B4	MBR0540T1	Si-Diode	Schottky, Power Rectifier, 40V, 500mA, Vf=0.43V(500mA)	SOD-123	5d	Ons
B4	MBRA140T3	Si-Diode	Schottky, Rectifier, 40V, 1A, Vf<0.55V(1A)	SMA	3d	Mot
B4	MSCD054	Si-Diode	Schottky Barrier Rectifier, 40V, 0.5A, Vf<0.48V(0.5A)	0805	14d	Zow
B4	SMBYT01-400	Si-Diode	Rectifier, Fast Recovery, 400V, 1A, Vf<1.05V(1A), <25ns	DO-214AA	1d	Ste
B4	SSCD054	Si-Diode	Schottky Barrier Rectifier, 40V, 0.5A, Vf<0.48V(0.5A)	1208	14d	Zow
B4	UD22V7B	Z-Diode	2.7V±2.5%, 200mW	SOD-323	5d	Dil
B4E1	MBRS410ET3	Si-Diode	Schottky, Power Rectifier, 10V, 4A, Vf=0.5V(3A)	403A-03	3d	Ons
B4L1	MBRS410LT3	Si-Diode	Schottky, Power Rectifier, 10V, 4A, Vf=0.33V(3A)	403A-03	3d	Ons
B5	BZX399-C2V7	Z-Diode	2.7V±5%, 300mW	SOD-323	5d	Phi
B5	BZX884-C3V6	Z-Diode	3.6V±5%, 250mW	SOD882	13d	Phi
B5	FSS26	Si-Diode	Schottky Barrier Rectifier, 60V, 2A, Vf<0.7V(2A)	DO-214AA	1d	Fag
B5	HVC372B	C-Diode	VCO, 15V, 7..15pF(4..1V, 1MHz), <0.4Ω	UFP	6d	Ren
B5	UD23V0B	Z-Diode	3V±2.5%, 200mW	SOD-323	5d	Dil
B6	BZX399-C3V0	Z-Diode	3.0V±5%, 300mW	SOD-323	5d	Phi
B6	BZX884-C3V9	Z-Diode	3.9V±5%, 250mW	SOD882	13d	Phi
B6	UD23V3B	Z-Diode	3.3V±2.5%, 200mW	SOD-323	5d	Dil
B7	ASB0240BF	Si-Diode	Schottky Barrier Rectifier, 40V, 200mA, Vf<0.45V(200mA)	1005	13d	Ana
B7	BZX399-C3V3	Z-Diode	3.3V±5%, 300mW	SOD-323	5d	Phi
B7	BZX884-C4V3	Z-Diode	4.3V±5%, 250mW	SOD882	13d	Phi
B7	UD23V8B	Z-Diode	3.8V±2.5%, 200mW	SOD-323	5d	Dil
B8	BZX399-C3V6	Z-Diode	3.6V±5%, 300mW	SOD-323	5d	Phi
B8	BZX884-C4V7	Z-Diode	4.7V±5%, 250mW	SOD882	13d	Phi
B8	UD23V9B	Z-Diode	3.9V±2.5%, 200mW	SOD-323	5d	Dil
B9	BZX399-C3V9	Z-Diode	3.9V±5%, 300mW	SOD-323	5d	Phi
B9	BZX884-C5V1	Z-Diode	5.1V±5%, 250mW	SOD882	13d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
B9	UD24V3B	Z-Diode	4,3V±2,5%, 200mW	SOD-323	5d	Dil
BA	BZX399-C4V7	Z-Diode	4,7V±5%, 300mW	SOD-323	5d	Phi
BA	BZX884-C5V6	Z-Diode	5,6V±5%, 250mW	SOD882	13d	Phi
BA	SD833-03	Si-Diode	Schottky Barrier Rectifier, 30V, 3A, Vf<0,46V(2,5A)	PowDI123	7d	Fji
BA	UD24V7B	Z-Diode	4,7V±2,5%, 200mW	SOD-323	5d	Dil
BA	ZMS2800	Si-Diode	Schottky Rectifier, 70V, 1A, 250mW, Vf<410mV(1mA)	SOD-323	5d	Zlx
BB	BZX399-C5V1	Z-Diode	5,1V±5%, 300mW	SOD-323	5d	Phi
BB	BZX884-C6V2	Z-Diode	6,2V±5%, 250mW	SOD882	13d	Phi
BB	SC016-2	Si-Diode	GP, Rectifier, 200V, 1A, Vf<1,1V(2A)	DO-214	1d	Fji
BB	SD833-04	Si-Diode	Schottky Barrier Rectifier, 60V, 3A, Vf<0,58V(2,5A)	PowDI123	7d	Fji
BB	UD25V1B	Z-Diode	5,1V±2,5%, 200mW	SOD-323	5d	Dil
BB	ZMS5800	Si-Diode	Schottky Rectifier, 50V, 1A, 250mW, Vf<410mV(1mA)	SOD-323	5d	Zlx
BBA	SMBJ6,0CA	Z-Diode/TVS	6V, 61A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBB	SMBJ6,5CA	Z-Diode/TVS	6,5V, 56A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBC	SMBJ8,5CA	Z-Diode/TVS	8,5V, 41,7A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBD	SMBJ10CA	Z-Diode/TVS	10V, 37A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBE	SMBJ12CA	Z-Diode/TVS	12V, 31A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBF	SMBJ13AC	Z-Diode/TVS	13V, 29A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBG	SMBJ15CA	Z-Diode/TVS	15V, 25,1A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBH	SMBJ18CA	Z-Diode/TVS	18V, 21,5A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBI	SMBJ20CA	Z-Diode/TVS	20V, 19,4A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBJ	SMBJ24CA	Z-Diode/TVS	24V, 16A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBK	SMBJ26CA	Z-Diode/TVS	26V, 14,9A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBL	SMBJ28CA	Z-Diode/TVS	28V, 13,8A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBM	SMBJ30CA	Z-Diode/TVS	30V, 13A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBN	SMBJ33CA	Z-Diode/TVS	33V, 11,8A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBO	SMBJ58CA	Z-Diode/TVS	58V, 6,7A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBQ	SMBJ85CA	Z-Diode/TVS	85V, 4,6A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBS	SMBJ130CA	Z-Diode/TVS	130V, 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBT	SMBJ154CA	Z-Diode/TVS	154V, 2,4A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBU	SMBJ170CA	Z-Diode/TVS	170V, 2,2A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBV	SMBJ118CA	Z-Diode/TVS	110V, 3,4A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBV	SMBJ188CA	Z-Diode/TVS	188V, 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBW	SMBJ48CA	Z-Diode/TVS	48V, 8,1A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BBZ	SMBJ5,0CA	Z-Diode/TVS	5V, 68A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
BC	BZX399-C5V6	Z-Diode	5,6V±5%, 300mW	SOD-323	5d	Phi
BC	BZX884-C6V8	Z-Diode	6,8V±5%, 250mW	SOD882	13d	Phi
BC	SC016-4	Si-Diode	GP, Rectifier, 400V, 1A, Vf<1,1V(2A)	DO-214	1d	Fji
BC	SD833-06	Si-Diode	Schottky Barrier Rectifier, 60V, 3A, Vf<0,58V(2,5A)	PowDI123	7d	Fji
BC	UD25V6B	Z-Diode	5,6V±2,5%, 200mW	SOD-323	5d	Dil
BC	ZMS2811	Si-Diode	Schottky Rectifier, 15V, 1A, 250mW, Vf<410mV(1mA)	SOD-323	5d	Zlx
BCD	MBRM120LT3	Si-Diode	Schottky, Power Rectifier, 20V, 1A, Vf=0,41V(1A)	DO-216AA	4d	Mot
BCF	MBRM120LT1	Si-Diode	Schottky, Power Rectifier, 20V, 1A, Vf=0,41V(1A)	DO-216AA	4d	Ons
BCG	MBRM130LT1	Si-Diode	Schottky, Power Rectifier, 30V, 1A, Vf=0,33V(1A)	DO-216AA	4d	Ons
BCJ	MBRM140T1	Si-Diode	Schottky, Power Rectifier, 40V, 1A, Vf=0,51V(1A)	DO-216AA	4d	Ons
BCJ	MBRM140T3	Si-Diode	Schottky, Power Rectifier, 40V, 1A, Vf=0,51V(1A)	DO-216AA	4d	Mot
BCV	MBRM120ET1	Si-Diode	Schottky, Power Rectifier, 20V, 1A, Vf=0,45V(1A)	DO-216AA	4d	Ons
BD	BZX399-C6V2	Z-Diode	6,2V±5%, 300mW	SOD-323	5d	Phi
BD	BZX884-C7V5	Z-Diode	7,5V±5%, 250mW	SOD882	13d	Phi
BD	P4SMA18	Z-Diode/TVS	18V, 16A, 400W (1ms),	DO-214AC	1d	Fag
BD	P6SMBJ12C	Z-Diode/TVS	12V, 27,3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BD	SC016-6	Si-Diode	GP, Rectifier, 600V, 1A, Vf<1,1V(2A)	DO-214	1d	Fji
BD	SD833-09	Si-Diode	Schottky Barrier Rectifier, 90V, 3A, Vf<0,85V(2,5A)	PowDI123	7d	Fji
BD	SMAJ12	Z-Diode/TVS	12V, 18,2A, 400W (1ms)	DO-214AC	1d	Vis
BD	SMBG12C	Z-Diode/TVS	12V, 27,3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BD	SMBJ12C	Z-Diode/TVS	12V, 27,3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BD	TV04A120K	Z-Diode/TVS	12V 10%, 18,1A, 400W(1ms)	DO-214AC	1d	Cmc
BD	TV06B120KB	Z-Diode/TVS	12V 10%, 27,3A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
BD	UD26V2B	Z-Diode	6,2V±2,5%, 200mW	SOD-323	5d	Dil
BD	ZHCS400	Si-Diode	Schottky, Switching, 40V, 400mA, 10ns	SOD-323	5d	Zlx
BDD	1,5SMCJ5,0C	Z-Diode/TVS	5V, 156,2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDD	SM15T6V8C	Z-Diode/TVS	6,45..7,14V, 143A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDD	SMCG5,0C	Z-Diode/TVS	5V, 156,3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDD	SMCJ5,0C	Z-Diode/TVS	5V, 156,3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDD	TFMCJ5,0C	Z-Diode/TVS	5V, 156,3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDD	TV15C5V0KB	Z-Diode/TVS	5V 10%, 156,2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDE	1,5SMCJ5,0AC	Z-Diode/TVS	5V, 163A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BDE	SM15T6V8CA	Z-Diode/TVS	6 45 7 14V, 143A 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDE	SMCG5 0CA	Z-Diode/TVS	5V 163A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDE	SMCJ5 0CA	Z-Diode/TVS	5V, 163A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil Vis
BDE	TFMCJ5 0CA	Z-Diode/TVS	5V, 163A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDE	TV15C5V0JB	Z-Diode/TVS	5V 5% 163A 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDE7	SM15T6V8CA	Z-Diode/TVS	6 45 7 14V, 143A 1500W (1ms) Bidirectional	DO-214AB	1c	Vis
BDF	1 5SMCJ6 0C	Z-Diode/TVS	6V, 131 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt Srtj Wpd
BDF	SM15T7V5C	Z-Diode/TVS	7 13 7 88V, 132A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDF	SMCG6 0C	Z-Diode/TVS	6V, 131 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDF	SMCJ6 0C	Z-Diode/TVS	6V, 131 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDF	TFMCJ6 0C	Z-Diode/TVS	6V, 131 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDF	TV15C6V0KB	Z-Diode/TVS	6V 10%, 131 6A 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDG	1 5SMCJ6 0AC	Z-Diode/TVS	6V 145 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt Srtj Wpd
BDG	SM15T7V5CA	Z-Diode/TVS	7 13 7 88V, 132A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDG	SMCG6 0CA	Z-Diode/TVS	6V, 145 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDG	SMCG8 0C	Z-Diode/TVS	8V 100A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDG	SMCJ6 0CA	Z-Diode/TVS	6V, 145 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDG	SMCJ8 0C	Z-Diode/TVS	8V, 100A 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDG	TFMCJ6 0CA	Z-Diode/TVS	6V, 145 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDG	TFMCJ8 0C	Z-Diode/TVS	8V, 100A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDG	TV15C6V0JB	Z-Diode/TVS	6V 5% 145 6A, 1500W(1ms) Bifirectional	DO-214AB	1c	Cmc
BDH	1 5SMCJ8 5C	Z-Diode/TVS	6 5V, 122A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDH	SMCG6 5C	Z-Diode/TVS	6 5V, 122A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDH	SMCJ6 5C	Z-Diode/TVS	6 5V, 122A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDH	TFMCJ6 5C	Z-Diode/TVS	6 5V, 122A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDH	TV15C6V5KB	Z-Diode/TVS	6V 10%, 122A 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDK	1 5SMCJ6 5AC	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt Srtj,Wpd
BDK	SMCG6 5CA	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDK	SMCJ6 5CA	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDK	TFMCJ6 5CA	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDK	TV15C6V5JB	Z-Diode/TVS	6V 5%, 133 9A 1500W(1ms) Bifirectional	DO-214AB	1c	Cmc
BDK7	SM15T7V5CA	Z-Diode/TVS	7 13 7 88V, 132A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDL	1 5SMCJ7 0C	Z-Diode/TVS	7V, 112 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDL	SMCG7 0C	Z-Diode/TVS	7V, 112 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDL	SMCJ7 0C	Z-Diode/TVS	7V, 112 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDL	TFMCJ7 0C	Z-Diode/TVS	7V, 112 8A 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDL	TV15C7V0KB	Z-Diode/TVS	7V 10%, 112 8A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDM	1 5SMCJ7 0AC	Z-Diode/TVS	7V 125A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDM	SMCG7 0CA	Z-Diode/TVS	7V, 125A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDM	SMCJ7 0CA	Z-Diode/TVS	7V, 125A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDM	TFMCJ7 0CA	Z-Diode/TVS	7V, 125A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDM	TV15C7V0JB	Z-Diode/TVS	7V 5%, 125A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDN	1 5SMCJ7 5C	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDN	SM15T10C	Z-Diode/TVS	9 5 10 5V, 103A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDN	SMCG7 5C	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDN	SMCJ7 5C	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDN	TFMCJ7 5C	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDN	TV15C7V5KB	Z-Diode/TVS	7V 10% 104 9A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDP	1 5SMCJ7 5AC	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDP	SMCG7 5CA	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDP	SMCJ7 5CA	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDP	TFMCJ7 5CA	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDP	TPSMA18	Z-Diode/TVS	18V, 15 1A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BDP	TV15C7V5JB	Z-Diode/TVS	7V 5%, 116 3A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDQ	1 5SMCJ8 0C	Z-Diode/TVS	8V, 100A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDQ	TV15C8V0KB	Z-Diode/TVS	8V 10%, 100A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDR	1 5SMCJ8 0AC	Z-Diode/TVS	8V, 110 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDR	SMCG8 0CA	Z-Diode/TVS	8V, 110 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDR	SMCJ8 0CA	Z-Diode/TVS	8V, 110 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDR	TFMCJ8 0CA	Z-Diode/TVS	8V, 110 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDR	TV15C8V0JB	Z-Diode/TVS	8V 5%, 110 3A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDS	1 5SMCJ8 5C	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srtj,Wpd
BDS	SM15T12C	Z-Diode/TVS	11 4 12 6V, 90A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDS	SMCG8 5C	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDS	SMCJ8 5C	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDS	TFMCJ8 5C	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDS	TV15C8V5KB	Z-Diode/TVS	8V 10%, 94 3A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BDT	15SMCJ8 5AC	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDT	SM15T12CA	Z-Diode/TVS	11 4 12 6V, 90A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDT	SMCG8 5CA	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDT	SMCJ8 5CA	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDT	TFMCJ8 5CA	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDT	TV15C8V5JB	Z-Diode/TVS	8V 5%, 104 2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDT7	SM15T10CA	Z-Diode/TVS	9 5 10 5V, 103A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDU	15SMCJ9 0C	Z-Diode/TVS	9V, 88 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDU	SMCG9 0C	Z-Diode/TVS	9V, 88 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDU	SMCJ9 0C	Z-Diode/TVS	9V, 88 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDU	TFMCJ9 0C	Z-Diode/TVS	9V, 88 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDU	TV15C9V0KB	Z-Diode/TVS	9V 10%, 88 7A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDV	15SMCJ9 0AC	Z-Diode/TVS	9V, 97 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDV	SMCG9 0CA	Z-Diode/TVS	9V, 97 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDV	SMCJ9 0CA	Z-Diode/TVS	9V, 97 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDV	TFMCJ9 0CA	Z-Diode/TVS	9V, 97 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDV	TV15C9V0JB	Z-Diode/TVS	9V 5%, 97 4A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDW	15SMCJ10C	Z-Diode/TVS	10V, 79 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDW	SM15T15C	Z-Diode/TVS	14 3 15 8V, 71A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDW	SMCG10C	Z-Diode/TVS	10V, 79 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDW	SMCJ10C	Z-Diode/TVS	10V, 79 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDW	TFMCJ10C	Z-Diode/TVS	10V, 79 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDW	TV15C100KB	Z-Diode/TVS	10V 10%, 79 8A, 1500W(1ms) Bifirectional	DO-214AB	1c	Cmc
BDX	15SMCJ10AC	Z-Diode/TVS	10V, 88 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDX	SM15T15CA	Z-Diode/TVS	14 3 15 8V, 71A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BDX	SMCG10CA	Z-Diode/TVS	10V, 88 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDX	SMCJ10CA	Z-Diode/TVS	10V, 88 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDX	TFMCJ10CA	Z-Diode/TVS	10V, 88 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDX	TV15C100JB	Z-Diode/TVS	10V 5%, 88 2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDX7	SM15T12CA	Z-Diode/TVS	11 4 12 6V, 90A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDY	15SMCJ11C	Z-Diode/TVS	11V, 74 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDY	SMCG11C	Z-Diode/TVS	11V, 74 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDY	SMCJ11C	Z-Diode/TVS	11V, 74 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BDY	TFMCJ11C	Z-Diode/TVS	11V, 74 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDY	TV15C110KB	Z-Diode/TVS	11V 10%, 74 6A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BDZ	15SMCJ11AC	Z-Diode/TVS	11V, 82 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BDZ	SMCG11CA	Z-Diode/TVS	11V, 82 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BDZ	SMCJ11CA	Z-Diode/TVS	11V, 82 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BDZ	TFMCJ11CA	Z-Diode/TVS	11V, 82 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BDZ	TV15C110JB	Z-Diode/TVS	11V 5%, 82 4A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BE	BZX399-C6V8	Z-Diode	6.8V±5%, 300mW	SOD-323	5d	Phi
BE	BZX884-C8V2	Z-Diode	8.2V±5%, 250mW	SOD882	13d	Phi
BE	P4SMA18A	Z-Diode/TVS	18V, 17A, 400W (1ms),	DO-214AC	1d	Fag
BE	P6SMBJ12AC	Z-Diode/TVS	12V, 30 2A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BE	SC016-8	Si-Diode	GP, Rectifier, 800V, 1A, Vf<1,1V(2A)	DO-214	1d	Fji
BE	SMAJ12A	Z-Diode/TVS	12V, 20 1A, 400W (1ms)	DO-214AC	1d	Vis
BE	SMBG12CA	Z-Diode/TVS	12V, 30 2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BE	SMBJ12CA	Z-Diode/TVS	12V, 30 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BE	TV04A120J	Z-Diode/TVS	12V 5%, 20 1A, 400W(1ms)	DO-214AC	1d	Cmc
BE	TV06B120JB	Z-Diode/TVS	12V 5%, 30 2A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BE	UDZ6V8B	Z-Diode	6.8V±2.5%, 200mW	SOD-323	5d	Dil
BED	15SMCJ12C	Z-Diode/TVS	12V, 68 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BED	SM15T18C	Z-Diode/TVS	17 1 18 9V, 59 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BED	SMCG12C	Z-Diode/TVS	12V, 68 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BED	SMCJ12C	Z-Diode/TVS	12V, 68 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BED	TFMCJ12C	Z-Diode/TVS	12V, 68 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BED	TV15C120KB	Z-Diode/TVS	12V 10%, 68 2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEE	15SMCJ12AC	Z-Diode/TVS	12V, 75 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEE	SM15T18CA	Z-Diode/TVS	17 1 18 9V, 59 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEE	SMCG12CA	Z-Diode/TVS	12V, 75 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEE	SMCJ12CA	Z-Diode/TVS	12V, 75 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEE	TFMCJ12CA	Z-Diode/TVS	12V, 75 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEE	TV15C120JB	Z-Diode/TVS	12V 5%, 75 3A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEF	15SMCJ13C	Z-Diode/TVS	13V, 63A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEF	SMCG13C	Z-Diode/TVS	13V, 63 A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEF	SMCJ13C	Z-Diode/TVS	13V, 63 A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEF	TFMCJ13C	Z-Diode/TVS	13V, 63 A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BEF	TV15C130KB	Z-Diode/TVS	13V 10%, 63A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEG	1 5SMCJ13AC	Z-Diode/TVS	13V, 69 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEG	SMCG13CA	Z-Diode/TVS	13V, 69 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEG	SMCJ13CA	Z-Diode/TVS	13V, 69 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEG	TFMCJ13CA	Z-Diode/TVS	13V, 69 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEG	TV15C130JB	Z-Diode/TVS	13V 5%, 69 7A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEG7	SM15T15CA	Z-Diode/TVS	14 3 15 8V, 71A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEH	1 5SMCJ14C	Z-Diode/TVS	14V, 58 1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEH	SM15T22C	Z-Diode/TVS	20 9 23 1V, 49A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEH	SMCG14C	Z-Diode/TVS	14V, 58 1A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEH	SMCJ14C	Z-Diode/TVS	14V, 58 1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEH	TFMCJ14C	Z-Diode/TVS	14V, 58 1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEH	TV15C140KB	Z-Diode/TVS	14V 10%, 58 1A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEK	1 5SMCJ14AC	Z-Diode/TVS	14V, 64 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEK	SM15T22CA	Z-Diode/TVS	20 9 23 1V, 49A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEK	SMCG14CA	Z-Diode/TVS	14V, 64 7A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEK	SMCJ14CA	Z-Diode/TVS	14V, 64 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEK	TFMCJ14CA	Z-Diode/TVS	14V, 64 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEK	TV15C140JB	Z-Diode/TVS	14V 5%, 64 7A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEL	1 5SMCJ15C	Z-Diode/TVS	15V, 55 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEL	SM15T24C	Z-Diode/TVS	22 8 25 2V, 45A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEL	SMCG15C	Z-Diode/TVS	15V, 55 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEL	SMCJ15C	Z-Diode/TVS	15V, 55 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEL	TFMCJ15C	Z-Diode/TVS	15V, 55 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEL	TV15C150KB	Z-Diode/TVS	15V 10%, 55 8A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEM	1 5SMCJ15AC	Z-Diode/TVS	15V, 61 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEM	SM15T24CA	Z-Diode/TVS	22 8 25 2V, 45A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEM	SMCG15CA	Z-Diode/TVS	15V, 61 5A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEM	SMCJ15CA	Z-Diode/TVS	15V, 61 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEM	TFMCJ15CA	Z-Diode/TVS	15V, 61 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEM	TV15C150JB	Z-Diode/TVS	15V 5%, 61 5A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEM7	SM15T18CA	Z-Diode/TVS	17 1 18 4V 59 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEN	1 5SMCJ16C	Z-Diode/TVS	16V, 52 1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEN	SM15T27C	Z-Diode/TVS	25 7 28 4V, 40A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEN	SMCG16C	Z-Diode/TVS	16V, 52 1A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEN	SMCJ16C	Z-Diode/TVS	16V, 52 1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEN	TFMCJ16C	Z-Diode/TVS	16V, 52 1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEN	TV15C160KB	Z-Diode/TVS	16V 10%, 52 1A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEP	1 5SMCJ16AC	Z-Diode/TVS	16V, 57 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEP	SM15T27CA	Z-Diode/TVS	25 7 28 4V, 40A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEP	SMCG16CA	Z-Diode/TVS	16V, 57 7A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEP	SMCJ16CA	Z-Diode/TVS	16V, 57 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEP	TFMCJ16CA	Z-Diode/TVS	16V, 57 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEP	TPSMA18A	Z-Diode/TVS	18V, 15,9A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BEP	TV15C160JB	Z-Diode/TVS	16V 5%, 57 7A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEQ	1 5SMCJ17C	Z-Diode/TVS	17V, 49 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEQ	SM15T30C	Z-Diode/TVS	28 5 31 5V, 36A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEQ	SMCG17C	Z-Diode/TVS	17V, 49 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEQ	SMCJ17C	Z-Diode/TVS	17V, 49 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEQ	TFMCJ17C	Z-Diode/TVS	17V, 49 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEQ	TV15C170KB	Z-Diode/TVS	17V 10%, 49 2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BER	1 5SMCJ17AC	Z-Diode/TVS	17V, 53 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BER	SM15T30CA	Z-Diode/TVS	28 5 31 5V, 36A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BER	SMCG17CA	Z-Diode/TVS	17V, 54 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BER	SMCJ17CA	Z-Diode/TVS	17V, 54 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BER	TFMCJ17CA	Z-Diode/TVS	17V, 54 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BER	TV15C170JB	Z-Diode/TVS	17V 5%, 53 3A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BES	1 5SMCJ18C	Z-Diode/TVS	18V, 46 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BES	SM15T33C	Z-Diode/TVS	31 4 34 7V, 33A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BES	SMCG18C	Z-Diode/TVS	18V, 46 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BES	SMCJ18C	Z-Diode/TVS	18V, 46 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BES	TFMCJ18C	Z-Diode/TVS	18V, 46 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BES	TV15C180KB	Z-Diode/TVS	18V 10%, 46 6A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BET	1 5SMCJ18AC	Z-Diode/TVS	18V, 51 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BET	SM15T33CA	Z-Diode/TVS	31 4 34 7V, 33A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BET	SMCG18CA	Z-Diode/TVS	18V, 51 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BET	SMCJ18CA	Z-Diode/TVS	18V, 51 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BE1	TFMCJ18CA	Z-Diode/TVS	18V, 51.4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BE1	TV15C180JB	Z-Diode/TVS	18V 5%, 51.4A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BE17	SM15T22CA	Z-Diode/TVS	20.9..23.1V, 49A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEU	1.5SMCJ20C	Z-Diode/TVS	20V, 41.9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEU	SM15T36C	Z-Diode/TVS	34.2..37.8V, 30A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEU	SMCG20C	Z-Diode/TVS	20V, 41.9A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEU	SMCJ20C	Z-Diode/TVS	20V, 41.9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEU	TFMCJ20C	Z-Diode/TVS	20V, 41.9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEU	TV15C200KB	Z-Diode/TVS	20V 10%, 41.9A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEV	1.5SMCJ20AC	Z-Diode/TVS	20V, 46.3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEV	SM15T36CA	Z-Diode/TVS	34.2..37.8V, 30A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEV	SMCG20CA	Z-Diode/TVS	20V, 46.3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEV	SMCJ20CA	Z-Diode/TVS	20V, 46.3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEV	TFMCJ20CA	Z-Diode/TVS	20V, 46.3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEV	TV15C200JB	Z-Diode/TVS	20V 5%, 46.3A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEV7	SM15T24CA	Z-Diode/TVS	22.8..25.2V, 45A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEW	1.5SMCJ22C	Z-Diode/TVS	22V, 38.1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEW	SM15T39C	Z-Diode/TVS	37.1..41V, 28A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEW	SMCG22C	Z-Diode/TVS	22V, 38.1A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEW	SMCJ22C	Z-Diode/TVS	22V, 38.1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEW	TFMCJ22C	Z-Diode/TVS	22V, 38.1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEW	TV15C220KB	Z-Diode/TVS	22V 10%, 38.1A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEX	1.5SMCJ22AC	Z-Diode/TVS	22V, 42.2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEX	SM15T39CA	Z-Diode/TVS	37.1..41V, 28A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BEX	SMCG22CA	Z-Diode/TVS	22V, 42.3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEX	SMCJ22CA	Z-Diode/TVS	22V, 42.3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEX	TFMCJ22CA	Z-Diode/TVS	22V, 42.3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEX	TV15C220JB	Z-Diode/TVS	22V 5%, 42.2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEX7	SM15T27CA	Z-Diode/TVS	25.7..28.4V, 40A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEY	1.5SMCJ24C	Z-Diode/TVS	24V, 34.9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEY	SMCG24C	Z-Diode/TVS	24V, 34.9A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEY	SMCJ24C	Z-Diode/TVS	24V, 34.9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BEY	TFMCJ24C	Z-Diode/TVS	24V, 34.9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEY	TV15C240KB	Z-Diode/TVS	24V 10%, 34.9A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BEZ	1.5SMCJ24AC	Z-Diode/TVS	24V, 38.6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BEZ	SMCG24CA	Z-Diode/TVS	24V, 38.6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BEZ	SMCJ24CA	Z-Diode/TVS	24V, 38.6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BEZ	TFMCJ24CA	Z-Diode/TVS	24V, 38.6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BEZ	TV15C240JB	Z-Diode/TVS	24V 5%, 38.6A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BF	BZX399-C7V5	Z-Diode	7.5V±5%, 300mW	SOD-323	5d	Phi
BF	BZX884-C9V1	Z-Diode	9.1V±5%, 250mW	SOD882	13d	Phi
BF	MAZD051	Z-Diode	4.8..5.4V, 120mW	SSSMini2	7d	Pan
BF	P4SMA20	Z-Diode/TVS	20V, 14A, 400W (1ms),	DO-214AC	1d	Fag
BF	P6SMBJ13C	Z-Diode/TVS	13V, 25.2A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BF	SMAJ13	Z-Diode/TVS	13V, 16.8A, 400W (1ms)	DO-214AC	1d	Vis
BF	SMBG13C	Z-Diode/TVS	13V, 25.2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BF	SMBJ13C	Z-Diode/TVS	13V, 25.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BF	TV04A130K	Z-Diode/TVS	13V 10%, 16.8A, 400W(1ms)	DO-214AC	1d	Cmc
BF	TV06B130KB	Z-Diode/TVS	13V 10%, 25.2A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BF	UDZ7V5B	Z-Diode	7.5V±2.5%, 200mW	SOD-323	5d	Dil
BFD	1.5SMCJ26C	Z-Diode/TVS	26V, 32.2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BFD	SMCG26C	Z-Diode/TVS	26V, 32.2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFD	SMCJ26C	Z-Diode/TVS	26V, 32.2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFD	TFMCJ26C	Z-Diode/TVS	26V, 32.2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFD	TV15C260KB	Z-Diode/TVS	26V 10%, 32.2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFE	1.5SMCJ26AC	Z-Diode/TVS	26V, 35.6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BFE	SMCG26CA	Z-Diode/TVS	26V, 35.6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFE	SMCJ26CA	Z-Diode/TVS	26V, 35.6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BFE	TFMCJ26CA	Z-Diode/TVS	26V, 35.6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFE	TV15C260JB	Z-Diode/TVS	26V 5%, 35.6A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFE7	SM15T30CA	Z-Diode/TVS	28.5..31.5V, 36A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFF	1.5SMCJ28C	Z-Diode/TVS	28V, 30A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BFF	SMCG28C	Z-Diode/TVS	28V, 30A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFF	SMCJ28C	Z-Diode/TVS	28V, 30A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFF	TFMCJ28C	Z-Diode/TVS	28V, 30A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFF	TV15C280KB	Z-Diode/TVS	28V 10%, 30A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFG	1.5SMCJ28AC	Z-Diode/TVS	28V, 33A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BFG	SMCG28CA	Z-Diode/TVS	28V, 33A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFG	SMCJ28CA	Z-Diode/TVS	28V, 33A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BFG	TFMCJ28CA	Z-Diode/TVS	28V, 33A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFG	TV15C280JB	Z-Diode/TVS	28V 5%, 33A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFG7	SM15T33CA	Z-Diode/TVS	31 4 34 7V, 33A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFH	1 5SMCJ30C	Z-Diode/TVS	30V, 28A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFH	SMCG30C	Z-Diode/TVS	30V, 28A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFH	SMCJ30C	Z-Diode/TVS	30V, 28A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFH	TFMCJ30C	Z-Diode/TVS	30V, 28A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFH	TV15C300KB	Z-Diode/TVS	30V 10%, 28A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFK	1 5SMCJ30AC	Z-Diode/TVS	30V, 31A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFK	SMCG30CA	Z-Diode/TVS	30V, 31A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFK	SMCJ30CA	Z-Diode/TVS	30V, 31A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BFK	TFMCJ30CA	Z-Diode/TVS	30V, 31A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFK	TV15C300JB	Z-Diode/TVS	30V 5%, 31A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFK7	SM15T36CA	Z-Diode/TVS	34 2 37 8V, 30A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFL	1 5SMCJ33C	Z-Diode/TVS	33V, 25 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFL	SMCG33C	Z-Diode/TVS	33V, 25 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFL	SMCJ33C	Z-Diode/TVS	33V, 25 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFL	TFMCJ33C	Z-Diode/TVS	33V, 25 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFL	TV15C330KB	Z-Diode/TVS	33V 10%, 25 2A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFM	1 5SMCJ33AC	Z-Diode/TVS	33V, 28 1A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFM	SMCG33CA	Z-Diode/TVS	33V, 28 1A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFM	SMCJ33CA	Z-Diode/TVS	33V, 28 1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BFM	TFMCJ33CA	Z-Diode/TVS	33V, 28 1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFM	TV15C330JB	Z-Diode/TVS	33V 5%, 28 1A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFM7	SM15T39CA	Z-Diode/TVS	37 1 41V, 28A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFN	1 5SMCJ36C	Z-Diode/TVS	36V, 23 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFN	SM15T68C	Z-Diode/TVS	64 6 71 4V, 16 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BFN	SMCG36C	Z-Diode/TVS	36V, 23 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFN	SMCJ36C	Z-Diode/TVS	36V, 23 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFN	TFMCJ36C	Z-Diode/TVS	36V, 23 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFN	TV15C360KB	Z-Diode/TVS	36V 10%, 23 3A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFP	1 5SMCJ36AC	Z-Diode/TVS	36V, 25 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFP	SM15T68CA	Z-Diode/TVS	64 6 71 4V, 16 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BFP	SMCG36CA	Z-Diode/TVS	36V, 25 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFP	SMCJ36CA	Z-Diode/TVS	36V, 25 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BFP	TFMCJ36CA	Z-Diode/TVS	36V, 25 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFP	TPSMA20	Z-Diode/TVS	20V, 13.7A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BFP	TV15C360JB	Z-Diode/TVS	36V 5%, 25 8A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFQ	1 5SMCJ40C	Z-Diode/TVS	40V, 21A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFQ	SMCG40C	Z-Diode/TVS	40V, 21A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFQ	SMCJ40C	Z-Diode/TVS	40V, 21A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFQ	TFMCJ40C	Z-Diode/TVS	40V, 21A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFQ	TV15C400KB	Z-Diode/TVS	40V 10%, 21A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFR	1 5SMCJ40AC	Z-Diode/TVS	40V, 23 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFR	SMCG40CA	Z-Diode/TVS	40V, 23 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFR	SMCJ40CA	Z-Diode/TVS	40V, 23 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BFR	TFMCJ40CA	Z-Diode/TVS	40V, 23 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFR	TV15C400JB	Z-Diode/TVS	40V 5%, 21 6A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFS	1 5SMCJ43C	Z-Diode/TVS	43V, 19 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFS	SMCG43C	Z-Diode/TVS	43V, 19 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFS	SMCJ43C	Z-Diode/TVS	43V, 19 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFS	TFMCJ43C	Z-Diode/TVS	43V, 19 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFS	TV15C430KB	Z-Diode/TVS	43V 10%, 19 6A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFT	1 5SMCJ43AC	Z-Diode/TVS	43V, 21 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFT	SMCG43CA	Z-Diode/TVS	43V, 21 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFT	SMCJ43CA	Z-Diode/TVS	43V, 21 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BFT	TFMCJ43CA	Z-Diode/TVS	43V, 21 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFT	TV15C430JB	Z-Diode/TVS	43V 5%, 21 6A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFU	1 5SMCJ45C	Z-Diode/TVS	45V, 18 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFU	SMCG45C	Z-Diode/TVS	45V, 18 7A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BFU	SMCJ45C	Z-Diode/TVS	45V, 18 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BFU	TFMCJ45C	Z-Diode/TVS	45V, 18 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BFU	TV15C450KB	Z-Diode/TVS	45V 10%, 18 7A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BFV	1 5SMCJ45AC	Z-Diode/TVS	45V, 20 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	PjI,Srj,Wpd
BFV	SMCG45CA	Z-Diode/TVS	45V, 20 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
BfV	SMCJ45CA	Z-Diode/TVS	45V, 20 6A, 1500W (1ms), Bidirectional	DO-214AB	1c Dil,Vis
BfV	TFMCJ45CA	Z-Diode/TVS	45V, 20 6A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BfV	TV15C450JB	Z-Diode/TVS	45V 5%, 20 6A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BfW	1 5SMCJ48C	Z-Diode/TVS	48V, 17 5A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BfW	SM15T100C	Z-Diode/TVS	95 105V, 11A, 1500W (1ms), Bidirectional	DO-214AB	1c Ste
BfW	SMCG48C	Z-Diode/TVS	48V, 17 5A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BfW	SMCJ48C	Z-Diode/TVS	48V, 17 5A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
BfW	TFMCJ48C	Z-Diode/TVS	48V, 17 5A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BfW	TV15C480KB	Z-Diode/TVS	48V 10%, 17 5A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BfX	1 5SMCJ48AC	Z-Diode/TVS	48V, 19 4A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BfX	SM15T100CA	Z-Diode/TVS	95 105V, 11A, 1500W (1ms), Bidirectional	DO-214AB	1c Ste
BfX	SMCG48CA	Z-Diode/TVS	48V, 19 4A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BfX	SMCJ48CA	Z-Diode/TVS	48V, 19 4A, 1500W (1ms), Bidirectional	DO-214AB	1c Dil,Vis
BfX	TFMCJ48CA	Z-Diode/TVS	48V, 19 4A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BfX	TV15C480JB	Z-Diode/TVS	48V 5%, 19 4A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BfY	1 5SMCJ51C	Z-Diode/TVS	51V, 18 5A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BfY	TV15C510KB	Z-Diode/TVS	51V 10%, 16 5A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BfZ	1 5SMCJ51AC	Z-Diode/TVS	51V, 18 2A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BfZ	SMCJ51CA	Z-Diode/TVS	51V, 18 2A, 1500W (1ms), Bidirectional	DO-214AB	1c Dil
BfZ	TV15C510JB	Z-Diode/TVS	51V 5%, 18 2A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BG	BZX399-C8V2	Z-Diode	8 2V±5%, 300mW	SOD-323	5d Phi
BG	BZX884-C10	Z-Diode	10V±5%, 250mW	SOD882	13d Phi
BG	P4SMA20A	Z-Diode/TVS	20V, 15A, 400W (1ms),	DO-214AC	1d Fag
BG	P6SMBJ13AC	Z-Diode/TVS	13V, 27 9A, 600W (1ms), Bidirectional	DO-214AA	2c Pjt,Srj,Wpd
BG	SMAJ13A	Z-Diode/TVS	13V, 18 6A, 400W (1ms)	DO-214AC	1d Ste,Vis
BG	SMBG13CA	Z-Diode/TVS	13V, 27 9A, 600W (1ms), Bidirectional	DO-215AA	1c Vis
BG	SMBJ13CA	Z-Diode/TVS	13V, 27 9A, 600W (1ms), Bidirectional	DO-214AA	1c Dil,Vis
BG	TV04A130J	Z-Diode/TVS	13V 5%, 18 6A, 400W(1ms)	DO-214AC	1d Cmc
BG	TV06B130JB	Z-Diode/TVS	13V 5%, 27 9A, 600W(1ms), Bifirectional	DO-214AA	1c Cmc
BG	UDZ8V2B	Z-Diode	8.2V±2.5%, 200mW	SOD-323	5d Dil
BGD	1 5SMCJ54C	Z-Diode/TVS	54V, 15 6A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BGD	SMCG54C	Z-Diode/TVS	54V, 15 6A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BGD	SMCJ54C	Z-Diode/TVS	54V, 15 6A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
BGD	TFMCJ54C	Z-Diode/TVS	54V, 15 6A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BGD	TV15C540KB	Z-Diode/TVS	54V 10%, 15 6A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BGE	1 5SMCJ54AC	Z-Diode/TVS	54V, 17 2A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BGE	SMCG54CA	Z-Diode/TVS	54V, 17 2A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BGE	SMCJ54CA	Z-Diode/TVS	54V, 17 2A, 1500W (1ms), Bidirectional	DO-214AB	1c Dil,Vis
BGE	TFMCJ54CA	Z-Diode/TVS	54V, 17 2A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BGE	TV15C540JB	Z-Diode/TVS	54V 5%, 17 2A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BGF	1 5SMCJ58C	Z-Diode/TVS	58V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BGF	SMCG58C	Z-Diode/TVS	58V, 14 6A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BGF	SMCJ58C	Z-Diode/TVS	58V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
BGF	TFMCJ58C	Z-Diode/TVS	58V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BGF	TV15C580KB	Z-Diode/TVS	58V 10%, 14 6A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BGG	1 5SMCJ58AC	Z-Diode/TVS	58V, 16A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BGG	SMCG58CA	Z-Diode/TVS	58V, 16A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BGG	SMCJ58CA	Z-Diode/TVS	58V, 16A, 1500W (1ms), Bidirectional	DO-214AB	1c Dil,Vis
BGG	TFMCJ58CA	Z-Diode/TVS	58V, 16A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BGG	TV15C580JB	Z-Diode/TVS	58V 5%, 16A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BGG7	SM15T68CA	Z-Diode/TVS	64 6 71 4V, 16 3A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
BGH	1 5SMCJ60C	Z-Diode/TVS	60V, 14A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BGH	SM15T150C	Z-Diode/TVS	143 158V, 7 2A, 1500W (1ms), Bidirectional	DO-214AB	1c Ste
BGH	SMCG60C	Z-Diode/TVS	60V, 14A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BGH	SMCJ60C	Z-Diode/TVS	60V, 14A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis
BGH	TFMCJ60C	Z-Diode/TVS	60V, 14A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BGH	TV15C600KB	Z-Diode/TVS	60V 10%, 14A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BGJ	MBR51540T3	Si-Diode	Schottky, Rectifier, 40V, 1.5A, Vf<0.46V(1.5A)	SMB	3d Mol
BGK	1 5SMCJ60AC	Z-Diode/TVS	60V, 15 5A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BGK	SM15T150CA	Z-Diode/TVS	143 158V, 7 2A, 1500W (1ms), Bidirectional	DO-214AB	1c Ste
BGK	SMCG60CA	Z-Diode/TVS	60V, 15 5A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BGK	SMCJ60CA	Z-Diode/TVS	60V, 15 5A, 1500W (1ms), Bidirectional	DO-214AB	1c Dil,Vis
BGK	TFMCJ60CA	Z-Diode/TVS	60V, 15 5A, 1500W (1ms), Bidirectional	DO-214AB	1c Rec
BGK	TV15C600JB	Z-Diode/TVS	60V 5%, 15 5A, 1500W(1ms), Bifirectional	DO-214AB	1c Cmc
BGL	1 5SMCJ64C	Z-Diode/TVS	64V, 13 2A, 1500W (1ms), Bidirectional	DO-214AB	2c Pjt,Srj,Wpd
BGL	SMCG64C	Z-Diode/TVS	64V, 13 2A, 1500W (1ms), Bidirectional	DO-215AB	1c Vis
BGL	SMCJ64C	Z-Diode/TVS	64V, 13 2A, 1500W (1ms), Bidirectional	DO-214AB	1c Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
BGL	TFMCJ64C	Z-Diode/TVS	64V, 13 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGL	TV15C640KB	Z-Diode/TVS	64V 10%, 13 2A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGM	1 5SMCJ64AC	Z-Diode/TVS	64V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGM	SMCG64CA	Z-Diode/TVS	64V, 14 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGM	SMCJ64CA	Z-Diode/TVS	64V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BGM	TFMCJ64CA	Z-Diode/TVS	64V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGM	TV15C640JB	Z-Diode/TVS	64V 5%, 14 6A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGN	1 5SMCJ70C	Z-Diode/TVS	70V, 12A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGN	SMCG70C	Z-Diode/TVS	70V, 12A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGN	SMCJ70C	Z-Diode/TVS	70V, 12A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BGN	TFMCJ70C	Z-Diode/TVS	70V, 12A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGN	TV15C700KB	Z-Diode/TVS	70V 10%, 12A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGP	1 5SMCJ70AC	Z-Diode/TVS	70V, 13 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGP	SMCG70CA	Z-Diode/TVS	70V, 13 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGP	SMCJ70CA	Z-Diode/TVS	70V, 13 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BGP	TFMCJ70CA	Z-Diode/TVS	70V, 13 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGP	TPSMA20A	Z-Diode/TVS	20V, 14.4A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BGP	TV15C700JB	Z-Diode/TVS	70V 5%, 13 3A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGQ	1 5SMCJ75C	Z-Diode/TVS	75V, 11 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGQ	SMCG75C	Z-Diode/TVS	75V, 11 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGQ	SMCJ75C	Z-Diode/TVS	75V, 11 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BGQ	TFMCJ75C	Z-Diode/TVS	75V, 11 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGQ	TV15C750KB	Z-Diode/TVS	75V 10%, 11 2A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGR	1 5SMCJ75AC	Z-Diode/TVS	75V, 12 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGR	SMCG75CA	Z-Diode/TVS	75V, 12 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGR	SMCJ75CA	Z-Diode/TVS	75V, 12 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BGR	TFMCJ75CA	Z-Diode/TVS	75V, 12 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGR	TV15C750JB	Z-Diode/TVS	75V 5%, 12 4A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGS	1 5SMCJ78C	Z-Diode/TVS	78V, 10 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGS	SMCG78C	Z-Diode/TVS	78V, 10 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGS	SMCJ78C	Z-Diode/TVS	78V, 10 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BGS	TFMCJ78C	Z-Diode/TVS	78V, 10 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGS	TV15C780KB	Z-Diode/TVS	78V 10%, 10 8A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGT	1 5SMCJ78AC	Z-Diode/TVS	78V, 11 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGT	SMCG78CA	Z-Diode/TVS	78V, 11 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGT	SMCJ78CA	Z-Diode/TVS	78V, 11 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BGT	TFMCJ78CA	Z-Diode/TVS	78V, 11 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGT	TV15C780JB	Z-Diode/TVS	78V 5%, 11 4A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGU	1 5SMCJ85C	Z-Diode/TVS	85V, 9 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGU	SM15T200C	Z-Diode/TVS	190 210V, 5 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BGU	SMCG85C	Z-Diode/TVS	85V, 9 9A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGU	SMCJ85C	Z-Diode/TVS	85V, 9 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BGU	TFMCJ85C	Z-Diode/TVS	85V, 9 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGU	TV15C850KB	Z-Diode/TVS	85V 10%, 9 9A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGV	1 5SMCJ85AC	Z-Diode/TVS	85V, 10 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGV	SM15T200CA	Z-Diode/TVS	190 210V, 5 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BGV	SMCG85CA	Z-Diode/TVS	85V, 10 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGV	SMCJ85CA	Z-Diode/TVS	85V, 10 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BGV	TFMCJ85CA	Z-Diode/TVS	85V, 10 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGV	TV15C850JB	Z-Diode/TVS	85V 5%, 10 4A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGV7	SM15T100CA	Z-Diode/TVS	95 105V, 11A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BGW	1 5SMCJ90C	Z-Diode/TVS	90V, 9 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGW	SMCG90C	Z-Diode/TVS	90V, 9 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGW	SMCJ90C	Z-Diode/TVS	90V, 9 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BGW	TFMCJ90C	Z-Diode/TVS	90V, 9 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGW	TV15C900KB	Z-Diode/TVS	90V 10%, 9 4A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGX	1 5SMCJ90AC	Z-Diode/TVS	90V, 10 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGX	SM15T220CA	Z-Diode/TVS	209 231V, 4 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
BGX	SMCG90CA	Z-Diode/TVS	90V, 10 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGX	SMCJ90CA	Z-Diode/TVS	90V, 10 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BGX	TFMCJ90CA	Z-Diode/TVS	90V, 10 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGX	TV15C900JB	Z-Diode/TVS	90V 5%, 10 3A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BGY	1 5SMCJ100C	Z-Diode/TVS	100V, 8 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	PJL,Srj,Wpd
BGY	SMCG100C	Z-Diode/TVS	100V, 8 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGY	SMCJ100C	Z-Diode/TVS	100V, 8 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BGY	TFMCJ100C	Z-Diode/TVS	100V, 8 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGY	TV15C101KB	Z-Diode/TVS	100V 10%, 8 4A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BGZ	1 5SMCJ100AC	Z-Diode/TVS	100V, 9 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BGZ	SMCG100CA	Z-Diode/TVS	100V, 9 3A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BGZ	SMCJ100CA	Z-Diode/TVS	100V, 9 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil, Vis
BGZ	TFMCJ100CA	Z-Diode/TVS	100V, 9 3A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BGZ	TV15C101JB	Z-Diode/TVS	100V 5%, 9 3A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BH	BZX399-C9V1	Z-Diode	9 1V±5%, 300mW	SOD-323	5d	Phi
BH	BZX884-C11	Z-Diode	11V±5%, 250mW	SOD882	13d	Phi
BH	P4SMA22	Z-Diode/TVS	22V, 13A, 400W (1ms),	DO-214AC	1d	Fag
BH	P6SMBJ14C	Z-Diode/TVS	14V, 23 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt, Srj, Wpd
BH	SC017-2	Si-Diode	GP, Rectifier, 200V, 1A, Vf<1,1V(2A)	DO-214	1d	Fji
BH	SMAJ13CA	Z-Diode/TVS	13V, 18 6A 400W (1ms), Bidirectional	DO-214AC	1c	Ste
BH	SMAJ14	Z-Diode/TVS	14V, 15 5A, 400W (1ms)	DO-214AC	1d	Vis
BH	SMBG14C	Z-Diode/TVS	14V, 23 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BH	SMBJ14C	Z-Diode/TVS	14V, 23 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BH	TV04A140K	Z-Diode/TVS	14V 10%, 15 5A, 400W (1ms)	DO-214AC	1d	Cmc
BH	TV06B140KB	Z-Diode/TVS	14V 10%, 23 3A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
BH	UDZ9V1B	Z-Diode	9,1V±2,5%, 200mW	SOD-323	5d	Dil
BHD	1 5SMCJ110C	Z-Diode/TVS	110V, 7 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHD	SMCG110C	Z-Diode/TVS	110V 7 7A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHD	SMCJ110C	Z-Diode/TVS	110V, 7 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHD	TFMCJ110C	Z-Diode/TVS	110V, 7 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHD	TV15C111KB	Z-Diode/TVS	110V 10%, 7 7A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHE	1 5SMCJ110AC	Z-Diode/TVS	110V, 8 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHE	SMCG110CA	Z-Diode/TVS	110V, 8 5A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHE	SMCJ110CA	Z-Diode/TVS	110V, 8 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil, Vis
BHE	TFMCJ110CA	Z-Diode/TVS	110V, 8 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHE	TV15C111JB	Z-Diode/TVS	110V 5%, 8 4A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHF	1 5SMCJ120C	Z-Diode/TVS	120V, 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHF	SMCG120C	Z-Diode/TVS	120V, 7A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHF	SMCJ120C	Z-Diode/TVS	120V, 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHF	TFMCJ120C	Z-Diode/TVS	120V, 7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHF	TV15C121KB	Z-Diode/TVS	120V 10%, 7A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHG	1 5SMCJ120AC	Z-Diode/TVS	120V, 7 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHG	SMCG120CA	Z-Diode/TVS	120V, 7 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHG	SMCJ120CA	Z-Diode/TVS	120V, 7 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil, Vis
BHG	TFMCJ120CA	Z-Diode/TVS	120V, 7 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHG	TV15C121JB	Z-Diode/TVS	120V 5%, 7 9A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHH	1 5SMCJ130C	Z-Diode/TVS	130V, 6 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHH	SMCG130C	Z-Diode/TVS	130V, 6 5A 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHH	SMCJ130C	Z-Diode/TVS	130V, 6 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHH	TFMCJ130C	Z-Diode/TVS	130V, 6 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHH	TV15C131KB	Z-Diode/TVS	130V 10%, 6 5A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHK	1 5SMCJ130AC	Z-Diode/TVS	130V, 7 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHK	SMCG130CA	Z-Diode/TVS	130V, 7 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHK	SMCJ130CA	Z-Diode/TVS	130V, 7 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil, Vis
BHK	TFMCJ130CA	Z-Diode/TVS	130V, 7 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHK	TV15C131JB	Z-Diode/TVS	130V 5% 7 2A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHK7	SM15T150CA	Z-Diode/TVS	143 158V, 7 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHL	1 5SMCJ150C	Z-Diode/TVS	150V, 5 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHL	SMCG150C	Z-Diode/TVS	150V, 5 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHL	SMCJ150C	Z-Diode/TVS	150V, 5 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHL	TFMCJ150C	Z-Diode/TVS	150V, 5 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHL	TV15C151KB	Z-Diode/TVS	150V 10%, 5 6A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHM	1 5SMCJ150AC	Z-Diode/TVS	150V, 6 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHM	SMCJ150CA	Z-Diode/TVS	150V 6 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil
BHM	TV15C151JB	Z-Diode/TVS	150V 5%, 6 2A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHN	1 5SMCJ160C	Z-Diode/TVS	160V, 5 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHN	SMCG160C	Z-Diode/TVS	160V, 5 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHN	SMCJ160C	Z-Diode/TVS	160V, 5 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHN	TFMCJ160C	Z-Diode/TVS	160V, 5 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHN	TV15C161KB	Z-Diode/TVS	160V 10% 5 2A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc
BHP	1 5SMCJ160AC	Z-Diode/TVS	160V, 5 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt, Srj, Wpd
BHP	SMCG160CA	Z-Diode/TVS	160V, 5 8A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHP	SMCJ160CA	Z-Diode/TVS	160V, 5 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil, Vis
BHP	TFMCJ160CA	Z-Diode/TVS	160V 5 8A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHP	TPSMA22	Z-Diode/TVS	22V 12.5A, 400W (1ms)	DO-214AC	1d	Gse, Vis
BHP	TV15C161JB	Z-Diode/TVS	160V 5% 5 8A, 1500W (1ms), Bifirectional	DO-214AB	1c	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BHQ	15SMCJ170C	Z-Diode/TVS	170V, 4 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHQ	SMCG170C	Z-Diode/TVS	170V, 4 9A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHQ	SMCJ170C	Z-Diode/TVS	170V, 4 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHQ	TFMCJ170C	Z-Diode/TVS	170V, 4 9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHQ	TV15C171KB	Z-Diode/TVS	170V 10%, 4 9A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BHR	15SMCJ170AC	Z-Diode/TVS	170V, 5 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHR	SMCG170CA	Z-Diode/TVS	170V, 5 5A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHR	SMCJ170CA	Z-Diode/TVS	170V, 5 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Dil,Vis
BHR	TFMCJ170CA	Z-Diode/TVS	170V, 5 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
BHR	TV15C171JB	Z-Diode/TVS	170V 5%, 5 5A, 1500W(1ms), Bifirectional	DO-214AB	1c	Cmc
BHR7	SM15T200CA	Z-Diode/TVS	190 210V, 5 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHR8	SM15T220CA	Z-Diode/TVS	209 231V, 4 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHS	15SMCJ180C	Z-Diode/TVS	170V, 4 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHS	SMCG188CA	Z-Diode/TVS	188V, 4 6A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHS	SMCJ188CA	Z-Diode/TVS	188V, 4 6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHT	15SMCJ180AC	Z-Diode/TVS	170V, 5 1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHT	SMCG188C	Z-Diode/TVS	188V, 4 4A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
BHT	SMCJ188C	Z-Diode/TVS	188V, 4 4A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
BHU	15SMCJ190C	Z-Diode/TVS	170V, 4 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHV	15SMCJ190AC	Z-Diode/TVS	170V, 4 8A 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHW	15SMCJ200C	Z-Diode/TVS	170V, 4 1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHX	15SMCJ200AC	Z-Diode/TVS	170V, 4 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHY	15SMCJ210C	Z-Diode/TVS	170V, 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BHZ	15SMCJ210AC	Z-Diode/TVS	170V, 4 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BI	SC017-4	Si-Diode	GP, Rectifier, 400V, 1A, Vf<1,1V(2A)	DO-214	1d	Fjt
BI	UD210B	Z-Diode	10V±2.5%, 200mW	SOD-323	5d	Dil
BID	15SMCJ220C	Z-Diode/TVS	170V, 3 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BIE	15SMCJ220AC	Z-Diode/TVS	170V, 4 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
BJ	BZX399-C10	Z-Diode	10V±5%, 300mW	SOD-323	5d	Phi
BJ	BZX884-C12	Z-Diode	12V±5%, 250mW	SOD882	13d	Phi
BJ	UD211B	Z-Diode	11V±2.5%, 200mW	SOD-323	5d	Dil
BK	BZX399-C11	Z-Diode	11V±5%, 300mW	SOD-323	5d	Phi
BK	BZX884-C13	Z-Diode	13V±5%, 250mW	SOD882	13d	Phi
BK	P4SMA22A	Z-Diode/TVS	22V, 14A, 400W (1ms),	DO-214AC	1d	Fag
BK	P6SMBJ14AC	Z-Diode/TVS	14V, 25 8A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BK	SMAJ14A	Z-Diode/TVS	14V, 17 2A, 400W (1ms)	DO-214AC	1d	Vis
BK	SMBG14CA	Z-Diode/TVS	14V, 25 9A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BK	SMBJ14CA	Z-Diode/TVS	14V, 25 9A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BK	TV04A140J	Z-Diode/TVS	14V 5%, 17 2A, 400W(1ms)	DO-214AC	1d	Cmc
BK	TV06B140JB	Z-Diode/TVS	14V 5%, 25 8A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BK	UD212B	Z-Diode	12V±2.5%, 200mW	SOD-323	5d	Dil
BKJL	MBRS2040LT3	Si-Diode	Schottky, Rectifier, 40V, 2A, Vf<0,43V(2A)	SMB	3d	Mot
BKP	TPSMA22A	Z-Diode/TVS	22V, 13,1A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BL	BZX399-C12	Z-Diode	12V±5%, 300mW	SOD-323	5d	Phi
BL	BZX884-C15	Z-Diode	15V±5%, 250mW	SOD882	13d	Phi
BL	P4SMA24	Z-Diode/TVS	24V, 12A, 400W (1ms),	DO-214AC	1d	Fag
BL	P6SMBJ15C	Z-Diode/TVS	15V, 22 3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BL	SMAJ15	Z-Diode/TVS	15V, 14 9A, 400W (1ms)	DO-214AC	1d	Vis
BL	SMBG15C	Z-Diode/TVS	15V, 22 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BL	SMBJ15C	Z-Diode/TVS	15V, 22 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BL	TV04A150K	Z-Diode/TVS	15V 10%, 14 8A, 400W(1ms)	DO-214AC	1d	Cmc
BL	TV06B150KB	Z-Diode/TVS	15V 10%, 22 3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BL	UD213B	Z-Diode	13V±2.5%, 200mW	SOD-323	5d	Dil
BLP	TPSMA24	Z-Diode/TVS	24V, 11 5A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BM	BZX399-C13	Z-Diode	13V±5%, 300mW	SOD-323	5d	Phi
BM	P4SMA24A	Z-Diode/TVS	24V, 13A, 400W (1ms),	DO-214AC	1d	Fag
BM	P6SMBJ15AC	Z-Diode/TVS	15V, 24A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BM	SMAJ15A	Z-Diode/TVS	15V, 16 4A, 400W (1ms)	DO-214AC	1d	Ste,Vis
BM	SMBG15CA	Z-Diode/TVS	15V, 24 6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BM	SMBJ15CA	Z-Diode/TVS	15V, 24 6A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BM	TV04A150J	Z-Diode/TVS	15V 5%, 16 4A, 400W(1ms)	DO-214AC	1d	Cmc
BM	TV06B150JB	Z-Diode/TVS	15V 5%, 24A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BM	UD215B	Z-Diode	15V±2.5%, 200mW	SOD-323	5d	Dil
BM7	SM6T18CA	Z-Diode/TVS	17 1 18 9V, 24A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
BMP	TPSMA24A	Z-Diode/TVS	24V, 12A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BN	BZX399-C15	Z-Diode	15V±5%, 300mW	SOD-323	5d	Phi
BN	P4SMA27	Z-Diode/TVS	27V, 11A, 400W (1ms),	DO-214AC	1d	Fag

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BN	P6SMBJ16C	Z-Diode/TVS	16V, 20 8A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BN	SMAJ16	Z-Diode/TVS	16V, 13 9A, 400W (1ms)	DO-214AC	1d	Vis
BN	SMBG16C	Z-Diode/TVS	16V, 20 8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BN	SMBJ16C	Z-Diode/TVS	16V, 20 8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BN	TV04A160K	Z-Diode/TVS	16V 10%, 13 8A, 400W(1ms)	DO-214AC	1d	Cmc
BN	TV06B160KB	Z-Diode/TVS	16V 10%, 20 8A, 600W(1ms), Bidirectional	DO-214AA	1c	Cmc
BN	UDZ16B	Z-Diode	16V±2.5%, 200mW	SOD-323	5d	Dil
BNP	TPSMA27	Z-Diode/TVS	27V, 10 2A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BO	UDZ18B	Z-Diode	18V±2.5%, 200mW	SOD-323	5d	Dil
BOP	TPSMA30	Z-Diode/TVS	30V, 9 2A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BP	BZX399-C16	Z-Diode	16V±5%, 300mW	SOD-323	5d	Phi
BP	CMDZ2L5	Z-Diode	2 5V, 250mW, Iz=0 5mA	SOD-323	5d	Cen
BP	P4SMA27A	Z-Diode/TVS	27V, 11 2A, 400W (1ms),	DO-214AC	1d	Fag
BP	P6SMBJ16AC	Z-Diode/TVS	16V, 23 1A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BP	SMAJ16A	Z-Diode/TVS	16V, 15 4A, 400W (1ms)	DO-214AC	1d	Vis
BP	SMBG16CA	Z-Diode/TVS	16V, 23 1A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BP	SMBJ16CA	Z-Diode/TVS	16V, 23 1A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BP	TV04A160J	Z-Diode/TVS	16V 5%, 15 3A, 400W(1ms)	DO-214AC	1d	Cmc
BP	TV06B160JB	Z-Diode/TVS	16V 5%, 23 1A, 600W(1ms), Bidirectional	DO-214AA	1c	Cmc
BP	UDZ20B	Z-Diode	20V±2.5%, 200mW	SOD-323	5d	Dil
BPP	TPSMA27A	Z-Diode/TVS	27V, 10 7A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BQ	BZX399-C18	Z-Diode	18V±5%, 300mW	SOD-323	5d	Phi
BQ	P4SMA30	Z-Diode/TVS	30V, 10A, 400W (1ms),	DO-214AC	1d	Fag
BQ	P6SMBJ17C	Z-Diode/TVS	17V, 19 7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BQ	SMAJ17	Z-Diode/TVS	17V, 13 1A, 400W (1ms)	DO-214AC	1d	Vis
BQ	SMBG17C	Z-Diode/TVS	17V, 19 7A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BQ	SMBJ17C	Z-Diode/TVS	17V, 19 7A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BQ	TV04A170K	Z-Diode/TVS	17V 10%, 13 1A, 400W(1ms)	DO-214AC	1d	Cmc
BQ	TV06B170KB	Z-Diode/TVS	17V 10%, 19 7A, 600W(1ms), Bidirectional	DO-214AA	1c	Cmc
BQ	UDZ22B	Z-Diode	22V±2.5%, 200mW	SOD-323	5d	Dil
BR	BZX399-C20	Z-Diode	20V±5%, 300mW	SOD-323	5d	Phi
BR	CMDZ47L	Z-Diode	47V, 250mW, Iz=0 5mA	SOD-323	5d	Cen
BR	P4SMA30A	Z-Diode/TVS	30V, 10A, 400W (1ms),	DO-214AC	1d	Fag
BR	P6SMBJ17AC	Z-Diode/TVS	17V, 21 7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BR	SMAJ17A	Z-Diode/TVS	17V, 14 5A, 400W (1ms)	DO-214AC	1d	Vis
BR	SMBG17CA	Z-Diode/TVS	17V, 21 7A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BR	SMBJ17CA	Z-Diode/TVS	17V, 21 7A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BR	TV04A170J	Z-Diode/TVS	17V 5%, 14 5A, 400W(1ms)	DO-214AC	1d	Cmc
BR	TV06B170JB	Z-Diode/TVS	17V 5%, 21 7A, 600W(1ms), Bidirectional	DO-214AA	1c	Cmc
BR	UDZ24B	Z-Diode	24V±2.5%, 200mW	SOD-323	5d	Dil
BRP	TPSMA30A	Z-Diode/TVS	30V, 9 7A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BS	BZX399-C22	Z-Diode	22V±5%, 300mW	SOD-323	5d	Phi
BS	P4SMA33	Z-Diode/TVS	33V, 9A, 400W (1ms),	DO-214AC	1d	Fag
BS	P6SMBJ18C	Z-Diode/TVS	18V, 18 6A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BS	SMAJ18	Z-Diode/TVS	18V, 12 4A, 400W (1ms)	DO-214AC	1d	Vis
BS	SMBG18C	Z-Diode/TVS	18V, 18 6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BS	SMBJ18C	Z-Diode/TVS	18V, 18 6A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BS	TV04A180K	Z-Diode/TVS	18V 10%, 12 4A, 400W(1ms)	DO-214AC	1d	Cmc
BS	TV06B180KB	Z-Diode/TVS	18V 10%, 18 6A, 600W(1ms), Bidirectional	DO-214AA	1c	Cmc
BS	UDZ27B	Z-Diode	27V±2.5%, 200mW	SOD-323	5d	Dil
BSP	TPSMA33	Z-Diode/TVS	33V, 8 4A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BT	BZX399-C24	Z-Diode	24V±5%, 300mW	SOD-323	5d	Phi
BT	P4SMA33A	Z-Diode/TVS	33V, 9A, 400W (1ms),	DO-214AC	1d	Fag
BT	P6SMBJ18AC	Z-Diode/TVS	18V, 20 5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BT	SMAJ18A	Z-Diode/TVS	18V, 13 7A, 400W (1ms)	DO-214AC	1d	Vis
BT	SMBG18CA	Z-Diode/TVS	18V, 20 5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BT	SMBJ18CA	Z-Diode/TVS	18V, 20 5A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BT	TV04A180J	Z-Diode/TVS	18V 5%, 13 7A, 400W(1ms)	DO-214AC	1d	Cmc
BT	TV06B180JB	Z-Diode/TVS	18V 5%, 20 5A, 600W(1ms), Bidirectional	DO-214AA	1c	Cmc
BT	UDZ30B	Z-Diode	30V±2.5%, 200mW	SOD-323	5d	Dil
BT7	SM6T22CA	Z-Diode/TVS	20 9 23 1V, 20A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
BTP	TPSMA33A	Z-Diode/TVS	3V, 8 8A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BU	BAT54T1	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<0,52V(100mA), <5ns	SOD-123	5d	Ons
BU	BZX399-C27	Z-Diode	27V±5%, 300mW	SOD-323	5d	Phi
BU	P4SMA36	Z-Diode/TVS	36V, 8A, 400W (1ms),	DO-214AC	1d	Fag
BU	P6SMBJ20C	Z-Diode/TVS	20V, 16 7A, 600W (1ms) Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BU	SMAJ20	Z-Diode/TVS	20V, 11 2A, 400W (1ms)	DO-214AC	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
BU	SMBG20C	Z-Diode/TVS	202V, 16.8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BU	SMBJ20C	Z-Diode/TVS	202V, 16.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BU	TV04A200K	Z-Diode/TVS	20V 10%, 11.1A, 400W(1ms)	DO-214AC	1d	Cmc
BU	TV06B200KB	Z-Diode/TVS	20V 10%, 16.4A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BU	UDZ33B	Z-Diode	33V±2.5%, 200mW	SOD-323	5d	Dil
BUA	SMBJ6.0A	Z-Diode/TVS	6V, 61A, 600W (1ms)	DO-214AA	1d	Ste
BUB	SMBJ6.5A	Z-Diode/TVS	6.5V, 56A, 600W (1ms)	DO-214AA	1d	Ste
BUC	SMBJ8.5A	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms)	DO-214AA	1d	Ste
BUD	SMBJ10A	Z-Diode/TVS	10V, 37A, 600W (1ms)	DO-214AA	1d	Ste
BUE	SMBJ12A	Z-Diode/TVS	12V, 31A, 600W (1ms)	DO-214AA	1d	Ste
BUF	SMBJ13A	Z-Diode/TVS	13V, 29A, 600W (1ms)	DO-214AA	1d	Ste
BUG	SMBJ15A	Z-Diode/TVS	15V, 25.1A, 600W (1ms)	DO-214AA	1d	Ste
BUH	SMBJ18A	Z-Diode/TVS	18V, 21.5A, 600W (1ms)	DO-214AA	1d	Ste
BUI	SMBJ20A	Z-Diode/TVS	20V, 19.4A, 600W (1ms)	DO-214AA	1d	Ste
BUJ	SMBJ24A	Z-Diode/TVS	24V, 16A, 600W (1ms)	DO-214AA	1d	Ste
BUK	SMBJ26A	Z-Diode/TVS	26V, 14.9A, 600W (1ms)	DO-214AA	1d	Ste
BUL	SMBJ28A	Z-Diode/TVS	28V, 13.8A, 600W (1ms)	DO-214AA	1d	Ste
BUM	SMBJ30A	Z-Diode/TVS	30V, 13A, 600W (1ms)	DO-214AA	1d	Ste
BUN	SMBJ33A	Z-Diode/TVS	33V, 11.8A, 600W (1ms)	DO-214AA	1d	Ste
BUO	SMBJ58A	Z-Diode/TVS	58V, 6.7A, 600W (1ms)	DO-214AA	1d	Ste
BUP	TPSMA36	Z-Diode/TVS	36V, 7.7A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BUQ	SMBJ85A	Z-Diode/TVS	85V, 4.6A, 600W (1ms)	DO-214AA	1d	Ste
BUS	SMBJ130A	Z-Diode/TVS	130V, 3A, 600W (1ms)	DO-214AA	1d	Ste
BUT	SMBJ154A	Z-Diode/TVS	154V, 2.4A, 600W (1ms)	DO-214AA	1d	Ste
BUU	SMBJ170A	Z-Diode/TVS	170V, 2.2A, 600W (1ms)	DO-214AA	1d	Ste
BUV	SMBJ188A	Z-Diode/TVS	188V, 2A, 600W (1ms)	DO-214AA	1d	Ste
BUW	SMBJ48A	Z-Diode/TVS	48V, 8.1A, 600W (1ms)	DO-214AA	1d	Ste
BUZ	SMBJ5.0A	Z-Diode/TVS	5V, 68A, 600W (1ms)	DO-214AA	1d	Ste
BV	BZX399-C30	Z-Diode	30V±5%, 300mW	SOD-323	5d	Phi
BV	P4SMA36A	Z-Diode/TVS	36V, 8.4A, 400W (1ms),	DO-214AC	1d	Fag
BV	P6SMBJ20AC	Z-Diode/TVS	20V, 18.5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BV	SMAJ20A	Z-Diode/TVS	20V, 12.3A, 400W (1ms)	DO-214AC	1d	Vis
BV	SMBG20CA	Z-Diode/TVS	20V, 18.5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BV	SMBJ20CA	Z-Diode/TVS	20V, 18.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BV	TV04A200J	Z-Diode/TVS	20V 5%, 12.3A, 400W(1ms)	DO-214AC	1d	Cmc
BV	TV06B200JB	Z-Diode/TVS	20V 5%, 18.5A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BV	UDZ36B	Z-Diode	36V±2.5%, 200mW	SOD-323	5d	Dil
BVA	SMBJ22A	Z-Diode/TVS	22V, 17.7A, 600W (1ms)	DO-214AA	1d	Ste
BVP	TPSMA36A	Z-Diode/TVS	36V, 8.0A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BW	BZX399-C33	Z-Diode	33V±5%, 300mW	SOD-323	5d	Phi
BW	P4SMA39	Z-Diode/TVS	39V, 7.4A, 400W (1ms),	DO-214AC	1d	Fag
BW	P6SMBJ22C	Z-Diode/TVS	22V, 15.2A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BW	SMAJ22	Z-Diode/TVS	22V, 10.2A, 400W (1ms)	DO-214AC	1d	Vis
BW	SMBG22C	Z-Diode/TVS	22V, 15.2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BW	SMBJ22C	Z-Diode/TVS	22V, 15.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BW	TV04A220K	Z-Diode/TVS	22V 10%, 10A, 400W(1ms)	DO-214AC	1d	Cmc
BW	TV06B220KB	Z-Diode/TVS	22V 10%, 15.2A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BW	UDZ39B	Z-Diode	39V±2.5%, 200mW	SOD-323	5d	Dil
BWP	TPSMA39	Z-Diode/TVS	39V, 7.1A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BX	BZX399-C36	Z-Diode	36V±5%, 300mW	SOD-323	5d	Phi
BX	P4SMA39A	Z-Diode/TVS	39V, 7.8A, 400W (1ms),	DO-214AC	1d	Fag
BX	P6SMBJ22AC	Z-Diode/TVS	22V, 16.9A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BX	SMAJ22A	Z-Diode/TVS	22V, 11.3A, 400W (1ms)	DO-214AC	1d	Vis
BX	SMBG22CA	Z-Diode/TVS	22V, 16.9A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BX	SMBJ22CA	Z-Diode/TVS	22V, 16.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BX	TV04A220J	Z-Diode/TVS	22V 5%, 11.2A, 400W(1ms)	DO-214AC	1d	Cmc
BX	TV06B220JB	Z-Diode/TVS	22V 5%, 16.9A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
BX	UDZ43B	Z-Diode	43V±2.5%, 200mW	SOD-323	5d	Dil
BX7	SM6T27CA	Z-Diode/TVS	25.7...28.4V, 16A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
BXP	TPSMA39A	Z-Diode/TVS	39V, 7.4A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BY	BZX399-C39	Z-Diode	39V±5%, 300mW	SOD-323	5d	Phi
BY	P4SMA43	Z-Diode/TVS	43V, 6.8A, 400W (1ms),	DO-214AC	1d	Fag
BY	P6SMBJ24C	Z-Diode/TVS	24V, 14A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
BY	SMAJ24	Z-Diode/TVS	24V, 9.3A, 400W (1ms)	DO-214AC	1d	Vis
BY	SMBG11C	Z-Diode/TVS	11V, 29.9A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BY	SMBG24C	Z-Diode/TVS	24V, 14A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BY	SMBJ11C	Z-Diode/TVS	11V, 29.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
BY	SMBJ24C	Z-Diode/TVS	24V, 14A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BY	TV04A240K	Z-Diode/TVS	24V 10%, 9 3A, 400W (1ms)	DO-214AC	1d	Cmc
BY	TV06B240KB	Z-Diode/TVS	24V 10%, 14A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
BY	UDZ47B	Z-Diode	47V±2.5%, 200mW	SOD-323	5d	Dil
BYP	TPSMA43	Z-Diode/TVS	43V, 6 5A, 400W (1ms)	DO-214AC	1d	Gse,Vis
BZ	BZX399-C43	Z-Diode	43V±5%, 300mW	SOD-323	5d	Phi
BZ	P4SMA43A	Z-Diode/TVS	43V, 7,1A, 400W (1ms),	DO-214AC	1d	Fag
BZ	P6SMBJ24AC	Z-Diode/TVS	24V, 15 4A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Sr,Wpd
BZ	SMAJ24A	Z-Diode/TVS	24V, 10 3A, 400W (1ms)	DO-214AC	1d	Vis
BZ	SMBG11CA	Z-Diode/TVS	11V, 33A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BZ	SMBG24CA	Z-Diode/TVS	24V, 15 4A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
BZ	SMBJ11CA	Z-Diode/TVS	11V, 33A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
BZ	SMBJ24CA	Z-Diode/TVS	24V, 15 4A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
BZ	TV04A240J	Z-Diode/TVS	24V 5%, 10 3A, 400W (1ms)	DO-214AC	1d	Cmc
BZ	TV06B240JB	Z-Diode/TVS	24V 5%, 15 4A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
BZ	UDZ51B	Z-Diode	51V±2.5%, 200mW	SOD-323	5d	Dil
BZP	TPSMA43A	Z-Diode/TVS	43V, 6,7A, 400W (1ms)	DO-214AC	1d	Gse,Vis
C	BB179B	C-Diode	TV-VHF-Tuning, VCO, 30V, 20mA, 18,22 1,9pF(1 28V)	SOD-523	6d	Phi
C	HVR17	C-Diode	FM-Tuning, 50 85pF(1V)	SOD-123	5d	Ren
C	RB521S-30	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<0,5V(200mA)	SOD-523	6d	Rhm,Tre
C (white)	BAT65	Si-Diode	Schottky, 30V, 500mA Vf<0.7V(500mA) Cd<12pF	SOD-123	5d	Sie
C0	BZX585-B5V6	Z-Diode	5,6V±2%, 300mW	SOD-523	6d	Phi
C1	1SS352	Si-Diode	Switching, U-Fast, 80V, 100mA, 200mW, 0,5pF 1,6ns	USC	5d	Tos
C1	BZX585-B2V4	Z-Diode	2,4V±2%, 300mW	SOD-523	6d	Phi
C1	BZX884-B16	Z-Diode	16V±2%, 250mW	SOD882	13d	Phi
C1	FSS32	Si-Diode	Schottky Barrier Rectifier, 20V, 3A, Vf<0,75V(3A)	DO-214AB	1d	Fag
C1	MMSZ5221B	Z-Diode	2,4V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Dil
C1	MMSZ5221B	Z-Diode	2,4V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Dil
C1	MMSZ5221BS	Z-Diode	2,4V±5%, 0.2W, Zzt=30Ω	SOD-323	5d	Dil
C1	MMSZ5221BT1	Z-Diode	2,4V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Mot
C100A	15SMC100A	Z-Diode/TVS	95 0 105V, 11A, 1500W (1ms)	SMC	1d	Cen
C100C	15SMC100CA	Z-Diode/TVS	95 0 105V, 11A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C10A	15SMC10A	Z-Diode/TVS	9 5 10 5V, 103A, 1500W (1ms)	SMC	1d	Cen
C10C	15SMC10CA	Z-Diode/TVS	9 5 10 5V, 103A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C110A	15SMC110A	Z-Diode/TVS	104 5 115 5V, 9 9A, 1500W (1ms)	SMC	1d	Cen
C110C	15SMC110CA	Z-Diode/TVS	104 5 115 5V, 9 9A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C11A	15SMC11A	Z-Diode/TVS	10 5 11 6V, 96A, 1500W (1ms)	SMC	1d	Cen
C11C	15SMC11CA	Z-Diode/TVS	10 5 11 6V, 96A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C120A	15SMC120A	Z-Diode/TVS	114 126V, 9 1A 1500W (1ms)	SMC	1d	Cen
C120C	15SMC120CA	Z-Diode/TVS	114 126V, 9 1A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C12A	15SMC12A	Z-Diode/TVS	11 4 12 6V, 90A, 1500W (1ms)	SMC	1d	Cen
C12C	15SMC12CA	Z-Diode/TVS	11 4 12 6V, 90A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C130A	15SMC130A	Z-Diode/TVS	123 5 136 5V, 8 4A, 1500W (1ms)	SMC	1d	Cen
C130C	15SMC130CA	Z-Diode/TVS	123 5 136 5V, 8 4A, 1500W (1ms) Bidirectional	SMC	1c	Cen
C13A	15SMC13A	Z-Diode/TVS	12 4 13 7V, 82A, 1500W (1ms)	SMC	1d	Cen
C13C	15SMC13CA	Z-Diode/TVS	12 4 13 7V, 82A, 1500W (1ms) Bidirectional	SMC	1c	Cen
C150A	15SMC150A	Z-Diode/TVS	142 5 157 5V, 7 2A, 1500W (1ms)	SMC	1d	Cen
C150C	15SMC150CA	Z-Diode/TVS	142 5 157 5V, 7 2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C15A	15SMC15A	Z-Diode/TVS	14 3 15 8V, 71A 1500W (1ms)	SMC	1d	Cen
C15C	15SMC15CA	Z-Diode/TVS	14 3 15 8V, 71A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C160A	15SMC160A	Z-Diode/TVS	152 168V, 6 8A, 1500W (1ms)	SMC	1d	Cen
C160C	15SMC160CA	Z-Diode/TVS	152 168V, 6 8A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C16A	15SMC16A	Z-Diode/TVS	15 2 16 8V, 67A, 1500W (1ms)	SMC	1d	Cen
C16C	15SMC16CA	Z-Diode/TVS	15 2 16 8V, 67A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C170A	15SMC170A	Z-Diode/TVS	161 5 178 5V, 6 4A, 1500W (1ms)	SMC	1d	Cen
C170C	15SMC170CA	Z-Diode/TVS	161 5 178 5V, 6 4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C180A	15SMC180A	Z-Diode/TVS	171 189V, 6 1A, 1500W (1ms)	SMC	1d	Cen
C180C	15SMC180CA	Z-Diode/TVS	171 189V, 6 1A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C18A	15SMC18A	Z-Diode/TVS	17 1 18 9V, 59 5A, 1500W (1ms)	SMC	1d	Cen
C18C	15SMC18CA	Z-Diode/TVS	17 1 18 9V, 59 5A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C2	BZX585-B2V9	Z-Diode	2,9V±2%, 300mW	SOD-523	6d	Phi
C2	BZX884-B18	Z-Diode	18V±2%, 250mW	SOD882	13d	Phi
C2	EDZS5 6B	Z-Diode	5,6V 10%, 5mA, 100mW	SOD-523	6d	Rhm
C2	FSS33	Si-Diode	Schottky Barrier Rectifier, 30V, 3A, Vf<0,75V(3A)	DO-214AB	1d	Fag
C2	MMSZ5222B	Z-Diode	2,5V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Pjt
C2	MMSZ5222BT1	Z-Diode	2,5V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Mot
C2	MSCD032	Si-Diode	Schottky Barrier Rectifier 20V, 0,3A, Vf<0.5V(0.3A)	0805	14d	Zow

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
C2	SMBYT03-200	Si-Diode	Rectifier, Fast Recovery 200V, 3A, Vf<0,71V(3A), <25ns	DO-214AC	1d	Ste
C2	UDZ5 6B	Z-Diode	5,6V±2 5% 200mW	SOD-323	5d	Rhm
C2	UDZS5 6B	Z-Diode	5,6V 10%, 5mA, 200mW	SOD-106	1d	Rhm
C2	VDZS5 6B	Z-Diode	5,6V 10%, 5mA, 100mW	VMD2	5d	Rhm
C200A	1 5SMC200A	Z-Diode/TVS	190 210V 5 5A, 1500W(1ms)	SMC	1d	Cen
C200C	1 5SMC200CA	Z-Diode/TVS	190 210V 5 5A, 1500W(1ms) Bidirectional	SMC	1c	Cen
C20A	1 5SMC20A	Z-Diode/TVS	19 0 21 0V, 54A, 1500W(1ms)	SMC	1d	Cen
C20C	1 5SMC20CA	Z-Diode/TVS	19 0 21 0V, 54A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C220A	1 5SMC220A	Z-Diode/TVS	209 231V, 4 6A, 1500W(1ms)	SMC	1d	Cen
C220C	1 5SMC220CA	Z-Diode/TVS	209 231V 4 6A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C22A	1 5SMC22A	Z-Diode/TVS	20 9 23 1V, 49A, 1500W(1ms)	SMC	1d	Cen
C22C	1 5SMC22CA	Z-Diode/TVS	20 9 23 1V, 49A, 1500W(1ms) Bidirectional	SMC	1c	Cen
C24	CMDD2004	Si-Diode	Switching, 240V, 200mA, 250mW, Vf<1V(100mA), <5pF	SOD-323	5d	Cen
C24A	1 5SMC24A	Z-Diode/TVS	22 8 25 2V 45A, 1500W(1ms)	SMC	1d	Cen
C24C	1 5SMC24CA	Z-Diode/TVS	22 8 25 2V, 45A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C27A	1 5SMC27A	Z-Diode/TVS	25 7 28 4V, 40A, 1500W(1ms)	SMC	1d	Cen
C27C	1 5SMC27CA	Z-Diode/TVS	25 7 28 4V, 40A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C3	BZX585-B3V0	Z-Diode	3V±2%, 300mW	SOD-523	6d	Phi
C3	BZX884-B20	Z-Diode	20V±2%, 250mW	SOD882	13d	Phi
C3	FSS34	Si-Diode	Schottky Barrier Rectifier, 40V, 3A, Vf<0,75V(3A)	DO-214AB	1d	Fag
C3	MMSZ5223B	Z-Diode	2,7V±5%, 0 5W, Zzt=30Ω	SOD-123	5d	Dil
C3	MMSZ5223B	Z-Diode	2,7V±5%, 0 5W, Zzt=30Ω	SOD-123	5d	Dil
C3	MMSZ5223BS	Z-Diode	2,7V±5%, 0 2W, Zzt=30Ω	SOD-323	5d	Dil
C3	MMSZ5223BT1	Z-Diode	2,7V±5%, 0 5W, Zzt=30Ω	SOD-123	5d	Mot
C3	SMBYT03-300	Si-Diode	Rectifier, Fast Recovery, 300V, 3A, Vf<0 85V(3A), <25ns	DO-214AC	1d	Ste
C30A	1 5SMC30A	Z-Diode/TVS	28 5 31 5V, 36A, 1500W(1ms)	SMC	1d	Cen
C30C	1 5SMC30CA	Z-Diode/TVS	28 5 31 5V 36A, 1500W(1ms) Bidirectional	SMC	1c	Cen
C33A	1 5SMC33A	Z-Diode/TVS	31 4 34 7V 33A, 1500W(1ms)	SMC	1d	Cen
C33C	1 5SMC33CA	Z-Diode/TVS	31 4 34 7V, 33A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C36A	1 5SMC36A	Z-Diode/TVS	34 2 37 8V, 30A, 1500W(1ms)	SMC	1d	Cen
C36C	1 5SMC36CA	Z-Diode/TVS	34 2 37 8V, 30A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C39A	1 5SMC39A	Z-Diode/TVS	37 1 41 1V, 28A, 1500W(1ms)	SMC	1d	Cen
C39C	1 5SMC39CA	Z-Diode/TVS	37 1 41V, 28A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C4	BZX585-B3V3	Z-Diode	3,3V±2%, 300mW	SOD-523	6d	Phi
C4	BZX884-B22	Z-Diode	22V±2%, 250mW	SOD882	13d	Phi
C4	FSS35	Si-Diode	Schottky Barrier Rectifier, 50V, 3A, Vf<0,75V(3A)	DO-214AB	1d	Fag
C4	MMSZ5224BT1	Z-Diode	2,8V±5%, 0 5W, Zzt=30Ω	SOD-123	5d	Mot
C4	MSCD034	Si-Diode	Schottky Barrier Rectifier, 40V, 0 3A, Vf<0,5V(0 3A)	0805	14d	Zow
C4	SMBYT03-400	Si-Diode	Rectifier, Fast Recovery, 200V, 3A, Vf<0,71V(3A) <25ns	DO-214AC	1d	Ste
C43A	1 5SMC43A	Z-Diode/TVS	40 9 45 2V, 25 3A, 1500W(1ms)	SMC	1d	Cen
C43C	1 5SMC43CA	Z-Diode/TVS	40 9 45 2V, 25 3A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C47A	1 5SMC47A	Z-Diode/TVS	44 7 49 4V, 23 2A, 1500W(1ms)	SMC	1d	Cen
C47C	1 5SMC47CA	Z-Diode/TVS	44 7 49 4V, 23 2A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C5	BZX585-B3V6	Z-Diode	3,6V±2%, 300mW	SOD-523	6d	Phi
C5	BZX884-B24	Z-Diode	24V±2%, 250mW	SOD882	13d	Phi
C5	FSS36	Si-Diode	Schottky Barrier Rectifier, 60V, 3A, Vf<0,75V(3A)	DO-214AB	1d	Fag
C5	MMSZ5225	Z-Diode	3V±10%, 0 5W, Zzt=30Ω	SOD-123	5d	Vis
C5	MMSZ5225B	Z-Diode	3V±5%, 0 5W, Zzt=30Ω	SOD-123	5d	Dil
C5	MMSZ5225B	Z-Diode	3V±5%, 0 5W, Zzt=30Ω	SOD-123	5d	Dil
C5	MMSZ5225BS	Z-Diode	3V±5%, 0 2W, Zzt=30Ω	SOD-323	5d	Dil
C5	MMSZ5225BT1	Z-Diode	3V±5%, 0 5W, Zzt=30Ω	SOD-123	5d	Mot
C5	UDZ30B	Z-Diode	30V±2 5%, 200mW	SOD-323	5d	Rhm
C5	UDZS30B	Z-Diode	30V 10%, 5mA, 200mW	SOD-106	1d	Rhm
C5	VDZS30B	Z-Diode	30V 10% 5mA, 100mW	VMD2	5d	Rhm
C51A	1 5SMC51A	Z-Diode/TVS	48 5 53 6V, 21 4A, 1500W(1ms)	SMC	1d	Cen
C51C	1 5SMC51CA	Z-Diode/TVS	48 5 53 6V, 21 4A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C56A	1 5SMC56A	Z-Diode/TVS	53 2 58 8V, 19 5A, 1500W(1ms)	SMC	1d	Cen
C56C	1 5SMC56CA	Z-Diode/TVS	53 2 58 8V, 19 5A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C6	BZX585-B3V9	Z-Diode	3,9V±2%, 300mW	SOD-523	6d	Phi
C6	BZX884-B27	Z-Diode	27V±2%, 250mW	SOD882	13d	Phi
C62A	1 5SMC62A	Z-Diode/TVS	58 9 65 1V, 17 7A, 1500W(1ms)	SMC	1d	Cen
C62C	1 5SMC62CA	Z-Diode/TVS	58 9 65 1V 17 7A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C68A	1 5SMC68A	Z-Diode/TVS	64 6 71 4V, 16 3A, 1500W(1ms)	SMC	1d	Cen
C68C	1 5SMC68CA	Z-Diode/TVS	64 6 71 4V, 16 3A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C6V8A	1 5SMC6 8A	Z-Diode/TVS	6 45 7 14V, 143A, 1500W(1ms)	SMC	1d	Cen
C6V8C	1 5SMC6 8CA	Z-Diode/TVS	6 45 7 14V, 143A, 1500W(1ms), Bidirectional	SMC	1c	Cen
C7	BZX585-B4V3	Z-Diode	4 3V±2% 300mW	SOD-523	6d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
C7	BZX884-B30	Z-Diode	30V±2%, 250mW	SOD882	13d	Phi
C75A	1.5SMC75A	Z-Diode/TVS	71.3..78.8V, 14.6A, 1500W (1ms)	SMC	1c	Cen
C75C	1.5SMC75CA	Z-Diode/TVS	71.3..78.8V, 14.6A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C7V5A	1.5SMC7.5A	Z-Diode/TVS	7.13..7.88V, 132A, 1500W (1ms)	SMC	1d	Cen
C7V5C	1.5SMC7.5CA	Z-Diode/TVS	7.13..7.88V, 132A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C8	BZX585-B4V7	Z-Diode	4.7V±2%, 300mW	SOD-523	6d	Phi
C8	BZX884-B33	Z-Diode	33V±2%, 250mW	SOD882	13d	Phi
C82A	1.5SMC82A	Z-Diode/TVS	77.9..86.1V, 13.3A, 1500W (1ms)	SMC	1d	Cen
C82C	1.5SMC82CA	Z-Diode/TVS	77.9..86.1V, 13.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C8V2A	1.5SMC8.2A	Z-Diode/TVS	7.79..8.61V, 124A, 1500W (1ms)	SMC	1d	Cen
C8V2C	1.5SMC8.2CA	Z-Diode/TVS	7.79..8.61V, 124A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C9	BZX585-B5V1	Z-Diode	5.1V±2%, 300mW	SOD-523	6d	Phi
C9	BZX884-B36	Z-Diode	36V±2%, 250mW	SOD882	13d	Phi
C91A	1.5SMC91A	Z-Diode/TVS	86.5..95.5V, 12A, 1500W (1ms)	SMC	1d	Cen
C91C	1.5SMC91CA	Z-Diode/TVS	86.5..95.5V, 12A, 1500W (1ms), Bidirectional	SMC	1c	Cen
C9V1A	1.5SMC9.1A	Z-Diode/TVS	8.65..9.55V, 112A, 1500W (1ms)	SMC	1d	Cen
C9V1C	1.5SMC9.1CA	Z-Diode/TVS	8.65..9.55V, 112A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CA	BZX884-B39	Z-Diode	39V±2%, 250mW	SOD882	13d	Phi
CA	MMSZ4691	Z-Diode	6.2V 5%, 350mW	SOD-123	5d	Vis
CA	MMSZ4691T1	Z-Diode	6.2V±5%, 0.5W	SOD-123	5d	Mot
CA	SD883-02	Si-Diode	Schottky Barrier Rectifier, 20V, 3A, Vf<0.39V(2.5A)	PowDI123	7d	Fji
CA	ZMV8298	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 8.2pF(2V), ΔC ±5%	SOD-323	5d	Zlx
CB	BZX884-B43	Z-Diode	43V±2%, 250mW	SOD882	13d	Phi
CB	SD883-04	Si-Diode	Schottky Barrier Rectifier, 40V, 3A, Vf<0.45V(2.5A)	PowDI123	7d	Fji
CB	ZMV8308	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 10pF(2V), ΔC ±5%	SOD-323	5d	Zlx
CBDE	1SMC5.0CA	Z-Diode/TVS	5.0V, 163.0A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDG	1SMC6.0CA	Z-Diode/TVS	6.0V, 145.6A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDK	1SMC6.5CA	Z-Diode/TVS	6.5V, 133.9A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDM	1SMC7.0CA	Z-Diode/TVS	7.0V, 125.0A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDP	1SMC7.5CA	Z-Diode/TVS	7.5V, 116.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDR	1SMC8.0CA	Z-Diode/TVS	8.0V, 110.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDT	1SMC8.5CA	Z-Diode/TVS	8.5V, 104.2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDV	1SMC9.0CA	Z-Diode/TVS	9.0V, 97.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDX	1SMC10CA	Z-Diode/TVS	10V, 88.2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBDZ	1SMC11CA	Z-Diode/TVS	11V, 82.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEE	1SMC12CA	Z-Diode/TVS	12V, 75.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEG	1SMC13CA	Z-Diode/TVS	13V, 69.7A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEK	1SMC14CA	Z-Diode/TVS	14V, 64.7A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEM	1SMC15CA	Z-Diode/TVS	15V, 61.5A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEP	1SMC16CA	Z-Diode/TVS	16V, 57.7A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBER	1SMC17CA	Z-Diode/TVS	17V, 53.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBET	1SMC18CA	Z-Diode/TVS	18V, 51.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEV	1SMC20CA	Z-Diode/TVS	20V, 46.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEX	1SMC22CA	Z-Diode/TVS	22V, 42.2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBEZ	1SMC24CA	Z-Diode/TVS	24V, 38.6A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFE	1SMC26CA	Z-Diode/TVS	26V, 35.6A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFG	1SMC28CA	Z-Diode/TVS	28V, 33.0A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFK	1SMC30CA	Z-Diode/TVS	30V, 31.0A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFM	1SMC33CA	Z-Diode/TVS	33V, 28.1A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFP	1SMC36CA	Z-Diode/TVS	36V, 25.8A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFR	1SMC40CA	Z-Diode/TVS	40V, 23.2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFT	1SMC43CA	Z-Diode/TVS	43V, 21.6A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFV	1SMC45CA	Z-Diode/TVS	45V, 20.6A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFX	1SMC48CA	Z-Diode/TVS	48V, 19.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBFX	1SMC51CA	Z-Diode/TVS	51V, 18.2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGE	1SMC54CA	Z-Diode/TVS	54V, 17.2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGG	1SMC58CA	Z-Diode/TVS	58V, 16.0A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGK	1SMC60CA	Z-Diode/TVS	60V, 15.5A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGM	1SMC64CA	Z-Diode/TVS	64V, 14.6A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGP	1SMC70CA	Z-Diode/TVS	70V, 13.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGR	1SMC75CA	Z-Diode/TVS	75V, 12.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGT	1SMC78CA	Z-Diode/TVS	78V, 11.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGV	1SMC85CA	Z-Diode/TVS	85V, 10.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGX	1SMC90CA	Z-Diode/TVS	90V, 10.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBGZ	1SMC100CA	Z-Diode/TVS	100V, 9.3A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBH	SMBJ22CA	Z-Diode/TVS	22V, 17.7A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
CBHE	1SMC110CA	Z-Diode/TVS	110V, 8.4A, 1500W (1ms), Bidirectional	SMC	1c	Cen

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
CBHG	1SMC120CA	Z-Diode/TVS	120V, 7 9A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBHK	1SMC130CA	Z-Diode/TVS	130V 7 2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBHM	1SMC150CA	Z-Diode/TVS	150V, 6 2A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBHP	1SMC160CA	Z-Diode/TVS	160V, 5 8A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBHR	1SMC170CA	Z-Diode/TVS	170V, 5 5A, 1500W (1ms), Bidirectional	SMC	1c	Cen
CBJ	SMBJ40CA	Z-Diode/TVS	40V, 9 7A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
CBM	SMBJ70CA	Z-Diode/TVS	70V, 5 5A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
CBQ	SMBJ100CA	Z-Diode/TVS	100V, 3 8A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
CC	BZX884-B47	Z-Diode	47V±2%, 250mW	SOD882	13d	Phi
CC	MMSZ4678T1	Z-Diode	1,8V±5%, 0,5W	SOD-123	5d	Mol
CC	ZMV831B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±5%	SOD-323	5d	Zlx
CC1	CMHZ5221B	Z-Diode	2 4V 5%, 500mW	SOD-123	5d	Cen
CC2	CMHZ5222B	Z-Diode	2 5V 5%, 500mW	SOD-123	5d	Cen
CC3	CMHZ5223B	Z-Diode	2 7V 5%, 500mW	SOD-123	5d	Cen
CC4	CMHZ5224B	Z-Diode	2 8V 5%, 500mW	SOD-123	5d	Cen
CC5	CMHZ5225B	Z-Diode	3 0V 5%, 500mW	SOD-123	5d	Cen
CD	BZX884-B51	Z-Diode	51V±2%, 250mW	SOD882	13d	Phi
CD	MMSZ4679T1	Z-Diode	2V±5%, 0,5W	SOD-123	5d	Mol
CD	P4SMA47	Z-Diode/TVS	47V, 6,2A, 400W (1ms),	DO-214AC	1d	Fag
CD	P6SMBJ26C	Z-Diode/TVS	26V, 12 4A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
CD	SMAJ26	Z-Diode/TVS	26V, 8 6A, 400W (1ms)	DO-214AC	1d	Vis
CD	SMBG26C	Z-Diode/TVS	26V, 12 9A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CD	SMBJ26C	Z-Diode/TVS	26V, 12 9A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CD	TV04A260K	Z-Diode/TVS	26V 10%, 8 6A, 400W (1ms)	DO-214AC	1d	Cmc
CD	TV06B260KB	Z-Diode/TVS	26V 10%, 12 4A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
CD	ZMV832B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±5%	SOD-323	5d	Zlx
CD1	CMHZ5226B	Z-Diode	3 3V 5%, 500mW	SOD-123	5d	Cen
CD2	CMHZ5227B	Z-Diode	3 6V 5%, 500mW	SOD-123	5d	Cen
CD3	CMHZ5228B	Z-Diode	3 9V 5%, 500mW	SOD-123	5d	Cen
CD4	CMHZ5229B	Z-Diode	4 3V 5%, 500mW	SOD-123	5d	Cen
CD5	CMHZ5230B	Z-Diode	4 7V 5%, 500mW	SOD-123	5d	Cen
CE	BZX884-B56	Z-Diode	56V±2%, 250mW	SOD882	13d	Phi
CE	MMSZ4680T1	Z-Diode	2,2V±5%, 0,5W	SOD-123	5d	Mol
CE	P4SMA47A	Z-Diode/TVS	47V, 7A, 400W (1ms),	DO-214AC	1d	Fag
CE	P6SMBJ26AC	Z-Diode/TVS	26V, 14 2A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
CE	SMAJ26A	Z-Diode/TVS	26V, 9 5A, 400W (1ms)	DO-214AC	1d	Vis
CE	SMBG26CA	Z-Diode/TVS	26V, 14 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CE	SMBJ26CA	Z-Diode/TVS	26V, 14 3A, 600W (1ms), Bidirectional	DO-214AA	1c	DiI,Vis
CE	TV04A260J	Z-Diode/TVS	26V 5%, 9 5A, 400W (1ms)	DO-214AC	1d	Cmc
CE	TV06B260JB	Z-Diode/TVS	26V 5%, 14 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
CE	ZMV833B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 33pF(2V), ΔC ±5%	SOD-323	5d	Zlx
CE1	CMHZ5231B	Z-Diode	5 1V 5%, 500mW	SOD-123	5d	Cen
CE2	CMHZ5232B	Z-Diode	5 6V 5%, 500mW	SOD-123	5d	Cen
CE3	CMHZ5233B	Z-Diode	6 0V 5%, 500mW	SOD-123	5d	Cen
CE4	CMHZ5234B	Z-Diode	6 2V 5%, 500mW	SOD-123	5d	Cen
CE5	CMHZ5235B	Z-Diode	6 8V 5%, 500mW	SOD-123	5d	Cen
CE7	SM6T30CA	Z-Diode/TVS	28 5 31 5V, 14 5A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
CF	BZX884-B62	Z-Diode	62V±2%, 250mW	SOD882	13d	Phi
CF	MAZD056	Z-Diode	5,3 6V, 120mW	SSSMin2	7d	Pan
CF	MMSZ4681	Z-Diode	2 4V 5%, 350mW	SOD-123	5d	Vis
CF	MMSZ4681T1	Z-Diode	2,4V±5%, 0,5W	SOD-123	5d	Mol
CF	P4SMA51	Z-Diode/TVS	51V, 5,7A, 400W (1ms),	DO-214AC	1d	Fag
CF	P6SMBJ28C	Z-Diode/TVS	28V, 12A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
CF	SMAJ28	Z-Diode/TVS	28V, 8A, 400W (1ms)	DO-214AC	1d	Vis
CF	SMBG28C	Z-Diode/TVS	28V, 12A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CF	SMBJ28C	Z-Diode/TVS	28V, 12A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CF	TV04A280K	Z-Diode/TVS	28V 10%, 8A, 400W (1ms)	DO-214AC	1d	Cmc
CF	TV06B280KB	Z-Diode/TVS	28V 10%, 12A, 600W (1ms), Bidirectional	DO-214AA	1c	Cmc
CF	ZMV834B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 47pF(2V), ΔC ±5%	SOD-323	5d	Zlx
CF1	CMHZ5236B	Z-Diode	7 5V 5%, 500mW	SOD-123	5d	Cen
CF2	CMHZ5237B	Z-Diode	8 2V 5%, 500mW	SOD-123	5d	Cen
CF3	CMHZ5238B	Z-Diode	8 7V 5%, 500mW	SOD-123	5d	Cen
CF4	CMHZ5239B	Z-Diode	9 1V 5%, 500mW	SOD-123	5d	Cen
CF5	CMHZ5240B	Z-Diode	10V 5%, 500mW	SOD-123	5d	Cen
CG	BCX71GR	Si-PNP	GP, 45V, 100mA, 330mW, B= 120 220, 250MHz	SOT23R	10le	Phi
CG	BZX884-B68	Z-Diode	68V±2%, 250mW	SOD882	13d	Phi
CG	P4SMA51A	Z-Diode/TVS	51V, 6A, 400W (1ms),	DO-214AC	1d	Fag

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
CG	P6SMBJ28AC	Z-Diode/TVS	28V, 13.2A, 600W (1ms), Bidirectional	DO-214AA	2c Pjt.Srj,Wpd
CG	SMAJ28A	Z-Diode/TVS	28V, 8.8A, 400W (1ms)	DO-214AC	1d Ste,Vis
CG	SMBG28CA	Z-Diode/TVS	28V, 13.2A, 600W (1ms), Bidirectional	DO-215AA	1c Vis
CG	SMBJ28CA	Z-Diode/TVS	28V, 13.2A, 600W (1ms), Bidirectional	DO-214AA	1c Dil,Vis
CG	TV04A280J	Z-Diode/TVS	28V 5%, 8.8A, 400W(1ms)	DO-214AC	1d Cmc
CG	TV06B280JB	Z-Diode/TVS	28V 5%, 13.2A, 600W(1ms), Bifirectional	DO-214AA	1c Cmc
CG	ZMV835B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 68pF(2V), ΔC ±5%	SOD-323	5d Zlx
CGDE	1SMC5.0A	Z-Diode/TVS	5.0V, 163.0A, 1500W(1ms)	SMC	1d Cen
CGDG	1SMC6.0A	Z-Diode/TVS	6.0V, 145.6A, 1500W(1ms)	SMC	1d Cen
CGDK	1SMC6.5A	Z-Diode/TVS	6.5V, 133.9A, 1500W(1ms)	SMC	1d Cen
CGDM	1SMC7.0A	Z-Diode/TVS	7.0V, 125.0A, 1500W(1ms)	SMC	1d Cen
CGDP	1SMC7.5A	Z-Diode/TVS	7.5V, 116.3A, 1500W(1ms)	SMC	1d Cen
CGDR	1SMC8.0A	Z-Diode/TVS	8.0V, 110.3A, 1500W(1ms)	SMC	1d Cen
CGDT	1SMC8.5A	Z-Diode/TVS	8.5V, 104.2A, 1500W(1ms)	SMC	1d Cen
CGDV	1SMC9.0A	Z-Diode/TVS	9.0V, 97.4A, 1500W(1ms)	SMC	1d Cen
CGDX	1SMC10A	Z-Diode/TVS	10V, 88.2A, 1500W(1ms)	SMC	1d Cen
CGDZ	1SMC11A	Z-Diode/TVS	11V, 82.4A, 1500W(1ms)	SMC	1d Cen
CGEE	1SMC12A	Z-Diode/TVS	12V, 75.3A, 1500W(1ms)	SMC	1d Cen
CGEG	1SMC13A	Z-Diode/TVS	13V, 69.7A, 1500W(1ms)	SMC	1d Cen
CGEK	1SMC14A	Z-Diode/TVS	14V, 64.7A, 1500W(1ms)	SMC	1d Cen
CGEM	1SMC15A	Z-Diode/TVS	15V, 61.5A, 1500W(1ms)	SMC	1d Cen
CGEP	1SMC16A	Z-Diode/TVS	16V, 57.7A, 1500W(1ms)	SMC	1d Cen
CGER	1SMC17A	Z-Diode/TVS	17V, 53.3A, 1500W(1ms)	SMC	1d Cen
CGET	1SMC18A	Z-Diode/TVS	18V, 51.4A, 1500W(1ms)	SMC	1d Cen
CGEV	1SMC20A	Z-Diode/TVS	20V, 46.3A, 1500W(1ms)	SMC	1d Cen
CGEX	1SMC22A	Z-Diode/TVS	22V, 42.2A, 1500W(1ms)	SMC	1d Cen
CGEZ	1SMC24A	Z-Diode/TVS	24V, 38.6A, 1500W(1ms)	SMC	1d Cen
CGFE	1SMC26A	Z-Diode/TVS	26V, 35.6A, 1500W(1ms)	SMC	1d Cen
CGFG	1SMC28A	Z-Diode/TVS	28V, 33.0A, 1500W(1ms)	SMC	1d Cen
CGFK	1SMC30A	Z-Diode/TVS	30V, 31.0A, 1500W(1ms)	SMC	1d Cen
CGFM	1SMC33A	Z-Diode/TVS	33V, 28.1A, 1500W(1ms)	SMC	1d Cen
CGFP	1SMC36A	Z-Diode/TVS	36V, 25.8A, 1500W(1ms)	SMC	1d Cen
CGFR	1SMC40A	Z-Diode/TVS	40V, 23.2A, 1500W(1ms)	SMC	1d Cen
CGFT	1SMC43A	Z-Diode/TVS	43V, 21.6A, 1500W(1ms)	SMC	1d Cen
CGFV	1SMC45A	Z-Diode/TVS	45V, 20.6A, 1500W(1ms)	SMC	1d Cen
CGFX	1SMC48A	Z-Diode/TVS	48V, 19.4A, 1500W(1ms)	SMC	1d Cen
CGFX	1SMC51A	Z-Diode/TVS	51V, 18.2A, 1500W(1ms)	SMC	1d Cen
CGGE	1SMC54A	Z-Diode/TVS	54V, 17.2A, 1500W(1ms)	SMC	1d Cen
CGGG	1SMC58A	Z-Diode/TVS	58V, 16.0A, 1500W(1ms)	SMC	1d Cen
CGGK	1SMC60A	Z-Diode/TVS	60V, 15.5A, 1500W(1ms)	SMC	1d Cen
CGGM	1SMC64A	Z-Diode/TVS	64V, 14.6A, 1500W(1ms)	SMC	1d Cen
CGGP	1SMC70A	Z-Diode/TVS	70V, 13.3A, 1500W(1ms)	SMC	1d Cen
CGGR	1SMC75A	Z-Diode/TVS	75V, 12.4A, 1500W(1ms)	SMC	1d Cen
CGGT	1SMC78A	Z-Diode/TVS	78V, 11.4A, 1500W(1ms)	SMC	1d Cen
CGGV	1SMC85A	Z-Diode/TVS	85V, 10.4A, 1500W(1ms)	SMC	1d Cen
CGGX	1SMC90A	Z-Diode/TVS	90V, 10.3A, 1500W(1ms)	SMC	1d Cen
CGGZ	1SMC100A	Z-Diode/TVS	100V, 9.3A, 1500W(1ms)	SMC	1d Cen
CGHE	1SMC110A	Z-Diode/TVS	110V, 8.4A, 1500W(1ms)	SMC	1d Cen
CGHG	1SMC120A	Z-Diode/TVS	120V, 7.9A, 1500W(1ms)	SMC	1d Cen
CGHK	1SMC130A	Z-Diode/TVS	130V, 7.2A, 1500W(1ms)	SMC	1d Cen
CGHM	1SMC150A	Z-Diode/TVS	150V, 6.2A, 1500W(1ms)	SMC	1d Cen
CGHP	1SMC160A	Z-Diode/TVS	160V, 5.8A, 1500W(1ms)	SMC	1d Cen
CGHR	1SMC170A	Z-Diode/TVS	170V, 5.5A, 1500W(1ms)	SMC	1d Cen
CH	BZX884-B75	Z-Diode	75V±2%, 250mW	SOD882	13d Phi
CH	MMSZ4682	Z-Diode	2.7V 5%, 350mW	SOD-123	5d Vis
CH	MMSZ4682T1	Z-Diode	2.7V±5%, 0.5W	SOD-123	5d Mot
CH	P4SMA56	Z-Diode/TVS	56V, 5.2A, 400W (1ms),	DO-214AC	1d Fag
CH	P6SMBJ30C	Z-Diode/TVS	30V, 11.2A, 600W (1ms), Bidirectional	DO-214AA	2c Pjt.Srj,Wpd
CH	SMAJ28CA	Z-Diode/TVS	28V, 8.8A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
CH	SMAJ30	Z-Diode/TVS	30V, 7.5A, 400W (1ms)	DO-214AC	1d Vis
CH	SMBG30C	Z-Diode/TVS	30V, 11.2A, 600W (1ms), Bidirectional	DO-215AA	1c Vis
CH	SMBJ30C	Z-Diode/TVS	30V, 11.2A, 600W (1ms), Bidirectional	DO-214AA	1c Vis
CH	TV04A300K	Z-Diode/TVS	30V 10%, 7.5A, 400W(1ms)	DO-214AC	1d Cmc
CH	TV06B300KB	Z-Diode/TVS	30V 10%, 11.2A, 600W(1ms), Bifirectional	DO-214AA	1c Cmc
CH1	CMHZ5241B	Z-Diode	11V 5%, 500mW	SOD-123	5d Cen
CH2	CMHZ5242B	Z-Diode	12V 5%, 500mW	SOD-123	5d Cen
CH3	CMHZ5243B	Z-Diode	13V 5%, 500mW	SOD-123	5d Cen

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
CH4	CMHZ5244B	Z-Diode	14V 5%, 500mW	SOD-123	5d	Cen
CH5	CMHZ5245B	Z-Diode	15V 5%, 500mW	SOD-123	5d	Cen
CHDE	3SMC5 0A	Z-Diode/TVS	5 0V, 326 0A, 3000W(1ms)	SMC	1d	Cen
CHDG	3SMC6 0A	Z-Diode/TVS	6 0V, 291 3A, 3000W(1ms)	SMC	1d	Cen
CHDK	3SMC6 5A	Z-Diode/TVS	6 5V, 267 9A, 3000W(1ms)	SMC	1d	Cen
CHDM	3SMC7 0A	Z-Diode/TVS	7 0V 250 0A, 3000W(1ms)	SMC	1d	Cen
CHDP	3SMC7 5A	Z-Diode/TVS	7 5V 232 6A, 3000W(1ms)	SMC	1d	Cen
CHDR	3SMC8 0A	Z-Diode/TVS	8 0V, 220 6A, 3000W(1ms)	SMC	1d	Cen
CHDT	3SMC8 5A	Z-Diode/TVS	8 5V, 208 4A, 3000W(1ms)	SMC	1d	Cen
CHDV	3SMC9 0A	Z-Diode/TVS	9 0V 194 8A, 3000W(1ms)	SMC	1d	Cen
CHDX	3SMC10A	Z-Diode/TVS	10V, 176 4A, 3000W(1ms)	SMC	1d	Cen
CHDZ	3SMC11A	Z-Diode/TVS	11V, 184 8A, 3000W(1ms)	SMC	1d	Cen
CHEE	3SMC12A	Z-Diode/TVS	12V, 150 6A, 3000W(1ms)	SMC	1d	Cen
CHEG	3SMC13A	Z-Diode/TVS	13V, 139 4A, 3000W(1ms)	SMC	1d	Cen
CHEK	3SMC14A	Z-Diode/TVS	14V, 129 4A, 3000W(1ms)	SMC	1d	Cen
CHEM	3SMC15A	Z-Diode/TVS	15V, 123 0A, 3000W(1ms)	SMC	1d	Cen
CHEP	3SMC16A	Z-Diode/TVS	16V, 115 4A, 3000W(1ms)	SMC	1d	Cen
CHER	3SMC17A	Z-Diode/TVS	17V, 106 6A, 3000W(1ms)	SMC	1d	Cen
CHET	3SMC18A	Z-Diode/TVS	18V, 102 8A, 3000W(1ms)	SMC	1d	Cen
CHEV	3SMC20A	Z-Diode/TVS	20V, 92 6A, 3000W(1ms)	SMC	1d	Cen
CHEX	3SMC22A	Z-Diode/TVS	22V 84 4A, 3000W(1ms)	SMC	1d	Cen
CHEZ	3SMC24A	Z-Diode/TVS	24V 77 2A, 3000W(1ms)	SMC	1d	Cen
CHFE	3SMC26A	Z-Diode/TVS	26V, 71 2A, 3000W(1ms)	SMC	1d	Cen
CHFG	3SMC28A	Z-Diode/TVS	28V, 66 0A, 3000W(1ms)	SMC	1d	Cen
CHFK	3SMC30A	Z-Diode/TVS	30V, 62 0A, 3000W(1ms)	SMC	1d	Cen
CHFM	3SMC33A	Z-Diode/TVS	33V 56 2A, 3000W(1ms)	SMC	1d	Cen
CHFP	3SMC36A	Z-Diode/TVS	36V, 51 6A, 3000W(1ms)	SMC	1d	Cen
CHFR	3SMC40A	Z-Diode/TVS	40V, 46 4A, 3000W(1ms)	SMC	1d	Cen
CHFT	3SMC43A	Z-Diode/TVS	43V, 43 2A, 3000W(1ms)	SMC	1d	Cen
CHFV	3SMC45A	Z-Diode/TVS	45V, 41 2A, 3000W(1ms)	SMC	1d	Cen
CHFX	3SMC48A	Z-Diode/TVS	48V, 38 8A, 3000W(1ms)	SMC	1d	Cen
CHFZ	3SMC51A	Z-Diode/TVS	51V, 36 4A, 3000W(1ms)	SMC	1d	Cen
CHGE	3SMC54A	Z-Diode/TVS	54V, 34 4A, 3000W(1ms)	SMC	1d	Cen
CHGG	3SMC58A	Z-Diode/TVS	58V, 32 0A, 3000W(1ms)	SMC	1d	Cen
CHGK	3SMC60A	Z-Diode/TVS	60V, 31 0A, 3000W(1ms)	SMC	1d	Cen
CHGM	3SMC64A	Z-Diode/TVS	64V, 29 2A, 3000W(1ms)	SMC	1d	Cen
CHGP	3SMC70A	Z-Diode/TVS	70V, 26 6A, 3000W(1ms)	SMC	1d	Cen
CHGR	3SMC75A	Z-Diode/TVS	75V 24 8A, 3000W(1ms)	SMC	1d	Cen
CHGT	3SMC78A	Z-Diode/TVS	78V, 22 8A, 3000W(1ms)	SMC	1d	Cen
CHGV	3SMC85A	Z-Diode/TVS	85V, 20 8A, 3000W(1ms)	SMC	1d	Cen
CHGX	3SMC90A	Z-Diode/TVS	90V, 20 6A, 3000W(1ms)	SMC	1d	Cen
CHGZ	3SMC100A	Z-Diode/TVS	100V, 18 6A, 3000W(1ms)	SMC	1d	Cen
CHHE	3SMC110A	Z-Diode/TVS	110V, 16 8A, 3000W(1ms)	SMC	1d	Cen
CHHG	3SMC120A	Z-Diode/TVS	120V, 15 6A, 3000W(1ms)	SMC	1d	Cen
CHHK	3SMC130A	Z-Diode/TVS	130V, 14 4A, 3000W(1ms)	SMC	1d	Cen
CHHM	3SMC150A	Z-Diode/TVS	150V, 12 4A, 3000W(1ms)	SMC	1d	Cen
CHHP	3SMC160A	Z-Diode/TVS	160V, 11 6A, 3000W(1ms)	SMC	1d	Cen
CHHR	3SMC170A	Z-Diode/TVS	170V, 11 0A, 3000W(1ms)	SMC	1d	Cen
CIDE	3SMC5 0CA	Z-Diode/TVS	5 0V, 326 0A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDG	3SMC6 0CA	Z-Diode/TVS	6 0V, 291 3A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDK	3SMC6 5CA	Z-Diode/TVS	6 5V, 267 9A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDM	3SMC7 0CA	Z-Diode/TVS	7 0V 250 0A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDP	3SMC7 5CA	Z-Diode/TVS	7 5V 232 6A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDR	3SMC8 0CA	Z-Diode/TVS	8 0V, 220 6A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDT	3SMC8 5CA	Z-Diode/TVS	8 5V, 208 4A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDV	3SMC9 0CA	Z-Diode/TVS	9 0V, 194 8A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDX	3SMC10CA	Z-Diode/TVS	10V, 176 4A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIDZ	3SMC11CA	Z-Diode/TVS	11V, 184 8A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIEE	3SMC12CA	Z-Diode/TVS	12V, 150 6A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIEG	3SMC13CA	Z-Diode/TVS	13V, 139 4A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIEK	3SMC14CA	Z-Diode/TVS	14V 129 4A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIEM	3SMC15CA	Z-Diode/TVS	15V, 123 0A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIEP	3SMC16CA	Z-Diode/TVS	16V, 115 4A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIER	3SMC17CA	Z-Diode/TVS	17V, 106 6A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIET	3SMC18CA	Z-Diode/TVS	18V, 102 8A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIEV	3SMC20CA	Z-Diode/TVS	20V, 92 6A, 3000W(1ms), Bidirectional	SMC	1c	Cen
CIEX	3SMC22CA	Z-Diode/TVS	22V, 84 4A, 3000W(1ms), Bidirectional	SMC	1c	Cen

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
CIEZ	3SMC24CA	Z-Diode/TVS	24V, 77 2A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFE	3SMC26CA	Z-Diode/TVS	26V, 71 2A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFG	3SMC28CA	Z-Diode/TVS	28V, 66 0A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFK	3SMC30CA	Z-Diode/TVS	30V, 62 0A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFM	3SMC33CA	Z-Diode/TVS	33V, 56 2A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFP	3SMC36CA	Z-Diode/TVS	36V, 51 6A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFR	3SMC40CA	Z-Diode/TVS	40V, 46 4A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFT	3SMC43CA	Z-Diode/TVS	43V, 43 2A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFV	3SMC45CA	Z-Diode/TVS	45V, 41 2A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFX	3SMC48CA	Z-Diode/TVS	48V, 38 8A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIFZ	3SMC51CA	Z-Diode/TVS	51V, 36 4A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGE	3SMC54CA	Z-Diode/TVS	54V, 34 4A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGG	3SMC58CA	Z-Diode/TVS	58V, 32 0A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGK	3SMC60CA	Z-Diode/TVS	60V, 31 0A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGM	3SMC64CA	Z-Diode/TVS	64V, 29 2A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGP	3SMC70CA	Z-Diode/TVS	70V, 26 6A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGR	3SMC75CA	Z-Diode/TVS	75V, 24 8A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGT	3SMC78CA	Z-Diode/TVS	78V, 22 8A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGV	3SMC85CA	Z-Diode/TVS	85V, 20 8A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGX	3SMC90CA	Z-Diode/TVS	90V, 20 6A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIGZ	3SMC100CA	Z-Diode/TVS	100V, 18 6A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIHE	3SMC110CA	Z-Diode/TVS	110V, 16 8A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIHG	3SMC120CA	Z-Diode/TVS	120V, 15 6A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIHK	3SMC130CA	Z-Diode/TVS	130V, 14 4A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIHM	3SMC150CA	Z-Diode/TVS	150V, 12 4A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIHP	3SMC160CA	Z-Diode/TVS	160V, 11 6A, 3000W (1ms), Bidirectional	SMC	1c Cen
CIHR	3SMC170CA	Z-Diode/TVS	170V, 11 0A, 3000W (1ms), Bidirectional	SMC	1c Cen
CJ	MMSZ4683	Z-Diode	3 0V 5%, 350mW	SOD-123	5d Vis
CJ	MMSZ4683T1	Z-Diode	3V±5%, 0.5W	SOD-123	5d Mot
CJ1	CMHZ5246B	Z-Diode	16V 5%, 500mW	SOD-123	5d Cen
CJ2	CMHZ5247B	Z-Diode	17V 5%, 500mW	SOD-123	5d Cen
CJ3	CMHZ5248B	Z-Diode	18V 5%, 500mW	SOD-123	5d Cen
CJ4	CMHZ5249B	Z-Diode	19V 5%, 500mW	SOD-123	5d Cen
CJ5	CMHZ5250B	Z-Diode	20V 5%, 500mW	SOD-123	5d Cen
CK	MMSZ4684	Z-Diode	3 3V 5%, 350mW	SOD-123	5d Vis
CK	MMSZ4684T1	Z-Diode	3.3V±5%, 0.5W	SOD-123	5d Mot
CK	P4SMA56A	Z-Diode/TVS	56V, 5.5A, 400W (1ms),	DO-214AC	1d Fag
CK	P6SMBJ30AC	Z-Diode/TVS	30V, 12 4A, 600W (1ms), Bidirectional	DO-214AA	2c PjL,Srj,Wpd
CK	SMAJ30A	Z-Diode/TVS	30V, 8 3A, 400W (1ms)	DO-214AC	1d Ste,Vis
CK	SMBG30CA	Z-Diode/TVS	30V, 12 4A, 600W (1ms), Bidirectional	DO-215AA	1c Vis
CK	SMBJ30CA	Z-Diode/TVS	30V, 12 4A, 600W (1ms), Bidirectional	DO-214AA	1c DiL,Vis
CK	TV04A300J	Z-Diode/TVS	30V 5%, 8 3A, 400W (1ms)	DO-214AC	1d Cmc
CK	TV06B300JB	Z-Diode/TVS	30V 5%, 12 4A, 600W (1ms), Bidirectional	DO-214AA	1c Cmc
CK1	CMHZ5251B	Z-Diode	22V 5%, 500mW	SOD-123	5d Cen
CK2	CMHZ5252B	Z-Diode	24V 5%, 500mW	SOD-123	5d Cen
CK3	CMHZ5253B	Z-Diode	25V 5%, 500mW	SOD-123	5d Cen
CK4	CMHZ5254B	Z-Diode	27V 5%, 500mW	SOD-123	5d Cen
CK5	CMHZ5255B	Z-Diode	28V 5%, 500mW	SOD-123	5d Cen
CK7	SM6T36CA	Z-Diode/TVS	34 2 37 8V, 12A, 600W (1ms), Bidirectional	DO-214AA	2c Vis
CKE	1SMB5 0A	Z-Diode/TVS	5 0V, 65 2A, 500W (1ms)	SMB	1d Cen
CKEC	1SMB5 0CA	Z-Diode/TVS	5 0V, 65 2A, 500W (1ms), Bidirectional	SMB	1c Cen
CKG	1SMB6 0A	Z-Diode/TVS	6 0V, 58 3A, 500W (1ms)	SMB	1d Cen
CKGC	1SMB6 0CA	Z-Diode/TVS	6 0V, 58 3A, 500W (1ms), Bidirectional	SMB	1c Cen
CKK	1SMB6 5A	Z-Diode/TVS	6 5V, 53 6A, 500W (1ms)	SMB	1d Cen
CKKC	1SMB6 5CA	Z-Diode/TVS	6 5V, 53 6A, 500W (1ms), Bidirectional	SMB	1c Cen
CKM	1SMB7 0A	Z-Diode/TVS	7 0V, 50 0A, 500W (1ms)	SMB	1d Cen
CKMC	1SMB7 0CA	Z-Diode/TVS	7 0V, 50 0A, 500W (1ms), Bidirectional	SMB	1c Cen
CKP	1SMB7 5A	Z-Diode/TVS	7 5V, 46 5A, 500W (1ms)	SMB	1d Cen
CKPC	1SMB7 5CA	Z-Diode/TVS	7 5V, 46 5A, 500W (1ms), Bidirectional	SMB	1c Cen
CKR	1SMB8 0A	Z-Diode/TVS	8 0V, 44 1A, 500W (1ms)	SMB	1d Cen
CKRC	1SMB8 0CA	Z-Diode/TVS	8 0V, 44 1A, 500W (1ms), Bidirectional	SMB	1c Cen
CKT	1SMB8 5A	Z-Diode/TVS	8 5V, 41 7A, 500W (1ms)	SMB	1d Cen
CKTC	1SMB8 5CA	Z-Diode/TVS	8 5V, 41 7A, 500W (1ms), Bidirectional	SMB	1c Cen
CKV	1SMB9 0A	Z-Diode/TVS	9 0V, 39 0A, 500W (1ms)	SMB	1d Cen
CKVC	1SMB9 0CA	Z-Diode/TVS	9 0V, 39 0A, 500W (1ms), Bidirectional	SMB	1c Cen
CKX	1SMB10A	Z-Diode/TVS	10V, 35 3A, 500W (1ms)	SMB	1d Cen
CKXC	1SMB10CA	Z-Diode/TVS	10V, 35 3A, 500W (1ms), Bidirectional	SMB	1c Cen

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
CKZ	1SMB11A	Z-Diode/TVS	11V, 33.0A, 500W (1ms)	SMB	1d	Cen
CKZC	1SMB11CA	Z-Diode/TVS	11V, 33.0A, 500W (1ms), Bidirectional	SMB	1c	Cen
CL	P4SMA62	Z-Diode/TVS	6.2V, 4.7A, 400W (1ms),	DO-214AC	1d	Fag
CL	P6SMBJ33C	Z-Diode/TVS	33V, 10.2A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
CL	SMAJ30CA	Z-Diode/TVS	30V, 8.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
CL	SMAJ33	Z-Diode/TVS	33V, 6.8A, 400W (1ms)	DO-214AC	1d	Vis
CL	SMBG33C	Z-Diode/TVS	33V, 10.2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CL	SMBJ33C	Z-Diode/TVS	33V, 10.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CL	TV04A330K	Z-Diode/TVS	33V 10%, 6.8A, 400W (1ms)	DO-214AC	1d	Cmc
CL	TV06B330KB	Z-Diode/TVS	33V 10%, 10.2A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
CLE	1SMB12A	Z-Diode/TVS	12V, 30.2A, 500W (1ms)	SMB	1d	Cen
CLEC	1SMB12CA	Z-Diode/TVS	12V, 30.2A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLG	1SMB13A	Z-Diode/TVS	13V, 27.9A, 500W (1ms)	SMB	1d	Cen
CLGC	1SMB13CA	Z-Diode/TVS	13V, 27.9A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLK	1SMB14A	Z-Diode/TVS	14V, 25.8A, 500W (1ms)	SMB	1d	Cen
CLKC	1SMB14CA	Z-Diode/TVS	14V, 25.8A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLM	1SMB15A	Z-Diode/TVS	15V, 24.0A, 500W (1ms)	SMB	1d	Cen
CLMC	1SMB15CA	Z-Diode/TVS	15V, 24.0A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLP	1SMB16A	Z-Diode/TVS	16V, 23.1A, 500W (1ms)	SMB	1d	Cen
CLPC	1SMB16CA	Z-Diode/TVS	16V, 23.1A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLR	1SMB17A	Z-Diode/TVS	17V, 21.7A, 500W (1ms)	SMB	1d	Cen
CLRC	1SMB17CA	Z-Diode/TVS	17V, 21.7A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLT	1SMB18A	Z-Diode/TVS	18V, 20.5A, 500W (1ms)	SMB	1d	Cen
CLTC	1SMB18CA	Z-Diode/TVS	18V, 20.5A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLV	1SMB20A	Z-Diode/TVS	20V, 18.5A, 500W (1ms)	SMB	1d	Cen
CLVC	1SMB20CA	Z-Diode/TVS	20V, 18.5A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLX	1SMB22A	Z-Diode/TVS	22V, 16.9A, 500W (1ms)	SMB	1d	Cen
CLXC	1SMB22CA	Z-Diode/TVS	22V, 16.9A, 500W (1ms), Bidirectional	SMB	1c	Cen
CLZ	1SMB24A	Z-Diode/TVS	24V, 15.4A, 500W (1ms)	SMB	1d	Cen
CLZC	1SMB24CA	Z-Diode/TVS	24V, 15.4A, 500W (1ms), Bidirectional	SMB	1c	Cen
CM	MMSZ4685	Z-Diode	3.6V 5%, 350mW	SOD-123	5d	Vis
CM	MMSZ4685T1	Z-Diode	3,6V±5%, 0,5W	SOD-123	5d	Mol
CM	P4SMA62A	Z-Diode/TVS	6.2V, 5A, 400W (1ms),	DO-214AC	1d	Fag
CM	P6SMBJ33AC	Z-Diode/TVS	33V, 11.3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
CM	SMAJ33A	Z-Diode/TVS	33V, 7.5A, 400W (1ms)	DO-214AC	1d	Ste,Vis
CM	SMBG33CA	Z-Diode/TVS	33V, 11.3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CM	SMBJ33CA	Z-Diode/TVS	33V, 11.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
CM	TV04A330J	Z-Diode/TVS	33V 5%, 7.5A, 400W (1ms)	DO-214AC	1d	Cmc
CM	TV06B330JB	Z-Diode/TVS	33V 5%, 11.3A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
CM1	CMHZ5256B	Z-Diode	30V 5%, 500mW	SOD-123	5d	Cen
CM2	CMHZ5257B	Z-Diode	33V 5%, 500mW	SOD-123	5d	Cen
CM3	CMHZ5258B	Z-Diode	36V 5%, 500mW	SOD-123	5d	Cen
CM4	CMHZ5259B	Z-Diode	39V 5%, 500mW	SOD-123	5d	Cen
CM5	CMHZ5260B	Z-Diode	43V 5%, 500mW	SOD-123	5d	Cen
CM7	SM6T39CA	Z-Diode/TVS	37.1, 41V, 11.1A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
CME	1SMB26A	Z-Diode/TVS	26V, 14.2A, 500W (1ms)	SMB	1d	Cen
CMEC	1SMB26CA	Z-Diode/TVS	26V, 14.2A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMG	1SMB28A	Z-Diode/TVS	28V, 13.2A, 500W (1ms)	SMB	1d	Cen
CMGC	1SMB28CA	Z-Diode/TVS	28V, 13.2A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMK	1SMB30A	Z-Diode/TVS	30V, 12.4A, 500W (1ms)	SMB	1d	Cen
CMKC	1SMB30CA	Z-Diode/TVS	30V, 12.4A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMM	1SMB33A	Z-Diode/TVS	33V, 11.3A, 500W (1ms)	SMB	1d	Cen
CMMC	1SMB33CA	Z-Diode/TVS	33V, 11.3A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMP	1SMB36A	Z-Diode/TVS	36V, 10.3A, 500W (1ms)	SMB	1d	Cen
CMPC	1SMB36CA	Z-Diode/TVS	36V, 10.3A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMR	1SMB40A	Z-Diode/TVS	40V, 9.3A, 500W (1ms)	SMB	1d	Cen
CMRC	1SMB40CA	Z-Diode/TVS	40V, 9.3A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMT	1SMB43A	Z-Diode/TVS	43V, 8.6A, 500W (1ms)	SMB	1d	Cen
CMTC	1SMB43CA	Z-Diode/TVS	43V, 8.6A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMV	1SMB45A	Z-Diode/TVS	45V, 8.3A, 500W (1ms)	SMB	1d	Cen
CMVC	1SMB45CA	Z-Diode/TVS	45V, 8.3A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMX	1SMB48A	Z-Diode/TVS	48V, 7.7A, 500W (1ms)	SMB	1d	Cen
CMXC	1SMB48CA	Z-Diode/TVS	48V, 7.7A, 500W (1ms), Bidirectional	SMB	1c	Cen
CMZ	1SMB51A	Z-Diode/TVS	51V, 7.3A, 500W (1ms)	SMB	1d	Cen
CMZC	1SMB51CA	Z-Diode/TVS	51V, 7.3A, 500W (1ms), Bidirectional	SMB	1c	Cen
CN	MMSZ4686	Z-Diode	3.9V 5%, 350mW	SOD-123	5d	Vis
CN	MMSZ4686T1	Z-Diode	3,9V±5%, 0,5W	SOD-123	5d	Mol

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
CN	P4SMA68	Z-Diode/TVS	68V, 4.3A, 400W (1ms).	DO-214AC	1d	Fag
CN	P6SMBJ36C	Z-Diode/TVS	36V, 9.3A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
CN	SMAJ33CA	Z-Diode/TVS	33V, 7.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
CN	SMAJ36	Z-Diode/TVS	36V, 6.2A, 400W (1ms)	DO-214AC	1d	Vis
CN	SMBG36C	Z-Diode/TVS	36V, 9.3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CN	SMBJ36C	Z-Diode/TVS	36V, 9.3A, 600W (1ms) Bidirectional	DO-214AA	1c	Vis
CN	TV04A360K	Z-Diode/TVS	36V 10%, 6.2A, 400W(1ms)	DO-214AC	1d	Cmc
CN	TV06B360KB	Z-Diode/TVS	36V 10%, 9.3A 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CN1	CMHZ5261B	Z-Diode	47V 5%, 500mW	SOD-123	5d	Cen
CN2	CMHZ5262B	Z-Diode	51V 5%, 500mW	SOD-123	5d	Cen
CN3	CMHZ5263B	Z-Diode	56V 5%, 500mW	SOD-123	5d	Cen
CN4	CMHZ5264B	Z-Diode	60V 5%, 500mW	SOD-123	5d	Cen
CN5	CMHZ5265B	Z-Diode	62V 5%, 500mW	SOD-123	5d	Cen
CNE	1SMB54A	Z-Diode/TVS	54V, 6.9A, 500W(1ms)	SMB	1d	Cen
CNEC	1SMB54CA	Z-Diode/TVS	54V, 6.9A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNG	1SMB58A	Z-Diode/TVS	58V, 6.4A, 500W(1ms)	SMB	1d	Cen
CNGC	1SMB58CA	Z-Diode/TVS	58V, 6.4A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNK	1SMB60A	Z-Diode/TVS	60V, 6.2A, 500W(1ms)	SMB	1d	Cen
CNKC	1SMB60CA	Z-Diode/TVS	60V, 6.2A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNM	1SMB64A	Z-Diode/TVS	64V, 5.8A, 500W(1ms)	SMB	1d	Cen
CNMC	1SMB64CA	Z-Diode/TVS	64V, 5.8A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNP	1SMB70A	Z-Diode/TVS	70V, 5.3A, 500W(1ms)	SMB	1d	Cen
CNPC	1SMB70CA	Z-Diode/TVS	70V, 5.3A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNR	1SMB75A	Z-Diode/TVS	75V, 4.9A, 500W(1ms)	SMB	1d	Cen
CNRC	1SMB75CA	Z-Diode/TVS	75V, 4.9A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNT	1SMB78A	Z-Diode/TVS	78V, 4.7A, 500W(1ms)	SMB	1d	Cen
CNTC	1SMB78CA	Z-Diode/TVS	78V, 4.7A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNV	1SMB85A	Z-Diode/TVS	85V, 4.4A, 500W(1ms)	SMB	1d	Cen
CNVC	1SMB85CA	Z-Diode/TVS	85V, 4.4A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNX	1SMB90A	Z-Diode/TVS	90V, 4.1A, 500W(1ms)	SMB	1d	Cen
CNXC	1SMB90CA	Z-Diode/TVS	90V, 4.1A, 500W(1ms), Bidirectional	SMB	1c	Cen
CNZ	1SMB110A	Z-Diode/TVS	100V, 3.7A, 500W(1ms)	SMB	1d	Cen
CNZC	1SMB100CA	Z-Diode/TVS	100V, 3.7A, 500W(1ms), Bidirectional	SMB	1c	Cen
CP	CMDZ2L7	Z-Diode	2.7V, 250mW, I _z = 0.5mA	SOD-323	5d	Cen
CP	MMSZ4687	Z-Diode	4.3V 5%, 350mW	SOD-123	5d	Vis
CP	MMSZ4687T1	Z-Diode	4.3V±5%, 0.5W	SOD-123	5d	Mol
CP	P4SMA68A	Z-Diode/TVS	68V, 4.6A, 400W (1ms).	DO-214AC	1d	Fag
CP	P6SMBJ36AC	Z-Diode/TVS	36V, 10.3A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
CP	SMAJ36A	Z-Diode/TVS	36V, 6.9A, 400W (1ms)	DO-214AC	1d	Vis
CP	SMBG38CA	Z-Diode/TVS	36V, 10.3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CP	SMBJ36CA	Z-Diode/TVS	36V, 10.3A, 600W (1ms), Bidirectional	DO-214AA	1c	DiL,Vis
CP	TV04A360J	Z-Diode/TVS	36V 5%, 6.9A, 400W(1ms)	DO-214AC	1d	Cmc
CP	TV06B360JB	Z-Diode/TVS	36V 5%, 10.3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CP1	CMHZ5266B	Z-Diode	68V 5%, 500mW	SOD-123	5d	Cen
CP2	CMHZ5267B	Z-Diode	75V 5%, 500mW	SOD-123	5d	Cen
CP3	CMHZ5268B	Z-Diode	82V 5%, 500mW	SOD-123	5d	Cen
CP4	CMHZ5269B	Z-Diode	87V 5%, 500mW	SOD-123	5d	Cen
CP5	CMHZ5270B	Z-Diode	91V 5%, 500mW	SOD-123	5d	Cen
CPE	1SMB110A	Z-Diode/TVS	110V, 3.4A, 500W(1ms)	SMB	1d	Cen
CPEC	1SMB110CA	Z-Diode/TVS	110V, 3.4A, 500W(1ms) Bidirectional	SMB	1c	Cen
CPG	1SMB120A	Z-Diode/TVS	120V, 3.1A, 500W(1ms)	SMB	1d	Cen
CPGC	1SMB120CA	Z-Diode/TVS	120V, 3.1A, 500W(1ms), Bidirectional	SMB	1c	Cen
CPK	1SMB130A	Z-Diode/TVS	130V, 2.9A, 500W(1ms)	SMB	1d	Cen
CPKC	1SMB130CA	Z-Diode/TVS	130V, 2.9A, 500W(1ms), Bidirectional	SMB	1c	Cen
CPM	1SMB150A	Z-Diode/TVS	150V, 2.5A, 500W(1ms)	SMB	1d	Cen
CPMC	1SMB150CA	Z-Diode/TVS	150V, 2.5A, 500W(1ms), Bidirectional	SMB	1c	Cen
CPP	1SMB160A	Z-Diode/TVS	160V, 2.3A, 500W(1ms)	SMB	1d	Cen
CPPC	1SMB160CA	Z-Diode/TVS	160V, 2.3A, 500W(1ms), Bidirectional	SMB	1c	Cen
CPR	1SMB170A	Z-Diode/TVS	170V, 2.2A, 500W(1ms)	SMB	1d	Cen
CPRC	1SMB170CA	Z-Diode/TVS	170V 2.2A, 500W(1ms), Bidirectional	SMB	1c	Cen
CQ	P4SMA75	Z-Diode/TVS	75V, 3.9A, 400W (1ms).	DO-214AC	1d	Fag
CQ	P6SMBJ40C	Z-Diode/TVS	40V, 8.4A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
CQ	SMAJ40	Z-Diode/TVS	40V, 5.6A, 400W (1ms)	DO-214AC	1d	Vis
CQ	SMBG40C	Z-Diode/TVS	40V, 8.4A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CQ	SMBJ40C	Z-Diode/TVS	40V, 8.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CQ	TV04A400K	Z-Diode/TVS	40V 10%, 5.6A, 400W(1ms)	DO-214AC	1d	Cmc
CQ	TV06B400KB	Z-Diode/TVS	40V 10%, 8.4A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Чок.	Прозв.
CR	P4SMA75A	Z-Diode/TVS	75V, 4,1A, 400W (1ms).	DO-214AC	1d	Fag
CR	P6SMBJ40AC	Z-Diode/TVS	40V, 9,3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,W pd
CR	SMAJ40A	Z-Diode/TVS	40V, 6,2A, 400W (1ms)	DO-214AC	1d	Vis
CR	SMBG40CA	Z-Diode/TVS	40V, 9,3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CR	SMBJ40CA	Z-Diode/TVS	40V, 9,3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
CR	TV04A400J	Z-Diode/TVS	40V 5%, 6,2A, 400W(1ms)	DO-214AC	1d	Cmc
CR	TV06B400JB	Z-Diode/TVS	40V 5%, 9,3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CR1	CMHZ5271B	Z-Diode	100V 5%, 500mW	SOD-123	5d	Cen
CR2	CMHZ5272B	Z-Diode	110V 5%, 500mW	SOD-123	5d	Cen
CR3	CMHZ5273B	Z-Diode	120V 5%, 500mW	SOD-123	5d	Cen
CR4	CMHZ5274B	Z-Diode	130V 5%, 500mW	SOD-123	5d	Cen
CR5	CMHZ5275B	Z-Diode	140V 5%, 500mW	SOD-123	5d	Cen
CS	P4SMA82	Z-Diode/TVS	82V, 3,6A, 400W (1ms).	DO-214AC	1d	Fag
CS	P6SMBJ43C	Z-Diode/TVS	43V, 7,8A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,W pd
CS	SMAJ43	Z-Diode/TVS	43V, 5,2A, 400W (1ms)	DO-214AC	1d	Vis
CS	SMBG43C	Z-Diode/TVS	43V, 7,8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CS	SMBJ43C	Z-Diode/TVS	43V, 7,8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CS	TV04A430K	Z-Diode/TVS	43V 10%, 5,2A, 400W(1ms)	DO-214AC	1d	Cmc
CS	TV06B430KB	Z-Diode/TVS	43V 10%, 7,8A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CS1	CMHZ5276B	Z-Diode	150V 5%, 500mW	SOD-123	5d	Cen
CS2	CMHZ5277B	Z-Diode	160V 5%, 500mW	SOD-123	5d	Cen
CS3	CMHZ5278B	Z-Diode	170V 5%, 500mW	SOD-123	5d	Cen
CS4	CMHZ5279B	Z-Diode	180V 5%, 500mW	SOD-123	5d	Cen
CS5	CMHZ5280B	Z-Diode	190V 5%, 500mW	SOD-123	5d	Cen
CT	MMSZ4688	Z-Diode	4,7V 5%, 350mW	SOD-123	5d	Vis
CT	MMSZ4688T1	Z-Diode	4,7V±5%, 0,5W	SOD-123	5d	Mol
CT	P4SMA82A	Z-Diode/TVS	82V, 3,7A, 400W (1ms).	DO-214AC	1d	Fag
CT	P6SMBJ43AC	Z-Diode/TVS	43V, 8,6A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,W pd
CT	SMAJ43A	Z-Diode/TVS	43V, 5,8A, 400W (1ms)	DO-214AC	1d	Vis
CT	SMBG43CA	Z-Diode/TVS	43V, 8,6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CT	SMBJ43CA	Z-Diode/TVS	43V, 8,6A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
CT	TV04A430J	Z-Diode/TVS	43V 5%, 5,7A, 400W(1ms)	DO-214AC	1d	Cmc
CT	TV06B430JB	Z-Diode/TVS	43V 5%, 8,6A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CT1	CMHZ5281B	Z-Diode	200V 5%, 500mW	SOD-123	5d	Cen
CU	MMSZ4689	Z-Diode	5,1V 5%, 350mW	SOD-123	5d	Vis
CU	MMSZ4689T1	Z-Diode	5,1V±5%, 0,5W	SOD-123	5d	Mol
CU	P4SMA91	Z-Diode/TVS	91V, 3,2A, 400W (1ms).	DO-214AC	1d	Fag
CU	P6SMBJ45C	Z-Diode/TVS	45V, 7,5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,W pd
CU	SMAJ45	Z-Diode/TVS	45V, 5A, 400W (1ms)	DO-214AC	1d	Vis
CU	SMBG45C	Z-Diode/TVS	45V, 7,5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CU	SMBJ45C	Z-Diode/TVS	45V, 7,5A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CU	TV04A450K	Z-Diode/TVS	45V 10%, 5A, 400W(1ms)	DO-214AC	1d	Cmc
CU	TV06B450KB	Z-Diode/TVS	45V 10%, 7,5A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CUJ	SMBJ40A	Z-Diode/TVS	40V, 9,7A, 600W (1ms)	DO-214AA	1d	Ste
CUM	SMBJ70A	Z-Diode/TVS	70V, 5,5A, 600W (1ms)	DO-214AA	1d	Ste
CUQ	SMBJ100A	Z-Diode/TVS	100V, 3,8A, 600W (1ms)	DO-214AA	1d	Ste
CV	MMSZ4690	Z-Diode	5,6V 5%, 350mW	SOD-123	5d	Vis
CV	MMSZ4690T1	Z-Diode	5,6V±5%, 0,5W	SOD-123	5d	Mol
CV	P4SMA91A	Z-Diode/TVS	91V, 3,4A, 400W (1ms).	DO-214AC	1d	Fag
CV	P6SMBJ45AC	Z-Diode/TVS	45V, 8,3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,W pd
CV	SMAJ45A	Z-Diode/TVS	45V, 5,5A, 400W (1ms)	DO-214AC	1d	Vis
CV	SMBG45CA	Z-Diode/TVS	45V, 8,3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CV	SMBJ45CA	Z-Diode/TVS	45V, 8,3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
CV	TV04A450J	Z-Diode/TVS	45V 5%, 5,5A, 400W(1ms)	DO-214AC	1d	Cmc
CV	TV06B450JB	Z-Diode/TVS	45V 5%, 8,3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CW	P4SMA100	Z-Diode/TVS	100V, 2,9A, 400W (1ms).	DO-214AC	1d	Fag
CW	P6SMBJ48C	Z-Diode/TVS	48V, 7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,W pd
CW	SMAJ48	Z-Diode/TVS	48V, 4,7A, 400W (1ms)	DO-214AC	1d	Vis
CW	SMBG48C	Z-Diode/TVS	48V, 7A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CW	SMBJ48C	Z-Diode/TVS	48V, 7A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CW	TV04A480K	Z-Diode/TVS	48V 10%, 4,7A, 400W(1ms)	DO-214AC	1d	Cmc
CW	TV06B480KB	Z-Diode/TVS	48V 10%, 7A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
CX	MMSZ4692	Z-Diode	6,8V 5%, 350mW	SOD-123	5d	Vis
CX	MMSZ4692T1	Z-Diode	6,8V±5%, 0,5W	SOD-123	5d	Mol
CX	P4SMA100A	Z-Diode/TVS	100V, 3,1A, 400W (1ms).	DO-214AC	1d	Fag
CX	P6SMBJ48AC	Z-Diode/TVS	48V, 7,7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,W pd
CX	SMAJ48A	Z-Diode/TVS	48V, 5,2A, 400W (1ms)	DO-214AC	1d	Ste,Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
CX	SM8G48CA	Z-Diode/TVS	48V, 7.8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CX	SMBJ48CA	Z-Diode/TVS	48V, 7.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
CX	TV04A480J	Z-Diode/TVS	48V 5%, 5.2A, 400W (1ms)	DO-214AC	1d	Cmc
CX	TV06B480JB	Z-Diode/TVS	48V 5%, 7.7A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
CY	MMSZ4693	Z-Diode	7.5V 5%, 350mW	SOD-123	5d	Vis
CY	MMSZ4693T1	Z-Diode	7.5V±5%, 0.5W	SOD-123	5d	Mot
CY	P4SMA110	Z-Diode/TVS	110V, 2.7A, 400W (1ms)	DO-214AC	1d	Fag
CY	P6SMBJ51C	Z-Diode/TVS	51V, 6.6A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
CY	SMAJ48CA	Z-Diode/TVS	48V, 5.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
CY	SMAJ51	Z-Diode/TVS	51V, 4.4A, 400W (1ms)	DO-214AC	1d	Vis
CY	SM8G51C	Z-Diode/TVS	51V, 6.6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CY	SMBJ51C	Z-Diode/TVS	51V, 6.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
CY	TV04A510K	Z-Diode/TVS	51V 10%, 4.4A, 400W (1ms)	DO-214AC	1d	Cmc
CY	TV06B510KB	Z-Diode/TVS	51V 10%, 6.6A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
CZ	MMSZ4694	Z-Diode	8.2V 5%, 350mW	SOD-123	5d	Vis
CZ	MMSZ4694T1	Z-Diode	8.2V±5%, 0.5W	SOD-123	5d	Mot
CZ	P4SMA110A	Z-Diode/TVS	110V, 2.8A, 400W (1ms)	DO-214AC	1d	Fag
CZ	P6SMBJ51AC	Z-Diode/TVS	51V, 7.3A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
CZ	SMAJ51A	Z-Diode/TVS	51V, 4.9A, 400W (1ms)	DO-214AC	1d	Vis
CZ	SM8G51CA	Z-Diode/TVS	51V, 7.3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
CZ	SMBJ51CA	Z-Diode/TVS	51V, 7.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
CZ	TV04A510J	Z-Diode/TVS	51V 5%, 4.9A, 400W (1ms)	DO-214AC	1d	Cmc
CZ	TV06B510JB	Z-Diode/TVS	51V 5%, 7.3A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
D	1SS376	Si-Diode	Switching, 300V, 50mA	USM	1d	Rhm
D	RB551V-30	Si-Diode	Schottky Rect, 30V, 500mA, Vf<0.47V(500mA)	SOD-323	5d	Rhm,Trs
D1	BZX884-C16	Z-Diode	16V±5%, 250mW	SOD882	13d	Phi
D1	MMSZ5226	Z-Diode	3.3V±10%, 0.5W, Zzt=28Ω	SOD-123	5d	Vis
D1	MMSZ5226B	Z-Diode	3.3V±5%, 0.5W, Zzt=28Ω	SOD-123	5d	Pjl
D1	MMSZ5226BT1	Z-Diode	3.3V±5%, 0.5W, Zzt=28Ω	SOD-123	5d	Mot
D1	MMSZ5230	Z-Diode	4.7V±10%, 0.5W, Zzt=19Ω	SOD-123	5d	Vis
D10	SMBYW04-100	Si-Diode	Rectifier, Fast Recovery, 100V, 4A, Vf<0.71(1A), <35ns	DO-214AB	1d	Ste
D15	SMBYW04-150	Si-Diode	Rectifier, Fast Recovery, 150V, 4A, Vf<0.85V(1A), <35ns	DO-214AB	1d	Ste
D2	BAP63-03	PIN-Diode	RF, 50V, 100mA, 0.35pF, 1.17Ω(10mA/100MHz), 500mW	SOD-323	5d	Phi
D2	BZX884-C16	Z-Diode	16V±5%, 250mW	SOD882	13d	Phi
D2	MMSZ5227	Z-Diode	3.6V±10%, 0.5W, Zzt=24Ω	SOD-123	5d	Vis
D2	MMSZ5227B	Z-Diode	3.6V±5%, 0.5W, Zzt=24Ω	SOD-123	5d	Pjl
D2	MMSZ5227BT1	Z-Diode	3.6V±5%, 0.5W, Zzt=24Ω	SOD-123	5d	Mot
D2	MSCD022	Si-Diode	Schottky Barrier Rectifier, 20V, 0.2A, Vf<0.45V(0.2A)	0805	14d	Zow
D20	SMBYW04-200	Si-Diode	Rectifier, Fast Recovery, 200V, 4A, Vf<0.91V(1A), <35ns	DO-214AB	1d	Ste
D3	BAP65-03	PIN-Diode	RF, 30V, 100mA, 0.61pF, 0.3Ω(0.1A/100MHz), 500mW	SOD-323	5d	Phi
D3	BZX884-C20	Z-Diode	20V±5%, 250mW	SOD882	13d	Phi
D3	MMSZ5228	Z-Diode	3.9V±10%, 0.5W, Zzt=23Ω	SOD-123	5d	Vis
D3	MMSZ5228B	Z-Diode	3.9V±5%, 0.5W, Zzt=23Ω	SOD-123	5d	Pjl
D3	MMSZ5228BT1	Z-Diode	3.9V±5%, 0.5W, Zzt=23Ω	SOD-123	5d	Mot
D4	BZX884-C22	Z-Diode	22V±5%, 250mW	SOD882	13d	Phi
D4	MMSZ5229	Z-Diode	4.3V±10%, 0.5W, Zzt=22Ω	SOD-123	5d	Vis
D4	MMSZ5229B	Z-Diode	4.3V±5%, 0.5W, Zzt=22Ω	SOD-123	5d	Pjl
D4	MMSZ5229BT1	Z-Diode	4.3V±5%, 0.5W, Zzt=22Ω	SOD-123	5d	Mot
D4	MSCD024	Si-Diode	Schottky Barrier Rectifier, 40V, 0.2A, Vf<0.5V(0.2A)	0805	14d	Zow
D5	BZX884-C24	Z-Diode	24V±5%, 250mW	SOD882	13d	Phi
D5	MMSZ5230B	Z-Diode	4.7V±5%, 0.5W, Zzt=19Ω	SOD-123	5d	Pjl
D5	MMSZ5230BT1	Z-Diode	4.7V±5%, 0.5W, Zzt=19Ω	SOD-123	5d	Mot
D5	SMBYW04-50	Si-Diode	Rectifier, Fast Recovery, 50V, 4A, Vf<0.65V(1A), <35ns	DO-214AB	1d	Ste
D6	BZX884-C27	Z-Diode	27V±5%, 250mW	SOD882	13d	Phi
D7	BZX884-C30	Z-Diode	30V±5%, 250mW	SOD882	13d	Phi
D76	BAR18J	Si-Diode	Schottky, 70V, 50mA, 250mW, <2pF	SOD-323	5d	Ste
D8	BZX884-C33	Z-Diode	33V±5%, 250mW	SOD882	13d	Phi
D9	BZX884-C36	Z-Diode	36V±5%, 250mW	SOD882	13d	Phi
DA	BZX884-C39	Z-Diode	39V±5%, 250mW	SOD882	13d	Phi
DA	MMSZ4708	Z-Diode	22V 5%, 350mW	SOD-123	5d	Vis
DA	MMSZ4708T1	Z-Diode	22V±5%, 0.5W	SOD-123	5d	Mot
DA	ZMV829	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 8.2pF(2V), ΔC ±20%	SOD-323	5d	Ztk
DB	BZX884-C43	Z-Diode	43V±5%, 250mW	SOD882	13d	Phi
DB	ZMV830	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 10pF(2V), ΔC ±20%	SOD-323	5d	Ztk
DBB	SMAJ6.0CA	Z-Diode/TVS	6V, 38.8A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBC	SMAJ6.5CA	Z-Diode/TVS	6.5V, 35.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBH	SMAJ8.5CA	Z-Diode/TVS	8.5V, 27.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
DBK	SMAJ12CA	Z-Diode/TVS	12V, 20.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBQ	SMAJ18CA	Z-Diode/TVS	18V, 13.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBR	SMAJ20CA	Z-Diode/TVS	20V, 12.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBS	SMAJ22CA	Z-Diode/TVS	22V, 11.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBT	SMAJ24CA	Z-Diode/TVS	24V, 10.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBU	SMAJ26CA	Z-Diode/TVS	26V, 9.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DBZ	SMAJ40CA	Z-Diode/TVS	40V, 6.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
DC	BZX884-C47	Z-Diode	47V±5%, 250mW	SOD882	13d	Phi
DC	MMSZ4695	Z-Diode	8.7V 5%, 350mW	SOD-123	5d	Vis
DC	MMSZ4695T1	Z-Diode	8.7V±5%, 0.5W	SOD-123	5d	Mot
DC	ZMV831	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±20%	SOD-323	5d	Ztx
DD	BZX884-C51	Z-Diode	51V±5%, 250mW	SOD882	13d	Phi
DD	MMSZ4696	Z-Diode	9.1V 5%, 350mW	SOD-123	5d	Vis
DD	MMSZ4696T1	Z-Diode	9.1V±5%, 0.5W	SOD-123	5d	Mot
DD	P4SMA120	Z-Diode/TVS	120V, 2.4A, 400W (1ms),	DO-214AC	1d	Fag
DD	P6SMBJ54C	Z-Diode/TVS	54V, 6.2A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
DD	SM6T6V8	Z-Diode/TVS	6.8V, 55A, 600W (1ms)	DO-214AA	1d	Ste
DD	SMBG54C	Z-Diode/TVS	60V, 6.2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DD	SMBJ54C	Z-Diode/TVS	60V, 6.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DD	TV06B540KB	Z-Diode/TVS	54V 10%, 6.2A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DD	ZMV832	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±20%	SOD-323	5d	Ztx
DDP	TPSMC6.8	Z-Diode/TVS	6.8V, 139A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DE	BZX884-C56	Z-Diode	56V±5%, 250mW	SOD882	13d	Phi
DE	MMSZ4697	Z-Diode	10V 5%, 350mW	SOD-123	5d	Vis
DE	MMSZ4697T1	Z-Diode	10V±5%, 0.5W	SOD-123	5d	Mot
DE	P4SMA120A	Z-Diode/TVS	120V, 2.5A, 400W (1ms),	DO-214AC	1d	Fag
DE	P6SMBJ54AC	Z-Diode/TVS	54V, 6.9A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
DE	SM6T6V8A	Z-Diode/TVS	6.8V, 57A, 600W (1ms)	DO-214AA	1d	Ste
DE	SMBG54CA	Z-Diode/TVS	60V, 6.9A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DE	SMBJ54CA	Z-Diode/TVS	60V, 6.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
DE	TV06B540JB	Z-Diode/TVS	54V 5%, 6.9A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DE	ZMV833	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 33pF(2V), ΔC ±20%	SOD-323	5d	Ztx
DEP	TPSMC6.8A	Z-Diode/TVS	6.8V, 143A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DF	BZX884-C62	Z-Diode	62V±5%, 250mW	SOD882	13d	Phi
DF	MAZD062	Z-Diode	5.6..6.6V, 120mW	SSSMINI2	7d	Pan
DF	MMSZ4698	Z-Diode	11V 5%, 350mW	SOD-123	5d	Vis
DF	MMSZ4698T1	Z-Diode	11V±5%, 0.5W	SOD-123	5d	Mot
DF	P4SMA130	Z-Diode/TVS	130V 2.2A, 400W (1ms),	DO-214AC	1d	Fag
DF	P6SMBJ58C	Z-Diode/TVS	58V, 5.8A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
DF	SM6T7V5	Z-Diode/TVS	7.5V, 51A, 600W (1ms)	DO-214AA	1d	Ste
DF	SMBG58C	Z-Diode/TVS	58V, 5.8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DF	SMBJ58C	Z-Diode/TVS	58V, 5.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DF	TV06B580KB	Z-Diode/TVS	58V 10%, 5.8A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DF	ZMV834	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 47pF(2V), ΔC ±20%	SOD-323	5d	Ztx
DFP	TPSMC7.5	Z-Diode/TVS	7.5V, 128A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DG	BZX884-C68	Z-Diode	68V±5%, 250mW	SOD882	13d	Phi
DG	P4SMA130A	Z-Diode/TVS	130V, 2.3A, 400W (1ms),	DO-214AC	1d	Fag
DG	P6SMBJ58AC	Z-Diode/TVS	58V, 6.4A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
DG	SM6T7V5A	Z-Diode/TVS	7.5V, 53A, 600W (1ms)	DO-214AA	1d	Ste
DG	SMBG58CA	Z-Diode/TVS	58V, 6.4A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DG	SMBJ58CA	Z-Diode/TVS	58V, 6.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
DG	TV06B580JB	Z-Diode/TVS	58V 5%, 6.4A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DG	ZMV835	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 68pF(2V), ΔC ±20%	SOD-323	5d	Ztx
DGP	TPSMC7.5A	Z-Diode/TVS	7.5V, 133A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DH	BZX884-C75	Z-Diode	75V±5%, 250mW	SOD882	13d	Phi
DH	MMSZ4699	Z-Diode	12V 5%, 350mW	SOD-123	5d	Vis
DH	MMSZ4699T1	Z-Diode	12V±5%, 0.5W	SOD-123	5d	Mot
DH	P4SMA150	Z-Diode/TVS	150V, 2A, 400W (1ms),	DO-214AC	1d	Fag
DH	P6SMBJ60C	Z-Diode/TVS	60V, 5.6A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjl,Srj,Wpd
DH	SMBG60C	Z-Diode/TVS	60V, 5.6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DH	SMBJ60C	Z-Diode/TVS	60V, 5.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DH	TV06B600KB	Z-Diode/TVS	60V 10%, 5.6A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DHP	TPSMC8.2	Z-Diode/TVS	8.2V, 120A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DJ	MMSZ4700	Z-Diode	13V 5%, 350mW	SOD-123	5d	Vis
DJ	MMSZ4700T1	Z-Diode	13V±5%, 0.5W	SOD-123	5d	Mot
DK	MMSZ4701	Z-Diode	14V 5%, 350mW	SOD-123	5d	Vis
DK	MMSZ4701T1	Z-Diode	14V±5%, 0.5W	SOD-123	5d	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
DK	P6SMBJ60AC	Z-Diode/TVS	60V, 6 2A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DK	SMBG60CA	Z-Diode/TVS	60V, 6 2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DK	SMBJ60CA	Z-Diode/TVS	60V, 6 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
DK	TV06B600JB	Z-Diode/TVS	60V 5%, 6 2A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DKP	TPSMC8 2A	Z-Diode/TVS	8,2V, 124A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DL	P4SMA150A	Z-Diode/TVS	150V, 2A, 400W (1ms),	DO-214AC	1d	Fag
DL	P6SMBJ64C	Z-Diode/TVS	64V, 5 3A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DL	SMBG64C	Z-Diode/TVS	64V, 5 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DL	SMBJ64C	Z-Diode/TVS	64V, 5 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DL	TV06B640KB	Z-Diode/TVS	64V 10%, 5 3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DLP	TPSMC9 1	Z-Diode/TVS	9,1V, 109A, 1500W (1ms)	DO-214AB	1d.	Gse, Vis
DM	MMSZ4702	Z-Diode	15V 5%, 350mW	SOD-123	5d	Vis
DM	MMSZ4702T1	Z-Diode	15V±5%, 0,5W	SOD-123	5d	Mot
DM	P4SMA160	Z-Diode/TVS	160V, 1,8A, 400W (1ms),	DO-214AC	1d	Fag
DM	P6SMBJ64AC	Z-Diode/TVS	64V, 5 8A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DM	SMBG64CA	Z-Diode/TVS	64V, 5 8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DM	SMBJ64CA	Z-Diode/TVS	64V, 5 8A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
DM	TV06B640JB	Z-Diode/TVS	64V 5%, 5 8A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DMP	TPSMC9 1A	Z-Diode/TVS	9,1V, 112A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DN	MMSZ4703	Z-Diode	16V 5%, 350mW	SOD-123	5d	Vis
DN	MMSZ4703T1	Z-Diode	16V±5%, 0,5W	SOD-123	5d	Mot
DN	P4SMA160A	Z-Diode/TVS	160V, 1,9A, 400W (1ms),	DO-214AC	1d	Fag
DN	P6SMBJ70C	Z-Diode/TVS	70V, 4 8A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DN	SM6T10	Z-Diode/TVS	10V, 40A, 600W(1ms)	DO-214AA	1d	Ste
DN	SMBG70C	Z-Diode/TVS	70V, 4 8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DN	SMBJ70C	Z-Diode/TVS	70V, 4 8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DN	TV06B700KB	Z-Diode/TVS	70V 10%, 4 8A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DNP	TPSMC10	Z-Diode/TVS	10V, 100A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DP	CMOZ2L8	Z-Diode	2 8V, 250mW, Iz=0 5mA	SOD-323	5d	Cen
DP	MMSZ4704	Z-Diode	17V 5%, 350mW	SOD-123	5d	Vis
DP	MMSZ4704T1	Z-Diode	17V±5%, 0,5W	SOD-123	5d	Mot
DP	P4SMA170	Z-Diode/TVS	170V, 1,7A, 400W (1ms),	DO-214AC	1d	Fag
DP	P6SMBJ70AC	Z-Diode/TVS	70V, 5 3A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DP	SM6T10A	Z-Diode/TVS	10V, 41A, 600W(1ms)	DO-214AA	1d	Ste
DP	SMBG70CA	Z-Diode/TVS	70V, 5 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DP	SMBJ70CA	Z-Diode/TVS	70V, 5 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
DP	TV06B700JB	Z-Diode/TVS	70V 5%, 5 3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DPP	TPSMC10A	Z-Diode/TVS	10V, 103A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DQ	P4SMA170A	Z-Diode/TVS	170V, 1,8A, 400W (1ms),	DO-214AC	1d	Fag
DQ	P6SMBJ75C	Z-Diode/TVS	75V, 4 5A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DQ	SMBG75C	Z-Diode/TVS	75V, 4 5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DQ	SMBJ75C	Z-Diode/TVS	75V, 4 5A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DQ	TV06B750KB	Z-Diode/TVS	75V 10%, 4 5A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DQP	TPSMC11	Z-Diode/TVS	11V, 92,6A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DR	P4SMA180	Z-Diode/TVS	180V, 1,6A, 400W (1ms),	DO-214AC	1d	Fag
DR	P6SMBJ75AC	Z-Diode/TVS	75V, 4 9A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DR	SMBG75CA	Z-Diode/TVS	75V, 5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DR	SMBJ75CA	Z-Diode/TVS	75V, 5A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
DR	TV06B750JB	Z-Diode/TVS	75V 5%, 4 9A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DRP	TPSMC11A	Z-Diode/TVS	11V, 96 2A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DS	P4SMA180A	Z-Diode/TVS	180V, 1,7A, 400W (1ms),	DO-214AC	1d	Fag
DS	P6SMBJ78C	Z-Diode/TVS	78V, 4 3A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DS	SMBG78C	Z-Diode/TVS	78V, 4 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DS	SMBJ78C	Z-Diode/TVS	78V, 4 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DS	TV06B780KB	Z-Diode/TVS	78V 10%, 4 3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DSP	TPSMC12	Z-Diode/TVS	12V, 86 7A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DT	MMSZ4705	Z-Diode	18V 5%, 350mW	SOD-123	5d	Vis
DT	MMSZ4705T1	Z-Diode	18V±5%, 0,5W	SOD-123	5d	Mot
DT	P4SMA200	Z-Diode/TVS	200V, 1,5A, 400W (1ms),	DO-214AC	1d	Fag
DT	P6SMBJ78AC	Z-Diode/TVS	78V, 4 7A, 600W (1ms), Bidirectional	DO-214AA	2c	PJL, Srj, Wpd
DT	SM6T12A	Z-Diode/TVS	12V, 36A, 600W(1ms)	DO-214AA	1d	Ste
DT	SMBG78CA	Z-Diode/TVS	78V, 4 8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DT	SMBJ78CA	Z-Diode/TVS	78V, 4 8A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
DT	TV06B780JB	Z-Diode/TVS	78V 5%, 4 7A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
DTP	TPSMC12A	Z-Diode/TVS	12V, 89 8A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
DU	MMSZ4706	Z-Diode	19V 5%, 350mW	SOD-123	5d	Vis
DU	MMSZ4706T1	Z-Diode	19V±5%, 0,5W	SOD-123	5d	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
DU	P4SMA200A	Z-Diode/TVS	200V, 1,53A, 400W (1ms).	DO-214AC	1d	Fag
DU	P6SMBJ85C	Z-Diode/TVS	85V, 3.9A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt.Srj,Wpd
DU	SMBG85C	Z-Diode/TVS	85V, 4A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DU	SMBJ85C	Z-Diode/TVS	85V, 4A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DU	TV06B850KB	Z-Diode/TVS	85V 10%, 3.9A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DUB	SMAJ6.0A	Z-Diode/TVS	6V, 38.8A, 400W (1ms)	DO-214AC	1d	Ste
DUC	SMAJ8.5A	Z-Diode/TVS	6.5V, 35.7A, 400W (1ms)	DO-214AC	1d	Ste
DUH	SMAJ8.5A	Z-Diode/TVS	8.5V, 27.7A, 400W (1ms)	DO-214AC	1d	Ste
DUK	SMAJ12A	Z-Diode/TVS	12V, 20.1A, 400W (1ms)	DO-214AC	1d	Ste
DUP	TPSMC13	Z-Diode/TVS	13V, 78.9A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DUQ	SMAJ18A	Z-Diode/TVS	18V, 13.7A, 400W (1ms)	DO-214AC	1d	Ste
DUR	SMAJ20A	Z-Diode/TVS	20V, 12.3A, 400W (1ms)	DO-214AC	1d	Ste
DUS	SMAJ22A	Z-Diode/TVS	22V, 11.2A, 400W (1ms)	DO-214AC	1d	Ste
DUT	SMAJ24A	Z-Diode/TVS	24V, 10.3A, 400W (1ms)	DO-214AC	1d	Ste
DUU	SMAJ26A	Z-Diode/TVS	26V, 9.5A, 400W (1ms)	DO-214AC	1d	Ste
DUZ	SMAJ40A	Z-Diode/TVS	40V, 8.2A, 400W (1ms)	DO-214AC	1d	Ste
DV	MMSZ4707	Z-Diode	20V 5%, 350mW	SOD-123	5d	Vis
DV	MMSZ4707T1	Z-Diode	20V±5%, 0,5W	SOD-123	5d	Mot
DV	P4SMA220	Z-Diode/TVS	220V, 1,16A, 400W (1ms).	DO-214AC	1d	Fag
DV	P6SMBJ85AC	Z-Diode/TVS	85V, 4.4A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt.Srj,Wpd
DV	SMBG85CA	Z-Diode/TVS	85V, 4.4A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DV	SMBJ85CA	Z-Diode/TVS	85V, 4.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
DV	TV06B850JB	Z-Diode/TVS	85V 5%, 4.4A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DVP	TPSMC13A	Z-Diode/TVS	13V, 82.4A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DW	P6SMBJ90C	Z-Diode/TVS	90V, 3.8A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt.Srj,Wpd
DW	SM6T15	Z-Diode/TVS	15V, 27A, 800W (1ms)	DO-214AA	1d	Ste
DW	SMBG90CC	Z-Diode/TVS	90V, 3.8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DW	SMBJ90CC	Z-Diode/TVS	90V, 3.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DW	TV06B900KB	Z-Diode/TVS	90V 10%, 3.8A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DWP	TPSMC15	Z-Diode/TVS	15V, 68.2A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DX	P4SMA220A	Z-Diode/TVS	220V, 1,22A, 400W (1ms).	DO-214AC	1d	Fag
DX	P6SMBJ90AC	Z-Diode/TVS	90V, 4.1A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt.Srj,Wpd
DX	SM6T15A	Z-Diode/TVS	15V, 28A, 600W (1ms)	DO-214AA	1d	Ste
DX	SMBG90CA	Z-Diode/TVS	90V, 4.1A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DX	SMBJ90CA	Z-Diode/TVS	90V, 4.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
DX	TV06B900JB	Z-Diode/TVS	90V 5%, 4.1A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DXP	TPSMC15A	Z-Diode/TVS	15V, 70.8A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DY	MMSZ4710	Z-Diode	25V 5%, 350mW	SOD-123	5d	Vis
DY	MMSZ4710T1	Z-Diode	25V±5%, 0,5W	SOD-123	5d	Mot
DY	P6SMBJ100C	Z-Diode/TVS	100V, 3.4A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt.Srj,Wpd
DY	SMBG100C	Z-Diode/TVS	100V, 3.4A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DY	SMBJ100C	Z-Diode/TVS	100V, 3.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
DY	TV06B101KB	Z-Diode/TVS	100V 10%, 3.4A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DYP	TPSMC16	Z-Diode/TVS	16V, 63.8A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
DZ	MMSZ4709	Z-Diode	24V 5%, 350mW	SOD-123	5d	Vis
DZ	MMSZ4709T1	Z-Diode	24V±5%, 0,5W	SOD-123	5d	Mot
DZ	P6SMBJ100AC	Z-Diode/TVS	100V, 3.7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt.Srj,Wpd
DZ	SMBG100CA	Z-Diode/TVS	100V, 3.7A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
DZ	SMBJ100CA	Z-Diode/TVS	100V, 3.7A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
DZ	TV06B101JB	Z-Diode/TVS	100V 5%, 3.7A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
DZP	TPSMC16A	Z-Diode/TVS	16V, 66.7A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
E	EP05H10	Si-Diode	Schottky Rect., 100V, 500mA, Vf<0,8V(500mA)	SOD-123	5d	Nth
E0	BZX585-B15	Z-Diode	15V±2%, 300mW	SOD-523	6d	Phi
E1	BZX585-B6V2	Z-Diode	6,2V±2%, 300mW	SOD-523	6d	Phi
E1	MMSZ5231B	Z-Diode	5,1V±5%, 0,5W, Zzt=17Ω	SOD-123	5d	Dil
E1	MMSZ5231B	Z-Diode	5,1V±5%, 0,5W, Zzt=17Ω	SOD-123	5d	Dil
E1	MMSZ5231BS	Z-Diode	5,1V±5%, 0,2W, Zzt=17Ω	SOD-323	5d	Dil
E1	MMSZ5231BT1	Z-Diode	5,1V±5%, 0,5W, Zzt=17Ω	SOD-123	5d	Mot
E10A	EGF10A	Si-Diode	U-Fast Recovery Rectifier, 50V, 1A, Vf<1V(1A), 50ns	DO-214AC	1d	Zow
E10B	EGF10B	Si-Diode	U-Fast Recovery Rectifier, 100V, 1A, Vf<1V(1A), 50ns	DO-214AC	1d	Zow
E10D	EGF10D	Si-Diode	U-Fast Recovery Rectifier, 200V, 1A, Vf<1V(1A), 50ns	DO-214AC	1d	Zow
E10G	EGF10G	Si-Diode	U-Fast Recovery Rectifier, 400V, 1A, Vf<1,25V(1A), 50ns	DO-214AC	1d	Zow
E10J	EGF10J	Si-Diode	U-Fast Recovery Rectifier, 600V, 1A, Vf<1,7V(1A), 75ns	DO-214AC	1d	Zow
E10K	EGF10K	Si-Diode	U-Fast Recovery Rectifier, 800V, 1A, Vf<1,7V(1A), 75ns	DO-214AC	1d	Zow
E10M	EGF10M	Si-Diode	U-Fast Recovery Rectifier, 1000V, 1A, Vf<1,7V(1A), 75ns	DO-214AC	1d	Zow
E2	BZX585-B6V8	Z-Diode	6,8V±2%, 300mW	SOD-523	6d	Phi
E2	EDZS6.2B	Z-Diode	6,2V 10%, 5mA, 100mW	SOD-523	6d	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
E2	MMSZ5232B	Z-Diode	5,6V±5%, 0.5W, Zzt=11Ω	SOD-123	5d Dll
E2	MMSZ5232B	Z-Diode	5,6V±5%, 0.5W, Zzt=11Ω	SOD-123	5d Oil
E2	MMSZ5232BS	Z-Diode	5,6V±5%, 0.2W, Zzt=11Ω	SOD-323	5d Oil
E2	MMSZ5232BT1	Z-Diode	5,6V±5%, 0.5W, Zzt=11Ω	SOD-123	5d Mot
E2	UDZ6.2B	Z-Diode	6,2V±2.5%, 200mW	SOD-323	5d Rhm
E2	UDZS6.2B	Z-Diode	6,2V 10%, 5mA, 200mW	SOD-106	1d Rhm
E2	VDZS6.2B	Z-Diode	6,2V 10%, 5mA, 100mW	VMD2	5d Rhm
E20A	EGF20A	Si-Diode	U-Fast Recovery Rectifier, 50V, 2A, Vf<1V(2A), 50ns	DO-214AA	1d Zow
E20B	EGF20B	Si-Diode	U-Fast Recovery Rectifier, 100V, 2A, Vf<1V(2A), 50ns	DO-214AA	1d Zow
E20D	EGF20D	Si-Diode	U-Fast Recovery Rectifier, 200V, 2A, Vf<1V(2A), 50ns	DO-214AA	1d Zow
E20G	EGF20G	Si-Diode	U-Fast Recovery Rectifier, 400V, 2A, Vf<1,25V(2A), 50ns	DO-214AA	1d Zow
E20J	EGF20J	Si-Diode	U-Fast Recovery Rectifier, 600V, 2A, Vf<1,7V(2A), 75ns	DO-214AA	1d Zow
E20K	EGF20K	Si-Diode	U-Fast Recovery Rectifier, 800V, 2A, Vf<1,7V(2A), 75ns	DO-214AA	1d Zow
E20M	EGF20M	Si-Diode	U-Fast Recovery Rectifier, 1000V, 2A, Vf<1,7V(2A), 75ns	DO-214AA	1d Zow
E3	BZX585-B7V5	Z-Diode	7,5V±2%, 300mW	SOD-523	6d Phi
E3	MMSZ5233B	Z-Diode	6V±5%, 0.5W, Zzt=7Ω	SOD-123	5d Oil
E3	MMSZ5233B	Z-Diode	6V±5%, 0.5W, Zzt=7Ω	SOD-123	5d Oil
E3	MMSZ5233BS	Z-Diode	6V±5%, 0.2W, Zzt=7Ω	SOD-323	5d Oil
E3	MMSZ5233BT1	Z-Diode	6V±5%, 0.5W, Zzt=7Ω	SOD-123	5d Mot
E30A	EGF30A	Si-Diode	U-Fast Recovery Rectifier, 50V, 3A, Vf<1V(3A), 50ns	DO-214AA	1d Zow
E30B	EGF30B	Si-Diode	U-Fast Recovery Rectifier, 100V, 3A, Vf<1V(3A), 50ns	DO-214AA	1d Zow
E30D	EGF30D	Si-Diode	U-Fast Recovery Rectifier, 200V, 3A, Vf<1V(3A), 50ns	DO-214AA	1d Zow
E30G	EGF30G	Si-Diode	U-Fast Recovery Rectifier, 400V, 3A, Vf<1,25V(3A), 50ns	DO-214AA	1d Zow
E30J	EGF30J	Si-Diode	U-Fast Recovery Rectifier, 600V, 3A, Vf<1,7V(3A), 75ns	DO-214AA	1d Zow
E30K	EGF30K	Si-Diode	U-Fast Recovery Rectifier, 800V, 3A, Vf<1,7V(3A), 75ns	DO-214AA	1d Zow
E30M	EGF30M	Si-Diode	U-Fast Recovery Rectifier, 1000V, 3A, Vf<1,7V(3A), 75ns	DO-214AA	1d Zow
E4	BZX585-B8V2	Z-Diode	8,2V±2%, 300mW	SOD-523	6d Phi
E4	MMSZ5234B	Z-Diode	6,2V±5%, 0.5W, Zzt=7Ω	SOD-123	5d Oil
E4	MMSZ5234B	Z-Diode	6,2V±5%, 0.5W, Zzt=7Ω	SOD-123	5d Oil
E4	MMSZ5234BS	Z-Diode	6,2V±5%, 0.2W, Zzt=7Ω	SOD-323	5d Oil
E4	MMSZ5234BT1	Z-Diode	6,2V±5%, 0.5W, Zzt=7Ω	SOD-123	5d Mot
E5	BZX585-B9V1	Z-Diode	9,1V±2%, 300mW	SOD-523	6d Phi
E5	MMSZ5235B	Z-Diode	6,8V±5%, 0.5W, Zzt=5Ω	SOD-123	5d Oil
E5	MMSZ5235B	Z-Diode	6,8V±5%, 0.5W, Zzt=5Ω	SOD-123	5d Oil
E5	MMSZ5235BS	Z-Diode	6,8V±5%, 0.2W, Zzt=5Ω	SOD-323	5d Oil
E5	MMSZ5235BT1	Z-Diode	6,8V±5%, 0.5W, Zzt=5Ω	SOD-123	5d Mot
E5	UDZ33B	Z-Diode	33V±2.5%, 200mW	SOD-323	5d Rhm
E5	UDZS33B	Z-Diode	33V 10%, 5mA, 200mW	SOD-106	1d Rhm
E5	VDZS33B	Z-Diode	33V 10%, 5mA, 100mW	VMD2	5d Rhm
E6	BZX585-B10	Z-Diode	10V±2%, 300mW	SOD-523	6d Phi
E7	BZX585-B11	Z-Diode	11V±2%, 300mW	SOD-523	6d Phi
E8	BZX585-B12	Z-Diode	12V±2%, 300mW	SOD-523	6d Phi
E9	BZX585-B13	Z-Diode	13V±2%, 300mW	SOD-523	6d Phi
EA	ES1A	Si-Diode	Fast, 50V, 1A, Cd=7pF	DO-214AC	1d Gse
EA	ES2A	Si-Diode	Fast, 50V, 2A, Cd=18pF	DO-214AA	1d Gse
EA	ES3A	Si-Diode	Fast, 50V, 3A, Cd=45pF	DO-214AB	1d Gse
EA	MMSZ4711T1	Z-Diode	27V±5%, 0.5W	SOD-123	5d Mot
EB	ES1B	Si-Diode	Fast, 100V, 1A, Cd=7pF	DO-214AC	1d Gse
EB	ES2B	Si-Diode	Fast, 100V, 2A, Cd=18pF	DO-214AA	1d Gse
EB	ES3B	Si-Diode	Fast, 100V, 3A, Cd=45pF	DO-214AB	1d Gse
EBA	SMAJ43CA	Z-Diode/TVS	43V, 5.7A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EBF	SMAJ58CA	Z-Diode/TVS	58V, 4.3A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EBI	SMAJ70CA	Z-Diode/TVS	70V, 3.5A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EBL	SMAJ85CA	Z-Diode/TVS	85V, 2.9A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EBN	SMAJ100CA	Z-Diode/TVS	100V, 2.5A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EBQ	SMAJ130CA	Z-Diode/TVS	130V, 1.9A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EBT	SMAJ154CA	Z-Diode/TVS	154V, 1.6A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EBV	SMAJ188CA	Z-Diode/TVS	188V, 1.4A, 400W (1ms), Bidirectional	DO-214AC	1c Ste
EC	ES1C	Si-Diode	Fast, 150V, 1A, Cd=7pF	DO-214AC	1d Gse
EC	ES2C	Si-Diode	Fast, 150V, 2A, Cd=18pF	DO-214AA	1d Gse
EC	ES3C	Si-Diode	Fast, 150V, 3A, Cd=45pF	DO-214AB	1d Gse
EC	MMSZ4712T1	Z-Diode	28V±5%, 0.5W	SOD-123	5d Mot
EC	Z1SMA-6V2	Z-Diode	6,2V 5%, 1,3W	DO-214AC	1d Fag
ED	ES1D	Si-Diode	Fast, 200V, 1A, Cd=7pF	DO-214AC	1d Gse
ED	ES2D	Si-Diode	Fast, 200V, 2A, Cd=18pF	DO-214AA	1d Gse
ED	ES3D	Si-Diode	Fast, 200V, 3A, Cd=45pF	DO-214AB	1d Gse
ED	MMSZ4713T1	Z-Diode	30V±5%, 0.5W	SOD-123	5d Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
ED	P6SMBJ110C	Z-Diode/TVS	110V, 3A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
ED	SM6T18	Z-Diode/TVS	18V, 23A, 600W (1ms)	DO-214AA	1d	Ste
ED	SMBG110C	Z-Diode/TVS	110V, 3 1A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
ED	SMBJ110C	Z-Diode/TVS	110V, 3 1A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
ED	TV06B111KB	Z-Diode/TVS	110V 10%, 3A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
ED	Z1SMA-7V5	Z-Diode	7,5V 5%, 1,3W	DO-214AC	1d	Fag
EDP	TPSMC18	Z-Diode/TVS	18V, 56 6A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EE	MMSZ4714T1	Z-Diode	33V±5%, 0,5W	SOD-123	5d	Mot
EE	P6SMBJ110AC	Z-Diode/TVS	110V, 3 4A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EE	SM6T18A	Z-Diode/TVS	18V, 24A, 600W (1ms)	DO-214AA	1d	Ste
EE	SMBG110CA	Z-Diode/TVS	110V, 3 4A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EE	SMBJ110CA	Z-Diode/TVS	110V, 3 4A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
EE	TV06B111JB	Z-Diode/TVS	110V 5%, 3 4A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EE	Z1SMA-6V8	Z-Diode	6,8V 5%, 1,3W	DO-214AC	1d	Fag
EEP	TPSMC18A	Z-Diode/TVS	18V, 59 5A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EF	MAZD082	Z-Diode	7,7 8,7V, 120mW	SSSMm2	7d	Pan
EF	MMSZ4715T1	Z-Diode	36V±5%, 0,5W	SOD-123	5d	Mot
EF	P6SMBJ120C	Z-Diode/TVS	120V, 2 8A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EF	SMBG120C	Z-Diode/TVS	120V, 2 8A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EF	SMBJ120C	Z-Diode/TVS	120V, 2 8A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
EF	TV06B121KB	Z-Diode/TVS	120V 10%, 2 8A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EF	Z1SMA-8V2	Z-Diode	8,2V 5%, 1,3W	DO-214AC	1d	Fag
EFP	TPSMC20	Z-Diode/TVS	20V, 51 5A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EG	P6SMBJ120AC	Z-Diode/TVS	120V, 3 1A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EG	SMBG120CA	Z-Diode/TVS	120V, 3 1A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EG	SMBJ120CA	Z-Diode/TVS	120V, 3 1A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
EG	TV06B121JB	Z-Diode/TVS	120V 5%, 3 1A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EG	Z1SMA-9V1	Z-Diode	9,1V 5%, 1,3W	DO-214AC	1d	Fag
EGP	TPSMC20A	Z-Diode/TVS	20V, 54,2A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EH	MMSZ4716T1	Z-Diode	39V±5%, 0,5W	SOD-123	5d	Mot
EH	P6SMBJ130C	Z-Diode/TVS	130V, 2 6A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EH	SM6T22	Z-Diode/TVS	22V, 18A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
EH	SMBG130C	Z-Diode/TVS	130V, 2 6A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EH	SMBJ130C	Z-Diode/TVS	130V, 2 6A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
EH	TV06B131KB	Z-Diode/TVS	130V 10%, 2 6A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EH	Z1SMA-10	Z-Diode	10V 5%, 1,3W	DO-214AC	1d	Fag
EHP	TPSMC22	Z-Diode/TVS	22V, 47A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EJ	MMSZ4717T1	Z-Diode	43V±5%, 0,5W	SOD-123	5d	Mot
EK	P6SMBJ130AC	Z-Diode/TVS	130V, 2 9A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EK	PMEG3015EJ	Si-Diode	Schootky Rectifier, 30V, 1,5A, Vf<0,55V(1,5A), <72pF	SO323F	6d	Phi
EK	SM6T22A	Z-Diode/TVS	22V, 20A, 600W (1ms)	DO-214AA	1d	Ste
EK	SMBG130CA	Z-Diode/TVS	130V, 2 9A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EK	SMBJ130CA	Z-Diode/TVS	130V, 2 9A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
EK	TV06B131JB	Z-Diode/TVS	130V 5%, 2 9A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EK	Z1SMA-11	Z-Diode	11V 5%, 1,3W	DO-214AC	1d	Fag
EKP	TPSMC22A	Z-Diode/TVS	22V, 49A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EL	P6SMBJ150C	Z-Diode/TVS	150V, 2 2A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EL	SM6T24	Z-Diode/TVS	24V, 17A, 600W (1ms)	DO-214AA	1d	Ste
EL	SMBG150C	Z-Diode/TVS	150V, 2 2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EL	SMBJ150C	Z-Diode/TVS	150V, 2 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
EL	TV06B151KB	Z-Diode/TVS	150V 10%, 2 2A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EL	Z1SMA-12	Z-Diode	12V 5%, 1,3W	DO-214AC	1d	Fag
ELP	TPSMC24	Z-Diode/TVS	24V, 43,2A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EM	P6SMBJ150AC	Z-Diode/TVS	150V, 2 5A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EM	SM6T24A	Z-Diode/TVS	24V, 18A, 600W (1ms)	DO-214AA	1d	Ste
EM	SMBG150CA	Z-Diode/TVS	150V, 2 5A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EM	SMBJ150CA	Z-Diode/TVS	150V, 2 5A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil, Vis
EM	TV06B151JB	Z-Diode/TVS	150V 5%, 2 5A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EM	Z1SMA-13	Z-Diode	130V 5%, 1,3W	DO-214AC	1d	Fag
EMP	TPSMC24A	Z-Diode/TVS	24V, 45,2A, 1500W (1ms)	DO-214AB	1d	Gse, Vis
EN	P6SMBJ160C	Z-Diode/TVS	160V, 2 1A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL, Srj, Wpd
EN	SM6T27	Z-Diode/TVS	27V, 15A, 600W (1ms)	DO-214AA	1d	Ste
EN	SMBG160C	Z-Diode/TVS	160V, 2 1A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EN	SMBJ160C	Z-Diode/TVS	160V, 2 1A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
EN	TV06B161KB	Z-Diode/TVS	160V 10%, 2 1A, 600W (1ms), Bifirectional	DO-214AA	1c	Cmc
EN	Z1SMA-15	Z-Diode	15V 5%, 1,3W	DO-214AC	1d	Fag
ENP	TPSMC27	Z-Diode/TVS	27V, 38 4A, 1500W (1ms)	DO-214AB	1d	Gse, Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
EP	P6SMBJ160AC	Z-Diode/TVS	160V, 2 3A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EP	SM6T27A	Z-Diode/TVS	27V, 16A, 600W(1ms)	DO-214AA	1d	Ste
EP	SMBG160CA	Z-Diode/TVS	160V, 2 3A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EP	SMBJ160CA	Z-Diode/TVS	160V, 2 3A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
EP	TV06B161JB	Z-Diode/TVS	160V 5%, 2 3A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
EP	Z1SMA-16	Z-Diode	16V 5%, 1,3W	DO-214AC	1d	Fag
EPP	TPSMC27A	Z-Diode/TVS	27V, 40A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
EQ	P6SMBJ170C	Z-Diode/TVS	170V, 2A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EQ	SM6T30	Z-Diode/TVS	30V, 14,2A, 600W(1ms)	DO-214AA	1d	Ste
EQ	SMBG170C	Z-Diode/TVS	170V, 2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
EQ	SMBJ170C	Z-Diode/TVS	170V, 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
EQ	TV06B171KB	Z-Diode/TVS	170V 10%, 2A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
EQ	Z1SMA-18	Z-Diode	18V 5%, 1,3W	DO-214AC	1d	Fag
EQP	TPSMC30	Z-Diode/TVS	30V, 34,5A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
ER	P6SMBJ170AC	Z-Diode/TVS	170V, 2 2A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
ER	SM6T30A	Z-Diode/TVS	30V, 14,5A, 600W(1ms)	DO-214AA	1d	Ste
ER	SMBG170CA	Z-Diode/TVS	170V, 2 2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
ER	SMBJ170CA	Z-Diode/TVS	170V, 2 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil,Vis
ER	TV06B171JB	Z-Diode/TVS	170V 5%, 2 2A, 600W(1ms), Bifirectional	DO-214AA	1c	Cmc
ER	Z1SMA-20	Z-Diode	20V 5%, 1,3W	DO-214AC	1d	Fag
ERP	TPSMC30A	Z-Diode/TVS	30V, 36 2A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
ES	P6SMBJ180C	Z-Diode/TVS	170V, 1 9A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
ES	SM6T33	Z-Diode/TVS	33V, 13A, 600W(1ms)	DO-214AA	1d	Ste
ES	SMBG188CA	Z-Diode/TVS	188V, 2A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
ES	SMBJ188CA	Z-Diode/TVS	188V, 2A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
ES	Z1SMA-22	Z-Diode	22V 5%, 1,3W	DO-214AC	1d	Fag
ESP	TPSMC33	Z-Diode/TVS	33V, 31 4A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
ET	P6SMBJ180AC	Z-Diode/TVS	170V, 2 1A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
ET	SM6T33A	Z-Diode/TVS	33V, 13,1A, 600W(1ms)	DO-214AA	1d	Ste
ET	SMBG188C	Z-Diode/TVS	188V, 1 7A, 600W (1ms), Bidirectional	DO-215AA	1c	Vis
ET	SMBJ188C	Z-Diode/TVS	188V, 1 7A, 600W (1ms), Bidirectional	DO-214AA	1c	Vis
ET	Z1SMA-24	Z-Diode	24V 5%, 1,3W	DO-214AC	1d	Fag
ETP	TPSMC33A	Z-Diode/TVS	33V, 32,8A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
EU	P6SMBJ190C	Z-Diode/TVS	170V, 1 8A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EU	SM6T36	Z-Diode/TVS	36V, 11,8A, 600W(1ms)	DO-214AA	1d	Ste
EU	Z1SMA-27	Z-Diode	27V 5%, 1,3W	DO-214AC	1d	Fag
EUA	SMAJ43A	Z-Diode/TVS	43V, 5 7A, 400W (1ms)	DO-214AC	1d	Ste
EUF	SMAJ58A	Z-Diode/TVS	58V, 4 3A, 400W (1ms)	DO-214AC	1d	Ste
EUI	SMAJ70A	Z-Diode/TVS	70V, 3 5A, 400W (1ms)	DO-214AC	1d	Ste
EUL	SMAJ85A	Z-Diode/TVS	85V, 2 9A, 400W (1ms)	DO-214AC	1d	Ste
EUN	SMAJ100A	Z-Diode/TVS	100V, 2 5A, 400W (1ms)	DO-214AC	1d	Ste
EUP	TPSMC36	Z-Diode/TVS	36V, 28 8A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
EUQ	SMAJ130A	Z-Diode/TVS	130V, 1 9A, 400W (1ms)	DO-214AC	1d	Ste
EUT	SMAJ154A	Z-Diode/TVS	154V, 1 6A, 400W (1ms)	DO-214AC	1d	Ste
EUV	SMAJ188A	Z-Diode/TVS	188V, 1 4A, 400W (1ms)	DO-214AC	1d	Ste
EV	P6SMBJ190AC	Z-Diode/TVS	170V, 2A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EV	SM6T36A	Z-Diode/TVS	36V, 12A, 600W(1ms)	DO-214AA	1d	Ste
EV	Z1SMA-30	Z-Diode	30V 5%, 1,3W	DO-214AC	1d	Fag
EVP	TPSMC36A	Z-Diode/TVS	36V, 30 1A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
EW	P6SMBJ200C	Z-Diode/TVS	170V, 1 7A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EW	SM6T39	Z-Diode/TVS	39V, 11A, 600W(1ms)	DO-214AA	1d	Ste
EW	Z1SMA-33	Z-Diode	33V 5%, 1,3W	DO-214AC	1d	Fag
EW P	TPSMC39	Z-Diode/TVS	39V, 26 6A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
EX	SM6T39A	Z-Diode/TVS	39V, 11,1A, 600W(1ms)	DO-214AA	1d	Ste
EX	Z1SMA-36	Z-Diode	36V 5%, 1,3W	DO-214AC	1d	Fag
EXP	TPSMC39A	Z-Diode/TVS	39V, 27,8A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
EY	P6SMBJ210C	Z-Diode/TVS	170V, 1 6A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EY	Z1SMA-39	Z-Diode	39V 5%, 1,3W	DO-214AC	1d	Fag
EYP	TPSMC43	Z-Diode/TVS	43V, 24,2A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
EZ	P6SMBJ200AC	Z-Diode/TVS	170V, 1 9A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EZ	P6SMBJ210AC	Z-Diode/TVS	170V, 1 8A, 600W (1ms), Bidirectional	DO-214AA	2c	PjL,Srj,Wpd
EZ	Z1SMA-43	Z-Diode	43V 5%, 1,3W	DO-214AC	1d	Fag
EZP	TPSMC43A	Z-Diode/TVS	43V, 25,3A, 1500W (1ms)	DO-214AB	1d	Gse,Vis
F	1PS79SB10	Si-Diode	Schottky Barner, U-Speed, 30V, 200mA, <10pF	SOD-523	6d	Phi
F	BAS70-02L	Si-Diode	Schottky, 70V, 70mA, Vf<1V, Cd<2pF, 5ns	TSLP-2-1	13d	Inf
F	HVU352	C-Diode	VCO 1GHz, 6 8pF(1V)	SOD-123	5d	Ren
F	MAZS033	Z-Dioda	3,1 3,5V, 200mW	SC-79	6d	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
F ⁺	MAZS033	Z-Diode	3,1..3,5V, 200mW	SC-79	6d	Pan
F ⁺	MAZS0330H	Z-Diode	3,25..3,5V, 200mW	SC-79	6d	Pan
F ₋	MAZS033	Z-Diode	3,1..3,5V, 200mW	SC-79	6d	Pan
F ₋	MAZS0330L	Z-Diode	3,1..3,35V, 200mW	SC-79	6d	Pan
F0	BZX585-C5V6	Z-Diode	5,6V±5%, 300mW	SOD-523	6d	Phi
F0	CMOZ5V6	Z-Diode	5,6V 5%, 350mW	SOD-523	6d	Cen
F01	DFLS130-7	Si-Diode	Schottky Rectifier, 30V, 1A, Vf=0,36V(1A), 1,67W	PowDI123	7d	Dil
F02	DFLS120L-7	Si-Diode	Schottky Rectifier, 20V, 1A, Vf=0,32V(1A), 1,67W	PowDI123	7d	Dil
F04	DFLS140-7	Si-Diode	Schottky Rectifier, 40V, 1A, Vf=0,45V(0,5A), 1,67W	PowDI123	7d	Dil
F1	BZX585-C2V4	Z-Diode	2,4V±5%, 300mW	SOD-523	6d	Phi
F1	CMOZ2V4	Z-Diode	2,4V 5%, 350mW	SOD-523	6d	Cen
F1	FRS1A	Si-Diode	Fast Recovery Rectifier, 50V, 1A, <250ns	DO-214AC	1d	Fag
F1	MMSZ52336	Z-Diode	7,5V 10%, 300mW	SOD-123	5d	Vis
F1	MMSZ5236B	Z-Diode	7,5V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Dil
F1	MMSZ5236B	Z-Diode	7,5V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Dil
F1	MMSZ5236BS	Z-Diode	7,5V±5%, 0,2W, Zzt=8Ω	SOD-323	5d	Dil
F1	MMSZ5236BT1	Z-Diode	7,5V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Mot
F1A	CMOZ2V6	Z-Diode	2,6V 5%, 350mW	SOD-523	6d	Cen
F2	BZX585-C2V9	Z-Diode	2,9V±5%, 300mW	SOD-523	6d	Phi
F2	CMOZ2V7	Z-Diode	2,7V 5%, 350mW	SOD-523	6d	Cen
F2	EDZS6.8B	Z-Diode	6,8V 10%, 5mA, 100mW	SOD-523	6d	Rhm
F2	FRS1B	Si-Diode	Fast Recovery Rectifier, 100V, 1A, <250ns	DO-214AC	1d	Fag
F2	MMSZ52337	Z-Diode	8,2V 10%, 300mW	SOD-123	5d	Vis
F2	MMSZ5237B	Z-Diode	8,2V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Dil
F2	MMSZ5237B	Z-Diode	8,2V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Dil
F2	MMSZ5237BS	Z-Diode	8,2V±5%, 0,2W, Zzt=8Ω	SOD-323	5d	Dil
F2	MMSZ5237BT1	Z-Diode	8,2V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Mot
F2	MSCD012	Si-Diode	Schottky Barrier Rectifier, 20V, 0,1A, Vf<0,45V(0,1A)	0805	14d	Zow
F2	UDZ6.8B	Z-Diode	6,8V±2,5%, 200mW	SOD-323	5d	Rhm
F2	UDZS6.8B	Z-Diode	6,8V 10%, 5mA, 200mW	SOD-106	1d	Rhm
F2	VDZS6.8B	Z-Diode	6,8V 10%, 5mA, 100mW	VMD2	5d	Rhm
F3	BZX585-C3V0	Z-Diode	3V±5%, 300mW	SOD-523	6d	Phi
F3	CMOZ3V0	Z-Diode	3,0V 5%, 350mW	SOD-523	6d	Cen
F3	FRS1D	Si-Diode	Fast Recovery Rectifier, 200V, 1A, <250ns	DO-214AC	1d	Fag
F3	MMSZ52338	Z-Diode	8,7V 10%, 300mW	SOD-123	5d	Vis
F3	MMSZ5238B	Z-Diode	8,7V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Dil
F3	MMSZ5238B	Z-Diode	8,7V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Dil
F3	MMSZ5238BS	Z-Diode	8,7V±5%, 0,2W, Zzt=8Ω	SOD-323	5d	Dil
F3	MMSZ5238BT1	Z-Diode	8,7V±5%, 0,5W, Zzt=8Ω	SOD-123	5d	Mot
F4	BZX585-C3V3	Z-Diode	3,3V±5%, 300mW	SOD-523	6d	Phi
F4	CMOZ3V3	Z-Diode	3,3V 5%, 350mW	SOD-523	6d	Cen
F4	FRS1G	Si-Diode	Fast Recovery Rectifier, 400V, 1A, <250ns	DO-214AC	1d	Fag
F4	MMSZ52339	Z-Diode	9,1V 10%, 300mW	SOD-123	5d	Vis
F4	MMSZ5239B	Z-Diode	9,1V±5%, 0,5W, Zzt=10Ω	SOD-123	5d	Dil
F4	MMSZ5239B	Z-Diode	9,1V±5%, 0,5W, Zzt=10Ω	SOD-123	5d	Dil
F4	MMSZ5239BS	Z-Diode	9,1V±5%, 0,2W, Zzt=10Ω	SOD-323	5d	Dil
F4	MMSZ5239BT1	Z-Diode	9,1V±5%, 0,5W, Zzt=10Ω	SOD-123	5d	Mot
F4	MSCD014	Si-Diode	Schottky Barrier Rectifier, 40V, 0,1A, Vf<0,5V(0,1A)	0805	14d	Zow
F5	BZX585-C3V6	Z-Diode	3,6V±5%, 300mW	SOD-523	6d	Phi
F5	CMOZ3V6	Z-Diode	3,6V 5%, 350mW	SOD-523	6d	Cen
F5	FRS1J	Si-Diode	Fast Recovery Rectifier, 600V, 1A, <250ns	DO-214AC	1d	Fag
F5	MMSZ52340	Z-Diode	10V 10%, 300mW	SOD-123	5d	Vis
F5	MMSZ5240B	Z-Diode	10V±5%, 0,5W, Zzt=17Ω	SOD-123	5d	Dil
F5	MMSZ5240B	Z-Diode	10V±5%, 0,5W, Zzt=17Ω	SOD-123	5d	Dil
F5	MMSZ5240BS	Z-Diode	10V±5%, 0,2W, Zzt=17Ω	SOD-323	5d	Dil
F5	MMSZ5240BT1	Z-Diode	10V±5%, 0,5W, Zzt=17Ω	SOD-123	5d	Mot
F5	UDZ36B	Z-Diode	36V±2,5%, 200mW	SOD-323	5d	Rhm
F5	UDZS36B	Z-Diode	36V 10%, 5mA, 200mW	SOD-106	1d	Rhm
F5	VDZS36B	Z-Diode	36V 10%, 5mA, 100mW	VMD2	5d	Rhm
F6	BZX585-C3V9	Z-Diode	3,9V±5%, 300mW	SOD-523	6d	Phi
F6	CMOZ3V9	Z-Diode	3,9V 5%, 350mW	SOD-523	6d	Cen
F6	FRS1K	Si-Diode	Fast Recovery Rectifier, 800V, 1A, <250ns	DO-214AC	1d	Fag
F7	BZX585-C4V3	Z-Diode	4,3V±5%, 300mW	SOD-523	6d	Phi
F7	CMOZ4V3	Z-Diode	4,3V 5%, 350mW	SOD-523	6d	Cen
F7	FRS1M	Si-Diode	Fast Recovery Rectifier, 1000V, 1A, <250ns	DO-214AC	1d	Fag
F8	BZX585-C4V7	Z-Diode	4,7V±5%, 300mW	SOD-523	6d	Phi
F8	CMOZ4V7	Z-Diode	4,7V 5%, 350mW	SOD-523	6d	Cen

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
F9	BZX585-C5V1	Z-Diode	5.1V±5%, 300mW	SOD-523	6d	Phi
F9	CMOZ5V1	Z-Diode	5.1V 5%, 380mW	SOD-523	6d	Cen
FBA	SMCJ5.0CA	Z-Diode/TVS	5V, 171A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBB	SMCJ6.0CA	Z-Diode/TVS	6V, 152A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBC	SMCJ6.5CA	Z-Diode/TVS	6.5V, 140A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBD	SMCJ8.5CA	Z-Diode/TVS	8.5V, 105A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBF	SMCJ10CA	Z-Diode/TVS	10V, 92A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBI	SMCJ12CA	Z-Diode/TVS	12V, 79A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBI	SMCJ13CA	Z-Diode/TVS	13V, 73A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBJ	SMCJ15CA	Z-Diode/TVS	15V, 64A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBL	SMCJ18CA	Z-Diode/TVS	18V, 53A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBM	SMCJ20CA	Z-Diode/TVS	20V, 48A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBN	SMCJ22CA	Z-Diode/TVS	22V, 44A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBO	SMCJ24CA	Z-Diode/TVS	24V, 40A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBP	SMCJ26CA	Z-Diode/TVS	26V, 37A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBQ	SMCJ28CA	Z-Diode/TVS	28V, 34A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBR	SMCJ30CA	Z-Diode/TVS	30V, 32A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBS	SMCJ33CA	Z-Diode/TVS	33V, 29A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBU	SMCJ40CA	Z-Diode/TVS	40V, 24A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBW	SMCJ48CA	Z-Diode/TVS	48V, 20A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FBZ	SMCJ58CA	Z-Diode/TVS	58V, 16A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
FD	P6SMBJ220C	Z-Diode/TVS	170V, 1.5A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
FD	Z1SMA-47	Z-Diode	47V 5%, 1.3W	DO-214AC	1d	Fag
FE	P6SMBJ220AC	Z-Diode/TVS	170V, 1.7A, 600W (1ms), Bidirectional	DO-214AA	2c	Pjt,Srj,Wpd
FF	MAZD091	Z-Diode	8.5, 9.6V, 120mW	SSSMIn2	7d	Pan
FF	Z1SMA-51	Z-Diode	51V 5%, 1.3W	DO-214AC	1d	Fag
FG	Z1SMA-56	Z-Diode	56V 5%, 1.3W	DO-214AC	1d	Fag
FH	Z1SMA-62	Z-Diode	62V 5%, 1.3W	DO-214AC	1d	Fag
FK	Z1SMA-68	Z-Diode	68V 5%, 1.3W	DO-214AC	1d	Fag
FL	Z1SMA-75	Z-Diode	75V 5%, 1.3W	DO-214AC	1d	Fag
FM	Z1SMA-82	Z-Diode	82V 5%, 1.3W	DO-214AC	1d	Fag
FN	Z1SMA-91	Z-Diode	91V 5%, 1.3W	DO-214AC	1d	Fag
FP	CMOZ3L3	Z-Diode	3.3V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
FP	SM6T68	Z-Diode/TVS	88V, 6.3A, 600W (1ms)	DO-214AA	1d	Ste
FP	SMBJ160CA	Z-Diode/TVS	160V, 2.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Dil
FP	Z1SMA-100	Z-Diode	100V 5%, 1.3W	DO-214AC	1d	Fag
FQ	SM6T68A	Z-Diode/TVS	68V, 6.5A, 600W (1ms)	DO-214AA	1d	Ste
FQ	Z1SMA-110	Z-Diode	12V 5%, 1.3W	DO-214AC	1d	Fag
FR	Z1SMA-120	Z-Diode	13V 5%, 1.3W	DO-214AC	1d	Fag
FS	Z1SMA-130	Z-Diode	15V 5%, 1.3W	DO-214AC	1d	Fag
FT	Z1SMA-150	Z-Diode	150V 5%, 1.3W	DO-214AC	1d	Fag
FU	Z1SMA-160	Z-Diode	160V 5%, 1.3W	DO-214AC	1d	Fag
FUA	SMCJ5.0A	Z-Diode/TVS	5V, 171A, 1500W (1ms)	DO-214AB	1d	Ste
FUB	SMCJ6.0A	Z-Diode/TVS	6V, 152A, 1500W (1ms)	DO-214AB	1d	Ste
FUC	SMCJ6.5A	Z-Diode/TVS	6.5V, 140A, 1500W (1ms)	DO-214AB	1d	Ste
FUD	SMCJ8.5A	Z-Diode/TVS	8.5V, 105A, 1500W (1ms)	DO-214AB	1d	Ste
FUF	SMCJ10A	Z-Diode/TVS	10V, 92A, 1500W (1ms)	DO-214AB	1d	Ste
FUI	SMCJ12A	Z-Diode/TVS	12V, 79A, 1500W (1ms)	DO-214AB	1d	Ste
FUI	SMCJ13A	Z-Diode/TVS	13V, 73A, 1500W (1ms)	DO-214AB	1d	Ste
FUJ	SMCJ15A	Z-Diode/TVS	15V, 64A, 1500W (1ms)	DO-214AB	1d	Ste
FUL	SMCJ18A	Z-Diode/TVS	18V, 53A, 1500W (1ms)	DO-214AB	1d	Ste
FUM	SMCJ20A	Z-Diode/TVS	20V, 48A, 1500W (1ms)	DO-214AB	1d	Ste
FUN	SMCJ22A	Z-Diode/TVS	22V, 44A, 1500W (1ms)	DO-214AB	1d	Ste
FUO	SMCJ24A	Z-Diode/TVS	24V, 40A, 1500W (1ms)	DO-214AB	1d	Ste
FUP	SMCJ26A	Z-Diode/TVS	26V, 37A, 1500W (1ms)	DO-214AB	1d	Ste
FUQ	SMCJ28A	Z-Diode/TVS	28V, 34A, 1500W (1ms)	DO-214AB	1d	Ste
FUR	SMCJ30A	Z-Diode/TVS	30V, 32A, 1500W (1ms)	DO-214AB	1d	Ste
FUS	SMCJ33A	Z-Diode/TVS	33V, 29A, 1500W (1ms)	DO-214AB	1d	Ste
FUU	SMCJ40A	Z-Diode/TVS	40V, 24A, 1500W (1ms)	DO-214AB	1d	Ste
FUW	SMCJ48A	Z-Diode/TVS	48V, 20A, 1500W (1ms)	DO-214AB	1d	Ste
FUZ	SMCJ58A	Z-Diode/TVS	58V, 16A, 1500W (1ms)	DO-214AB	1d	Ste
FV	Z1SMA-180	Z-Diode	180V 5%, 1.3W	DO-214AC	1d	Fag
FW	Z1SMA-200	Z-Diode	200V 5%, 1.3W	DO-214AC	1d	Fag
FX	SM6T100	Z-Diode/TVS	100V, 4.2A, 600W (1ms)	DO-214AA	1d	Ste
FY	SM6T100A	Z-Diode/TVS	100V, 4.4A, 600W (1ms)	DO-214AA	1d	Ste
G	1P579SB70	Si-Diode	Schottky Barrier, H-Speed, 70V, 70mA, <2pF	SOD-523	6d	Phi
G	BAR63-02L	PIN-Diode	Sw. RF, 100V, 100mA, V<1,1V(50mA), <0.3pF	TSLP-2-1	13d	Inf

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
G	BAR63-02V	PIN-Diode	Sw, RF, 100V, 100mA, Vf<1,1V(50mA), < 0,3pF	SC-79	6d	Inf
G	BAR63-03W	PIN-Diode	Sw, RF, 100V, 100mA, Vf<1,1V(50mA), < 0,3pF	SOD-323	5d	Inf
G1	1PS79SB30	Si-Diode	Schottky Barrier, U-Speed, 40V, 200mA, <20pF	SOD-523	6d	Phi
G1	FRS2A	Si-Diode	Fast Recovery Rectifier, 50V, 1,5A, <250ns	DO-214AA	1d	Fag
G1	MMSZ5226B	Z-Diode	3,3V±5%, 0.5W, Zzt=28Ω	SOD-123	5d	Dil
G1	MMSZ5226B	Z-Diode	3,3V±5%, 0.5W, Zzt=28Ω	SOD-123	5d	Dil
G1	MMSZ5226BS	Z-Diode	3,3V±5%, 0.2W, Zzt=28Ω	SOD-323	5d	Dil
G2	FRS2B	Si-Diode	Fast Recovery Rectifier, 100V, 1,5A, <250ns	DO-214AA	1d	Fag
G2	MMSZ5227B	Z-Diode	3,6V±5%, 0.5W, Zzt=24Ω	SOD-123	5d	Dil
G2	MMSZ5227B	Z-Diode	3,6V±5%, 0.5W, Zzt=24Ω	SOD-123	5d	Dil
G2	MMSZ5227BS	Z-Diode	3,6V±5%, 0.2W, Zzt=24Ω	SOD-323	5d	Dil
G3	1PS79SB31	Si-Diode	Schottky Barrier, U-Speed, 30V, 200mA, <25pF	SOD-523	6d	Phi
G3	FRS2D	Si-Diode	Fast Recovery Rectifier, 200V, 1,5A, <250ns	DO-214AA	1d	Fag
G3	MMSZ5228B	Z-Diode	3,9V±5%, 0.5W, Zzt=23Ω	SOD-123	5d	Dil
G3	MMSZ5228B	Z-Diode	3,9V±5%, 0.5W, Zzt=23Ω	SOD-123	5d	Dil
G3	MMSZ5228BS	Z-Diode	3,9V±5%, 0.5W, Zzt=23Ω	SOD-323	5d	Dil
G4	FRS2G	Si-Diode	Fast Recovery Rectifier, 400V, 1,5A, <250ns	DO-214AA	1d	Fag
G4	MMSZ5229B	Z-Diode	4,3V±5%, 0.5W, Zzt=22Ω	SOD-123	5d	Dil
G4	MMSZ5229B	Z-Diode	4,3V±5%, 0.5W, Zzt=22Ω	SOD-123	5d	Dil
G4	MMSZ5229BS	Z-Diode	4,3V±5%, 0.2W, Zzt=22Ω	SOD-323	5d	Dil
G5	FRS2J	Si-Diode	Fast Recovery Rectifier, 600V, 1,5A, <250ns	DO-214AA	1d	Fag
G5	MMSZ5230B	Z-Diode	4,7V±5%, 0.5W, Zzt=19Ω	SOD-123	5d	Dil
G5	MMSZ5230B	Z-Diode	4,7V±5%, 0.5W, Zzt=19Ω	SOD-123	5d	Dil
G5	MMSZ5230BS	Z-Diode	4,7V±5%, 0.2W, Zzt=19Ω	SOD-323	5d	Dil
G6	FRS2K	Si-Diode	Fast Recovery Rectifier, 800V, 1,5A, <250ns	DO-214AA	1d	Fag
G7	FRS2M	Si-Diode	Fast Recovery Rectifier, 1000V, 1,5A, <250ns	DO-214AC	1d	Fag
GA	GF1A	Si-Diode	Rectifier, 50V 1A, 2μs	DO-214	1d	Vis
GB	GF1B	Si-Diode	Rectifier, 100V 1A, 2μs	DO-214	1d	Vis
GBA	SMCJ60CA	Z-Diode/TVS	60V, 15.7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GBB	SMCJ70CA	Z-Diode/TVS	70V, 13.9A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GBE	SMCJ85CA	Z-Diode/TVS	85V, 11.5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GBG	SMCJ100CA	Z-Diode/TVS	100V, 9.7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GBI	SMCJ130CA	Z-Diode/TVS	130V, 7.5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GBL	SMCJ154CA	Z-Diode/TVS	154V, 6.1A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GBM	SMCJ170CA	Z-Diode/TVS	170V, 5.7A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GBN	SMCJ188CA	Z-Diode/TVS	188V, 4.6A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
GD	GF1D	Si-Diode	Rectifier, 200V 1A, 2μs	DO-214	1d	Vis
GD	P4SMAJ220	Z-Diode/TVS	170V, 1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
GD	Z2SMB-7V5	Z-Diode	7.5V 5%, 2W	DO-214AA	1d	Fag
GDD	1.5SMCJ5.0	Z-Diode/TVS	5V, 156.2A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDD	SMCG5.0	Z-Diode/TVS	5V, 156.3A, 1500W (1ms)	DO-215AB	1d	Vis
GDD	SMCJ5.0	Z-Diode/TVS	5V, 156.3A, 1500W (1ms)	DO-214AB	1d	Vis
GDD	SMCJ5.0C	Z-Diode/TVS	6.40..7.82V, 156.3A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDD	TFMCJ5.0	Z-Diode/TVS	5V, 156.3A, 1500W (1ms)	DO-214AB	1d	Rec
GDD	TV15C5V0K	Z-Diode/TVS	5V 10%, 156.2A, 1500W(1ms)	DO-214AB	1d	Cmc
GDE	1.5SMCJ5.0A	Z-Diode/TVS	5V, 163A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDE	1SMC5.0AT3	Z-Diode/TVS	5V, 163A, 1500W (1ms)	403	3d	Mot,Ons
GDE	SMCG5.0A	Z-Diode/TVS	5V, 163A, 1500W (1ms)	DO-215AB	1d	Vis
GDE	SMCJ5.0A	Z-Diode/TVS	5V, 163A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDE	SMCJ5.0CA	Z-Diode/TVS	6.40..7.25V, 163.0A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDE	TFMCJ5.0A	Z-Diode/TVS	5V, 163A, 1500W (1ms)	DO-214AB	1d	Rec
GDE	TV15C5V0J	Z-Diode/TVS	5V 5%, 163A, 1500W(1ms)	DO-214AB	1d	Cmc
GDE7	SM15T6V8A	Z-Diode/TVS	6.45..7.14V, 143A, 1500W (1ms)	DO-214AB	1d	Vis
GDF	1.5SMCJ6.0	Z-Diode/TVS	6V, 131.6A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDF	SMCG6.0	Z-Diode/TVS	6V, 131.6A, 1500W (1ms)	DO-215AB	1d	Vis
GDF	SMCJ6.0	Z-Diode/TVS	6V, 131.6A, 1500W (1ms)	DO-214AB	1d	Vis
GDF	SMCJ6.0C	Z-Diode/TVS	6.67..8.15V, 131.6A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDF	TFMCJ6.0	Z-Diode/TVS	6V, 131.6A, 1500W (1ms)	DO-214AB	1d	Rec
GDF	TV15C6V0K	Z-Diode/TVS	6V 10%, 131.6A, 1500W(1ms)	DO-214AB	1d	Cmc
GDG	1.5SMCJ6.0A	Z-Diode/TVS	6V, 145.6A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDG	1SMC6.0AT3	Z-Diode/TVS	6V, 145.6A, 1500W (1ms)	403	3d	Mot,Ons
GDG	SMCG6.0A	Z-Diode/TVS	6V, 145.6A, 1500W (1ms)	DO-215AB	1d	Vis
GDG	SMCJ6.0A	Z-Diode/TVS	6V, 145.6A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDG	SMCJ8.0CA	Z-Diode/TVS	8.67..7.37V, 145.6A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDG	TFMCJ6.0A	Z-Diode/TVS	6V, 145.6A, 1500W (1ms)	DO-214AB	1d	Rec
GDG	TV15C6V0J	Z-Diode/TVS	6V 5%, 145.6A, 1500W(1ms)	DO-214AB	1d	Cmc
GDH	1.5SMCJ6.5	Z-Diode/TVS	6.5V, 122A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
GDH	SMC6 5	Z-Diode/TVS	6 5V, 122A, 1500W (1ms)	DO-215AB	1d	Vis
GDH	SMCJ6 5	Z-Diode/TVS	6 5V, 122A, 1500W (1ms)	DO-214AB	1d	Vis
GDH	SMCJ6 5C	Z-Diode/TVS	7 22 8 82V, 122 0A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDH	TFMCJ6 5	Z-Diode/TVS	6 5V, 122A, 1500W (1ms)	DO-214AB	1d	Rec
GDH	TV15C6V5K	Z-Diode/TVS	6V 10%, 122A, 1500W(1ms)	DO-214AB	1d	Cmc
GDI	1SMC8 5AT3	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms)	403	3d	Mot,Ons
GDK	1 5SMCJ6 5A	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDK	1SMC6 5AT3	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms)	403	3d	Mot,Ons
GDK	SMC6 5A	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms)	DO-215AB	1d	Vis
GDK	SMCJ6 5A	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDK	SMCJ6 5CA	Z-Diode/TVS	7 22 7 98V, 133 9A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDK	TFMCJ6 5A	Z-Diode/TVS	6 5V, 133 9A, 1500W (1ms)	DO-214AB	1d	Rec
GDK	TV15C6V5J	Z-Diode/TVS	6V 5%, 133 9A, 1500W(1ms)	DO-214AB	1d	Cmc
GDK7	SM15T7V5A	Z-Diode/TVS	7 13 7 88V, 132A, 1500W (1ms)	DO-214AB	1d	Vis
GDL	1 5SMCJ7 0	Z-Diode/TVS	7V, 112 8A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDL	SMCG7 0	Z-Diode/TVS	7V, 112 8A, 1500W (1ms)	DO-215AB	1d	Vis
GDL	SMCJ7 0	Z-Diode/TVS	7V, 112 8A, 1500W (1ms)	DO-214AB	1d	Vis
GDL	SMCJ7 0C	Z-Diode/TVS	7 78 9 51V, 112 8A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDL	TFMCJ7 0	Z-Diode/TVS	7V, 112 8A, 1500W (1ms)	DO-214AB	1d	Rec
GDL	TV15C7V0K	Z-Diode/TVS	7V 10%, 112 8A, 1500W(1ms)	DO-214AB	1d	Cmc
GDM	1 5SMCJ7 0A	Z-Diode/TVS	7V, 125A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDM	1SMC7 0AT3	Z-Diode/TVS	7V, 125A, 1500W (1ms)	403	3d	Mot,Ons
GDM	SMCG7 0A	Z-Diode/TVS	7V, 125A, 1500W (1ms)	DO-215AB	1d	Vis
GDM	SMCJ7 0A	Z-Diode/TVS	7V, 125A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDM	SMCJ7 0CA	Z-Diode/TVS	7 78 8 6V, 125 0A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDM	TFMCJ7 0A	Z-Diode/TVS	7V, 125A, 1500W (1ms)	DO-214AB	1d	Rec
GDM	TV15C7V0J	Z-Diode/TVS	7V 5%, 125A, 1500W(1ms)	DO-214AB	1d	Cmc
GDN	1 5SMCJ7 5	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDN	SMCG7 5	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms)	DO-215AB	1d	Vis
GDN	SMCJ7 5	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms)	DO-214AB	1d	Vis
GDN	SMCJ7 5C	Z-Diode/TVS	8 33 10 2V, 104 9A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDN	TFMCJ7 5	Z-Diode/TVS	7 5V, 104 9A, 1500W (1ms)	DO-214AB	1d	Rec
GDN	TV15C7V5K	Z-Diode/TVS	7V 10%, 104 9A, 1500W(1ms)	DO-214AB	1d	Cmc
GDP	1 5SMCJ7 5A	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDP	1SMC7 5AT3	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms)	403	3d	Mot,Ons
GDP	SMCG7 5A	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms)	DO-215AB	1d	Vis
GDP	SMCJ7 5A	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDP	SMCJ7 5CA	Z-Diode/TVS	8 33 9 21V, 116 3A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDP	TFMCJ7 5A	Z-Diode/TVS	7 5V, 116 3A, 1500W (1ms)	DO-214AB	1d	Rec
GDP	TV15C7V5J	Z-Diode/TVS	7V 5%, 116 3A, 1500W(1ms)	DO-214AB	1d	Cmc
GDQ	1 5SMCJ8 0	Z-Diode/TVS	8V, 100A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDQ	SMCG8 0	Z-Diode/TVS	8V, 100A, 1500W (1ms)	DO-215AB	1d	Vis
GDQ	SMCJ8 0	Z-Diode/TVS	8V, 100A, 1500W (1ms)	DO-214AB	1d	Vis
GDQ	SMCJ8 0C	Z-Diode/TVS	8 89 10 9V, 100 0A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDQ	TFMCJ8 0	Z-Diode/TVS	8V, 100A, 1500W (1ms)	DO-214AB	1d	Rec
GDQ	TV15C8V0K	Z-Diode/TVS	8V 10%, 100A, 1500W(1ms)	DO-214AB	1d	Cmc
GDR	1 5SMCJ8 0A	Z-Diode/TVS	8V, 110 3A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDR	1SMC8 0AT3	Z-Diode/TVS	8V, 110 3A, 1500W (1ms)	403	3d	Mot,Ons
GDR	SMCG8 0A	Z-Diode/TVS	8V, 110 3A, 1500W (1ms)	DO-215AB	1d	Vis
GDR	SMCJ8 0A	Z-Diode/TVS	8V, 110 3A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDR	SMCJ8 0CA	Z-Diode/TVS	8 89 9 83V, 110 3A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDR	TFMCJ8 0A	Z-Diode/TVS	8V, 110 3A, 1500W (1ms)	DO-214AB	1d	Rec
GDR	TV15C8V0J	Z-Diode/TVS	8V 5%, 110 3A, 1500W(1ms)	DO-214AB	1d	Cmc
GDS	1 5SMCJ8 5	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDS	SMCG8 5	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms)	DO-215AB	1d	Vis
GDS	SMCJ8 5	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms)	DO-214AB	1d	Vis
GDS	SMCJ8 5C	Z-Diode/TVS	9 44 11 5V, 94 3A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDS	TFMCJ8 5	Z-Diode/TVS	8 5V, 94 3A, 1500W (1ms)	DO-214AB	1d	Rec
GDS	TV15C8V5K	Z-Diode/TVS	8V 10%, 94 3A, 1500W(1ms)	DO-214AB	1d	Cmc
GDT	1 5SMCJ8 5A	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd
GDT	SMCG8 5A	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms)	DO-215AB	1d	Vis
GDT	SMCJ8 5A	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDT	SMCJ8 5CA	Z-Diode/TVS	9 44 10 4V, 104 2A, 1500W(1ms), Bidirectional	DO-214AB	2c	Eic
GDT	TFMCJ8 5A	Z-Diode/TVS	8 5V, 104 2A, 1500W (1ms)	DO-214AB	1d	Rec
GDT	TV15C8V5J	Z-Diode/TVS	8V 5%, 104 2A, 1500W(1ms)	DO-214AB	1d	Cmc
GDT7	SM15T10A	Z-Diode/TVS	9 5 10 5V, 103A, 1500W (1ms)	DO-214AB	1d	Vis
GDU	1 5SMCJ9 0	Z-Diode/TVS	9V, 88 7A, 1500W (1ms)	DO-214AB	1d	PjL,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
GDU	SMCG9 0	Z-Diode/TVS	9V, 88 8A, 1500W (1ms)	DO-215AB	1d	Vis
GDU	SMCJ9 0	Z-Diode/TVS	9V, 88 8A, 1500W (1ms)	DO-214AB	1d	Vis
GDU	SMCJ9 0C	Z-Diode/TVS	10 0 12 2V, 88 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GDU	TFMCJ9 0	Z-Diode/TVS	9V, 88 8A, 1500W (1ms)	DO-214AB	1d	Rec
GDU	TV15C9V0K	Z-Diode/TVS	9V 10%, 88 7A, 1500W (1ms)	DO-214AB	1d	Cmc
GDV	15SMCJ9 0A	Z-Diode/TVS	9V, 97 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDV	1SMC9 0AT3	Z-Diode/TVS	9V, 97 4A, 1500W (1ms)	403	3d	Mot,Ons
GDV	SMCG9 0A	Z-Diode/TVS	9V, 97 4A, 1500W (1ms)	DO-215AB	1d	Vis
GDV	SMCJ9 0A	Z-Diode/TVS	9V, 97 4A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDV	SMCJ9 0CA	Z-Diode/TVS	10 0 11 1V, 97 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GDV	TFMCJ9 0A	Z-Diode/TVS	9V, 97 4A, 1500W (1ms)	DO-214AB	1d	Rec
GDV	TV15C9V0J	Z-Diode/TVS	9V 5%, 97 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GDW	15SMCJ10	Z-Diode/TVS	10V, 79 8A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDW	SMCG10	Z-Diode/TVS	10V, 79 8A, 1500W (1ms)	DO-215AB	1d	Vis
GDW	SMCJ10	Z-Diode/TVS	10V, 79 8A, 1500W (1ms)	DO-214AB	1d	Vis
GDW	SMCJ10C	Z-Diode/TVS	11 1 13 6V, 98A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GDW	TFMCJ10	Z-Diode/TVS	10V, 79 8A, 1500W (1ms)	DO-214AB	1d	Rec
GDW	TV15C100K	Z-Diode/TVS	10V 10%, 79 8A, 1500W (1ms)	DO-214AB	1d	Cmc
GDX	15SMCJ10A	Z-Diode/TVS	10V, 88 2A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDX	1SMC10AT3	Z-Diode/TVS	10V, 88 2A, 1500W (1ms)	403	3d	Mot,Ons
GDX	SMCG10A	Z-Diode/TVS	10V, 88 2A, 1500W (1ms)	DO-215AB	1d	Vis
GDX	SMCJ10A	Z-Diode/TVS	10V, 88 2A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDX	SMCJ10CA	Z-Diode/TVS	11 1 12 3V, 82A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GDX	TFMCJ10A	Z-Diode/TVS	10V, 88 2A, 1500W (1ms)	DO-214AB	1d	Rec
GDX	TV15C100J	Z-Diode/TVS	10V 5%, 88 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GDX7	SM15T12A	Z-Diode/TVS	11 4 12 6V, 90A, 1500W (1ms)	DO-214AB	1d	Vis
GDY	15SMCJ11	Z-Diode/TVS	11V, 74 6A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDY	SMCG11	Z-Diode/TVS	11V, 74 6A, 1500W (1ms)	DO-215AB	1d	Vis
GDY	SMCJ11	Z-Diode/TVS	11V, 74 6A, 1500W (1ms)	DO-214AB	1d	Vis
GDY	SMCJ11C	Z-Diode/TVS	12 2 14 9V, 74 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GDY	TFMCJ11	Z-Diode/TVS	11V, 74 6A, 1500W (1ms)	DO-214AB	1d	Rec
GDY	TV15C110K	Z-Diode/TVS	11V 10%, 74 6A, 1500W (1ms)	DO-214AB	1d	Cmc
GDZ	15SMCJ11A	Z-Diode/TVS	11V, 82 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GDZ	1SMC11AT3	Z-Diode/TVS	11V, 82 4A, 1500W (1ms)	403	3d	Mot,Ons
GDZ	SMCG11A	Z-Diode/TVS	11V, 82 4A, 1500W (1ms)	DO-215AB	1d	Vis
GDZ	SMCJ11A	Z-Diode/TVS	11V, 82 4A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GDZ	SMCJ11CA	Z-Diode/TVS	12 2 13 5V, 82 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GDZ	TFMCJ11A	Z-Diode/TVS	11V, 82 4A, 1500W (1ms)	DO-214AB	1d	Rec
GDZ	TV15C110J	Z-Diode/TVS	11V 5%, 82 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GE	P4SMAJ220A	Z-Diode/TVS	170V, 1 1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
GE	Z2SMB-6V8	Z-Diode	6,8V 5%, 2W	DO-214AA	1d	Faq
GED	15SMCJ12	Z-Diode/TVS	12V, 68 2A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GED	SMCG12	Z-Diode/TVS	12V, 68 2A, 1500W (1ms)	DO-215AB	1d	Vis
GED	SMCJ12	Z-Diode/TVS	12V, 68 2A, 1500W (1ms)	DO-214AB	1d	Vis
GED	SMCJ12C	Z-Diode/TVS	13 3 16 3V, 68 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GED	TFMCJ12	Z-Diode/TVS	12V, 68 2A, 1500W (1ms)	DO-214AB	1d	Rec
GED	TV15C120K	Z-Diode/TVS	12V 10%, 68 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GEE	15SMCJ12A	Z-Diode/TVS	12V, 75 3A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GEE	1SMC12AT3	Z-Diode/TVS	12V, 75 3A, 1500W (1ms)	403	3d	Mot,Ons
GEE	SMCG12A	Z-Diode/TVS	12V, 75 4A, 1500W (1ms)	DO-215AB	1d	Vis
GEE	SMCJ12A	Z-Diode/TVS	12V, 75 4A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GEE	SMCJ12CA	Z-Diode/TVS	13 3 14 7V, 75 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEE	TFMCJ12A	Z-Diode/TVS	12V, 75 4A, 1500W (1ms)	DO-214AB	1d	Rec
GEE	TV15C120J	Z-Diode/TVS	12V 5%, 75 3A, 1500W (1ms)	DO-214AB	1d	Cmc
GEF	15SMCJ13	Z-Diode/TVS	13V, 63A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GEF	SMCG13	Z-Diode/TVS	13V, 63 A, 1500W (1ms)	DO-215AB	1d	Vis
GEF	SMCJ13	Z-Diode/TVS	13V, 63 A, 1500W (1ms)	DO-214AB	1d	Vis
GEF	SMCJ13C	Z-Diode/TVS	14 4 17 6V, 63 0A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEF	TFMCJ13	Z-Diode/TVS	13V, 63 A, 1500W (1ms)	DO-214AB	1d	Rec
GEF	TV15C130K	Z-Diode/TVS	13V 10%, 63A, 1500W (1ms)	DO-214AB	1d	Cmc
GEG	15SMCJ13A	Z-Diode/TVS	13V, 69 7A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GEG	1SMC13AT3	Z-Diode/TVS	13V, 69 7A, 1500W (1ms)	403	3d	Mot,Ons
GEG	SMCG13A	Z-Diode/TVS	13V, 69 8A, 1500W (1ms)	DO-215AB	1d	Vis
GEG	SMCJ13A	Z-Diode/TVS	13V, 69 8A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GEG	SMCJ13CA	Z-Diode/TVS	14 4 15 9V, 69 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEG	TFMCJ13A	Z-Diode/TVS	13V, 69 8A, 1500W (1ms)	DO-214AB	1d	Rec
GEG	TV15C130J	Z-Diode/TVS	13V 5%, 69 7A, 1500W (1ms)	DO-214AB	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
GEG7	SM15T15A	Z-Diode/TVS	14.3..15.8V, 71A, 1500W (1ms)	DO-214AB	1d	Vis
GEH	1.5SMCJ14	Z-Diode/TVS	14V, 58.1A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GEH	SMCG14	Z-Diode/TVS	14V, 58.1A, 1500W (1ms)	DO-215AB	1d	Vis
GEH	SMCJ14	Z-Diode/TVS	14V, 58.1A, 1500W (1ms)	DO-214AB	1d	Vis
GEH	SMCJ14C	Z-Diode/TVS	15.6..19.1V, 58.1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEH	TFMCJ14	Z-Diode/TVS	14V, 58.1A, 1500W (1ms)	DO-214AB	1d	Rec
GEH	TV15C140K	Z-Diode/TVS	14V 10%, 58.1A, 1500W (1ms)	DO-214AB	1d	Cmc
GEK	1.5SMCJ14A	Z-Diode/TVS	14V, 64.7A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GEK	1SMC14AT3	Z-Diode/TVS	14V, 64.7A, 1500W (1ms)	403	3d	Mol,Ons
GEK	SMCG14A	Z-Diode/TVS	14V, 64.7A, 1500W (1ms)	DO-215AB	1d	Vis
GEK	SMCJ14A	Z-Diode/TVS	14V, 64.7A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GEK	SMCJ14CA	Z-Diode/TVS	15.6..17.2V, 64.7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEK	TFMCJ14A	Z-Diode/TVS	14V, 64.7A, 1500W (1ms)	DO-214AB	1d	Rec
GEK	TV15C140J	Z-Diode/TVS	14V 5%, 64.7A, 1500W (1ms)	DO-214AB	1d	Cmc
GEL	1.5SMCJ15	Z-Diode/TVS	15V, 55.8A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GEL	SMCG15	Z-Diode/TVS	15V, 55.8A, 1500W (1ms)	DO-215AB	1d	Vis
GEL	SMCJ15	Z-Diode/TVS	15V, 55.8A, 1500W (1ms)	DO-214AB	1d	Vis
GEL	SMCJ15C	Z-Diode/TVS	16.7..20.4V, 55.8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEL	TFMCJ15	Z-Diode/TVS	15V, 55.8A, 1500W (1ms)	DO-214AB	1d	Rec
GEL	TV15C150K	Z-Diode/TVS	15V 10%, 55.8A, 1500W (1ms)	DO-214AB	1d	Cmc
GEM	1.5SMCJ15A	Z-Diode/TVS	15V, 61.5A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GEM	1SMC15AT3	Z-Diode/TVS	15V, 61.5A, 1500W (1ms)	403	3d	Mol,Ons
GEM	SMCG15A	Z-Diode/TVS	15V, 61.5A, 1500W (1ms)	DO-215AB	1d	Vis
GEM	SMCJ15A	Z-Diode/TVS	15V, 61.5A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GEM	SMCJ15CA	Z-Diode/TVS	16.7..18.5V, 61.5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEM	TFMCJ15A	Z-Diode/TVS	15V, 61.5A, 1500W (1ms)	DO-214AB	1d	Rec
GEM	TV15C150J	Z-Diode/TVS	15V 5%, 61.5A, 1500W (1ms)	DO-214AB	1d	Cmc
GEM7	SM15T18A	Z-Diode/TVS	17.1..18.9V, 59.5A, 1500W (1ms)	DO-214AB	1d	Vis
GEN	1.5SMCJ16	Z-Diode/TVS	16V, 52.1A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GEN	SMCG16	Z-Diode/TVS	16V, 52.1A, 1500W (1ms)	DO-215AB	1d	Vis
GEN	SMCJ16	Z-Diode/TVS	16V, 52.1A, 1500W (1ms)	DO-214AB	1d	Vis
GEN	SMCJ16C	Z-Diode/TVS	17.8..21.8V, 52.1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEN	TFMCJ16	Z-Diode/TVS	16V, 52.1A, 1500W (1ms)	DO-214AB	1d	Rec
GEN	TV15C160K	Z-Diode/TVS	16V 10%, 52.1A, 1500W (1ms)	DO-214AB	1d	Cmc
GEP	1.5SMCJ16A	Z-Diode/TVS	16V, 57.7A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GEP	1SMC16AT3	Z-Diode/TVS	16V, 57.7A, 1500W (1ms)	403	3d	Mol,Ons
GEP	SMCG16A	Z-Diode/TVS	16V, 57.7A, 1500W (1ms)	DO-215AB	1d	Vis
GEP	SMCJ16A	Z-Diode/TVS	16V, 57.7A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GEP	SMCJ16CA	Z-Diode/TVS	17.8..19.7V, 57.7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEP	TFMCJ16A	Z-Diode/TVS	16V, 57.7A, 1500W (1ms)	DO-214AB	1d	Rec
GEP	TV15C160J	Z-Diode/TVS	16V 5%, 57.7A, 1500W (1ms)	DO-214AB	1d	Cmc
GEQ	1.5SMCJ17	Z-Diode/TVS	17V, 49.2A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GEQ	SMCG17	Z-Diode/TVS	17V, 49.2A, 1500W (1ms)	DO-215AB	1d	Vis
GEQ	SMCJ17	Z-Diode/TVS	17V, 49.2A, 1500W (1ms)	DO-214AB	1d	Vis
GEQ	SMCJ17C	Z-Diode/TVS	18.9..23.1V, 49.2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEQ	TFMCJ17	Z-Diode/TVS	17V, 49.2A, 1500W (1ms)	DO-214AB	1d	Rec
GEQ	TV15C170K	Z-Diode/TVS	17V 10%, 49.2A, 1500W (1ms)	DO-214AB	1d	Cmc
GER	1.5SMCJ17A	Z-Diode/TVS	17V, 53.3A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GER	1SMC17AT3	Z-Diode/TVS	17V, 53.3A, 1500W (1ms)	403	3d	Mol,Ons
GER	SMCG17A	Z-Diode/TVS	17V, 54.3A, 1500W (1ms)	DO-215AB	1d	Vis
GER	SMCJ17A	Z-Diode/TVS	17V, 54.3A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GER	SMCJ17CA	Z-Diode/TVS	18.9..20.9V, 54.3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GER	TFMCJ17A	Z-Diode/TVS	17V, 54.3A, 1500W (1ms)	DO-214AB	1d	Rec
GER	TV15C170J	Z-Diode/TVS	17V 5%, 53.3A, 1500W (1ms)	DO-214AB	1d	Cmc
GES	1.5SMCJ18	Z-Diode/TVS	18V, 46.6A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GES	SMCG18	Z-Diode/TVS	18V, 46.6A, 1500W (1ms)	DO-215AB	1d	Vis
GES	SMCJ18	Z-Diode/TVS	18V, 46.6A, 1500W (1ms)	DO-214AB	1d	Vis
GES	SMCJ18C	Z-Diode/TVS	20.0..24.4V, 46.6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GES	TFMCJ18	Z-Diode/TVS	18V, 46.6A, 1500W (1ms)	DO-214AB	1d	Rec
GES	TV15C180K	Z-Diode/TVS	18V 10%, 46.6A, 1500W (1ms)	DO-214AB	1d	Cmc
GET	1.5SMCJ18A	Z-Diode/TVS	18V, 51.4A, 1500W (1ms)	DO-214AB	1d	Pjl,Srj,Wpd
GET	1SMC18AT3	Z-Diode/TVS	18V, 51.4A, 1500W (1ms)	403	3d	Mol,Ons
GET	SMCG18A	Z-Diode/TVS	18V, 51.4A, 1500W (1ms)	DO-215AB	1d	Vis
GET	SMCJ18A	Z-Diode/TVS	18V, 51.4A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GET	SMCJ18CA	Z-Diode/TVS	20.0..22.1V, 51.4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GET	TFMCJ18A	Z-Diode/TVS	18V, 51.4A, 1500W (1ms)	DO-214AB	1d	Rec
GET	TV15C180J	Z-Diode/TVS	18V 5%, 51.4A, 1500W (1ms)	DO-214AB	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
GET7	SM15T22A	Z-Diode/TVS	20.9, 23.1V, 49A, 1500W (1ms)	DO-214AB	1d	Vis
GEU	1.5SMCJ20	Z-Diode/TVS	20V, 41.9A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GEU	SMCG20	Z-Diode/TVS	20V, 41.9A, 1500W (1ms)	DO-215AB	1d	Vis
GEU	SMCJ20	Z-Diode/TVS	20V, 41.9A, 1500W (1ms)	DO-214AB	1d	Vis
GEU	SMCJ20C	Z-Diode/TVS	22.2, 27.1V, 41.9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEU	TFMCJ20	Z-Diode/TVS	20V, 41.9A, 1500W (1ms)	DO-214AB	1d	Rec
GEU	TV15C200K	Z-Diode/TVS	20V 10%, 41.9A, 1500W (1ms)	DO-214AB	1d	Cmc
GEV	1.5SMCJ20A	Z-Diode/TVS	20V, 46.3A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GEV	1SMC20AT3	Z-Diode/TVS	20V, 46.3A, 1500W (1ms)	403	3d	Mot, Ons
GEV	SMCG20A	Z-Diode/TVS	20V, 46.3A, 1500W (1ms)	DO-215AB	1d	Vis
GEV	SMCJ20A	Z-Diode/TVS	20V, 46.3A, 1500W (1ms)	DO-214AB	1d	Dil, Vis
GEV	SMCJ20CA	Z-Diode/TVS	22.2, 24.5V, 46.3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEV	TFMCJ20A	Z-Diode/TVS	20V, 46.3A, 1500W (1ms)	DO-214AB	1d	Rec
GEV	TV15C200J	Z-Diode/TVS	20V 5%, 46.3A, 1500W (1ms)	DO-214AB	1d	Cmc
GEV7	SM15T24A	Z-Diode/TVS	22.8, 25.2V, 45A, 1500W (1ms)	DO-214AB	1d	Vis
GEW	1.5SMCJ22	Z-Diode/TVS	22V, 38.1A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GEW	SMCG22	Z-Diode/TVS	22V, 38.1A, 1500W (1ms)	DO-215AB	1d	Vis
GEW	SMCJ22	Z-Diode/TVS	22V, 38.1A, 1500W (1ms)	DO-214AB	1d	Vis
GEW	SMCJ22C	Z-Diode/TVS	24.4, 29.8V, 38.1A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEW	TFMCJ22	Z-Diode/TVS	22V, 38.1A, 1500W (1ms)	DO-214AB	1d	Rec
GEW	TV15C220K	Z-Diode/TVS	22V 10%, 38.1A, 1500W (1ms)	DO-214AB	1d	Cmc
GEX	1.5SMCJ22A	Z-Diode/TVS	22V, 42.2A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GEX	1SMC22AT3	Z-Diode/TVS	24V, 42.2A, 1500W (1ms)	403	3d	Mot, Ons
GEX	SMCG22A	Z-Diode/TVS	22V, 42.3A, 1500W (1ms)	DO-215AB	1d	Vis
GEX	SMCJ22A	Z-Diode/TVS	22V, 42.3A, 1500W (1ms)	DO-214AB	1d	Dil, Vis
GEX	SMCJ22CA	Z-Diode/TVS	24.4, 26.9V, 42.3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEX	TFMCJ22A	Z-Diode/TVS	22V, 42.3A, 1500W (1ms)	DO-214AB	1d	Rec
GEX	TV15C220J	Z-Diode/TVS	22V 5%, 42.2A, 1500W (1ms)	DO-214AB	1d	Cmc
GEX7	SM15T27A	Z-Diode/TVS	25.7, 28.4V, 40A, 1500W (1ms)	DO-214AB	1d	Vis
GEY	1.5SMCJ24	Z-Diode/TVS	24V, 34.9A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GEY	SMCG24	Z-Diode/TVS	24V, 34.9A, 1500W (1ms)	DO-215AB	1d	Vis
GEY	SMCJ24	Z-Diode/TVS	24V, 34.9A, 1500W (1ms)	DO-214AB	1d	Vis
GEY	SMCJ24C	Z-Diode/TVS	26.7, 32.6V, 34.9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEY	TFMCJ24	Z-Diode/TVS	24V, 34.9A, 1500W (1ms)	DO-214AB	1d	Rec
GEY	TV15C240K	Z-Diode/TVS	24V 10%, 34.9A, 1500W (1ms)	DO-214AB	1d	Cmc
GEZ	1.5SMCJ24A	Z-Diode/TVS	24V, 38.6A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GEZ	1SMC24AT3	Z-Diode/TVS	26V, 38.6A, 1500W (1ms)	403	3d	Mot, Ons
GEZ	SMCG24A	Z-Diode/TVS	24V, 38.6A, 1500W (1ms)	DO-215AB	1d	Vis
GEZ	SMCJ24A	Z-Diode/TVS	24V, 38.6A, 1500W (1ms)	DO-214AB	1d	Dil, Vis
GEZ	SMCJ24CA	Z-Diode/TVS	26.7, 29.5V, 38.6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GEZ	TFMCJ24A	Z-Diode/TVS	24V, 38.6A, 1500W (1ms)	DO-214AB	1d	Rec
GEZ	TV15C240J	Z-Diode/TVS	24V 5%, 38.6A, 1500W (1ms)	DO-214AB	1d	Cmc
GF	MAZD100	Z-Diode	9.4, 10.6V, 120mW	SSSMini2	7d	Pan
GF	Z2SMB-8V2	Z-Diode	8.2V 5%, 2W	DO-214AA	1d	Fag
GFD	1.5SMCJ26	Z-Diode/TVS	26V, 32.2A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GFD	SMCG26	Z-Diode/TVS	26V, 32.2A, 1500W (1ms)	DO-215AB	1d	Vis
GFD	SMCJ26	Z-Diode/TVS	26V, 32.2A, 1500W (1ms)	DO-214AB	1d	Vis
GFD	SMCJ26C	Z-Diode/TVS	28.9, 35.3V, 32.2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFD	TFMCJ26	Z-Diode/TVS	26V, 32.2A, 1500W (1ms)	DO-214AB	1d	Rec
GFD	TV15C260K	Z-Diode/TVS	26V 10%, 32.2A, 1500W (1ms)	DO-214AB	1d	Cmc
GFE	1.5SMCJ26A	Z-Diode/TVS	26V, 35.6A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GFE	1SMC26AT3	Z-Diode/TVS	26V, 35.6A, 1500W (1ms)	403	3d	Mot, Ons
GFE	SMCG26A	Z-Diode/TVS	26V, 35.6A, 1500W (1ms)	DO-215AB	1d	Vis
GFE	SMCJ26A	Z-Diode/TVS	26V, 35.6A, 1500W (1ms)	DO-214AB	1d	Dil, Vis
GFE	SMCJ26CA	Z-Diode/TVS	28.9, 31.9V, 35.6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFE	TFMCJ26A	Z-Diode/TVS	26V, 35.6A, 1500W (1ms)	DO-214AB	1d	Rec
GFE	TV15C260J	Z-Diode/TVS	26V 5%, 35.6A, 1500W (1ms)	DO-214AB	1d	Cmc
GFE7	SM15T30A	Z-Diode/TVS	28.5, 31.5V, 36A, 1500W (1ms)	DO-214AB	1d	Vis
GFF	1.5SMCJ28	Z-Diode/TVS	28V, 30A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GFF	SMCG28	Z-Diode/TVS	28V, 30A, 1500W (1ms)	DO-215AB	1d	Vis
GFF	SMCJ28	Z-Diode/TVS	28V, 30A, 1500W (1ms)	DO-214AB	1d	Vis
GFF	SMCJ28C	Z-Diode/TVS	31.1, 38.0V, 30.0A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFF	TFMCJ28	Z-Diode/TVS	28V, 30A, 1500W (1ms)	DO-214AB	1d	Rec
GFF	TV15C280K	Z-Diode/TVS	28V 10%, 30A, 1500W (1ms)	DO-214AB	1d	Cmc
GFG	1.5SMCJ28A	Z-Diode/TVS	28V, 33A, 1500W (1ms)	DO-214AB	1d	PjI, Srij, Wpd
GFG	1SMC28AT3	Z-Diode/TVS	28V, 33.0A, 1500W (1ms)	403	3d	Mot, Ons
GFG	SMCG28A	Z-Diode/TVS	28V, 33A, 1500W (1ms)	DO-215AB	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
GFG	SMCJ28A	Z-Diode/TVS	28V, 33A, 1500W (1ms)	DO-214AB	1d Dtl,Vis
GFG	SMCJ28CA	Z-Diode/TVS	31 1 34 4V, 33 0A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFG	TFMCJ28A	Z-Diode/TVS	28V, 33A, 1500W (1ms)	DO-214AB	1d Rec
GFG	TV15C280J	Z-Diode/TVS	28V 5%, 33A, 1500W (1ms)	DO-214AB	1d Cmc
GFG7	SM15T33A	Z-Diode/TVS	31 4 34 7V, 33A, 1500W (1ms)	DO-214AB	1d Vis
GFH	1 5SMCJ30	Z-Diode/TVS	30V, 28A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFH	SMCG30	Z-Diode/TVS	30V, 28A, 1500W (1ms)	DO-215AB	1d Vis
GFH	SMCJ30	Z-Diode/TVS	30V, 28A, 1500W (1ms)	DO-214AB	1d Vis
GFH	SMCJ30C	Z-Diode/TVS	33 3 40 7V, 28 0A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFH	TFMCJ30	Z-Diode/TVS	30V, 28A, 1500W (1ms)	DO-214AB	1d Rec
GFH	TV15C300K	Z-Diode/TVS	30V 10%, 28A, 1500W (1ms)	DO-214AB	1d Cmc
GFK	1 5SMCJ30A	Z-Diode/TVS	30V, 31A, 1500W (1ms)	DD-214AB	1d Pjt,Srj,Wpd
GFK	1SMC30AT3	Z-Diode/TVS	30V, 31 0A, 1500W (1ms)	403	3d Mot,Ons
GFK	SMCG30A	Z-Diode/TVS	30V, 31A, 1500W (1ms)	DO-215AB	1d Vis
GFK	SMCJ30A	Z-Diode/TVS	30V, 31A, 1500W (1ms)	DO-214AB	1d Dtl,Vis
GFK	SMCJ30CA	Z-Diode/TVS	33 3 36 8V, 31 0A, 1500W (1ms), Bidirectional	DD-214AB	2c Eic
GFK	TFMCJ30A	Z-Diode/TVS	30V, 31A, 1500W (1ms)	DO-214AB	1d Rec
GFK	TV15C300J	Z-Diode/TVS	30V 5%, 31A, 1500W (1ms)	DO-214AB	1d Cmc
GFK7	SM15T36A	Z-Diode/TVS	34 2 37 8V, 30A, 1500W (1ms)	DO-214AB	1d Vis
GFL	1 5SMCJ33	Z-Diode/TVS	33V, 25 2A, 1500W (1ms)	DD-214AB	1d Pjt,Srj,Wpd
GFL	SMCG33	Z-Diode/TVS	33V, 25 4A, 1500W (1ms)	DO-215AB	1d Vis
GFL	SMCJ33	Z-Diode/TVS	33V, 25 4A, 1500W (1ms)	DO-214AB	1d Vis
GFL	SMCJ33C	Z-Diode/TVS	36 7 44 9V, 25 4A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFL	TFMCJ33	Z-Diode/TVS	33V, 25 4A, 1500W (1ms)	DO-214AB	1d Rec
GFL	TV15C330K	Z-Diode/TVS	33V 10%, 25 2A, 1500W (1ms)	DO-214AB	1d Cmc
GFM	1 5SMCJ33A	Z-Diode/TVS	33V, 28 1A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFM	1SMC33AT3	Z-Diode/TVS	33V, 28 1A, 1500W (1ms)	403	3d Mot,Dns
GFM	SMCG33A	Z-Diode/TVS	33V, 28 1A, 1500W (1ms)	DO-215AB	1d Vis
GFM	SMCJ33A	Z-Diode/TVS	33V, 28 1A, 1500W (1ms)	DO-214AB	1d Dtl,Vis
GFM	SMCJ33CA	Z-Diode/TVS	36 7 40 6V, 28 1A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFM	TFMCJ33A	Z-Diode/TVS	33V, 28 1A, 1500W (1ms)	DO-214AB	1d Rec
GFM	TV15C330J	Z-Diode/TVS	33V 5%, 28 1A, 1500W (1ms)	DO-214AB	1d Cmc
GFM7	SM15T39A	Z-Diode/TVS	37 1 41V, 28A, 1500W (1ms)	DO-214AB	1d Vis
GFN	1 5SMCJ36	Z-Diode/TVS	36V, 23 3A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFN	SMCG36	Z-Diode/TVS	36V, 23 3A, 1500W (1ms)	DO-215AB	1d Vis
GFN	SMCJ36	Z-Diode/TVS	36V, 23 3A, 1500W (1ms)	DO-214AB	1d Vis
GFN	SMCJ36C	Z-Diode/TVS	40 0 48 9V, 23 3A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFN	TFMCJ36	Z-Diode/TVS	36V, 23 3A, 1500W (1ms)	DO-214AB	1d Rec
GFN	TV15C360K	Z-Diode/TVS	36V 10%, 23 3A, 1500W (1ms)	DO-214AB	1d Cmc
GFP	1 5SMCJ36A	Z-Diode/TVS	36V, 25 8A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFP	1SMC36AT3	Z-Diode/TVS	36V, 25 8A, 1500W (1ms)	403	3d Mot,Ons
GFP	SMCG36A	Z-Diode/TVS	36V, 25 8A, 1500W (1ms)	DO-215AB	1d Vis
GFP	SMCJ36A	Z-Diode/TVS	36V, 25 8A, 1500W (1ms)	DO-214AB	1d Dtl,Vis
GFP	SMCJ36CA	Z-Diode/TVS	40 0 44 2V, 25 8A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFP	TFMCJ36A	Z-Diode/TVS	36V, 25 8A, 1500W (1ms)	DO-214AB	1d Rec
GFP	TV15C360J	Z-Diode/TVS	36V 5%, 25 8A, 1500W (1ms)	DO-214AB	1d Cmc
GFQ	1 5SMCJ40	Z-Diode/TVS	40V, 21A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFQ	SMCG40	Z-Diode/TVS	40V, 21A, 1500W (1ms)	DO-215AB	1d Vis
GFQ	SMCJ40	Z-Diode/TVS	40V, 21A, 1500W (1ms)	DO-214AB	1d Vis
GFQ	SMCJ40C	Z-Diode/TVS	44 4 54 3V, 21 0A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFQ	TFMCJ40	Z-Diode/TVS	40V, 21A, 1500W (1ms)	DO-214AB	1d Rec
GFQ	TV15C400K	Z-Diode/TVS	40V 10%, 21A, 1500W (1ms)	DO-214AB	1d Cmc
GFR	1 5SMCJ40A	Z-Diode/TVS	40V, 23 2A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFR	1SMC40AT3	Z-Diode/TVS	40V, 23 2A, 1500W (1ms)	403	3d Mot,Ons
GFR	SMCG40A	Z-Diode/TVS	40V, 23 3A, 1500W (1ms)	DO-215AB	1d Vis
GFR	SMCJ40A	Z-Diode/TVS	40V, 23 3A, 1500W (1ms)	DO-214AB	1d Dtl,Vis
GFR	SMCJ40CA	Z-Diode/TVS	44 4 49 1V, 23 3A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFR	TFMCJ40A	Z-Diode/TVS	40V, 23 3A, 1500W (1ms)	DO-214AB	1d Rec
GFR	TV15C400J	Z-Diode/TVS	40V 5%, 23 2A, 1500W (1ms)	DO-214AB	1d Cmc
GFS	1 5SMCJ43	Z-Diode/TVS	43V, 19 6A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFS	SMCG43	Z-Diode/TVS	43V, 19 6A, 1500W (1ms)	DO-215AB	1d Vis
GFS	SMCJ43	Z-Diode/TVS	43V, 19 6A, 1500W (1ms)	DO-214AB	1d Vis
GFS	SMCJ43C	Z-Diode/TVS	47 8 58 4V, 19 6A, 1500W (1ms), Bidirectional	DO-214AB	2c Eic
GFS	TFMCJ43	Z-Diode/TVS	43V, 19 6A, 1500W (1ms)	DO-214AB	1d Rec
GFS	W15C430K	Z-Diode/TVS	43V 10%, 19 6A, 1500W (1ms)	DO-214AB	1d Cmc
GFT	1 5SMCJ43A	Z-Diode/TVS	43V, 21 6A, 1500W (1ms)	DO-214AB	1d Pjt,Srj,Wpd
GFT	1SMC43AT3	Z-Diode/TVS	43V, 21 6A, 1500W (1ms)	403	3d Mot,Dns

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
GFT	SMCG43A	Z-Diode/TVS	43V, 21 6A, 1500W (1ms)	DO-215AB	1d	Vis
GFT	SMCJ43A	Z-Diode/TVS	43V, 21 6A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GFT	SMCJ43CA	Z-Diode/TVS	47 8 52 8V, 21 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFT	TFMCJ43A	Z-Diode/TVS	43V, 21 6A, 1500W (1ms)	DO-214AB	1d	Rec
GFT	TV15C430J	Z-Diode/TVS	43V 5%, 21 6A, 1500W (1ms)	DO-214AB	1d	Cmc
GFU	15SMCJ45	Z-Diode/TVS	45V, 18 7A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GFU	SMCG45	Z-Diode/TVS	45V, 18 7A, 1500W (1ms)	DO-215AB	1d	Vis
GFU	SMCJ45	Z-Diode/TVS	45V, 18 7A, 1500W (1ms)	DO-214AB	1d	Vis
GFU	SMCJ45C	Z-Diode/TVS	50 0 61 1V, 18 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFU	TFMCJ45	Z-Diode/TVS	45V, 18 7A, 1500W (1ms)	DO-214AB	1d	Rec
GFU	TV15C450K	Z-Diode/TVS	45V 10%, 18 7A, 1500W (1ms)	DO-214AB	1d	Cmc
GFV	15SMCJ45A	Z-Diode/TVS	45V, 20 6A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GFV	1SMC45AT3	Z-Diode/TVS	45V, 20 6A, 1500W (1ms)	403	3d	Mol,Ons
GFV	SMCG45A	Z-Diode/TVS	45V, 20 6A, 1500W (1ms)	DO-215AB	1d	Vis
GFV	SMCJ45A	Z-Diode/TVS	45V, 20 6A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GFV	SMCJ45CA	Z-Diode/TVS	50 0 55 3V, 20 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFV	TFMCJ45A	Z-Diode/TVS	45V, 20 6A, 1500W (1ms)	DO-214AB	1d	Rec
GFV	TV15C450J	Z-Diode/TVS	45V 5%, 20 6A, 1500W (1ms)	DO-214AB	1d	Cmc
GFW	15SMCJ48	Z-Diode/TVS	48V, 17 5A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GFW	SMCG48	Z-Diode/TVS	48V, 17 5A, 1500W (1ms)	DO-215AB	1d	Vis
GFW	SMCJ48	Z-Diode/TVS	48V, 17 5A, 1500W (1ms)	DO-214AB	1d	Vis
GFW	SMCJ48C	Z-Diode/TVS	53 3 65 1V, 17 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFW	TFMCJ48	Z-Diode/TVS	48V, 17 5A, 1500W (1ms)	DO-214AB	1d	Rec
GFW	TV15C480K	Z-Diode/TVS	48V 10%, 17 5A, 1500W (1ms)	DO-214AB	1d	Cmc
GFX	15SMCJ48A	Z-Diode/TVS	48V, 19 4A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GFX	1SMC48AT3	Z-Diode/TVS	48V, 19 4A, 1500W (1ms)	403	3d	Mol,Ons
GFX	SMCG48A	Z-Diode/TVS	48V, 19 4A, 1500W (1ms)	DO-215AB	1d	Vis
GFX	SMCJ48A	Z-Diode/TVS	48V, 19 4A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GFX	SMCJ48CA	Z-Diode/TVS	53 3 58 9V, 19 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFX	TFMCJ48A	Z-Diode/TVS	48V, 19 4A, 1500W (1ms)	DO-214AB	1d	Rec
GFX	TV15C480J	Z-Diode/TVS	48V 5%, 19 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GFY	15SMCJ51	Z-Diode/TVS	51V, 18 5A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GFY	SMCG51	Z-Diode/TVS	51V, 16 5A, 1500W (1ms)	DO-215AB	1d	Vis
GFY	SMCG51C	Z-Diode/TVS	51V, 16 5A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
GFY	SMCJ51	Z-Diode/TVS	51V, 16 5A, 1500W (1ms)	DO-214AB	1d	Vis
GFY	SMCJ51C	Z-Diode/TVS	51V, 16 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
GFY	SMCJ51C	Z-Diode/TVS	56 7 69 3V, 16 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFY	TFMCJ51	Z-Diode/TVS	51V, 16 5A, 1500W (1ms)	DO-214AB	1d	Rec
GFY	TFMCJ51C	Z-Diode/TVS	51V, 16 5A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
GFY	TV15C510K	Z-Diode/TVS	51V 10%, 16 5A, 1500W (1ms)	DO-214AB	1d	Cmc
GFZ	15SMCJ51A	Z-Diode/TVS	51V, 18 2A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GFZ	1SMC51AT3	Z-Diode/TVS	51V, 18 2A, 1500W (1ms)	403	3d	Mol,Ons
GFZ	SMCG51A	Z-Diode/TVS	51V, 18 2A, 1500W (1ms)	DO-215AB	1d	Vis
GFZ	SMCG51CA	Z-Diode/TVS	51V, 18 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
GFZ	SMCJ51A	Z-Diode/TVS	51V, 18 2A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GFZ	SMCJ51CA	Z-Diode/TVS	51V, 18 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
GFZ	SMCJ51CA	Z-Diode/TVS	56 7 62 7V, 18 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GFZ	TFMCJ51A	Z-Diode/TVS	51V, 18 2A, 1500W (1ms)	DO-214AB	1d	Rec
GFZ	TFMCJ51CA	Z-Diode/TVS	51V, 18 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
GFZ	TV15C510J	Z-Diode/TVS	51V 5%, 18 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GG	BAR63-02W	PIN-Diode	Sw, RF, 100V, 100mA, Vf<1,1V(50mA), < 0,3pF	SCD80	6d	Inf
GG	GF1G	Si-Diode	Rectifier, 400V 1A, 2μs	DO-214	1d	Vis
GG	Z2SMB-9V1	Z-Diode	9,1V 5%, 2W	DO-214AA	1d	Feg
GGD	15SMCJ54	Z-Diode/TVS	54V, 15 6A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GGD	SMCG54	Z-Diode/TVS	54V, 15 6A, 1500W (1ms)	DO-215AB	1d	Vis
GGD	SMCJ54	Z-Diode/TVS	54V, 15 6A, 1500W (1ms)	DO-214AB	1d	Vis
GGD	SMCJ54C	Z-Diode/TVS	60 0 73 3V, 15 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGD	TFMCJ54	Z-Diode/TVS	54V, 15 6A, 1500W (1ms)	DO-214AB	1d	Rec
GGD	TV15C540K	Z-Diode/TVS	54V 10%, 15 6A, 1500W (1ms)	DO-214AB	1d	Cmc
GGE	15SMCJ54A	Z-Diode/TVS	54V, 17 2A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GGE	1SMC54AT3	Z-Diode/TVS	54V, 17 2A, 1500W (1ms)	403	3d	Mol,Ons
GGE	SMCG54A	Z-Diode/TVS	54V, 17 2A, 1500W (1ms)	DO-215AB	1d	Vis
GGE	SMCJ54A	Z-Diode/TVS	54V, 17 2A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGE	SMCJ54CA	Z-Diode/TVS	60 0 66 3V, 17 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGE	TFMCJ54A	Z-Diode/TVS	54V, 17 2A, 1500W (1ms)	DO-214AB	1d	Rec
GGE	TV15C540J	Z-Diode/TVS	54V 5%, 17 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GGF	15SMCJ58	Z-Diode/TVS	58V, 14 6A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
GGF	SMCG58	Z-Diode/TVS	58V, 14 6A, 1500W (1ms)	DO-215AB	1d	Vis
GGF	SMCJ58	Z-Diode/TVS	58V, 14 6A, 1500W (1ms)	DO-214AB	1d	Vis
GGF	SMCJ58C	Z-Diode/TVS	64 4 78 7V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGF	TFMCJ58	Z-Diode/TVS	58V, 14 6A, 1500W (1ms)	DO-214AB	1d	Rec
GGF	TV15C580K	Z-Diode/TVS	58V 10%, 14 6A, 1500W (1ms)	DO-214AB	1d	Cmc
GGG	1 5SMCJ58A	Z-Diode/TVS	58V, 16A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGG	1SMC58AT3	Z-Diode/TVS	58V, 16A, 1500W (1ms)	403	3d	Mot,Ons
GGG	SMCG58A	Z-Diode/TVS	58V, 16A, 1500W (1ms)	DO-215AB	1d	Vis
GGG	SMCJ58A	Z-Diode/TVS	58V, 16A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGG	SMCJ58CA	Z-Diode/TVS	64 4 71 2V, 16 0A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGG	TFMCJ58A	Z-Diode/TVS	58V, 16A, 1500W (1ms)	DO-214AB	1d	Rec
GGG	TV15C580J	Z-Diode/TVS	58V 5%, 16A, 1500W (1ms)	DO-214AB	1d	Cmc
GGG7	SM15T68A	Z-Diode/TVS	64 6 71 4V, 16 3A, 1500W (1ms)	DO-214AB	1d	Vis
GGH	1 5SMCJ60	Z-Diode/TVS	60V, 14A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGH	SMCG60	Z-Diode/TVS	60V, 14A, 1500W (1ms)	DO-215AB	1d	Vis
GGH	SMCJ60	Z-Diode/TVS	60V, 14A, 1500W (1ms)	DO-214AB	1d	Vis
GGH	SMCJ60C	Z-Diode/TVS	66 7 81 5V, 14 0A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGH	TFMCJ60	Z-Diode/TVS	60V, 14A, 1500W (1ms)	DO-214AB	1d	Rec
GGH	TV15C600K	Z-Diode/TVS	60V 10%, 14A, 1500W (1ms)	DO-214AB	1d	Cmc
GGK	1 5SMCJ60A	Z-Diode/TVS	60V, 15 5A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGK	1SMC60AT3	Z-Diode/TVS	60V, 15 5A, 1500W (1ms)	403	3d	Mot,Ons
GGK	SMCG60A	Z-Diode/TVS	60V, 15 5A, 1500W (1ms)	DO-215AB	1d	Vis
GGK	SMCJ60A	Z-Diode/TVS	60V, 15 5A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGK	SMCJ60CA	Z-Diode/TVS	66 7 73 7V, 15 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGK	TFMCJ60A	Z-Diode/TVS	60V, 15 5A, 1500W (1ms)	DO-214AB	1d	Rec
GGK	TV15C600J	Z-Diode/TVS	60V 5%, 15 5A, 1500W (1ms)	DO-214AB	1d	Cmc
GGL	1 5SMCJ64	Z-Diode/TVS	64V, 13 2A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGL	SMCG64	Z-Diode/TVS	64V, 13 2A, 1500W (1ms)	DO-215AB	1d	Vis
GGL	SMCJ64	Z-Diode/TVS	64V, 13 2A, 1500W (1ms)	DO-214AB	1d	Vis
GGL	SMCJ64C	Z-Diode/TVS	71 1 86 4V, 13 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGL	TFMCJ64	Z-Diode/TVS	64V, 13 2A, 1500W (1ms)	DO-214AB	1d	Rec
GGL	TV15C640K	Z-Diode/TVS	64V 10%, 13 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GGM	1 5SMCJ64A	Z-Diode/TVS	64V, 14 6A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGM	1SMC64AT3	Z-Diode/TVS	64V, 14 6A, 1500W (1ms)	403	3d	Mot,Ons
GGM	SMCG64A	Z-Diode/TVS	64V, 14 6A, 1500W (1ms)	DO-215AB	1d	Vis
GGM	SMCJ64A	Z-Diode/TVS	64V, 14 6A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGM	SMCJ64CA	Z-Diode/TVS	71 1 78 6V, 14 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGM	TFMCJ64A	Z-Diode/TVS	64V, 14 6A, 1500W (1ms)	DO-214AB	1d	Rec
GGM	TV15C640J	Z-Diode/TVS	64V 5%, 14 6A, 1500W (1ms)	DO-214AB	1d	Cmc
GGN	1 5SMCJ70	Z-Diode/TVS	70V, 12A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGN	SMCG70	Z-Diode/TVS	70V, 12A, 1500W (1ms)	DO-215AB	1d	Vis
GGN	SMCJ70	Z-Diode/TVS	70V, 12A, 1500W (1ms)	DO-214AB	1d	Vis
GGN	SMCJ70C	Z-Diode/TVS	77 8 95 1V, 12 0A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGN	TFMCJ70	Z-Diode/TVS	70V, 12A, 1500W (1ms)	DO-214AB	1d	Rec
GGN	TV15C700K	Z-Diode/TVS	70V 10%, 12A, 1500W (1ms)	DO-214AB	1d	Cmc
GGP	1 5SMCJ70A	Z-Diode/TVS	70V, 13 3A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGP	1SMC70AT3	Z-Diode/TVS	70V, 13 3A, 1500W (1ms)	403	3d	Mot,Ons
GGP	SMCG70A	Z-Diode/TVS	70V, 13 3A, 1500W (1ms)	DO-215AB	1d	Vis
GGP	SMCJ70A	Z-Diode/TVS	70V, 13 3A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGP	SMCJ70CA	Z-Diode/TVS	77 8 86 1V, 13 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGP	TFMCJ70A	Z-Diode/TVS	70V, 13 3A, 1500W (1ms)	DO-214AB	1d	Rec
GGP	TV15C700J	Z-Diode/TVS	70V 5%, 13 3A, 1500W (1ms)	DO-214AB	1d	Cmc
GGQ	1 5SMCJ75	Z-Diode/TVS	75V, 11 2A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGQ	SMCG75	Z-Diode/TVS	75V, 11 2A, 1500W (1ms)	DO-215AB	1d	Vis
GGQ	SMCJ75	Z-Diode/TVS	75V, 11 2A, 1500W (1ms)	DO-214AB	1d	Vis
GGQ	SMCJ75C	Z-Diode/TVS	83 3 102V, 11 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGQ	TFMCJ75	Z-Diode/TVS	75V, 11 2A, 1500W (1ms)	DO-214AB	1d	Rec
GGQ	TV15C750K	Z-Diode/TVS	75V 10%, 11 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GGR	1 5SMCJ75A	Z-Diode/TVS	75V, 12 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGR	1SMC75AT3	Z-Diode/TVS	75V, 12 4A, 1500W (1ms)	403	3d	Mot,Ons
GGR	SMCG75A	Z-Diode/TVS	75V, 12 4A, 1500W (1ms)	DO-215AB	1d	Vis
GGR	SMCJ75A	Z-Diode/TVS	75V, 12 4A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGR	SMCJ75CA	Z-Diode/TVS	83 3 92 1V, 12 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGR	TFMCJ75A	Z-Diode/TVS	75V, 12 4A, 1500W (1ms)	DO-214AB	1d	Rec
GGR	TV15C750J	Z-Diode/TVS	75V 5%, 12 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GGs	1 5SMCJ78	Z-Diode/TVS	78V, 10 8A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGs	SMCG78	Z-Diode/TVS	78V, 10 8A, 1500W (1ms)	DO-215AB	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
GGG	SMCJ78	Z-Diode/TVS	78V, 10 8A, 1500W (1ms)	DO-214AB	1d	Vis
GGG	SMCJ78C	Z-Diode/TVS	86 7 106V, 10 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGG	TFMCJ78	Z-Diode/TVS	78V, 10 8A, 1500W (1ms)	DO-214AB	1d	Rec
GGG	TV15C780K	Z-Diode/TVS	78V 10%, 10 8A, 1500W (1ms)	DO-214AB	1d	Cmc
GGT	15SMCJ78A	Z-Diode/TVS	78V, 11 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGT	15MC78AT3	Z-Diode/TVS	78V, 11 4A, 1500W (1ms)	403	3d	Mol,Ons
GGT	SMCG78A	Z-Diode/TVS	78V, 11 9A, 1500W (1ms)	DO-215AB	1d	Vis
GGT	SMCJ78A	Z-Diode/TVS	78V, 11 9A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGT	SMCJ78CA	Z-Diode/TVS	86 7 95 8V, 11 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGT	TFMCJ78A	Z-Diode/TVS	78V, 11 9A, 1500W (1ms)	DO-214AB	1d	Rec
GGT	TV15C780J	Z-Diode/TVS	78V 5%, 11 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GGU	15SMCJ85	Z-Diode/TVS	85V, 9 9A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGU	SMCG85	Z-Diode/TVS	85V, 9 9A, 1500W (1ms)	DO-215AB	1d	Vis
GGU	SMCJ85	Z-Diode/TVS	85V, 9 9A, 1500W (1ms)	DO-214AB	1d	Vis
GGU	SMCJ85C	Z-Diode/TVS	94 4 115V, 9 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGU	TFMCJ85	Z-Diode/TVS	85V, 9 9A, 1500W (1ms)	DO-214AB	1d	Rec
GGU	TV15C850K	Z-Diode/TVS	85V 10%, 9 9A, 1500W (1ms)	DO-214AB	1d	Cmc
GGV	15SMCJ85A	Z-Diode/TVS	85V, 10 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGV	SMCG85A	Z-Diode/TVS	85V, 10 9A, 1500W (1ms)	DO-215AB	1d	Vis
GGV	SMCJ85A	Z-Diode/TVS	85V, 10 9A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGV	SMCJ85CA	Z-Diode/TVS	94 4 104V, 10 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGV	TFMCJ85A	Z-Diode/TVS	85V, 10 9A, 1500W (1ms)	DO-214AB	1d	Rec
GGV	TV15C850J	Z-Diode/TVS	85V 5%, 10 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GGV7	SM15T100A	Z-Diode/TVS	95 105V, 11A, 1500W (1ms)	DO-214AB	1d	Vis
GGW	15SMCJ90	Z-Diode/TVS	90V, 9 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGW	SMCG90	Z-Diode/TVS	90V, 9 4A, 1500W (1ms)	DO-215AB	1d	Vis
GGW	SMCJ90	Z-Diode/TVS	90V, 9 4A, 1500W (1ms)	DO-214AB	1d	Vis
GGW	SMCJ90C	Z-Diode/TVS	100 122V, 9 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGW	TFMCJ90	Z-Diode/TVS	90V, 9 4A, 1500W (1ms)	DO-214AB	1d	Rec
GGW	TV15C900K	Z-Diode/TVS	90V 10%, 9 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GGX	15SMCJ90A	Z-Diode/TVS	90V, 10 3A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGX	SMCG90A	Z-Diode/TVS	90V, 10 3A, 1500W (1ms)	DO-215AB	1d	Vis
GGX	SMCJ90A	Z-Diode/TVS	90V, 10 3A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGX	SMCJ90CA	Z-Diode/TVS	100 111V, 10 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGX	TFMCJ90A	Z-Diode/TVS	90V, 10 3A, 1500W (1ms)	DO-214AB	1d	Rec
GGX	TV15C900J	Z-Diode/TVS	90V 5%, 10 3A, 1500W (1ms)	DO-214AB	1d	Cmc
GGY	15SMCJ100	Z-Diode/TVS	100V, 8 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGY	SMCG100	Z-Diode/TVS	100V, 8 4A, 1500W (1ms)	DO-215AB	1d	Vis
GGY	SMCJ100	Z-Diode/TVS	100V, 8 4A, 1500W (1ms)	DO-214AB	1d	Vis
GGY	SMCJ100C	Z-Diode/TVS	111 136V, 8 4A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGY	TFMCJ100	Z-Diode/TVS	100V, 8 4A, 1500W (1ms)	DO-214AB	1d	Rec
GGY	TV15C101K	Z-Diode/TVS	100V 10%, 8 4A 1500W (1ms)	DO-214AB	1d	Cmc
GGZ	15SMCJ100A	Z-Diode/TVS	100V, 9 3A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GGZ	SMCG100A	Z-Diode/TVS	100V, 9 3A, 1500W (1ms)	DO-215AB	1d	Vis
GGZ	SMCJ100A	Z-Diode/TVS	100V, 9 3A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GGZ	SMCJ100CA	Z-Diode/TVS	111 123V, 9 3A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GGZ	TFMCJ100A	Z-Diode/TVS	100V, 9 3A, 1500W (1ms)	DO-214AB	1d	Rec
GGZ	TV15C101J	Z-Diode/TVS	100V 5%, 9 3A, 1500W (1ms)	DO-214AB	1d	Cmc
GH	Z2SMB-10	Z-Diode	10V 5%, 2W	DO-214AA	1d	Fag
GHD	15SMCJ110	Z-Diode/TVS	110V, 7 7A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GHD	SMCG110	Z-Diode/TVS	110V, 7 7A, 1500W (1ms)	DO-215AB	1d	Vis
GHD	SMCJ110	Z-Diode/TVS	110V, 7 7A, 1500W (1ms)	DO-214AB	1d	Vis
GHD	SMCJ110C	Z-Diode/TVS	122 149V, 7 7A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHD	TFMCJ110	Z-Diode/TVS	110V, 7 7A, 1500W (1ms)	DO-214AB	1d	Rec
GHD	TV15C111K	Z-Diode/TVS	110V 10%, 7 7A, 1500W (1ms)	DO-214AB	1d	Cmc
GHE	15SMCJ110A	Z-Diode/TVS	110V, 8 4A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GHE	SMCG110A	Z-Diode/TVS	110V, 8 5A, 1500W (1ms)	DO-215AB	1d	Vis
GHE	SMCJ110A	Z-Diode/TVS	110V, 8 5A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GHE	SMCJ110CA	Z-Diode/TVS	122 135V, 8 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHE	TFMCJ110A	Z-Diode/TVS	110V, 8 5A, 1500W (1ms)	DO-214AB	1d	Rec
GHE	TV15C111J	Z-Diode/TVS	110V 5%, 8 4A, 1500W (1ms)	DO-214AB	1d	Cmc
GHF	15SMCJ120	Z-Diode/TVS	120V, 7A, 1500W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
GHF	SMCG120	Z-Diode/TVS	120V, 7A, 1500W (1ms)	DO-215AB	1d	Vis
GHF	SMCJ120	Z-Diode/TVS	120V, 7A, 1500W (1ms)	DO-214AB	1d	Vis
GHF	SMCJ120C	Z-Diode/TVS	133 163V, 7 0A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHF	TFMCJ120	Z-Diode/TVS	120V, 7A, 1500W (1ms)	DO-214AB	1d	Rec
GHF	TV15C121K	Z-Diode/TVS	120V 10%, 7A, 1500W (1ms)	DO-214AB	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
GHG	15SMCJ120A	Z-Diode/TVS	120V, 7 9A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHG	SMCG120A	Z-Diode/TVS	120V, 7 8A, 1500W (1ms)	DO-215AB	1d	Vis
GHG	SMCJ120A	Z-Diode/TVS	120V, 7 8A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GHG	SMCJ120CA	Z-Diode/TVS	133 147V, 7 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHG	TFMCJ120A	Z-Diode/TVS	120V, 7 8A, 1500W (1ms)	DO-214AB	1d	Rec
GHG	TV15C121J	Z-Diode/TVS	120V 5%, 7 9A, 1500W (1ms)	DO-214AB	1d	Cmc
GHH	15SMCJ130	Z-Diode/TVS	130V, 6 5A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHH	SMCG130	Z-Diode/TVS	130V, 6 5A, 1500W (1ms)	DO-215AB	1d	Vis
GHH	SMCJ130	Z-Diode/TVS	130V, 6 5A, 1500W (1ms)	DO-214AB	1d	Vis
GHH	SMCJ130C	Z-Diode/TVS	144 176V, 6 5A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHH	TFMCJ130	Z-Diode/TVS	130V, 6 5A, 1500W (1ms)	DO-214AB	1d	Rec
GHH	TV15C131K	Z-Diode/TVS	130V 10%, 6 5A, 1500W (1ms)	DO-214AB	1d	Cmc
GHK	15SMCJ130A	Z-Diode/TVS	130V, 7 2A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHK	SMCG130A	Z-Diode/TVS	130V, 7 2A, 1500W (1ms)	DO-215AB	1d	Vis
GHK	SMCJ130A	Z-Diode/TVS	130V, 7 2A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GHK	SMCJ130CA	Z-Diode/TVS	144 159V, 7 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHK	TFMCJ130A	Z-Diode/TVS	130V, 7 2A, 1500W (1ms)	DO-214AB	1d	Rec
GHK	TV15C131J	Z-Diode/TVS	130V 5%, 7 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GHK7	SM15T150A	Z-Diode/TVS	143 158V, 7 2A, 1500W (1ms)	DO-214AB	1d	Vis
GHL	15SMCJ150	Z-Diode/TVS	150V, 5 6A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHL	SMCG150	Z-Diode/TVS	150V, 5 6A, 1500W (1ms)	DO-215AB	1d	Vis
GHL	SMCJ150	Z-Diode/TVS	150V, 5 6A, 1500W (1ms)	DO-214AB	1d	Vis
GHL	SMCJ150C	Z-Diode/TVS	167 204V, 5 6A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHL	TFMCJ150	Z-Diode/TVS	150V, 5 6A, 1500W (1ms)	DO-214AB	1d	Rec
GHL	TV15C151K	Z-Diode/TVS	150V 10%, 5 6A, 1500W (1ms)	DO-214AB	1d	Cmc
GHM	15SMCJ150A	Z-Diode/TVS	150V, 6 2A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHM	SMCG150A	Z-Diode/TVS	150V, 6 2A, 1500W (1ms)	DO-215AB	1d	Vis
GHM	SMCG150CA	Z-Diode/TVS	150V, 6 2A, 1500W (1ms), Bidirectional	DO-215AB	1c	Vis
GHM	SMCJ150A	Z-Diode/TVS	150V, 6 2A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GHM	SMCJ150CA	Z-Diode/TVS	150V, 6 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Vis
GHM	SMCJ150CA	Z-Diode/TVS	167 185V, 6 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHM	TFMCJ150A	Z-Diode/TVS	150V, 6 2A, 1500W (1ms)	DO-214AB	1d	Rec
GHM	TFMCJ150CA	Z-Diode/TVS	150V, 6 2A, 1500W (1ms), Bidirectional	DO-214AB	1c	Rec
GHM	TV15C151J	Z-Diode/TVS	150V 5%, 6 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GHN	15SMCJ160	Z-Diode/TVS	160V, 5 2A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHN	SMCG160	Z-Diode/TVS	160V, 5 2A, 1500W (1ms)	DO-215AB	1d	Vis
GHN	SMCJ160	Z-Diode/TVS	160V, 5 2A, 1500W (1ms)	DO-214AB	1d	Vis
GHN	SMCJ160C	Z-Diode/TVS	178 218V, 5 2A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHN	TFMCJ160	Z-Diode/TVS	160V, 5 2A, 1500W (1ms)	DO-214AB	1d	Rec
GHN	TV15C161K	Z-Diode/TVS	160V 10%, 5 2A, 1500W (1ms)	DO-214AB	1d	Cmc
GHP	15SMCJ160A	Z-Diode/TVS	160V, 5 8A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHP	SMCG160A	Z-Diode/TVS	160V, 5 8A, 1500W (1ms)	DO-215AB	1d	Vis
GHP	SMCJ160A	Z-Diode/TVS	160V, 5 8A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GHP	SMCJ160CA	Z-Diode/TVS	178 197V, 5 8A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHP	TFMCJ160A	Z-Diode/TVS	160V, 5 8A, 1500W (1ms)	DO-214AB	1d	Rec
GHP	TV15C161J	Z-Diode/TVS	160V 5%, 5 8A, 1500W (1ms)	DO-214AB	1d	Cmc
GHQ	15SMCJ170	Z-Diode/TVS	170V, 4 9A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHQ	SMCG170	Z-Diode/TVS	170V, 4 9A, 1500W (1ms)	DO-215AB	1d	Vis
GHQ	SMCJ170	Z-Diode/TVS	170V, 4 9A, 1500W (1ms)	DO-214AB	1d	Vis
GHQ	SMCJ170C	Z-Diode/TVS	189 231V, 4 9A, 1500W (1ms), Bidirectional	DO-214AB	2c	Eic
GHQ	TFMCJ170	Z-Diode/TVS	170V, 4 9A, 1500W (1ms)	DO-214AB	1d	Rec
GHQ	TV15C171K	Z-Diode/TVS	170V 10%, 4 9A, 1500W (1ms)	DO-214AB	1d	Cmc
GHR	15SMCJ170A	Z-Diode/TVS	170V, 5 5A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHR	SMCG170A	Z-Diode/TVS	170V, 5 5A, 1500W (1ms)	DO-215AB	1d	Vis
GHR	SMCJ170A	Z-Diode/TVS	170V, 5 5A, 1500W (1ms)	DO-214AB	1d	Dil,Vis
GHR	TFMCJ170A	Z-Diode/TVS	170V, 5 5A, 1500W (1ms)	DO-214AB	1d	Rec
GHR	TV15C171J	Z-Diode/TVS	170V 5%, 5 5A, 1500W (1ms)	DO-214AB	1d	Cmc
GHR7	SM15T200A	Z-Diode/TVS	190 210V, 5 5A, 1500W (1ms)	DO-214AB	1d	Vis
GHR8	SM15T220A	Z-Diode/TVS	209 231V, 4 6A, 1500W (1ms)	DO-214AB	1d	Vis
GHS	15SMCJ180	Z-Diode/TVS	170V, 4 7A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHS	SMCG188A	Z-Diode/TVS	188V, 4 6A, 1500W (1ms)	DO-215AB	1d	Vis
GHS	SMCJ188A	Z-Diode/TVS	188V, 4 6A, 1500W (1ms)	DO-214AB	1d	Vis
GHT	15SMCJ180A	Z-Diode/TVS	170V, 5 1A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHT	SMCG188	Z-Diode/TVS	188V, 4 4A, 1500W (1ms)	DO-215AB	1d	Vis
GHT	SMCJ188	Z-Diode/TVS	188V, 4 4A, 1500W (1ms)	DO-214AB	1d	Vis
GHU	15SMCJ190	Z-Diode/TVS	170V, 4 4A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd
GHV	15SMCJ190A	Z-Diode/TVS	170V, 4 8A, 1500W (1ms)	DO-214AB	1d	PjI,Sn,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
GHW	1.5SMCJ200	Z-Diode/TVS	170V, 4.1A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GHX	1.5SMCJ200A	Z-Diode/TVS	170V, 4.6A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GHY	1.5SMCJ210	Z-Diode/TVS	170V, 4A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GHZ	1.5SMCJ210A	Z-Diode/TVS	170V, 4.4A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GID	1.5SMCJ220	Z-Diode/TVS	170V, 3.8A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GIE	1.5SMCJ220A	Z-Diode/TVS	170V, 4.2A, 1500W (1ms)	DO-214AB	1d	PjI,Srj,Wpd
GJ	GF1J	Si-Diode	Rectifier, 600V, 1A, 2μs	DO-214	1d	Vis
GK	GF1K	Si-Diode	Rectifier, 800V 1A, 2μs	DO-214	1d	Vis
GK	SM6T150	Z-Diode/TVS	150V, 2.7A, 600W (1ms)	DO-214AA	1d	Ste
GK	Z2SMB-11	Z-Diode	11V 5%, 2W	DO-214AA	1d	Fag
GL	SM6T150A	Z-Diode/TVS	150V, 2.9A, 600W (1ms)	DO-214AA	1d	Ste
GL	Z2SMB-12	Z-Diode	12V 5%, 2W	DO-214AA	1d	Fag
GM	GF1M	Si-Diode	Rectifier, 1000V 1A, 2μs	DO-214	1d	Vis
GM	Z2SMB-13	Z-Diode	13V 5%, 2W	DO-214AA	1d	Fag
GN	Z2SMB-15	Z-Diode	15V 5%, 2W	DO-214AA	1d	Fag
GP	CMDZ3L6	Z-Diode	3.6V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
GP	Z2SMB-16	Z-Diode	16V 5%, 2W	DO-214AA	1d	Fag
GQ	Z2SMB-18	Z-Diode	18V 5%, 2W	DO-214AA	1d	Fag
GR	Z2SMB-20	Z-Diode	20V 5%, 2W	DO-214AA	1d	Fag
GS	Z2SMB-22	Z-Diode	22V 5%, 2W	DO-214AA	1d	Fag
GT	SM6T200	Z-Diode/TVS	200V, 2A, 600W (1ms)	DO-214AA	1d	Ste
GT	Z2SMB-24	Z-Diode	24V 5%, 2W	DO-214AA	1d	Fag
GU	SM6T200A	Z-Diode/TVS	200V, 2.2A, 600W (1ms)	DO-214AA	1d	Ste
GU	Z2SMB-27	Z-Diode	27V 5%, 2W	DO-214AA	1d	Fag
GUA	SMCJ60A	Z-Diode/TVS	60V, 15.7A, 1500W (1ms)	DO-214AB	1d	Ste
GUB	SMCJ70A	Z-Diode/TVS	70V, 13.9A, 1500W (1ms)	DO-214AB	1d	Ste
GUE	SMCJ85A	Z-Diode/TVS	85V, 11.5A, 1500W (1ms)	DO-214AB	1d	Ste
GUG	SMCJ100A	Z-Diode/TVS	100V, 9.7A, 1500W (1ms)	DO-214AB	1d	Ste
GUI	SMCJ130A	Z-Diode/TVS	130V, 7.5A, 1500W (1ms)	DO-214AB	1d	Ste
GUL	SMCJ154A	Z-Diode/TVS	154V, 6.1A, 1500W (1ms)	DO-214AB	1d	Ste
GUM	SMCJ170A	Z-Diode/TVS	170V, 5.7A, 1500W (1ms)	DO-214AB	1d	Ste
GUN	SMCJ188A	Z-Diode/TVS	188V, 4.6A, 1500W (1ms)	DO-214AB	1d	Ste
GV	SM6T220	Z-Diode/TVS	220V, 1.8A, 600W (1ms)	DO-214AA	1d	Ste
GV	Z2SMB-30	Z-Diode	30V 5%, 2W	DO-214AA	1d	Fag
GW	SM6T220A	Z-Diode/TVS	220V, 2A, 600W (1ms)	DO-214AA	1d	Ste
GW	Z2SMB-33	Z-Diode	33V 5%, 2W	DO-214AA	1d	Fag
GX	DDZ14S	Z-Diode	14V±10%, 200mW	SDD-323	5d	Dil
GX	Z2SMB-36	Z-Diode	36V 5%, 2W	DO-214AA	1d	Fag
GY	DDZ15S	Z-Diode	15V±10%, 200mW	SDD-323	5d	Dil
GY	Z2SMB-39	Z-Diode	39V 5%, 2W	DO-214AA	1d	Fag
GZ	Z2SMB-43	Z-Diode	43V 5%, 2W	DO-214AA	1d	Fag
H	BB141	C-Diode	VCO, 6V, 20mA, 2.38/4.2pF(4V/1V, 1MHz), <0.4Q	SOD-523	6d	Phi
H	EP05Q03L	Si-Diode	Schottky Rect., 30V, 500mA, Vf<0.45V(500mA)	SDD-123	5d	Nih
H	HVU354	C-Diode	VCO, 16...18.5pF(1V)	SOD-123	5d	Ron
H	MAZD047	Z-Diode	4...5V, 120mW	SSSMini2	7d	Pan
H	MAZS036	Z-Diode	3.4...3.8V, 200mW	SC-79	6d	Pan
H^	MAZS036	Z-Diode	3.4...3.8V, 200mW	SC-79	6d	Pan
H^	MAZS0360H	Z-Diode	3.55...3.8V, 200mW	SC-79	6d	Pan
H_	MAZS036	Z-Diode	3.4...3.8V, 200mW	SC-79	6d	Pan
H_	MAZS0360L	Z-Diode	3.4...3.65V, 200mW	SC-79	6d	Pan
H0	BZX585-C15	Z-Diode	15V±5%, 300mW	SOD-523	6d	Phi
H0	CMOZ15V	Z-Diode	15V 5%, 350mW	SOD-523	6d	Cen
H1	BZX585-C6V2	Z-Diode	6.2V±5%, 300mW	SOD-523	6d	Phi
H1	CMOZ6V2	Z-Diode	6.2V 5%, 350mW	SOD-523	6d	Cen
H1	MMSZ52341	Z-Diode	11V 10%, 300mW	SOD-123	5d	Vis
H1	MMSZ5241B	Z-Diode	11V±5%, 0.5W, Zzt=22Ω	SOD-123	5d	Dil
H1	MMSZ5241B	Z-Diode	11V±5%, 0.5W, Zzt=22Ω	SOD-123	5d	Dil
H1	MMSZ5241BS	Z-Diode	11V±5%, 0.2W, Zzt=22Ω	SOD-323	5d	Dil
H1	MMSZ5241BT1	Z-Diode	11V±5%, 0.5W, Zzt=22Ω	SOD-123	5d	Mot
H1	UNHZ201	CPE	Fuse at 50V, 0.7A, Rin=93mΩ	SMini2	6a	Pan
H2	BZX585-C6V8	Z-Diode	6.8V±5%, 300mW	SOD-523	6d	Phi
H2	CMOZ6V8	Z-Diode	6.8V 5%, 350mW	SOD-523	6d	Cen
H2	MMSZ52342	Z-Diode	12V 10%, 300mW	SOD-123	5d	Vis
H2	MMSZ5242B	Z-Diode	12V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Dil
H2	MMSZ5242B	Z-Diode	12V±5%, 0.5W, Zzt=30Ω	SOD-123	5d	Dil
H2	MMSZ5242BS	Z-Diode	12V±5%, 0.2W, Zzt=30Ω	SDD-323	5d	Dil
H2	MMSZ5242BT1	Z-Diode	12V±5%, 0.5W, Zzt=30Ω	SDD-123	5d	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
H2	UDZ7.5B	Z-Diode	7,5V±2,5%, 200mW	SOD-323	5d	Rhm
H2	UDZS7.5B	Z-Diode	7,5V 10%, 5mA, 200mW	SOD-106	1d	Rhm
H2	UNHZ202	CPE	Fuse at 50V, 1A, Rin=59mΩ	SMini2	6a	Pan
H2	VDZS7.5B	Z-Diode	7,5V 10%, 5mA, 100mW	VMD2	5d	Rhm
H3	BZX585-C7V5	Z-Diode	7,5V±5%, 300mW	SOD-523	6d	Phi
H3	CMOZ7V5	Z-Diode	7,5V 5%, 350mW	SOD-523	6d	Cen
H3	MMSZ52343	Z-Diode	13V 10%, 300mW	SOD-123	5d	Vis
H3	MMSZ5243B	Z-Diode	13V±5%, 0,5W, Zzt=13Ω	SOD-123	5d	Dil
H3	MMSZ5243B	Z-Diode	13V±5%, 0,5W, Zzt=13Ω	SOD-123	5d	Dil
H3	MMSZ5243BS	Z-Diode	13V±5%, 0,2W, Zzt=13Ω	SOD-323	5d	Dil
H3	MMSZ5243BT1	Z-Diode	13V±5%, 0,5W, Zzt=13Ω	SOD-123	5d	Mot
H3	UNHZ203	CPE	Fuse at 50V, 1,2A, Rin=46mΩ	SMini2	6a	Pan
H3	UNHZ204	CPE	Fuse at 50V, 1,5A, Rin=35mΩ	SMini2	6a	Pan
H4	BZX585-C8V2	Z-Diode	8,2V±5%, 300mW	SOD-523	6d	Phi
H4	CMOZ8V2	Z-Diode	8,2V 5%, 350mW	SOD-523	6d	Cen
H4	MMSZ52344	Z-Diode	14V 10%, 300mW	SOD-123	5d	Vis
H4	MMSZ5244BT1	Z-Diode	14V±5%, 0,5W, Zzt=15Ω	SOD-123	5d	Mot
H5	BZX585-C9V1	Z-Diode	9,1V±5%, 300mW	SOD-523	6d	Phi
H5	CMOZ9V1	Z-Diode	9,1V 5%, 350mW	SOD-523	6d	Cen
H5	MMSZ52345	Z-Diode	15V 10%, 300mW	SOD-123	5d	Vis
H5	MMSZ5245B	Z-Diode	15V±5%, 0,5W, Zzt=16Ω	SOD-123	5d	Dil
H5	MMSZ5245B	Z-Diode	15V±5%, 0,5W, Zzt=16Ω	SOD-123	5d	Dil
H5	MMSZ5245BS	Z-Diode	15V±5%, 0,5W, Zzt=16Ω	SOD-323	5d	Dil
H5	MMSZ5245BT1	Z-Diode	15V±5%, 0,2W, Zzt=16Ω	SOD-123	5d	Mot
H6	BZX585-C10	Z-Diode	10V±5%, 300mW	SOD-523	6d	Phi
H6	CMOZ10V	Z-Diode	10V 5%, 350mW	SOD-523	6d	Cen
H7	BZX585-C11	Z-Diode	11V±5%, 300mW	SOD-523	6d	Phi
H7	CMOZ11V	Z-Diode	11V 5%, 350mW	SOD-523	6d	Cen
H8	BZX585-C12	Z-Diode	12V±5%, 300mW	SOD-523	6d	Phi
H8	CMOZ12V	Z-Diode	12V 5%, 350mW	SOD-523	6d	Cen
H9	BZX585-C13	Z-Diode	13V±5%, 300mW	SOD-523	6d	Phi
H9	CMOZ13V	Z-Diode	13V 5%, 350mW	SOD-523	6d	Cen
H9	DDZ9681	Z-Diode	2,4V 5%, 500mW	SOD-123	5d	Dil
HA	DDZ9682	Z-Diode	2,7V 5%, 500mW	SOD-123	5d	Dil
HA	DDZ9682S	Z-Diode	2,7V 5%, 200mW	SOD-323	5d	Dil
HB	DDZ9683	Z-Diode	3V 5%, 500mW	SOD-123	5d	Dil
HB	DDZ9683S	Z-Diode	3V 5%, 200mW	SOD-323	5d	Dil
HC	DDZ9684	Z-Diode	3,3V 5%, 500mW	SOD-123	5d	Dil
HC	DDZ9684S	Z-Diode	3,3V 5%, 200mW	SOD-323	5d	Dil
HD	DDZ9685	Z-Diode	3,6V 5%, 500mW	SOD-123	5d	Dil
HD	DDZ9685S	Z-Diode	3,6V 5%, 200mW	SOD-323	5d	Dil
HD	P4SMAJ5.0	Z-Diode/TVS	5V, 41.6A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HD	SMAJ530	Z-Diode/TVS	530V, 1A, 300W (1ms)	DO-214AC	1d	Vis
HD	Z2SMB-47	Z-Diode	47V 5%, 2W	DO-214AA	1d	Fag
HDD	3.0SMCJ5.0	Z-Diode/TVS	5V, 312.5A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDD	TV30C5V0K	Z-Diode/TVS	5V 10%, 312.5A, 3000W (1ms)	DO-214AB	1d	Cmc
HDE	3.0SMCJ5.0A	Z-Diode/TVS	5V, 326A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDE	TV30C5V0J	Z-Diode/TVS	5V 5%, 326A, 3000W (1ms)	DO-214AB	1d	Cmc
HDF	3.0SMCJ6.0	Z-Diode/TVS	6V, 263.2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDF	TV30C6V0K	Z-Diode/TVS	6V 10%, 263.2A, 3000W (1ms)	DO-214AB	1d	Cmc
HDG	3.0SMCJ6.0A	Z-Diode/TVS	6V, 291.3A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDG	TV30C6V0J	Z-Diode/TVS	6V 5%, 291.3A, 3000W (1ms)	DO-214AB	1d	Cmc
HDH	3.0SMCJ6.5	Z-Diode/TVS	6.5V, 243.9A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDH	TV30C6V5K	Z-Diode/TVS	6V 10%, 243.9A, 3000W (1ms)	DO-214AB	1d	Cmc
HDK	3.0SMCJ6.5A	Z-Diode/TVS	6.5V, 267.9A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDK	TV30C6V5J	Z-Diode/TVS	6V 5%, 267.9A, 3000W (1ms)	DO-214AB	1d	Cmc
HDL	3.0SMCJ7.0	Z-Diode/TVS	7V, 225.6A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDL	TV30C7V0K	Z-Diode/TVS	7V 10%, 225.6A, 3000W (1ms)	DO-214AB	1d	Cmc
HDM	3.0SMCJ7.0A	Z-Diode/TVS	7V, 250A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDM	TV30C7V0J	Z-Diode/TVS	7V 5%, 250A, 3000W (1ms)	DO-214AB	1d	Cmc
HDN	3.0SMCJ7.5	Z-Diode/TVS	7.5V, 209.8A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDN	TV30C7V5K	Z-Diode/TVS	7V 10%, 209.8A, 3000W (1ms)	DO-214AB	1d	Cmc
HDP	3.0SMCJ7.5A	Z-Diode/TVS	7.5V, 232.6A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDP	TV30C7V5J	Z-Diode/TVS	7V 5%, 232.6A, 3000W (1ms)	DO-214AB	1d	Cmc
HDQ	3.0SMCJ8.0	Z-Diode/TVS	8V, 200A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HDQ	TV30C8V0K	Z-Diode/TVS	8V 10%, 200A, 3000W (1ms)	DO-214AB	1d	Cmc
HDR	3.0SMCJ8.0A	Z-Diode/TVS	8V, 220.6A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
HDR	TV30C8V0J	Z-Diode/TVS	8V 5%, 220.6A, 3000W(1ms)	DO-214AB	1d	Cmc
HDS	3.0SMCJ8.5	Z-Diode/TVS	8.5V, 188.8A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HDS	TV30C8V5K	Z-Diode/TVS	8V 10%, 188.8A, 3000W(1ms)	DO-214AB	1d	Cmc
HDT	3.0SMCJ8.5A	Z-Diode/TVS	8.5V, 208.4A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HDT	TV30C8V5J	Z-Diode/TVS	8V 5%, 208.4A, 3000W(1ms)	DO-214AB	1d	Cmc
HDU	3.0SMCJ9.0	Z-Diode/TVS	9V, 177.4A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HDU	TV30C9V0K	Z-Diode/TVS	9V 10%, 177.4A, 3000W(1ms)	DD-214AB	1d	Cmc
HDV	3.0SMCJ9.0A	Z-Diode/TVS	9V, 194.8A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HDV	TV30C9V0J	Z-Diode/TVS	9V 5%, 194.8A, 3000W(1ms)	DD-214AB	1d	Cmc
HDW	3.0SMCJ10	Z-Diode/TVS	10V, 159.6A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HDW	TV30C100K	Z-Diode/TVS	10V 10%, 159.6A, 3000W(1ms)	DO-214AB	1d	Cmc
HDX	3.0SMCJ10A	Z-Diode/TVS	10V, 176.4A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HDX	TV30C100J	Z-Diode/TVS	10V 5%, 176.4A, 3000W(1ms)	DD-214AB	1d	Cmc
HDY	3.0SMCJ11	Z-Diode/TVS	11V, 149.2A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HDY	TV30C110K	Z-Diode/TVS	11V 10%, 149.2A, 3000W(1ms)	DD-214AB	1d	Cmc
HDZ	3.0SMCJ11A	Z-Diode/TVS	11V, 184.8A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HDZ	TV30C110J	Z-Diode/TVS	11V 5%, 184.8A, 3000W(1ms)	DD-214AB	1d	Cmc
HE	DDZ9686	Z-Diode	3.9V 5%, 500mW	SOD-123	5d	Dil
HE	DDZ9686S	Z-Diode	3.9V 5%, 200mW	SOD-323	5d	Dil
HE	P4SMAJ5.0A	Z-Diode/TVS	5V, 43.5A, 400W(1ms)	DO-214AC	1d	Pjl,Srl,Wpd
HE	SMAJ5.0A	Z-Diode/TVS	5V, 43.5A, 400W(1ms)	DO-214AC	1d	Dil
HED	3.0SMCJ12	Z-Diode/TVS	12V, 136.4A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HED	TV30C120K	Z-Diode/TVS	12V 10%, 136.4A, 3000W(1ms)	DD-214AB	1d	Cmc
HEE	3.0SMCJ12A	Z-Diode/TVS	12V, 150.6A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEE	TV30C120J	Z-Diode/TVS	12V 5%, 150.6A, 3000W(1ms)	DD-214AB	1d	Cmc
HEF	3.0SMCJ13	Z-Diode/TVS	13V, 126A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEF	TV30C130K	Z-Diode/TVS	13V 10%, 126A, 3000W(1ms)	DD-214AB	1d	Cmc
HEG	3.0SMCJ13A	Z-Diode/TVS	13V, 139.4A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEG	TV30C130J	Z-Diode/TVS	13V 5%, 139.4A, 3000W(1ms)	DD-214AB	1d	Cmc
HEH	3.0SMCJ14	Z-Diode/TVS	14V, 116.2A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEH	TV30C140K	Z-Diode/TVS	14V 10%, 116.2A, 3000W(1ms)	DD-214AB	1d	Cmc
HEK	3.0SMCJ14A	Z-Diode/TVS	14V, 129.4A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEK	TV30C140J	Z-Diode/TVS	14V 5%, 129.4A, 3000W(1ms)	DD-214AB	1d	Cmc
HEL	3.0SMCJ15	Z-Diode/TVS	15V, 111.6A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEL	TV30C150K	Z-Diode/TVS	15V 10%, 111.6A, 3000W(1ms)	DD-214AB	1d	Cmc
HEM	3.0SMCJ15A	Z-Diode/TVS	15V, 123A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEM	TV30C150J	Z-Diode/TVS	15V 5%, 123A, 3000W(1ms)	DD-214AB	1d	Cmc
HEN	3.0SMCJ16	Z-Diode/TVS	16V, 104.2A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEN	TV30C160K	Z-Diode/TVS	16V 10%, 104.2A, 3000W(1ms)	DD-214AB	1d	Cmc
HEP	3.0SMCJ16A	Z-Diode/TVS	16V, 115.4A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HEP	TV30C160J	Z-Diode/TVS	16V 5%, 115.4A, 3000W(1ms)	DO-214AB	1d	Cmc
HEQ	3.0SMCJ17	Z-Diode/TVS	17V, 98.4A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEQ	TV30C170K	Z-Diode/TVS	17V 10%, 98.4A, 3000W(1ms)	DO-214AB	1d	Cmc
HER	3.0SMCJ17A	Z-Diode/TVS	17V, 106.6A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HER	TV30C170J	Z-Diode/TVS	17V 5%, 106.6A, 3000W(1ms)	DO-214AB	1d	Cmc
HES	3.0SMCJ18	Z-Diode/TVS	18V, 93.2A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HES	TV30C180K	Z-Diode/TVS	18V 10%, 93.2A, 3000W(1ms)	DO-214AB	1d	Cmc
HET	3.0SMCJ18A	Z-Diode/TVS	18V, 102.8A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HET	TV30C180J	Z-Diode/TVS	18V 5%, 102.8A, 3000W(1ms)	DO-214AB	1d	Cmc
HEU	3.0SMCJ20	Z-Diode/TVS	20V, 83.8A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEU	TV30C200K	Z-Diode/TVS	20V 10%, 83.8A, 3000W(1ms)	DO-214AB	1d	Cmc
HEV	3.0SMCJ20A	Z-Diode/TVS	20V, 92.6A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEV	TV30C200J	Z-Diode/TVS	20V 5%, 92.6A, 3000W(1ms)	DO-214AB	1d	Cmc
HEW	3.0SMCJ22	Z-Diode/TVS	22V, 76.2A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEW	TV30C220K	Z-Diode/TVS	22V 10%, 76.2A, 3000W(1ms)	DO-214AB	1d	Cmc
HEX	3.0SMCJ22A	Z-Diode/TVS	22V, 84.4A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEX	TV30C220J	Z-Diode/TVS	22V 5%, 84.4A, 3000W(1ms)	DO-214AB	1d	Cmc
HEY	3.0SMCJ24	Z-Diode/TVS	24V, 69.8A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEY	TV30C240K	Z-Diode/TVS	24V 10%, 69.8A, 3000W(1ms)	DO-214AB	1d	Cmc
HEZ	3.0SMCJ24A	Z-Diode/TVS	24V, 77.2A, 3000W(1ms)	DO-214AB	1d	Pjl,Srl,Wpd
HEZ	TV30C240J	Z-Diode/TVS	24V 5%, 77.2A, 3000W(1ms)	DO-214AB	1d	Cmc
HF	DDZ9687	Z-Diode	4.3V 5%, 500mW	SOD-123	5d	Dil
HF	DDZ9687S	Z-Diode	4.3V 5%, 200mW	SOD-323	5d	Dil
HF	P4SMAJ6.0	Z-Diode/TVS	6V, 35.1A, 400W(1ms)	DO-214AC	1d	Pjl,Srl,Wpd
HF	Z2SMB-6	Z-Diode	51V 5%, 2W	DD-214AA	1d	Fag
HFD	3.0SMCJ26	Z-Diode/TVS	26V, 64.4A, 3000W(1ms)	DD-214AB	1d	Pjl,Srl,Wpd
HFD	TV30C260K	Z-Diode/TVS	26V 10%, 64.4A, 3000W(1ms)	DO-214AB	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
HFE	3 0SMCJ26A	Z-Diode/TVS	26V, 71 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFE	TV30C260J	Z-Diode/TVS	26V 5%, 71 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HFF	3 0SMCJ28	Z-Diode/TVS	28V, 60A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFF	TV30C280K	Z-Diode/TVS	28V 10%, 60A, 3000W(1ms)	DO-214AB	1d	Cmc
HFG	3 0SMCJ28A	Z-Diode/TVS	28V, 66A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFG	TV30C280J	Z-Diode/TVS	28V 5%, 66A, 3000W(1ms)	DO-214AB	1d	Cmc
HFH	3 0SMCJ30	Z-Diode/TVS	30V, 56A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFH	TV30C300K	Z-Diode/TVS	30V 10%, 56A, 3000W(1ms)	DO-214AB	1d	Cmc
HFK	3 0SMCJ30A	Z-Diode/TVS	30V, 62A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFK	TV30C300J	Z-Diode/TVS	30V 5%, 62A, 3000W(1ms)	DO-214AB	1d	Cmc
HFL	3 0SMCJ33	Z-Diode/TVS	33V, 50 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFL	TV30C330K	Z-Diode/TVS	33V 10%, 50 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HFM	3 0SMCJ33A	Z-Diode/TVS	33V, 56 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFM	TV30C330J	Z-Diode/TVS	33V 5%, 56 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HFN	3 0SMCJ36	Z-Diode/TVS	36V, 46 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFN	TV30C360K	Z-Diode/TVS	36V 10%, 46 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HFP	3 0SMCJ36A	Z-Diode/TVS	36V, 51 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFP	TV30C360J	Z-Diode/TVS	36V 5%, 51 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HFQ	3 0SMCJ40	Z-Diode/TVS	40V, 42A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFQ	TV30C400K	Z-Diode/TVS	40V 10%, 42A, 3000W(1ms)	DO-214AB	1d	Cmc
HFR	3 0SMCJ40A	Z-Diode/TVS	40V, 46 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFR	TV30C400J	Z-Diode/TVS	40V 5%, 46 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HFS	3 0SMCJ43	Z-Diode/TVS	43V, 39 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFS	TV30C430K	Z-Diode/TVS	43V 10%, 39 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HFT	3 0SMCJ43A	Z-Diode/TVS	43V, 43 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFT	TV30C430J	Z-Diode/TVS	43V 5%, 43 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HFU	3 0SMCJ45	Z-Diode/TVS	45V, 37 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFU	TV30C450K	Z-Diode/TVS	45V 10%, 37 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HFV	3 0SMCJ45A	Z-Diode/TVS	45V, 41 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFV	TV30C450J	Z-Diode/TVS	45V 5%, 41 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HFW	3 0SMCJ48	Z-Diode/TVS	48V, 35A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFW	TV30C480K	Z-Diode/TVS	48V 10%, 35A, 3000W(1ms)	DO-214AB	1d	Cmc
HFX	3 0SMCJ48A	Z-Diode/TVS	48V, 38 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFX	TV30C480J	Z-Diode/TVS	48V 5%, 38 8A, 3000W(1ms)	DO-214AB	1d	Cmc
HFY	3 0SMCJ51	Z-Diode/TVS	51V, 37A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFY	TV30C510K	Z-Diode/TVS	51V 10%, 37A, 3000W(1ms)	DO-214AB	1d	Cmc
HFZ	3 0SMCJ51A	Z-Diode/TVS	51V, 36 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HFZ	TV30C510J	Z-Diode/TVS	51V 5%, 36 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HG	DDZ9688	Z-Diode	4,7V 5%, 500mW	SOD-123	5d	Oil
HG	DDZ9688S	Z-Diode	4,7V 5%, 200mW	SOD-323	5d	Oil
HG	P4SMAJ6 0A	Z-Diode/TVS	6V, 38 8A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HG	SMAJ6 0A	Z-Diode/TVS	6V, 38 8A, 400W (1ms)	DO-214AC	1d	Oil
HG	Z2SMB-56	Z-Diode	56V 5%, 2W	DO-214AA	1d	Fag
HGD	3 0SMCJ54	Z-Diode/TVS	54V, 31 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGD	TV30C540K	Z-Diode/TVS	54V 10%, 31 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HGE	3 0SMCJ54A	Z-Diode/TVS	54V, 34 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGE	TV30C540J	Z-Diode/TVS	54V 5%, 34 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HGF	3 0SMCJ58	Z-Diode/TVS	58V, 39 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGF	TV30C580K	Z-Diode/TVS	58V 10%, 39 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HGG	3 0SMCJ58A	Z-Diode/TVS	58V, 32A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGG	TV30C580J	Z-Diode/TVS	58V 5%, 32A, 3000W(1ms)	DO-214AB	1d	Cmc
HGH	3 0SMCJ60	Z-Diode/TVS	60V, 28A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGH	TV30C600K	Z-Diode/TVS	60V 10%, 28A, 3000W(1ms)	DO-214AB	1d	Cmc
HGK	3 0SMCJ60A	Z-Diode/TVS	60V, 31A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGK	TV30C600J	Z-Diode/TVS	60V 5%, 31A, 3000W(1ms)	DO-214AB	1d	Cmc
HGL	3 0SMCJ64	Z-Diode/TVS	64V, 26 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGL	TV30C640K	Z-Diode/TVS	64V 10%, 26 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HGM	3 0SMCJ64A	Z-Diode/TVS	64V, 29 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGM	TV30C640J	Z-Diode/TVS	64V 5%, 29 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HGN	3 0SMCJ70	Z-Diode/TVS	70V, 24A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGN	TV30C700K	Z-Diode/TVS	70V 10%, 24A, 3000W(1ms)	DO-214AB	1d	Cmc
HGP	3 0SMCJ70A	Z-Diode/TVS	70V, 26 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGP	TV30C700J	Z-Diode/TVS	70V 5%, 26 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HGQ	3 0SMCJ75	Z-Diode/TVS	75V, 22 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGQ	TV30C750K	Z-Diode/TVS	75V 10%, 22 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HGR	3 0SMCJ75A	Z-Diode/TVS	75V, 24 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
HGR	TV30C750J	Z-Diode/TVS	75V 5%, 24 8A, 3000W(1ms)	DO-214AB	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Чок.	Произв.
HGS	3 0SMCJ78	Z-Diode/TVS	78V, 21 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGS	TV30C780K	Z-Diode/TVS	78V 10%, 21 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HGT	3 0SMCJ78A	Z-Diode/TVS	78V, 22 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGT	TV30C780J	Z-Diode/TVS	78V 5%, 22 8A, 3000W(1ms)	DO-214AB	1d	Cmc
HGU	3 0SMCJ85	Z-Diode/TVS	85V, 19 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGU	TV30C850K	Z-Diode/TVS	85V 10%, 19 8A, 3000W(1ms)	DO-214AB	1d	Cmc
HGV	3 0SMCJ85A	Z-Diode/TVS	85V, 20 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGV	TV30C850J	Z-Diode/TVS	85V 5%, 20 8A, 3000W(1ms)	DO-214AB	1d	Cmc
HGW	3 0SMCJ90	Z-Diode/TVS	90V, 18 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGW	TV30C900K	Z-Diode/TVS	90V 10%, 18 8A, 3000W(1ms)	DO-214AB	1d	Cmc
HGX	3 0SMCJ90A	Z-Diode/TVS	90V, 20 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGX	TV30C900J	Z-Diode/TVS	90V 5%, 20 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HGY	3 0SMCJ100	Z-Diode/TVS	100V, 16 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGY	TV30C101K	Z-Diode/TVS	100V 10%, 16 6A 3000W(1ms)	DO-214AB	1d	Cmc
HGZ	3 0SMCJ100A	Z-Diode/TVS	100V, 18 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HGZ	TV30C101J	Z-Diode/TVS	100V 5%, 18 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HH	DDZ9689	Z-Diode	5,1V 5%, 500mW	SOD-123	5d	DiI
HH	DDZ9689S	Z-Diode	2,4V 5%, 200mW	SOD-323	5d	DiI
HH	P4SMAJ6 5	Z-Diode/TVS	6 5V 32 5A, 400W (1ms)	DO-214AC	1d	Pjt,Snj,Wpd
HH	Z2SMB-62	Z-Diode	62V 5% 2W	DO-214AA	1d	Fag
HHD	3 0SMCJ110	Z-Diode/TVS	110V, 15 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHD	TV30C111K	Z-Diode/TVS	110V 10%, 15 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HHE	3 0SMCJ110A	Z-Diode/TVS	110V, 16 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHE	TV30C111J	Z-Diode/TVS	110V 5%, 16 8A, 3000W(1ms)	DO-214AB	1d	Cmc
HHF	3 0SMCJ120	Z-Diode/TVS	120V, 14A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHF	TV30C121K	Z-Diode/TVS	120V 10%, 14 0A, 3000W(1ms)	DO-214AB	1d	Cmc
HHG	3 0SMCJ120A	Z-Diode/TVS	120V, 15 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHG	TV30C121J	Z-Diode/TVS	120V 5%, 15 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HHH	3 0SMCJ130	Z-Diode/TVS	130V, 13A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHH	TV30C131K	Z-Diode/TVS	130V 10%, 13A, 3000W(1ms)	DO-214AB	1d	Cmc
HHK	3 0SMCJ130A	Z-Diode/TVS	130V, 14 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHK	TV30C131J	Z-Diode/TVS	130V 5%, 14 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HHL	3 0SMCJ150	Z-Diode/TVS	150V, 11 2A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHL	TV30C151K	Z-Diode/TVS	150V 10%, 11 2A, 3000W(1ms)	DO-214AB	1d	Cmc
HHM	3 0SMCJ150A	Z-Diode/TVS	150V, 12 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHM	TV30C151J	Z-Diode/TVS	150V 5%, 12 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HHN	3 0SMCJ160	Z-Diode/TVS	160V, 10 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHN	TV30C161K	Z-Diode/TVS	160V 10%, 10 4A, 3000W(1ms)	DO-214AB	1d	Cmc
HHP	3 0SMCJ160A	Z-Diode/TVS	160V, 11 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHP	TV30C161J	Z-Diode/TVS	160V 5%, 11 6A, 3000W(1ms)	DO-214AB	1d	Cmc
HHQ	3 0SMCJ170	Z-Diode/TVS	170V, 9 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHQ	TV30C171K	Z-Diode/TVS	170V 10%, 9 8A, 3000W(1ms)	DO-214AB	1d	Cmc
HHR	3 0SMCJ170A	Z-Diode/TVS	170V, 11A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHR	TV30C171J	Z-Diode/TVS	170V 5%, 11A, 3000W(1ms)	DO-214AB	1d	Cmc
HHS	3 0SMCJ180	Z-Diode/TVS	170V, 9 3A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHT	3 0SMCJ180A	Z-Diode/TVS	170V, 10 3A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHU	3 0SMCJ190	Z-Diode/TVS	170V, 8 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHV	3 0SMCJ190A	Z-Diode/TVS	170V, 9 7A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHW	3 0SMCJ200	Z-Diode/TVS	170V, 8 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHX	3 0SMCJ200A	Z-Diode/TVS	170V, 9 3A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHY	3 0SMCJ210	Z-Diode/TVS	170V, 7 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HHZ	3 0SMCJ210A	Z-Diode/TVS	170V, 8 8A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HID	3 0SMCJ220	Z-Diode/TVS	170V, 7 6A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HIE	3 0SMCJ220A	Z-Diode/TVS	170V, 8 4A, 3000W (1ms)	DO-214AB	1d	Pjt,Snj,Wpd
HJ	DDZ9690	Z-Diode	5,6V 5%, 500mW	SOD-123	5d	DiI
HJ	DDZ9690S	Z-Diode	5,6V 5%, 200mW	SOD-323	5d	DiI
HK	DDZ9691	Z-Diode	6,2V 5%, 500mW	SOD-123	5d	DiI
HK	DDZ9691S	Z-Diode	6,2V 5%, 200mW	SOD-323	5d	DiI
HK	P4SMAJ6 5A	Z-Diode/TVS	6 5V, 35 7A, 400W (1ms)	DO-214AC	1d	Pjt,Snj,Wpd
HK	SMAJ6 5A	Z-Diode/TVS	6 5V, 35 7A, 400W (1ms)	DO-214AC	1d	DiI
HK	Z2SMB-68	Z-Diode	68V 5%, 2W	DO-214AA	1d	Fag
HL	DDZ9692	Z-Diode	6,9V 5%, 500mW	SOD-123	5d	DiI
HL	DDZ9692S	Z-Diode	6,9V 5%, 200mW	SOD-323	5d	DiI
HL	P4SMAJ7 0	Z-Diode/TVS	7V, 30 1A, 400W (1ms)	DO-214AC	1d	Pjt,Snj,Wpd
HL	Z2SMB-75	Z-Diode	75V 5%, 2W	DO-214AA	1d	Fag
HM	DDZ9693	Z-Diode	7,5V 5%, 500mW	SOD-123	5d	DiI
HM	DDZ9693S	Z-Diode	7,5V 5%, 200mW	SOD-323	5d	DiI

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
HM	P4SMAJ7.0A	Z-Diode/TVS	7V, 33.3A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HM	SMAJ7.0A	Z-Diode/TVS	7V, 33.3A, 400W (1ms)	DO-214AC	1d	Dil
HM	Z2SMB-82	Z-Diode	82V 5%, 2W	DO-214AA	1d	Fag
HN	DDZ9694	Z-Diode	8.2V 5%, 500mW	SOD-123	5d	Dil
HN	DDZ9694S	Z-Diode	8.2V 5%, 200mW	SOD-323	5d	Dil
HN	P4SMAJ7.5	Z-Diode/TVS	7.5V, 28A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HN	Z2SMB-91	Z-Diode	91V 5%, 2W	DO-214AA	1d	Fag
HP	CMOZ3L9	Z-Diode	3.9V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
HP	DDZ9696	Z-Diode	9.1V 5%, 500mW	SOD-123	5d	Dil
HP	DDZ9696S	Z-Diode	9.1V 5%, 200mW	SOD-323	5d	Dil
HP	P4SMAJ7.5A	Z-Diode/TVS	7.5V, 31A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HP	SMAJ7.5A	Z-Diode/TVS	7.5V, 31A, 400W (1ms)	DO-214AC	1d	Dil
HP	Z2SMB-100	Z-Diode	100V 5%, 2W	DO-214AA	1d	Fag
HQ	DDZ9697	Z-Diode	10V 5%, 500mW	SOD-123	5d	Dil
HQ	DDZ9697S	Z-Diode	10V 5%, 200mW	SOD-323	5d	Dil
HQ	P4SMAJ8.0	Z-Diode/TVS	8V, 26.5A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HQ	Z2SMB-110	Z-Diode	110V 5%, 2W	DO-214AA	1d	Fag
HR	DDZ9698	Z-Diode	11V 5%, 500mW	SOD-123	5d	Dil
HR	DDZ9698S	Z-Diode	11V 5%, 200mW	SOD-323	5d	Dil
HR	P4SMAJ8.0A	Z-Diode/TVS	8V, 29.4A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HR	SMAJ8.0A	Z-Diode/TVS	8V, 29.4A, 400W (1ms)	DO-214AC	1d	Dil
HR	Z2SMB-120	Z-Diode	120V 5%, 2W	DO-214AA	1d	Fag
HS	DDZ9699	Z-Diode	12V 5%, 500mW	SOD-123	5d	Dil
HS	DDZ9699S	Z-Diode	12V 5%, 200mW	SOD-323	5d	Dil
HS	P4SMAJ8.5	Z-Diode/TVS	8.5V, 25.1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HS	Z2SMB-130	Z-Diode	130V 5%, 2W	DO-214AA	1d	Fag
HT	DDZ9700	Z-Diode	13V 5%, 500mW	SOD-123	5d	Dil
HT	DDZ9700S	Z-Diode	13V 5%, 200mW	SOD-323	5d	Dil
HT	P4SMAJ8.5A	Z-Diode/TVS	8.5V, 27.7A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HT	SMAJ8.5A	Z-Diode/TVS	8.5V, 27.8A, 400W (1ms)	DO-214AC	1d	Dil
HT	Z2SMB-150	Z-Diode	150V 5%, 2W	DO-214AA	1d	Fag
HU	DDZ9701	Z-Diode	14V 5%, 500mW	SOD-123	5d	Dil
HU	DDZ9701S	Z-Diode	14V 5%, 200mW	SOD-323	5d	Dil
HU	P4SMAJ9.0	Z-Diode/TVS	9V, 23.6A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HU	Z2SMB-160	Z-Diode	160V 5%, 2W	DO-214AA	1d	Fag
HV	DDZ9702	Z-Diode	15V 5%, 500mW	SOD-123	5d	Dil
HV	DDZ9702S	Z-Diode	15V 5%, 200mW	SOD-323	5d	Dil
HV	P4SMAJ9.0A	Z-Diode/TVS	9V, 26A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HV	SMAJ9.0A	Z-Diode/TVS	9V, 26A, 400W (1ms)	DO-214AC	1d	Dil
HV	Z2SMB-180	Z-Diode	180V 5%, 2W	DO-214AA	1d	Fag
HW	DDZ9703	Z-Diode	16V 5%, 500mW	SOD-123	5d	Dil
HW	DDZ9703S	Z-Diode	16V 5%, 200mW	SOD-323	5d	Dil
HW	P4SMAJ10	Z-Diode/TVS	10V, 21.2A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HW	Z2SMB-200	Z-Diode	200V 5%, 2W	DO-214AA	1d	Fag
HX	P4SMAJ10A	Z-Diode/TVS	10V, 23.5A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HX	SMAJ10A	Z-Diode/TVS	10V, 21.7A, 400W (1ms)	DO-214AC	1d	Dil
HY	DDZ9705	Z-Diode	18V 5%, 500mW	SOD-123	5d	Dil
HY	DDZ9705S	Z-Diode	18V 5%, 200mW	SOD-323	5d	Dil
HY	P4SMAJ11	Z-Diode/TVS	11V, 20A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HZ	P4SMAJ11A	Z-Diode/TVS	11V, 22A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
HZ	SMAJ11A	Z-Diode/TVS	11V, 22A, 400W (1ms)	DO-214AC	1d	Dil
ID	P4SMAJ12	Z-Diode/TVS	12V, 18.1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
IDD	3.0SMCJ5.0C	Z-Diode/TVS	5V, 312.5A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
IDD	TV30C5V0KB	Z-Diode/TVS	5V 10%, 312.5A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDE	3.0SMCJ5.0AC	Z-Diode/TVS	5V, 326A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
IDE	TV30C5V0JB	Z-Diode/TVS	5V 5%, 326A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDF	3.0SMCJ6.0C	Z-Diode/TVS	6V, 263.2A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
IDF	TV30C6V0KB	Z-Diode/TVS	6V 10%, 263.2A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDG	3.0SMCJ6.0AC	Z-Diode/TVS	6V, 291.3A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
IDG	TV30C6V0JB	Z-Diode/TVS	6V 5%, 291.3A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDH	3.0SMCJ6.5C	Z-Diode/TVS	6.5V, 243.9A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
IDH	TV30C6V5KB	Z-Diode/TVS	6V 10%, 243.9A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDK	3.0SMCJ6.5AC	Z-Diode/TVS	6.5V, 267.9A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
IDK	TV30C6V5JB	Z-Diode/TVS	6V 5%, 267.9A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDL	3.0SMCJ7.0C	Z-Diode/TVS	7V, 225.6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
IDL	TV30C7V0KB	Z-Diode/TVS	7V 10%, 225.6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDM	3.0SMCJ7.0AC	Z-Diode/TVS	7V, 250A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
IDM	TV30C7V0JB	Z-Diode/TVS	7V 5%, 250A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDN	3 OSMCJ7 5C	Z-Diode/TVS	7 5V, 209 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDN	TV30C7V5KB	Z-Diode/TVS	7V 10%, 209 8A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDP	3 OSMCJ7 5AC	Z-Diode/TVS	7 5V, 232 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDP	TV30C7V5JB	Z-Diode/TVS	7V 5%, 232 6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDQ	3 OSMCJ8 0C	Z-Diode/TVS	8V, 200A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDQ	TV30C8V0KB	Z-Diode/TVS	8V 10%, 200A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDR	3 OSMCJ8 0AC	Z-Diode/TVS	8V, 220 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDR	TV30C8V0JB	Z-Diode/TVS	8V 5%, 220 6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDS	3 OSMCJ8 5C	Z-Diode/TVS	8 5V, 188 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDS	TV30C8V5KB	Z-Diode/TVS	8V 10%, 188 8A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDT	3 OSMCJ8 5AC	Z-Diode/TVS	8 5V, 208 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDT	TV30C8V5JB	Z-Diode/TVS	8V 5%, 208 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDU	3 OSMCJ9 0C	Z-Diode/TVS	9V, 177 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDU	TV30C9V0KB	Z-Diode/TVS	9V 10%, 177 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDV	3 OSMCJ9 0AC	Z-Diode/TVS	9V, 194 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDV	TV30C9V0JB	Z-Diode/TVS	9V 5%, 194 8A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDW	3 OSMCJ10C	Z-Diode/TVS	10V, 159 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDW	TV30C100KB	Z-Diode/TVS	10V 10%, 159 6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDX	3 OSMCJ10AC	Z-Diode/TVS	10V, 176 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDX	TV30C100JB	Z-Diode/TVS	10V 5%, 176 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDY	3 OSMCJ11C	Z-Diode/TVS	11V, 149 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDY	TV30C110KB	Z-Diode/TVS	11V 10%, 149 2A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IDZ	3 OSMCJ11AC	Z-Diode/TVS	11V, 184 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IDZ	TV30C110JB	Z-Diode/TVS	11V 5%, 184 8A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IE	P4SMAJ12A	Z-Diode/TVS	12V, 20 1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,W pd
IE	SMAJ12A	Z-Diode/TVS	12V, 20 1A, 400W (1ms)	DO-214AC	1d	Dil
IED	3 OSMCJ12C	Z-Diode/TVS	12V, 136 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IED	TV30C120KB	Z-Diode/TVS	12V 10%, 136 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEE	3 OSMCJ12AC	Z-Diode/TVS	12V, 150 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEE	TV30C120JB	Z-Diode/TVS	12V 5%, 150 6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEF	3 OSMCJ13C	Z-Diode/TVS	13V, 126A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEF	TV30C130KB	Z-Diode/TVS	13V 10%, 126A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEG	3 OSMCJ13AC	Z-Diode/TVS	13V, 139 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEG	TV30C130JB	Z-Diode/TVS	13V 5%, 139 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEH	3 OSMCJ14C	Z-Diode/TVS	14V, 116 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEH	TV30C140KB	Z-Diode/TVS	14V 10%, 116 2A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEK	3 OSMCJ14AC	Z-Diode/TVS	14V, 129 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEK	TV30C140JB	Z-Diode/TVS	14V 5%, 129 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEL	3 OSMCJ15C	Z-Diode/TVS	15V, 111 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEL	TV30C150KB	Z-Diode/TVS	15V 10%, 111 6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEM	3 OSMCJ15AC	Z-Diode/TVS	15V, 123A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEM	TV30C150JB	Z-Diode/TVS	15V 5%, 123A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEN	3 OSMCJ16C	Z-Diode/TVS	16V, 104 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEN	TV30C160KB	Z-Diode/TVS	16V 10%, 104 2A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEP	3 OSMCJ16AC	Z-Diode/TVS	16V, 115 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEP	TV30C160JB	Z-Diode/TVS	16V 5%, 115 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEQ	3 OSMCJ17C	Z-Diode/TVS	17V, 98 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEQ	TV30C170KB	Z-Diode/TVS	17V 10%, 98 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IER	3 OSMCJ17AC	Z-Diode/TVS	17V, 106 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IER	TV30C170JB	Z-Diode/TVS	17V 5%, 106 6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IES	3 OSMCJ18C	Z-Diode/TVS	18V, 93 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IES	TV30C180KB	Z-Diode/TVS	18V 10%, 93 2A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IET	3 OSMCJ18AC	Z-Diode/TVS	18V, 102 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IET	TV30C180JB	Z-Diode/TVS	18V 5%, 102 8A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEU	3 OSMCJ20C	Z-Diode/TVS	20V, 83 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEU	TV30C200KB	Z-Diode/TVS	20V 10%, 83 8A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEV	3 OSMCJ20AC	Z-Diode/TVS	20V, 92 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEV	TV30C200JB	Z-Diode/TVS	20V 5%, 92 6A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEW	3 OSMCJ22C	Z-Diode/TVS	22V, 76 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEW	TV30C220KB	Z-Diode/TVS	22V 10%, 76 2A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEX	3 OSMCJ22AC	Z-Diode/TVS	22V, 84 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEX	TV30C220JB	Z-Diode/TVS	22V 5%, 84 4A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEY	3 OSMCJ24C	Z-Diode/TVS	24V, 69 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEY	TV30C240KB	Z-Diode/TVS	24V 10%, 69 8A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc
IEZ	3 OSMCJ24AC	Z-Diode/TVS	24V, 77 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,W pd
IEZ	TV30C240JB	Z-Diode/TVS	24V 5%, 77 2A, 3000W (1ms), Bifirectional	DO-214AB	1c	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
IF	P4SMAJ13	Z-Diode/TVS	13V, 16 8A, 400W (1ms)	DO-214AC	1d	PjL,Sn,Wpd
IFD	3 0SMCJ26C	Z-Diode/TVS	26V, 64 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFD	TV30C260KB	Z-Diode/TVS	26V 10%, 64 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFE	3 0SMCJ26AC	Z-Diode/TVS	26V, 71 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFE	TV30C260JB	Z-Diode/TVS	26V 5%, 71 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFF	3 0SMCJ28C	Z-Diode/TVS	28V, 60A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFF	TV30C280KB	Z-Diode/TVS	28V 10%, 60A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFG	3 0SMCJ28AC	Z-Diode/TVS	28V, 66A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFG	TV30C280JB	Z-Diode/TVS	28V 5%, 66A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFH	3 0SMCJ30C	Z-Diode/TVS	30V, 56A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFH	TV30C300KB	Z-Diode/TVS	30V 10%, 56A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFK	3 0SMCJ30AC	Z-Diode/TVS	30V, 62A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFK	TV30C300JB	Z-Diode/TVS	30V 5%, 62A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFL	3 0SMCJ33C	Z-Diode/TVS	33V, 50 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFL	TV30C330KB	Z-Diode/TVS	33V 10%, 50 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFM	3 0SMCJ33AC	Z-Diode/TVS	33V, 56 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFM	TV30C330JB	Z-Diode/TVS	33V 5%, 56 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFN	3 0SMCJ36C	Z-Diode/TVS	36V, 46 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFN	TV30C360KB	Z-Diode/TVS	36V 10%, 46 6A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFP	3 0SMCJ36AC	Z-Diode/TVS	36V, 51 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFP	TV30C360JB	Z-Diode/TVS	36V 5%, 51 6A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFQ	3 0SMCJ40C	Z-Diode/TVS	40V, 42A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFQ	TV30C400KB	Z-Diode/TVS	40V 10%, 42A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFR	3 0SMCJ40AC	Z-Diode/TVS	40V, 46 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFR	TV30C400JB	Z-Diode/TVS	40V 5%, 46 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFS	3 0SMCJ43C	Z-Diode/TVS	43V, 39 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFS	TV30C430KB	Z-Diode/TVS	43V 10%, 39 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFT	3 0SMCJ43AC	Z-Diode/TVS	43V, 43 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFT	TV30C430JB	Z-Diode/TVS	43V 5%, 43 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFU	3 0SMCJ45C	Z-Diode/TVS	45V, 37 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFU	TV30C450KB	Z-Diode/TVS	45V 10%, 37 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFV	3 0SMCJ45AC	Z-Diode/TVS	45V, 41 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFV	TV30C450JB	Z-Diode/TVS	45V 5%, 41 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFW	3 0SMCJ48C	Z-Diode/TVS	48V, 35A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFW	TV30C480KB	Z-Diode/TVS	48V 10%, 35A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFX	3 0SMCJ48AC	Z-Diode/TVS	48V, 38 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFX	TV30C480JB	Z-Diode/TVS	48V 5%, 38 8A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFY	3 0SMCJ51C	Z-Diode/TVS	51V, 37A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFY	TV30C510KB	Z-Diode/TVS	51V 10%, 37A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IFZ	3 0SMCJ51AC	Z-Diode/TVS	51V, 36 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IFZ	TV30C510JB	Z-Diode/TVS	51V 5%, 36 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IG	P4SMAJ13A	Z-Diode/TVS	13V, 18 6A, 400W (1ms)	DO-214AC	1d	PjL,Sn,Wpd
IG	SMAJ13A	Z-Diode/TVS	13V, 18 6A, 400W (1ms)	DO-214AC	1d	Dil
IGD	3 0SMCJ54C	Z-Diode/TVS	54V, 31 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGD	TV30C540KB	Z-Diode/TVS	54V 10%, 31 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGE	3 0SMCJ54AC	Z-Diode/TVS	54V, 34 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGE	TV30C540JB	Z-Diode/TVS	54V 5%, 34 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGF	3 0SMCJ58C	Z-Diode/TVS	58V, 39 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGF	TV30C580KB	Z-Diode/TVS	58V 10%, 39 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGG	3 0SMCJ58AC	Z-Diode/TVS	58V, 32A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGG	TV30C580JB	Z-Diode/TVS	58V 5%, 32A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGH	3 0SMCJ60C	Z-Diode/TVS	60V, 28A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGH	TV30C600KB	Z-Diode/TVS	60V 10%, 28A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGK	3 0SMCJ60AC	Z-Diode/TVS	60V, 31A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGK	TV30C600JB	Z-Diode/TVS	60V 5%, 31A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGL	3 0SMCJ64C	Z-Diode/TVS	64V, 26 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGL	TV30C640KB	Z-Diode/TVS	64V 10%, 26 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGM	3 0SMCJ64AC	Z-Diode/TVS	64V, 29 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGM	TV30C640JB	Z-Diode/TVS	64V 5%, 29 2A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGN	3 0SMCJ70C	Z-Diode/TVS	70V, 24A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGN	TV30C700KB	Z-Diode/TVS	70V 10%, 24A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGP	3 0SMCJ70AC	Z-Diode/TVS	70V, 26 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGP	TV30C700JB	Z-Diode/TVS	70V 5%, 26 6A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGQ	3 0SMCJ75C	Z-Diode/TVS	75V, 22 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGQ	TV30C750KB	Z-Diode/TVS	75V 10%, 22 4A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc
IGR	3 0SMCJ75AC	Z-Diode/TVS	75V, 24 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PjL,Sn,Wpd
IGR	TV30C750JB	Z-Diode/TVS	75V 5%, 24 8A, 3000W(1ms), Bifirectional	DO-214AB	1c	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
IGS	3 0SMCJ78C	Z-Diode/TVS	78V, 21 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGS	TV30C780KB	Z-Diode/TVS	78V 10%, 21 6A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IGT	3 0SMCJ78AC	Z-Diode/TVS	78V, 22 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGT	TV30C780JB	Z-Diode/TVS	78V 5%, 22 8A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IGU	3 0SMCJ85C	Z-Diode/TVS	85V, 19 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGU	TV30C850KB	Z-Diode/TVS	85V 10%, 19 8A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IGV	3 0SMCJ85AC	Z-Diode/TVS	85V, 20 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGV	TV30C850JB	Z-Diode/TVS	85V 5%, 20 8A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IGW	3 0SMCJ90C	Z-Diode/TVS	90V, 18 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGW	TV30C900KB	Z-Diode/TVS	90V 10%, 18 8A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IGX	3 0SMCJ90AC	Z-Diode/TVS	90V, 20 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGX	TV30C900JB	Z-Diode/TVS	90V 5%, 20 6A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IGY	3 0SMCJ100C	Z-Diode/TVS	100V, 16 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGY	TV30C101KB	Z-Diode/TVS	100V 10%, 16 6A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IGZ	3 0SMCJ100AC	Z-Diode/TVS	100V, 18 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IGZ	TV30C101JB	Z-Diode/TVS	100V 5%, 18 6A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IH	P4SMAJ14	Z-Diode/TVS	14V 15 5A, 400W (1ms)	DO-214AC	1d	PJt,Srj,Wpd
IHD	3 0SMCJ110C	Z-Diode/TVS	110V, 15 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHD	TV30C111KB	Z-Diode/TVS	110V 10%, 15 4A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHE	3 0SMCJ110AC	Z-Diode/TVS	110V, 16 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHE	TV30C111JB	Z-Diode/TVS	110V 5%, 16 8A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHF	3 0SMCJ120C	Z-Diode/TVS	120V, 14A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHF	TV30C121KB	Z-Diode/TVS	120V 10%, 14 0A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHG	3 0SMCJ120AC	Z-Diode/TVS	120V, 15 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHG	TV30C121JB	Z-Diode/TVS	120V 5%, 15 6A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHH	3 0SMCJ130C	Z-Diode/TVS	130V, 13A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHH	TV30C131KB	Z-Diode/TVS	130V 10%, 13A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHK	3 0SMCJ130AC	Z-Diode/TVS	130V, 14 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHK	TV30C131JB	Z-Diode/TVS	130V 5%, 14 4A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHL	3 0SMCJ150C	Z-Diode/TVS	150V, 11 2A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHL	TV30C151KB	Z-Diode/TVS	150V 10%, 11 2A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHM	3 0SMCJ150AC	Z-Diode/TVS	150V, 12 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHM	TV30C151JB	Z-Diode/TVS	150V 5%, 12 4A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHN	3 0SMCJ160C	Z-Diode/TVS	160V, 10 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHN	TV30C161KB	Z-Diode/TVS	160V 10%, 10 4A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHP	3 0SMCJ160AC	Z-Diode/TVS	160V, 11 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHP	TV30C161JB	Z-Diode/TVS	160V 5%, 11 6A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHQ	3 0SMCJ170C	Z-Diode/TVS	170V, 9 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHQ	TV30C171KB	Z-Diode/TVS	170V 10%, 9 8A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHR	3 0SMCJ170AC	Z-Diode/TVS	170V, 11A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHR	TV30C171JB	Z-Diode/TVS	170V 5%, 11A, 3000W (1ms), Bidirectional	DO-214AB	1c	Cmc
IHS	3 0SMCJ180C	Z-Diode/TVS	170V, 9 3A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHT	3 0SMCJ180AC	Z-Diode/TVS	170V, 10 3A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHU	3 0SMCJ190C	Z-Diode/TVS	170V, 8 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHV	3 0SMCJ190AC	Z-Diode/TVS	170V, 9 7A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHW	3 0SMCJ200C	Z-Diode/TVS	170V, 8 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHX	3 0SMCJ200AC	Z-Diode/TVS	170V, 9 3A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHY	3 0SMCJ210C	Z-Diode/TVS	170V, 7 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IHZ	3 0SMCJ210AC	Z-Diode/TVS	170V, 8 8A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IID	3 0SMCJ220C	Z-Diode/TVS	170V, 7 6A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IIE	3 0SMCJ220AC	Z-Diode/TVS	170V, 8 4A, 3000W (1ms), Bidirectional	DO-214AB	2c	PJt,Srj,Wpd
IK	P4SMAJ14A	Z-Diode/TVS	14V, 17 2A, 400W (1ms)	DO-214AC	1d	PJt,Srj,Wpd
IK	SMAJ14A	Z-Diode/TVS	14V, 17 2A, 400W (1ms)	DO-214AC	1d	Oil
IL	P4SMAJ15	Z-Diode/TVS	15V, 14 8A, 400W (1ms)	DO-214AB	1d	PJt,Srj,Wpd
IM	P4SMAJ15A	Z-Diode/TVS	15V, 16 4A, 400W (1ms)	DO-214AB	1d	PJt,Srj,Wpd
IM	SMAJ15A	Z-Diode/TVS	15V, 16 4A, 400W (1ms)	DO-214AC	1d	Oil
IN	P4SMAJ16	Z-Diode/TVS	16V, 13 8A, 400W (1ms)	DO-214AB	1d	PJt,Srj,Wpd
IP	P4SMAJ16A	Z-Diode/TVS	16V, 15 3A, 400W (1ms)	DO-214AB	1d	PJt,Srj,Wpd
IP	SMAJ16A	Z-Diode/TVS	16V, 15 4A, 400W (1ms)	DO-214AC	1d	Oil
IQ	P4SMAJ17	Z-Diode/TVS	17V, 13 1A, 400W (1ms)	DO-214AB	1d	PJt,Srj,Wpd
IR	P4SMAJ17A	Z-Diode/TVS	17V, 14 5A, 400W (1ms)	DO-214AB	1d	PJt,Srj,Wpd
IR	SMAJ17A	Z-Diode/TVS	17V, 14 5A, 400W (1ms)	DO-214AC	1d	Oil
IR12	MBRS120	Si-Diode	Schottky Rectifier, 20V, 1A, Vf<0,35V(1A)	SMB	1d	Inr
IR12A	MBRA120	Si-Diode	Schottky Rectifier, 20V, 1A, Vf<0,34V(1A)	SMA	1d	Inr
IR14	MBRA140TR	Si-Diode	Schottky Rectifier, 40V, 1A, Vf<0,49V(1A)	SMA	1d	Inr
IR1C	10BQ015	Si-Diode	Schottky Rectifier, 15V, 1A, Vf<0,32V(1A)	SMB	1d	Inr
IR32	MBRS320TR	Si-Diode	Schottky Rectifier, 20V, 3A, Vf<0,36V(3A)	SMC	1d	Inr

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
IR3C	30BQ015	Si-Diode	Schottky Rectifier, 15V, 3A, V<0,3V(1A)	SMC	1d	Inr
IS	P4SMAJ18	Z-Diode/TVS	18V, 12.4A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
IT	P4SMAJ18A	Z-Diode/TVS	18V, 13.7A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
IT	SMAJ18A	Z-Diode/TVS	18V, 13.7A, 400W (1ms)	DO-214AC	1d	Dil
IU	P4SMAJ20	Z-Diode/TVS	20V, 11.1A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
IV	P4SMAJ20A	Z-Diode/TVS	20V, 12.3A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
IV	SMAJ20A	Z-Diode/TVS	20V, 12.3A, 400W (1ms)	DO-214AC	1d	Dil
IW	P4SMAJ22	Z-Diode/TVS	22V, 10.1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
IX	P4SMAJ22A	Z-Diode/TVS	22V, 11.2A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
IX	SMAJ22A	Z-Diode/TVS	22V, 11.2A, 400W (1ms)	DO-214AC	1d	Dil
IY	P4SMAJ24	Z-Diode/TVS	24V, 9.3A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
IZ	P4SMAJ24A	Z-Diode/TVS	24V, 10.3A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
IZ	SMAJ24A	Z-Diode/TVS	24V, 10.3A, 400W (1ms)	DO-214AC	1d	Dil
J	HVU357	C-Diode	VCO, 19.5..23.5pF(1V)	SOD-123	5d	Ren
J	MA27V15	C-Diode	VCO, 6V, 2.98..7.30pF	SOD-523	6d	Pan
J0	CMOZ39V	Z-Diode	139V 5%, 350mW	SOD-523	6d	Cen
J1	CMOZ18V	Z-Diode	18V 5%, 350mW	SOD-523	6d	Cen
J1	FRS3A	Si-Diode	Fast Recovery Rectifier, 50V, 3A, <250ns	DO-214AB	1d	Fag
J1	MMSZ5246	Z-Diode	16V±5%, 0.5W, Zzt=17Ω	SOD-123	5d	Vis
J1	MMSZ5246B	Z-Diode	16V±5%, 0.5W, Zzt=17Ω	SOD-123	5d	Dil
J1	MMSZ5246B	Z-Diode	16V±5%, 0.5W, Zzt=17Ω	SOD-123	5d	Dil
J1	MMSZ5246BS	Z-Diode	16V±5%, 0.2W, Zzt=17Ω	SOD-323	5d	Dil
J1	MMSZ5246BT1	Z-Diode	16V±5%, 0.5W, Zzt=17Ω	SOD-123	5d	Mot
J2	CMOZ18V	Z-Diode	18V 5%, 350mW	SOD-523	6d	Cen
J2	FRS3B	Si-Diode	Fast Recovery Rectifier, 100V, 3A, <250ns	DO-214AB	1d	Fag
J2	MMSZ5247	Z-Diode	17V±5%, 0.5W, Zzt=19Ω	SOD-123	5d	Vis
J2	MMSZ5247BT1	Z-Diode	17V±5%, 0.5W, Zzt=19Ω	SOD-123	5d	Mot
J2	UDZ8.2B	Z-Diode	8.2V±2.5%, 200mW	SOD-323	5d	Rhm
J2	UDZS8.2B	Z-Diode	8.2V 10%, 5mA, 200mW	SOD-106	1d	Rhm
J2	VDZS8.2B	Z-Diode	8.2V 10%, 5mA, 100mW	VMD2	5d	Rhm
J3	CMOZ20V	Z-Diode	20V 5%, 350mW	SOD-523	6d	Cen
J3	FRS3D	Si-Diode	Fast Recovery Rectifier, 200V, 3A, <250ns	DO-214AB	1d	Fag
J3	MMSZ5248	Z-Diode	18V±5%, 0.5W, Zzt=21Ω	SOD-123	5d	Vis
J3	MMSZ5248B	Z-Diode	18V±5%, 0.5W, Zzt=21Ω	SOD-123	5d	Dil
J3	MMSZ5248B	Z-Diode	18V±5%, 0.5W, Zzt=21Ω	SOD-123	5d	Dil
J3	MMSZ5248BS	Z-Diode	18V±5%, 0.2W, Zzt=21Ω	SOD-323	5d	Dil
J3	MMSZ5248BT1	Z-Diode	18V±5%, 0.5W, Zzt=21Ω	SOD-123	5d	Mot
J4	CMOZ22V	Z-Diode	22V 5%, 350mW	SOD-523	6d	Cen
J4	FRS3G	Si-Diode	Fast Recovery Rectifier, 400V, 3A, <250ns	DO-214AB	1d	Fag
J4	MMSZ5249	Z-Diode	19V±5%, 0.5W, Zzt=23Ω	SOD-123	5d	Vis
J4	MMSZ5249BT1	Z-Diode	19V±5%, 0.5W, Zzt=23Ω	SOD-123	5d	Mot
J5	CMOZ16V	Z-Diode	24V 5%, 350mW	SOD-523	6d	Cen
J5	FRS3J	Si-Diode	Fast Recovery Rectifier, 600V, 3A, <250ns	DO-214AB	1d	Fag
J5	MMSZ5250	Z-Diode	20V±5%, 300mW, Zzt=25Ω	SOD-123	5d	Vis
J5	MMSZ5250B	Z-Diode	20V±5%, 0.5W, Zzt=25Ω	SOD-123	5d	Dil
J5	MMSZ5250B	Z-Diode	20V±5%, 0.5W, Zzt=25Ω	SOD-123	5d	Dil
J5	MMSZ5250BS	Z-Diode	20V±5%, 0.2W, Zzt=25Ω	SOD-323	5d	Dil
J5	MMSZ5250BT1	Z-Diode	20V±5%, 0.5W, Zzt=25Ω	SOD-123	5d	Mot
J6	CMOZ27V	Z-Diode	27V 5%, 350mW	SOD-523	6d	Cen
J6	FRS3K	Si-Diode	Fast Recovery Rectifier, 800V, 3A, <250ns	DO-214AB	1d	Fag
J7	CMOZ30V	Z-Diode	30V 5%, 350mW	SOD-523	6d	Cen
J7	FRS3M	Si-Diode	Fast Recovery Rectifier, 1000V, 3A, <250ns	DO-214AB	1d	Fag
J8	CMOZ33V	Z-Diode	33V 5%, 350mW	SOD-523	6d	Cen
J9	CMOZ36V	Z-Diode	16V 5%, 350mW	SOD-523	6d	Cen
JA	KDS135	Si-Diode	Switching, 250V, 100mA, V<1.2V(100mA), 100ns	USC	5d	Kec
JD	P4SMAJ26	Z-Diode/TVS	26V, 8.6A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
JE	P4SMAJ26A	Z-Diode/TVS	26V, 9.5A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
JE	SMAJ26A	Z-Diode/TVS	26V, 9.5A, 400W (1ms)	DO-214AC	1d	Dil
JE	Z2SMB-6V2	Z-Diode	6.2V 5%, 2W	DO-214AA	1d	Fag
JF	MAZD110	Z-Diode	10.40..11.6V, 120mW	SSSMini2	7d	Pan
JF	P4SMAJ28	Z-Diode/TVS	28V, 8A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
JG	P4SMAJ28A	Z-Diode/TVS	28V, 8.8A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
JG	SMAJ28A	Z-Diode/TVS	28V, 8.8A, 400W (1ms)	DO-214AC	1d	Dil
JH	P4SMAJ30	Z-Diode/TVS	30V, 7.5A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
JK	P4SMAJ30A	Z-Diode/TVS	30V, 8.3A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
JK	SMAJ30A	Z-Diode/TVS	30V, 8.3A, 400W (1ms)	DO-214AC	1d	Dil
JL	P4SMAJ33	Z-Diode/TVS	33V, 6.8A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
JM	P4SMAJ33A	Z-Diode/TVS	33V, 7 5A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JM	SMAJ33A	Z-Diode/TVS	33V, 7 5A, 400W (1ms)	DO-214AC	1d	Dil
JN	P4SMAJ36	Z-Diode/TVS	36V, 6 2A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JP	CMOZ4L3	Z-Diode	4 3V, 250mW, Iz=0 5mA	SOD-323	5d	Cen
JP	P4SMAJ36A	Z-Diode/TVS	36V, 6 9A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JP	SMAJ36A	Z-Diode/TVS	36V, 6 9A, 400W (1ms)	DO-214AC	1d	Dil
JQ	P4SMAJ40	Z-Diode/TVS	40V, 5 6A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JR	BAS20HT	Si-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOD-323	5d	Ons
JR	P4SMAJ40A	Z-Diode/TVS	40V, 6 2A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JR	SMAJ40A	Z-Diode/TVS	40V, 6 2A, 400W (1ms)	DO-214AC	1d	Dil
JS	BAS21HT	Si-Diode	Switching, Fast, 200V, 250mA, 250mW, <50ns	SOD-323	5d	Ons
JS	BAS221	Si-Diode	GP, 200V, 300mA, 400mW, Vf<1,4V(300mA), <50ns	SOD110	12d	Phi
JS	MMSD103T1	Si-Diode	Switching, 250V, 200mA, 400mW, Vf<1,25V(200mA), <50ns	SOD-123	5d	Ons
JS	P4SMAJ43	Z-Diode/TVS	43V, 5 2A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JT	P4SMAJ43A	Z-Diode/TVS	43V, 5 7A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JT	SMAJ43A	Z-Diode/TVS	43V, 5 7A, 400W (1ms)	DO-214AC	1d	Dil
JU	P4SMAJ45	Z-Diode/TVS	45V, 5A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JV	BAT54HT1	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<0,52V(100mA), <5ns	SOD-323	5d	Ons
JV	P4SMAJ45A	Z-Diode/TVS	45V, 5 5A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JV	SMAJ45A	Z-Diode/TVS	45V, 5 5A, 400W (1ms)	DO-214AC	1d	Dil
JW	P4SMAJ48	Z-Diode/TVS	48V, 4 7A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JX	P4SMAJ48A	Z-Diode/TVS	48V, 5 2A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JX	SMAJ48A	Z-Diode/TVS	48V, 5 2A, 400W (1ms)	DO-214AC	1d	Dil
JY	P4SMAJ51	Z-Diode/TVS	51V, 4 4A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JZ	P4SMAJ51A	Z-Diode/TVS	51V, 4 9A, 400W (1ms)	DO-214AC	1d	PjL, Srj, Wpd
JZ	SMAJ51A	Z-Diode/TVS	51V, 4 9A, 400W (1ms)	DO-214AC	1d	Dil
K	HVU315	C-Diode	VHF-Tuning, 27,6 32,1pF(2V)	SOD-123	5d	Ren
K	MAZS039	Z-Diode	3,7 4,1V, 200mW	SC-79	6d	Pan
K	BB142	C-Diode	VCO, 6V, 20mA 2,05/4,6pF(4V/1V, 1MHz), <0,5Ω	SOD-523	6d	Phi
K^	MAZS039	Z-Diode	3,7 4,1V, 200mW	SC-79	6d	Pan
K^	MAZS0390H	Z-Diode	3,87 4 1V, 200mW	SC-79	6d	Pan
K_	MAZS039	Z-Diode	3,7 4,1V, 200mW	SC-79	6d	Pan
K_	MAZS0390L	Z-Diode	3,7 3,97V, 200mW	SC-79	6d	Pan
K1	BAP51-02	PIN-Diode	RF, 50V, 50mA, 715mW, 0,35pF, 5,5Ω(10mA/100MHz)	SOD-523	6d	Phi
K1	CMOZ43V	Z-Diode	43V 5%, 350mW	SOD-523	6d	Cen
K1	MMSZ52351	Z-Diode	22V 10%, 300mW	SOD-123	5d	Vis
K1	MMSZ5251B	Z-Diode	22V±5%, 0 5W, Zzt=29Ω	SOD-123	5d	Dil
K1	MMSZ5251B	Z-Diode	22V±5%, 0 5W, Zzt=29Ω	SOD-123	5d	Dil
K1	MMSZ5251BS	Z-Diode	22V±5%, 0 2W, Zzt=29Ω	SOD-323	5d	Dil
K1	MMSZ5251BT1	Z-Diode	22V±5%, 0 5W, Zzt=29Ω	SOD-123	5d	Mot
K2	MMSZ52352	Z-Diode	24V 10%, 300mW	SOD-123	5d	Vis
K2	MMSZ5252B	Z-Diode	24V±5%, 0 5W, Zzt=33Ω	SOD-123	5d	Dil
K2	MMSZ5252B	Z-Diode	24V±5%, 0 5W, Zzt=33Ω	SOD-123	5d	Dil
K2	MMSZ5252BS	Z-Diode	24V±5%, 0 2W, Zzt=33Ω	SOD-323	5d	Dil
K2	MMSZ5252BT1	Z-Diode	24V±5%, 0 5W, Zzt=33Ω	SOD-123	5d	Mot
K2	RKS1500DKK	C-Diode	TV-VCR-Tuners, 34V, C2=14 15 15 75pF, n>6,3, Rs<0,57Ω	SFP	6d	Ren
K3	BB145C	C-Diode	VCO, 10V, 20mA, 2,55/6,4pF(4V/1V, 1MHz), <0,8Ω	SOD-523	6d	Phi
K3	MMSZ52353	Z-Diode	25V 10%, 300mW	SOD-123	5d	Vis
K3	MMSZ5253BT1	Z-Diode	25V±5%, 0 5W, Zzt=35Ω	SOD-123	5d	Mot
K4	BAP50-02	PIN-Diode	RF, 50V, 50mA, 0,3pF, 3Ω(10mA/100MHz), 500mW	SOD-523	6d	Phi
K4	MMSZ52354	Z-Diode	27V 10%, 300mW	SOD-123	5d	Vis
K4	MMSZ5254B	Z-Diode	27V±5%, 0 5W, Zzt=41Ω	SOD-123	5d	Dil
K4	MMSZ5254B	Z-Diode	27V±5%, 0 5W, Zzt=41Ω	SOD-123	5d	Dil
K4	MMSZ5254BS	Z-Diode	27V±5%, 0 2W, Zzt=41Ω	SOD-323	5d	Dil
K4	MMSZ5254BT1	Z-Diode	27V±5%, 0 5W, Zzt=41Ω	SOD-123	5d	Mot
K5	BAP63-02	PIN-Diode	RF, 50V, 100mA, 0,36pF, 1,17Ω(10mA/100MHz), 715mW	SOD-523	6d	Phi
K5	MMSZ52355	Z-Diode	28V 10%, 300mW	SOD-123	5d	Vis
K5	MMSZ5255B	Z-Diode	28V±5%, 0 5W, Zzt=44Ω	SOD-123	5d	Dil
K5	MMSZ5255B	Z-Diode	28V±5%, 0 5W, Zzt=44Ω	SOD-123	5d	Dil
K5	MMSZ5255BS	Z-Diode	28V±5%, 0 2W, Zzt=44Ω	SOD-323	5d	Dil
K5	MMSZ5255BT1	Z-Diode	28V±5%, 0 5W, Zzt=44Ω	SOD-123	5d	Mot
K6	BAP65-01	PIN-Diode	RF, 30V, 100mA, 0,61pF, 0,3Ω(0,1A/100MHz), 315mW	SOD-723A	6d	Phi
K6	BAP65-02	PIN-Diode	RF, 30V, 100mA, 0,61pF, 0,3Ω(0,1A/100MHz), 715mW	SOD-523	6d	Phi
K7	BAP1321-02	PIN-Diode	RF, 60V, 100mA, 715mW, 0,45pF, 1,3Ω(100mA/100MHz)	SOD-523	6d	Phi
KD	P6SMB6 8	Z-Diode/TVS	6,8V, 56A, 600W (1ms)	DO-214AA	1d	Fag
KD	P6SMBJ5 0	Z-Diode/TVS	5V, 62 5A, 600W (1ms)	DO-214AA	1d	PjL, Srj, Wpd
KD	SMBG5 0	Z-Diode/TVS	5V, 62 5A, 600W (1ms)	DO-215AA	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
KD	SMBJ5 0	Z-Diode/TVS	5V, 62 5A, 600W (1ms)	DO-214AA	1d	Vis
KD	TV06B5V0K	Z-Diode/TVS	5V 10% 62 5A, 600W (1ms)	DO-214AA	1d	Cmc
KDP	TPSMB6 8	Z-Diode/TVS	6 8V, 55,6A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KE	1SMB5 0AT3	Z-Diode/TVS	5V, 62 5A, 600W (1ms)	403A	3d	Mot,Ons
KE	P6SMB6 8A	Z-Diode/TVS	6,8V, 57A, 600W (1ms)	DO-214AA	1d	Fag
KE	P6SMBJ5 0A	Z-Diode/TVS	5V, 65 2A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KE	SMBG5 0A	Z-Diode/TVS	5V, 65 2A, 600W (1ms)	DO-215AA	1d	Vis
KE	SMBJ5 0A	Z-Diode/TVS	5V, 65 2A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KE	TV06B5V0J	Z-Diode/TVS	5V 5%, 65 2A, 600W (1ms)	DO-214AA	1d	Cmc
KE7	SM6T6V8A	Z-Diode/TVS	6 45 7 14V, 57A, 600W (1ms)	DO-214AA	1d	Vis
KE7	SM6T6V8CA	Z-Diode/TVS	6 45 7 14V, 57A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
KEP	TPSMB6 8A	Z-Diode/TVS	8,2V, 57 1A, 600W (1ms)	DO-214AA	1d	Gse Vis
KEX	SMAT70A	Z-Diode/TVS	70V 40A, 400W (1ms)	DO-214AC	1d	Dil
KF	MAZD120	Z-Diode	11,4 12,7V, 120mW	SSSMIn2	7d	Pan
KF	P6SMB7 5	Z-Diode/TVS	7,5V, 51A, 600W (1ms)	DO-214AA	1d	Fag
KF	P6SMBJ6 0	Z-Diode/TVS	6V, 52 6A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KF	SMBG6 0	Z-Diode/TVS	6V, 52 6A, 600W (1ms)	DO-215AA	1d	Vis
KF	SMBJ6 0	Z-Diode/TVS	6V, 52 6A, 600W (1ms)	DO-214AA	1d	Vis
KF	TV06B6V0K	Z-Diode/TVS	6V 10%, 52 6A, 600W (1ms)	DO-214AA	1d	Cmc
KFP	TPSMB7 5	Z-Diode/TVS	7 5V 51 3A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KG	1SMB6 0AT3	Z-Diode/TVS	6V, 58 3A, 600W (1ms)	403A	3d	Mot,Ons
KG	P6SMB7 5A	Z-Diode/TVS	7,5V, 53A, 600W (1ms)	DO-214AA	1d	Fag
KG	P6SMBJ6 0A	Z-Diode/TVS	6V, 58 3A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KG	SMBG6 0A	Z-Diode/TVS	6V, 58 3A, 600W (1ms)	DO-215AA	1d	Vis
KG	SMBJ6 0A	Z-Diode/TVS	6V, 58 3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KG	TV06B6V0J	Z-Diode/TVS	6V 5%, 58 3A 600W (1ms)	DO-214AA	1d	Cmc
KGP	TPSMB7 5A	Z-Diode/TVS	7,5V, 53,1A, 600W (1ms)	DO-214AA	1d	Gse Vis
KH	P6SMB8 2	Z-Diode/TVS	8,2V, 48A, 600W (1ms)	DO-214AA	1d	Fag
KH	P6SMBJ6 5	Z-Diode/TVS	6 5V, 48 7A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KH	SMBG6 5	Z-Diode/TVS	6 5V, 48 8A, 600W (1ms)	DO-215AA	1d	Vis
KH	SMBJ6 5	Z-Diode/TVS	6,5V, 48 8A, 600W (1ms)	DO-214AA	1d	Vis
KH	TV06B6V5K	Z-Diode/TVS	6 5V 10%, 48 7A, 600W (1ms)	DO-214AA	1d	Cmc
KHP	TPSMB8 2	Z-Diode/TVS	8,2V, 48A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KK	1SMB6 5AT3	Z-Diode/TVS	6 5V, 53 6A, 600W (1ms)	403A	3d	Mot,Ons
KK	P6SMB8 2A	Z-Diode/TVS	8,2V, 50A, 600W (1ms)	DO-214AA	1d	Fag
KK	P6SMBJ6 5A	Z-Diode/TVS	6 5V, 53 6A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KK	SMBG6 5A	Z-Diode/TVS	6,5V, 53 6A, 600W (1ms)	DO-215AA	1d	Vis
KK	SMBJ6 5A	Z-Diode/TVS	6,5V, 53 6A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KK	TV06B6V5J	Z-Diode/TVS	6 5V 5%, 53 6A, 600W (1ms)	DO-214AA	1d	Cmc
KK7	SM6T7V5A	Z-Diode/TVS	7 13 7 88V 53A, 600W (1ms)	DO-214AA	1d	Vis
KKP	TPSMB8 2A	Z-Diode/TVS	8,2V, 49 6A 600W (1ms)	DO-214AA	1d	Gse,Vis
KL	P6SMB9 1	Z-Diode/TVS	9,1V, 44A, 600W (1ms)	DO-214AA	1d	Fag
KL	P6SMBJ7 0	Z-Diode/TVS	7V, 45 1A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KL	SMBG7 0	Z-Diode/TVS	7V, 45 1A, 600W (1ms)	DO-215AA	1d	Vis
KL	SMBJ7 0	Z-Diode/TVS	7V, 45 1A, 600W (1ms)	DO-214AA	1d	Vis
KL	TV06B7V0K	Z-Diode/TVS	7V 10%, 45 1A 600W (1ms)	DO-214AA	1d	Cmc
KLP	TPSMB9 1	Z-Diode/TVS	9,1V, 43 5A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KM	1SMB7 0AT3	Z-Diode/TVS	7V, 50A, 600W (1ms)	403A	3d	Mot,Ons
KM	DDZ5V1B	Z-Diode	5,1V±2%, 200mW	SOD-323	5d	Dil
KM	DDZ5V1BS	Z-Diode	5,1V±2%, 200mW	SOD-323	5d	Dil
KM	P6SMB9 1A	Z-Diode/TVS	9,1V, 45A, 600W (1ms)	DO-214AA	1d	Fag
KM	P6SMBJ7 0A	Z-Diode/TVS	7V, 50A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KM	SMBG7 0A	Z-Diode/TVS	7V, 50A, 600W (1ms)	DO-215AA	1d	Vis
KM	SMBJ7 0A	Z-Diode/TVS	7V, 50A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KM	TV06B7V0J	Z-Diode/TVS	7V 5%, 5A 600W (1ms)	DO-214AA	1d	Cmc
KMP	TPSMB9 1A	Z-Diode/TVS	9 1V, 44,8A, 600W (1ms)	DO-214AA	1d	Gse Vis
KN	DDZ5V6B	Z-Diode	5,6V±2%, 200mW	SOD-323	5d	Dil
KN	DDZ5V6BS	Z-Diode	5,6V±2%, 200mW	SOD-323	5d	Dil
KN	P6SMB10	Z-Diode/TVS	10V, 40A, 600W (1ms)	DO-214AA	1d	Fag
KN	P6SMBJ7 5	Z-Diode/TVS	7 5V, 42A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KN	SMBG7 5	Z-Diode/TVS	7,5V 42A, 600W (1ms)	DO-215AA	1d	Vis
KN	SMBJ7 5	Z-Diode/TVS	7,5V, 42A, 600W (1ms)	DO-214AA	1d	Vis
KN	TV06B7V5K	Z-Diode/TVS	7 5V 10%, 42A, 600W (1ms)	DO-214AA	1d	Cmc
KNP	TPSMB10	Z-Diode/TVS	10V 40A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KO	DDZ6V2B	Z-Diode	6,2V±2%, 200mW	SOD-323	5d	Dil
KO	DDZ6V2BS	Z-Diode	6,2V±2%, 200mW	SOD-323	5d	Dil
KP	1SMB7 5AT3	Z-Diode/TVS	7 5V 46 5A 600W (1ms)	403A	3d	Mot Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
KP	CMOZ4L7	Z-Diode	4 TV, 250mW, Iz=0.5mA	SOD-323	5d	Cen
KP	P6SMB10A	Z-Diode/TVS	10V, 41A, 600W (1ms)	DO-214AA	1d	Fag
KP	P6SMBJ7.5A	Z-Diode/TVS	7.5V, 46.5A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KP	SMBG7.5A	Z-Diode/TVS	7.5V, 46.5A, 600W (1ms)	DO-215AA	1d	Vis
KP	SMBJ7.5A	Z-Diode/TVS	7.5V, 46.5A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KP	TV06B7V5J	Z-Diode/TVS	7.5V 5% 46.5A, 600W(1ms)	DO-214AA	1d	Cmc
KPP	TPSMB10A	Z-Diode/TVS	10V, 41.4A 600W (1ms)	DO-214AA	1d	Gse,Vis
KQ	P6SMB11	Z-Diode/TVS	11V, 37A, 600W (1ms)	DO-214AA	1d	Fag
KQ	P6SMBJ8.0	Z-Diode/TVS	8V, 40A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KQ	SMBG8.0	Z-Diode/TVS	8V, 40A, 600W (1ms)	DO-215AA	1d	Vis
KQ	SMBJ8.0	Z-Diode/TVS	8V, 40A, 600W (1ms)	DO-214AA	1d	Vis
KQ	TV06B8V0K	Z-Diode/TVS	8V 10%, 45A, 600W(1ms)	DO-214AA	1d	Cmc
KQP	TPSMB11	Z-Diode/TVS	11V, 37A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KR	1SMB8.0AT3	Z-Diode/TVS	8V, 44.1A, 600W (1ms)	403A	3d	Mot,Ons
KR	P6SMB11A	Z-Diode/TVS	11V, 38A, 600W (1ms)	DO-214AA	1d	Fag
KR	P6SMBJ8.0A	Z-Diode/TVS	8V, 44.1A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KR	SMBG8.0A	Z-Diode/TVS	8V, 44.1A, 600W (1ms)	DO-215AA	1d	Vis
KR	SMBJ8.0A	Z-Diode/TVS	8V, 44.1A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KR	TV06B8V0J	Z-Diode/TVS	8V 5%, 44.1A, 600W(1ms)	DO-214AA	1d	Cmc
KRP	TPSMB11A	Z-Diode/TVS	11V, 38.5A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KS	P6SMB12	Z-Diode/TVS	12V, 35A, 600W (1ms)	DO-214AA	1d	Fag
KS	P6SMBJ8.5	Z-Diode/TVS	8.5V, 37.7A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KS	SMBG8.5	Z-Diode/TVS	8.5V, 37.7A, 600W (1ms)	DO-215AA	1d	Vis
KS	SMBJ8.5	Z-Diode/TVS	8.5V, 37.7A, 600W (1ms)	DO-214AA	1d	Vis
KS	TV06B8V5K	Z-Diode/TVS	8.5V 10%, 37.7A, 600W(1ms)	DO-214AA	1d	Cmc
KSP	TPSMB12	Z-Diode/TVS	12V, 34.7A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KT	1SMB8.5AT3	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms)	403A	3d	Mot,Ons
KT	P6SMB12A	Z-Diode/TVS	12V, 36A, 600W (1ms)	DO-214AA	1d	Fag
KT	P6SMBJ8.5A	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KT	SMBG8.5A	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms)	DO-215AA	1d	Vis
KT	SMBJ8.5A	Z-Diode/TVS	8.5V, 41.7A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KT	TV06B8V5J	Z-Diode/TVS	8.5V 5%, 41.7A, 600W(1ms)	DO-214AA	1d	Cmc
KT7	SM6T10A	Z-Diode/TVS	9.5 10 5V, 41A, 600W (1ms)	DO-214AA	1d	Vis
KTP	TPSMB12A	Z-Diode/TVS	12V, 35.9A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KU	P6SMB13	Z-Diode/TVS	13V, 32A, 600W (1ms)	DO-214AA	1d	Fag
KU	P6SMBJ9.0	Z-Diode/TVS	9V, 35.5A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KU	SMBG9.0	Z-Diode/TVS	9V, 35.5A, 600W (1ms)	DO-215AA	1d	Vis
KU	SMBJ9.0	Z-Diode/TVS	9V, 35.5A, 600W (1ms)	DO-214AA	1d	Vis
KU	TV06B9V0K	Z-Diode/TVS	9V 10%, 35.5A, 600W(1ms)	DO-214AA	1d	Cmc
KUP	TPSMB13	Z-Diode/TVS	13V, 31.6A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KV	1SMB9.0AT3	Z-Diode/TVS	9V, 39A, 600W (1ms)	403A	3d	Mot,Ons
KV	P6SMB13A	Z-Diode/TVS	13V, 33A, 600W (1ms)	DO-214AA	1d	Fag
KV	P6SMBJ9.0A	Z-Diode/TVS	9V, 39A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KV	SMBG9.0A	Z-Diode/TVS	9V, 39A, 600W (1ms)	DO-215AA	1d	Vis
KV	SMBJ9.0A	Z-Diode/TVS	9V, 39A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KV	TV06B9V0J	Z-Diode/TVS	9V 5%, 39A, 600W(1ms)	DO-214AA	1d	Cmc
KVP	TPSMB13A	Z-Diode/TVS	13V, 33.0A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KW	DDZ13B	Z-Diode	13V±2%, 200mW	SOD-323	5d	Dil
KW	DDZ13BS	Z-Diode	13V±2%, 200mW	SOD-323	5d	Dil
KW	P6SMB15	Z-Diode/TVS	15V, 27A, 600W (1ms)	DO-214AA	1d	Fag
KW	P6SMBJ10	Z-Diode/TVS	10V, 31.9A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KW	SMBG10	Z-Diode/TVS	10V, 31.9A, 600W (1ms)	DO-215AA	1d	Vis
KW	SMBJ10	Z-Diode/TVS	10V, 31.9A, 600W (1ms)	DO-214AA	1d	Vis
KW	TV06B100K	Z-Diode/TVS	10V 10%, 31.9A, 600W(1ms)	DO-214AA	1d	Cmc
KWP	TPSMB15	Z-Diode/TVS	15V, 27.3A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KX	1SMB10AT3	Z-Diode/TVS	10V, 35.3A, 600W (1ms)	403A	3d	Mot,Ons
KX	P6SMB15A	Z-Diode/TVS	15V, 28A, 600W (1ms)	DO-214AA	1d	Fag
KX	P6SMBJ10A	Z-Diode/TVS	10V, 35.3A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KX	SMBG10A	Z-Diode/TVS	10V, 35.3A, 600W (1ms)	DO-215AA	1d	Vis
KX	SMBJ10A	Z-Diode/TVS	10V, 35.3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KX	TV06B100J	Z-Diode/TVS	10V 5%, 35.3A, 600W(1ms)	DO-214AA	1d	Cmc
KX7	SM6T12A	Z-Diode/TVS	11 & 12 6V, 36A, 600W (1ms)	DO-214AA	1d	Vis
KXC	1SMB10CAT3	Z-Diode/TVS	10V, 135.3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
KXP	TPSMB15A	Z-Diode/TVS	15V, 28.3A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KY	P6SMB16	Z-Diode/TVS	16V, 26A, 600W (1ms)	DO-214AA	1d	Fag
KY	P6SMBJ11	Z-Diode/TVS	11V, 29.9A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KY	SMBG11	Z-Diode/TVS	11V, 29.9A, 600W (1ms)	DO-215AA	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
KY	SMBJ11	Z-Diode/TVS	11V, 29 9A, 600W (1ms)	DO-214AA	1d	Vis
KY	TV06B110K	Z-Diode/TVS	11V 10%, 29 9A, 600W(1ms)	DO-214AA	1d	Cmc
KYP	TPSMB16	Z-Diode/TVS	16V, 25.5A, 600W (1ms)	DO-214AA	1d	Gse,Vis
KZ	1SMB11AT3	Z-Diode/TVS	11V, 33A, 600W (1ms)	403A	3d	Mol,Ons
KZ	P6SMB16A	Z-Diode/TVS	16V, 27A, 600W (1ms)	DO-214AA	1d	Fag
KZ	P6SMBJ11A	Z-Diode/TVS	11V, 33A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
KZ	SM8G11A	Z-Diode/TVS	11V, 33A, 600W (1ms)	DO-215AA	1d	Vis
KZ	SMBJ11A	Z-Diode/TVS	11V, 33A, 600W (1ms)	DO-214AA	1d	Dil,Vis
KZ	TV06B110J	Z-Diode/TVS	11V 5%, 33A, 600W(1ms)	DO-214AA	1d	Cmc
KZC	1SMB11CAT3	Z-Diode/TVS	11V, 33A, 600W (1ms), Bidirectional	403A	3c	Mol,Ons
KZP	TPSMB16A	Z-Diode/TVS	16V, 26 7A, 600W (1ms)	DO-214AA	1d	Gse Vis
L	B8143	C-Diode	VCO, 6V, 20mA, 2.25/5,3pF(4V/1V, 1MHz), <0.5Ω	SOD-523	6d	Phi
L	HVU356	C-Diode	VCO, BS-Tuner, 27.7 31.8pF(2V)	SOD-123	5d	Ren
L	MAZS043	Z-Diode	4 4.6V, 200mW	SC-79	6d	Pan
L-	MAZS043	Z-Diode	4 4.6V, 200mW	SC-79	6d	Pan
L-	MAZS0430M	Z-Diode	4,17 4.4V, 200mW	SC-79	6d	Pan
L^	MAZS043	Z-Diode	4 4.6V, 200mW	SC-79	6d	Pan
L^	MAZS0430H	Z-Diode	4,31 4.54V, 200mW	SC-79	6d	Pan
L_	MAZS043	Z-Diode	4 4.6V, 200mW	SC-79	6d	Pan
L_	MAZS0430L	Z-Diode	4,03 4.26V, 200mW	SC-79	6d	Pan
L10	SSCD210	Sr-Diode	Schottky Barrier Rectifier, 100V, 2A, Vf<0.85V(2A)	1206	14d	Zow
L2	SSCD202	Sr-Diode	Schottky Barrier Rectifier, 20V, 2A, Vf<0.5V(2A)	1206	14d	Zow
L2	UD29 1B	Z-Diode	9,1V±2.5%, 200mW	SOD-323	5d	Rhm
L2	UDZS9 1B	Z-Diode	9,1V 10%, 5mA, 200mW	SOD-106	1d	Rhm
L2	VDZS9 1B	Z-Diode	9,1V 10%, 5mA, 100mW	VMD2	5d	Rhm
L2E	MBR120ESFT1	Sr-Diode	Schottky Power Rectifier, 20V, 1A, Vf=0.45V(1A)	SOD-123FL	7d	Ons
L2L	MBR120LSFT1	Sr-Diode	Schottky Power Rectifier, 20V, 1A, Vf=0.41V(1A)	SOD-123FL	7d	Ons
L4	BAT754	Sr-Diode	Schottky, U-Fast, 30V, 200mA, Vf<0.8V(100mA), <5ns	SOD-110	12d	Phi
L4	SSCD204	Sr-Diode	Schottky Barrier Rectifier, 40V, 2A, Vf<0.5V(2A)	1206	14d	Zow
L4F	MBR140SFT1	Sr-Diode	Schottky Power Rectifier, 40V, 1A, Vf=0.51V(1A)	SOD-123FL	7d	Ons
L6	SSCD206	Sr-Diode	Schottky Barrier Rectifier, 60V, 2A, Vf<0.7V(2A)	1206	14d	Zow
L7	BAT17W	Sr-Diode	Schottky, UHF-Mix, 4V, 130mA, Vf<0.8V(10mA) Cd<0.75pF	SOD-123	5d	Cen
L8	BA792	Sr-Diode	VHF, TV-Band-sw, 35V, 0.1A, 1.1pF	SOD-110	12d	Phi
LD	P6SMB18	Z-Diode/TVS	18V, 23A, 600W (1ms)	DO-214AA	1d	Fag
LD	P6SMBJ12	Z-Diode/TVS	12V, 27 3A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LD	SM6T6V8C	Z-Diode/TVS	6.8V, 55A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
LD	SM8G12	Z-Diode/TVS	12V, 27 3A, 600W (1ms)	DO-215AA	1d	Vis
LD	SMBJ12	Z-Diode/TVS	12V, 27 3A, 600W (1ms)	DO-214AA	1d	Vis
LD	TV06B120K	Z-Diode/TVS	12V 10%, 27 3A, 600W(1ms)	DO-214AA	1d	Cmc
LE	1SMB12AT3	Z-Diode/TVS	12V, 30 2A, 600W (1ms)	403A	3d	Mol,Ons
LE	P6SMB18A	Z-Diode/TVS	18V, 24A, 600W (1ms)	DO-214AA	1d	Fag
LE	P6SMBJ12A	Z-Diode/TVS	12V, 30 2A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LE	SM6T6V8CA	Z-Diode/TVS	6.8V, 57A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
LE	SM8G12A	Z-Diode/TVS	12V, 30 2A, 600W (1ms)	DO-215AA	1d	Vis
LE	SMBJ12A	Z-Diode/TVS	12V, 30 2A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LE	TV06B120J	Z-Diode/TVS	12V 5%, 30 2A, 600W(1ms)	DO-214AA	1d	Cmc
LEG	1SMB12CAT3	Z-Diode/TVS	12V, 30 2A, 600W (1ms), Bidirectional	403A	3c	Mol Ons
LEP	TPSMB18A	Z-Diode/TVS	18V, 23.8A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LF	MAZD130	Z-Diode	12.4 14.1V, 120mW	SSSMm2	7d	Pan
LF	P6SMB20	Z-Diode/TVS	20V, 21A, 600W (1ms)	DO-214AA	1d	Fag
LF	P6SMBJ13	Z-Diode/TVS	13V, 25 2A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LF	SM6T7V5C	Z-Diode/TVS	7.5V, 51A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
LF	SM8G13	Z-Diode/TVS	13V, 25 2A, 600W (1ms)	DO-215AA	1d	Vis
LF	SMBJ13	Z-Diode/TVS	13V, 25 2A, 600W (1ms)	DO-214AA	1d	Vis
LF	TV06B130K	Z-Diode/TVS	13V 10%, 25 2A, 600W(1ms)	DO-214AA	1d	Cmc
LFP	TPSMB20	Z-Diode/TVS	20V, 20 8A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LG	1SMB13AT3	Z-Diode/TVS	13V, 27 9A, 600W (1ms)	403A	3d	Mol,Ons
LG	P6SMB20A	Z-Diode/TVS	20V, 20A, 600W (1ms)	DO-214AA	1d	Fag
LG	P6SMBJ13A	Z-Diode/TVS	13V, 27 9A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LG	SM6T7V5CA	Z-Diode/TVS	7.5V, 53A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
LG	SM8G13A	Z-Diode/TVS	13V, 27 9A, 600W (1ms)	DO-215AA	1d	Vis
LG	SMBJ13A	Z-Diode/TVS	13V, 27 9A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LG	TV06B130J	Z-Diode/TVS	13V 5%, 27 9A, 600W(1ms)	DO-214AA	1d	Cmc
LG7	SM6T15A	Z-Diode/TVS	14 3 15 8V, 28A, 600W (1ms)	DO-214AA	1d	Vis
LG7	SM6T15CA	Z-Diode/TVS	14 3 15 8V, 28A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
LGC	1SMB13CAT3	Z-Diode/TVS	13V, 27 9A, 600W (1ms), Bidirectional	403A	3c	Mol,Ons
LGP	TPSMB20A	Z-Diode/TVS	20V, 21 7A, 600W (1ms)	DO-214AA	1d	Gse Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
LH	P6SMB22	Z-Diode/TVS	22V, 19A, 600W (1ms)	DO-214AA	1d	Fag
LH	P6SMBJ14	Z-Diode/TVS	14V, 23.3A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LH	SMBG14	Z-Diode/TVS	14V, 23.3A, 600W (1ms)	DO-215AA	1d	Vis
LH	SMBJ14	Z-Diode/TVS	14V, 23.3A, 600W (1ms)	DO-214AA	1d	Vis
LH	TV06B140K	Z-Diode/TVS	14V 10%, 23.3A, 600W (1ms)	DO-214AA	1d	Cmc
LHP	TPSMB22	Z-Diode/TVS	22V, 18.8A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LK	1SMB14AT3	Z-Diode/TVS	14V, 25.8A, 600W (1ms)	403A	3d	Mot,Ons
LK	P6SMB22A	Z-Diode/TVS	22V, 20A, 600W (1ms)	DO-214AA	1d	Fag
LK	P6SMBJ14A	Z-Diode/TVS	14V, 25.8A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LK	SMBG14A	Z-Diode/TVS	14V, 25.9A, 600W (1ms)	DO-215AA	1d	Vis
LK	SMBJ14A	Z-Diode/TVS	14V, 25.9A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LK	TV06B140J	Z-Diode/TVS	14V 5%, 25.8A, 600W (1ms)	DO-214AA	1d	Cmc
LKC	1SMB14CAT3	Z-Diode/TVS	14V, 25.8A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LKP	TPSMB22A	Z-Diode/TVS	22V, 19.6A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LL	P6SMB24	Z-Diode/TVS	24V, 17A, 600W (1ms)	DO-214AA	1d	Fag
LL	P6SMBJ15	Z-Diode/TVS	15V, 22.3A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LL	SMBG15	Z-Diode/TVS	15V, 22.3A, 600W (1ms)	DO-215AA	1d	Vis
LL	SMBJ15	Z-Diode/TVS	15V, 22.3A, 600W (1ms)	DO-214AA	1d	Vis
LL	TV06B150K	Z-Diode/TVS	15V 10%, 22.3A, 600W (1ms)	DO-214AA	1d	Cmc
LLP	TPSMB24	Z-Diode/TVS	24V, 17.3A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LM	1SMB15AT3	Z-Diode/TVS	15V, 24.0A, 600W (1ms)	403A	3d	Mot,Ons
LM	P6SMB24A	Z-Diode/TVS	24V, 18A, 600W (1ms)	DO-214AA	1d	Fag
LM	P6SMBJ15A	Z-Diode/TVS	15V, 24A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LM	SMBG15A	Z-Diode/TVS	15V, 24.6A, 600W (1ms)	DO-215AA	1d	Vis
LM	SMBJ15A	Z-Diode/TVS	15V, 24.6A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LM	TV06B150J	Z-Diode/TVS	15V 5%, 24A, 600W (1ms)	DO-214AA	1d	Cmc
LM7	SM6T18A	Z-Diode/TVS	17.1, 18.9V, 24A, 600W (1ms)	DO-214AA	1d	Vis
LMC	1SMB15CAT3	Z-Diode/TVS	15V, 24.0A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LMP	TPSMB24A	Z-Diode/TVS	14V, 18.1A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LN	P6SMB27	Z-Diode/TVS	27V, 16A, 600W (1ms)	DO-214AA	1d	Fag
LN	P6SMBJ16	Z-Diode/TVS	16V, 20.8A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LN	SM6T10C	Z-Diode/TVS	10V, 40A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
LN	SMBG16	Z-Diode/TVS	16V, 20.8A, 600W (1ms)	DO-215AA	1d	Vis
LN	SMBJ16	Z-Diode/TVS	16V, 20.8A, 600W (1ms)	DO-214AA	1d	Vis
LN	TV06B160K	Z-Diode/TVS	16V 10%, 20.8A, 600W (1ms)	DO-214AA	1d	Cmc
LNP	TPSMB27	Z-Diode/TVS	27V, 15.3A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LOP	TPSMB18	Z-Diode/TVS	18V, 22.6A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LP	1SMB16AT3	Z-Diode/TVS	16V, 23.1A, 600W (1ms)	403A	3d	Mot,Ons
LP	CMDZ5L1	Z-Diode	5.1V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
LP	P6SMB27A	Z-Diode/TVS	27V, 17A, 600W (1ms)	DO-214AA	1d	Fag
LP	P6SMBJ16A	Z-Diode/TVS	16V, 23.1A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LP	SM6T10CA	Z-Diode/TVS	10V, 40A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
LP	SMBG16A	Z-Diode/TVS	16V, 23.1A, 600W (1ms)	DO-215AA	1d	Vis
LP	SMBJ16A	Z-Diode/TVS	16V, 23.1A, 600W (1ms)	DO-214AA	1d	Oil,Vis
LP	TV06B160J	Z-Diode/TVS	16V 5%, 23.1A, 600W (1ms)	DO-214AA	1d	Cmc
LPC	1SMB16CAT3	Z-Diode/TVS	16V, 23.1A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LPP	TPSMB27A	Z-Diode/TVS	27V, 16A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LQ	P6SMB30	Z-Diode/TVS	30V, 14A, 600W (1ms)	DO-214AA	1d	Fag
LQ	P6SMBJ17	Z-Diode/TVS	17V, 19.7A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LQ	SMBG17	Z-Diode/TVS	17V, 19.7A, 600W (1ms)	DO-215AA	1d	Vis
LQ	SMBJ17	Z-Diode/TVS	17V, 19.7A, 600W (1ms)	DO-214AA	1d	Vis
LQ	TV06B170K	Z-Diode/TVS	17V 10%, 19.7A, 600W (1ms)	DO-214AA	1d	Cmc
LQP	TPSMB30	Z-Diode/TVS	30V, 13.8A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LR	1SMB17AT3	Z-Diode/TVS	17V, 21.7A, 600W (1ms)	403A	3d	Mot,Ons
LR	P6SMB30A	Z-Diode/TVS	30V, 14.4A, 600W (1ms)	DO-214AA	1d	Fag
LR	P6SMBJ17A	Z-Diode/TVS	17V, 21.7A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LR	SMBG17A	Z-Diode/TVS	17V, 21.7A, 600W (1ms)	DO-215AA	1d	Vis
LR	SMBJ17A	Z-Diode/TVS	17V, 21.7A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LR	TV06B170J	Z-Diode/TVS	17V 5%, 21.7A, 600W (1ms)	DO-214AA	1d	Cmc
LRC	1SMB17CAT3	Z-Diode/TVS	17V, 21.7A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LRP	TPSMB30A	Z-Diode/TVS	30V, 14.5A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LS	P6SMB33	Z-Diode/TVS	33V, 12.8A, 600W (1ms)	DO-214AA	1d	Fag
LS	P6SMBJ18	Z-Diode/TVS	18V, 18.6A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
LS	SMBG18	Z-Diode/TVS	18V, 18.6A, 600W (1ms)	DO-215AA	1d	Vis
LS	SMBJ18	Z-Diode/TVS	18V, 18.6A, 600W (1ms)	DO-214AA	1d	Vis
LS	TV06B180K	Z-Diode/TVS	18V 10%, 18.6A, 600W (1ms)	DO-214AA	1d	Cmc
LSP	TPSMB33	Z-Diode/TVS	33V, 12.6A, 600W (1ms)	DO-214AA	1d	Gse,Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прои́зв.
LT	1SMB18AT3	Z-Diode/TVS	18V, 20 5A, 600W (1ms)	403A	3d	Mot,Ons
LT	P6SMB33A	Z-Diode/TVS	33V, 13,2A, 600W (1ms)	DO-214AA	1d	Fag
LT	P6SMBJ18A	Z-Diode/TVS	18V, 20 5A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
LT	SM6T12CA	Z-Diode/TVS	12V, 36A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
LT	SMBG18A	Z-Diode/TVS	18V, 20 5A, 600W (1ms)	DO-215AA	1d	Vis
LT	SMBJ18A	Z-Diode/TVS	18V, 20 5A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LT	TV06B180J	Z-Diode/TVS	18V 5%, 20 5A, 600W(1ms)	DO-214AA	1d	Cmc
LT7	SM6T22A	Z-Diode/TVS	20 9 23 1V, 20A, 600W (1ms)	DO-214AA	1d	Vis
LTC	1SMB18CAT3	Z-Diode/TVS	18V, 20 5A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LTP	TPSMB33A	Z-Diode/TVS	33V, 13,1A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LU	P6SMB36	Z-Diode/TVS	36V, 11,6A, 600W (1ms)	DO-214AA	1d	Fag
LU	P6SMBJ20	Z-Diode/TVS	20V, 16 7A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
LU	SMBG20	Z-Diode/TVS	202V, 16 8A, 600W (1ms)	DO-215AA	1d	Vis
LU	SMBJ20	Z-Diode/TVS	202V, 16 8A, 600W (1ms)	DO-214AA	1d	Vis
LU	TV06B200K	Z-Diode/TVS	20V 10%, 16 4A, 600W(1ms)	DO-214AA	1d	Cmc
LUP	TPSMB36	Z-Diode/TVS	36V, 11 5A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LV	1SMB20AT3	Z-Diode/TVS	20V, 18 5A, 600W (1ms)	403A	3d	Mot,Ons
LV	P6SMB36A	Z-Diode/TVS	36V, 12A, 600W (1ms)	DO-214AA	1d	Fag
LV	P6SMBJ20A	Z-Diode/TVS	20V, 18 5A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
LV	SMBG20A	Z-Diode/TVS	20V, 18 5A, 600W (1ms)	DO-215AA	1d	Vis
LV	SMBJ20A	Z-Diode/TVS	20V, 18 5A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LV	TV06B200J	Z-Diode/TVS	20V 5%, 18 5A, 600W(1ms)	DO-214AA	1d	Cmc
LV7	SM6T24A	Z-Diode/TVS	22 8 25 2V, 18A, 600W (1ms)	DO-214AA	1d	Vis
LV7	SM6T24CA	Z-Diode/TVS	22 8 25 2V, 18A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
LVC	1SMB20CAT3	Z-Diode/TVS	20V, 18 5A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LVP	TPSMB36A	Z-Diode/TVS	36V, 12,0A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LW	P6SMB39	Z-Diode/TVS	39V, 10,6A, 600W (1ms)	DO-214AA	1d	Fag
LW	P6SMBJ22	Z-Diode/TVS	22V, 15 2A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
LW	SM6T15C	Z-Diode/TVS	15V, 27A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
LW	SMBG22	Z-Diode/TVS	22V, 15 2A, 600W (1ms)	DO-215AA	1d	Vis
LW	SMBJ22	Z-Diode/TVS	22V, 15 2A, 600W (1ms)	DO-214AA	1d	Vis
LW	TV06B220K	Z-Diode/TVS	22V 10%, 15 2A, 600W(1ms)	DO-214AA	1d	Cmc
LWP	TPSMB39	Z-Diode/TVS	39V, 10 6A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LX	1SMB22AT3	Z-Diode/TVS	22V, 16 9A, 600W (1ms)	403A	3d	Mot,Ons
LX	P6SMB39A	Z-Diode/TVS	39V, 11,2A, 600W (1ms)	DO-214AA	1d	Fag
LX	P6SMBJ22A	Z-Diode/TVS	22V, 16 9A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
LX	SM6T15CA	Z-Diode/TVS	15V, 28A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
LX	SMBG22A	Z-Diode/TVS	22V, 16 9A, 600W (1ms)	DO-215AA	1d	Vis
LX	SMBJ22A	Z-Diode/TVS	22V, 16 9A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LX	TV06B220J	Z-Diode/TVS	22V 5%, 16 9A, 600W(1ms)	DO-214AA	1d	Cmc
LX7	SM6T27A	Z-Diode/TVS	25 7 28 4V, 16A, 600W (1ms)	DO-214AA	1d	Vis
LXC	1SMB22CAT3	Z-Diode/TVS	22V, 16 9A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LXP	TPSMB39A	Z-Diode/TVS	39V, 11 1A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LY	P6SMB43	Z-Diode/TVS	43V, 9,6A, 600W (1ms)	DO-214AA	1d	Fag
LY	P6SMBJ24	Z-Diode/TVS	24V, 14A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
LY	SMBG24	Z-Diode/TVS	24V, 14A, 600W (1ms)	DO-215AA	1d	Vis
LY	SMBJ24	Z-Diode/TVS	24V, 14A, 600W (1ms)	DO-214AA	1d	Vis
LY	TV06B240K	Z-Diode/TVS	24V 10%, 14A, 600W(1ms)	DO-214AA	1d	Cmc
LYP	TPSMB43	Z-Diode/TVS	43V, 9 7A, 600W (1ms)	DO-214AA	1d	Gse,Vis
LZ	1SMB24AT3	Z-Diode/TVS	24V, 15 4A, 600W (1ms)	403A	3d	Mot,Ons
LZ	P6SMB43A	Z-Diode/TVS	43V, 10,1A, 600W (1ms)	DO-214AA	1d	Fag
LZ	P6SMBJ24A	Z-Diode/TVS	24V, 15 4A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
LZ	SMBG24A	Z-Diode/TVS	24V, 15 4A, 600W (1ms)	DO-215AA	1d	Vis
LZ	SMBJ24A	Z-Diode/TVS	24V, 15 4A, 600W (1ms)	DO-214AA	1d	Dil,Vis
LZ	TV06B240J	Z-Diode/TVS	24V 5%, 15 4A, 600W(1ms)	DO-214AA	1d	Cmc
LZC	1SMB24CAT3	Z-Diode/TVS	24V, 15 4A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
LZP	TPSMB43A	Z-Diode/TVS	43V, 10 1A, 600W (1ms)	DO-214AA	1d	Gse,Vis
M (blue)	BAR65-03W	PI-N-Diode	TV-Tuner, 30V, 100mA, V<1V(50mA), <0 9pF	SOD-323	5d	Inf
M (white)	BB512	C-Diode	AM-Tuning, 12V, 50mA, Ir<0 02µA, Cv=440 520pF	SOD-123	5d	Sie
M1	BA2P7-01	PI-N-Diode	RF, 50V, 0,1A, 0,81pF, 0,95Ω(10mA/100MHz), 315mW	SOD-723A	6d	Phi
M1	MMSZ5256	Z-Diode	30V±5%, 300mW, Zzt=49Ω	SOD-123	5d	Vis
M1	MMSZ5256B	Z-Diode	30V±5%, 0 5W, Zzt=49Ω	SOD-123	5d	Dil
M1	MMSZ5256B	Z-Diode	30V±5%, 0 5W, Zzt=49Ω	SOD-123	5d	Dil
M1	MMSZ5256BS	Z-Diode	30V±5%, 0 2W, Zzt=49Ω	SOD-323	5d	Dil
M1	MMSZ5256BT1	Z-Diode	30V±5%, 0 5W, Zzt=49Ω	SOD-123	5d	Mot
M2	MMSZ5257	Z-Diode	33V±5%, 300mW, Zzt=58Ω	SOD-123	5d	Vis
M2	MMSZ5257B	Z-Diode	33V±5%, 0 5W, Zzt=58Ω	SOD-123	5d	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
M2	MMSZ5257B	Z-Diode	33V±5%, 0.5W, Z _{zt} =58Ω	SOD-123	5d	Dil
M2	MMSZ5257BS	Z-Diode	33V±5%, 0.2W, Z _{zt} =58Ω	SOD-323	5d	Dil
M2	MMSZ5257BT1	Z-Diode	33V±5%, 0.5W, Z _{zt} =58Ω	SOD-123	5d	Mol
M3	MMSZ5258	Z-Diode	36V±5%, 0.5W, Z _{zt} =70Ω	SOD-123	5d	Vis
M3	MMSZ5258B	Z-Diode	36V±5%, 0.5W, Z _{zt} =70Ω	SOD-123	5d	Dil
M3	MMSZ5258B	Z-Diode	36V±5%, 0.5W, Z _{zt} =70Ω	SOD-123	5d	Dil
M3	MMSZ5258BS	Z-Diode	36V±5%, 0.2W, Z _{zt} =70Ω	SOD-323	5d	Dil
M3	MMSZ5258BT1	Z-Diode	36V±5%, 0.5W, Z _{zt} =70Ω	SOD-123	5d	Mol
M4	MMSZ5259	Z-Diode	39V 5%, 300mW	SOD-123	5d	Vis
M4	MMSZ5259B	Z-Diode	39V±5%, 0.5W, Z _{zt} =80Ω	SOD-123	5d	Dil
M4	MMSZ5259B	Z-Diode	39V±5%, 0.5W, Z _{zt} =80Ω	SOD-123	5d	Dil
M4	MMSZ5259BS	Z-Diode	39V±5%, 0.2W, Z _{zt} =80Ω	SOD-323	5d	Dil
M4	MMSZ5259BT1	Z-Diode	39V±5%, 0.5W, Z _{zt} =80Ω	SOD-123	5d	Mol
M5	MMSZ5260	Z-Diode	43V 5%, 300mW	SOD-123	5d	Vis
M5	MMSZ5260BT1	Z-Diode	43V±5%, 0.5W, Z _{zt} =93Ω	SOD-123	5d	Mol
MD	DD29707	Z-Diode	20V 5%, 500mW	SOD-123	5d	Dil
MD	DD29707S	Z-Diode	20V 5%, 200mW	SOD-323	5d	Dil
MD	P6SMB47	Z-Diode/TVS	47V, 8.9A, 600W (1ms)	DO-214AA	1d	Fag
MD	P6SMBJ26	Z-Diode/TVS	26V, 12.4A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
MD	SM6T18C	Z-Diode/TVS	18V, 23A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MD	SMBG26	Z-Diode/TVS	26V, 12.9A, 600W (1ms)	DO-215AA	1d	Vis
MD	SMBJ26	Z-Diode/TVS	26V, 12.9A, 600W (1ms)	DO-214AA	1d	Vis
MD	TV06B260K	Z-Diode/TVS	26V 10%, 12.4A, 600W(1ms)	DO-214AA	1d	Cmc
MDD	SM15T6V8	Z-Diode/TVS	6.45..7.14V, 143A, 1500W (1ms)	DO-214AB	1d	Ste
MDE	SM15T6V8A	Z-Diode/TVS	6.45..7.14V, 143A, 1500W (1ms)	DO-214AB	1d	Ste
MDF	SM15T7V5	Z-Diode/TVS	7.13..7.88V, 132A, 1500W (1ms)	DO-214AB	1d	Ste
MDG	SM15T7V5A	Z-Diode/TVS	7.13..7.88V, 132A, 1500W (1ms)	DO-214AB	1d	Ste
MDN	SM15T10	Z-Diode/TVS	9.5..10.5V, 103A, 1500W (1ms)	DO-214AB	1d	Ste
MDP	SM15T10A	Z-Diode/TVS	9.5..10.5V, 103A, 1500W (1ms)	DO-214AB	1d	Ste
MDS	SM15T12	Z-Diode/TVS	11.4..12.6V, 90A, 1500W (1ms)	DO-214AB	1d	Ste
MDT	SM15T12A	Z-Diode/TVS	11.4..12.6V, 90A, 1500W (1ms)	DO-214AB	1d	Ste
MDW	SM15T15	Z-Diode/TVS	14.3..15.8V, 71A, 1500W (1ms)	DO-214AB	1d	Ste
MDX	SM15T15A	Z-Diode/TVS	14.3..15.8V, 71A, 1500W (1ms)	DO-214AB	1d	Ste
ME	1SMB26AT3	Z-Diode/TVS	26V, 14.2A, 600W (1ms)	403A	3d	Mol,Ons
ME	DD29708	Z-Diode	22V 5%, 500mW	SOD-123	5d	Dil
ME	DD29708S	Z-Diode	22V 5%, 200mW	SOD-323	5d	Dil
ME	P6SMB47A	Z-Diode/TVS	47V, 9.3A, 600W (1ms)	DO-214AA	1d	Fag
ME	P6SMBJ26A	Z-Diode/TVS	26V, 14.2A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
ME	SM6T18CA	Z-Diode/TVS	18V, 24A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
ME	SMBG26A	Z-Diode/TVS	26V, 14.3A, 600W (1ms)	DO-215AA	1d	Vis
ME	SMBJ26A	Z-Diode/TVS	26V, 14.3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
ME	TV06B260J	Z-Diode/TVS	26V 5%, 14.2A, 600W(1ms)	DO-214AA	1d	Cmc
ME7	SM6T30A	Z-Diode/TVS	28.5..31.5V, 14.5A, 600W (1ms)	DO-214AA	1d	Vis
MEC	1SMB26CAT3	Z-Diode/TVS	26V, 14.2A, 800W (1ms), Bidirectional	403A	3c	Mol,Ons
MED	SM15T18	Z-Diode/TVS	17.1..18.9V, 59.5A, 1500W (1ms)	DO-214AB	1d	Ste
MEE	SM15T18A	Z-Diode/TVS	17.1..18.9V, 59.5A, 1500W (1ms)	DO-214AB	1d	Ste
MEH	SM15T22	Z-Diode/TVS	20.9..23.1V, 49A, 1500W (1ms)	DO-214AB	1d	Ste
MEK	SM15T22A	Z-Diode/TVS	20.9..23.1V, 49A, 1500W (1ms)	DO-214AB	1d	Ste
MEL	SM15T24	Z-Diode/TVS	22.8..25.2V, 45A, 1500W (1ms)	DO-214AB	1d	Ste
MEM	SM15T24A	Z-Diode/TVS	22.8..25.2V, 45A, 1500W (1ms)	DO-214AB	1d	Ste
MEN	SM15T27	Z-Diode/TVS	25.7..28.4V, 40A, 1500W (1ms)	DO-214AB	1d	Ste
MEP	SM15T27A	Z-Diode/TVS	25.7..28.4V, 40A, 1500W (1ms)	DO-214AB	1d	Ste
MEQ	SM15T30	Z-Diode/TVS	28.5..31.5V, 36A, 1500W (1ms)	DO-214AB	1d	Ste
MER	SM15T30A	Z-Diode/TVS	28.5..31.5V, 36A, 1500W (1ms)	DO-214AB	1d	Ste
MES	SM15T33	Z-Diode/TVS	31.4..34.7V, 33A, 1500W (1ms)	DO-214AB	1d	Ste
MET	SM15T33A	Z-Diode/TVS	31.4..34.7V, 33A, 1500W (1ms)	DO-214AB	1d	Ste
MEU	SM15T36	Z-Diode/TVS	34.2..37.8V, 30A, 1500W (1ms)	DO-214AB	1d	Ste
MEV	SM15T36A	Z-Diode/TVS	34.2..37.8V, 30A, 1500W (1ms)	DO-214AB	1d	Ste
MEW	SM15T39	Z-Diode/TVS	37.1..41V, 28A, 1500W (1ms)	DO-214AB	1d	Ste
MEX	SM15T39A	Z-Diode/TVS	37.1..41V, 28A, 1500W (1ms)	DO-214AB	1d	Ste
MF	DD29709	Z-Diode	24V 5%, 500mW	SOD-123	5d	Dil
MF	DD29709S	Z-Diode	24V 5%, 200mW	SOD-323	5d	Dil
MF	MAZD150	Z-Diode	13.9..15.6V, 120mW	SSSMini2	7d	Pan
MF	P6SMB51	Z-Diode/TVS	51V, 8.2A, 600W (1ms)	DO-214AA	1d	Fag
MF	P6SMBJ28	Z-Diode/TVS	28V, 12A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
MF	SMBG28	Z-Diode/TVS	28V, 12A, 600W (1ms)	DO-215AA	1d	Vis
MF	SMBJ28	Z-Diode/TVS	28V, 12A, 600W (1ms)	DO-214AA	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
MF	TV06B280K	Z-Diode/TVS	28V 10%, 12A, 600W(1ms)	DO-214AA	1d	Cmc
MFN	SM15T68	Z-Diode/TVS	84 6 71 4V, 18 3A, 1500W (1ms)	DO-214AB	1d	Ste
MFP	SM15T68A	Z-Diode/TVS	64 6 71 4V, 18 3A, 1500W (1ms)	DO-214AB	1d	Ste
MFV	SM15T100	Z-Diode/TVS	95 105V, 11A, 1500W (1ms)	DO-214AB	1d	Ste
MFV	SM15T100A	Z-Diode/TVS	95 105V, 11A, 1500W (1ms)	DO-214AB	1d	Ste
MG	1SMB28AT3	Z-Diode/TVS	28V, 13 2A, 600W (1ms)	403A	3d	Mol,Ons
MG	P6SMB51A	Z-Diode/TVS	51V, 8,6A, 600W (1ms)	DO-214AA	1d	Fag
MG	P6SMBJ28A	Z-Diode/TVS	28V, 13 2A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
MG	SMBG28A	Z-Diode/TVS	28V, 13 2A, 600W (1ms)	DO-215AA	1d	Vis
MG	SMBJ28A	Z-Diode/TVS	28V, 13 2A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MG	TV06B280J	Z-Diode/TVS	28V 5%, 13 2A, 600W(1ms)	DO-214AA	1d	Cmc
MG7	SM6T33A	Z-Diode/TVS	31 4 34 7V, 13 1A, 600W (1ms)	DO-214AA	1d	Vis
MG7	SM6T33CA	Z-Diode/TVS	31 4 34 7V, 13 1A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
MGC	1SMB28CAT3	Z-Diode/TVS	28V, 13 2A, 600W (1ms), Bidirectional	403A	3c	Mol Ons
MGH	SM15T150	Z-Diode/TVS	143 158V, 7 2A, 1500W (1ms)	DO-214AB	1d	Ste
MGK	SM15T150A	Z-Diode/TVS	143 158V, 7 2A, 1500W (1ms)	DO-214AB	1d	Ste
MGU	SM15T200	Z-Diode/TVS	190 210V, 5 5A, 1500W (1ms)	DO-214AB	1d	Ste
MGV	SM15T200A	Z-Diode/TVS	190 210V, 5 5A, 1500W (1ms)	DO-214AB	1d	Ste
MGW	SM15T220	Z-Diode/TVS	209 231V, 4 6A, 1500W (1ms)	DO-214AB	1d	Ste
MGX	SM15T220A	Z-Diode/TVS	209 231V, 4 6A, 1500W (1ms)	DO-214AB	1d	Ste
MH	DDZ9711	Z-Diode	27V 5%, 500mW	SOD-123	5d	Dil
MH	DDZ9711S	Z-Diode	27V 5%, 200mW	SOD-323	5d	Dil
MH	P6SMB56	Z-Diode/TVS	56V, 7,4A, 600W (1ms)	DO-214AA	1d	Fag
MH	P6SMBJ30	Z-Diode/TVS	30V, 11 2A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
MH	SM6T22C	Z-Diode/TVS	22V, 18A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MH	SMBG30	Z-Diode/TVS	30V, 11 2A, 600W (1ms)	DO-215AA	1d	Vis
MH	SMBJ30	Z-Diode/TVS	30V, 11 2A, 600W (1ms)	DO-214AA	1d	Vis
MH	TV06B300K	Z-Diode/TVS	30V 10%, 11 2A, 600W(1ms)	DO-214AA	1d	Cmc
MJ	DDZ9712	Z-Diode	28V 5%, 500mW	SOD-123	5d	Dil
MJ	DDZ9712S	Z-Diode	28V 5%, 200mW	SOD-323	5d	Dil
MK	1SMB30AT3	Z-Diode/TVS	30V, 12 4A, 600W (1ms)	403A	3d	Mol,Ons
MK	DDZ9713	Z-Diode	30V 5%, 500mW	SOD-123	5d	Dil
MK	DDZ9713S	Z-Diode	30V 5%, 200mW	SOD-323	5d	Dil
MK	P6SMB56A	Z-Diode/TVS	56V, 7,8A, 600W (1ms)	DO-214AA	1d	Fag
MK	P6SMBJ30A	Z-Diode/TVS	30V, 12 4A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
MK	SM6T22CA	Z-Diode/TVS	22V, 20A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MK	SMBG30A	Z-Diode/TVS	30V, 12 4A, 600W (1ms)	DO-215AA	1d	Vis
MK	SMBJ30A	Z-Diode/TVS	30V, 12 4A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MK	TV06B300J	Z-Diode/TVS	30V 5%, 12 4A, 600W(1ms)	DO-214AA	1d	Cmc
MK7	SM6T36A	Z-Diode/TVS	34 2 37 8V, 12A, 600W (1ms)	DO-214AA	1d	Vis
MKC	1SMB30CAT3	Z-Diode/TVS	30V, 12 4A, 600W (1ms), Bidirectional	403A	3c	Mol,Ons
MKE	1PMT5 0AT3	Z-Diode/TVS	5V, 19A 175W(1ms)	457-04	4d	Ons
MKM	1PMT7 0AT3	Z-Diode/TVS	7V±5%, 14 6A 175W (1ms)	457-04	4d	Ons
ML	DDZ9714	Z-Diode	33V 5%, 500mW	SOD-123	5d	Dil
ML	DDZ9714S	Z-Diode	33V 5%, 200mW	SOD-323	5d	Dil
ML	P6SMB62	Z-Diode/TVS	62V, 6,8A, 600W (1ms)	DO-214AA	1d	Fag
ML	P6SMBJ33	Z-Diode/TVS	33V, 10 2A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
ML	SM6T24C	Z-Diode/TVS	24V, 17A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
ML	SMBG33	Z-Diode/TVS	33V, 10 2A, 600W (1ms)	DO-215AA	1d	Vis
ML	SMBJ33	Z-Diode/TVS	33V, 10 2A, 600W (1ms)	DO-214AA	1d	Vis
ML	TV06B330K	Z-Diode/TVS	33V 10%, 10 2A, 600W(1ms)	DO-214AA	1d	Cmc
MLE	1PMT12AT3	Z-Diode/TVS	12V, 8 8A 175W(1ms)	457-04	4d	Ons
MLP	1PMT16AT3	Z-Diode/TVS	16V, 7A 175W(1ms)	457-04	4d	Ons
MLT	1PMT18AT3	Z-Diode/TVS	18V, 6A 175W(1ms)	457-04	4d	Ons
MLX	1PMT22AT3	Z-Diode/TVS	22V, 4 9A 175W(1ms)	457-04	4d	Ons
MLZ	1PMT24AT3	Z-Diode/TVS	24V, 4 5A 175W(1ms)	457-04	4d	Ons
MM	1SMB33AT3	Z-Diode/TVS	33V, 11 3A, 600W (1ms)	403A	3d	Mol,Ons
MM	BAR64-02L	PIN-Diode	Sw. RF-Alt. 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	TSLP-2-1	13d	Inf
MM	DDZ9715	Z-Diode	36V 5%, 500mW	SOD-123	5d	Dil
MM	DDZ9715S	Z-Diode	36V 5%, 200mW	SOD-323	5d	Dil
MM	P6SMB62A	Z-Diode/TVS	62V, 7,1A, 600W (1ms)	DO-214AA	1d	Fag
MM	P6SMBJ33A	Z-Diode/TVS	33V, 11 3A, 600W (1ms)	DO-214AA	1d	Pjt,Srj,Wpd
MM	SM6T24CA	Z-Diode/TVS	24V, 18A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MM	SMBG33A	Z-Diode/TVS	33V, 11 3A, 600W (1ms)	DO-215AA	1d	Vis
MM	SMBJ33A	Z-Diode/TVS	33V, 11 3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MM	TV06B330J	Z-Diode/TVS	33V 5%, 11 3A, 600W(1ms)	DO-214AA	1d	Cmc
MM7	SM6T39A	Z-Diode/TVS	37 1 41V, 11 1A, 600W (1ms)	DO-214AA	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
MMC	1SMB33CAT3	Z-Diode/TVS	33V, 11.3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
MME	1PMT26AT3	Z-Diode/TVS	26V, 4 2A, 175W(1ms)	457-04	4d	Ons
MMG	1PMT28AT3	Z-Diode/TVS	28V, 3.9A, 175W(1ms)	457-04	4d	Ons
MMK	1PMT30AT3	Z-Diode/TVS	30V, 3 6A, 175W(1ms)	457-04	4d	Ons
MMM	1PMT33AT3	Z-Diode/TVS	33V, 3.3A, 175W(1ms)	457-04	4d	Ons
MMP	1PMT36AT3	Z-Diode/TVS	36V, 3A, 175W(1ms)	457-04	4d	Ons
MMR	1PMT40AT3	Z-Diode/TVS	40V, 2.7A, 175W(1ms)	457-04	4d	Ons
MMX	1PMT48AT3	Z-Diode/TVS	48V, 2.3A, 175W(1ms)	457-04	4d	Ons
MMZ	1PMT51AT3	Z-Diode/TVS	51V, 2.1A, 175W(1ms)	457-04	4d	Ons
MN	DDZ9716	Z-Diode	39V 5%, 500mW	SOD-123	5d	Dil
MN	DDZ9716S	Z-Diode	39V 5%, 200mW	SOD-323	5d	Dil
MN	P6SMB68	Z-Diode/TVS	68V, 6,1A, 600W (1ms)	DO-214AA	1d	Fag
MN	P6SMBJ36	Z-Diode/TVS	36V, 9.3A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
MN	SM6T27C	Z-Diode/TVS	27V, 15A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MN	SMBG36	Z-Diode/TVS	36V, 9.3A, 600W (1ms)	DO-215AA	1d	Vis
MN	SMBJ36	Z-Diode/TVS	36V, 9.3A, 600W (1ms)	DO-214AA	1d	Vis
MN	TV06B360K	Z-Diode/TVS	36V 10%, 9.3A, 600W(1ms)	DO-214AA	1d	Cmc
MNG	1PMT58AT3	Z-Diode/TVS	58V, 1.9A, 175W(1ms)	457-04	4d	Ons
MO	DDZ9717	Z-Diode	43V 5%, 500mW	SOD-123	5d	Dil
MO	DDX9717	Z-Diode	43V±5%, 500mW	SOD-123	5d	Dil
MP	1SMB36AT3	Z-Diode/TVS	36V, 10.3A, 600W (1ms)	403A	3d	Mot,Ons
MP	P6SMB68A	Z-Diode/TVS	68V, 6.5A, 600W (1ms)	DO-214AA	1d	Fag
MP	P6SMBJ36A	Z-Diode/TVS	36V, 10.3A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
MP	SM6T27CA	Z-Diode/TVS	27V, 16A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MP	SMBG36A	Z-Diode/TVS	36V, 10.3A, 600W (1ms)	DO-215AA	1d	Vis
MP	SMBJ36A	Z-Diode/TVS	36V, 10.3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MP	TV06B360J	Z-Diode/TVS	36V 5%, 10.3A, 600W(1ms)	DO-214AA	1d	Cmc
MPC	1SMB36CAT3	Z-Diode/TVS	36V, 10.3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
MQ	P6SMB75	Z-Diode/TVS	75V, 5.5A, 600W (1ms)	DO-214AA	1d	Fag
MQ	P6SMBJ40	Z-Diode/TVS	40V, 8.4A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
MQ	SM6T30C	Z-Diode/TVS	30V, 14.2A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MQ	SMBG40	Z-Diode/TVS	40V, 8.4A, 600W (1ms)	DO-215AA	1d	Vis
MQ	SMBJ40	Z-Diode/TVS	40V, 8.4A, 600W (1ms)	DO-214AA	1d	Vis
MQ	TV06B400K	Z-Diode/TVS	40V 10%, 8.4A, 600W(1ms)	DO-214AA	1d	Cmc
MR	1SMB40AT3	Z-Diode/TVS	40V, 9.3A, 600W (1ms)	403A	3d	Mot,Ons
MR	P6SMB75A	Z-Diode/TVS	75V, 5.8A, 600W (1ms)	DO-214AA	1d	Fag
MR	P6SMBJ40A	Z-Diode/TVS	40V, 9.3A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
MR	SM6T30CA	Z-Diode/TVS	30V, 14.5A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MR	SMBG40A	Z-Diode/TVS	40V, 9.3A, 600W (1ms)	DO-215AA	1d	Vis
MR	SMBJ40A	Z-Diode/TVS	40V, 9.3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MR	TV06B400J	Z-Diode/TVS	40V 5%, 9.3A, 600W(1ms)	DO-214AA	1d	Cmc
MRC	1SMB40CAT3	Z-Diode/TVS	40V, 9.3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
MS	P6SMB82	Z-Diode/TVS	82V, 5,1A, 600W (1ms)	DO-214AA	1d	Fag
MS	P6SMBJ43	Z-Diode/TVS	43V, 7.8A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
MS	SM6T33C	Z-Diode/TVS	33V, 13A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MS	SMBG43	Z-Diode/TVS	43V, 7.8A, 600W (1ms)	DO-215AA	1d	Vis
MS	SMBJ43	Z-Diode/TVS	43V, 7.8A, 600W (1ms)	DO-214AA	1d	Vis
MS	TV06B430K	Z-Diode/TVS	43V 10%, 7.8A, 600W(1ms)	DO-214AA	1d	Cmc
MT	1SMB43AT3	Z-Diode/TVS	43V, 8.6A, 600W (1ms)	403A	3d	Mot,Ons
MT	P6SMB82A	Z-Diode/TVS	82V, 5.3A, 600W (1ms)	DO-214AA	1d	Fag
MT	P6SMBJ43A	Z-Diode/TVS	43V, 8.6A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
MT	SM6T33CA	Z-Diode/TVS	33V, 13.1A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MT	SMBG43A	Z-Diode/TVS	43V, 8.6A, 600W (1ms)	DO-215AA	1d	Vis
MT	SMBJ43A	Z-Diode/TVS	43V, 8.6A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MT	TV06B430J	Z-Diode/TVS	43V 5%, 8.6A, 600W(1ms)	DO-214AA	1d	Cmc
MTC	1SMB43CAT3	Z-Diode/TVS	43V, 8.6A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
MU	P6SMB91	Z-Diode/TVS	91V, 4.5A, 600W (1ms)	DO-214AA	1d	Fag
MU	P6SMBJ45	Z-Diode/TVS	45V, 7.5A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
MU	SM6T36C	Z-Diode/TVS	36V, 11.8A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MU	SMBG45	Z-Diode/TVS	45V, 7.5A, 600W (1ms)	DO-215AA	1d	Vis
MU	SMBJ45	Z-Diode/TVS	45V, 7.5A, 600W (1ms)	DO-214AA	1d	Vis
MU	TV06B450K	Z-Diode/TVS	45V 10%, 7.5A, 600W(1ms)	DO-214AA	1d	Cmc
MUA	SM2T6V8A	Z-Diode/TVS	5V, 20A, 200W (1ms)	DO-216AA	4d	Ste
MUG	SM2T18A	Z-Diode/TVS	16V, 20A, 200W(1ms)	DO-216AA	4d	Ste
MUJ	SM2T27A	Z-Diode/TVS	24V, 20A, 200W(1ms)	DO-216AA	4d	Ste
MV	1SMB45AT3	Z-Diode/TVS	45V, 8.3A, 600W (1ms)	403A	3d	Mot,Ons
MV	P6SMB91A	Z-Diode/TVS	91V, 4.8A, 600W (1ms)	DO-214AA	1d	Fag

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
MV	P6SMBJ45A	Z-Diode/TVS	45V, 8 3A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
MV	SM6T36CA	Z-Diode/TVS	36V, 12A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MV	SMBG45A	Z-Diode/TVS	45V, 8 3A, 600W (1ms)	DO-215AA	1d	Vis
MV	SMBJ45A	Z-Diode/TVS	45V, 8 3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MV	TV06B450J	Z-Diode/TVS	45V 5%, 8 3A, 600W(1ms)	DO-214AA	1d	Cmc
MVC	1SMB45CAT3	Z-Diode/TVS	45V, 8 3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
MW	P6SMB100	Z-Diode/TVS	100V, 4,2A, 600W (1ms)	DO-214AA	1d	Fag
MW	P6SMBJ48	Z-Diode/TVS	48V, 7A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
MW	SM6T39C	Z-Diode/TVS	39V, 11A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
MW	SMBG48	Z-Diode/TVS	48V, 7A, 600W (1ms)	DO-215AA	1d	Vis
MW	SMBJ48	Z-Diode/TVS	48V, 7A, 600W (1ms)	DO-214AA	1d	Vis
MW	TV06B480K	Z-Diode/TVS	48V 10%, 7A, 600W(1ms)	DO-214AA	1d	Cmc
MX	1SMB48AT3	Z-Diode/TVS	48V, 7 7A, 600W (1ms)	403A	3d	Mot,Ons
MX	P6SMB100A	Z-Diode/TVS	100V, 4,4A, 600W (1ms)	DO-214AA	1d	Fag
MX	P6SMBJ48A	Z-Diode/TVS	48V, 7 7A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
MX	SM6T39CA	Z-Diode/TVS	39V, 11,1A, 600W (1ms), Bidirectional	DO-214AA	1c	Ste
MX	SMBG48A	Z-Diode/TVS	48V, 7 8A, 600W (1ms)	DO-215AA	1d	Vis
MX	SMBJ48A	Z-Diode/TVS	48V, 7 8A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MX	TV06B480J	Z-Diode/TVS	48V 5%, 7 7A, 600W(1ms)	DO-214AA	1d	Cmc
MXC	1SMB48CAT3	Z-Diode/TVS	48V, 7 7A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
MY	P6SMB110	Z-Diode/TVS	110V, 3,8A, 600W (1ms)	DO-214AA	1d	Fag
MY	P6SMBJ51	Z-Diode/TVS	51V, 6 6A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
MY	SMBG51	Z-Diode/TVS	51V, 6 6A, 600W (1ms)	DO-215AA	1d	Vis
MY	SMBJ51	Z-Diode/TVS	51V, 6 6A, 600W (1ms)	DO-214AA	1d	Vis
MY	TV06B510K	Z-Diode/TVS	51V 10%, 6 6A 600W(1ms)	DO-214AA	1d	Cmc
MZ	1SMB51AT3	Z-Diode/TVS	51V, 7 3A, 600W (1ms)	403A	3d	Mot,Ons
MZ	P6SMB110A	Z-Diode/TVS	110V, 4A, 600W (1ms)	DO-214AA	1d	Fag
MZ	P6SMBJ51A	Z-Diode/TVS	51V, 7 3A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
MZ	SMBG51A	Z-Diode/TVS	51V, 7 3A, 600W (1ms)	DO-215AA	1d	Vis
MZ	SMBJ51A	Z-Diode/TVS	51V, 7 3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
MZ	TV06B510J	Z-Diode/TVS	51V 5%, 7 3A, 600W(1ms)	DO-214AA	1d	Cmc
MZC	1SMB51CAT3	Z-Diode/TVS	51V, 7 3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
n	BAT15-02V	Si-Diode	Schottky, DBS-mix, 4V, 100mA, <12GHz, <0,35pF	SC-79	6d	Inf
N	BAR65-02V	PIN-Diode	TV-Tuner, 30V, 100mA, Vf<1V(50mA), <0 9pF	SC-79	6d	Inf
N	BB181	C-Diode	TV-VHF-Tuning, VCO, 30V, 20mA, 0,7 8F(1 28V)	SOD-523	6d	Phi
N	HVU316	C-Diode	BS/CS Tuning, 5,16 7,22pF(1V)	SOD-123	5d	Ren
N	MAZS047	Z-Diode	4,4 5V, 200mW	SC-79	6d	Pan
N-	MAZS047	Z-Diode	4,4 5V, 200mW	SC-79	6d	Pan
N-	MAZS0470M	Z-Diode	4,59 4,83V, 200mW	SC-79	6d	Pan
N^	MAZS047	Z-Diode	4,4 5V, 200mW	SC-79	6d	Pan
N^	MAZS0470H	Z-Diode	4,74 4,99V, 200mW	SC-79	6d	Pan
N_	MAZS047	Z-Diode	4,4 5V, 200mW	SC-79	6d	Pan
N_	MAZS0470L	Z-Diode	4,45 4,69V, 200mW	SC-79	6d	Pan
N1	MMSZ5261	Z-Diode	47V 5%, 300mW	SOD-123	5d	Vis
N1	MMSZ5261BT1	Z-Diode	47V±5%, 0 5W, Zzt=105Ω	SOD-123	5d	Mol
N1	PESD3V3S1U8	Z-Diode/TVS	3,3V, 18A, 330W, 8/20us	SOD-523	6d	Phi
N10A	1KSMBJ6 8	Z-Diode/TVS	6 12 7 48V, 92 5A, 600W(1ms)	DO-214AA	1d	Lif
N10B	1KSMBJ6 8A	Z-Diode/TVS	6 45 7 14V, 95A, 600W(1ms)	DO-214AA	1d	Lif
N10C	1KSMBJ7 5	Z-Diode/TVS	6 75 8 25V, 85A, 600W(1ms)	DO-214AA	1d	Lif
N10D	1KSMBJ7 5A	Z-Diode/TVS	7 13 7 88V, 88 3A, 600W(1ms)	DO-214AA	1d	Lif
N10E	1KSMBJ8 2	Z-Diode/TVS	7 38 9 02V, 80A, 600W(1ms)	DO-214AA	1d	Lif
N10F	1KSMBJ8 2A	Z-Diode/TVS	7 79 8 61V, 83 3A, 600W(1ms)	DO-214AA	1d	Lif
N10G	1KSMBJ9 1	Z-Diode/TVS	8 19 10V, 73 3A, 600W(1ms)	DO-214AA	1d	Lif
N10H	1KSMBJ9 1A	Z-Diode/TVS	8 65 9 55V, 75A, 600W(1ms)	DO-214AA	1d	Lif
N10I	1KSMBJ10	Z-Diode/TVS	9 11V, 66 7A, 600W(1ms)	DO-214AA	1d	Lif
N10J	1KSMBJ10A	Z-Diode/TVS	9 5 10 5V, 68 3A, 600W(1ms)	DO-214AA	1d	Lif
N10K	1KSMBJ11	Z-Diode/TVS	9 9 12 1V, 61 7A, 600W(1ms)	DO-214AA	1d	Lif
N10L	1KSMBJ11A	Z-Diode/TVS	10 5 11 6V, 63 3A, 600W(1ms)	DO-214AA	1d	Lif
N10M	1KSMBJ12	Z-Diode/TVS	10 8 13 2V, 58 3A, 600W(1ms)	DO-214AA	1d	Lif
N10N	1KSMBJ12A	Z-Diode/TVS	11 4 12 6V, 60A, 600W(1ms)	DO-214AA	1d	Lif
N10O	1KSMBJ13	Z-Diode/TVS	11 7 14 3V, 53 3A, 600W(1ms)	DO-214AA	1d	Lif
N10P	1KSMBJ13A	Z-Diode/TVS	12 4 13 7V, 55A, 600W(1ms)	DO-214AA	1d	Lif
N10Q	1KSMBJ15	Z-Diode/TVS	13 5 16 5V, 45A, 600W(1ms)	DO-214AA	1d	Lif
N10R	1KSMBJ15A	Z-Diode/TVS	14 3 15 8V, 46 7A, 600W(1ms)	DO-214AA	1d	Lif
N10S	1KSMBJ16	Z-Diode/TVS	14 4 17 6V, 43 3A, 600W(1ms)	DO-214AA	1d	Lif
N10T	1KSMBJ16A	Z-Diode/TVS	15 2 16 8V, 45A, 600W(1ms)	DO-214AA	1d	Lif
N10U	1KSMBJ18	Z-Diode/TVS	16 2 19 8V, 38A, 600W(1ms)	DO-214AA	1d	Lif

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
N10V	1KSMBJ18A	Z-Diode/TVS	17 1 18 9V, 40A, 600W (1ms)	DO-214AA	1d	Lif
N10X	1KSMBJ20A	Z-Diode/TVS	19 21V, 36 7A, 600W (1ms)	DO-214AA	1d	Lif
N10Y	1KSMBJ22A	Z-Diode/TVS	19 8 24 2V, 31 7A, 600W (1ms)	DO-214AA	1d	Lif
N10Y*	1KSMBJ20	Z-Diode/TVS	18 22V, 35A, 600W (1ms)	DO-214AA	1d	Lif
N10Z	1KSMBJ22A	Z-Diode/TVS	20 9 23 1V, 33 3A, 600W (1ms)	DO-214AA	1d	Lif
N2	MMSZ5262	Z-Diode	51V 5%, 300mW	SOD-123	5d	Vis
N2	MMSZ5262BT1	Z-Diode	51V±5%, 0 5W, Zzt=125Ω	SOD-123	5d	Mot
N2	PESD5V0S1UB	Z-Diode/TVS	5V, 15A, 260W, 8/20μs	SOD-523	6d	Phi
N3	MMSZ5263	Z-Diode	56V 5%, 300mW	SOD-123	5d	Vis
N3	MMSZ5263BT1	Z-Diode	56V±5%, 0 5W, Zzt=150Ω	SOD-123	5d	Mot
N3	PESD12VS1UB	Z-Diode/TVS	12V, 5A, 180W, 8/20μs	SOD-523	6d	Phi
N4	MMSZ5264	Z-Diode	60V 5%, 300mW	SOD-123	5d	Vis
N4	MMSZ5264BT1	Z-Diode	60V±5%, 0 5W, Zzt=170Ω	SOD-123	5d	Mot
N4	PESD15VS1UB	Z-Diode/TVS	15V, 5A, 160W, 8/20μs	SOD-523	6d	Phi
N5	MMSZ5265	Z-Diode	62V 5%, 300mW	SOD-123	5d	Vis
N5	MMSZ5265BT1	Z-Diode	62V±5%, 0 5W, Zzt=185Ω	SOD-123	5d	Mot
N5	PESD24VS1UB	Z-Diode/TVS	24V, 3A, 160W, 8/20μs	SOD-523	6d	Phi
ND	P6SMB120	Z-Diode/TVS	120V, 3,5A, 600W (1ms)	DO-214AA	1d	Fag
ND	P6SMBJ54	Z-Diode/TVS	54V, 6 2A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
ND	SMBG54	Z-Diode/TVS	60V, 6 2A, 600W (1ms)	DO-215AA	1d	Vis
ND	SMBJ54	Z-Diode/TVS	60V, 6 2A, 600W (1ms)	DO-214AA	1d	Vis
ND	TV06B540K	Z-Diode/TVS	54V 10%, 6 2A, 600W (1ms)	DO-214AA	1d	Cmc
NDP	SM15T10CA	Z-Diode/TVS	9 5 10 5V, 103A, 1500W (1ms), Bidirectional	DO-214AB	1c	Ste
NE	1SMB54AT3	Z-Diode/TVS	54V, 6 9A, 600W (1ms)	403A	3d	Mot,Ons
NE	P6SMB120A	Z-Diode/TVS	120V, 3,6A, 600W (1ms)	DO-214AA	1d	Fag
NE	P6SMBJ54A	Z-Diode/TVS	54V, 6 9A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
NE	SMBG54A	Z-Diode/TVS	60V, 6 9A, 600W (1ms)	DO-215AA	1d	Vis
NE	SMBJ54A	Z-Diode/TVS	60V, 6 9A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NE	TV06B540J	Z-Diode/TVS	54V 5%, 6 9A, 600W (1ms)	DO-214AA	1d	Cmc
NEC	1SMB54CAT3	Z-Diode/TVS	54V, 6 9A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
NF	MAZD160	Z-Diode	15,3 17,1V, 120mW	SSSMIn2	7d	Pan
NF	P6SMB130	Z-Diode/TVS	130V, 3,2A, 600W (1ms)	DO-214AA	1d	Fag
NF	P6SMBJ58	Z-Diode/TVS	58V, 5 8A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
NF	SMBG58	Z-Diode/TVS	58V, 5 8A, 600W (1ms)	DO-215AA	1d	Vis
NF	SMBJ58	Z-Diode/TVS	58V, 5 8A, 600W (1ms)	DO-214AA	1d	Vis
NF	TV06B580K	Z-Diode/TVS	58V 10%, 5 8A, 600W (1ms)	DO-214AA	1d	Cmc
NG	1SMB58AT3	Z-Diode/TVS	58V, 6 4A, 600W (1ms)	403A	3d	Mot,Ons
NG	P6SMB130A	Z-Diode/TVS	130V, 3,3A, 600W (1ms)	DO-214AA	1d	Fag
NG	P6SMBJ58A	Z-Diode/TVS	58V, 6 4A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
NG	SMBG58A	Z-Diode/TVS	58V, 6 4A, 600W (1ms)	DO-215AA	1d	Vis
NG	SMBJ58A	Z-Diode/TVS	58V, 6 4A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NG	TV06B580J	Z-Diode/TVS	58V 5%, 6 4A, 600W (1ms)	DO-214AA	1d	Cmc
NG7	SM6T68A	Z-Diode/TVS	64 6 71 4V, 6 5A, 600W (1ms)	DO-214AA	1d	Vis
NG7	SM6T68CA	Z-Diode/TVS	64 6 71 4V, 6 5A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
NGC	1SMB58CAT3	Z-Diode/TVS	58V, 6 4A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
NH	P6SMB150	Z-Diode/TVS	150V, 2,8A, 600W (1ms)	DO-214AA	1d	Fag
NH	P6SMBJ60	Z-Diode/TVS	60V, 5 6A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
NH	SMBG60	Z-Diode/TVS	60V, 5 6A, 600W (1ms)	DO-215AA	1d	Vis
NH	SMBJ60	Z-Diode/TVS	60V, 5 6A, 600W (1ms)	DO-214AA	1d	Vis
NH	TV06B600K	Z-Diode/TVS	60V 10%, 5 6A, 600W (1ms)	DO-214AA	1d	Cmc
NIC	1SMB78CAT3	Z-Diode/TVS	78V, 4 7A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
NK	1SMB60AT3	Z-Diode/TVS	60V, 6 2A, 600W (1ms)	403A	3d	Mot,Ons
NK	P6SMB150A	Z-Diode/TVS	150V, 2,9A, 600W (1ms)	DO-214AA	1d	Fag
NK	P6SMBJ60A	Z-Diode/TVS	60V, 6 2A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
NK	SMBG60A	Z-Diode/TVS	60V, 6 2A, 600W (1ms)	DO-215AA	1d	Vis
NK	SMBJ60A	Z-Diode/TVS	60V, 6 2A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NK	TV06B600J	Z-Diode/TVS	60V 5%, 6 2A, 600W (1ms)	DO-214AA	1d	Cmc
NKC	1SMB60CAT3	Z-Diode/TVS	60V, 6 2A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
NL	P6SMB160	Z-Diode/TVS	160V, 2,6A, 600W (1ms)	DO-214AA	1d	Fag
NL	P6SMBJ64	Z-Diode/TVS	64V, 5 3A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
NL	SMBG64	Z-Diode/TVS	64V, 5 3A, 600W (1ms)	DO-215AA	1d	Vis
NL	SMBJ64	Z-Diode/TVS	64V, 5 3A, 600W (1ms)	DO-214AA	1d	Vis
NL	TV06B640K	Z-Diode/TVS	64V 10%, 5 3A, 600W (1ms)	DO-214AA	1d	Cmc
NM	1SMB64AT3	Z-Diode/TVS	64V, 5 8A, 600W (1ms)	403A	3d	Mot,Ons
NM	P6SMB160A	Z-Diode/TVS	160V, 2,7A, 600W (1ms)	DO-214AA	1d	Fag
NM	P6SMBJ64A	Z-Diode/TVS	64V, 5 8A, 600W (1ms)	DO-214AA	1d	PjI,Srj,Wpd
NM	SMBG64A	Z-Diode/TVS	64V, 5 8A, 600W (1ms)	DO-215AA	1d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
NM	SMBJ64A	Z-Diode/TVS	64V, 5.8A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NM	TV06B640J	Z-Diode/TVS	64V 5%, 5.8A, 600W(1ms)	DO-214AA	1d	Cmc
NMC	1SMB64CAT3	Z-Diode/TVS	64V, 5.8A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
NN	BAR65-02L	PIN-Diode	TV-Tuner, 30V, 100mA, Vf<1V(50mA), <0.9pF	TSLP-2-1	13d	Inf
NN	P6SMB170	Z-Diode/TVS	170V, 2.5A, 600W (1ms)	DO-214AA	1d	Fag
NN	P6SMBJ70	Z-Diode/TVS	70V, 4.8A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NN	SMBG70	Z-Diode/TVS	70V, 4.8A, 600W (1ms)	DO-215AA	1d	Vis
NN	SMBJ70	Z-Diode/TVS	70V, 4.8A, 600W (1ms)	DO-214AA	1d	Vis
NN	TV06B700K	Z-Diode/TVS	70V 10%, 4.8A, 600W(1ms)	DO-214AA	1d	Cmc
NP	1SMB70AT3	Z-Diode/TVS	70V, 5.3A, 600W (1ms)	403A	3d	Mot,Ons
NP	BAT15-02L	Si-Diode	Schottky, DBS-mix, 4V, 100mA, <12GHz, <0.35pF	TSLP-2-1	13d	Inf
NP	CMDZ5L6	Z-Diode	5.6V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
NP	P6SMB170A	Z-Diode/TVS	170V, 2.6A, 600W (1ms)	DO-214AA	1d	Fag
NP	P6SMBJ70A	Z-Diode/TVS	70V, 5.3A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NP	SM6T68C	Z-Diode/TVS	68V, 6.3A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
NP	SMBG70A	Z-Diode/TVS	70V, 5.3A, 600W (1ms)	DO-215AA	1d	Vis
NP	SMBJ70A	Z-Diode/TVS	70V, 5.3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NP	TV06B700J	Z-Diode/TVS	70V 5%, 5.3A, 600W(1ms)	DO-214AA	1d	Cmc
NPC	1SMB70CAT3	Z-Diode/TVS	70V, 5.3A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
NPX	SMBT70A	Z-Diode/TVS	70V, 100A, 600W (1ms)	DO-214AC	1d	Dil
NQ	P6SMB180	Z-Diode/TVS	180V, 2.3A, 600W (1ms)	DO-214AA	1d	Fag
NQ	P6SMBJ75	Z-Diode/TVS	75V, 4.5A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NQ	SM6T68CA	Z-Diode/TVS	68V, 6.5A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
NQ	SMBG75	Z-Diode/TVS	75V, 4.5A, 600W (1ms)	DO-215AA	1d	Vis
NQ	SMBJ75	Z-Diode/TVS	75V, 4.5A, 600W (1ms)	DO-214AA	1d	Vis
NQ	TV06B750K	Z-Diode/TVS	75V 10%, 4.5A, 600W(1ms)	DO-214AA	1d	Cmc
NR	1SMB75AT3	Z-Diode/TVS	75V, 4.9A, 600W (1ms)	403A	3d	Mot,Ons
NR	P6SMB180A	Z-Diode/TVS	180V, 2.4A, 600W (1ms)	DO-214AA	1d	Fag
NR	P6SMBJ75A	Z-Diode/TVS	75V, 4.9A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NR	SMBG75A	Z-Diode/TVS	75V, 5A, 600W (1ms)	DO-215AA	1d	Vis
NR	SMBJ75A	Z-Diode/TVS	75V, 5A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NR	TV06B750J	Z-Diode/TVS	75V 5%, 4.9A, 600W(1ms)	DO-214AA	1d	Cmc
NRC	1SMB75CAT3	Z-Diode/TVS	75V, 4.9A, 600W (1ms), Bidirectional	403A	3c	Mot,Ons
NS	P6SMB200	Z-Diode/TVS	200V, 2.1A, 600W (1ms)	DO-214AA	1d	Fag
NS	P6SMBJ78	Z-Diode/TVS	78V, 4.3A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NS	SMBG78	Z-Diode/TVS	78V, 4.3A, 600W (1ms)	DO-215AA	1d	Vis
NS	SMBJ78	Z-Diode/TVS	78V, 4.3A, 600W (1ms)	DO-214AA	1d	Vis
NS	TV06B780K	Z-Diode/TVS	78V 10%, 4.3A, 600W(1ms)	DO-214AA	1d	Cmc
NT	1SMB78AT3	Z-Diode/TVS	78V, 4.7A, 600W (1ms)	403A	3d	Mot,Ons
NT	P6SMB200A	Z-Diode/TVS	200V, 2.2A, 600W (1ms)	DO-214AA	1d	Fag
NT	P6SMBJ78A	Z-Diode/TVS	78V, 4.7A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NT	SMBG78A	Z-Diode/TVS	78V, 4.8A, 600W (1ms)	DO-215AA	1d	Vis
NT	SMBJ78A	Z-Diode/TVS	78V, 4.8A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NT	TV06B780J	Z-Diode/TVS	78V 5%, 4.7A, 600W(1ms)	DO-214AA	1d	Cmc
NU	P6SMB220	Z-Diode/TVS	220V, 1.75A, 600W (1ms)	DO-214AA	1d	Fag
NU	P6SMBJ85	Z-Diode/TVS	85V, 3.9A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NU	SMBG85	Z-Diode/TVS	85V, 4A, 600W (1ms)	DO-215AA	1d	Vis
NU	SMBJ85	Z-Diode/TVS	85V, 4A, 600W (1ms)	DO-214AA	1d	Vis
NU	TV06B850K	Z-Diode/TVS	85V 10%, 3.9A, 600W(1ms)	DO-214AA	1d	Cmc
NUE	SM2T14A	Z-Diode/TVS	12V, 20A, 200W(1ms)	DO-216AA	4d	Ste
NV	1SMB85AT3	Z-Diode/TVS	85V, 4.4A, 600W (1ms)	403A	3d	Mot,Ons
NV	P6SMB220A	Z-Diode/TVS	220V, 1.83A, 600W (1ms)	DO-214AA	1d	Fag
NV	P6SMBJ85A	Z-Diode/TVS	85V, 4.4A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NV	SMBG85A	Z-Diode/TVS	85V, 4.4A, 600W (1ms)	DO-215AA	1d	Vis
NV	SMBJ85A	Z-Diode/TVS	85V, 4.4A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NV	TV06B850J	Z-Diode/TVS	85V 5%, 4.4A, 600W(1ms)	DO-214AA	1d	Cmc
NV7	SM6T100A	Z-Diode/TVS	95..105V, 4.4A, 600W (1ms)	DO-214AA	1d	Vis
NV7	SM6T100CA	Z-Diode/TVS	95..105V, 4.4A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
NW	P6SMB250	Z-Diode/TVS	250V, 1.67A, 600W (1ms)	DO-214AA	1d	Fag
NW	P6SMBJ90	Z-Diode/TVS	90V, 3.8A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NW	SMBG90	Z-Diode/TVS	90V, 3.8A, 600W (1ms)	DO-215AA	1d	Vis
NW	SMBJ90	Z-Diode/TVS	90V, 3.8A, 600W (1ms)	DO-214AA	1d	Vis
NW	TV06B900K	Z-Diode/TVS	90V 10%, 3.8A, 600W(1ms)	DO-214AA	1d	Cmc
NX	1SMB90AT3	Z-Diode/TVS	90V, 4.1A, 600W (1ms)	403A	3d	Mot,Ons
NX	P6SMB250A	Z-Diode/TVS	250V, 1.65A, 600W (1ms)	DO-214AA	1d	Fag
NX	P6SMBJ90A	Z-Diode/TVS	90V, 4.1A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NX	SM6T100C	Z-Diode/TVS	100V, 4.2A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
NX	SM8G90A	Z-Diode/TVS	90V, 4 1A, 600W (1ms)	DO-215AA	1d	Vis
NX	SMBJ90A	Z-Diode/TVS	90V, 4 1A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NX	TV06B900J	Z-Diode/TVS	90V 5%, 4 1A, 600W(1ms)	DO-214AA	1d	Cmc
NY	P6SMBJ100	Z-Diode/TVS	100V, 3 4A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NY	SM6T100CA	Z-Diode/TVS	100V, 4,4A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
NY	SM8G100	Z-Diode/TVS	100V, 3 4A, 600W (1ms)	DO-215AA	1d	Vis
NY	SMBJ100	Z-Diode/TVS	100V, 3 4A, 600W (1ms)	DO-214AA	1d	Vis
NY	TV06B101K	Z-Diode/TVS	100V 10%, 3 4A, 600W(1ms)	DO-214AA	1d	Cmc
NZ	1SMB100AT3	Z-Diode/TVS	100V, 3 7A, 600W (1ms)	403A	3d	Mot,Ons
NZ	P6SMBJ100A	Z-Diode/TVS	100V, 3 7A, 600W (1ms)	DO-214AA	1d	Pjl,Srj,Wpd
NZ	SM8G100A	Z-Diode/TVS	100V, 3 7A, 600W (1ms)	DO-215AA	1d	Vis
NZ	SMBJ100A	Z-Diode/TVS	100V, 3 7A, 600W (1ms)	DO-214AA	1d	Dil,Vis
NZ	TV06B101J	Z-Diode/TVS	100V 5%, 3 7A, 600W(1ms)	DO-214AA	1d	Cmc
O	BAR64-02V	PIN-Diode	Sw, RF-Ail, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SC-79	8d	Inf
O	BB857	C-Diode	SATV-Tuning, 35V	DO-214	1d	Sie
O10A	1KSMBJ24	Z-Diode/TVS	21 6 26 4V, 28 3A, 600W(1ms)	DO-214AA	1d	Lif
O10B	1KSMBJ24A	Z-Diode/TVS	22 8 25 2V, 30A, 600W(1ms)	DO-214AA	1d	Lif
O10C	1KSMBJ27	Z-Diode/TVS	24 3 29 7V, 25 5A, 600W(1ms)	DO-214AA	1d	Lif
O10D	1KSMBJ27A	Z-Diode/TVS	25 7 28 4V, 26 7A, 600W(1ms)	DO-214AA	1d	Lif
O10E	1KSMBJ30	Z-Diode/TVS	27 33V, 22 9A, 600W(1ms)	DO-214AA	1d	Lif
O10F	1KSMBJ30A	Z-Diode/TVS	28 5 31 5V, 24A, 600W(1ms)	DO-214AA	1d	Lif
O10G	1KSMBJ33	Z-Diode/TVS	29 7 36 3V, 21A, 600W(1ms)	DO-214AA	1d	Lif
O10H	1KSMBJ33A	Z-Diode/TVS	31 4 34 7V, 22A, 600W(1ms)	DO-214AA	1d	Lif
O10I	1KSMBJ36	Z-Diode/TVS	32 4 39 6V, 19 2A, 600W(1ms)	DO-214AA	1d	Lif
O10J	1KSMBJ36A	Z-Diode/TVS	34 2 37 8V, 20A, 600W(1ms)	DO-214AA	1d	Lif
O10K	1KSMBJ39	Z-Diode/TVS	35 1 42 9V, 17 5A, 600W(1ms)	DO-214AA	1d	Lif
O10L	1KSMBJ39A	Z-Diode/TVS	37 1 41V, 18 7A, 600W(1ms)	DO-214AA	1d	Lif
O10M	1KSMBJ43	Z-Diode/TVS	38 7 47 3V, 16A, 600W(1ms)	DO-214AA	1d	Lif
O10N	1KSMBJ43A	Z-Diode/TVS	40 9 45 2V, 16 8A, 600W(1ms)	DO-214AA	1d	Lif
O10O	1KSMBJ47	Z-Diode/TVS	42 3 51 7V, 14 8A, 600W(1ms)	DO-214AA	1d	Lif
O10P	1KSMBJ47A	Z-Diode/TVS	44 7 49 4V, 15 5A, 600W(1ms)	DO-214AA	1d	Lif
O10Q	1KSMBJ51	Z-Diode/TVS	45 9 56 1V, 13 7A, 600W(1ms)	DO-214AA	1d	Lif
O10R	1KSMBJ51A	Z-Diode/TVS	48 5 53 6V, 14 3A, 600W(1ms)	DO-214AA	1d	Lif
O10S	1KSMBJ56	Z-Diode/TVS	50 4 61 6V, 12 3A, 600W(1ms)	DO-214AA	1d	Lif
O10T	1KSMBJ56A	Z-Diode/TVS	53 2 58 8V, 13A, 600W(1ms)	DO-214AA	1d	Lif
O10U	1KSMBJ62	Z-Diode/TVS	55 8 68 2V, 11 3A, 600W(1ms)	DO-214AA	1d	Lif
O10V	1KSMBJ62A	Z-Diode/TVS	58 9 65 1V, 11 8A, 600W(1ms)	DO-214AA	1d	Lif
O10W	1KSMBJ68	Z-Diode/TVS	61 2 74 8V, 10 2A, 600W(1ms)	DO-214AA	1d	Lif
O10X	1KSMBJ68A	Z-Diode/TVS	64 6 71 4V, 10 8A, 600W(1ms)	DO-214AA	1d	Lif
O10Y	1KSMBJ75	Z-Diode/TVS	67 5 82 5V, 9 2A, 600W(1ms)	DO-214AA	1d	Lif
O10Z	1KSMBJ75A	Z-Diode/TVS	71 3 78 8V, 9 7A, 600W(1ms)	DO-214AA	1d	Lif
OB0	SO5551R	Si-NPN	GP, 180V, 200mA, 200mW, B=80 250, <300MHz	SOT23R	10te	Ste
OK	SM6T150C	Z-Diode/TVS	150V, 2,7A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
OL	SM6T150CA	Z-Diode/TVS	150V, 2,9A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
OP	CMD26L2	Z-Diode	6 2V, 250mW, iz=0 5mA	SOD-323	5d	Sen
OT	SM6T200C	Z-Diode/TVS	200V, 2A, 600W(1ms)	DO-214AA	1d	Ste
OU	SM6T200CA	Z-Diode/TVS	200V, 2,2A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
OW	SM6T220CA	Z-Diode/TVS	220V, 2A, 600W(1ms), Bidirectional	DO-214AA	1c	Ste
P	HVU314	C-Diode	BS Tuning, 4,4 6,4pF(1V)	SOD-123	5d	Ren
P	MAZS056	Z-Diode	5,3 6V, 200mW	SC-79	6d	Pan
P-	MAZS056	Z-Diode	5,3 6V, 200mW	SC-79	6d	Pan
P-	MAZS0560M	Z-Diode	5,48 5,76V, 200mW	SC-79	6d	Pan
P (white)	BA586	PIN-Diode	Attenuator, >1MHz, 50V, 50mA, Vf<1,15V, Cd<0 2pF	SOD-123	5d	Sie
P (white)	BAT15-03W	Si-Diode	Schottky, DBS-mx, 4V, 100mA, <12GHz, <0,35pF	SOD-323	5d	Inf
P^	MAZS056	Z-Diode	5,3 6V, 200mW	SC-79	6d	Pan
P^	MAZS0560H	Z-Diode	5,66 5,95V, 200mW	SC-79	6d	Pan
P_	MAZS056	Z-Diode	5,3 6V, 200mW	SC-79	6d	Pan
P_	MAZS0560L	Z-Diode	5,3 5,58V, 200mW	SC-79	6d	Pan
P0	BB150	C-Diode	TV-VHF/CATV-Tuning, 460MHz, 38 46/2,2 2,6pF(0,5 28V)	SOD-123	5d	Phi
P1	HVU131	PIN-Diode	Antenna -Sw, 85V, 100mA, <1Q(10mA)	SOD-123	5d	Ren
P1	MMSZ5266	Z-Diode	68V 5%, 300mW	SOD-123	5d	Vis
P1	MMSZ5266BT1	Z-Diode	68V±5%, 0 5W, Zzt=230Q	SOD-123	5d	Mot
P1+green	BB131	C-Diode	TV-UHF-Tuning, 30V, 20mA, 1 14pF(28/0,5V), <3Q	SOD-323	5d	Phi
P10A	1KSMBJ82	Z-Diode/TVS	73 8 90 2V, 8 5A, 600W(1ms)	DO-214AA	1d	Lif
P10B	1KSMBJ82A	Z-Diode/TVS	77 9 86 1V, 8 8A, 600W(1ms)	DO-214AA	1d	Lif
P10C	1KSMBJ91	Z-Diode/TVS	81 9 100V, 7 5A, 600W(1ms)	DO-214AA	1d	Lif
P10D	1KSMBJ91A	Z-Diode/TVS	86 5 95 5V, 8A, 600W(1ms)	DO-214AA	1d	Lif

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
P10E	1KSMBJ100	Z-Diode/TVS	90 110V, 7A, 600W(1ms)	DO-214AA	1d	Lif
P10F	1KSMBJ100A	Z-Diode/TVS	95 105V, 7 3A, 600W(1ms)	DO-214AA	1d	Lif
P10G	1KSMBJ110	Z-Diode/TVS	99 121V, 6 3A, 600W(1ms)	DO-214AA	1d	Lif
P10H	1KSMBJ110A	Z-Diode/TVS	105 116V 6 6A, 600W(1ms)	DO-214AA	1d	Lif
P10I	1KSMBJ120	Z-Diode/TVS	108 132V, 5 8A, 600W(1ms)	DO-214AA	1d	Lif
P10J	1KSMBJ120A	Z-Diode/TVS	114 126V, 6 1A, 600W(1ms)	DO-214AA	1d	Lif
P10K	1KSMBJ130	Z-Diode/TVS	117 143V, 5 3A, 600W(1ms)	DO-214AA	1d	Lif
P10L	1KSMBJ130A	Z-Diode/TVS	124 137V, 5 6A, 600W(1ms)	DO-214AA	1d	Lif
P10M	1KSMBJ150	Z-Diode/TVS	135 165V, 4 7A, 600W(1ms)	DO-214AA	1d	Lif
P10N	1KSMBJ150A	Z-Diode/TVS	143 158V 4 8A, 600W(1ms)	DO-214AA	1d	Lif
P10O	1KSMBJ160	Z-Diode/TVS	144 176V, 4 3A, 600W(1ms)	DO-214AA	1d	Lif
P10P	1KSMBJ160A	Z-Diode/TVS	152 168V 4 6A, 600W(1ms)	DO-214AA	1d	Lif
P2	HVU132	PIN-Diode	Antenna -Sw, 65V, 100mA, <2Q(10mA)	SOD-123	5d	Ren
P2	MMSZ5267	Z-Diode	75V 5%, 300mW	SOD-123	5d	Vis
P2	MMSZ5267BT1	Z-Diode	75V±5%, 0 5W, Zzt=270Ω	SOD-123	5d	Mol
P2+red	BB132	C-Diode	TV-UHF-Tuning 30V, 20mA, 2.75 30pF(28/0,5V) <2Ω,	SOD-323	5d	Phi
P3	D3FP3	Si-Diode	Schottky Rectifier, 30V, 2,6A, Vf<0,45V(2,6A)	2F	1d	Shi
P3	HVU133	PIN-Diode	Antenna -Sw, 15V, <0,7Q(20A)	SOD-123	5d	Ren
P3	MMSZ5268BT1	Z-Diode	82V±5%, 0 5W, Zzt=330Ω	SOD-123	5d	Mol
P3+yellow	BB133	C-Diode	TV-UHF-Tuning, 30V, 20mA, 2 6 46pF(28/0 5V), <0,9Ω	SOD-323	5d	Phi
P4	MMSZ5269BT1	Z-Diode	87V±5%, 0 5W, Zzt=370Ω	SOD-123	5d	Mol
P4+white	BB134	C-Diode	TV-UHF-Tuning 30V, 20mA, 2,1 21pF(28/0,5V) <0,75Ω	SOD-323	5d	Phi
P5	MMSZ5270BT1	Z-Diode	91V±5%, 0 5W, Zzt=400Ω	SOD-123	5d	Mol
P5+white	BB135	C-Diode	TV-UHF-Tuning, 30V, 20mA, 2,1 21pF(28/0 5V), <0 75Ω	SOD-323	5d	Phi
P6	BB146	Si-Diode	TV-VHF-Tuning, ext Band, 30V, 20mA, 1,7 35pF(28 0,5V)	SOD-323	5d	Phi
P7	BB147	C-Diode	TV-VHF-Tuning, ext Band, 30V, 20mA, 2 4 92pF(28 0,5V)	SOD-323	5d	Phi
P8+yellow	BB148	C-Diode	TV-VHF/CATV-Tuning, 30V, 20mA, 2 4 36,8pF(28 1V)	SOD-323	5d	Phi
P9+white	BB149	C-Diode	TV-UHF-Tuning 30V, 20mA, 1 9 18pF(28 1V)	SOD-323	5d	Phi
PA	BB151	C-Diode	VCO, 10V, 20mA, 9 19,1pF(4 0,5V)	SOD-323	5d	Phi
PA	MA2Q735	Si-Diode	Scottky Barrier Rect, 30V, 1A Vf<0,5V(1A), 50pF	DO-214	1d	Pan
PB	BB152	C-Diode	TV-UHF-Tuning, 32V, 20mA, 2,48 52pF(28 1V)	SOD-323	5d	Phi
PB	MA2Q736	Si-Diode	Scottky Barrier Rect, 40V, 1A, Vf<0 55V(1A), 50pF	DO-214	1d	Pan
PC	BB153	C-Diode	TV-UHF-Tuning, 32V, 20mA, 2,36 34,6pF(28 1V)	SOD-323	5d	Phi
PC	MA2Q737	Si-Diode	Scottky Barrier Rect, 30V, 1,5A, Vf<0,5V(2A) 50pF	DO-214	1d	Pan
PD	MA2Q738	Si-Diode	Scottky Barrier Rect, 40V, 1,5A, Vf<0,55V(2A), 50pF	DO-214	1d	Pan
PD	P6SMB6 8C	Z-Diode/TVS	6,8V, 56A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PD	P6SMBJ110	Z-Diode/TVS	110V, 3A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PD	SMBG110	Z-Diode/TVS	110V, 3 1A, 600W (1ms)	DO-215AA	1d	Vis
PD	SMBJ110	Z-Diode/TVS	110V, 3 1A, 600W (1ms)	DO-214AA	1d	Vis
PD	TV06B111K	Z-Diode/TVS	110V 10%, 3A, 600W(1ms)	DO-214AA	1d	Cmc
PE	1SMB110AT3	Z-Diode/TVS	110V, 3 4A, 600W (1ms)	403A	3d	Mol,Ons
PE	BB155	C-Diode	Mobile Comm VCO, 10V, 20mA, 24,5 45,2pF(2,82 0,34V)	SOD-323	5d	Phi
PE	MA2Q739	Si-Diode	Scottky Barrier Rect, 90V, 700mA, Vf<0,8V(700mA), 50pF	DO-214	1d	Pan
PE	P6SMB6 8CA	Z-Diode/TVS	6,8V, 57A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PE	P6SMBJ110A	Z-Diode/TVS	110V, 3 4A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PE	SMBG110A	Z-Diode/TVS	110V, 3 4A, 600W (1ms)	DO-215AA	1d	Vis
PE	SMBJ110A	Z-Diode/TVS	110V, 3 4A, 600W (1ms)	DO-214AA	1d	Dit,Vis
PE	TV06B111J	Z-Diode/TVS	110V 5%, 3 4A, 600W(1ms)	DO-214AA	1d	Cmc
PF	BB156	C-Diode	VCO, 10V, 20mA, 4,2 14 4pF(7,5 1V), <0,4Ω	SOD-323	5d	Phi
PF	MAZD180	Z-Diode	16,9 19,1V, 120mW	SSSMini2	7d	Pan
PF	P6SMB7 5C	Z-Diode/TVS	7,5V, 51A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PF	P6SMBJ120	Z-Diode/TVS	120V, 2 8A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PF	SMBG120	Z-Diode/TVS	120V, 2 8A, 600W (1ms)	DO-215AA	1d	Vis
PF	SMBJ120	Z-Diode/TVS	120V, 2 8A, 600W (1ms)	DO-214AA	1d	Vis
PF	TV06B121K	Z-Diode/TVS	120V 10%, 2 8A, 600W(1ms)	DO-214AA	1d	Cmc
PG	1SMB120AT3	Z-Diode/TVS	120V, 3 1A, 600W (1ms)	403A	3d	Mol,Ons
PG	P6SMB7 5CA	Z-Diode/TVS	7,5V, 53A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PG	P6SMBJ120A	Z-Diode/TVS	120V, 3 1A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PG	SMBG120A	Z-Diode/TVS	120V, 3 1A, 600W (1ms)	DO-215AA	1d	Vis
PG	SMBJ120A	Z-Diode/TVS	120V, 3 1A, 600W (1ms)	DO-214AA	1d	Dit,Vis
PG	TV06B121J	Z-Diode/TVS	120V 5%, 3 1A, 600W(1ms)	DO-214AA	1d	Cmc
PH	BB158	C-Diode	TV-UHF-Tuning, 18 19,5/1,9 2,25pF(1 28V)	SOD-323	5d	Phi
PH	P6SMB28 2C	Z-Diode/TVS	8,2V, 48A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PH	P6SMBJ130	Z-Diode/TVS	130V, 2 6A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PH	SMBG130	Z-Diode/TVS	130V, 2 6A, 600W (1ms)	DO-215AA	1d	Vis
PH	SMBJ130	Z-Diode/TVS	130V, 2 6A, 600W (1ms)	DO-214AA	1d	Vis
PH	TV06B131K	Z-Diode/TVS	130V 10%, 2 6A, 600W(1ms)	DO-214AA	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Чок.	Произв.
PJ	BB159	C-Diode	TV-UHF-Tuning, 30V, 20mA, 18 19,5/1,9 2,25pF(1 28V)	SOD-323	5d	Phi
PJ	DDZ20C	Z-Diode	20V±5%, 200mW	SOD-323	5d	Dil
PJ	DDZ20CS	Z-Diode	20V±5%, 200mW	SOD-323	5d	Dil
PK	1SMB130AT3	Z-Diode/TVS	130V, 2 9A, 600W (1ms)	403A	3d	Mol,Ons
PK	BB164	C-Diode	TV-VHF-Tuning, 30V, 20mA, 62 2,9pF(1 28V), 160MHz	SOD-323	5d	Phi
PK	MA2Q705	Si-Diode	Scottky Barrier Rect, 30V, 1.5A, Vf<0,37V(1A), 90pF	DO-214	1d	Pan
PK	P6SMB8 2CA	Z-Diode/TVS	8,2V, 50A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PK	P6SMBJ130A	Z-Diode/TVS	130V, 2 9A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PK	SMBG130A	Z-Diode/TVS	130V, 2 9A, 600W (1ms)	DO-215AA	1d	Vis
PK	SMBJ130A	Z-Diode/TVS	130V, 2 9A, 600W (1ms)	DO-214AA	1d	Dil,Vis
PK	TV06B131J	Z-Diode/TVS	130V 5%, 2 9A 600W(1ms)	DO-214AA	1d	Cmc
PK7	SM6T150A	Z-Diode/TVS	143 158V, 2 9A, 600W (1ms)	DO-214AA	1d	Vis
PK7	SM6T150CA	Z-Diode/TVS	143 158V, 2 9A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
PL	BB149A	C-Diode	TV-UHF-Tuning, 30V, 20mA, 1,8 18,22pF(28 1V)	SOD-323	5d	Phi
PL	DDZ24C	Z-Diode	24V±5%, 200mW	SOD-323	5d	Dil
PL	DDZ24CS	Z-Diode	24V±5%, 200mW	SOD-323	5d	Dil
PL	P6SMB9 1C	Z-Diode/TVS	9,1V, 44A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PL	P6SMBJ150	Z-Diode/TVS	150V, 2 2A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PL	SMBG150	Z-Diode/TVS	150V, 2 2A, 600W (1ms)	DO-215AA	1d	Vis
PL	SMBJ150	Z-Diode/TVS	150V, 2 2A, 600W (1ms)	DO-214AA	1d	Vis
PL	TV06B151K	Z-Diode/TVS	150V 10%, 2 2A, 600W(1ms)	DO-214AA	1d	Cmc
PM	1SMB150AT3	Z-Diode/TVS	150V, 2 5A, 600W (1ms)	403A	3d	Mol,Ons
PM	P6SMB9 1CA	Z-Diode/TVS	9,1V, 45A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PM	P6SMBJ150A	Z-Diode/TVS	150V, 2 5A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PM	SMBG150A	Z-Diode/TVS	150V, 2 5A, 600W (1ms)	DO-215AA	1d	Vis
PM	SMBJ150A	Z-Diode/TVS	150V, 2 5A, 600W (1ms)	DO-214AA	1d	Dil,Vis
PM	TV06B151J	Z-Diode/TVS	150V 5%, 2 5A, 600W(1ms)	DO-214AA	1d	Cmc
PN	BB190	C-Diode	Radio-UHF-Tun, 10V, 20mA, 15 6pF(2 10V), <0,4Ω (470MHz)	SOD-323	5d	Phi
PN	P6SMB10C	Z-Diode/TVS	10V, 40A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PN	P6SMBJ160	Z-Diode/TVS	160V, 2 1A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PN	SMBG160	Z-Diode/TVS	160V, 2 1A, 600W (1ms)	DO-215AA	1d	Vis
PN	SMBJ160	Z-Diode/TVS	160V, 2 1A, 600W (1ms)	DO-214AA	1d	Vis
PN	TV06B161K	Z-Diode/TVS	160V 10%, 2 1A, 600W(1ms)	DO-214AA	1d	Cmc
PP	1SMB160AT3	Z-Diode/TVS	160V, 2 3A, 600W (1ms)	403A	3d	Mol,Ons
PP	CMDZ6L8	Z-Diode	6 8V, 250mW, Iz=0 5mA	SOD-323	5d	Cen
PP	P6SMB10CA	Z-Diode/TVS	10V, 41A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PP	P6SMBJ160A	Z-Diode/TVS	160V, 2 3A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PP	SMBG160A	Z-Diode/TVS	160V, 2 3A, 600W (1ms)	DO-215AA	1d	Vis
PP	SMBJ160A	Z-Diode/TVS	160V, 2 3A, 600W (1ms)	DO-214AA	1d	Dil,Vis
PP	TV06B161J	Z-Diode/TVS	160V 5%, 2 3A, 600W(1ms)	DO-214AA	1d	Cmc
PQ	P6SMB11C	Z-Diode/TVS	11V, 37A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PQ	P6SMBJ170	Z-Diode/TVS	170V, 2A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PQ	SMBG170	Z-Diode/TVS	170V, 2A, 600W (1ms)	DO-215AA	1d	Vis
PQ	SMBJ170	Z-Diode/TVS	170V, 2A, 600W (1ms)	DO-214AA	1d	Vis
PQ	TV06B171K	Z-Diode/TVS	170V 10%, 2A, 600W(1ms)	DO-214AA	1d	Cmc
PR	1SMB170AT3	Z-Diode/TVS	170V, 2 2A, 600W (1ms)	403A	3d	Mol,Ons
PR	P6SMB11CA	Z-Diode/TVS	11V, 38A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PR	P6SMBJ170A	Z-Diode/TVS	170V, 2 2A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PR	SMBG170A	Z-Diode/TVS	170V, 2 2A, 600W (1ms)	DO-215AA	1d	Vis
PR	SMBJ170A	Z-Diode/TVS	170V, 2 2A, 600W (1ms)	DO-214AA	1d	Dil,Vis
PR	TV06B171J	Z-Diode/TVS	170V 5%, 2 2A, 600W(1ms)	DO-214AA	1d	Cmc
PR7	SM6T200A	Z-Diode/TVS	190 210V, 2 2A, 600W (1ms)	DO-214AA	1d	Vis
PR7	SM6T200CA	Z-Diode/TVS	190 210V, 2 2A, 600W (1ms), Bidirectional	DO-214AA	2c	Vis
PR8	SM6T220A	Z-Diode/TVS	209 231V, 2A, 600W (1ms)	DO-214AA	1d	Vis
PR8	SM6T220CA	Z-Diode/TVS	209 231V, 2A 600W (1ms), Bidirectional	DO-214AA	2c	Vis
PS	P6SMB12C	Z-Diode/TVS	12V, 35A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PS	P6SMBJ180	Z-Diode/TVS	170V, 1 9A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PS	SMBG188A	Z-Diode/TVS	188V, 2A, 600W (1ms)	DO-215AA	1d	Vis
PS	SMBJ188A	Z-Diode/TVS	188V, 2A, 600W (1ms)	DO-214AA	1d	Vis
PT	P6SMB12CA	Z-Diode/TVS	12V, 36A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PT	P6SMBJ180A	Z-Diode/TVS	170V, 2 1A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PT	SMBG188	Z-Diode/TVS	188V, 1 7A, 600W (1ms)	DO-215AA	1d	Vis
PT	SMBJ188	Z-Diode/TVS	188V, 1 7A, 600W (1ms)	DO-214AA	1d	Vis
PU	P6SMB13C	Z-Diode/TVS	13V, 32A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PU	P6SMBJ190	Z-Diode/TVS	170V, 1 8A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd
PV	P6SMB130A	Z-Diode/TVS	13V, 33A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
PV	P6SMBJ190A	Z-Diode/TVS	170V, 2A, 600W (1ms)	DO-214AA	1d	PjL,Srj,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
PW	P6SMB15C	Z-Diode/TVS	15V, 27A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
PW	P6SMBJ200	Z-Diode/TVS	170V, 1.7A, 600W (1ms)	DO-214AA	1d PjL.Srj,Wpd
PX	P6SMB15CA	Z-Diode/TVS	15V, 28A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
PY	P6SMB16C	Z-Diode/TVS	16V, 26A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
PY	P6SMBJ210	Z-Diode/TVS	170V, 1.6A, 600W (1ms)	DO-214AA	1d PjL.Srj,Wpd
PZ	P6SMB16CA	Z-Diode/TVS	16V, 27A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
PZ	P6SMBJ200A	Z-Diode/TVS	170V, 1.9A, 600W (1ms)	DO-214AA	1d PjL.Srj,Wpd
PZ	P6SMBJ210A	Z-Diode/TVS	170V, 1.8A, 600W (1ms)	DO-214AA	1d PjL.Srj,Wpd
QAA	SMP30-62	TVS	62V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAB	SMP30-68	TVS	68V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAC	SMP30-100	TVS	100V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAD	SMP30-120	TVS	120V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAE	SMP30-130	TVS	130V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAF	SMP30-180	TVS	180V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAG	SMP30-200	TVS	200V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAH	SMP30-220	TVS	220V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAI	SMP30-240	TVS	240V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QAJ	SMP30-270	TVS	270V, 30A, 3W (1ms), Bidirectional	SMA	1c Ste
QD	P6SMB18C	Z-Diode/TVS	18V, 23A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QD	P6SMBJ220	Z-Diode/TVS	170V, 1.5A, 600W (1ms)	DO-214AA	1d PjL.Srj,Wpd
QD	SM4T6VB	Z-Diode/TVS	6.8V, 38A, 400W(1ms)	SOD6	1d Ste
QE	1SMA5.0A3	Z-Diode/TVS	5V±5%, 43.5A, 400W (1ms)	403B-01	3d Mot,Ons
QE	1SMA5.0AT3	Z-Diode/TVS	5V±5%, 43.5A, 400W (1ms)	403B-01	3d Mot,Ons
QE	P6SMB18CA	Z-Diode/TVS	18V, 24A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QE	P6SMBJ220A	Z-Diode/TVS	170V, 1.7A, 600W (1ms)	DO-214AA	1d PjL.Srj,Wpd
QE	SM4T6VB8A	Z-Diode/TVS	6.8V, 38A, 400W(1ms)	SOD6	1d Ste
QF	P6SMB20C	Z-Diode/TVS	20V, 21A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QF	SM4T7V5	Z-Diode/TVS	7.5V, 35.4A, 400W(1ms)	SOD6	1d Ste
QG	1SMA6.0A3	Z-Diode/TVS	6V±5%, 38.8A, 400W (1ms)	403B-01	3d Mot,Ons
QG	1SMA6.0AT3	Z-Diode/TVS	6V±5%, 38.8A, 400W (1ms)	403B-01	3d Mot,Ons
QG	P6SMB20CA	Z-Diode/TVS	20V, 20A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QG	SM4T7V5A	Z-Diode/TVS	7.5V, 35.4A, 400W(1ms)	SOD6	1d Ste
QH	P6SMB22C	Z-Diode/TVS	22V, 19A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QK	1SMA6.5AT3	Z-Diode/TVS	6.5V±5%, 35.7A, 400W (1ms)	403B-01	3d Mot,Ons
QK	1SMA6.5A3	Z-Diode/TVS	6.5V±5%, 35.7A, 400W (1ms)	403B-01	3d Mot,Ons
QK	P6SMB22CA	Z-Diode/TVS	22V, 20A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QL	P6SMB24C	Z-Diode/TVS	24V, 17A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QM	1SMA7.0A3	Z-Diode/TVS	7V±5%, 33.3A, 400W (1ms)	403B-01	3d Mot,Ons
QM	1SMA7.0AT3	Z-Diode/TVS	7V±5%, 33.3A, 400W (1ms)	403B-01	3d Mot,Ons
QM	P6SMB24CA	Z-Diode/TVS	24V, 18A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QN	P6SMB27C	Z-Diode/TVS	27V, 16A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QN	SM4T10	Z-Diode/TVS	10V, 27.6A, 400W(1ms)	SOD6	1d Ste
QP	1SMA7.5A3	Z-Diode/TVS	7.5V±5%, 31A, 400W (1ms)	403B-01	3d Mot,Ons
QP	1SMA7.5AT3	Z-Diode/TVS	7.5V±5%, 31A, 400W (1ms)	403B-01	3d Mot,Ons
QP	CMDZ7L5	Z-Diode	7.5V, 250mW, Iz=0.5mA	SOD-323	5d Cen
QP	P6SMB27CA	Z-Diode/TVS	27V, 17A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QP	SM4T10A	Z-Diode/TVS	10V, 27.6A, 400W(1ms)	SOD6	1d Ste
QQ	P6SMB30C	Z-Diode/TVS	30V, 14A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QR	1SMA8.0A3	Z-Diode/TVS	8.5V±5%, 29.4A, 400W (1ms)	403B-01	3d Mot,Ons
QR	1SMA8.0AT3	Z-Diode/TVS	8.5V±5%, 27.8A, 400W (1ms)	403B-01	3d Mot,Ons
QR	P6SMB30CA	Z-Diode/TVS	30V, 14.4A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QS	P6SMB33C	Z-Diode/TVS	33V, 12.6A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QS	SM4T12	Z-Diode/TVS	12V, 24A, 400W(1ms)	SOD6	1d Ste
QT	1SMA8.5A3	Z-Diode/TVS	8.5V±5%, 27.8A, 400W (1ms)	403B-01	3d Mot,Ons
QT	1SMA8.5AT3	Z-Diode/TVS	8.5V±5%, 29.4A, 400W (1ms)	403B-01	3d Mot,Ons
QT	P6SMB33CA	Z-Diode/TVS	33V, 13.2A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QT	SM4T12A	Z-Diode/TVS	12V, 24A, 400W(1ms)	SOD6	1d Ste
QU	P6SMB36C	Z-Diode/TVS	36V, 11.6A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QV	1SMA9.0A3	Z-Diode/TVS	9V±5%, 26A, 400W (1ms)	403B-01	3d Mot,Ons
QV	1SMA9.0AT3	Z-Diode/TVS	9V±5%, 26A, 400W (1ms)	403B-01	3d Mot,Ons
QV	P6SMB36CA	Z-Diode/TVS	36V, 12A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QW	P6SMB39C	Z-Diode/TVS	39V, 10.6A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QW	SM4T15	Z-Diode/TVS	15V, 19A, 400W(1ms)	SOD6	1d Ste
QX	1SMA10A3	Z-Diode/TVS	10V±5%, 23.5A, 400W(1ms)	403B-01	3d Mot,Ons
QX	1SMA10AT3	Z-Diode/TVS	10V±5%, 23.5A, 400W(1ms)	403B-01	3d Mot,Ons
QX	P6SMB39CA	Z-Diode/TVS	39V, 11.2A, 600W (1ms), Bidirectional	DO-214AA	1c Fag
QX	SM4T15A	Z-Diode/TVS	15V, 19A, 400W(1ms)	SOD6	1d Ste

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
QXC	1SMA10CA3	Z-Diode/TVS	10V±5%, 23 5A, 400W (1ms), Bidirectional	403B-01	3c	Mot Ons
QY	P6SMB43C	Z-Diode/TVS	43V, 9,6A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
QZ	1SMA11A3	Z-Diode/TVS	11V±5%, 22A, 400W (1ms)	403B-01	3d	Mot,Ons
QZ	1SMA11AT3	Z-Diode/TVS	11V±5%, 22A, 400W (1ms)	403B-01	3d	Mot,Ons
QZ	P6SMB43CA	Z-Diode/TVS	43V, 10,1A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
QZC	1SMA11CA3	Z-Diode/TVS	11V±5%, 22 0A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
R	HVU358	C-Diode	VCO, 19 21pF (1V)	SOD-123	5d	Ren
R	MAZS068	Z-Diode	6,4 7,2V, 200mW	SC-79	6d	Pan
R-	MAZS068	Z-Diode	6,4 7,2V, 200mW	SC-79	6d	Pan
R-	MAZS0680M	Z-Diode	6 64 6,98V, 200mW	SC-79	6d	Pan
R (red)	BB620	C-Diode	VHF-TV/VTR-Tuning, Hyperband, 30V, 20mA, 62 76pF	SOD-123	5d	Inf
R (red)	BB644	C-Diode	VHF-Tuning, 35V, 2,6/42pF (28/1V)	SOD-123	5d	Sie
R (white)	BA585	PIN-Diode	SATV Ant Sw Att, 2GHz, 50V, 50mA, V(50mA)<1 1V, 0,4pF	SOD-123	5d	Sie
R (yellow)	BA597	PIN-Diode	Attenuator, 50V, 100mA, >10MHz	SOD-123	5d	Sie
R^	MAZS068	Z-Diode	6,4 7,2V, 200mW	SC-79	6d	Pan
R^	MAZS0680H	Z-Diode	6,85 7,2V, 200mW	SC-79	6d	Pan
R_	MAZS068	Z-Diode	6,4 7,2V, 200mW	SC-79	6d	Pan
R_	MAZS0680L	Z-Diode	6,44 6 77V, 200mW	SC-79	6d	Pan
R1	FS1A	S-Diode	Rectifier, 50V, 1A, Vf<1,1V(1A)	DO-214AC	1d	Fag
R1	PDZ2 4B	S-Diode	2 4V±2,5%, 0 4W	SOD-323	5d	Pjl
R10A	RGF10A	Si-Diode	Fast Recovery Rectifier, 50V, 1A, Vf<1,3V(1A), 150ns	DO-214AC	1d	Zow
R10B	RGF10B	Si-Diode	Fast Recovery Rectifier, 100V, 1A, Vf<1,3V(1A), 150ns	DO-214AC	1d	Zow
R10D	RGF10D	Si-Diode	Fast Recovery Rectifier, 200V, 1A, Vf<1,3V(1A), 150ns	DO-214AC	1d	Zow
R10G	RGF10G	Si-Diode	Fast Recovery Rectifier, 400V, 1A, Vf<1,3V(1A), 150ns	DO-214AC	1d	Zow
R10J	RGF10J	Si-Diode	Fast Recovery Rectifier, 600V, 1A, Vf<1,3V(1A), 250ns	DO-214AC	1d	Zow
R10J	RGF10K	Si-Diode	Fast Recovery Rectifier, 800V, 1A, Vf<1,3V(1A), 500ns	DO-214AC	1d	Zow
R10J	RGF10M	Si-Diode	Fast Recovery Rectifier, 1000V, 1A, Vf<1,3V(1A), 500ns	DO-214AC	1d	Zow
R10JA	RGF10JA	Si-Diode	Fast Recovery Rectifier, 600V, 1A, Vf<1,3V(1A), 150ns	DO-214AC	1d	Zow
R10JA	RGF10KA	Si-Diode	Fast Recovery Rectifier, 800V, 1A, Vf<1,3V(1A), 300ns	DO-214AC	1d	Zow
R10JA	RGF10MA	Si-Diode	Fast Recovery Rectifier, 1000V, 1A, Vf<1,3V(1A), 300ns	DO-214AC	1d	Zow
R13	MRA4003T3	Si-Diode	Rectifier 300V, 1A, Vf<1,1V(1A)	SMA	1d	Ons
R14	MRA4004T3	Si-Diode	Rectifier, 400V, 1A, Vf<1,1V(1A)	SMA	1d	Ons
R15	MRA4005T3	Si-Diode	Rectifier, 600V, 1A, Vf<1,1V(1A)	SMA	1d	Ons
R16	MRA4006T3	Si-Diode	Rectifier 800V, 1A, Vf<1,1V(1A)	SMA	1d	Ons
R17	MRA4007T3	Si-Diode	Rectifier, 1000V, 1A, Vf<1,1V(1A)	SMA	1d	Ons
R2	FS1B	Si-Diode	Rectifier, 100V, 1A, Vf<1,1V(1A)	DO-214AC	1d	Fag
R2	PDZ2 7B	Z-Diode	2 7V±2,5%, 0 4W	SOD-323	5d	Pjl
R20A	RGF20A	Si-Diode	Fast Recovery Rectifier, 50V, 2A, Vf<1,3V(2A), 150ns	DO-214AA	1d	Zow
R20B	RGF20B	Si-Diode	Fast Recovery Rectifier, 100V, 2A, Vf<1,3V(2A), 150ns	DO-214AA	1d	Zow
R20D	RGF20D	Si-Diode	Fast Recovery Rectifier, 200V, 2A, Vf<1,3V(2A), 150ns	DO-214AA	1d	Zow
R20G	RGF20G	Si-Diode	Fast Recovery Rectifier, 400V, 2A, Vf<1,3V(2A), 150ns	DO-214AA	1d	Zow
R20J	RGF20J	Si-Diode	Fast Recovery Rectifier, 600V, 2A, Vf<1,3V(2A), 250ns	DO-214AA	1d	Zow
R20J	RGF20K	Si-Diode	Fast Recovery Rectifier, 800V, 2A, Vf<1,3V(2A), 500ns	DO-214AA	1d	Zow
R20J	RGF20M	Si-Diode	Fast Recovery Rectifier, 1000V, 2A, Vf<1,3V(2A), 500ns	DO-214AA	1d	Zow
R20JA	RGF20JA	Si-Diode	Fast Recovery Rectifier, 600V, 2A, Vf<1,3V(2A), 150ns	DO-214AA	1d	Zow
R20JA	RGF20KA	Si-Diode	Fast Recovery Rectifier, 800V, 2A, Vf<1,3V(2A), 300ns	DO-214AA	1d	Zow
R20JA	RGF20MA	Si-Diode	Fast Recovery Rectifier, 1000V, 2A, Vf<1,3V(2A), 300ns	DO-214AA	1d	Zow
R3	FS1D	Si-Diode	Rectifier, 200V, 1A, Vf<1,1V(1A)	DO-214AC	1d	Fag
R3	PDZ3 0B	Z-Diode	3 0V±2,5%, 0 4W	SOD-323	5d	Pjl
R30A	RGF30A	Si-Diode	Fast Recovery Rectifier, 50V, 3A, Vf<1,3V(3A), 150ns	DO-214AA	1d	Zow
R30B	RGF30B	Si-Diode	Fast Recovery Rectifier, 100V, 3A, Vf<1,3V(3A), 150ns	DO-214AA	1d	Zow
R30D	RGF30D	Si-Diode	Fast Recovery Rectifier, 200V, 3A, Vf<1,3V(3A), 150ns	DO-214AA	1d	Zow
R30G	RGF30G	Si-Diode	Fast Recovery Rectifier, 400V, 3A, Vf<1,3V(3A), 150ns	DO-214AA	1d	Zow
R30J	RGF30J	Si-Diode	Fast Recovery Rectifier, 600V, 3A, Vf<1,3V(3A), 250ns	DO-214AA	1d	Zow
R30J	RGF30K	Si-Diode	Fast Recovery Rectifier, 800V, 3A, Vf<1,3V(3A), 500ns	DO-214AA	1d	Zow
R30J	RGF30M	Si-Diode	Fast Recovery Rectifier, 1000V, 3A, Vf<1,3V(3A), 500ns	DO-214AA	1d	Zow
R30JA	RGF30JA	Si-Diode	Fast Recovery Rectifier, 600V, 3A, Vf<1,3V(3A), 150ns	DO-214AA	1d	Zow
R30JA	RGF30KA	Si-Diode	Fast Recovery Rectifier, 800V, 3A, Vf<1,3V(3A), 300ns	DO-214AA	1d	Zow
R30JA	RGF30MA	Si-Diode	Fast Recovery Rectifier, 1000V, 3A, Vf<1,3V(3A), 300ns	DO-214AA	1d	Zow
R4	FS1G	Si-Diode	Rectifier, 400V, 1A, Vf<1,1V(1A), 4µs	DO-214AC	1d	Fag
R4	PDZ3 3B	Z-Diode	3 3V±2 5%, 0 4W	SOD-323	5d	Pjl
R5	FS1J	Si-Diode	Rectifier, 600V, 1A, Vf<1,1V(1A), 4µs	DO-214AC	1d	Fag
R5	PDZ3 6B	Z-Diode	3 6V±2,5%, 0 4W	SOD-323	5d	Pjl
R6	FS1K	Si-Diode	Rectifier, 800V, 1A, Vf<1,1V(1A), 4µs	DO-214AC	1d	Fag
R6	PDZ3 9B	Z-Diode	3 9V±2,5%, 0 4W	SOD-323	5d	Pjl
R7	FS1M	Si-Diode	Rectifier, 1000V, 1A, Vf<1,1V(1A), 4µs	DO-214AC	1d	Fag
R7	PDZ4 3B	Z-Diode	4 3V±2,5%, 0 4W	SOD-323	5d	Pjl

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
R8	PDZ4 7B	Z-Diode	4 7V±2,5%, 0 4W	SOD-323	5d	Pjt
R9	FS1Q	Si-Diode	GP, Rectifier, 1200V, 1A, 4µs	DO-214AC	1d	Fag
R9	PDZ5 1B	Z-Diode	5 1V±2,5%, 0 4W	SOD-323	5d	Pjt
RA	P4SMA6 8C	Z-Diode/TVS	6,8V, 38A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RA	PDZ5 6B	Z-Diode	5 6V±2,5%, 0 4W	SOD-323	5d	Pjt
RA	RGF1A	Si-Diode	Fast Recovery Rectifier, 50V, 1A, 150 500ns	DO-214	1d	Vis
RB	PDZ6 2B	Z-Diode	6 2V±2,5%, 0 4W	SOD-323	5d	Pjt
RB	RGF1B	Si-Diode	Fast Recovery Rectifier, 100V, 1A 150 500ns	DO-214	1d	Vis
RC	P4SMA7 5C	Z-Diode/TVS	7,5V, 36A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RC	PDZ6 8B	Z-Diode	6 8V±2,5%, 0 4W	SOD-323	5d	Pjt
RD	P4SMAJ54	Z-Diode/TVS	54V, 4 2A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
RD	PDZ7 5B	Z-Diode	7 5V±2 5%, 0 4W	SOD-323	5d	Pjt
RD	RGF1D	Si-Diode	Fast Recovery Rectifier, 200V, 1A, 150 500ns	DO-214	1d	Vis
RD	SM4T1B	Z-Diode/TVS	18V, 16A, 400W(1ms)	SOD6	1d	Ste
RD	SMAJ54	Z-Diode/TVS	54V, 4 2A, 400W (1ms)	DO-214AC	1d	Vis
RD	TV04A540K	Z-Diode/TVS	54V 10%, 4 2A, 400W(1ms)	DO-214AC	1d	Cmc
RE	1SMA12A3	Z-Diode/TVS	12V±5%, 20 1A, 400W (1ms)	403B-01	3d	Mot,Ons
RE	1SMA12AT3	Z-Diode/TVS	12V±5%, 20 1A, 400W (1ms)	403B-01	3d	Mot,Ons
RE	P4SMA8 2C	Z-Diode/TVS	8,2V, 33A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RE	P4SMAJ54A	Z-Diode/TVS	54V, 4 6A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
RE	PDZ8 2B	Z-Diode	8 2V±2,5%, 0 4W	SOD-323	5d	Pjt
RE	SM4T18A	Z-Diode/TVS	18V, 16A, 400W(1ms)	SOD6	1d	Ste
RE	SMAJ54A	Z-Diode/TVS	54V, 4 6A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RE	TV04A540J	Z-Diode/TVS	54V 5%, 4 6A, 400W(1ms)	DO-214AC	1d	Cmc
REC	1SMA12CA3	Z-Diode/TVS	12V±5%, 20 1A, 400W (1ms) Bidirectional	403B-01	3c	Mot,Ons
RF	MAZD200	Z-Diode	18 8 21,2V, 120mW	SSSMini2	7d	Pan
RF	P4SMAJ58	Z-Diode/TVS	58V, 3 9A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
RF	PDZ9 1B	Z-Diode	9 1V±2,5%, 0 4W	SOD-323	5d	Pjt
RF	SMAJ58	Z-Diode/TVS	58V, 3 9A, 400W (1ms)	DO-214AC	1d	Vis
RF	TV04A580K	Z-Diode/TVS	58V 10%, 3 9A 400W(1ms)	DO-214AC	1d	Cmc
RG	1SMA13A3	Z-Diode/TVS	13V±5%, 18 6A, 400W (1ms)	403B-01	3d	Mot,Ons
RG	1SMA13AT3	Z-Diode/TVS	13V±5%, 18 6A, 400W (1ms)	403B-01	3d	Mot,Ons
RG	P4SMA9 1C	Z-Diode/TVS	8,1V, 30A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RG	P4SMAJ58A	Z-Diode/TVS	58V, 4 3A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
RG	PDZ10B	Z-Diode	10V±2,5%, 0 4W	SOD-323	5d	Pjt
RG	RGF1G	Si-Diode	Fast Recovery Rectifier, 400V, 1A, 150 500ns	DO-214	1d	Vis
RG	SMAJ58A	Z-Diode/TVS	58V, 4 3A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RG	TV04A580J	Z-Diode/TVS	58V 5%, 4 3A, 400W(1ms)	DO-214AC	1d	Cmc
RGC	1SMA13CA3	Z-Diode/TVS	13V±5%, 18 6A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
RGG	MRS1540T3	Si-Diode	Power Rectifier 400V, 1,5A, Vf=1V(1,5A)	403A	3c	Mot
RGG	MURS1504T3	Si-Diode	Rectifier, 400V, 1.5A, Vf<1,04V(1,5A)	SMB	3d	Ons
RH	P4SMAJ60	Z-Diode/TVS	60V, 3 7A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
RH	PDZ11B	Z-Diode	11V±2,5%, 0 4W	SOD-323	5d	Pjt
RH	SM4T22	Z-Diode/TVS	22V, 13A, 400W(1ms)	SOD6	1d	Ste
RH	SMAJ60	Z-Diode/TVS	60V, 3 7A, 400W (1ms)	DO-214AC	1d	Vis
RH	TV04A600K	Z-Diode/TVS	60V 10%, 3 7A, 400W(1ms)	DO-214AC	1d	Cmc
RI	P4SMA10C	Z-Diode/TVS	10V, 28A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RI	PDZ12B	Z-Diode	12V±2,5%, 0 4W	SOD-323	5d	Pjt
RJ	RGF1J	Si-Diode	Fast Recovery Rectifier, 600V, 1A 150 500ns	DO-214	1d	Vis
RK	1SMA14A3	Z-Diode/TVS	14V±5%, 17 2A, 400W (1ms)	403B-01	3d	Mot,Ons
RK	1SMA14AT3	Z-Diode/TVS	14V±5%, 17 2A, 400W (1ms),	403B-01	3d	Mot,Ons
RK	P4SMA11C	Z-Diode/TVS	11V, 26A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RK	P4SMAJ60A	Z-Diode/TVS	60V, 4 1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
RK	PDZ13B	Z-Diode	13V±2,5%, 0 4W	SOD-323	5d	Pjt
RK	RGF1K	Si-Diode	Fast Recovery Rectifier, 800V, 1A, 150 500ns	DO-214	1d	Vis
RK	SM4T22A	Z-Diode/TVS	22V, 13A, 400W(1ms)	SOD6	1d	Ste
RK	SMAJ60A	Z-Diode/TVS	60V, 4 1A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RK	TV04A600J	Z-Diode/TVS	60V 5%, 4 1A, 400W(1ms)	DO-214AC	1d	Cmc
RKC	1SMA14CA3	Z-Diode/TVS	14V±5%, 17 2A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
RL	P4SMAJ64	Z-Diode/TVS	64V, 3 5A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
RL	PDZ15B	Z-Diode	15V±2,5%, 0 4W	SOD-323	5d	Pjt
RL	SM4T24	Z-Diode/TVS	24V, 12A, 400W(1ms)	SOD6	1d	Ste
RL	SMAJ64	Z-Diode/TVS	64V, 3 5A, 400W (1ms)	DO-214AC	1d	Vis
RL	TV04A640K	Z-Diode/TVS	64V 10%, 3 5A, 400W(1ms)	DO-214AC	1d	Cmc
RM	1SMA15A3	Z-Diode/TVS	15V±5%, 16 4A, 400W (1ms)	403B-01	3d	Mot,Ons
RM	1SMA15AT3	Z-Diode/TVS	15V±5%, 16 4A, 400W (1ms)	403B-01	3d	Mot,Ons
RM	P4SMA12C	Z-Diode/TVS	12V, 24A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
RM	P4SMAJ64A	Z-Diode/TVS	64V, 3 9A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RM	PDZ16B	Z-Diode	16V±2,5%, 0 4W	SOD-323	5d	Pjl
RM	RGF1M	Si-Diode	Fast Recovery Rectifier, 1000V, 1A, 150 500ns	DO-214	1d	Vis
RM	SM4T24A	Z-Diode/TVS	24V, 12A, 400W(1ms)	SOD6	1d	Ste
RM	SMAJ64A	Z-Diode/TVS	64V, 3 9A 400W (1ms)	DO-214AC	1d	Dil,Vis
RM	TV04A640J	Z-Diode/TVS	64V 5%, 3 9A, 400W(1ms)	DO-214AC	1d	Cmc
RMC	1SMA15CA3	Z-Diode/TVS	15V±5%, 16 4A 400W (1ms) Bidirectional	4038-01	3c	Mol Ons
RN	P4SMAJ70	Z-Diode/TVS	70V, 3 2A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RN	PDZ18B	Z-Diode	18V±2,5%, 0 4W	SOD-323	5d	Pjl
RN	SM4T27	Z-Diode/TVS	27V, 10,7A, 400W(1ms)	SOD6	1d	Ste
RN	SMAJ70	Z-Diode/TVS	70V 3 2A, 400W (1ms)	DO-214AC	1d	Vis
RN	TV04A700K	Z-Diode/TVS	70V 10% 3 2A 400W(1ms)	DO-214AC	1d	Cmc
RO	P4SMA13C	Z-Diode/TVS	13V, 22A 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RO	PDZ20B	Z-Diode	20V±2,5% 0 4W	SOD-323	5d	Pjl
RP	1SMA16A3	Z-Diode/TVS	16V±5%, 15 4A 400W (1ms)	4038-01	3d	Mol Ons
RP	1SMA16AT3	Z-Diode/TVS	16V±5%, 15 4A, 400W (1ms)	4038-01	3d	Mol,Ons
RP	CMD28L2	Z-Diode	8 2V, 250mW, I _z =0 5mA	SOD-323	5d	Gen
RP	DDZ33S	Z-Diode	33V±10%, 200mW	SOD-323	5d	Dil
RP	P4SMAJ70A	Z-Diode/TVS	70V, 3 5A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RP	PDZ22B	Z-Diode	22V±2,5% 0 4W	SOD-323	5d	Pjl
RP	SM4T27A	Z-Diode/TVS	27V, 10,7A, 400W(1ms)	SOD6	1d	Ste
RP	SMAJ70A	Z-Diode/TVS	70V, 3 5A, 400W (1ms)	DO-214AC	1d	Dil Vis
RP	TV04A700J	Z-Diode/TVS	70V 5%, 3 5A 400W(1ms)	DO-214AC	1d	Cmc
RPC	1SMA16CA3	Z-Diode/TVS	16V±5%, 15 4A, 400W (1ms), Bidirectional	4038-01	3c	Mol,Ons
RQ	P4SMAJ75	Z-Diode/TVS	75V, 3A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RQ	PDZ24B	Z-Diode	24V±2,5%, 0 4W	SOD-323	5d	Pjl
RQ	SM4T30	Z-Diode/TVS	30V, 9,6A, 400W(1ms)	SOD6	1d	Ste
RQ	SMAJ75	Z-Diode/TVS	75V, 3A, 400W (1ms)	DO-214AC	1d	Vis
RQ	TV04A750K	Z-Diode/TVS	75V 10% 3A, 400W(1ms)	DO-214AC	1d	Cmc
RR	1SMA17A3	Z-Diode/TVS	17V±5%, 14 5A, 400W (1ms)	4038-01	3d	Mol,Ons
RR	1SMA17AT3	Z-Diode/TVS	17V±5%, 14 5A, 400W (1ms)	4038-01	3d	Mol,Ons
RR	P4SMA15C	Z-Diode/TVS	15V, 19A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RR	P4SMAJ75A	Z-Diode/TVS	75V, 3 3A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RR	SM4T30A	Z-Diode/TVS	30V, 9,6A, 400W(1ms)	SOD6	1d	Ste
RR	SMAJ75A	Z-Diode/TVS	75V, 3 3A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RR	TV04A750J	Z-Diode/TVS	75V 5%, 3 3A, 400W(1ms)	DO-214AC	1d	Cmc
RRC	1SMA17CA3	Z-Diode/TVS	17V±5%, 14 5A, 400W (1ms), Bidirectional	4038-01	3c	Mol Ons
RS	BAR89-02L	Si-Diode	Ant Sw, 80V, 0,1A, 250mW, V _f <1,1V(100mA), 0,19pF(1GHz)	TSLP-2-1	13d	Inf
RS	P4SMAJ78	Z-Diode/TVS	78V, 2 9A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RS	PDZ27B	Z-Diode	27V±2,5%, 0 4W	SOD-323	5d	Pjl
RS	SM4T33	Z-Diode/TVS	33V, 8,8A, 400W(1ms)	SOD6	1d	Ste
RS	SMAJ78	Z-Diode/TVS	78V, 2 9A, 400W (1ms)	DO-214AC	1d	Vis
RS	TV04A780K	Z-Diode/TVS	78V 10% 2 9A, 400W(1ms)	DO-214AC	1d	Cmc
RT	1SMA18A3	Z-Diode/TVS	18V±5%, 13 7A, 400W (1ms)	4038-01	3d	Mol,Ons
RT	1SMA18AT3	Z-Diode/TVS	18V±5%, 13 7A, 400W (1ms)	4038-01	3d	Mol,Ons
RT	P4SMA16C	Z-Diode/TVS	16V, 18A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RT	P4SMAJ78A	Z-Diode/TVS	78V, 2 2A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RT	PDZ30B	Z-Diode	30V±2,5%, 0 4W	SOD-323	5d	Pjl
RT	SM4T33A	Z-Diode/TVS	33V, 8,8A, 400W(1ms)	SOD6	1d	Ste
RT	SMAJ78A	Z-Diode/TVS	78V, 3 2A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RT	TV04A780J	Z-Diode/TVS	78V 5%, 3 2A, 400W(1ms)	DO-214AC	1d	Cmc
RTC	1SMA18CA3	Z-Diode/TVS	18V±5%, 13 7A, 400W (1ms), Bidirectional	4038-01	3c	Mol,Ons
RU	P4SMAJ85	Z-Diode/TVS	85V, 2 6A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RU	PDZ33B	Z-Diode	33V±2,5%, 0 4W	SOD-323	5d	Pjl
RU	SM4T36	Z-Diode/TVS	36V, 8A, 400W(1ms)	SOD6	1d	Ste
RU	SMAJ85	Z-Diode/TVS	85V, 2A, 400W (1ms)	DO-214AC	1d	Vis
RU	TV04A850K	Z-Diode/TVS	85V 10%, 2 6A, 400W(1ms)	DO-214AC	1d	Cmc
RV	1SMA20A3	Z-Diode/TVS	20V±5%, 12 3A, 400W (1ms)	4038-01	3d	Mol,Ons
RV	1SMA20AT3	Z-Diode/TVS	20V±5%, 12 3A, 400W (1ms)	4038-01	3d	Mol,Ons
RV	P4SMA18C	Z-Diode/TVS	18V, 16A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RV	P4SMAJ85A	Z-Diode/TVS	85V, 2 9A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RV	SM4T36A	Z-Diode/TVS	36V, 8A, 400W(1ms)	SOD6	1d	Ste
RV	SMAJ85A	Z-Diode/TVS	85V, 2 2A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RV	TV04A850J	Z-Diode/TVS	85V 5%, 2 9A, 400W(1ms)	DO-214AC	1d	Cmc
RVC	1SMA20CA3	Z-Diode/TVS	20V±5%, 12 3A, 400W (1ms), Bidirectional	4038-01	3c	Mol Ons
RW	P4SMAJ90	Z-Diode/TVS	90V, 2 5A, 400W (1ms)	DO-214AC	1d	Pjl,Srj,Wpd
RW	PDZ36B	Z-Diode	36V±2,5%, 0 4W	SOD-323	5d	Pjl

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
RW	SM4T39	Z-Diode/TVS	39V, 7.4A, 400W(1ms)	SOD6	1d	Ste
RW	SMAJ90	Z-Diode/TVS	90V, 1 9A, 400W (1ms)	DO-214AC	1d	Vis
RW	TV04A900K	Z-Diode/TVS	90V 10%, 2 5A, 400W(1ms)	DO-214AC	1d	Cmc
RX	1SMA22A3	Z-Diode/TVS	22V±5%, 11 3A, 400W (1ms)	403B-01	3d	Mol,Ons
RX	1SMA22AT3	Z-Diode/TVS	22V±5%, 11 3A, 400W (1ms)	403B-01	3d	Mol,Ons
RX	P4SMA20C	Z-Diode/TVS	20V, 14A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RX	P4SMAJ90A	Z-Diode/TVS	90V, 2 7A, 400W (1ms)	DO-214AC	1d	PJl,Srj,Wpd
RX	SM4T39A	Z-Diode/TVS	39V, 7.4A, 400W(1ms)	SOD6	1d	Ste
RX	SMAJ90A	Z-Diode/TVS	90V, 2 1A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RX	TV04A900J	Z-Diode/TVS	90V 5%, 2 7A, 400W(1ms)	DO-214AC	1d	Cmc
RXC	1SMA22CA3	Z-Diode/TVS	22V±5%, 11 3A, 400W (1ms), Bidirectional	403B-01	3c	Mol,Ons
RY	P4SMAJ100	Z-Diode/TVS	100V, 2 2A, 400W (1ms)	DO-214AC	1d	PJl,Srj,Wpd
RY	SMAJ100	Z-Diode/TVS	100V, 1 7A, 400W (1ms)	DO-214AC	1d	Vis
RY	TV04A101K	Z-Diode/TVS	100V 10%, 2 2A, 400W(1ms)	DO-214AC	1d	Cmc
RZ	1SMA24A3	Z-Diode/TVS	24V±5%, 10 3A, 400W (1ms)	403B-01	3d	Mol,Ons
RZ	1SMA24AT3	Z-Diode/TVS	24V±5%, 10 3A, 400W (1ms)	403B-01	3d	Mol,Ons
RZ	P4SMA22C	Z-Diode/TVS	22V, 13A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
RZ	P4SMAJ100A	Z-Diode/TVS	100V, 2 5A, 400W (1ms)	DO-214AC	1d	PJl,Srj,Wpd
RZ	SMAJ100A	Z-Diode/TVS	100V, 1 9A, 400W (1ms)	DO-214AC	1d	Dil,Vis
RZ	TV04A101J	Z-Diode/TVS	100V 5%, 2 5A, 400W(1ms)	DO-214AC	1d	Cmc
RZC	1SMA24CA3	Z-Diode/TVS	24V±5%, 10 3A, 400W (1ms), Bidirectional	403B-01	3c	Mol,Ons
S	BAP64-02	PIN-Diode	RF, 175V, 100mA, 0.35pF, 2Q(10mA/100MHz), 715mW	SOD-523	6d	Phi
S	HVU359	C-Diode	VCKO Unit, 24, 8 29 8pF(1V)	SOD-123	5d	Ren
S (blue)	BA582	C-Diode	TV, VTR, VHF-Band-Sw, 35V, 100mA, Vf<1V, Cd<1 1pF	SOD-123	5d	Sie
S (blue)	BA592	C-Diode	VHF, TV-Band-Sw, 35V, 0.1A, Vf<1V(100mA), 1.4pF, <120ns	SOD-323	5d	Inf
S (red)	B8640	C-Diode	VHF-TV/VTR-Tuning, Hyperband, 30V, 20mA, 62 76pF	SOD-323	5d	Inf
S (white)	B8515	C-Diode	AM-Tuning, 30V, 20mA, Ir<0.01µA, Cv=17 5 20pF	SOD-123	5d	Sie
S (yellow)	B8619	C-Diode	VHF-TV-Tuning, 30V, 20mA, Ir<0.01µA, Cv=36 42pF	SOD-123	5d	Inf
S (yellow)	B8619C	C-Diode	VHF-TV-Tuning, 30V, 20mA, Ir<0.01µA, Cv=36 42pF	SOD-123	5d	Inf
S (yellow)	B8639	C-Diode	VHF-TV-Tuning, 30V, 20mA, Ir<0.01µA, Cv=36 42pF	SOD-323	5d	Inf
S0	1P576SB10	Si-Diode	Schottky Barrier, U-Speed, 40V, 200mA, <10pF	SOD-323	5d	Phi
S010	SMAJ8 5	Z-Diode/TVS	9 44 11 5V, 25 2A, 400W(1ms)	DO-214AC	1d	Eic
S010	SMAJ8 5C	Z-Diode/TVS	9 44 11 5V, 25 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S011	SMAJ9 0	Z-Diode/TVS	10 0 12 2V, 23 7A, 400W(1ms)	DO-214AC	1d	Eic
S011	SMAJ9 0C	Z-Diode/TVS	10 0 12 2V, 23 7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S012	SMAJ10	Z-Diode/TVS	11 1 13 6V, 21 2A, 400W(1ms)	DO-214AC	1d	Eic
S012	SMAJ10C	Z-Diode/TVS	11 1 13 6V, 21 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S013	SMAJ11	Z-Diode/TVS	12 2 14 9V, 19 9A, 400W(1ms)	DO-214AC	1d	Eic
S013	SMAJ11C	Z-Diode/TVS	12 2 14 9V, 19 9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S014	SMAJ12	Z-Diode/TVS	13 3 16 3V, 18 2A, 400W(1ms)	DO-214AC	1d	Eic
S014	SMAJ12C	Z-Diode/TVS	13 3 16 3V, 16 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S015	SMAJ13	Z-Diode/TVS	14 4 17 6V, 16 8A, 400W(1ms)	DO-214AC	1d	Eic
S015	SMAJ13C	Z-Diode/TVS	14 4 17 6V, 16 8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S016	SMAJ14	Z-Diode/TVS	15 6 19 1V, 15 5A, 400W(1ms)	DO-214AC	1d	Eic
S016	SMAJ14C	Z-Diode/TVS	15 6 19 1V, 15 5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S018	SMAJ15	Z-Diode/TVS	16 7 20 4V, 14 8A, 400W(1ms)	DO-214AC	1d	Eic
S018	SMAJ15C	Z-Diode/TVS	16 7 20 4V, 14 8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S019	SMAJ16	Z-Diode/TVS	17 8 21 8V, 13 9A, 400W(1ms)	DO-214AC	1d	Eic
S019	SMAJ16C	Z-Diode/TVS	17 8 21 8V, 13 9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S020	SMAJ17	Z-Diode/TVS	18 9 23 1V, 13 1A, 400W(1ms)	DO-214AC	1d	Eic
S020	SMAJ17C	Z-Diode/TVS	18 9 23 1V, 13 1A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S021	SMAJ18	Z-Diode/TVS	20 0 24 4V, 12 4A, 400W(1ms)	DO-214AC	1d	Eic
S021	SMAJ18C	Z-Diode/TVS	20 0 24 4V, 12 4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S023	SMAJ20	Z-Diode/TVS	22 2 27 1V, 11 2A, 400W(1ms)	DO-214AC	1d	Eic
S023	SMAJ20C	Z-Diode/TVS	22 2 27 1V, 11 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S026	SMAJ22	Z-Diode/TVS	24 4 29 8V, 10 2A, 400W(1ms)	DO-214AC	1d	Eic
S026	SMAJ22C	Z-Diode/TVS	24 4 29 8V, 10 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S028	SMAJ24	Z-Diode/TVS	26 7 32 6V, 9 3A, 400W(1ms)	DO-214AC	1d	Eic
S028	SMAJ24C	Z-Diode/TVS	26 7 32 6V, 9 3A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S030	SMAJ26	Z-Diode/TVS	28 9 35 3V, 8 6A, 400W(1ms)	DO-214AC	1d	Eic
S030	SMAJ26C	Z-Diode/TVS	28 9 35 3V, 8 6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S033	SMAJ28	Z-Diode/TVS	31 1 38 0V, 8 0A, 400W(1ms)	DO-214AC	1d	Eic
S033	SMAJ28C	Z-Diode/TVS	31 1 38 0V, 8 0A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S035	SMAJ30	Z-Diode/TVS	33 3 40 7V, 7 5A, 400W(1ms)	DO-214AC	1d	Eic
S035	SMAJ30C	Z-Diode/TVS	33 3 40 7V, 7 5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S039	SMAJ33	Z-Diode/TVS	36 7 44 9V, 6 8A, 400W(1ms)	DO-214AC	1d	Eic
S039	SMAJ33C	Z-Diode/TVS	36 7 44 9V, 6 8A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
S042	SMAJ36	Z-Diode/TVS	40.0..48.9V, 6.2A, 400W(1ms)	DO-214AC	1d	Eic
S042	SMAJ36C	Z-Diode/TVS	40.0..48.9V, 6.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S047	SMAJ40	Z-Diode/TVS	44.4..54.3V, 5.6A, 400W(1ms)	DO-214AC	1d	Eic
S047	SMAJ40C	Z-Diode/TVS	44.4..54.3V, 5.6A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S050	SMAJ43	Z-Diode/TVS	47.8..58.4V, 5.2A, 400W(1ms)	DO-214AC	1d	Eic
S050	SMAJ43C	Z-Diode/TVS	47.8..58.4V, 5.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S053	SMAJ45	Z-Diode/TVS	50.0..61.1V, 5.0A, 400W(1ms)	DO-214AC	1d	Eic
S053	SMAJ45C	Z-Diode/TVS	50.0..61.1V, 5.0A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S056	SMAJ48	Z-Diode/TVS	53.3..65.1V, 4.7A, 400W(1ms)	DO-214AC	1d	Eic
S056	SMAJ48C	Z-Diode/TVS	53.3..65.1V, 4.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S060	SMAJ51	Z-Diode/TVS	56.7..69.3V, 4.4A, 400W(1ms)	DO-214AC	1d	Eic
S060	SMAJ51C	Z-Diode/TVS	56.7..69.3V, 4.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S063	SMAJ54	Z-Diode/TVS	60.0..73.3V, 4.2A, 400W(1ms)	DO-214AC	1d	Eic
S063	SMAJ54C	Z-Diode/TVS	60.0..73.3V, 4.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S068	SMAJ58	Z-Diode/TVS	64.4..78.7V, 3.9A, 400W(1ms)	DO-214AC	1d	Eic
S068	SMAJ58C	Z-Diode/TVS	64.4..78.7V, 3.9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S06H	SMAJ5.0	Z-Diode/TVS	6.40..7.82V, 41.7A, 400W(1ms)	DO-214AC	1d	Eic
S06H	SMAJ5.0C	Z-Diode/TVS	6.40..7.82V, 41.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S071	SMAJ60	Z-Diode/TVS	66.7..81.5V, 3.7A, 400W(1ms)	DO-214AC	1d	Eic
S071	SMAJ60C	Z-Diode/TVS	66.7..81.5V, 3.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S075	SMAJ64	Z-Diode/TVS	71.1..86.4V, 3.5A, 400W(1ms)	DO-214AC	1d	Eic
S075	SMAJ64C	Z-Diode/TVS	71.1..86.4V, 3.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S07A	SMAJ6.0	Z-Diode/TVS	6.67..8.15V, 35.1A, 400W(1ms)	DO-214AC	1d	Eic
S07A	SMAJ6.0C	Z-Diode/TVS	6.67..8.15V, 35.1A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S07G	SMAJ6.5	Z-Diode/TVS	7.22..8.82V, 32.5A, 400W(1ms)	DO-214AC	1d	Eic
S07G	SMAJ6.5C	Z-Diode/TVS	7.22..8.82V, 32.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S082	SMAJ70	Z-Diode/TVS	77.8..95.1V, 3.2A, 400W(1ms)	DO-214AC	1d	Eic
S082	SMAJ70C	Z-Diode/TVS	77.8..95.1V, 3.2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S088	SMAJ75	Z-Diode/TVS	83.3..102V, 3.0A, 400W(1ms)	DO-214AC	1d	Eic
S088	SMAJ75C	Z-Diode/TVS	83.3..102V, 3.0A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S08C	SMAJ7.0	Z-Diode/TVS	7.78..9.51V, 30.1A, 400W(1ms)	DO-214AC	1d	Eic
S08C	SMAJ7.0C	Z-Diode/TVS	7.78..9.51V, 30.1A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S08I	SMAJ7.5	Z-Diode/TVS	8.67..10.2V, 28.0A, 400W(1ms)	DO-214AC	1d	Eic
S08I	SMAJ7.5C	Z-Diode/TVS	8.67..10.2V, 28.0A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S091	SMAJ78	Z-Diode/TVS	86.7..106V, 2.9A, 400W(1ms)	DO-214AC	1d	Eic
S091	SMAJ78C	Z-Diode/TVS	86.7..106V, 2.9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S099	SMAJ85	Z-Diode/TVS	94.4..115V, 2.0A, 400W(1ms)	DO-214AC	1d	Eic
S099	SMAJ85C	Z-Diode/TVS	94.4..115V, 2.0A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S09B	SMAJ8.0	Z-Diode/TVS	8.89..10.9V, 26.7A, 400W(1ms)	DO-214AC	1d	Eic
S09B	SMAJ8.0C	Z-Diode/TVS	8.89..10.9V, 26.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0B1	SMAJ90	Z-Diode/TVS	100..122V, 1.9A, 400W(1ms)	DO-214AC	1d	Eic
S0B1	SMAJ90C	Z-Diode/TVS	100..122V, 1.9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0B2	SMAJ100	Z-Diode/TVS	111..136V, 1.7A, 400W(1ms)	DO-214AC	1d	Eic
S0B2	SMAJ100C	Z-Diode/TVS	111..136V, 1.7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0B3	SMAJ110	Z-Diode/TVS	122..149V, 1.5A, 400W(1ms)	DO-214AC	1d	Eic
S0B3	SMAJ110C	Z-Diode/TVS	122..149V, 1.5A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0B4	SMAJ120	Z-Diode/TVS	133..163V, 1.4A, 400W(1ms)	DO-214AC	1d	Eic
S0B4	SMAJ120C	Z-Diode/TVS	133..163V, 1.4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0B5	SMAJ130	Z-Diode/TVS	144..176V, 1.3A, 400W(1ms)	DO-214AC	1d	Eic
S0B5	SMAJ130C	Z-Diode/TVS	144..176V, 1.3A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0B8	SMAJ150	Z-Diode/TVS	167..204V, 1.1A, 400W(1ms)	DO-214AC	1d	Eic
S0B8	SMAJ150C	Z-Diode/TVS	167..204V, 1.1A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0B9	SMAJ160	Z-Diode/TVS	178..218V, 1.0A, 400W(1ms)	DO-214AC	1d	Eic
S0B9	SMAJ160C	Z-Diode/TVS	178..218V, 1.0A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0D0	SMAJ170	Z-Diode/TVS	189..231V, 0.99A, 400W(1ms)	DO-214AC	1d	Eic
S0D0	SMAJ170C	Z-Diode/TVS	189..231V, 0.99A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S0D1	SMAJ188	Z-Diode/TVS	209..255V, 0.90A, 400W(1ms)	DO-214AC	1d	Eic
S0D1	SMAJ188C	Z-Diode/TVS	209..255V, 0.90A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S1	1PS76SB21	Si-Diode	Schottky Barrier, U-Fast, Switching, 40V, 200mA, <50pF	SOD-323	5d	Phi
S1	1SS239	Si-Diode	Schottky, VHF/UHF, 6V, 30mA	SOD-323	5d	Tos
S1	FS2A	Si-Diode	Rectifier, 50V, 1.5A, Vf<1.1V(1.5A), 4µs	DO-214AA	1d	Fag
S14	STPS140Z	Si-Diode	Schottky Rectifier, 40V, 1A, Vf<0.55V(1A), 5ms	SOD-123	5d	Ste
S2	1PS76SB70	Si-Diode	Schottky Barrier, U-Speed, 70V, 70mA, <2pF	SOD-323	5d	Phi
S2	1SS242	Si-Diode	Schottky, VHF-Mix/Band-Sw, 5V, 30mA	SOD-123	5d	Tos
S2	1SS315	C-Diode	Schottky, UHF-Band Mix, 5V, 30mA, 0.6pF	1-1E1A	5d	Tos
S2	FS2B	Si-Diode	Rectifier, 100V, 1.5A, Vf<1.1V(1.5A), 4µs	DO-214AA	1d	Fag
S2	SDB110Q	Si-Diode	Schottky Barrier Rectifier, 30V, 30mA, 150mW, <10pF, <5ns	SOD-523	6d	Auk

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
S2	SDB310Q	S-Diode	Schottky Barrier Rectifier 30V 200mA, 150mW, <10pF, <5ns	SOD-523	6d Auk
S3	1SS388	S-Diode	Schottky, 10V, 100mA	ESC	6d Tos
S3	FS2D	S-Diode	Rectifier, 200V, 1.5A, Vf<1.1V(1.5A) 4μs	DO-214AA	1d Fag
S4	1PS76SB40	S-Diode	Schottky Barrier, H-Speed, 40V, 120mA, <5pF	SOD-323	5d Phi
S4	1SS389	S-Diode	Schottky, 40V, 100mA	ESC	6d Tos
S4	FS2G	S-Diode	Rectifier, 400V, 1.5A, Vf<1.1V(1.5A) 4μs	DO-214AA	1d Fag
S5	FS2J	S-Diode	Rectifier 600V, 1.5A Vf<1.1V(1.5A) 4μs	DO-214AA	1d Fag
S510	SMAJ8 5A	Z-Diode/TVS	9 44 10 4V, 27 8A, 400W(1ms)	DO-214AC	1d Eic
S510	SMAJ8 5CA	Z-Diode/TVS	9 44 10 4V, 27 8A 400W(1ms) Bidirectional	DO-214AC	2c Eic
S511	SMAJ9 0A	Z-Diode/TVS	10 0 11 1V, 26 0A, 400W(1ms)	DO-214AC	1d Eic
S511	SMAJ9 0CA	Z-Diode/TVS	10 0 11 1V, 26 0A 400W(1ms) Bidirectional	DO-214AC	2c Eic
S512	SMAJ10A	Z-Diode/TVS	11 1 12 3V, 23 5A, 400W(1ms)	DO-214AC	1d Eic
S512	SMAJ10CA	Z-Diode/TVS	11 1 12 3V, 23 5A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S513	SMAJ11A	Z-Diode/TVS	12 2 13 5V, 22 0A, 400W(1ms)	DO-214AC	1d Eic
S513	SMAJ11CA	Z-Diode/TVS	12 2 13 5V, 22 0A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S514	SMAJ12A	Z-Diode/TVS	13 3 14 7V, 20 1A, 400W(1ms)	DO-214AC	1d Eic
S514	SMAJ12CA	Z-Diode/TVS	13 3 14 7V, 20 1A 400W(1ms), Bidirectional	DO-214AC	2c Eic
S515	SMAJ13A	Z-Diode/TVS	14 4 15 9V, 18 6A, 400W(1ms)	DO-214AC	1d Eic
S515	SMAJ13CA	Z-Diode/TVS	14 4 15 9V, 18 6A, 400W(1ms) Bidirectional	DO-214AC	2c Eic
S516	SMAJ14A	Z-Diode/TVS	15 6 17 2V, 17 2A, 400W(1ms)	DO-214AC	1d Eic
S516	SMAJ14CA	Z-Diode/TVS	15 6 17 2V, 17 2A, 400W(1ms) Bidirectional	DO-214AC	2c Eic
S518	SMAJ15A	Z-Diode/TVS	16 7 18 5V, 16 4A, 400W(1ms)	DO-214AC	1d Eic
S518	SMAJ15CA	Z-Diode/TVS	16 7 18 5V, 16 4A, 400W(1ms) Bidirectional	DO-214AC	2c Eic
S519	SMAJ16A	Z-Diode/TVS	17 8 19 7V, 15 4A, 400W(1ms)	DO-214AC	1d Eic
S519	SMAJ16CA	Z-Diode/TVS	17 8 19 7V, 15 4A, 400W(1ms) Bidirectional	DO-214AC	2c Eic
S520	SMAJ17A	Z-Diode/TVS	18 9 20 9V, 14 5A, 400W(1ms)	DO-214AC	1d Eic
S520	SMAJ17CA	Z-Diode/TVS	18 9 20 9V, 14 5A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S521	SMAJ18A	Z-Diode/TVS	20 0 22 1V, 13 7A, 400W(1ms)	DO-214AC	1d Eic
S521	SMAJ18CA	Z-Diode/TVS	20 0 22 1V 13 7A 400W(1ms), Bidirectional	DO-214AC	2c Eic
S523	SMAJ20A	Z-Diode/TVS	22 2 24 5V, 12 3A, 400W(1ms)	DO-214AC	1d Eic
S523	SMAJ20CA	Z-Diode/TVS	22 2 24 5V, 12 3A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S526	SMAJ22A	Z-Diode/TVS	24 4 26 9V, 11 3A, 400W(1ms)	DO-214AC	1d Eic
S526	SMAJ22CA	Z-Diode/TVS	24 4 26 9V, 11 3A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S528	SMAJ24A	Z-Diode/TVS	26 7 29 5V, 10 3A, 400W(1ms)	DO-214AC	1d Eic
S528	SMAJ24CA	Z-Diode/TVS	26 7 29 5V, 10 3A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S530	SMAJ26A	Z-Diode/TVS	28 9 31 9V, 9 5A, 400W(1ms)	DO-214AC	1d Eic
S530	SMAJ26CA	Z-Diode/TVS	28 9 31 9V, 9 5A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S533	SMAJ28A	Z-Diode/TVS	31 1 34 4V, 8 8A, 400W(1ms)	DO-214AC	1d Eic
S533	SMAJ28CA	Z-Diode/TVS	31 1 34 4V, 8 8A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S535	SMAJ30A	Z-Diode/TVS	33 3 36 8V, 8 3A, 400W(1ms)	DO-214AC	1d Eic
S535	SMAJ30CA	Z-Diode/TVS	33 3 36 8V, 8 3A, 400W(1ms) Bidirectional	DO-214AC	2c Eic
S539	SMAJ33A	Z-Diode/TVS	36 7 40 6V, 7 5A, 400W(1ms)	DO-214AC	1d Eic
S539	SMAJ33CA	Z-Diode/TVS	36 7 40 6V, 7 5A, 400W(1ms) Bidirectional	DO-214AC	2c Eic
S542	SMAJ36A	Z-Diode/TVS	40 0 44 2V, 6 9A, 400W(1ms)	DO-214AC	1d Eic
S542	SMAJ36CA	Z-Diode/TVS	40 0 44 2V, 6 9A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S547	SMAJ40A	Z-Diode/TVS	44 4 49 1V, 6 2A, 400W(1ms)	DO-214AC	1d Eic
S547	SMAJ40CA	Z-Diode/TVS	44 4 49 1V, 6 2A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S550	SMAJ43A	Z-Diode/TVS	47 8 52 8V, 5 7A, 400W(1ms)	DO-214AC	1d Eic
S550	SMAJ43CA	Z-Diode/TVS	47 8 52 8V, 5 7A, 400W(1ms) Bidirectional	DO-214AC	2c Eic
S553	SMAJ45A	Z-Diode/TVS	50 0 55 3V, 5 5A, 400W(1ms)	DO-214AC	1d Eic
S553	SMAJ45CA	Z-Diode/TVS	50 0 55 3V, 5 5A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S556	SMAJ48A	Z-Diode/TVS	53 3 58 9V, 5 2A, 400W(1ms)	DO-214AC	1d Eic
S556	SMAJ48CA	Z-Diode/TVS	53 3 58 9V, 5 2A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S560	SMAJ51A	Z-Diode/TVS	56 7 62 7V, 4 9A, 400W(1ms)	DO-214AC	1d Eic
S560	SMAJ51CA	Z-Diode/TVS	56 7 62 7V, 4 9A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S563	SMAJ54A	Z-Diode/TVS	60 0 66 3V, 4 6A, 400W(1ms)	DO-214AC	1d Eic
S563	SMAJ54CA	Z-Diode/TVS	60 0 66 3V, 4 6A 400W(1ms), Bidirectional	DO-214AC	2c Eic
S568	SMAJ58A	Z-Diode/TVS	64 4 71 2V, 4 3A, 400W(1ms)	DO-214AC	1d Eic
S568	SMAJ58CA	Z-Diode/TVS	64 4 71 2V, 4 3A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S56H	SMAJ5 0A	Z-Diode/TVS	6 40 7 25V, 43 5A, 400W(1ms)	DO-214AC	1d Eic
S56H	SMAJ5 0CA	Z-Diode/TVS	6 40 7 25V, 43 5A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S571	SMAJ60A	Z-Diode/TVS	66 7 73 7V, 4 1A, 400W(1ms)	DO-214AC	1d Eic
S571	SMAJ60CA	Z-Diode/TVS	66 7 73 7V, 4 1A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S575	SMAJ64A	Z-Diode/TVS	71 1 78 6V, 3 9A, 400W(1ms)	DO-214AC	1d Eic
S575	SMAJ64CA	Z-Diode/TVS	71 1 78 6V, 3 9A, 400W(1ms), Bidirectional	DO-214AC	2c Eic
S57A	SMAJ6 0A	Z-Diode/TVS	6 67 7 37V, 38 8A, 400W(1ms)	DO-214AC	1d Eic
S57A	SMAJ6 0CA	Z-Diode/TVS	6 67 7 37V, 38 8A, 400W(1ms), Bidirectional	DO-214AC	2c Eic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
S57G	SMAJ6 5A	Z-Diode/TVS	7 22 7 98V, 35 7A, 400W(1ms)	DO-214AC	1d	Eic
S57G	SMAJ6 5CA	Z-Diode/TVS	7 22 7 98V, 35 7A, 400W(1ms) Bidirectional	DO-214AC	2c	Eic
S582	SMAJ70A	Z-Diode/TVS	77 8 86V, 3 5A, 400W(1ms)	DO-214AC	1d	Eic
S582	SMAJ70CA	Z-Diode/TVS	77 8 86V, 3 5A 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S588	SMAJ75A	Z-Diode/TVS	83 3 92 1, 3 3A, 400W(1ms)	DO-214AC	1d	Eic
S588	SMAJ75CA	Z-Diode/TVS	83 3 92 1V, 3 3A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S58C	SMAJ7 0A	Z-Diode/TVS	7 78 8 6V, 33 3A, 400W(1ms)	DO-214AC	1d	Eic
S58C	SMAJ7 0CA	Z-Diode/TVS	7 78 8 6V, 33 3A 400W(1ms) Bidirectional	DO-214AC	2c	Eic
S58I	SMAJ7 5A	Z-Diode/TVS	8 33 9 21V, 31 0A, 400W(1ms)	DO-214AC	1d	Eic
S58I	SMAJ7 5CA	Z-Diode/TVS	8 33 9 21V, 31 0A 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S591	SMAJ78A	Z-Diode/TVS	86 7 95 8V, 3 2A, 400W(1ms)	DO-214AC	1d	Eic
S591	SMAJ78CA	Z-Diode/TVS	86 7 95 8V, 3 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S599	SMAJ85A	Z-Diode/TVS	94 4 104V, 2 2A, 400W(1ms)	DO-214AC	1d	Eic
S599	SMAJ85CA	Z-Diode/TVS	94 4 104V 2 2A 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S59B	SMAJ8 0A	Z-Diode/TVS	8 89 9 83V, 29 4A, 400W(1ms)	DO-214AC	1d	Eic
S59B	SMAJ8 0CA	Z-Diode/TVS	8 89 9 83V 29 4A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S5B1	SMAJ90A	Z-Diode/TVS	100 111V, 2 1A, 400W(1ms)	DO-214AC	1d	Eic
S5B1	SMAJ90CA	Z-Diode/TVS	100 111V, 2 1A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S5B2	SMAJ100A	Z-Diode/TVS	111 123V, 1 9A, 400W(1ms)	DO-214AC	1d	Eic
S5B2	SMAJ100CA	Z-Diode/TVS	111 123V 1 9A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S5B3	SMAJ110A	Z-Diode/TVS	122 135V, 1 7A, 400W(1ms)	DO-214AC	1d	Eic
S5B3	SMAJ110CA	Z-Diode/TVS	122 135V, 1 7A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S5B4	SMAJ120A	Z-Diode/TVS	133 147V, 1 6A, 400W(1ms)	DO-214AC	1d	Eic
S5B4	SMAJ120CA	Z-Diode/TVS	133 147V, 1 6A 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S5B5	SMAJ130A	Z-Diode/TVS	144 159V, 1 4A, 400W(1ms)	DO-214AC	1d	Eic
S5B5	SMAJ130CA	Z-Diode/TVS	144 159V 1 4A, 400W(1ms) Bidirectional	DO-214AC	2c	Eic
S5B8	SMAJ150A	Z-Diode/TVS	167 185V, 1 2A, 400W(1ms)	DO-214AC	1d	Eic
S5B8	SMAJ150CA	Z-Diode/TVS	167 185V, 1 2A, 400W(1ms) Bidirectional	DO-214AC	2c	Eic
S5B9	SMAJ160A	Z-Diode/TVS	178 197V, 1 2A, 400W(1ms)	DO-214AC	1d	Eic
S5B9	SMAJ160CA	Z-Diode/TVS	178 197V, 1 2A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S5D0	SMAJ170A	Z-Diode/TVS	189 209V, 1 09A, 400W(1ms)	DO-214AC	1d	Eic
S5D0	SMAJ170CA	Z-Diode/TVS	189 209V 1 09A 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S5D1	SMAJ188A	Z-Diode/TVS	209 231V, 0 91A, 400W(1ms)	DO-214AC	1d	Eic
S5D1	SMAJ188CA	Z-Diode/TVS	209 231V, 0 91A, 400W(1ms), Bidirectional	DO-214AC	2c	Eic
S6	1PS76SB62	Si-Diode	Schottky Barrier, U-Speed, 40V, 20mA, <0,6pF	SOD-323	5d	Phi
S6	D3FS6	Si-Diode	Schottky Rectifier, 60V, 3A, Vf<0,58V(3A)	2F	1d	Shi
S6	FS2K	Si-Diode	Rectifier, 800V, 1,5A, Vf<1,1V(1,5A), 4μs	DO-214AA	1d	Fag
S6	SD103AW	Si-Diode	Schottky, Fast Switching, 40V, 200mA, <10ns	SOD-123	5d	Vis
S6p	BF510	N-FET	VHF-LN, 2V, 30(3)mA, 250mW, 0,3pF	SOT23	10fi	Phi
S7	1PS76SB17	Si-Diode	Schottky, UHF-Mixer, 4V, 30mA, <1pF	SOD-323	5d	Phi
S7	FS2M	Si-Diode	Rectifier, 1000V, 1,5A, Vf<1,1V(1,5A), 4μs	DO-214AA	1d	Fag
S7	SD103BW	Si-Diode	Schottky, Fast Switching, 30V, 200mA, <10ns	SOD-123	5d	Vis
S7p	BF511	N-FET	VHF-LN, 2V, 30(7)mA, 250mW, 0,3pF	SOT23	10fi	Phi
S8	SD103CW	Si-Diode	Schottky, Fast Switching, 20V, 200mA, <10ns	SOD-123	5d	Vis
S8p	BF512	N-FET	VHF-LN, 2V, 30(12)mA, 250mW, 0,3pF	SOT23	10fi	Phi
S9	1PS79SB62	Si-Diode	Schottky Barrier, U-Speed, 40V, 20mA, <0 6pF	SOD-523	6d	Phi
S9p	BF513	N-FET	VHF-LN, 2V, 30(18)mA, 250mW, 0,3pF	SOT23	10fi	Phi
SA	1N5711W	Si-Diode	Schottky, VHF/UHF-Dem, 70V, 15mA, <2pF	SOD-123	5d	Dil
SA	1N5711WS	Si-Diode	Schottky, VHF/UHF-Dem, 70V, 15mA, <2pF	SOD-323	5d	Dil
SA	SD101AW	Si-Diode	Schottky, Fast Switching, 60V, 15mA <1ns	SOD-123	5d	Vis
SB	1N6263W	Si-Diode	Schottky, VHF/UHF-Dem, 60V, 15mA, <1,5pF	SOD-123	5d	Dil
SB	P4SMA24C	Z-Diode/TVS	24V, 12A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SB	SD101BW	Si-Diode	Schottky, Fast Switching, 50V, 15mA, <1ns	SOD-123	5d	Vis
SB	SMAJ550	Z-Diode/TVS	550V, 1A, 300W(1ms)	DO-214AC	1d	Vis
SC	SD101CW	Si-Diode	Schottky, Fast Switching, 40V, 15mA, <1ns	SOD-123	5d	Vis
SD	B0520LW	Si-Diode	Schottky Barrier Rect, 20V, 0,5A, Vf<0,33V(0,5A)	SOD-123	5d	Dil
SD	B0520WS	Si-Diode	Schottky Barrier Rect, 20V, 0,5A, Vf<0,33V(0,5A)	SOD-323	5d	Dil
SD	P4SMA27C	Z-Diode/TVS	27V, 11A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SD	P4SMAJ110	Z-Diode/TVS	110V, 2A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SD	TV04A111K	Z-Diode/TVS	110V 10%, 2A, 400W(1ms)	DO-214AC	1d	Cmc
SE	1SMA26A3	Z-Diode/TVS	26V±5%, 9 5A, 400W (1ms)	403B-01	3d	Mot,Ons
SE	1SMA26AT3	Z-Diode/TVS	26V±5%, 9 5A 400W (1ms)	403B-01	3d	Mot,Ons
SE	B0530W	Si-Diode	Schottky Barrier Rect, 30V, 0,5A, Vf<0,45V(0,5A)	SOD-123	5d	Dil
SE	B0530WS	Si-Diode	Schottky Barrier Rect, 30V, 0,5A, Vf<0,45V(0,5A)	SOD-323	5d	Dil
SE	P4SMAJ110A	Z-Diode/TVS	110V, 2 3A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SE	SMAJ110A	Z-Diode/TVS	110V, 1 7A, 400W (1ms)	DO-214AC	1d	Dil,Vis
SE	TV04A111J	Z-Diode/TVS	110V 5%, 2 3A, 400W(1ms)	DO-214AC	1d	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
SEC	1SMA26CA3	Z-Diode/TVS	28V±5%, 9.5A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SF	MAZD220	Z-Diode	20.6..23.3V, 120mW	SSSMini2	7d	Pan
SF	P4SMA30C	Z-Diode/TVS	30V, 10A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SF	P4SMAJ120	Z-Diode/TVS	120V, 1.9A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SF	SMAJ120	Z-Diode/TVS	120V, 1.4A, 400W (1ms)	DO-214AC	1d	Vis
SF	TV04A121K	Z-Diode/TVS	120V 10%, 1.9A, 400W(1ms)	DO-214AC	1d	Cmc
SG	1SMA28A3	Z-Diode/TVS	28V±5%, 8.8A, 400W (1ms)	403B-01	3d	Mot,Ons
SG	1SMA28AT3	Z-Diode/TVS	28V±5%, 8.8A, 400W (1ms)	403B-01	3d	Mot,Ons
SG	P4SMAJ120A	Z-Diode/TVS	120V, 2A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SG	SMAJ120A	Z-Diode/TVS	120V, 1.6A, 400W (1ms)	DO-214AC	1d	Dil,Vis
SG	TV04A121J	Z-Diode/TVS	120V 5%, 2A, 400W(1ms)	DO-214AC	1d	Cmc
SGC	1SMA28CA3	Z-Diode/TVS	28V±5%, 8.8A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SH	P4SMA33C	Z-Diode/TVS	33V, 9A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SH	P4SMAJ130	Z-Diode/TVS	130V, 1.7A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SH	SMAJ130	Z-Diode/TVS	130V, 1.3A, 400W (1ms)	DO-214AC	1d	Vis
SH	TV04A131K	Z-Diode/TVS	130V 10%, 1.7A, 400W(1ms)	DO-214AC	1d	Cmc
SI	SDB310Q	Si-Diode	Schottky Barrier Rectifier, 30V, 0.2A, 150mW, <5ns	SOD-523	6d	Sme
SJ	P4SMA36C	Z-Diode/TVS	36V, 8A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SK	1SMA30A3	Z-Diode/TVS	30V±5%, 8.3A, 400W (1ms)	403B-01	3d	Mot,Ons
SK	1SMA30AT3	Z-Diode/TVS	30V±5%, 8.3A, 400W (1ms)	403B-01	3d	Mot,Ons
SK	P4SMAJ130A	Z-Diode/TVS	130V, 1.9A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SK	SMAJ130A	Z-Diode/TVS	130V, 1.4A, 400W (1ms)	DO-214AC	1d	Dil,Vis
SK	TV04A131J	Z-Diode/TVS	130V 5%, 1.9A, 400W(1ms)	DO-214AC	1d	Cmc
SKC	1SMA30CA3	Z-Diode/TVS	30V±5%, 8.3A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SL	1N5819HW	Si-Diode	Schottky Rectifier, 40V, 1A, Vf<0.45V(1A), 50pF	SOD-123	5d	Dil
SL	P4SMA39C	Z-Diode/TVS	39V, 7.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SL	P4SMAJ150	Z-Diode/TVS	150V, 1.5A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SL	SMAJ150	Z-Diode/TVS	150V, 1.1A, 400W (1ms)	DO-214AC	1d	Vis
SL	TV04A151K	Z-Diode/TVS	150V 10%, 1.5A, 400W(1ms)	DO-214AC	1d	Cmc
SM	1SMA33A3	Z-Diode/TVS	33V±5%, 7.5A, 400W (1ms)	403B-01	3d	Mot,Ons
SM	1SMA33AT3	Z-Diode/TVS	33V±5%, 7.5A, 400W (1ms)	403B-01	3d	Mot,Ons
SM	P4SMAJ150A	Z-Diode/TVS	150V, 1.6A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SM	SMAJ150A	Z-Diode/TVS	150V, 1.2A, 400W (1ms)	DO-214AC	1d	Dil,Vis
SM	TV04A151J	Z-Diode/TVS	150V 5%, 1.6A, 400W(1ms)	DO-214AC	1d	Cmc
SMA10A	PSMA10A	Z-Diode/TVS	10V, 23.5A, 400W (1ms)	DO-214AC	1d	Phi
SMA11A	PSMA11A	Z-Diode/TVS	11V, 22A, 400W (1ms)	DO-214AC	1d	Phi
SMA12A	PSMA12A	Z-Diode/TVS	12V, 20.1A, 400W (1ms)	DO-214AC	1d	Phi
SMA13A	PSMA13A	Z-Diode/TVS	13V, 18.6A, 400W (1ms)	DO-214AC	1d	Phi
SMA14A	PSMA14A	Z-Diode/TVS	14V, 17.2A, 400W (1ms)	DO-214AC	1d	Phi
SMA15A	PSMA15A	Z-Diode/TVS	15V, 16.4A, 400W (1ms)	DO-214AC	1d	Phi
SMA16A	PSMA16A	Z-Diode/TVS	16V, 15.4A, 400W (1ms)	DO-214AC	1d	Phi
SMA17A	PSMA17A	Z-Diode/TVS	17V, 14.5A, 400W (1ms)	DO-214AC	1d	Phi
SMA18A	PSMA18A	Z-Diode/TVS	18V 13.7A, 400W (1ms)	DO-214AC	1d	Phi
SMA20A	PSMA20A	Z-Diode/TVS	20V, 12.3A, 400W (1ms)	DO-214AC	1d	Phi
SMA22A	PSMA22A	Z-Diode/TVS	22V, 11.3A, 400W (1ms)	DO-214AC	1d	Phi
SMA24A	PSMA24A	Z-Diode/TVS	24V, 10.3A, 400W (1ms)	DO-214AC	1d	Phi
SMA25B	PSMA5925B	Z-Diode	10V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA26A	PSMA26A	Z-Diode/TVS	26V, 9.5A, 400W (1ms)	DO-214AC	1d	Phi
SMA26B	PSMA5926B	Z-Diode	11V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA27B	PSMA5927B	Z-Diode	12V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA28A	PSMA28A	Z-Diode/TVS	28V, 8.8A, 400W (1ms)	DO-214AC	1d	Phi
SMA28B	PSMA5928B	Z-Diode	13V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA29B	PSMA5929B	Z-Diode	15V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA30A	PSMA30A	Z-Diode/TVS	30V, 8.3A, 400W (1ms)	DO-214AC	1d	Phi
SMA30B	PSMA5930B	Z-Diode	16V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA31B	PSMA5931B	Z-Diode	18V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA32B	PSMA5932B	Z-Diode	20V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA33A	PSMA33A	Z-Diode/TVS	33V, 6.9A, 400W (1ms)	DO-214AC	1d	Phi
SMA33B	PSMA5933B	Z-Diode	22V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA34B	PSMA5934B	Z-Diode	24V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA35B	PSMA5935B	Z-Diode	27V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA36A	PSMA36A	Z-Diode/TVS	36V, 6.2A, 400W (1ms)	DO-214AC	1d	Phi
SMA36B	PSMA5936B	Z-Diode	30V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA37B	PSMA5937B	Z-Diode	33V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA38B	PSMA5938B	Z-Diode	36V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA39B	PSMA5939B	Z-Diode	39V±2.5%, 1.5W	DO-214AC	1d	Phi
SMA40A	PSMA40A	Z-Diode/TVS	40V, 5.8A, 400W (1ms)	DO-214AC	1d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
SMA40B	PSMA5940B	Z-Diode	43V±2,5%, 1,5W	DO-214AC	1d	Phi
SMA41B	PSMA5941B	Z-Diode	47V±2,5%, 1,5W	DO-214AC	1d	Phi
SMA42B	PSMA5942B	Z-Diode	51V±2,5%, 1,5W	DO-214AC	1d	Phi
SMA43A	PSMA43A	Z-Diode/TVS	43V, 5,5A, 400W (1ms)	DO-214AC	1d	Phi
SMA43B	PSMA5943B	Z-Diode	56V±2,5%, 1,5W	DO-214AC	1d	Phi
SMA44B	PSMA5944B	Z-Diode	62V±2,5%, 1,5W	DO-214AC	1d	Phi
SMA45A	PSMA45A	Z-Diode/TVS	45V, 5,2A, 400W (1ms)	DO-214AC	1d	Phi
SMA45B	PSMA5945B	Z-Diode	68V±2,5%, 1,5W	DO-214AC	1d	Phi
SMA48A	PSMA48A	Z-Diode/TVS	48V, 4,9A, 400W (1ms)	DO-214AC	1d	Phi
SMA51A	PSMA51A	Z-Diode/TVS	51V, 4,6A, 400W (1ms)	DO-214AC	1d	Phi
SMA54A	PSMA54A	Z-Diode/TVS	54V, 4,3A, 400W (1ms)	DO-214AC	1d	Phi
SMA58A	PSMA58A	Z-Diode/TVS	58V, 4,1A, 400W (1ms)	DO-214AC	1d	Phi
SMA60A	PSMA60A	Z-Diode/TVS	60V, 3,9A, 400W (1ms)	DO-214AC	1d	Phi
SMA64A	PSMA64A	Z-Diode/TVS	64V, 3,6A, 400W (1ms)	DO-214AC	1d	Phi
SMA70A	PSMA70A	Z-Diode/TVS	70V, 3,5A, 400W (1ms)	DO-214AC	1d	Phi
SMA75A	PSMA75A	Z-Diode/TVS	75V, 3,3A, 400W (1ms)	DO-214AC	1d	Phi
SMA78A	PSMA78A	Z-Diode/TVS	78V, 3,2A, 400W (1ms)	DO-214AC	1d	Phi
SMA8.5	PSMA8.5A	Z-Diode/TVS	8,5V, 27,8A, 400W (1ms)	DO-214AC	1d	Phi
SMA9.0	PSMA9.0A	Z-Diode/TVS	9V, 26A, 400W (1ms)	DO-214AC	1d	Phi
SMC	1SMA33CA3	Z-Diode/TVS	33V±5%, 7,5A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SN	P4SMA43C	Z-Diode/TVS	43V, 6,8A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SN	P4SMAJ160	Z-Diode/TVS	160V, 1,4A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SN	SM4T68	Z-Diode/TVS	68V, 4,3A, 400W (1ms)	SOD6	1d	Ste
SN	SMAJ160	Z-Diode/TVS	160V, 1A, 400W (1ms)	DO-214AC	1d	Vis
SN	TV04A161K	Z-Diode/TVS	160V 10%, 1,4A, 400W (1ms)	DO-214AC	1d	Cmc
SP	1SMA36A3	Z-Diode/TVS	36V±5%, 6,9A, 400W (1ms)	403B-01	3d	Mot,Ons
SP	1SMA36AT3	Z-Diode/TVS	36V±5%, 6,9A, 400W (1ms)	403B-01	3d	Mot,Ons
SP	CMDZ9L1	Z-Diode	9,1V, 250mW, I _z =0,5mA	SOD-323	5d	Cen
SP	P4SMA47C	Z-Diode/TVS	47V, 6,2A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SP	P4SMAJ160A	Z-Diode/TVS	160V, 1,5A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SP	SM4T68A	Z-Diode/TVS	68V, 4,3A, 400W (1ms)	SOD6	1d	Ste
SP	SMAJ160A	Z-Diode/TVS	160V, 1,2A, 400W (1ms)	DO-214AC	1d	Dil,Vis
SP	TV04A161J	Z-Diode/TVS	160V 5%, 1,5A, 400W (1ms)	DO-214AC	1d	Cmc
SPC	1SMA36CA3	Z-Diode/TVS	36V±5%, 6,9A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SQ	P4SMAJ170	Z-Diode/TVS	170V, 1,3A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SQ	SMAJ170	Z-Diode/TVS	170V, 0,99A, 400W (1ms)	DO-214AC	1d	Vis
SQ	TV04A171K	Z-Diode/TVS	170V 10%, 1,3A, 400W (1ms)	DO-214AC	1d	Cmc
SR	1SMA40A3	Z-Diode/TVS	40V±5%, 6,2A, 400W (1ms)	403B-01	3d	Mot,Ons
SR	1SMA40AT3	Z-Diode/TVS	40V±5%, 6,2A, 400W (1ms)	403B-01	3d	Mot,Ons
SR	P4SMAJ170A	Z-Diode/TVS	170V, 1,4A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SR	SMAJ170A	Z-Diode/TVS	170V, 1,4A, 400W (1ms)	DO-214AC	1d	Dil,Ste,Vis
SR	TV04A171J	Z-Diode/TVS	170V 5%, 1,4A, 400W (1ms)	DO-214AC	1d	Cmc
SRC	1SMA40CA3	Z-Diode/TVS	40V±5%, 6,2A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SS	P4SMA51C	Z-Diode/TVS	51V, 5,7A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SS	P4SMAJ180	Z-Diode/TVS	180V, 1,2A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SS	SMAJ170CA	Z-Diode/TVS	170V, 1,4A, 400W (1ms), Bidirectional	DO-214AC	1c	Ste
SS	SMAJ188A	Z-Diode/TVS	188V, 0,91A, 400W (1ms)	DO-214AC	1d	Vis
SS26	SS26	Si-Diode	Schottky Power Rectifier 60V, 2A, V _f =0,51V	403A	3d	Ons
ST	1SMA43A3	Z-Diode/TVS	43V±5%, 5,8A, 400W (1ms)	403B-01	3d	Mot,Ons
ST	1SMA43AT3	Z-Diode/TVS	43V±5%, 5,8A, 400W (1ms),	403B-01	3d	Mot,Ons
ST	P4SMA56C	Z-Diode/TVS	56V, 5,2A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
ST	P4SMAJ180A	Z-Diode/TVS	180V, 1,3A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
ST	SMAJ188	Z-Diode/TVS	188V, 0,9A, 400W (1ms)	DO-214AC	1d	Vis
STC	1SMA43CA3	Z-Diode/TVS	43V±5%, 5,8A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SU	P4SMA82C	Z-Diode/TVS	6,2V, 4,7A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SU	P4SMAJ190	Z-Diode/TVS	190V, 1,2A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SV	1SMA45A3	Z-Diode/TVS	45V±5%, 5,5A, 400W (1ms)	403B-01	3d	Mot,Ons
SV	1SMA45AT3	Z-Diode/TVS	45V±5%, 5,5A, 400W (1ms)	403B-01	3d	Mot,Ons
SV	P4SMAJ190A	Z-Diode/TVS	190V, 1,3A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SVC	1SMA45CA3	Z-Diode/TVS	45V±5%, 5,5A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SW	P4SMA68C	Z-Diode/TVS	68V, 4,3A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SW	P4SMAJ200	Z-Diode/TVS	170V, 1,1A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SW	SM4T100	Z-Diode/TVS	100V, 2,9A, 400W (1ms)	SOD6	1d	Ste
SX	1SMA48A3	Z-Diode/TVS	48V±5%, 5,2A, 400W (1ms)	403B-01	3d	Mot,Ons
SX	1SMA48AT3	Z-Diode/TVS	48V±5%, 5,2A, 400W (1ms)	403B-01	3d	Mot,Ons
SX	P4SMAJ200A	Z-Diode/TVS	170V, 1,2A, 400W (1ms)	DO-214AB	1d	Pjt,Srj,Wpd
SX	SM4T100A	Z-Diode/TVS	100V, 2,9A, 400W (1ms)	SOD6	1d	Ste

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
SXC	1SMA48CA3	Z-Diode/TVS	48V±5%, 5 2A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
SY	P4SMA75C	Z-Diode/TVS	75V, 3.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
SY	P4SMAJ210	Z-Diode/TVS	170V, 1 1A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SZ	1SMA51A3	Z-Diode/TVS	51V±5%, 4 9A, 400W (1ms)	403B-01	3d	Mot,Ons
SZ	1SMA51AT3	Z-Diode/TVS	51V±5%, 4 9A, 400W (1ms)	403B-01	3d	Mot,Ons
SZ	P4SMAJ210A	Z-Diode/TVS	170V, 1 2A, 400W (1ms)	DO-214AC	1d	Pjt,Srj,Wpd
SZC	1SMA51CA3	Z-Diode/TVS	51V±5%, 4 9A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
T	1P579SB40	S-Diode	Schottky Barrier, U-Speed, 40V, 120mA, <5pF	SOD-523	6d	Phi
T	BAR67-02V	PIN-Diode	Sw, RF, 150V, 200mA, 150mW, VF<1.2V(50mA), <0.9pF	SC-79	6d	Inf
T	B8515	C-Diode	AM-Tuning, 30V, 20mA, I<0 01µA, Cv=17 5 20pF	SOD-323	5d	Sie
T	MAZD075	Z-Diode	7 7.9V, 120mW	SSSMINI2	7d	Pan
T	MAZS024	Z-Diode	2 28 2.6V, 200mW	SC-79	6d	Pan
T (white)	B8811	C-Diode	SATV-Tuning, 30V, 20mA, 1.02 8.8pF(28 1V) 2GHz	SOD-123	5d	Inf
T064H	TB0640H	Thy-SPD	V Of-St=58V, 100A(1ms), Bidirectional	SMB	2	Dil
T064L	TB0640L	Thy-SPD	V Of-St=58V, 30A(1ms), Bidirectional	SMB	2	Dil
T064M	TB0640M	Thy-SPD	V Of-St=58V, 50A(1ms), Bidirectional	SMB	2	Dil
T072H	TB0720H	Thy-SPD	V Of-St=65V, 100A(1ms), Bidirectional	SMB	2	Dil
T072L	TB0720L	Thy-SPD	V Of-St=65V, 30A(1ms), Bidirectional	SMB	2	Dil
T072M	TB0720M	Thy-SPD	V Of-St=65V, 50A(1ms), Bidirectional	SMB	2	Dil
T090H	TB0900H	Thy-SPD	V Of-St=75V, 100A(1ms), Bidirectional	SMB	2	Dil
T090L	TB0900L	Thy-SPD	V Of-St=75V, 30A(1ms), Bidirectional	SMB	2	Dil
T090M	TB0900M	Thy-SPD	V Of-St=75V, 50A(1ms) Bidirectional	SMB	2	Dil
T1	FS2A	S-Diode	GP, Rectifier, 50V, 3A, 4µs	DO-214AB	1d	Fag
T1	FS3A	S-Diode	Rectifier, 50V, 3A, Vf<1.15V(3A)	DO-214AB	1d	Fag
T1	GDZ5 1B	Z-Diode	5 1V, 200mW	SOD-323	5d	Vis
T1	MMSZ2V4T1	Z-Diode	2.4V±5%, 0 5W, Zzt=100Ω	SOD-123	5d	Mot
T110H	TB1100H	Thy-SPD	V Of-St=90V, 100A(1ms), Bidirectional	SMB	2	Dil
T110L	TB1100L	Thy-SPD	V Of-St=90V, 30A(1ms) Bidirectional	SMB	2	Dil
T110M	TB1100M	Thy-SPD	V Of-St=90V, 50A(1ms) Bidirectional	SMB	2	Dil
T130H	TB1300H	Thy-SPD	V Of-St=120V, 100A(1ms) Bidirectional	SMB	2	Dil
T130L	TB1300L	Thy-SPD	V Of-St=120V, 30A(1ms), Bidirectional	SMB	2	Dil
T130M	TB1300M	Thy-SPD	V Of-St=120V, 50A(1ms), Bidirectional	SMB	2	Dil
T150H	TB1500H	Thy-SPD	V Of-St=140V, 100A(1ms), Bidirectional	SMB	2	Dil
T150L	TB1500L	Thy-SPD	V Of-St=140V, 30A(1ms), Bidirectional	SMB	2	Dil
T150M	TB1500M	Thy-SPD	V Of-St=140V, 50A(1ms), Bidirectional	SMB	2	Dil
T180H	TB1800H	Thy-SPD	V Of-St=160V, 100A(1ms), Bidirectional	SMB	2	Dil
T180L	TB1800L	Thy-SPD	V Of-St=160V, 30A(1ms), Bidirectional	SMB	2	Dil
T180M	TB1800M	Thy-SPD	V Of-St=160V, 50A(1ms), Bidirectional	SMB	2	Dil
T2	BAV19W	S-Diode	Switching, 100V, 200mA, Vf<1.25V(200mA), <50ns	SOD-123	5d	Dil
T2	BAV19WS	S-Diode	Switching, 100V, 200mA, Vf<1.25V(200mA), <50ns	SOD-323	5d	Dil
T2	BAV20W	S-Diode	Switching, 150V, 200mA, Vf<1.25V(200mA), <50ns	SOD-123	5d	Dil
T2	BAV20WS	S-Diode	Switching, 150V, 200mA, Vf<1.25V(200mA), <50ns	SOD-323	5d	Dil
T2	FS2B	S-Diode	GP, Rectifier, 100V, 3A, 4µs	DO-214AB	1d	Fag
T2	FS3B	S-Diode	Rectifier, 100V, 3A, Vf<1.15V(3A)	DO-214AB	1d	Fag
T2	GDZ5 6B	Z-Diode	5 6V, 200mW	SOD-323	5d	Vis
T2	MMSZ2V7T1	Z-Diode	2.7V±5%, 0 5W, Zzt=100Ω	SOD-123	5d	Mot
T230H	TB2300H	Thy-SPD	V Of-St=190V, 100A(1ms), Bidirectional	SMB	2	Dil
T230L	TB2300L	Thy-SPD	V Of-St=190V, 30A(1ms), Bidirectional	SMB	2	Dil
T230M	TB2300M	Thy-SPD	V Of-St=190V, 50A(1ms), Bidirectional	SMB	2	Dil
T260H	TB2600H	Thy-SPD	V Of-St=220V, 100A(1ms), Bidirectional	SMB	2	Dil
T260L	TB2600L	Thy-SPD	V Of-St=220V, 30A(1ms), Bidirectional	SMB	2	Dil
T260M	TB2600M	Thy-SPD	V Of-St=220V, 50A(1ms), Bidirectional	SMB	2	Dil
T3	1SV186	C-Diode	UHF/SHF-Tuning, 3.3 4.5pF(2V)	SOD-123	5d	Tos
T3	1SV245	C-Diode	UHF/SHF-Tuning, 35V, 0.61/0.77pF(25V), Rs<2Ω(470MHz)	SOD-123	5d	Tos
T3	BAV19W	S-Diode	Switching, 100V, 200mA, Vf<1.25V(200mA), <50ns	SOD-123	5d	Dil
T3	BAV19WS	S-Diode	Switching, 100V, 200mA, Vf<1.25V(200mA), <50ns	SOD-323	5d	Dil
T3	BAV20W	S-Diode	Switching, 150V, 200mA, Vf<1.25V(200mA), <50ns	SOD-123	5d	Dil
T3	BAV20WS	S-Diode	Switching, 150V, 200mA, Vf<1.25V(200mA), <50ns	SOD-323	5d	Dil
T3	BAV21W	S-Diode	Switching, 200V, 200mA, Vf<1.25V(200mA), <50ns	SOD-123	5d	Dil
T3	BAV21WS	S-Diode	Switching, 200V, 200mA, Vf<1.25V(200mA), <50ns	SOD-323	5d	Dil
T3	FS2D	S-Diode	GP, Rectifier, 200V, 3A, 4µs	DO-214AB	1d	Fag
T3	FS3D	S-Diode	Rectifier, 200V, 3A, Vf<1.15V(3A)	DO-214AB	1d	Fag
T3	GDZ6 2B	Z-Diode	6 2V, 200mW	SOD-323	5d	Vis
T3	MMSZ3V0T1	Z-Diode	3V±5%, 0 5W, Zzt=95Ω	SOD-123	5d	Mot
T310H	TB3100H	Thy-SPD	V Of-St=275V, 100A(1ms), Bidirectional	SMB	2	Dil
T310L	TB3100L	Thy-SPD	V Of-St=275V, 30A(1ms), Bidirectional	SMB	2	Dil
T310M	TB3100M	Thy-SPD	V Of-St=275V, 50A(1ms), Bidirectional	SMB	2	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
T350H	TB3500H	Thy-SPD	V Of-St=320V, 100A(1ms), Bidirectional	SMB	2	Dil
T350L	TB3500L	Thy-SPD	V Of-St=320V, 30A(1ms) Bidirectional	SMB	2	Dil
T350M	TB3500M	Thy-SPD	V Of-St=320V, 50A(1ms), Bidirectional	SMB	2	Dil
T4	1N4148W	Si-Diode	Switching, Fast, 75V, 150mA, <2pF, <4ns	SOD-123	5d	Dil
T4	1N4148WS	Si-Diode	Switching, Fast, 75V, 150mA, <2pF, <4ns	SOD-323	5d	Dil
T4	1N4148WT	Si-Diode	Switching, Fast, 100V, 125mA, <2pF, <4ns	SOD-523	6d	Dil
T4	1SV204	C-Diode	VHF/UHF-AFC, 35V, 3,3 5,7pF(10V)	SOD-123	5d	Tos
T4	FS2G	Si-Diode	GP, Rectifier, 400V, 3A, 4µs	DO-214AB	1d	Fag
T4	FS3G	Si-Diode	Rectifier, 400V, 3A, Vf<1,15V(3A)	DO-214AB	1d	Fag
T4	GDZ6 8B	Z-Diode	6 8V, 200mW	SOD-323	5d	Vis
T4	MMSZ3V3T1	Z-Diode	3,3V±5%, 0 5W, Zzt=95Ω	SOD-123	5d	Mot
T5	1N4448HWS	Si-Diode	Switching, Fast, 100V, 500mA, <2pF, <4ns	SOD-323	5d	Dil
T5	1N4448W	Si-Diode	Switching, Fast, 100V, 500mA, <2pF, <4ns	SOD-123	5d	Dil
T5	1N4448WS	Si-Diode	Switching, Fast, 100V, 500mA, <2pF, <4ns	SOD-323	5d	Dil
T5	FS2J	Si-Diode	GP, Rectifier, 500V, 3A, 4µs	DO-214AB	1d	Fag
T5	FS3J	Si-Diode	Rectifier, 600V, 3A, Vf<1,15V(3A)	DO-214AB	1d	Fag
T5	GDZ7 5B	Z-Diode	7 51V, 200mW	SOD-323	5d	Vis
T5	MMSZ3V6T1	Z-Diode	3,6V±5%, 0 5W, Zzt=90Ω	SOD-123	5d	Mot
T6	1SV211	C-Diode	UHF-CATV-Tuning, 33 39pF(2V)	SOD-123	5d	Tos
T6	BAV16W	Si-Diode	Switching, Fast, 100V, 300mA, <2pF, <2ns	SOD-123	5d	Dil
T6	BAV16WS	Si-Diode	Switching, Fast, 100V, 300mA, <2pF, <2ns	SOD-323	5d	Dil
T6	FS2K	Si-Diode	GP, Rectifier, 800V, 3A, 4µs	DO-214AB	1d	Fag
T6	FS3K	Si-Diode	Rectifier, 800V, 3A, Vf<1,15V(3A)	DO-214AB	1d	Fag
T6	GDZ8 2B	Z-Diode	8 2V, 200mW	SOD-323	5d	Vis
T7	1SV224	C-Diode	CATV, 35V, 1,7/2,1pF(20V)	SOD-123	5d	Tos
T7	FS2M	Si-Diode	GP, Rectifier, 1000V, 3A, 4µs	DO-214AB	1d	Fag
T7	FS3M	Si-Diode	Rectifier, 1000V, 3A, Vf<1,15V(3A)	DO-214AB	1d	Fag
T7	GDZ9 1B	Z-Diode	9 1V, 200mW	SOD-323	5d	Vis
T8	1N4148HWT	Si-Diode	Switching, Fast, 100V, 125mA, <2pF, <4ns	SOD-523	6d	Dil
T8	1SV212	C-Diode	UHF-VCO, 5,5 6,5pF(10V)	SOD-123	5d	Tos
T8	GDZ10B	Z-Diode	10V, 200mW	SOD-323	5d	Vis
T9	1SV227	C-Diode	CATV-Tuning, 35V, 2,75/3,1pF(25V)	SOD-123	5d	Tos
T9	GDZ11B	Z-Diode	11V, 200mW	SOD-323	5d	Vis
TA	1SV226	C-Diode	CATV-Tuning, 35V, 2,7/3,4pF(25V)	SOD-123	5d	Tos
TA	GDZ12B	Z-Diode	12V, 200mW	SOD-323	5d	Vis
TB	1SV238	C-Diode	CATV-Tuning, 35V, 2,75*3,25pF(25V)	SOD-123	5d	Tos
TB	GDZ13B	Z-Diode	13V, 200mW	SOD-323	5d	Vis
TC	1SV239	C-Diode	UHF-VCO, 15V, 1,5/2pF(10V)	SOD-123	5d	Tos
TC	GDZ15B	Z-Diode	15V, 200mW	SOD-323	5d	Vis
TD	1SV262	C-Diode	UHF-CATV-Tuning, 36V, 2,6 3pF(25V)	SOD-123	5d	Tos
TD	GDZ16B	Z-Diode	16V, 200mW	SOD-323	5d	Vis
TD	P4SMAJ5 0C	Z-Diode/TVS	5V, 41 6A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TD	P6SMB47C	Z-Diode/TVS	47V, 8,9A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TE	1SMA54A3	Z-Diode/TVS	54V±5%, 4 6A, 400W (1ms)	403B-01	3d	Mot,Ons
TE	1SMA54AT3	Z-Diode/TVS	54V±5%, 4 6A, 400W (1ms)	403B-01	3d	Mot,Ons
TE	1SV269	C-Diode	CATV-Tuning, 36V, 2,5*2,9pF(25V)	SOD-123	5d	Tos
TE	GDZ18B	Z-Diode	18V, 200mW	SOD-323	5d	Vis
TE	P4SMAJ5 0AC	Z-Diode/TVS	5V, 43 5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TE	P6SMB47CA	Z-Diode/TVS	47V, 9,3A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TE	SMAJ5 0CA	Z-Diode/TVS	5V, 43 5A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TEC	1SMA54CA3	Z-Diode/TVS	54V±5%, 4 6A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
TF	1SV270	C-Diode	UHF VCO, 7,3/8,7pF(4V)	SOD-123	5d	Tos
TF	P4SMAJ6 0C	Z-Diode/TVS	6V, 35 1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TF	P6SMB51C	Z-Diode/TVS	51V, 8,2A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TG	1SMA58A3	Z-Diode/TVS	58V±5%, 4 8A, 400W (1ms)	403B-01	3d	Mot,Ons
TG	1SMA58AT3	Z-Diode/TVS	58V±5%, 4 8A, 400W (1ms)	403B-01	3d	Mot,Ons
TG	P4SMAJ6 0AC	Z-Diode/TVS	6V, 38 8A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TG	P6SMB51CA	Z-Diode/TVS	51V, 8,6A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TG	SMAJ6 0CA	Z-Diode/TVS	6V, 38 8A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TGC	1SMA58CA3	Z-Diode/TVS	58V±5%, 4 8A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
TH	1SV293	C-Diode	VCO for UHF-Band Radio, 10V, /20//11,6pF(14V), Rs<0,4Ω	SOD-123	5d	Tos
TH	GDZ20B	Z-Diode	20V, 200mW	SOD-323	5d	Vis
TH	P4SMAJ6 5C	Z-Diode/TVS	6 5V 32 5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TH	P6SMB56C	Z-Diode/TVS	56V, 7,4A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TH	SM4T150	Z-Diode/TVS	150V, 2A, 400W(1ms)	SOD6	1d	Ste
TJ	1SV288	C-Diode	CATV-Tuning, 35V, 45/2,8pF(2/25V)	SOD-123	5d	Tos
TK	1SMA60A3	Z-Diode/TVS	60V±5%, 4 1A, 400W (1ms)	403B-01	3d	Mot,Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
TK	1SMA60AT3	Z-Diode/TVS	60V±5%, 4.1A, 400W (1ms)	403B-01	3d	Mot,Ons
TK	1SV287	C-Diode	UHF/SHF-Tuning, 35V, 0,53/0,68pF(25V), Rs<2,3Ω(470MHz)	SOD-123	5d	Tos
TK	GDZ22B	Z-Diode	22V, 200mW	SOD-323	5d	Vis
TK	P4SMAJ6.5AC	Z-Diode/TVS	6.5V, 35.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TK	P6SMB56CA	Z-Diode/TVS	56V, 7.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TK	SM4T150A	Z-Diode/TVS	150V, 2A, 400W(1ms)	SOD6	1d	Ste
TK	SMAJ6.5CA	Z-Diode/TVS	6.5V, 35.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TKC	1SMA60CA3	Z-Diode/TVS	60V±5%, 4.1A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
TL	GDZ24B	Z-Diode	24V, 200mW	SOD-323	5d	Vis
TL	P4SMAJ7.0C	Z-Diode/TVS	7V, 30.1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TL	P6SMB62C	Z-Diode/TVS	62V, 6.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TM	1SMA64A3	Z-Diode/TVS	64V±5%, 3.9A, 400W (1ms)	403B-01	3d	Mot,Ons
TM	1SMA64AT3	Z-Diode/TVS	64V±5%, 3.9A, 400W (1ms)	403B-01	3d	Mot,Ons
TM	GDZ27B	Z-Diode	27V, 200mW	SOD-323	5d	Vis
TM	P4SMAJ7.0AC	Z-Diode/TVS	7V, 33.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TM	P6SMB62CA	Z-Diode/TVS	62V, 7.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TM	SMAJ7.0CA	Z-Diode/TVS	7V, 33.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TMC	1SMA64CA3	Z-Diode/TVS	64V±5%, 3.9A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
TN	GDZ30B	Z-Diode	30V, 200mW	SOD-323	5d	Vis
TN	P4SMAJ7.5C	Z-Diode/TVS	7.5V, 28A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TN	P6SMB68C	Z-Diode/TVS	68V, 6.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TP	1SMA70A3	Z-Diode/TVS	70V±5%, 3.5A, 400W (1ms)	403B-01	3d	Mot,Ons
TP	1SMA70AT3	Z-Diode/TVS	70V±5%, 3.5A, 400W (1ms)	403B-01	3d	Mot,Ons
TP	CMDZ10L	Z-Diode	10V, 250mW, Iz=0.5mA	SOD-323	5d	Sen
TP	GDZ33B	Z-Diode	33V, 200mW	SOD-323	5d	Vis
TP	P4SMAJ7.5AC	Z-Diode/TVS	7.5V, 31A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TP	P6SMB68CA	Z-Diode/TVS	68V, 6.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TP	SMAJ7.5CA	Z-Diode/TVS	7.5V, 31A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TPC	1SMA70CA3	Z-Diode/TVS	70V±5%, 3.5A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
TQ	P4SMAJ8.0C	Z-Diode/TVS	8V, 26.5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TQ	P6SMB75C	Z-Diode/TVS	75V, 5.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TR	1SMA75A3	Z-Diode/TVS	75V±5%, 3.3A, 400W (1ms)	403B-01	3d	Mot,Ons
TR	1SMA75AT3	Z-Diode/TVS	75V±5%, 3.3A, 400W (1ms)	403B-01	3d	Mot,Ons
TR	P4SMAJ8.0AC	Z-Diode/TVS	8V, 29.4A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TR	P6SMB75CA	Z-Diode/TVS	75V, 5.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TR	SMAJ8.0CA	Z-Diode/TVS	8V, 29.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TRC	1SMA75CA3	Z-Diode/TVS	75V±5%, 3.3A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
TS	1SMA78A3	Z-Diode/TVS	78V±5%, 3.2A, 400W (1ms)	403B-01	3d	Mot,Ons
TS	1SMA78AT3	Z-Diode/TVS	78V±5%, 3.2A, 400W (1ms)	403B-01	3d	Mot,Ons
TS	P4SMAJ8.5C	Z-Diode/TVS	8.5V, 25.1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TS	P6SMB82C	Z-Diode/TVS	82V, 5.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TS	SM4T200	Z-Diode/TVS	200V, 1.5A, 400W(1ms)	SOD6	1d	Ste
TSC	1SMA78CA3	Z-Diode/TVS	78V±5%, 3.2A, 400W (1ms), Bidirectional	403B-01	3c	Mot,Ons
TT	1SV302	C-Diode	CATV-Tuning, 35V, 47/2,6pF(2/25V)	SOD-123	5d	Tos
TT	1SV303	C-Diode	CATV tuning, 30V, 2.6..47pF(25V..2V), Rs<1,25Ω	1-1G1A	6d	Tos
TT	GDZ36B	Z-Diode	36V, 200mW	SOD-323	5d	Vis
TT	P4SMAJ8.5AC	Z-Diode/TVS	8.5V, 27.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TT	P6SMB82CA	Z-Diode/TVS	82V, 5.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TT	SM4T200A	Z-Diode/TVS	200V, 1.5A, 400W(1ms)	SOD6	1d	Ste
TT	SMAJ8.5CA	Z-Diode/TVS	8.5V, 27.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TU	P4SMAJ9.0C	Z-Diode/TVS	9V, 23.6A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TU	P6SMB91C	Z-Diode/TVS	91V, 4.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TU	SM4T220	Z-Diode/TVS	220V, 1.4A, 400W(1ms)	SOD6	1d	Ste
TV	1SV304	C-Diode	VCO for VHF-Band Radio, 10V, 19,3/6,6pF(1/4V), Rs<0,32Ω	SOD-123	5d	Tos
TV	1SV305	C-Diode	VHF-VCO, 10V, 6,1..18,3.pF(4..1V), Rs<0,32Ω	1-1G1A	6d	Tos
TV	P4SMAJ9.0AC	Z-Diode/TVS	9V, 26A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TV	P6SMB91CA	Z-Diode/TVS	91V, 4.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TV	SM4T220A	Z-Diode/TVS	220V, 1.4A, 400W(1ms)	SOD6	1d	Ste
TV	SMAJ9.0CA	Z-Diode/TVS	9V, 26A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TW	P4SMAJ10C	Z-Diode/TVS	10V, 21.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TW	P6SMB100C	Z-Diode/TVS	100V, 4.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TX	P4SMAJ10AC	Z-Diode/TVS	10V, 23.5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
TX	P6SMB100CA	Z-Diode/TVS	100V, 4.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TX	SMAJ10CA	Z-Diode/TVS	10V, 21.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
TY	1SS241	C-Diode	VHF-Band-S, 30V, <1,2pF(6V), <0,9Ω	SOD-123	5d	Tos
TY	1SS314	C-Diode	UHF-Band Switch, 30V, 100mA, 0,7pF(6V), <0,9Ω	1-1E1A	5d	Tos
TY	1SS381	Si-Diode	VHF Tuner Band Switch, 30V, 100mA, 0,7pF, <0,6Ω(100MHz)	ESC	7d	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
TY	P4SMAJ11C	Z-Diode/TVS	11V, 20A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjl,Srj,Wpd
TY	P6SMB110C	Z-Diode/TVS	110V, 3.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TZ	P4SMAJ11AC	Z-Diode/TVS	11V, 22A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjl,Srj,Wpd
TZ	P6SMB110CA	Z-Diode/TVS	110V, 4A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
TZ	SMAJ11CA	Z-Diode/TVS	11V, 22A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
U	BAR88-02V	Si-Diode	Ant. Sw, 80V, 0.1A, 250mW, Vf<1.2V(100mA), 0.28pF(1GHz)	SC-79	5d	Inf
U	BB145	C-Diode	VCO, 6V, 20mA, 2.75/6.4pF(4V/1V, 1MHz), <0.6Q	SOD-523	6d	Phi
U	HVU355	C-Diode	VCO, 6.4..7.4pF(1V)	SOD-123	5d	Ren
U	MA2SV01	C-Diode	VCO, 6V, 16/6pF(1/3V)	DO-214	1d	Pan
U01	SMTPA62	Z-Diode/TVS	62V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U05	SMTPA68	Z-Diode/TVS	68V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U1	FES1A	Si-Diode	Ultrafast Recovery, 50V, 1A, <50ns	DO-214AC	1d	Feg
U1	MMSZ3V9T1	Z-Diode	3.9V±5%, 0.5W, Zzt=90Q	SOD-123	5d	Mot
U1	UDZ56B	Z-Diode	56V±2.5%, 200mW	SOD-323	5d	Dil
U10A	UGF10A	Si-Diode	U-Fast Recovery Rectifier, 50V, 1A, Vf<0.95V(1A), 35ns	DO-214AC	1d	Zow
U10B	UGF10B	Si-Diode	U-Fast Recovery Rectifier, 100V, 1A, Vf<0.95V(1A), 35ns	DO-214AC	1d	Zow
U10D	UGF10D	Si-Diode	U-Fast Recovery Rectifier, 200V, 1A, Vf<0.95V(1A), 35ns	DO-214AC	1d	Zow
U10G	UGF10G	Si-Diode	U-Fast Recovery Rectifier, 400V, 1A, Vf<1.25V(1A), 35ns	DO-214AC	1d	Zow
U10J	UGF10J	Si-Diode	U-Fast Recovery Rectifier, 600V, 1A, Vf<1.7V(1A), 35ns	DO-214AC	1d	Zow
U10K	UGF10K	Si-Diode	U-Fast Recovery Rectifier, 800V, 1A, Vf<2.2V(1A), 35ns	DO-214AC	1d	Zow
U13	SMTPA100	Z-Diode/TVS	100V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U17	SMTPA120	Z-Diode/TVS	120V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U19	SMTPA130	Z-Diode/TVS	130V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U1A	MURS105T3	Si-Diode	U-Fast Rectifier, 50V, 1A, Vf<0.71V(1A), 25ns	SMA	3d	Ons
U1B	MURS110T3	Si-Diode	U-Fast Rectifier, 100V, 1A, Vf<0.71V(1A), 25ns	SMA	3d	Ons
U1C	MURS115T3	Si-Diode	U-Fast Rectifier, 150V, 1A, Vf<0.71V(1A), 25ns	SMA	3d	Ons
U1D	MURS120T3	Si-Diode	U-Fast Rectifier, 200V, 1A, Vf<0.87V(1A), 25ns	SMA	3d	Mot
U1D	SMAU1D	Si-Diode	U-Fast Recovery, 200V, 1A, Vf<0.98V(1A), <50ns	SMA	1d	Kec
U1G	MURS140T3	Si-Diode	U-Fast Rectifier, 400V, 1A, Vf<1.25V(1A), 50ns	SMA	3d	Ons
U1G	SMAU1G	Si-Diode	U-Fast Recovery, 400V, 1A, Vf<1.3V(1A), <50ns	SMA	1d	Kec
U1GB	MURS140	Si-Diode	U-Fast Rectifier, 283V, 1A, Vf<1.25V(1A), 50ns	SMB	3d	Dil
U1J	MURS160T3	Si-Diode	U-Fast Rectifier, 600V, 1A, Vf<1.25V(1A), 50ns	SMA	3d	Mot
U1J	SMAU1J	Si-Diode	U-Fast Recovery, 600V, 1A, Vf<1.7V(1A), <75ns	SMA	1d	Kec
U1JB	MURS160	Si-Diode	U-Fast Rectifier, 424V, 1A, Vf<1.25V(1A), 50ns	SMB	3d	Dil
U2	FES1B	Si-Diode	Ultrafast Recovery, 100V, 1A, <50ns	DO-214AC	1d	Fag
U2	MMSZ4V3T1	Z-Diode	4.3V±5%, 0.5W, Zzt=90Q	SOD-123	5d	Mot
U20A	UGF20A	Si-Diode	U-Fast Recovery Rectifier, 50V, 2A, Vf<0.95V(2A), 35ns	DO-214AA	1d	Zow
U20B	UGF20B	Si-Diode	U-Fast Recovery Rectifier, 100V, 2A, Vf<0.95V(2A), 35ns	DO-214AA	1d	Zow
U20D	UGF20D	Si-Diode	U-Fast Recovery Rectifier, 200V, 2A, Vf<0.95V(2A), 35ns	DO-214AA	1d	Zow
U20G	UGF20G	Si-Diode	U-Fast Recovery Rectifier, 400V, 2A, Vf<1.25V(2A), 35ns	DO-214AA	1d	Zow
U20J	UGF20J	Si-Diode	U-Fast Recovery Rectifier, 600V, 2A, Vf<1.7V(2A), 35ns	DO-214AA	1d	Zow
U20K	UGF20K	Si-Diode	U-Fast Recovery Rectifier, 800V, 2A, Vf<2.2V(2A), 35ns	DO-214AA	1d	Zow
U25	SMTPA180	Z-Diode/TVS	180V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U27	SMTPA200	Z-Diode/TVS	200V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U2D	MURS220T3	Si-Diode	U-Fast Rectifier, 200V, 2A, Vf<0.95V(2A), 35ns	SMB	3d	Ons
U2D	SMAU2D	Si-Diode	U-Fast Recovery, 200V, 2A, Vf<0.98V(2A), <50ns	SMA	1d	Kec
U2F	MURS230T3	Si-Diode	U-Fast Rectifier, 300V, 2A, Vf<1.3V(2A), 65ns	SMB	3d	Ons
U2G	MURS240T3	Si-Diode	U-Fast Rectifier, 400V, 2A, Vf<1.3V(2A), 65ns	SMB	3d	Ons
U2G	SMAU2G	Si-Diode	U-Fast Recovery, 400V, 2A, Vf<1.3V(2A), <50ns	SMA	1d	Kec
U2J	MURS260T3	Si-Diode	U-Fast Rectifier, 600V, 2A, Vf<1.45V(2A), 75ns	SMB	3d	Ons
U2J	SMAU2J	Si-Diode	U-Fast Recovery, 600V, 2A, Vf<1.7V(2A), <75ns	SMA	1d	Kec
U3	FES1D	Si-Diode	Ultrafast Recovery, 200V, 1A, <50ns	DO-214AC	1d	Fag
U3	MMSZ4V7T1	Z-Diode	4.7V±5%, 0.5W, Zzt=80Q	SOD-123	5d	Mot
U30A	UGF30A	Si-Diode	U-Fast Recovery Rectifier, 50V, 3A, Vf<0.95V(3A), 35ns	DO-214AA	1d	Zow
U30B	UGF30B	Si-Diode	U-Fast Recovery Rectifier, 100V, 3A, Vf<0.95V(3A), 35ns	DO-214AA	1d	Zow
U30D	UGF30D	Si-Diode	U-Fast Recovery Rectifier, 200V, 3A, Vf<0.95V(3A), 35ns	DO-214AA	1d	Zow
U30G	UGF30G	Si-Diode	U-Fast Recovery Rectifier, 400V, 3A, Vf<1.25V(3A), 35ns	DO-214AA	1d	Zow
U30J	UGF30J	Si-Diode	U-Fast Recovery Rectifier, 600V, 3A, Vf<1.7V(3A), 35ns	DO-214AA	1d	Zow
U30K	UGF30K	Si-Diode	U-Fast Recovery Rectifier, 800V, 3A, Vf<2.2V(3A), 35ns	DO-214AA	1d	Zow
U31	SMTPA220	Z-Diode/TVS	220V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U35	SMTPA240	Z-Diode/TVS	240V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U39	SMTPA270	Z-Diode/TVS	270V, 50A(1ms), 5W, Bidirectional	DO-214AA	1c	Ste
U3D	MURS320T3	Si-Diode	U-Fast Rectifier, 200V, 3A, Vf<0.87V(3A), 25ns	SMA	3d	Mot
U3G	MURS340T3	Si-Diode	U-Fast Rectifier, 400V, 3A, Vf<1.25V(3A), 75ns	SMA	3d	Ons
U3J	MURS360T3	Si-Diode	U-Fast Rectifier, 600V, 3A, Vf<1.25V(3A), 75ns	SMA	3d	Mot
U4	FES1F	Si-Diode	Ultrafast Recovery, 300V, 1A, <50ns	DO-214AC	1d	Fag
U4	MMSZ5V1T1	Z-Diode	5.1V±5%, 0.5W, Zzt=60Q	SOD-123	5d	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
U4A	MURA105T3	Si-Diode	Schottky, U-Fast Rectifier, 50V, 1A, Vf<0.66V(1A), <30ns	SMA	1d	Ons
U4B	MURA110T3	Si-Diode	Schottky U-Fast Rectifier, 100V, 1A, Vf<0.66V(1A), <30ns	SMA	1d	Ons
U4C	MURA115T3	Si-Diode	Schottky, U-Fast Rectifier, 150V, 1A Vf<0.71V(1A), <35ns	SMA	1d	Ons
U4D	MURA120T3	Si-Diode	Schottky U-Fast Rectifier, 200V, 1A, Vf<0.71V(1A) <35ns	SMA	1d	Ons
U4F	MURA130T3	Si-Diode	Schottky, U-Fast Rectifier, 300V, 1A Vf<0.8V(1A), <65ns	SMA	1d	Ons
U4G	MURA140T3	Si-Diode	Schottky, U-Fast Rectifier, 400V, 1A, Vf<0.8V(1A), <65ns	SMA	1d	Ons
U4J	MURA160T3	Si-Diode	Schottky, U-Fast Rectifier, 600V, 1A, Vf<1.05V(1A), <75ns	SMA	1d	Ons
U5	FES1G	Si-Diode	Ultrafast Recovery, 400V, 1A, <50ns	DO-214AC	1d	Fag
U5	MMSZ5V6T1	Z-Diode	5.6V±5% 0.5W Zzt=40Ω	SOD-123	5d	Mol
U5A	MURA205T3	Si-Diode	Schottky, U-Fast Rectifier, 50V, 1A, Vf<0.94V(2A), <30ns	SMA	1d	Ons
U5B	MURA210T3	Si-Diode	Schottky, U-Fast Rectifier, 100V 1A, Vf<0.94V(2A), <30ns	SMA	1d	Ons
U5C	MURA215T3	Si-Diode	Schottky, U-Fast Rectifier, 150V, 1A, Vf<0.95V(2A), <35ns	SMA	1d	Ons
U5D	MURA220T3	Si-Diode	Schottky, U-Fast Rectifier, 200V, 1A Vf<0.95V(2A), <35ns	SMA	1d	Ons
U5F	MURA230T3	Si-Diode	Schottky, U-Fast Rectifier 300V, 1A Vf<1.3V(2A), <65ns	SMA	1d	Ons
U5G	MURA240T3	Si-Diode	Schottky, U-Fast Rectifier, 400V, 1A, Vf<1.3V(2A), <65ns	SMA	1d	Ons
U5J	MURA260T3	Si-Diode	Schottky, U-Fast Rectifier, 600V, 1A, Vf<1.45V(2A), <75ns	SMA	1d	Ons
U6	FES1J	Si-Diode	Ultrafast Recovery, 600V, 1A, <50ns	DO-214AC	1d	Fag
UA	FUES1A	Si-Diode	Ultrafast Recovery Rectifier, 50V, 1A, <25ns	DO-214AC	1d	Fag
UA	KDV154	C-Diode	VCO for UHF-Band Radio	SOD-123	5d	Kec
UA	US1A	Si-Diode	Rectifier, Fast 50V, 1A, 75ns, 15pF	DO-214AC	1d	Vis
UB	FUES1B	Si-Diode	Ultrafast Recovery Rectifier, 100V, 1A, <25ns	DO-214AC	1d	Fag
UB	US1B	Si-Diode	Rectifier, Fast, 100V, 1A 75ns, 15pF	DO-214AC	1d	Vis
UD	FUES1D	Si-Diode	Ultrafast Recovery Rectifier, 200V, 1A, <25ns	DO-214AC	1d	Fag
UD	KDS114	Si-Diode	Band-Switch, 30V, 100mA, Vf<0.85V(2mA), 100MHz	USC	5d	Kec
UD	KDS114E	Si-Diode	Band-Switch, 30V, 100mA, Vf<0.85V(2mA), 100MHz	ESC	6d	Kec
UD	KDV175	Si-Diode	VHF/UHF-Band Att, 50V, 50mA, Vf<0.95V(50mA), 100MHz	USC	5d	Kec
UD	KDV175E	Si-Diode	VHF/UHF-Band Att, 50V, 50mA, Vf<0.95V(50mA), 100MHz	ESC	6d	Kec
UD	P4SMAJ12C	Z-Diode/TVS	12V, 18 1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
UD	SM4T18C	Z-Diode/TVS	18V, 16A, 400W(1ms), Bidirectional	SOD6	1c	Ste
UD	US1D	Si-Diode	Rectifier, Fast, 200V 1A 75ns, 15pF	DO-214AC	1d	Vis
UE	FUF1A	Si-Diode	Ultrafast Recovery Rectifier, 50V, 1A, 50 75ns	DO-214AC	1d	Fag
UE	P4SMAJ12AC	Z-Diode/TVS	12V, 20 1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
UE	SM4T18CA	Z-Diode/TVS	18V, 16A, 400W(1ms), Bidirectional	SOD6	1c	Ste
UE	SMAJ12CA	Z-Diode/TVS	12V, 20 1A 400W (1ms), Bidirectional	DO-214AC	1c	Dil
UF	FUF1B	Si-Diode	Ultrafast Recovery Rectifier, 100V, 1A, 50 75ns	DO-214AC	1d	Fag
UF	KDS160	Si-Diode	Switching, 80V, 100mA, Vf<1.2V(100mA), 4ns	USC	5d	Kec
UF	KDS160E	Si-Diode	Switching, 80V, 100mA, Vf<1.2V(100mA), 4ns	ESC	6d	Kec
UF	MAZD240	Z-Diode	22.8 25.6V, 120mW	SSSMini2	7d	Pan
UF	P4SMAJ13C	Z-Diode/TVS	13V, 16 8A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
UG	FUF1D	Si-Diode	Ultrafast Recovery Rectifier, 200V, 1A, 50 75ns	DO-214AC	1d	Fag
UG	P4SMAJ13AC	Z-Diode/TVS	13V, 16 8A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
UG	SMAJ13CA	Z-Diode/TVS	13V, 16 8A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
UG	US1G	Si-Diode	Rectifier, Fast, 400V, 1A 75ns, 15pF	DO-214AC	1d	Vis
UH	FUF1G	Si-Diode	Ultrafast Recovery Rectifier, 400V, 1A, 50 75ns	DO-214AC	1d	Fag
UH	P4SMAJ14C	Z-Diode/TVS	14V, 15 5A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
UH	SM4T22C	Z-Diode/TVS	22V, 13A, 400W(1ms), Bidirectional	SOD6	1c	Ste
UI	FUF1J	Si-Diode	Ultrafast Recovery Rectifier, 600V, 1A 50 75ns	DO-214AC	1d	Fag
UJ	FUF1K	Si-Diode	Ultrafast Recovery Rectifier, 800V, 1A, 50 75ns	DO-214AC	1d	Fag
UJ	US1J	Si-Diode	Rectifier, Fast, 600V, 1A 75ns, 15pF	DO-214AC	1d	Vis
UK	FUF1M	Si-Diode	Ultrafast Recovery Rectifier, 1000V, 1A, 50 75ns	DO-214AC	1d	Fag
UK	KDV350	C-Diode	VCO, 15V, 15 17.5pF(1V)	SOD-123	5d	Kec
UK	P4SMAJ14AC	Z-Diode/TVS	14V, 17 2A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
UK	SM4T22CA	Z-Diode/TVS	22V, 13A, 400W(1ms), Bidirectional	SOD6	1c	Ste
UK	SMAJ14CA	Z-Diode/TVS	14V, 17 2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
UK	US1K	Si-Diode	Rectifier, Fast 800V, 1A 75ns, 15pF	DO-214AC	1d	Vis
UL	P4SMAJ15C	Z-Diode/TVS	15V, 14 8A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
UL	SM4T24C	Z-Diode/TVS	24V, 12A, 400W(1ms), Bidirectional	SOD6	1c	Ste
UM	P4SMAJ15AC	Z-Diode/TVS	15V, 16 4A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
UM	SM4T24CA	Z-Diode/TVS	24V, 12A, 400W(1ms), Bidirectional	SOD6	1c	Ste
UM	SMAJ15CA	Z-Diode/TVS	15V, 16 4A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
UM	US1M	Si-Diode	Rectifier, Fast, 1000V, 1A 75ns, 15pF	DO-214AC	1d	Vis
UN	P4SMAJ16C	Z-Diode/TVS	16V, 13 8A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
UN	SM4T27C	Z-Diode/TVS	27V, 10,7A, 400W(1ms), Bidirectional	SOD6	1c	Ste
UO	KDV214	C-Diode	TV-Tuning, 30V, 14 16pF(2V)	SDD-123	5d	Kec
UP	CMD211L	Z-Diode	11V, 250mW, Iz=0.5mA	SDD-323	5d	Can
UP	P4SMAJ16AC	Z-Diode/TVS	16V, 15 3A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
UP	SM4T27CA	Z-Diode/TVS	27V, 10,7A, 400W(1ms) Bidirectional	SOD6	1c	Ste

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
UP	SMAJ16CA	Z-Diode/TVS	16V, 15 4A 400W (1ms) Bidirectional	DO-214AC	1c	Dil
UQ	P4SMAJ17C	Z-Diode/TVS	17V, 13 1A, 400W (1ms), Bidirectional	DO-214AB	2c	PjL,Srj,Wpd
UQ	SM4T30C	Z-Diode/TVS	30V, 9,6A, 400W (1ms), Bidirectional	SOD6	1c	Ste
UR	P4SMAJ17AC	Z-Diode/TVS	17V, 14 5A, 400W (1ms), Bidirectional	DO-214AB	2c	PjL,Srj,Wpd
UR	SM4T30CA	Z-Diode/TVS	30V, 9,6A, 400W (1ms), Bidirectional	SOD6	1c	Ste
UR	SMAJ17CA	Z-Diode/TVS	17V, 14 5A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
US	P4SMAJ18C	Z-Diode/TVS	18V, 12 4A, 400W (1ms), Bidirectional	DO-214AB	2c	PjL,Srj,Wpd
US	SM4T33C	Z-Diode/TVS	33V, 8 8A 400W (1ms) Bidirectional	SOD6	1c	Ste
UT	P4SMAJ18AC	Z-Diode/TVS	18V, 13 7A, 400W (1ms), Bidirectional	DO-214AB	2c	PjL,Srj,Wpd
UT	SM4T33CA	Z-Diode/TVS	33V, 8,8A, 400W (1ms), Bidirectional	SOD6	1c	Ste
UT	SMAJ18CA	Z-Diode/TVS	18V, 13 7A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
UU	BAR88-02L	Si-Diode	Ant Sw, 80V, 0,1A, 250mW, Vf<1,2V(100mA), 0,28pF(1GHz)	TSLP-2-1	13d	Inf
UU	P4SMAJ20C	Z-Diode/TVS	20V, 11 1A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
UU	SM4T36C	Z-Diode/TVS	36V, 8A, 400W (1ms) Bidirectional	SOD6	1c	Ste
UV	P4SMAJ20AC	Z-Diode/TVS	20V, 12 3A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
UV	SM4T36CA	Z-Diode/TVS	36V, 8A, 400W (1ms), Bidirectional	SOD6	1c	Ste
UV	SMAJ20CA	Z-Diode/TVS	20V, 12 3A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
UW	P4SMAJ22C	Z-Diode/TVS	22V, 10 1A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
UW	SM4T39C	Z-Diode/TVS	39V, 7,4A, 400W (1ms), Bidirectional	SOD6	1c	Ste
UX	P4SMAJ22AC	Z-Diode/TVS	22V, 11 2A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
UX	SM4T39CA	Z-Diode/TVS	39V, 7,4A, 400W (1ms), Bidirectional	SOD6	1c	Ste
UX	SMAJ22CA	Z-Diode/TVS	22V, 11 2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
UY	P4SMAJ24C	Z-Diode/TVS	24V, 9 3A 400W (1ms) Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
UZ	P4SMAJ24AC	Z-Diode/TVS	24V, 10 3A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
UZ	SMAJ24CA	Z-Diode/TVS	24V, 10 3A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
V1	1SV310	C-Diode	UHF-VCO, 10V, 4,45/5,45pF(4V), Rs<0,4Ω(470MHz)	SOD-123	5d	Tos
V1	FES2A	Si-Diode	Ultrafast Recovery, 50V, 2A, <50ns	DO-214AA	1d	Fag
V1	MMSZ6V2T1	Z-Diode	6 2V±5%, 0 5W Zzt=10Ω	SOD-123	5d	Mot
V2	1SV329	C-Diode	UHF-VCO, 10V, 1,85/2,45pF(4V), Rs<0,7Ω(470MHz)	SOD-123	5d	Tos
V2	FES2B	Si-Diode	Ultrafast Recovery, 100V, 2A, <50ns	DO-214AA	1d	Fag
V2	HVU362	C-Diode	VCXO, 41,6 49,9pF(1V)	SOD-123	5d	Ren
V2	MMSZ6V8T1	Z-Diode	6,8V±5% 0 5W, Zzt=15Ω	SOD-123	5d	Mot
V3	FES2D	Si-Diode	Ultrafast Recovery, 200V, 2A, <50ns	DO-214AA	1d	Fag
V3	HVU363A	C-Diode	VHF-Tuning 34,6 42,3pF(1V)	SOD-123	5d	Ren
V3	MMSZ7V5T1	Z-Diode	7,5V±5%, 0 5W, Zzt=15Ω	SOD-123	5d	Mot
V4	FES2F	Si-Diode	Ultrafast Recovery, 300V, 2A, <50ns	DO-214AA	1d	Fag
V4	MMSZ8V2T1	Z-Diode	8 2V±5%, 0 5W Zzt=15Ω	SOD-123	5d	Mot
V5	FES2G	Si-Diode	Ultrafast Recovery, 400V, 2A, <50ns	DO-214AA	1d	Fag
V5	MMSZ9V1T1	Z-Diode	9,1V±5% 0 5W, Zzt=15Ω	SOD-123	5d	Mot
V6	1SV313	C-Diode	UHF-VCO, 10V, 2,75/3,4pF(2,5V), Rs<0,45Ω(470MHz)	SOD-123	5d	Tos
V6	FES2J	Si-Diode	Ultrafast Recovery, 600V, 2A, <50ns	DO-214AA	1d	Fag
V6	HVU365	C-Diode	VCO, 27 28,55pF(1V)	SOD-123	5d	Ren
V7	1SV322	C-Diode	TCXO/VCO 10V, 6/7,1pF(4V), Rs<0,8Ω(100MHz)	SOD-123	5d	Tos
V8	1SV324	C-Diode	TCXO/VCO, 10V, 9,2/12pF(4V), Rs<0,8Ω(100MHz)	SOD-123	5d	Tos
V8	BAP1321-03	PIN-Diode	RF 60V, 100mA, 500mW, 0,45pF, 1,3Ω(100mA/100MHz)	SOD-323	5d	Phi
VD	P4SMAJ26C	Z-Diode/TVS	26V, 8 6A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
VD	P6SMB120C	Z-Diode/TVS	120V, 3,5A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VD	P6SMB130C	Z-Diode/TVS	130V, 3,2A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VD	SM4T6V8C	Z-Diode/TVS	6,8V, 38A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VD	SMAJ110	Z-Diode/TVS	110V, 1 5A, 400W (1ms)	DO-214AC	1d	Vis
VD	SMAJ110C	Z-Diode/TVS	110V, 1 5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VD	TV04A111KB	Z-Diode/TVS	110V 10% 2A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VE	P4SMAJ26AC	Z-Diode/TVS	26V, 9 5A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
VE	P6SMB120CA	Z-Diode/TVS	120V, 3,6A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VE	SM4T6V8CA	Z-Diode/TVS	6,8V, 38A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VE	SMAJ110CA	Z-Diode/TVS	110V, 1 7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VE	SMAJ26CA	Z-Diode/TVS	26V, 8 6A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VE	TV04A111JB	Z-Diode/TVS	110V 5%, 2 3A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VF	MAZD270	Z-Diode	25,1 28,9V, 120mW	SSSMin2	7d	Pan
VF	P4SMAJ28C	Z-Diode/TVS	28V, 8A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
VF	SM4T7V5C	Z-Diode/TVS	7,5V, 35,4A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VF	SMAJ120C	Z-Diode/TVS	120V, 1 4A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VF	TV04A121KB	Z-Diode/TVS	120V 10%, 1 9A, 400W (1ms) Bidirectional	DO-214AC	1c	Cmc
VG	BZT52-C10S	Z-Diode	10V 5%, 0 2W	SOD-323	5d	Pjt
VG	P4SMAJ28AC	Z-Diode/TVS	28V, 8 8A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
VG	P6SMB130CA	Z-Diode/TVS	130V, 3,3A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VG	SM4T7V5CA	Z-Diode/TVS	7,5V, 35,4A, 400W (1ms), Bidirectional	SOD6	1c	Ste

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
VG	SMAJ120CA	Z-Diode/TVS	120V, 1.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VG	SMAJ28CA	Z-Diode/TVS	28V, 8.8A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VG	TV04A121JB	Z-Diode/TVS	120V 5%, 2A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VH	P4SMAJ30C	Z-Diode/TVS	30V, 7.5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VH	P6SMB150C	Z-Diode/TVS	150V, 2.8A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VH	SMAJ130C	Z-Diode/TVS	130V, 1.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VH	TV04A131KB	Z-Diode/TVS	130V 10%, 1.7A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VK	P4SMAJ30AC	Z-Diode/TVS	30V, 8.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VK	P8SMB150CA	Z-Diode/TVS	150V, 2.9A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VK	SMAJ30CA	Z-Diode/TVS	30V, 8.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VK	SMZG3788A	Z-Diode	9.1V±5%, 140mA, 1.5W, Zzt=4Ω	DO-215AA	1d	Vis
VK	SMZJ3788A	Z-Diode	9.1V±5%, 140mA, 1.5W, Zzt=4Ω	DO-214AA	1d	Vis
VK	TV04A131JB	Z-Diode/TVS	130V 5%, 1.9A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VL	P4SMAJ33C	Z-Diode/TVS	33V, 6.8A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VL	P6SMB160C	Z-Diode/TVS	160V, 2.7A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VL	SMAJ150C	Z-Diode/TVS	150V, 1.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VL	SMZG3788B	Z-Diode	9.1V±10%, 140mA, 1.5W, Zzt=4Ω	DO-215AA	1d	Vis
VL	SMZJ3788B	Z-Diode	9.1V±10%, 140mA, 1.5W, Zzt=4Ω	DO-214AA	1d	Vis
VL	TV04A151KB	Z-Diode/TVS	150V 10%, 1.5A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VM	P4SMAJ33AC	Z-Diode/TVS	33V, 7.5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VM	P6SMB160CA	Z-Diode/TVS	160V, 2.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VM	SMAJ150CA	Z-Diode/TVS	150V, 1.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VM	SMAJ33CA	Z-Diode/TVS	33V, 7.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VM	TV04A151JB	Z-Diode/TVS	150V 5%, 1.6A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VN	P4SMAJ36C	Z-Diode/TVS	36V, 6.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VN	P6SMB170C	Z-Diode/TVS	170V, 2.5A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VN	SM4T10C	Z-Diode/TVS	10V, 27.6A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VN	SMAJ160C	Z-Diode/TVS	160V, 1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VN	TV04A161KB	Z-Diode/TVS	160V 10%, 1.4A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VP	CMDZ12L	Z-Diode	12V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
VP	P4SMAJ36AC	Z-Diode/TVS	36V, 6.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VP	P6SMB170CA	Z-Diode/TVS	170V, 2.6A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VP	SM4T10CA	Z-Diode/TVS	10V, 27.6A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VP	SMAJ160CA	Z-Diode/TVS	160V, 1.2A, 400W (1ms), Bidirectional	DD-214AC	1c	Vis
VP	SMAJ36CA	Z-Diode/TVS	36V, 6.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VP	TV04A161JB	Z-Diode/TVS	160V 5%, 1.5A, 400W (1ms), Bifirectional	DD-214AC	1c	Cmc
VQ	P4SMAJ40C	Z-Diode/TVS	40V, 5.6A, 400W (1ms), Bidirectional	DD-214AC	2c	Pjt,Srj,Wpd
VQ	P6SMB180C	Z-Diode/TVS	180V, 2.3A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VQ	SMAJ170C	Z-Diode/TVS	170V, 0.99A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VQ	TV04A171KB	Z-Diode/TVS	170V 10%, 1.3A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VR	P4SMAJ40AC	Z-Diode/TVS	40V, 6.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VR	P6SMB180CA	Z-Diode/TVS	180V, 2.4A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VR	SMAJ40CA	Z-Diode/TVS	40V, 6.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VR	TV04A171JB	Z-Diode/TVS	170V 5%, 1.4A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
VS	P4SMAJ43C	Z-Diode/TVS	43V, 5.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VS	P6SMB200C	Z-Diode/TVS	200V, 2.1A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VS	SM4T12C	Z-Diode/TVS	12V, 24A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VT	P4SMAJ43AC	Z-Diode/TVS	43V, 5.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VT	P6SMB200CA	Z-Diode/TVS	200V, 2.2A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VT	SM4T12CA	Z-Diode/TVS	12V, 24A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VT	SMAJ188C	Z-Diode/TVS	188V, 0.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
VT	SMAJ43CA	Z-Diode/TVS	43V, 5.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VU	P4SMAJ45C	Z-Diode/TVS	45V, 5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VU	P6SMB220C	Z-Diode/TVS	220V, 1.75A, 600W (1ms), Bidirectional	DD-214AA	1c	Fag
VV	P4SMAJ45AC	Z-Diode/TVS	45V, 5.5A, 400W (1ms), Bidirectional	DD-214AC	2c	Pjt,Srj,Wpd
VV	P6SMB220CA	Z-Diode/TVS	220V, 1.83A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VV	SMAJ45CA	Z-Diode/TVS	45V, 5.5A, 400W (1ms), Bidirectional	DD-214AC	1c	Dil
VW	P4SMAJ48C	Z-Diode/TVS	48V, 4.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VW	P6SMB250C	Z-Diode/TVS	250V, 1.67A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VW	SM4T15C	Z-Diode/TVS	15V, 19A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VX	P4SMAJ48AC	Z-Diode/TVS	48V, 5.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VX	P6SMB250CA	Z-Diode/TVS	250V, 1.65A, 600W (1ms), Bidirectional	DO-214AA	1c	Fag
VX	SM4T15CA	Z-Diode/TVS	15V, 19A, 400W (1ms), Bidirectional	SOD6	1c	Ste
VX	SMAJ48CA	Z-Diode/TVS	48V, 5.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
VY	P4SMAJ51C	Z-Diode/TVS	51V, 4.4A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VZ	P4SMAJ51AC	Z-Diode/TVS	51V, 4.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
VZ	SMAJ51CA	Z-Diode/TVS	51V, 4.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
W	MAZD068	Z-Diode	6.4..7.2V, 120mW	SSSMini2	7d	Pan
W07	SMTPB62	Z-Diode/TVS	62V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W1	BZT52-B2V4	Z-Diode	2.4V, 2%, 0.3W	SOD-123	5d	Vis
W1	BZT52-C2V4	Z-Diode	2.4V, 5%, 0.3W	SOD-123	5d	Vis
W1	BZT52-C2V4S	Z-Diode	2.4V, 5%, 0.2W	SOD-323	5d	Pjt
W1	BZT52-C2V7	Z-Diode	2.7V, 5%, 0.3W	SOD-123	5d	Dil
W1	BZT52-C2V7	Z-Diode	2.7V, 5%, 0.3W	SOD-123	5d	Dil
W1	BZT52-C2V7S	Z-Diode	2.7V, 5%, 0.2W	SOD-323	5d	Dil
W1	BZX384-B2V4	Z-Diode	2.4V, 2%, 0.2W	SOD-323	5d	Vis
W1	BZX384-C2V4	Z-Diode	2.4V, 5%, 0.2W	SOD-323	5d	Vis
W1	FES3A	Si-Diode	Ultrafast Recovery, 50V, 3A, <50ns	DO-214AB	1d	Fag
W11	SMTPB68	Z-Diode/TVS	68V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W17	SMTPB100	Z-Diode/TVS	100V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W2	BZT52-B2V7	Z-Diode	2.7V, 2%, 0.3W	SOD-123	5d	Vis
W2	BZT52-C2V7	Z-Diode	2.7V, 5%, 0.3W	SOD-123	5d	Vis
W2	BZT52-C2V7S	Z-Diode	2.7V, 5%, 0.2W	SOD-323	5d	Pjt
W2	BZT52-C3V0	Z-Diode	3.0V, 5%, 0.3W	SOD-123	5d	Dil
W2	BZT52-C3V0	Z-Diode	3.0V, 5%, 0.3W	SOD-123	5d	Dil
W2	BZT52-C3V0S	Z-Diode	3.0V, 5%, 0.2W	SOD-323	5d	Dil
W2	BZX384-B2V7	Z-Diode	2.7V, 2%, 0.2W	SOD-323	5d	Vis
W2	BZX384-C2V7	Z-Diode	2.7V, 5%, 0.2W	SOD-323	5d	Vis
W2	FES3B	Si-Diode	Ultrafast Recovery, 100V, 3A, <50ns	DO-214AB	1d	Fag
W21	SMTPB120	Z-Diode/TVS	120V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W23	SMTPB130	Z-Diode/TVS	130V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W29	SMTPB180	Z-Diode/TVS	180V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W3	BZT52-B3V0	Z-Diode	3V, 2%, 0.3W	SOD-123	5d	Vis
W3	BZT52-C3V0	Z-Diode	3.0V, 5%, 0.3W	SOD-123	5d	Vis
W3	BZT52-C3V0S	Z-Diode	3.0V, 5%, 0.2W	SOD-323	5d	Pjt
W3	BZT52-C3V3	Z-Diode	3.3V, 5%, 0.3W	SOD-123	5d	Dil
W3	BZT52-C3V3	Z-Diode	3.3V, 5%, 0.3W	SOD-123	5d	Dil
W3	BZT52-C3V3S	Z-Diode	3.3V, 5%, 0.2W	SOD-323	5d	Dil
W3	BZX384-B3V0	Z-Diode	3.0V, 2%, 0.2W	SOD-323	5d	Vis
W3	BZX384-C3V0	Z-Diode	3.0V, 5%, 0.2W	SOD-323	5d	Vis
W3	FES3D	Si-Diode	Ultrafast Recovery, 200V, 3A, <50ns	DO-214AB	1d	Fag
W31	SMTPB200	Z-Diode/TVS	200V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W35	SMTPB220	Z-Diode/TVS	220V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W39	SMTPB240	Z-Diode/TVS	240V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W4	BZT52-B3V3	Z-Diode	3.3V, 2%, 0.3W	SOD-123	5d	Vis
W4	BZT52-C3V3	Z-Diode	3.3V, 5%, 0.3W	SOD-123	5d	Vis
W4	BZT52-C3V3S	Z-Diode	3.3V, 5%, 0.2W	SOD-323	5d	Pjt
W4	BZT52-C3V6	Z-Diode	3.6V, 5%, 0.3W	SOD-123	5d	Dil
W4	BZT52-C3V6	Z-Diode	3.6V, 5%, 0.3W	SOD-123	5d	Dil
W4	BZT52-C3V6S	Z-Diode	3.6V, 5%, 0.2W	SOD-323	5d	Dil
W4	BZX384-B3V3	Z-Diode	3.3V, 2%, 0.2W	SOD-323	5d	Vis
W4	BZX384-C3V3	Z-Diode	3.3V, 5%, 0.2W	SOD-323	5d	Vis
W4	FES3F	Si-Diode	Ultrafast Recovery, 300V, 3A, <50ns	DO-214AB	1d	Fag
W43	SMTPB270	Z-Diode/TVS	270V, 100A, 5W (1ms), Bidirectional	SMC	2d	Ste
W5	BZT52-B3V6	Z-Diode	3.6V, 2%, 0.3W	SOD-123	5d	Vis
W5	BZT52-C3V6	Z-Diode	3.6V, 5%, 0.3W	SOD-123	5d	Vis
W5	BZT52-C3V6S	Z-Diode	3.6V, 5%, 0.2W	SOD-323	5d	Pjt
W5	BZT52-C3V9	Z-Diode	3.9V, 5%, 0.3W	SOD-123	5d	Dil
W5	BZT52-C3V9	Z-Diode	3.9V, 5%, 0.3W	SOD-123	5d	Dil
W5	BZT52-C3V9S	Z-Diode	3.9V, 5%, 0.2W	SOD-323	5d	Dil
W5	BZX384-B3V6	Z-Diode	3.6V, 2%, 0.2W	SOD-323	5d	Vis
W5	BZX384-C3V6	Z-Diode	3.6V, 5%, 0.2W	SOD-323	5d	Vis
W5	FES3G	Si-Diode	Ultrafast Recovery, 400V, 3A, <50ns	DO-214AB	1d	Fag
W6	BZT52-B3V9	Z-Diode	3.9V, 2%, 0.3W	SOD-123	5d	Vis
W6	BZT52-C3V9	Z-Diode	3.9V, 5%, 0.3W	SOD-123	5d	Vis
W8	BZT52-C3V9S	Z-Diode	3.9V, 5%, 0.2W	SOD-323	5d	Pjt
W8	BZT52-C4V3	Z-Diode	4.3V, 5%, 0.3W	SOD-123	5d	Dil
W6	BZT52-C4V3	Z-Diode	4.3V, 5%, 0.3W	SOD-123	5d	Dil
W6	BZT52-C4V3S	Z-Diode	4.3V, 5%, 0.2W	SOD-323	5d	Dil
W6	BZX384-B3V9	Z-Diode	3.9V, 2%, 0.2W	SOD-323	5d	Vis
W6	BZX384-C3V9	Z-Diode	3.9V, 5%, 0.2W	SOD-323	5d	Vis
W6	FES3J	Si-Diode	Ultrafast Recovery, 600V, 3A, <50ns	DO-214AB	1d	Fag
W7	BZT52-B4V3	Z-Diode	4.3V, 2%, 0.3W	SOD-123	5d	Vis
W7	BZT52-C4V3	Z-Diode	4.3V, 5%, 0.3W	SOD-123	5d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Произв.
W7	BZT52-C4V3S	Z-Diode	4 3V, 5%, 0 2W	SOD-323	5d Pjt
W7	BZT52-C4V7	Z-Diode	4 7V 5%, 0 3W	SOD-123	5d Dil
W7	BZT52-C4V7	Z-Diode	4 7V, 5%, 0 3W	SOD-123	5d Dil
W7	BZT52-C4V7S	Z-Diode	4 7V, 5%, 0 2W	SOD-323	5d Dil
W7	BZX384-B4V3	Z-Diode	4 3V, 2%, 0 2W	SOD-323	5d Vis
W7	BZX384-C4V3	Z-Diode	4 3V, 5%, 0 2W	SOD-323	5d Vis
W8	BZT52-B4V7	Z-Diode	4 7V, 2%, 0 3W	SOD-123	5d Vis
W8	BZT52-C4V7	Z-Diode	4 7V, 5%, 0 3W	SOD-123	5d Vis
W8	BZT52-C4V7S	Z-Diode	4 7V, 5%, 0 2W	SOD-323	5d Pjt
W8	BZT52-C5V1	Z-Diode	5 6V 5%, 0 3W	SOD-123	5d Dil
W8	BZT52-C5V1	Z-Diode	5 1V 5%, 0 3W	SOD-123	5d Dil
W8	BZT52-C5V1S	Z-Diode	5 1V, 5%, 0 2W	SOD-323	5d Dil
W8	BZX384-B4V7	Z-Diode	4 7V, 2%, 0 2W	SOD-323	5d Vis
W8	BZX384-C4V7	Z-Diode	4 7V 5% 0 2W	SOD-323	5d Vis
W9	BZT52-B5V1	Z-Diode	5 1V, 2%, 0 3W	SOD-123	5d Vis
W9	BZT52-C5V1	Z-Diode	5 1V, 5%, 0 3W	SOD-123	5d Vis
W9	BZT52-C5V1S	Z-Diode	5 1V, 5%, 0 2W	SOD-323	5d Pjt
W9	BZT52-C5V6	Z-Diode	5 6V, 5%, 0 3W	SOD-123	5d Dil
W9	BZT52-C5V6	Z-Diode	5 6V, 5%, 0 3W	SOD-123	5d Dil
W9	BZT52-C5V6S	Z-Diode	5 6V, 5%, 0 2W	SOD-323	5d Dil
W9	BZX384-B5V1	Z-Diode	5 1V, 2%, 0 2W	SOD-323	5d Vis
W9	BZX384-C5V1	Z-Diode	5 1V, 5%, 0 2W	SOD-323	5d Vis
WA	BZT52-B5V6	Z-Diode	5 6V, 2%, 0 3W	SOD-123	5d Vis
WA	BZT52-C5V6	Z-Diode	5 6V, 5%, 0 3W	SOD-123	5d Vis
WA	BZT52-C5V6S	Z-Diode	5 6V, 5%, 0 2W	SOD-323	5d Pjt
WA	BZT52-C6V2	Z-Diode	6 2V, 5%, 0 3W	SOD-123	5d Dil
WA	BZT52-C6V2	Z-Diode	6 2V 5%, 0 3W	SOD-123	5d Dil
WA	BZT52-C6V2S	Z-Diode	6 2V, 5%, 0 2W	SOD-323	5d Dil
WA	P4SMA82C	Z-Diode/TVS	82V, 3,6A, 400W (1ms), Bidirectional	DO-214AC	1c Fag
WA	SMZG3789A	Z-Diode	10V±5%, 125mA, 1,5W, Zzt=5Ω	DO-215AA	1d Vis
WA	SMZJ3789A	Z-Diode	10V±5%, 125mA, 1,5W, Zzt=5Ω	DO-214AA	1d Vis
WB	BZT52-B6V2	Z-Diode	6 2V, 2%, 0 3W	SOD-123	5d Vis
WB	BZT52-C6V2	Z-Diode	6 2V, 5%, 0 3W	SOD-123	5d Vis
WB	BZT52-C6V2S	Z-Diode	6 2V, 5%, 0 2W	SOD-323	5d Pjt
WB	BZT52-C6V8	Z-Diode	6 8V 5%, 0 3W	SOD-123	5d Dil
WB	BZT52-C6V8	Z-Diode	6 8V, 5%, 0 3W	SOD-123	5d Dil
WB	BZT52-C6V8S	Z-Diode	6 8V, 5%, 0 2W	SOD-323	5d Dil
WB	SMZG3789B	Z-Diode	10V±10%, 125mA, 1,5W, Zzt=5Ω	DO-215AA	1d Vis
WB	SMZJ3789B	Z-Diode	10V±10%, 125mA, 1,5W, Zzt=5Ω	DO-214AA	1d Vis
WC	BZT52-B6V8	Z-Diode	6 8V, 2%, 0 3W	SOD-123	5d Vis
WC	BZT52-C6V8	Z-Diode	6 8V, 5%, 0 3W	SOD-123	5d Vis
WC	BZT52-C6V8S	Z-Diode	6 8V, 5%, 0 2W	SOD-323	5d Pjt
WC	BZT52-C7V5	Z-Diode	7 5V, 5%, 0 3W	SOD-123	5d Dil
WC	BZT52-C7V5	Z-Diode	7 5V, 5%, 0 3W	SOD-123	5d Dil
WC	BZT52-C7V5S	Z-Diode	7 5V, 5%, 0 2W	SOD-323	5d Dil
WC	P4SMA91C	Z-Diode/TVS	91V, 3,2A, 400W (1ms), Bidirectional	DO-214AC	1c Fag
WC	SMZG3790A	Z-Diode	11V±5%, 115mA, 1,5W, Zzt=6Ω	DO-215AA	1d Vis
WC	SMZJ3790A	Z-Diode	11V±5%, 115mA, 1,5W, Zzt=6Ω	DO-214AA	1d Vis
WD	BZT52-B7V5	Z-Diode	7 5V, 2%, 0 3W	SOD-123	5d Vis
WD	BZT52-C7V5	Z-Diode	7 5V, 5%, 0 3W	SOD-123	5d Vis
WD	BZT52-C7V5S	Z-Diode	7 5V, 5%, 0 2W	SOD-323	5d Pjt
WD	BZT52-C8V2	Z-Diode	8 2V, 5%, 0 3W	SOD-123	5d Dil
WD	BZT52-C8V2	Z-Diode	8 2V, 5%, 0 3W	SOD-123	5d Dil
WD	BZT52-C8V2S	Z-Diode	8 2V, 5%, 0 2W	SOD-323	5d Dil
WD	P4SMAJ54C	Z-Diode/TVS	54V, 4 2A, 400W (1ms), Bidirectional	DO-214AC	2c Pjt,Sn,Wpd
WD	SMAJ5 0C	Z-Diode/TVS	5V, 41 7A, 400W (1ms), Bidirectional	DO-214AC	1c Vis
WD	SMZG3790B	Z-Diode	11V±10%, 115mA, 1,5W, Zzt=6Ω	DO-215AA	1d Vis
WD	SMZJ3790B	Z-Diode	11V±10%, 115mA, 1,5W, Zzt=6Ω	DO-214AA	1d Vis
WD	TV04A5V0KB	Z-Diode/TVS	5V 10%, 41 6A, 400W (1ms), Bidirectional	DO-214AC	1c Cmc
WE	BZT52-B8V2	Z-Diode	8 2V, 2%, 0 3W	SOD-123	5d Vis
WE	BZT52-C8V2	Z-Diode	8 2V, 5%, 0 3W	SOD-123	5d Vis
WE	BZT52-C8V2S	Z-Diode	8 2V, 5%, 0 2W	SOD-323	5d Pjt
WE	BZT52-C9V1	Z-Diode	9 1V, 5%, 0 3W	SOD-123	5d Dil
WE	BZT52-C9V1	Z-Diode	9 1V, 5%, 0 3W	SOD-123	5d Dil
WE	BZT52-C9V1S	Z-Diode	9 1V, 5%, 0 2W	SOD-323	5d Dil
WE	P4SMA100C	Z-Diode/TVS	100V, 2,9A, 400W (1ms), Bidirectional	DO-214AC	1c Fag
WE	P4SMAJ54AC	Z-Diode/TVS	54V, 4 6A, 400W (1ms), Bidirectional	DO-214AC	2c Pjt,Sn,Wpd

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
WE	SMAJ50CA	Z-Diode/TVS	5V, 43.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WE	SMAJ54CA	Z-Diode/TVS	54V, 4.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WE	SMZG3791A	Z-Diode	12V±5%, 105mA, 1.5W, Zzt=7Ω	DO-215AA	1d	Vis
WE	SMZJ3791A	Z-Diode	12V±5%, 105mA, 1.5W, Zzt=7Ω	DO-214AA	1d	Vis
WE	TV04A5V0JB	Z-Diode/TVS	5V 5%, 43.5A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
WF	BZT52-B9V1	Z-Diode	9.1V, 2%, 0.3W	SOD-123	5d	Vis
WF	BZT52-C10	Z-Diode	10V 5%, 0.3W	SOD-123	5d	Dil
WF	BZT52-C10	Z-Diode	10V 5%, 0.3W	SOD-123	5d	Dil
WF	BZT52-C10S	Z-Diode	10V 5%, 0.2W	SOD-323	5d	Dil
WF	BZT52-C9V1	Z-Diode	9.1V, 5%, 0.3W	SOD-123	5d	Vis
WF	BZT52-C9V1S	Z-Diode	9.1V, 5%, 0.2W	SOD-323	5d	Pjt
WF	P4SMAJ58C	Z-Diode/TVS	58V, 3.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WF	SMAJ6.0C	Z-Diode/TVS	6V, 35.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WF	SMZG3791B	Z-Diode	12V±10%, 105mA, 1.5W, Zzt=7Ω	DO-215AA	1d	Vis
WF	SMZJ3791B	Z-Diode	12V±10%, 105mA, 1.5W, Zzt=7Ω	DO-214AA	1d	Vis
WF	TV04A6V0KB	Z-Diode/TVS	6V 10%, 35.1A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
WG	BZT52-B10	Z-Diode	10V, 2%, 0.3W	SOD-123	5d	Vis
WG	BZT52-C10	Z-Diode	10V 5%, 0.3W	SOD-123	5d	Vis
WG	BZT52-C11	Z-Diode	11V, 5%, 0.3W	SOD-123	5d	Dil
WG	BZT52-C11	Z-Diode	11V, 5%, 0.3W	SOD-123	5d	Dil
WG	BZT52-C11S	Z-Diode	11V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WG	BZT52-C12S	Z-Diode	12V, 5%, 0.2W	SOD-323	5d	Vis
WG	BZT52-C20S	Z-Diode	20V, 5%, 0.2W	SOD-323	5d	Vis
WG	BZX384-B10	Z-Diode	10V, 2%, 0.2W	SOD-323	5d	Vis
WG	BZX384-C10	Z-Diode	10V 5%, 0.2W	SOD-323	5d	Vis
WG	P4SMA110C	Z-Diode/TVS	110V, 2.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WG	P4SMAJ58AC	Z-Diode/TVS	58V, 4.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WG	SMAJ58CA	Z-Diode/TVS	58V, 4.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WG	SMAJ6.0CA	Z-Diode/TVS	6V, 38.8A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WG	SMZG3792A	Z-Diode	13V±5%, 98mA, 1.5W, Zzt=7.5Ω	DO-215AA	1d	Vis
WG	SMZJ3792A	Z-Diode	13V±5%, 98mA, 1.5W, Zzt=7.5Ω	DO-214AA	1d	Vis
WG	TV04A6V0JB	Z-Diode/TVS	6V 5%, 38A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
WH	BZT52-B11	Z-Diode	11V 2%, 0.3W	SOD-123	5d	Vis
WH	BZT52-C11	Z-Diode	11V, 5%, 0.3W	SOD-123	5d	Vis
WH	BZT52-C11S	Z-Diode	11V, 5%, 0.2W	SOD-323	5d	Pjt
WH	BZT52-C12	Z-Diode	12V, 5%, 0.3W	SOD-123	5d	Dil
WH	BZT52-C12	Z-Diode	12V, 5%, 0.3W	SOD-123	5d	Dil
WH	BZT52-C12S	Z-Diode	12V, 5%, 0.2W	SOD-323	5d	Dil
WH	BZX384-B11	Z-Diode	11V 2%, 0.2W	SOD-323	5d	Vis
WH	BZX384-C11	Z-Diode	11V, 5%, 0.2W	SOD-323	5d	Vis
WH	P4SMAJ60C	Z-Diode/TVS	60V, 3.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WH	SMAJ6.5C	Z-Diode/TVS	6.5V, 32.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WH	SMZG3792B	Z-Diode	13V±10%, 98mA, 1.5W, Zzt=7.5Ω	DO-215AA	1d	Vis
WH	SMZJ3792B	Z-Diode	13V±10%, 98mA, 1.5W, Zzt=7.5Ω	DO-214AA	1d	Vis
WH	TV04A6V5KB	Z-Diode/TVS	6.5V 10%, 32.5A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
WI	BZT52-B12	Z-Diode	12V, 2%, 0.3W	SOD-123	5d	Vis
WI	BZT52-C12	Z-Diode	12V, 5%, 0.3W	SOD-123	5d	Vis
WI	BZT52-C12S	Z-Diode	12V, 5%, 0.2W	SOD-323	5d	Pjt
WI	BZT52-C13	Z-Diode	13V, 5%, 0.3W	SOD-123	5d	Dil
WI	BZT52-C13	Z-Diode	13V, 5%, 0.3W	SOD-123	5d	Dil
WI	BZT52-C13S	Z-Diode	13V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WI	BZX384-B12	Z-Diode	12V, 2%, 0.2W	SOD-323	5d	Vis
WI	BZX384-C12	Z-Diode	12V, 5%, 0.2W	SOD-323	5d	Vis
WI	P4SMA120C	Z-Diode/TVS	120V, 2.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WI	SMZG3793A	Z-Diode	15V±5%, 85mA, 1.5W, Zzt=9Ω	DO-215AA	1d	Vis
WI	SMZJ3793A	Z-Diode	15V±5%, 85mA, 1.5W, Zzt=9Ω	DO-214AA	1d	Vis
WJ	BZT52-C15	Z-Diode	15V, 5%, 0.3W	SOD-123	5d	Dil
WJ	BZT52-C15	Z-Diode	15V, 5%, 0.3W	SOD-123	5d	Dil
WJ	BZT52-C15S	Z-Diode	15V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WJ	SMZG3793B	Z-Diode	15V±10%, 85mA, 1.5W, Zzt=9Ω	DO-215AA	1d	Vis
WJ	SMZJ3793B	Z-Diode	15V±10%, 85mA, 1.5W, Zzt=9Ω	DO-214AA	1d	Vis
WK	BZT52-B13	Z-Diode	13V, 2%, 0.3W	SOD-123	5d	Vis
WK	BZT52-C13	Z-Diode	13V, 5%, 0.3W	SOD-123	5d	Vis
WK	BZT52-C13S	Z-Diode	13V, 5%, 0.2W	SOD-323	5d	Pjt
WK	BZT52-C16	Z-Diode	16V, 5%, 0.3W	SOD-123	5d	Dil
WK	BZT52-C16	Z-Diode	16V, 5%, 0.3W	SOD-123	5d	Dil
WK	BZT52-C16S	Z-Diode	16V, 5%, 0.2W	SOD-323	5d	Dil,Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
WK	BZX384-B13	Z-Diode	13V, 2%, 0.2W	SOD-323	5d	Vis
WK	BZX384-C13	Z-Diode	13V, 5%, 0.2W	SOD-323	5d	Vis
WK	P4SMA130C	Z-Diode/TVS	130V 2.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WK	P4SMAJ60AC	Z-Diode/TVS	60V, 4.1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WK	SMAJ6.SCA	Z-Diode/TVS	6.5V, 35.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WK	SMAJ60CA	Z-Diode/TVS	60V, 4.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WK	SMZG3794A	Z-Diode	16V±5%, 80mA, 1.5W, Zzt=10Ω	DO-215AA	1d	Vis
WK	SMZJ3794A	Z-Diode	16V±5%, 80mA, 1.5W, Zzt=10Ω	DO-214AA	1d	Vis
WK	TV04A6V5JB	Z-Diode/TVS	6.5V 5%, 35.7A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WL	BZT52-B15	Z-Diode	15V, 2%, 0.3W	SOD-123	5d	Vis
WL	BZT52-C15	Z-Diode	15V, 5%, 0.3W	SOD-123	5d	Vis
WL	BZT52-C15S	Z-Diode	15V, 5%, 0.2W	SOD-323	5d	Pjt
WL	BZT52-C18	Z-Diode	18V, 5%, 0.3W	SOD-123	5d	Dil
WL	BZT52-C18	Z-Diode	18V, 5%, 0.3W	SOD-123	5d	Dil
WL	BZT52-C18S	Z-Diode	18V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WL	BZX384-B15	Z-Diode	15V, 2%, 0.2W	SOD-323	5d	Vis
WL	BZX384-C15	Z-Diode	15V, 5%, 0.2W	SOD-323	5d	Vis
WL	P4SMAJ64C	Z-Diode/TVS	64V, 3.5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WL	SMAJ7.0C	Z-Diode/TVS	7V, 30.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WL	SMZG3794B	Z-Diode	16V±10%, 80mA, 1.5W, Zzt=10Ω	DO-215AA	1d	Vis
WL	SMZJ3794B	Z-Diode	16V±10%, 80mA, 1.5W, Zzt=10Ω	DO-214AA	1d	Vis
WL	TV04A7V0KB	Z-Diode/TVS	7V 10%, 30.1A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WM	BZT52-B16	Z-Diode	16V, 2%, 0.3W	SOD-123	5d	Vis
WM	BZT52-C16	Z-Diode	16V, 5%, 0.3W	SOD-123	5d	Vis
WM	BZT52-C16S	Z-Diode	16V, 5%, 0.2W	SOD-323	5d	Pjt
WM	BZT52-C20	Z-Diode	20V, 5%, 0.3W	SOD-123	5d	Dil
WM	BZT52-C20	Z-Diode	20V, 5%, 0.3W	SOD-123	5d	Dil
WM	BZT52-C20S	Z-Diode	20V, 5%, 0.2W	SOD-323	5d	Dil
WM	BZX384-B16	Z-Diode	16V, 2%, 0.2W	SOD-323	5d	Vis
WM	BZX384-C16	Z-Diode	16V, 5%, 0.2W	SOD-323	5d	Vis
WM	P4SMA150C	Z-Diode/TVS	150V, 2A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WM	P4SMAJ64AC	Z-Diode/TVS	64V, 3.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WM	SMAJ64CA	Z-Diode/TVS	64V, 3.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WM	SMAJ7.0CA	Z-Diode/TVS	7V, 33.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WM	TV04A7V0JB	Z-Diode/TVS	7V 5%, 33.3A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WN	BZT52-B18	Z-Diode	18V, 2%, 0.3W	SOD-123	5d	Vis
WN	BZT52-C18	Z-Diode	18V, 5%, 0.3W	SOD-123	5d	Vis
WN	BZT52-C18S	Z-Diode	18V, 5%, 0.2W	SOD-323	5d	Pjt
WN	BZT52-C22	Z-Diode	22V, 5%, 0.3W	SOD-123	5d	Dil
WN	BZT52-C22	Z-Diode	22V, 5%, 0.3W	SOD-123	5d	Dil
WN	BZT52-C22S	Z-Diode	22V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WN	BZX384-B18	Z-Diode	18V, 2%, 0.2W	SOD-323	5d	Vis
WN	BZX384-C18	Z-Diode	18V, 5%, 0.2W	SOD-323	5d	Vis
WN	P4SMAJ70C	Z-Diode/TVS	70V, 3.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WN	SM4T68C	Z-Diode/TVS	68V, 4.3A, 400W (1ms), Bidirectional	SOD6	1c	Ste
WN	SMAJ7.5C	Z-Diode/TVS	7.5V, 28A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WN	TV04A7V5KB	Z-Diode/TVS	7.5V 10%, 28A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WO	BZT52-B20	Z-Diode	20V, 2%, 0.3W	SOD-123	5d	Vis
WO	BZT52-C20	Z-Diode	20V, 5%, 0.3W	SOD-123	5d	Vis
WO	BZT52-C20S	Z-Diode	20V, 5%, 0.2W	SOD-323	5d	Pjt
WO	BZT52-C24	Z-Diode	24V, 5%, 0.3W	SOD-123	5d	Dil
WO	BZT52-C24	Z-Diode	24V, 5%, 0.3W	SOD-123	5d	Dil
WO	BZT52-C24S	Z-Diode	24V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WO	BZX284-B2V4	Z-Diode	2.4V±2%, 0.4W	SOD-110	12d	Phi
WO	BZX384-B20	Z-Diode	20V, 2%, 0.2W	SOD-323	5d	Vis
WO	BZX384-C20	Z-Diode	20V, 5%, 0.2W	SOD-323	5d	Vis
WO	P4SMA160C	Z-Diode/TVS	160V, 1.8A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WP	BZT52-B22	Z-Diode	22V, 2%, 0.3W	SOD-123	5d	Vis
WP	BZT52-C22	Z-Diode	22V, 5%, 0.3W	SOD-123	5d	Vis
WP	BZT52-C22S	Z-Diode	22V, 5%, 0.2W	SOD-323	5d	Pjt
WP	BZT52-C27	Z-Diode	27V, 5%, 0.3W	SOD-123	5d	Dil
WP	BZT52-C27	Z-Diode	27V, 5%, 0.3W	SOD-123	5d	Dil
WP	BZT52-C27S	Z-Diode	27V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WP	P4SMAJ70AC	Z-Diode/TVS	70V, 3.5A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WP	SM4T68CA	Z-Diode/TVS	68V, 4.3A, 400W (1ms), Bidirectional	SOD6	1c	Ste
WP	TV04A7V5JB	Z-Diode/TVS	7.5V 5%, 31A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WQ	BZT52-C30	Z-Diode	30V, 5%, 0.3W	SOD-123	5d	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
WQ	BZT52-C30	Z-Diode	30V, 5%, 0.3W	SOD-123	5d	Dil
WQ	BZT52-C30S	Z-Diode	30V, 5%, 0.2W	SOD-123	5d	Dil,Vis
WQ	BZX284-B3V0	Z-Diode	3V \pm 2%, 0.4W	SOD-110	12d	Phi
WQ	P4SMAJ75C	Z-Diode/TVS	75V, 3A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WQ	SMAJ8.0C	Z-Diode/TVS	8V, 26.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WQ	TV04A8V0KB	Z-Diode/TVS	8V 10%, 26.5A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WR	BZT52-B24	Z-Diode	24V, 2%, 0.3W	SOD-123	5d	Vis
WR	BZT52-C24	Z-Diode	24V, 5%, 0.3W	SOD-123	5d	Vis
WR	BZT52-C24S	Z-Diode	24V, 5%, 0.2W	SOD-323	5d	Pjt
WR	BZT52-C33	Z-Diode	33V, 5%, 0.3W	SOD-123	5d	Dil
WR	BZT52-C33	Z-Diode	33V, 5%, 0.3W	SOD-123	5d	Dil
WR	BZT52-C33S	Z-Diode	33V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WR	BZX284-B3V3	Z-Diode	3.3V \pm 2%, 0.4W	SOD-110	12d	Phi
WR	BZX384-B24	Z-Diode	24V, 2%, 0.2W	SOD-323	5d	Vis
WR	BZX384-C24	Z-Diode	24V, 5%, 0.2W	SOD-323	5d	Vis
WR	P4SMA170C	Z-Diode/TVS	170V, 1.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WR	P4SMAJ75AC	Z-Diode/TVS	75V, 3.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WR	SMAJ75CA	Z-Diode/TVS	75V, 3.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WR	SMAJ8.0CA	Z-Diode/TVS	8V, 29.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WR	TV04A8V0JB	Z-Diode/TVS	8V 5%, 29.4A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WS	BZT52-B27	Z-Diode	27V, 2%, 0.3W	SOD-123	5d	Vis
WS	BZT52-C27	Z-Diode	27V, 5%, 0.3W	SOD-123	5d	Vis
WS	BZT52-C27S	Z-Diode	27V, 5%, 0.2W	SOD-323	5d	Pjt
WS	BZT52-C36	Z-Diode	36V, 5%, 0.3W	SOD-123	5d	Dil
WS	BZT52-C36	Z-Diode	36V, 5%, 0.3W	SOD-123	5d	Dil
WS	BZT52-C36S	Z-Diode	36V, 5%, 0.2W	SOD-123	5d	Dil,Vis
WS	BZX284-B3V6	Z-Diode	6V \pm 2%, 0.4W	SOD-110	12d	Phi
WS	BZX384-B27	Z-Diode	27V, 2%, 0.2W	SOD-323	5d	Vis
WS	BZX384-C27	Z-Diode	27V, 5%, 0.2W	SOD-323	5d	Vis
WS	P4SMAJ78C	Z-Diode/TVS	78V, 2.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WS	SMAJ8.5C	Z-Diode/TVS	8.5V, 25.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WS	TV04A8V5KB	Z-Diode/TVS	8.5V 10%, 25.1A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WT	BZT52-B30	Z-Diode	30V, 2%, 0.3W	SOD-123	5d	Vis
WT	BZT52-C30	Z-Diode	30V, 5%, 0.3W	SOD-123	5d	Vis
WT	BZT52-C39	Z-Diode	39V, 5%, 0.3W	SOD-123	5d	Dil
WT	BZT52-C39	Z-Diode	39V, 5%, 0.3W	SOD-123	5d	Dil
WT	BZT52-C39S	Z-Diode	39V, 5%, 0.2W	SOD-323	5d	Dil,Vis
WT	BZX284-B3V9	Z-Diode	3.9V \pm 2%, 0.4W	SOD-110	12d	Phi
WT	BZX384-B30	Z-Diode	30V, 2%, 0.2W	SOD-323	5d	Vis
WT	BZX384-C30	Z-Diode	30V, 5%, 0.2W	SOD-323	5d	Vis
WT	P4SMA180C	Z-Diode/TVS	180V, 1.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WT	P4SMAJ78AC	Z-Diode/TVS	78V, 2.2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WT	SMAJ78CA	Z-Diode/TVS	78V, 3.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WT	SMAJ8.5CA	Z-Diode/TVS	8.5V, 27.8A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WT	TV04A8V5JB	Z-Diode/TVS	8.5V 5%, 27.7A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WU	BZT52-B33	Z-Diode	33V, 2%, 0.3W	SOD-123	5d	Vis
WU	BZT52-C33	Z-Diode	33V, 5%, 0.3W	SOD-123	5d	Vis
WU	BZT52-C43	Z-Diode	43V, 5%, 0.3W	SOD-123	5d	Dil
WU	BZT52-C43	Z-Diode	43V, 5%, 0.3W	SOD-123	5d	Dil
WU	BZX284-B4V3	Z-Diode	4.3V \pm 2%, 0.4W	SOD-110	12d	Phi
WU	BZX384-B33	Z-Diode	33V, 2%, 0.2W	SOD-323	5d	Vis
WU	BZX384-C33	Z-Diode	33V, 5%, 0.2W	SOD-323	5d	Vis
WU	P4SMAJ85C	Z-Diode/TVS	85V, 2.6A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WU	SMAJ9.0C	Z-Diode/TVS	9V, 23.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WU	TV04A9V0KB	Z-Diode/TVS	9V 10%, 23.6A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WV	BZT52-C47	Z-Diode	47V, 5%, 0.3W	SOD-123	5d	Dil
WV	BZX284-B4V7	Z-Diode	4.7V \pm 2%, 0.4W	SOD-110	12d	Phi
WV	P4SMA200C	Z-Diode/TVS	200V, 1.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WV	P4SMAJ85AC	Z-Diode/TVS	85V, 2.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
WV	SMAJ85CA	Z-Diode/TVS	85V, 2.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WV	SMAJ9.0CA	Z-Diode/TVS	9V, 26A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WV	TV04A9V0JB	Z-Diode/TVS	9V 5%, 26A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WW	BZT52-B36	Z-Diode	36V, 2%, 0.3W	SOD-123	5d	Vis
WW	BZT52-C36	Z-Diode	36V, 5%, 0.3W	SOD-123	5d	Vis
WW	BZT52-C51	Z-Diode	51V, 5%, 0.3W	SOD-123	5d	Dil
WW	BZX284-B5V1	Z-Diode	5.1V \pm 2%, 0.4W	SOD-110	12d	Phi
WW	BZX384-B36	Z-Diode	36V, 2%, 0.2W	SOD-323	5d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
WW	BZX384-C36	Z-Diode	36V, 5%, 0.2W	SOD-323	5d	Vis
WW	P4SMAJ90C	Z-Diode/TVS	90V, 2.5A, 400W (1ms), Bidirectional	DO-214AC	2c	PjI,Srj,Wpd
WW	SM4T100C	Z-Diode/TVS	100V, 2.9A, 400W (1ms), Bidirectional	SOD6	1c	Ste
WW	SMAJ10C	Z-Diode/TVS	10V, 21.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WW	TV04A100KB	Z-Diode/TVS	10V 10%, 21.1A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WX	BZT52-B39	Z-Diode	39V, 2%, 0.3W	SOD-123	5d	Vis
WX	BZT52-C2V4S	Z-Diode	2.4V, 5%, 0.2W	SOD-323	5d	Dil
WX	BZT52-C39	Z-Diode	39V, 5%, 0.3W	SOD-123	5d	Vis
WX	BZX284-B5V6	Z-Diode	5.6V±2%, 0.4W	SOD-110	12d	Phi
WX	BZX384-B39	Z-Diode	39V, 2%, 0.2W	SOD-323	5d	Vis
WX	BZX384-C39	Z-Diode	39V, 5%, 0.2W	SOD-323	5d	Vis
WX	P4SMA220C	Z-Diode/TVS	220V, 1.16A, 400W (1ms), Bidirectional	DO-214AC	1c	Fag
WX	P4SMAJ90AC	Z-Diode/TVS	90V, 2.7A, 400W (1ms), Bidirectional	DO-214AC	2c	PjI,Srj,Wpd
WX	SM4T100CA	Z-Diode/TVS	100V, 2.9A, 400W (1ms), Bidirectional	SOD6	1c	Ste
WX	SMAJ10CA	Z-Diode/TVS	10V, 23.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WX	SMAJ90CA	Z-Diode/TVS	90V, 2.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WX	TV04A100JB	Z-Diode/TVS	10V 5%, 23.5A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WY	BZT52-B43	Z-Diode	43V, 2%, 0.3W	SOD-123	5d	Vis
WY	BZT52-C2V0	Z-Diode	2V, 5%, 0.3W	SOD-123	5d	Dil
WY	BZT52-C2V0	Z-Diode	2V, 5%, 0.3W	SOD-123	5d	Dil
WY	BZT52-C2V0S	Z-Diode	2V, 5%, 0.2W	SOD-323	5d	Dil
WY	BZT52-C43	Z-Diode	43V, 5%, 0.3W	SOD-123	5d	Dil,Vis
WY	BZX284-B6V2	Z-Diode	6.2V±2%, 0.4W	SOD-110	12d	Phi
WY	BZX384-B43	Z-Diode	43V, 2%, 0.2W	SOD-323	5d	Vis
WY	BZX384-C43	Z-Diode	43V, 5%, 0.2W	SOD-323	5d	Vis
WY	P4SMAJ100C	Z-Diode/TVS	100V, 2.2A, 400W (1ms), Bidirectional	DO-214AC	2c	PjI,Srj,Wpd
WY	SMAJ11C	Z-Diode/TVS	11V, 19.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WY	TV04A110KB	Z-Diode/TVS	11V 10%, 20A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
WZ	BZT52-B47	Z-Diode	47V, 2%, 0.3W	SOD-123	5d	Vis
WZ	BZT52-C47	Z-Diode	47V, 5%, 0.3W	SOD-123	5d	Dil,Vis
WZ	BZX284-B6V8	Z-Diode	6.3V±2%, 0.4W	SOD-110	12d	Phi
WZ	BZX384-B47	Z-Diode	47V, 2%, 0.2W	SOD-323	5d	Vis
WZ	BZX384-C47	Z-Diode	47V, 5%, 0.2W	SOD-323	5d	Vis
WZ	P4SMAJ100AC	Z-Diode/TVS	100V, 2.5A, 400W (1ms), Bidirectional	DO-214AC	2c	PjI,Srj,Wpd
WZ	SMAJ100CA	Z-Diode/TVS	100V, 2.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
WZ	SMAJ11CA	Z-Diode/TVS	11V, 22A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
WZ	TV04A110JB	Z-Diode/TVS	11V 5%, 22A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
X	BB187	C-Diode	TV-VHF-Tuning, 32V, 20mA, 29.3..2.57pF(2..25V), ΔC=2%	SOD-523	6d	Phi
X (yellow)	BB835	C-Diode	SATV-Tuning, ..2.8GHz, 0.6pF..9.1pF	SOD-323	5d	Sie
X1	BZT52-B51	Z-Diode	51V, 2%, 0.3W	SOD-123	5d	Vis
X1	BZT52-C51	Z-Diode	51V, 5%, 0.3W	SOD-123	5d	Dil,Vis
X1	BZX384-B51	Z-Diode	51V, 2%, 0.2W	SOD-323	5d	Vis
X1	BZX384-C51	Z-Diode	51V, 5%, 0.2W	SOD-323	5d	Vis
X1	CMDZ5221B	Z-Diode	2.4V 5%, 250mW	SOD-323	5d	Sen
X1	MMSZ18T1	Z-Diode	16V±5%, 0.5W, Zzt=40Ω	SOD-123	5d	Mol
X2	BZT52-B56	Z-Diode	56V, 2%, 0.3W	SOD-123	5d	Vis
X2	BZT52-C56	Z-Diode	56V, 5%, 0.3W	SOD-123	5d	Vis
X2	BZX384-B56	Z-Diode	56V, 2%, 0.2W	SOD-323	5d	Vis
X2	BZX384-C56	Z-Diode	56V, 5%, 0.2W	SOD-323	5d	Vis
X2	CMDZ5222B	Z-Diode	2.5V 5%, 250mW	SOD-323	5d	Sen
X2	MMSZ18T1	Z-Diode	18V±5%, 0.5W, Zzt=45Ω	SOD-123	5d	Mol
X3	BZT52-B62	Z-Diode	62V, 2%, 0.3W	SOD-123	5d	Vis
X3	BZT52-C62	Z-Diode	62V, 5%, 0.3W	SOD-123	5d	Vis
X3	BZX384-B62	Z-Diode	62V, 2%, 0.2W	SOD-323	5d	Vis
X3	BZX384-C62	Z-Diode	62V, 5%, 0.2W	SOD-323	5d	Vis
X3	CMDZ5223B	Z-Diode	2.7V 5%, 250mW	SOD-323	5d	Sen
X3	MMSZ20T1	Z-Diode	20V±5%, 0.5W, Zzt=55Ω	SOD-123	5d	Mol
X4	BZT52-B68	Z-Diode	68V, 2%, 0.3W	SOD-123	5d	Vis
X4	BZT52-C68	Z-Diode	68V, 5%, 0.3W	SOD-123	5d	Vis
X4	BZX384-B68	Z-Diode	68V, 2%, 0.2W	SOD-323	5d	Vis
X4	BZX384-C68	Z-Diode	68V, 5%, 0.2W	SOD-323	5d	Vis
X4	CMDZ5224B	Z-Diode	2.8V 5%, 250mW	SOD-323	5d	Sen
X4	MMSZ22T1	Z-Diode	22V±5%, 0.5W, Zzt=55Ω	SOD-123	5d	Mol
X5	BZT52-B75	Z-Diode	75V, 2%, 0.3W	SOD-123	5d	Vis
X5	BZT52-C75	Z-Diode	75V, 5%, 0.3W	SOD-123	5d	Vis
X5	BZX384-B75	Z-Diode	75V, 2%, 0.2W	SOD-323	5d	Vis
X5	BZX384-C75	Z-Diode	75V, 5%, 0.2W	SOD-323	5d	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
X5	CMDZ5225B	Z-Diode	3.0V 5%, 250mW	SOD-323	5d	Cen
X5	MMSZ24T1	Z-Diode	24V±5%, 0.5W, Zzt=70Ω	SOD-123	5d	Mot
X5	MMVL400T1	C-Diode	VHF-Tuning, 20V, 200mA, 200mW, 26..32pF(3V, 1MHz)	SOD-323	5d	Ons
X6	CMDZ5226B	Z-Diode	3.3V 5%, 250mW	SOD-323	5d	Cen
X7	CMDZ5227B	Z-Diode	3.6V 5%, 250mW	SOD-323	5d	Cen
X8	CMDZ5228B	Z-Diode	3.9V 5%, 250mW	SOD-323	5d	Cen
X9	CMDZ5229B	Z-Diode	4.3V 5%, 250mW	SOD-323	5d	Cen
XA	BZX284-B7V5	Z-Diode	7.5V±2%, 0.4W	SOD-110	12d	Phi
XA	CMDZ5230B	Z-Diode	4.7V 5%, 250mW	SOD-323	5d	Cen
XA	SMZG3795A	Z-Diode	18V±5%, 70mA, 1.5W, Zzt=12Ω	DO-215AA	1d	Vis
XA	SMZJ3795A	Z-Diode	18V±5%, 70mA, 1.5W, Zzt=12Ω	DO-214AA	1d	Vis
XB	BZX284-B8V2	Z-Diode	8.2V±2%, 0.4W	SOD-110	12d	Phi
XB	CMDZ5231B	Z-Diode	5.1V 5%, 250mW	SOD-323	5d	Cen
XB	SMZG3795B	Z-Diode	18V±10%, 70mA, 1.5W, Zzt=12Ω	DO-215AA	1d	Vis
XB	SMZJ3795B	Z-Diode	18V±10%, 70mA, 1.5W, Zzt=12Ω	DO-214AA	1d	Vis
XC	BZX284-B9V1	Z-Diode	9.1V±2%, 0.4W	SOD-110	12d	Phi
XC	CMDZ5232B	Z-Diode	5.6V 5%, 250mW	SOD-323	5d	Cen
XC	SMZG3796A	Z-Diode	20V±5%, 62mA, 1.5W, Zzt=14Ω	DO-215AA	1d	Vis
XC	SMZJ3796A	Z-Diode	20V±5%, 62mA, 1.5W, Zzt=14Ω	DO-214AA	1d	Vis
XD	BZX284-B10	Z-Diode	10V±2%, 0.4W	SOD-110	12d	Phi
XD	CMDZ5233B	Z-Diode	6.0V 5%, 250mW	SOD-323	5d	Cen
XD	P4SMAJ110C	Z-Diode/TVS	110V, 2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
XD	SMAJ12C	Z-Diode/TVS	12V, 18.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
XD	SMZG3796B	Z-Diode	20V±10%, 62mA, 1.5W, Zzt=14Ω	DO-215AA	1d	Vis
XD	SMZJ3796B	Z-Diode	20V±10%, 62mA, 1.5W, Zzt=14Ω	DO-214AA	1d	Vis
XD	TV04A120KB	Z-Diode/TVS	12V 10%, 18.1A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XE	BZX284-B11	Z-Diode	11V±2%, 0.4W	SOD-110	12d	Phi
XE	CMDZ5234B	Z-Diode	6.2V 5%, 250mW	SOD-323	5d	Cen
XE	P4SMAJ110AC	Z-Diode/TVS	110V, 2.3A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
XE	SMAJ110CA	Z-Diode/TVS	110V, 1.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
XE	SMAJ12CA	Z-Diode/TVS	12V, 20.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XE	SMZG3797A	Z-Diode	22V±5%, 56mA, 1.5W, Zzt=17.5Ω	DO-215AA	1d	Vis
XE	SMZJ3797A	Z-Diode	22V±5%, 56mA, 1.5W, Zzt=17.5Ω	DO-214AA	1d	Vis
XE	TV04A120JB	Z-Diode/TVS	12V 5%, 20.1A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XF	BZX284-B12	Z-Diode	12V±2%, 0.4W	SOD-110	12d	Phi
XF	CMDZ5235B	Z-Diode	6.8V 5%, 250mW	SOD-323	5d	Cen
XF	MAZD300	Z-Diode	28..32V, 120mW	SSSMini2	7d	Pan
XF	P4SMAJ120C	Z-Diode/TVS	120V, 1.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
XF	SMAJ13C	Z-Diode/TVS	13V, 18.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XF	SMZG3797B	Z-Diode	22V±10%, 56mA, 1.5W, Zzt=17.5Ω	DO-215AA	1d	Vis
XF	SMZJ3797B	Z-Diode	22V±10%, 56mA, 1.5W, Zzt=17.5Ω	DO-214AA	1d	Vis
XF	TV04A130KB	Z-Diode/TVS	13V 10%, 18.6A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XG	BZX284-B13	Z-Diode	13V±2%, 0.4W	SOD-110	12d	Phi
XG	CMDZ5236B	Z-Diode	7.5V 5%, 250mW	SOD-323	5d	Cen
XG	P4SMAJ120AC	Z-Diode/TVS	120V, 2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
XG	SMAJ120CA	Z-Diode/TVS	120V, 1.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
XG	SMAJ13CA	Z-Diode/TVS	13V, 18.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XG	SMZG3798A	Z-Diode	24V±5%, 51mA, 1.5W, Zzt=19Ω	DO-215AA	1d	Vis
XG	SMZJ3798A	Z-Diode	24V±5%, 51mA, 1.5W, Zzt=19Ω	DO-214AA	1d	Vis
XG	TV04A130JB	Z-Diode/TVS	13V 5%, 18.6A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XH	BZX284-B15	Z-Diode	15V±2%, 0.4W	SOD-110	12d	Phi
XH	CMDZ5237B	Z-Diode	8.2V 5%, 250mW	SOD-323	5d	Cen
XH	MMSD701T1	Si-Diode	UHF/VHF Del, Schottky Barrier, 70V, 225mW, <1pF	SOD-123	5d	Ons
XH	P4SMAJ130C	Z-Diode/TVS	130V, 1.7A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
XH	SM4T150C	Z-Diode/TVS	150V, 2A, 400W(1ms), Bidirectional	SOD6	1c	Ste
XH	SMAJ14C	Z-Diode/TVS	14V, 15.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XH	SMZG3798B	Z-Diode	24V±10%, 51mA, 1.5W, Zzt=19Ω	DO-215AA	1d	Vis
XH	SMZJ3798B	Z-Diode	24V±10%, 51mA, 1.5W, Zzt=19Ω	DO-214AA	1d	Vis
XH	TV04A140KB	Z-Diode/TVS	14V 10%, 15.5A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XI	BZX284-B16	Z-Diode	16V±2%, 0.4W	SOD-110	12d	Phi
XI	SMZG3799A	Z-Diode	27V±5%, 46mA, 1.5W, Zzt=23Ω	DO-215AA	1d	Vis
XI	SMZJ3799A	Z-Diode	27V±5%, 46mA, 1.5W, Zzt=23Ω	DO-214AA	1d	Vis
XJ	BZX284-B18	Z-Diode	18V±2%, 0.4W	SOD-110	12d	Phi
XJ	CMDZ5238B	Z-Diode	8.7V 5%, 250mW	SOD-323	5d	Cen
XJ	SMZG3799B	Z-Diode	27V±10%, 46mA, 1.5W, Zzt=23Ω	DO-215AA	1d	Vis
XJ	SMZJ3799B	Z-Diode	27V±10%, 46mA, 1.5W, Zzt=23Ω	DO-214AA	1d	Vis
XK	BZX284-B20	Z-Diode	20V±2%, 0.4W	SOD-110	12d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
ХК	CMDZ5239B	Z-Diode	9.1V 5%, 250mW	SOD-323	5d	Cen
ХК	P4SMAJ130AC	Z-Diode/TVS	130V, 1.9A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
ХК	SMA4T150CA	Z-Diode/TVS	150V, 2A, 400W(1ms), Bidirectional	SOD6	1c	Ste
ХК	SMAJ130CA	Z-Diode/TVS	130V, 1.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
ХК	SMAJ14CA	Z-Diode/TVS	14V, 17.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ХК	SMZG3800A	Z-Diode	30V±5%, 41mA, 1.5W, Zzt=26Ω	DO-215AA	1d	Vis
ХК	SMZJ3800A	Z-Diode	30V±5%, 41mA, 1.5W, Zzt=26Ω	DO-214AA	1d	Vis
ХК	TV04A140JB	Z-Diode/TVS	14V 5%, 17.2A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XL	BZX284-B22	Z-Diode	22V±2%, 0.4W	SOD-110	12d	Phi
XL	CMDZ5240B	Z-Diode	10V 5%, 250mW	SOD-323	5d	Cen
XL	P4SMAJ150C	Z-Diode/TVS	150V, 1.5A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
XL	SMAJ15C	Z-Diode/TVS	15V, 14.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XL	SMZG3800B	Z-Diode	30V±10%, 41mA, 1.5W, Zzt=26Ω	DO-215AA	1d	Vis
XL	SMZJ3800B	Z-Diode	30V±10%, 41mA, 1.5W, Zzt=26Ω	DO-214AA	1d	Vis
XL	TV04A150KB	Z-Diode/TVS	15V 10%, 14.8A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XM	BZX284-B24	Z-Diode	24V±2%, 0.4W	SOD-110	12d	Phi
XM	P4SMAJ150AC	Z-Diode/TVS	150V, 1.6A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
XM	SMAJ150CA	Z-Diode/TVS	150V, 1.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
XM	SMAJ15CA	Z-Diode/TVS	15V, 16.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XM	TV04A150JB	Z-Diode/TVS	15V 5%, 16.4A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XN	BZX284-B27	Z-Diode	27V±2%, 0.4W	SOD-110	12d	Phi
XN	CMDZ5241B	Z-Diode	11V 5%, 250mW	SOD-323	5d	Cen
XN	P4SMAJ160C	Z-Diode/TVS	160V, 1.4A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
XN	SMAJ16C	Z-Diode/TVS	16V, 13.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XN	TV04A160KB	Z-Diode/TVS	16V 10%, 13.8A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XO	BZX284-B30	Z-Diode	30V±2%, 0.4W	SOD-110	12d	Phi
XO	CMDZ5242B	Z-Diode	12V 5%, 250mW	SOD-323	5d	Cen
XP	BZX284-B33	Z-Diode	33V±2%, 0.4W	SOD-110	12d	Phi
XP	CMDZ13L	Z-Diode	13V, 250mW, Iz=0.5mA	SOD-323	5d	Cen
XP	CMDZ5243B	Z-Diode	13V 5%, 250mW	SOD-323	5d	Cen
XP	P4SMAJ160AC	Z-Diode/TVS	160V, 1.5A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
XP	SMAJ160CA	Z-Diode/TVS	160V, 1.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
XP	SMAJ16CA	Z-Diode/TVS	16V, 15.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XP	TV04A160JB	Z-Diode/TVS	16V 5%, 15.3A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XQ	BZX284-B36	Z-Diode	36V±2%, 0.4W	SOD-110	12d	Phi
XQ	CMDZ5244B	Z-Diode	14V 5%, 250mW	SOD-323	5d	Cen
XQ	P4SMAJ170C	Z-Diode/TVS	170V, 1.3A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
XQ	SMAJ17C	Z-Diode/TVS	17V, 13.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XQ	TV04A170KB	Z-Diode/TVS	17V 10%, 13.1A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XR	BZX284-B39	Z-Diode	39V±2%, 0.4W	SOD-110	12d	Phi
XR	CMDZ5245B	Z-Diode	15V 5%, 250mW	SOD-323	5d	Cen
XR	P4SMAJ170AC	Z-Diode/TVS	170V, 1.4A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
XR	SMAJ170CA	Z-Diode/TVS	170V, 1.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
XR	SMAJ17CA	Z-Diode/TVS	17V, 14.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XR	TV04A170JB	Z-Diode/TVS	17V 5%, 14.5A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XS	BZX284-B43	Z-Diode	43V±2%, 0.4W	SOD-110	12d	Phi
XS	CMDZ5246B	Z-Diode	16V 5%, 250mW	SOD-323	5d	Cen
XS	SM4T200C	Z-Diode/TVS	200V, 1.5A, 400W(1ms), Bidirectional	SOD6	1c	Ste
XS	SMAJ18C	Z-Diode/TVS	18V, 12.4A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XS	TV04A180KB	Z-Diode/TVS	18V 10%, 12.4A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XT	BZX284-B47	Z-Diode	47V±2%, 0.4W	SOD-110	12d	Phi
XT	CMDZ5247B	Z-Diode	17V 5%, 250mW	SOD-323	5d	Cen
XT	MMSD301T1	Si-Diode	UHF/VHF Del, Schottky Barrier, 30V, 225mW, <1.5pF	SOD-123	5d	Ons
XT	SM4T200CA	Z-Diode/TVS	200V, 1.5A, 400W(1ms), Bidirectional	SOD6	1c	Ste
XT	SMAJ18CA	Z-Diode/TVS	18V, 13.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XT	TV04A180JB	Z-Diode/TVS	18V 5%, 13.7A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XU	BZX284-B51	Z-Diode	51V±2%, 0.4W	SOD-110	12d	Phi
XU	CMDZ5248B	Z-Diode	18V 5%, 250mW	SOD-323	5d	Cen
XU	SMAJ20C	Z-Diode/TVS	20V, 11.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XU	TV04A200KB	Z-Diode/TVS	20V 10%, 11.1A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XV	BZX284-B56	Z-Diode	56V±2%, 0.4W	SOD-110	12d	Phi
XV	CMDZ5249B	Z-Diode	19V 5%, 250mW	SOD-323	5d	Cen
XV	SMAJ20CA	Z-Diode/TVS	20V, 12.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XV	TV04A200JB	Z-Diode/TVS	20V 5%, 12.3A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XW	BZX284-B62	Z-Diode	62V±2%, 0.4W	SOD-110	12d	Phi
XW	SMAJ22C	Z-Diode/TVS	22V, 10.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XW	TV04A220KB	Z-Diode/TVS	22V 10%, 10A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
XX	BZX284-B68	Z-Diode	68V±2%, 0,4W	SOD-110	12d	Phi
XX	CMDZ5250B	Z-Diode	20V 5%, 250mW	SOD-323	5d	Cen
XX	SMAJ22CA	Z-Diode/TVS	22V, 11.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XX	TV04A220JB	Z-Diode/TVS	22V 5%, 11.2A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XY	BZX284-B75	Z-Diode	75V±2%, 0,4W	SOD-110	12d	Phi
XY	CMDZ5251B	Z-Diode	22V 5%, 250mW	SOD-323	5d	Cen
XY	SMAJ24C	Z-Diode/TVS	24V, 9.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XY	TV04A240KB	Z-Diode/TVS	24V 10%, 9.3A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
XZ	CMDZ5252B	Z-Diode	24V 5%, 250mW	SOD-323	5d	Cen
XZ	SMAJ24CA	Z-Diode/TVS	24V, 10.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
XZ	TV04A240JB	Z-Diode/TVS	24V 5%, 10.3A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
Y	BB182B	C-Diode	TV-VHF-Tuning, 34V, 20mA, 47..2.65pF(2..25V), 180MHz	SOD-523	6d	Phi
Y	EP10QY03	Si-Diode	Schottky Rect., 30V, 1A, Vf<0,47V(1A)	SOD-123	5d	Nih
Y*P*	BZX284-B2V7	Z-Diode	2,7V±2%, 0,4W	SOD-110	12d	Phi
Y*P*	BZX384-B22	Z-Diode	22V, 2%, 0,2W	SOD-323	5d	Vis
Y*P*	BZX384-C22	Z-Diode	22V, 5%, 0,2W	SOD-323	5d	Vis
Y*P*	SMAJ7.5CA	Z-Diode/TVS	7.5V, 31A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
Y*P*	SMAJ70CA	Z-Diode/TVS	70V, 3.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Dil
Y1	CMDZ5253B	Z-Diode	25V 5%, 250mW	SOD323	1d	Cen
Y1	MMSZ27T1	Z-Diode	27V±5%, 0.5W, Zzt=80Ω	SOD-123	5d	Mot
Y2	CMDZ5254B	Z-Diode	27V 5%, 250mW	SOD323	1d	Cen
Y2	MMSZ30T1	Z-Diode	30V±5%, 0.5W, Zzt=80Ω	SOD-123	5d	Mot
Y3	CMDZ5255B	Z-Diode	28V 5%, 250mW	SOD323	1d	Cen
Y3	MMSZ33T1	Z-Diode	33V±5%, 0.5W, Zzt=80Ω	SOD-123	5d	Mot
Y4	CMDZ5256B	Z-Diode	30V 5%, 250mW	SOD323	1d	Cen
Y4	MMSZ36T1	Z-Diode	36V±5%, 0.5W, Zzt=90Ω	SOD-123	5d	Mot
Y5	CMDZ5257B	Z-Diode	33V 5%, 250mW	SOD323	1d	Cen
Y5	MMSZ39T1	Z-Diode	39V±5%, 0.5W, Zzt=130Ω	SOD-123	5d	Mot
Y6	CMDZ5258B	Z-Diode	36V 5%, 250mW	SOD323	1d	Cen
Y7	CMDZ5259B	Z-Diode	39V 5%, 250mW	SOD323	1d	Cen
Y8	CMDZ5260B	Z-Diode	43V 5%, 250mW	SOD323	1d	Cen
Y9	CMDZ5261B	Z-Diode	47V 5%, 250mW	SOD323	1d	Cen
YA	SMZG3801A	Z-Diode	33V±5%, 38mA, 1,5W, Zzt=33Ω	DO-215AA	1d	Vis
YA	SMZJ3801A	Z-Diode	33V±5%, 38mA, 1,5W, Zzt=33Ω	DO-214AA	1d	Vis
YB	SMZG3801B	Z-Diode	33V±10%, 38mA, 1,5W, Zzt=33Ω	DO-215AA	1d	Vis
YB	SMZJ3801B	Z-Diode	33V±10%, 38mA, 1,5W, Zzt=33Ω	DO-214AA	1d	Vis
YC	SMZG3802A	Z-Diode	36V±5%, 35mA, 1,5W, Zzt=38Ω	DO-215AA	1d	Vis
YC	SMZJ3802A	Z-Diode	36V±5%, 35mA, 1,5W, Zzt=38Ω	DO-214AA	1d	Vis
YD	SMAJ26C	Z-Diode/TVS	26V, 8.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YD	SMZG3802B	Z-Diode	36V±10%, 35mA, 1,5W, Zzt=38Ω	DO-215AA	1d	Vis
YD	SMZJ3802B	Z-Diode	36V±10%, 35mA, 1,5W, Zzt=38Ω	DO-214AA	1d	Vis
YD	TV04A260KB	Z-Diode/TVS	26V 10%, 8.6A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
YE	SMAJ26CA	Z-Diode/TVS	26V, 9.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YE	SMZG3803A	Z-Diode	39V±5%, 31mA, 1,5W, Zzt=45Ω	DO-215AA	1d	Vis
YE	SMZJ3803A	Z-Diode	39V±5%, 31mA, 1,5W, Zzt=45Ω	DO-214AA	1d	Vis
YE	TV04A260JB	Z-Diode/TVS	26V 5%, 9.5A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
YF	MAZD330	Z-Diode	31..35V, 120mW	SSSMini2	7d	Pan
YF	SMAJ28C	Z-Diode/TVS	28V, 8A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YF	SMZG3803B	Z-Diode	39V±10%, 31mA, 1,5W, Zzt=45Ω	DO-215AA	1d	Vis
YF	SMZJ3803B	Z-Diode	39V±10%, 31mA, 1,5W, Zzt=45Ω	DO-214AA	1d	Vis
YF	TV04A280KB	Z-Diode/TVS	28V 10%, 8A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
YG	SMAJ28CA	Z-Diode/TVS	28V, 8.8A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YG	SMZG3804A	Z-Diode	43V±5%, 28mA, 1,5W, Zzt=53Ω	DO-215AA	1d	Vis
YG	SMZJ3804A	Z-Diode	43V±5%, 28mA, 1,5W, Zzt=53Ω	DO-214AA	1d	Vis
YG	TV04A280JB	Z-Diode/TVS	28V 5%, 8.8A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
YH	SMAJ30C	Z-Diode/TVS	30V, 7.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YH	SMZG3804B	Z-Diode	43V±10%, 28mA, 1,5W, Zzt=53Ω	DO-215AA	1d	Vis
YH	SMZJ3804B	Z-Diode	43V±10%, 28mA, 1,5W, Zzt=53Ω	DO-214AA	1d	Vis
YH	TV04A300KB	Z-Diode/TVS	30V 10%, 7.5A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
YI	SMZG3805A	Z-Diode	47V±5%, 26mA, 1,5W, Zzt=67Ω	DO-215AA	1d	Vis
YI	SMZJ3805A	Z-Diode	47V±5%, 26mA, 1,5W, Zzt=67Ω	DO-214AA	1d	Vis
YJ	SMZG3805B	Z-Diode	47V±10%, 26mA, 1,5W, Zzt=67Ω	DO-215AA	1d	Vis
YJ	SMZJ3805B	Z-Diode	47V±10%, 26mA, 1,5W, Zzt=67Ω	DO-214AA	1d	Vis
YK	SMAJ30CA	Z-Diode/TVS	30V, 8.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YK	SMZG3806A	Z-Diode	51V±5%, 24mA, 1,5W, Zzt=70Ω	DO-215AA	1d	Vis
YK	SMZJ3806A	Z-Diode	51V±5%, 24mA, 1,5W, Zzt=70Ω	DO-214AA	1d	Vis
YK	TV04A300JB	Z-Diode/TVS	30V 5%, 8.3A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc




SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Прозв.
YL	SMAJ33C	Z-Diode/TVS	33V, 6 8A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YL	SMZG3806B	Z-Diode	51V±10%, 24mA, 1,5W, Zzt=70Ω	DO-215AA	1d	Vis
YL	SMZJ3806B	Z-Diode	51V±10%, 24mA, 1,5W, Zzt=70Ω	DO-214AA	1d	Vis
YL	TV04A330KB	Z-Diode/TVS	33V 10%, 6 8A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YM	TV04A330JB	Z-Diode/TVS	33V 5%, 7 5A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YN	SMAJ36C	Z-Diode/TVS	36V, 6 2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YN	TV04A360KB	Z-Diode/TVS	36V 10%, 6 2A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YO	BZX284-C2V4	Z-Diode	2,4V±5%, 0,4W	SOD-110	12d	Phi
YP	BZX284-C2V7	Z-Diode	2,7V±5%, 0,4W	SOD-110	12d	Phi
YP	CMDZ15L	Z-Diode	15V, 250mW, Iz=0 5mA	SOD-323	5d	Cen
YP	DDZ6V8C	Z-Diode	6,8V±5%, 200mW	SOD-323	5d	Dil
YP	DDZ6V8CS	Z-Diode	6,8V±5%, 200mW	SOD-323	5d	Dil
YP	SMAJ36CA	Z-Diode/TVS	36V, 6 9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YP	TV04A360JB	Z-Diode/TVS	36V 5%, 6 9A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YQ	BZX284-C3V0	Z-Diode	3V±5%, 0,4W	SOD-110	12d	Phi
YQ	DDZ7V5C	Z-Diode	7,5V±5%, 200mW	SOD-323	5d	Dil
YQ	DDZ7V5CS	Z-Diode	7,5V±5%, 200mW	SOD-323	5d	Dil
YQ	SMAJ40C	Z-Diode/TVS	40V, 5 6A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YQ	TV04A400KB	Z-Diode/TVS	40V 10%, 5 6A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YR	BZX284-C3V3	Z-Diode	3,3V±5%, 0,4W	SOD-110	12d	Phi
YR	DDZ8V2C	Z-Diode	8,2V±5%, 200mW	SOD-323	5d	Dil
YR	DDZ8V2CS	Z-Diode	8,2V±5%, 200mW	SOD-323	5d	Dil
YR	SMAJ40CA	Z-Diode/TVS	40V, 6 2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YR	TV04A400JB	Z-Diode/TVS	40V 5%, 6 2A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YS	BZX284-C3V6	Z-Diode	3,6V±5%, 0,4W	SOD-110	12d	Phi
YS	DDZ9V1C	Z-Diode	8,79V 2,5%, 500mW	SOD-123	5d	Dil
YS	DQZ9V1CS	Z-Diode	9,07V 2,5%, 200mW	SOD-323	5d	Dil
YS	P4SMAJ180C	Z-Diode/TVS	180V, 1 2A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
YS	SMAJ43C	Z-Diode/TVS	43V, 5 2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YS	TV04A430KB	Z-Diode/TVS	43V 10%, 5 2A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YT	BZX284-C3V9	Z-Diode	3,9V±5%, 0,4W	SOD-110	12d	Phi
YT	DDZ10C	Z-Diode	10V±5%, 200mW	SOD-323	5d	Dil
YT	DDZ10CS	Z-Diode	10V±5%, 200mW	SOD-323	5d	Dil
YT	P4SMAJ180AC	Z-Diode/TVS	180V, 1 3A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
YT	TV04A430JB	Z-Diode/TVS	43V 5%, 5 7A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YU	BZX284-C4V3	Z-Diode	4,3V±5%, 0,4W	SOD-110	12d	Phi
YU	DDZ11C	Z-Diode	11V±5%, 200mW	SOD-323	5d	Dil
YU	DDZ11CS	Z-Diode	11V±5%, 200mW	SOD-323	5d	Dil
YU	P4SMAJ190C	Z-Diode/TVS	190V, 1 2A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
YU	SMAJ45C	Z-Diode/TVS	45V, 5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YU	TV04A450KB	Z-Diode/TVS	45V 10%, 5A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YV	BZX284-C4V7	Z-Diode	4,7V±5%, 0,4W	SOD-110	12d	Phi
YV	DDZ12C	Z-Diode	12V±5%, 200mW	SOD-323	5d	Dil
YV	DDZ12CS	Z-Diode	12V±5%, 200mW	SOD-323	5d	Dil
YV	P4SMAJ190AC	Z-Diode/TVS	190V, 1 3A, 400W (1ms), Bidirectional	DO-214AB	2c	Pjt,Srj,Wpd
YV	SMAJ45CA	Z-Diode/TVS	45V, 5 5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YV	TV04A450JB	Z-Diode/TVS	45V 5%, 5 5A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YW	BZX284-C5V1	Z-Diode	5,1V±5%, 0,4W	SOD-110	12d	Phi
YW	P4SMAJ200C	Z-Diode/TVS	170V, 1 1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
YW	SMAJ48C	Z-Diode/TVS	48V, 4 7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YW	TV04A480KB	Z-Diode/TVS	48V 10%, 4 7A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YX	BZX284-C5V6	Z-Diode	5,6V±5%, 0,4W	SOD-110	12d	Phi
YX	P4SMAJ200AC	Z-Diode/TVS	170V, 1 2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
YX	TV04A480JB	Z-Diode/TVS	48V 5%, 5 2A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YY	BZX284-C6V2	Z-Diode	6,2V±5%, 0,4W	SOD-110	12d	Phi
YY	DDZ16S	Z-Diode	16V±10%, 200mW	SOD-323	5d	Dil
YY	P4SMAJ210C	Z-Diode/TVS	170V, 1 1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
YY	SMAJ51C	Z-Diode/TVS	51V, 4 4A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YY	TV04A510KB	Z-Diode/TVS	51V 10%, 4 4A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
YZ	BZX284-C6V8	Z-Diode	6,8V±5%, 0,4W	SOD-110	12d	Phi
YZ	DDZ18C	Z-Diode	18V±5%, 200mW	SOD-323	5d	Dil
YZ	DDZ18CS	Z-Diode	18V±5%, 200mW	SOD-323	5d	Dil
YZ	P4SMAJ210AC	Z-Diode/TVS	170V, 1 2A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjt,Srj,Wpd
YZ	SMAJ51CA	Z-Diode/TVS	51V, 4 9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
YZ	TV04A510JB	Z-Diode/TVS	51V 5%, 4 9A, 400W(1ms), Bidirectional	DO-214AC	1c	Cmc
Z	BB145B	C-Diode	VCO, 8V, 20mA, 2,55/6,4pF(4V/1V, 1MHz), <0,6Ω	SOD-523	6d	Phi
Z	EP10LA03	Sr-Diode	Schottky Rect., 30V, 1A, Vf<0,39V(1A)	SOD-123	5d	Nth

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
Z0	PDZ2.4B	Z-Diode	2.4V±2.5%, 0.4W	SOD-323	5d	Phi
Z1	KL3Z07	Thy-SPD	V Of-St=5.5V, Ifsm=30A(1ms), Ih=50mA, Bidirectional	DO-214	2	Shi
Z1	KL3Z18	Thy-SPD	V Of-St=15.5V, Ifsm=30A(1ms), Ih=50mA, Bidirectional	DO-214	2	Shi
Z1	MMSZ43T1	Z-Diode	43V±5%, 0.5W, Zzt=150Ω	SOD-123	5d	Mot
Z1	PDZ2.7B	Z-Diode	2.7V±2.5%, 0.4W	SOD-323	5d	Phi
Z10	CRZ10	Z-Diode	9.11V, 700mW	S-Flat	6d	Tos
Z11	CRZ11	Z-Diode	9.9..12.1V, 700mW	S-Flat	6d	Tos
Z12	GRZ12	Z-Diode	10.8..13.2V, 700mW	S-Flat	6d	Tos
Z13	CRZ13	Z-Diode	11.7..14.3V, 700mW	S-Flat	6d	Tos
Z15	CRZ15	Z-Diode	13.5..16.5V, 700mW	S-Flat	6d	Tos
Z16	CRZ16	Z-Diode	14.4..17.61V, 700mW	S-Flat	6d	Tos
Z18	CRZ18	Z-Diode	16.2..19.83V, 700mW	S-Flat	6d	Tos
Z2	MMSZ47T1	Z-Diode	47V±5%, 0.5W, Zzt=170Ω	SOD-123	5d	Mot
Z2	PDZ3.0B	Z-Diode	3.0V±2.5%, 0.4W	SOD-323	5d	Phi
Z20	CRZ20	Z-Diode	18.0..22.04V, 700mW	S-Flat	6d	Tos
Z22	CRZ22	Z-Diode	19.8..24.26V, 700mW	S-Flat	6d	Tos
Z24	CRZ24	Z-Diode	21.6..26.47V, 700mW	S-Flat	6d	Tos
Z27	CRZ27	Z-Diode	24.3..29.7V, 700mW	S-Flat	6d	Tos
Z27	U5ZA27Z	Z-Diode	24..30V, 5W, Zzt=30Ω	DO-218	8d	Tos
Z3	MMSZ51T1	Z-Diode	51V±5%, 0.5W, Zzt=180Ω	SOD-123	5d	Mot
Z3	PDZ3.3B	Z-Diode	3.3V±2.5%, 0.4W	SOD-323	5d	Phi
Z30	CRZ30	Z-Diode	27..33V, 700mW	S-Flat	6d	Tos
Z33	CRZ33	Z-Diode	29.7..36.3V, 700mW	S-Flat	6d	Tos
Z36	CRZ36	Z-Diode	32.4..39.6V, 700mW	S-Flat	6d	Tos
Z39	CRZ39	Z-Diode	35.1..42.9V, 700mW	S-Flat	6d	Tos
Z4	MMSZ56T1	Z-Diode	56V±5%, 0.5W, Zzt=200Ω	SOD-123	5d	Mot
Z4	PDZ3.6B	Z-Diode	3.6V±2.5%, 0.4W	SOD-323	5d	Phi
Z43	CRZ43	Z-Diode	38.7..47.3V, 700mW	S-Flat	6d	Tos
Z47	CRZ47	Z-Diode	42.3..51.7V, 700mW	S-Flat	6d	Tos
Z5	MMSZ62T1	Z-Diode	62V±5%, 0.5W, Zzt=215Ω	SOD-123	5d	Mot
Z5	PDZ3.9B	Z-Diode	3.9V±2.5%, 0.4W	SOD-323	5d	Phi
Z54	STPS0540Z	St-Diode	Schottky Rectifier, 40V, 500mA, Vf<0.5V(500mA), 5ms	SOD-123	5d	Ste
Z56	STPS0560Z	St-Diode	Schottky Rectifier, 60V, 500mA, Vf<0.53V(500mA), 5ms	SOD-123	5d	Ste
Z6	MMSZ68T1	Z-Diode	68V±5%, 0.5W, Zzt=240Ω	SOD-123	5d	Mot
Z6	PDZ4.3B	Z-Diode	4.3V±2.5%, 0.4W	SOD-323	5d	Phi
Z7	MMSZ75T1	Z-Diode	75V±5%, 0.5W, Zzt=255Ω	SOD-123	5d	Mot
Z7	PDZ4.7B	Z-Diode	4.7V±2.5%, 0.4W	SOD-323	5d	Phi
Z8	PDZ5.1B	Z-Diode	5.1V±2.5%, 0.4W	SOD-323	5d	Phi
Z9	PDZ5.6B	Z-Diode	5.6V±2.5%, 0.4W	SOD-323	5d	Phi
ZA	BZX284-C7V5	Z-Diode	7.5V±5%, 0.4W	SOD-110	12d	Phi
ZA	PDZ6.2B	Z-Diode	6.2V±2.5%, 0.4W	SOD-323	5d	Phi
ZA	SMZG3807A	Z-Diode	56V±5%, 22mA, 1.5W, Zzt=86Ω	DO-215AA	1d	Vis
ZA	SMZJ3807A	Z-Diode	56V±5%, 22mA, 1.5W, Zzt=86Ω	DO-214AA	1d	Vis
ZB	BZX284-C8V2	Z-Diode	8.2V±5%, 0.4W	SOD-110	12d	Phi
ZB	PDZ6.8B	Z-Diode	6.8V±2.5%, 0.4W	SOD-323	5d	Phi
ZB	SMZG3807B	Z-Diode	56V±10%, 22mA, 1.5W, Zzt=86Ω	DO-215AA	1d	Vis
ZB	SMZJ3807B	Z-Diode	56V±10%, 22mA, 1.5W, Zzt=86Ω	DO-214AA	1d	Vis
ZC	BZX284-C9V1	Z-Diode	9.1V±5%, 0.4W	SOD-110	12d	Phi
ZC	PDZ7.5B	Z-Diode	7.5V±2.5%, 0.4W	SOD-323	5d	Phi
ZC	SMZG3808A	Z-Diode	62V±5%, 20mA, 1.5W, Zzt=100Ω	DO-215AA	1d	Vis
ZC	SMZJ3808A	Z-Diode	62V±5%, 20mA, 1.5W, Zzt=100Ω	DO-214AA	1d	Vis
ZD	BZX284-C10	Z-Diode	10V±5%, 0.4W	SOD-110	12d	Phi
ZD	P4SMAJ220C	Z-Diode/TVS	170V, 1A, 400W (1ms), Bidirectional	DO-214AC	2c	PjL,Srj,Wpd
ZD	PDZ8.2B	Z-Diode	8.2V±2.5%, 0.4W	SOD-323	5d	Phi
ZD	SMAJ54C	Z-Diode/TVS	54V, 4.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZD	SMZG3808B	Z-Diode	62V±10%, 20mA, 1.5W, Zzt=100Ω	DO-215AA	1d	Vis
ZD	SMZJ3808B	Z-Diode	62V±10%, 20mA, 1.5W, Zzt=100Ω	DO-214AA	1d	Vis
ZD	TV04A540KB	Z-Diode/TVS	54V 10%, 4.2A, 400W(1ms), Bifirectional	DO-214AC	1c	Cmc
ZDD	SM5Z3V3A	Z-Diode/TVS	3.3V±2%, 5W	DO-214AA	1d	Ste
ZDE	SM5Z3V6A	Z-Diode/TVS	3.6V±2%, 5W	DO-214AA	1d	Ste
ZDF	SM5Z3V9A	Z-Diode/TVS	3.9V±2%, 5W	DO-214AA	1d	Ste
ZDG	SM5Z4V3A	Z-Diode/TVS	4.3V±2%, 5W	DO-214AA	1d	Ste
ZDH	SM5Z4V7A	Z-Diode/TVS	4.7V±2%, 5W	DO-214AA	1d	Ste
ZDK	SM5Z5V1A	Z-Diode/TVS	5.1V±2%, 5W	DO-214AA	1d	Ste
ZDL	SM5Z5V6A	Z-Diode/TVS	5.6V±2%, 5W	DO-214AA	1d	Ste
ZDN	SM5Z6V2A	Z-Diode/TVS	6.2V±2%, 5W	DO-214AA	1d	Ste
ZDP	SM5Z6V8A	Z-Diode/TVS	6.8V±2%, 5W	DO-214AA	1d	Ste

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
ZDQ	SM5Z7V5A	Z-Diode/TVS	7,5V±2%, 5W	DO-214AA	1d	Ste
ZDR	SM5Z8V2A	Z-Diode/TVS	8,2V±2%, 5W	DO-214AA	1d	Ste
ZDT	SM5Z9V1A	Z-Diode/TVS	9,2V±2%, 5W	DO-214AA	1d	Ste
ZDU	SM5Z10A	Z-Diode/TVS	10V±2%, 5W	DO-214AA	1d	Ste
ZDW	SM5Z12A	Z-Diode/TVS	12V±2%, 5W	DO-214AA	1d	Ste
ZDX	SM5Z13A	Z-Diode/TVS	13V±2%, 5W	DO-214AA	1d	Ste
ZDY	SM5Z14A	Z-Diode/TVS	14V±2%, 5W	DO-214AA	1d	Ste
ZDZ	SM5Z15A	Z-Diode/TVS	15V±2%, 5W	DO-214AA	1d	Ste
ZE	BZX284-C11	Z-Diode	11V±5%, 0,4W	SOD-110	12d	Phi
ZE	P4SMAJ220AC	Z-Diode/TVS	170V, 1.1A, 400W (1ms), Bidirectional	DO-214AC	2c	Pjl,Srj,Wpd
ZE	PDZ9.1B	Z-Diode	9.1V±2,5%, 0,4W	SDD-323	5d	Phi
ZE	SMAJ54CA	Z-Diode/TVS	54V, 4.6A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZE	SMZG3809A	Z-Diode	68V±5%, 18mA, 1,5W, Zzt=120Ω	DO-215AA	1d	Vis
ZE	SMZJ3809A	Z-Diode	68V±5%, 18mA, 1,5W, Zzt=120Ω	DO-214AA	1d	Vis
ZE	TV04A540JB	Z-Diode/TVS	54V 5%, 4.6A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZED	SM5Z16A	Z-Diode/TVS	16V±2%, 5W	DO-214AA	1d	Ste
ZEF	SM5Z18A	Z-Diode/TVS	18V±2%, 5W	DO-214AA	1d	Ste
ZEH	SM5Z20A	Z-Diode/TVS	20V±2%, 5W	DO-214AA	1d	Ste
ZEK	SM5Z22A	Z-Diode/TVS	22V±2%, 5W	DO-214AA	1d	Ste
ZEL	SM5Z24A	Z-Diode/TVS	24V±2%, 5W	DO-214AA	1d	Ste
ZEN	SM5Z27A	Z-Diode/TVS	27V±2%, 5W	DO-214AA	1d	Ste
ZEP	SM5Z28A	Z-Diode/TVS	28V±2%, 5W	DO-214AA	1d	Ste
ZEQ	SM5Z30A	Z-Diode/TVS	30V±2%, 5W	DO-214AA	1d	Ste
ZER	SM5Z33A	Z-Diode/TVS	33V±2%, 5W	DO-214AA	1d	Ste
ZET	SM5Z39A	Z-Diode/TVS	39V±2%, 5W	DO-214AA	1d	Ste
ZEV	SM5Z47A	Z-Diode/TVS	47V±2%, 5W	DO-214AA	1d	Ste
ZF	BZX284-C12	Z-Diode	12V±5%, 0,4W	SOD-110	12d	Phi
ZF	MAZD36Q	Z-Diode	34..38V, 120mW	SSSMIn2	7d	Pan
ZF	PDZ10B	Z-Diode	10V±2,5%, 0,4W	SOD-323	5d	Phi
ZF	SMAJ58C	Z-Diode/TVS	58V, 3.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZF	SMZG3809B	Z-Diode	68V±10%, 18mA, 1,5W, Zzt=120Ω	DO-215AA	1d	Vis
ZF	SMZJ3809B	Z-Diode	68V±10%, 18mA, 1,5W, Zzt=120Ω	DO-214AA	1d	Vis
ZF	TV04A580KB	Z-Diode/TVS	58V 10%, 3.9A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZFD	SM5Z62A	Z-Diode/TVS	62V±2%, 5W	DO-214AA	1d	Ste
ZFG	SM5Z82A	Z-Diode/TVS	82V±2%, 5W	DO-214AA	1d	Ste
ZFK	SM5Z91A	Z-Diode/TVS	91V±2%, 5W	DO-214AA	1d	Ste
ZFL	SM5Z100A	Z-Diode	100V±2%, 5W	DO-214AA	1d	Ste
ZFM	SM5Z110A	Z-Diode/TVS	110V±2%, 5W	DO-214AA	1d	Ste
ZFR	SM5Z150A	Z-Diode/TVS	150V±2%, 5W	DO-214AA	1d	Ste
ZFS	SM5Z160A	Z-Diode/TVS	160V±2%, 5W	DO-214AA	1d	Ste
ZFU	SM5Z180A	Z-Diode/TVS	180V±2%, 5W	DO-214AA	1d	Ste
ZFW	SM5Z200A	Z-Diode/TVS	200V±2%, 5W	DO-214AA	1d	Ste
ZG	BZX284-C13	Z-Diode	13V±5%, 0,4W	SOD-110	12d	Phi
ZG	PDZ11B	Z-Diode	11V±2,5%, 0,4W	SOD-323	5d	Phi
ZG	TV04A580JB	Z-Diode/TVS	58V 5%, 4.3A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZH	BZX284-C15	Z-Diode	15V±5%, 0,4W	SOD-110	12d	Phi
ZH	PDZ12B	Z-Diode	12V±2,5%, 0,4W	SOD-323	5d	Phi
ZH	SMAJ60C	Z-Diode/TVS	60V, 3.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZH	TV04A800KB	Z-Diode/TVS	60V 10%, 3.7A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZHK	SM2Z5V1	Z-Diode	5,1V±2%, 100mA, 2W	DO-214AB	1d	Ste
ZHK	SMAZ5V1	Z-Diode	4,8..5,4V, 0,1A, Zzt=5Ω	DO-214AC	1d	Dil,Vis
ZHL	SM2Z5V6	Z-Diode	5,6V±2%, 100mA, 2W	DO-214AB	1d	Ste
ZHL	SMAZ5V6	Z-Diode	5,2..6V, 0,1A, Zzt=2Ω	DO-214AC	1d	Dil,Vis
ZHN	SMAZ8V2	Z-Diode	5,8..6,6V, 0,1A, Zzt=2Ω	DO-214AC	1d	Dil,Vis
ZHO	SMAZ8V8	Z-Diode	6,4..7,21V, 0,1A, Zzt=2Ω	DO-214AC	1d	Dil,Vis
ZHQ	SMAZ7V5	Z-Diode	7..7,9V, 0,1A, Zzt=2Ω	DO-214AC	1d	Dil,Vis
ZHR	SMAZ8V2	Z-Diode	7,7..8,7V, 0,1A, Zzt=2Ω	DO-214AC	1d	Dil,Vis
ZHT	SMAZ9V1	Z-Diode	8,5..9,6V, 0,1A, Zzt=4Ω	DO-214AC	1d	Dil,Vis
ZHU	SMAZ10	Z-Diode	9,4..10,6V, Zzt=4Ω	DO-214AC	1d	Dil,Vis
ZHW	SM2Z12	Z-Diode	12V±2%, 50mA, 2W	DO-214AB	1d	Ste
ZHW	SMAZ12	Z-Diode	11,4..12,7V, Zzt=7Ω	DO-214AC	1d	Dil,Vis
ZHZ	SM2Z15	Z-Diode	15V±2%, 50mA, 2W	DO-214AB	1d	Ste
ZHZ	SMAZ15	Z-Diode	13,8..15,6V, Zzt=10Ω	DO-214AC	1d	Dil,Vis
ZI	BZX284-C16	Z-Diode	16V±5%, 0,4W	SOD-110	12d	Phi
ZJ	BZX284-C18	Z-Diode	18V±5%, 0,4W	SOD-110	12d	Phi
ZJ	PDZ13B	Z-Diode	13V±2,5%, 0,4W	SOD-323	5d	Phi
ZJA	SMAZ16	Z-Diode	15,3..17,1V, Zzt=15Ω	DO-214AC	1d	Dil,Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
ZJF	SM2Z18	Z-Diode	18V±2%, 25mA, 2W	DO-214AB	1d	Ste
ZJF	SMAZ18	Z-Diode	18,8..19,1V, Zzt=15Ω	DO-214AC	1d	Dil,Vis
ZJG	SMAZ20	Z-Diode	18,8..21,2V, Zzt=15Ω	DO-214AC	1d	Dil,Vis
ZJK	SMAZ22	Z-Diode	20,8..23,3V, Zzt=15Ω	DO-214AC	1d	Dil,Vis
ZJL	SM2Z24	Z-Diode	24V±2%, 25mA, 2W	DO-214AB	1d	Ste
ZJL	SMAZ24	Z-Diode	22,8..25,6V, Zzt=15Ω	DO-214AC	1d	Dil,Vis
ZJN	SM2Z27	Z-Diode	27V±2%, 25mA, 2W	DO-214AB	1d	Ste
ZJN	SMAZ27	Z-Diode	25,1..28,9V, Zzt=15Ω	DO-214AC	1d	Dil,Vis
ZJQ	SM2Z30	Z-Diode	30V±2%, 25mA, 2W	DO-214AB	1d	Ste
ZJQ	SMAZ30	Z-Diode	28..32V, Zzt=15Ω	DO-214AC	1d	Dil,Vis
ZJR	SMAZ33	Z-Diode	31..35V, Zzt=15Ω	DO-214AC	1d	Dil,Vis
ZJS	SM2Z36	Z-Diode	36V±2%, 10mA, 2W	DO-214AB	1d	Ste
ZJS	SMAZ36	Z-Diode	34..38V, Zzt=40Ω	DO-214AC	1d	Dil,Vis
ZJT	SMAZ39	Z-Diode	37..41V, Zzt=40Ω	DO-214AC	1d	Dil,Vis
ZJV	SM2Z47	Z-Diode	47V±2%, 10mA, 2W	DO-214AB	1d	Ste
ZJV	SMAZ47	Z-Diode	44..50V, Zzt=45Ω	DO-214AC	1d	Vis
ZK	BZX284-C20	Z-Diode	20V±5%, 0,4W	SOD-110	12d	Phi
ZK	PDZ15B	Z-Diode	15V±2,5%, 0,4W	SOD-323	5d	Phi
ZK	SMAJ60CA	Z-Diode/TVS	60V, 4.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZK	TV04A600JB	Z-Diode/TVS	60V 5%, 4.1A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZKM	SMAZ68	Z-Diode	64..72V, 0.1A, Zzt=80Ω	DO-214AC	1d	Vis
ZKQ	SMAZ100	Z-Diode	94..106V, 0.1A, Zzt=200Ω	DO-214AC	1d	Vis
ZKR	SM2Z150	Z-Diode	150V±2%, 5mA, 2W	DO-214AB	1d	Ste
ZKR	SMAZ150	Z-Diode	138..156V, Zzt=300Ω	DO-214AC	1d	Vis
ZKW	SM2Z200	Z-Diode	200V±2%, 5mA, 2W	DO-214AB	1d	Ste
ZKW	SMAZ200	Z-Diode	188..212V, Zzt=350Ω	DO-214AC	1d	Vis
ZL	BZX284-C22	Z-Diode	22V±5%, 0,4W	SOD-110	12d	Phi
ZL	PDZ16B	Z-Diode	16V±2,5%, 0,4W	SOD-323	5d	Phi
ZL	SMAJ64C	Z-Diode/TVS	64V, 3.5A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZL	TV04A640KB	Z-Diode/TVS	64V 10%, 3.5A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZM	BZX284-C24	Z-Diode	24V±5%, 0,4W	SOD-110	12d	Phi
ZM	PDZ18B	Z-Diode	18V±2,5%, 0,4W	SOD-323	5d	Phi
ZM	SMAJ64CA	Z-Diode/TVS	64V, 3.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZM	TV04A640JB	Z-Diode/TVS	64V 5%, 3.9A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZN	BZX284-C27	Z-Diode	27V±5%, 0,4W	SOD-110	12d	Phi
ZN	PDZ20B	Z-Diode	20V±2,5%, 0,4W	SOD-323	5d	Phi
ZN	SMAJ70C	Z-Diode/TVS	70V, 3.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZN	TV04A700KB	Z-Diode/TVS	70V 10%, 3.2A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZO	BZX284-C30	Z-Diode	30V±5%, 0,4W	SOD-110	12d	Phi
ZP	BZX284-C33	Z-Diode	33V±5%, 0,4W	SOD-110	12d	Phi
ZP	CMDZ16L	Z-Diode	16V, 250mW, Iz=0.5mA	SOD-323	5d	Can
ZP	PDZ22B	Z-Diode	22V±2,5%, 0,4W	SOD-323	5d	Phi
ZP	TV04A700JB	Z-Diode/TVS	70V 5%, 3.5A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZQ	BZX284-C36	Z-Diode	36V±5%, 0,4W	SOD-110	12d	Phi
ZQ	DDZ36S	Z-Diode	36V±10%, 200mW	SOD-323	5d	Dil
ZQ	PDZ24B	Z-Diode	24V±2,5%, 0,4W	SOD-323	5d	Phi
ZQ	SMAJ75C	Z-Diode/TVS	75V, 3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZQ	TV04A750KB	Z-Diode/TVS	75V 10%, 3A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZR	BZX284-C39	Z-Diode	39V±5%, 0,4W	SOD-110	12d	Phi
ZR	DDZ43S	Z-Diode	43V±10%, 200mW	SOD-323	5d	Dil
ZR	PDZ27B	Z-Diode	27V±2,5%, 0,4W	SOD-323	5d	Phi
ZR	SMAJ75CA	Z-Diode/TVS	75V, 3.3A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZR	TV04A750JB	Z-Diode/TVS	75V 5%, 3.3A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZS	BZX284-C43	Z-Diode	43V±5%, 0,4W	SOD-110	12d	Phi
ZS	DDZ47S	Z-Diode	47V±10%, 200mW	SOD-323	5d	Dil
ZS	PDZ30B	Z-Diode	30V±2,5%, 0,4W	SOD-323	5d	Phi
ZS	SMAJ78C	Z-Diode/TVS	78V, 2.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZS	TV04A780KB	Z-Diode/TVS	78V 10%, 2.9A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZT	BZX284-C47	Z-Diode	47V±5%, 0,4W	SOD-110	12d	Phi
ZT	PDZ33B	Z-Diode	33V±2,5%, 0,4W	SOD-323	5d	Phi
ZT	SMAJ78CA	Z-Diode/TVS	78V, 3.2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZT	TV04A780JB	Z-Diode/TVS	78V 5%, 3.2A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZU	BZX284-C51	Z-Diode	51V±5%, 0,4W	SOD-110	12d	Phi
ZU	PDZ36B	Z-Diode	36V±2,5%, 0,4W	SOD-323	5d	Phi
ZU	SMAJ85C	Z-Diode/TVS	85V, 2A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZU	TV04A850KB	Z-Diode/TVS	85V 10%, 2.6A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZV	BZX284-C56	Z-Diode	56V±5%, 0,4W	SOD-110	12d	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Произв.
ZV	TV04A850JB	Z-Diode/TVS	85V 5%, 2.9A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZW	BZX284-C62	Z-Diode	62V±5%, 0,4W	SOD-110	12d	Phi
ZW	SMAJ90C	Z-Diode/TVS	90V, 1.9A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZW	TV04A900KB	Z-Diode/TVS	90V 10%, 2.5A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZX	BZX284-C68	Z-Diode	68V±5%, 0,4W	SOD-110	12d	Phi
ZX	SMAJ90CA	Z-Diode/TVS	90V, 2.1A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZX	TV04A900JB	Z-Diode/TVS	90V 5%, 2.7A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZY	BZX284-C75	Z-Diode	75V±5%, 0,4W	SOD-110	12d	Phi
ZY	SMAJ100C	Z-Diode/TVS	100V, 1.7A, 400W (1ms), Bidirectional	DO-214AC	1c	Vis
ZY	TV04A101KB	Z-Diode/TVS	100V 10%, 2.2A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc
ZZ	TV04A101JB	Z-Diode/TVS	100V 5%, 2.5A, 400W (1ms), Bifirectional	DO-214AC	1c	Cmc



**SMD-компоненты
в 3-выводных корпусах**

**SMD-коды электронных
компонентов в корпусах
с 3 выводами**

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
+P2	BFR92A	Si-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT23	161a -	Tem
+P5	BFR92AR	Si-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT23	161e -	Tem
+R2	BFR93A	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	161e -	Tem
+R5	BFR93AR	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	161e -	Tem
01	PDTA143EE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/4 7k	SC-75	161a -	Phi
01	PDTA143EK	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k	SC-59	161a -	Phi
011	SO2369R	Si-NPN	Switching, 40V, 200mA, 330mW, B=40 120	SOT23R	161e -	Ste
02	BSX39	Si-NPN	Switching, Driver, 45V, 0.2A, <12/18ns	SOT23	161e -	Mot
02	PDTC143EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/4 7k	SC-75	161e -	Phi
02	PDTC143EK	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/4 7k	SC-59	161a -	Phi
03	DTCl43TE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=4k7	EMT3	161a -	Rhm
03	DTCl43TKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=4k7	SMT3	161a -	Rhm
03	DTCl43TM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=4k7	VMT3	161a -	Rhm
03	DTCl43TUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=4 7k	UMT3	161e -	Rhm
03	MSCT03	Z-Diode/TVS	3 3V, 300W (8/20µs)	SOT23	16dh -	Msp
03	PDTA114EE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/10k	SC-75	161a -	Phi
03	PDTA114EEF	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SOT490	161a -	Phi
03	PDTA114EK	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SC-59	161a -	Phi
-03	PDTA114EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT323	161a -	PhH
03C	MSCT03C	Z-Diode/TVS	3 3V, 300W (8/20µs), Bidirectional	SOT23	16dp -	Msp
04	PDTC114EK	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SC-59	161a -	Phi
-04	PMSS3904	Si-NPN	GP, 60V, 100mA, 200mW, B=100 300, >180MHz	SC-70	161a -	PhH
05	DTCl24TE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=22k	EMT3	161a -	Rhm
05	DTCl24TKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=22k	SMT3	161e -	Rhm
05	DTCl24TM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=22k	VMT3	161a -	Rhm
05	DTCl24TUA	Si-NPN-Digi	Sw, 50V, 100mA, 0.2W, B=111 600, >200MHz, R1=22k	UMT3	161e -	Rhm
05	MSCT05	Z-Diode/TVS	5V, 300W (8/20µs)	SOT23	16dh -	Msp
05	PDTA124EE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=22k/22k	SC-75	161a -	Phi
05	PDTA124EK	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k	SC-59	161a -	Phi
05C	MSCT05C	Z-Diode/TVS	5V, 300W (8/20µs), Bidirectional	SOT23	16dp -	Msp
06	PDTC124EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=22k/22k	SC-75	161a -	Phi
06	PDTC124EK	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k	SC-59	161a -	Phi
-06	PMSS3906	Si-PNP	GP, 60V, 100mA, 200mW, B=100 300, >150MHz	SC-70	161a -	PhH
07	PDTA144EE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/47k	SC-75	161a -	Phi
07	PDTA144EEF	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SOT490	161a -	Phi
07	PDTA144EK	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SC-59	161a -	Phi
08	MSCT08	Z-Diode/TVS	8V, 300W (8/20µs)	SOT23	16dh -	Msp
08	PDTC144EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/47k	SC-75	161a -	Phi
08	PDTC144EEF	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SOT490	161a -	Phi
08	PDTC144EK	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SC-59	161a -	Phi
081	SO2369AR	Si-NPN	Switching, 40V, 200mA, 330mW, B=40 120	SOT23R	161e -	Ste
08C	MSCT08C	Z-Diode/TVS	8V, 300W (8/20µs), Bidirectional	SOT23	16dp -	Msp
09	DTCl15TE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=100k	EMT3	161a -	Rhm
09	DTCl15TKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=100k	SMT3	161a -	Rhm
09	DTCl15TM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=100k	VMT3	161a -	Rhm
09	DTCl15TUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=100k	UMT3	161a -	Rhm
09	PDTC114EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/10k	SC-75	161a -	Phi
09	PDTC114EEF	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SOT490	161a -	Phi
-09	PDTC114EU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT323	161a -	PhH
09J	FM809JS3X	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc -	Fch
09L	FM809LS3X	CMOS-IC	Voltage Detector 4 63V, -Reset Push-pull output	SOT23	16vdc -	Fch
09M	FM609MS3X	CMOS-IC	Voltage Detector 4 38V, -Reset Push-pull output	SOT23	16vdc -	Fch
09R	FM809RS3X	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vdc -	Fch
09S	FM809SS3X	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vdc -	Fah
09T	FM809TS3X	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SOT23	16vdc -	Fch
0A	DTCl25TKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=100k	SMT3	161e -	Rhm
0A	DTCl25TUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=200k	UMT3	161a -	Rhm
0B	R3131N20EC	CMOS-IC	Voltage Detector 2V, Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
0C	R3131N30EC	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
0D	R3131N40EC	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
0E	R3131N26EC3	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
0G	R3131N20EA	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
0H	R3131N30EA	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
0J	R3131N40EA	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
0K	R3131N26EA3	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
0L	R3131N40AC	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 50ms	SOT23	16vdc VD6	Ric
0M	R3131N40BC	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 100ms	SOT23	16vdc VD6	Ric
0N	R3131N40DC	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 200ms	SOT23	16vdc VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
0P	R3131N40HC	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
0Q	R3131N40AA	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 50ms	SOT23	16vdc	VD7	Ric
0R	R3131N40BA	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
0S	R3131N40DA	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 200ms	SOT23	16vdc	VD7	Ric
0T	R3131N40HA	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 400ms	SOT23	16vdc	VD7	Ric
10	1PS59SB10	Si-Diode	Schottky, Sw, Fast, 30V, 200mA, Vf<0.8V(100mA), <5ns	SC-59	16dc	-	Phi
10	MAZW100H	SA-Diode	2x 10V, 5mA, 150mW	SSSMIn3	18df	-	Pan
10	MRF9411LT1	Si-NPN	VHF/UHF, 20V, 50mA, 250mW, B=50..200, 8GHz	SOT323	16ta	-	Mot
10	Z02W10V	Z-Diode	9.4..10.6V, 200mW	SOT23	16dc	-	Kec
100	HZM10NB	Z-Diode	9.45..10.55V, 200mW	MPAK	16dc	-	Ren
101	HZM10NB1	Z-Diode	9.45..9.87V, 200mW	MPAK	16dc	-	Ren
101	PZM10NB1	Z-Diode	10V±2.5%, 0.3W	SOT346	16dc	-	Phi
102	HZM10NB2	Z-Diode	9.77..10.21V, 200mW	MPAK	16dc	-	Ren
102	PZM10NB2	Z-Diode	10V±2.5%, 0.3W	SOT346	16dc	-	Phi
103	HZM10NB3	Z-Diode	10.11..10.55V, 200m	MPAK	16dc	-	Ren
103	PZM10NB3	Z-Diode	10V±2.5%, 0.3W	SOT346	16dc	-	Phi
10A	PZM10NB2A	Z-Diode	Dual, 10V±2.5%, 0.3W	SOT346	16df	-	Phi
10A	ZXRE1004FF	Vref-IC	1.22V, 0.008..20mA, <0.6Ω, 3%	SOT23	16dk	-	Ztx
10B	ZXRE1004EF	Vref-IC	1.22V, 0.008..20mA, <0.6Ω, 2%	SOT23	16dk	-	Ztx
10C	ZXRE1004DF	Vref-IC	1.22V, 0.008..20mA, <0.6Ω, 1%	SOT23	16dk	-	Ztx
10D	ZXRE1004CF	Vref-IC	1.22V, 0.008..20mA, <0.6Ω, 0.5%	SOT23	16dk	-	Ztx
10F	ZXRE4041FF	Vref-IC	1.225V, 0.03..12mA, <0.6Ω, 3%	SOT23	16dk	-	Ztx
10G	ZXRE4041EF	Vref-IC	1.225V, 0.03..12mA, <0.6Ω, 2%	SOT23	16dk	-	Ztx
10H	MAZ3100	Z-Diode	9.4..10.6V, 200mW	SC-59	16dc	-	Pan
10H	ZXRE4041DF	Vref-IC	1.225V, 0.03..12mA, <0.6Ω, 1%	SOT23	16dk	-	Ztx
10J	FM810JS3X	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vdc	-	Fch
10J	ZXRE4041CF	Vref-IC	1.225V, 0.03..12mA, <0.6Ω, 0.5%	SOT23	16dk	-	Ztx
10L	FM810LS3X	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SOT23	16vdc	-	Fch
10L	MAZ3100	Z-Diode	9.4..10.6V, 200mW	SC-59	16dc	-	Pan
10M	FM810MS3X	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output	SOT23	16vdc	-	Fch
10M	MAZ3100	Z-Diode	9.4..10.6V, 200mW	SC-59	16dc	-	Pan
10R	FM810RS3X	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output	SOT23	16vdc	-	Fch
10S	FM810SS3X	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output	SOT23	16vdc	-	Fch
10T	FM810TS3X	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output	SOT23	16vdc	-	Fch
10V	PZM10NB	Z-Diode	10V±2.5%, 0.3W	SOT346	16dc	-	Phi
10X	02CZ10-X	Z-Diode	9.40..9.93V, 200mW	SC-59	16dc	-	Tos
10X	Z02W10VX	Z-Diode	9.4..9.93V, 200mW	SOT23	16dc	-	Kec
10Y	02CZ10-Y	Z-Diode	9.73..10.26V, 200mW	SC-59	16dc	-	Tos
10Y	Z02W10VY	Z-Diode	9.73..10.26V, 200mW	SOT23	16dc	-	Kec
10Z	02CZ10-Z	Z-Diode	10.06..10.6V, 200mW	SC-59	16dc	-	Tos
10Z	CZ1W10	Z-Diode	10V±5%, 600mW	SOT23	16dc	-	Cdi
10Z	MAZ9100H	SA-Diode	2x 10V, 5mA, 200mW	SC-59	16df	-	Pan
10Z	MAZT100H	SA-Diode	2x 10V, 5mA, 150mW	SC-81	18df	-	Pan
10Z	Z02W10VZ	Z-Diode	10.06..10.6V, 200mW	SOT23	16dc	-	Kec
11	MMBD1501	Si-Diode	Switching, 200V, 100mA, <4pF	SOT23	16dc	-	Nsc
11	MRF9511LT1	Si-NPN	VHF/UHF, 20V, 100mA, 322mW, B=50..200, 8GHz	SOT323	16ta	-	Mot
11	PDTA114TE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1=10k	SC-75	16ta	-	Phi
11	Z02W11V	Z-Diode	10.4..11.6V, 200mW	SOT23	16dc	-	Kec
110	HZM11NB	Z-Diode	10.44..11.56V, 200m	MPAK	16dc	-	Ren
110	KTY82-110	Therm-S	Temperature sensor (-55..+150°C), R=990..1010Ω(+25°C)	SOT23	16ag	-	Phi
111	DTA1132UA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=1k/10k	UMT3	16ta	-	Rhm
111	HZM11NB1	Z-Diode	10.44..10.88V, 200m	MPAK	16dc	-	Ren
111	PZM11NB1	Z-Diode	11V±2.5%, 0.3W	SOT346	16dc	-	Phi
112	HZM11NB2	Z-Diode	10.76..11.22V, 200m	MPAK	16dc	-	Ren
112	PZM11NB2	Z-Diode	11V±2.5%, 0.3W	SOT346	16dc	-	Phi
113	DTA1132UA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/47k	UMT3	16ta	-	Rhm
113	HZM11NB3	Z-Diode	11.1..11.56V, 200mW	MPAK	16dc	-	Ren
113	PZM11NB3	Z-Diode	11V±2.5%, 0.3W	SOT346	16dc	-	Phi
11A	MMBD1501A	Si-Diode	Switching, 200V, 100mA, <4pF	SOT23	16dc	-	Nsc
11A	PZM11NB2A	Z-Diode	Dual, 11V±2.5%, 0.3W	SOT346	16df	-	Phi
11H	MAZ3110	Z-Diode	10.4..11.6V, 200mW	SC-59	16dc	-	Pan
11L	MAZ3110	Z-Diode	10.4..11.6V, 200mW	SC-59	16dc	-	Pan
11M	MAZ3110	Z-Diode	10.4..11.6V, 200mW	SC-59	16dc	-	Pan
11V	PZM11NB	Z-Diode	11V±2.5%, 0.3W	SOT346	16dc	-	Phi
11X	02CZ11-X	Z-Diode	10.4..10.98V, 200mW	SC-59	16dc	-	Tos
11X	Z02W11VX	Z-Diode	10.4..10.98V, 200mW	SOT23	16dc	-	Kec
11Y	02CZ11-Y	Z-Diode	10.73..11.26V, 200mW	SC-59	16dc	-	Tos
11Y	Z02W11VY	Z-Diode	10.73..11.26V, 200mW	SOT23	16dc	-	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
11Z	02C211-Z	Z-Diode	11 06 11 6V, 200mW	SC-59	16dc	-	Tos
11Z	CZ1W11	Z-Diode	11V±5%, 600mW	SOT23	16dc	-	Cdi
11Z	Z02W11VZ	Z-Diode	11 06 11 6V, 200mW	SOT23	16dc	-	Kec
12	DTA123EE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/2k2	EMT3	16la	-	Rhm
12	DTA123EKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/2k2	SMT3	16la	-	Rhm
12	DTA123EM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/2k2	VMT3	18la	-	Rhm
12	DTA123EUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/2k2	UMT3	16la	-	Rhm
12	MAZW120H	SA-Diode	2x 12V, 5mA, 150mW	SSSMm3	18df	-	Pan
12	MSCT12	Z-Diode/TVS	12V, 300W (8/20µs)	SOT23	16dh	-	Msp
12	Z02W12V	Z-Diode	11 4 12 6V, 200mW	SOT23	16dc	-	Kec
120	HZM12NB	Z-Diode	11 42 12 6V, 200mW	MPAK	16dc	-	Ren
120	KTY82-120	Therm-S	Temperature sensor (-55 +150°C), R=980 1020Ω(+25°C)	SOT23	16ag	-	Phi
121	DTC113ZUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=1k/10k	UMT3	16la	-	Rhm
121	HZM12NB1	Z-Diode	11 42 11 9V, 200mW	MPAK	16dc	-	Ren
121	KTY82-121	Therm-S	Temperature sensor (-55 +150°C), R=980 1000Ω(+25°C)	SOT23	16ag	-	Phi
121	PZM12NB1	Z-Diode	12V±2 5%, 0 3W	SOT346	16dc	-	Phi
122	HZM12NB2	Z-Diode	11 74 12 24V, 200m	MPAK	16dc	-	Ren
122	KTY82-122	Therm-S	Temper sensor (-55 +150°C), R=1000 1020Ω(+25°C)	SOT23	16ag	-	Phi
122	PZM12NB2	Z-Diode	12V±2 5%, 0 3W	SOT346	16dc	-	Phi
123	HZM12NB3	Z-Diode	12 08 12 6V, 200mW	MPAK	16dc	-	Ren
123	PZM12NB3	Z-Diode	12V±2 5%, 0 3W	SOT346	16dc	-	Phi
123	STD123UF	Si-NPN	Hi-beta, Lo-sat, 20V, 1A, 200mW, B>150, 260MHz	SOT23F	18la	-	Auk
124	STA124SF	Si-PNP	Hi-beta, 15V, 1A, 350mW, B=200 450, 260MHz	SOT23F	18la	-	Auk
12A	PZM12NB2A	Z-Diode	Dual, 12V±2 5%, 0 3W	SOT346	16df	-	Phi
12A	STD123ASF	Si-NPN	Hi-beta, Lo-sat, 10V, 1A, 350mW, B>400, 260MHz	SOT23F	18la	-	Auk
12C	MSCT12C	Z-Diode/TVS	12V, 300W (8/20µs), Bidirectional	SOT23	16dp	-	Msp
12E	ZC2812E	Si-Diode	Dual, Schottky, 15V, Vf<0 41V, Cd<1 2pF	SOT23	16dg	-	Ztx
12F	ZXRE125FF	Vref-IC	1,22V, 0,03 5mA, <0,8Ω, 3%	SOT23	16dk	-	Zlx
12G	ZXRE125EF	Vref-IC	1,22V, 0,03 5mA, <0,6Ω, 2%	SOT23	16dk	-	Zlx
12H	MAZ3120	Z-Diode	11 4 12 7V, 200mW	SC-59	16dc	-	Pan
12H	ZXRE125DF	Vref-IC	1,22V, 0,03 5mA, <0,8Ω, 1%	SOT23	16dk	-	Zlx
12J	ZXRE125CF	Vref-IC	1,22V, 0,03 5mA, <0,6Ω, 0,5%	SOT23	16dk	-	Zlx
12L	MAZ3120	Z-Diode	11 4 12 7V, 200mW	SC-59	16dc	-	Pan
12M	MAZ3120	Z-Diode	11 4 12 7V, 200mW	SC-59	16dc	-	Pan
12V	PZM12NB	Z-Diode	12V±2 5%, 0 3W	SOT346	16dc	-	Phi
12X	02C212-X	Z-Diode	11 4 11 93V, 200mW	SC-59	16dc	-	Tos
12X	Z02W12VX	Z-Diode	11 4 11 93V, 200mW	SOT23	16dc	-	Kec
12Y	02C212-Y	Z-Diode	11 73 12 26V, 200mW	SC-59	16dc	-	Tos
12Y	Z02W12VY	Z-Diode	11 73 12 26V, 200m	SOT23	16dc	-	Kec
12Z	02C212-Z	Z-Diode	12 06 12 6V, 200mW	SC-59	16dc	-	Tos
12Z	CZ1W12	Z-Diode	12V±5%, 600mW	SOT23	16dc	-	Cdi
12Z	MAZ9120H	SA-Diode	2x 12V, 5mA, 200mW	SC-59	16df	-	Pan
12Z	MAZ120H	SA-Diode	2x 12V, 5mA, 150mW	SC-81	18df	-	Pan
12Z	Z02W12VZ	Z-Diode	12 06 12 6V, 200mW	SOT23	16dc	-	Kec
13	DTA143EE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/4k7	EMT3	16la	-	Rhm
13	DTA143EKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/4k7	SMT3	16la	-	Rhm
13	DTA143EM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/4k7	VMT3	18la	-	Rhm
13	DTA143EUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/4k7	UMT3	16la	-	Rhm
13	MMBD1503	Si-Diode	Dual, Switching, 180V, 200mA, <4pF	SOT23	16di	-	Nsc
13	Z02W13V	Z-Diode	12 4 14 1V, 200mW	SOT23	16dc	-	Kec
130	HZM13NB	Z-Diode	12 47 13 96V, 200m	MPAK	16dc	-	Ren
131	HZM13NB1	Z-Diode	12 47 13 03V, 200m	MPAK	16dc	-	Ren
131	PZM13NB1	Z-Diode	13V±2 5%, 0 3W	SOT346	16dc	-	Phi
132	DTA123JE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/47k	EMT3	16la	-	Rhm
132	DTA123JM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/47k	VMT3	18la	-	Rhm
132	DTA123JUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/47k	UMT3	16la	-	Rhm
132	HZM13NB2	Z-Diode	12 91 13 49V, 200m	MPAK	16dc	-	Ren
132	PZM13NB2	Z-Diode	13V±2 5%, 0 3W	SOT346	16dc	-	Phi
133	HZM13NB3	Z-Diode	13 37 13 96V, 200m	MPAK	16dc	-	Ren
13A	MMBD1503A	Si-Diode	Dual, Switching, 180V, 200mA, <4pF	SOT23	16di	-	Nsc
13A	PZM13NB2A	Z-Diode	Dual, 13V±2 5%, 0 3W	SOT346	16df	-	Phi
13E	ZC2813E	Si-Diode	Dual RF, Schottky, 15V, Vf<0 41V, Cd<1 2pF	SOT23	16df	-	Ztx
13H	MAZ3130	Z-Diode	12 4 14 1V, 200mW	SC-59	16dc	-	Pan
13L	MAZ3130	Z-Diode	12 4 14 1V, 200mW	SC-59	16dc	-	Pan
13M	MAZ3130	Z-Diode	12 4 14 1V, 200mW	SC-59	16dc	-	Pan
13a	BAS125	Si-Diode	Schottky, 25V, 100mA, Vf<0 9V(35mA), Cd<1,1pF	SOT23	16dc	-	Inf
13a	BAS125W	Si-Diode	Schottky, 25V, 100mA, Vf<0 9V(35mA), Cd<1,1pF	SOT323	16dc	-	Inf
13V	PZM13NB	Z-Diode	13V±2 5%, 0 3W	SOT346	16dc	-	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
13X	02CZ13-X	Z-Diode	12.4..13.08V, 200mW	SC-59	16dc	-	Tos
13X	Z02W13VX	Z-Diode	12.4..13.08V, 200mW	SOT23	16dc	-	Kec
13Y	02CZ13-Y	Z-Diode	12.88..13.57V, 200mW	SC-59	16dc	-	Tos
13Y	Z02W13VY	Z-Diode	12.88..13.57V, 200mW	SOT23	16dc	-	Kec
13Z	02CZ13-Z	Z-Diode	13.37..14.1V, 200mW	SC-59	16dc	-	Tos
13Z	CZ1W13	Z-Diode	13V±5%, 600mW	SOT23	16dc	-	Cdi
13Z	Z02W13VZ	Z-Diode	13.37..14.1V, 200mW	SOT23	16dc	-	Kec
14	1PS59SB14	Si-Diode	2x Schottky, Sw, Fast, 30V, 200mA, Vf<0.8V(100mA), <5ns	SC-59	16dl	-	Phi
14	CMBT9014	Si-NPN	GP, 30V, 100mA, 250mW, B=150..1000, >125MHz	SOT23	16ta	-	Cdi
14	DTA114ECA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/10k	SST3	16ta	-	Rhm
14	DTA114EE	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/10k	EMT3	16ta	-	Rhm
14	DTA114EKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/10k	SMT3	16ta	-	Rhm
14	DTA114EM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 200MHz, R1/R2=10k/10k	VMT3	16ta	-	Rhm
14	DTA114EUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/10k	UMT3	16ta	-	Rhm
14	MMBD1504	Si-Diode	Dual, Switching, 180V, 200mA, <4pF	SOT23	16dg	-	Nsc
14A	MMBD1504A	Si-Diode	Dual, Switching, 180V, 200mA, <4pF	SOT23	16dg	-	Nsc
14B	CMBT9014	Si-NPN	GP, 30V, 100mA, 250mW, B=100..300, >125MHz	SOT23	16ta	-	Cdi
14C	CMBT9014	Si-NPN	GP, 30V, 100mA, 250mW, B=200.600, >125MHz	SOT23	16ta	-	Cdi
14D	CMBT9014	Si-NPN	GP, 30V, 100mA, 250mW, B=400..1000, >125MHz	SOT23	16ta	-	Cdi
14M	MAZ3140	Z-Diode	13.65..14.35V, 200mW	SC-59	16dc	-	Pan
14s	BAS125-04	Si-Diode	Dual, Schottky, 25V, 100mA, Vf<0.9V(35mA), Cd<1,1pF	SOT23	16dl	-	Inf
14s	BAS125-04W	Si-Diode	Dual, Schottky, 25V, 100mA, Vf<0.9V(35mA), Cd<1,1pF	SOT323	16dl	-	Inf
15	1PS59SB15	Si-Diode	2x Schottky, Sw, Fast, 30V, 200mA, Vf<0.8V(100mA), <5ns	SC-59	16dg	-	Phi
15	CMBT9015	Si-PNP	GP, 30V, 100mA, 250mW, B=150..1000, >125MHz	SOT23	16ta	-	Cdi
15	DTA124ECA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/22k	SOT23	16ta	-	Rhm
15	DTA124EE	Si-PNP-Digi	Switching, 50V, 100mA, 1500mW, 250MHz, R1/R2=22k/22k	EMT3	16ta	-	Rhm
15	DTA124EKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/22k	SMT3	16ta	-	Rhm
15	DTA124EM	Si-PNP-Digi	Switching, 50V, 100mA, 1500mW, 250MHz, R1/R2=22k/22k	VMT3	16ta	-	Rhm
15	DTA124EUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/22k	UMT3	16ta	-	Rhm
15	MMBD1505	Si-Diode	Dual, Switching, 180V, 200mA, <4pF	SOT23	16df	-	Nsc
15	MSCT15	Z-Diode/TVS	15V, 300W (8/20µs)	SOT23	16dh	-	Msp
15	Z02W15V	Z-Diode	13.8..15.6V, 200mW	SOT23	16dc	-	Kec
150	HZM15NB	Z-Diode	13.84..15.52V, 200m	MPAK	16dc	-	Ren
150	KTY82-150	Therm-S	Temperature sensor (-55..+150°C), R=950..1050Ω(+25°C)	SOT23	16ag	-	Phi
151	HZM15NB1	Z-Diode	13.84..14.46V, 200m	MPAK	16dc	-	Ren
151	KTY82-151	Therm-S	Temperature sensor (-55..+150°C), R=950..1000Ω(+25°C)	SOT23	16ag	-	Phi
151	PZM15NB1	Z-Diode	15V±2.5%, 0.3W	SOT346	16dc	-	Phi
152	HZM15NB2	Z-Diode	14.34..14.98V, 200m	MPAK	16dc	-	Ren
152	KTY82-152	Therm-S	Temper. sensor (-55..+150°C), R=1000..1050Ω(+25°C)	SOT23	16ag	-	Phi
152	PZM15NB2	Z-Diode	15V±2.5%, 0.3W	SOT346	16dc	-	Phi
153	HZM15NB3	Z-Diode	14.85..15.52V, 200m	MPAK	16dc	-	Ren
153	PZM15NB3	Z-Diode	15V±2.5%, 0.3W	SOT346	16dc	-	Phi
156	DTA144VUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/10k	UMT3	16ta	-	Rhm
15A	MMBD1505A	Si-Diode	Dual, Switching, 180V, 200mA, <4pF	SOT23	16df	-	Nsc
15A	PZM15NB2A	Z-Diode	Dual, 15V±2.5%, 0.3W	SOT346	16df	-	Phi
15B	CMBT9015	Si-PNP	GP, 30V, 100mA, 250mW, B=100..300, >125MHz	SOT23	16ta	-	Cdi
15C	CMBT9015	Si-PNP	GP, 30V, 100mA, 250mW, B=200.600, >125MHz	SOT23	16ta	-	Cdi
15C	MSCT15C	Z-Diode/TVS	15V, 300W (8/20µs), Bidirectional	SOT23	16dp	-	Msp
15D	CMBT9015	Si-PNP	GP, 30V, 100mA, 250mW, B=400..1000, >125MHz	SOT23	16ta	-	Cdi
15H	MAZ3150	Z-Diode	13.9..15.6V, 200mW	SC-59	16dc	-	Pan
15L	MAZ3150	Z-Diode	13.9..15.6V, 200mW	SC-59	16dc	-	Pan
15M	MAZ3150	Z-Diode	13.9..15.6V, 200mW	SC-59	16dc	-	Pan
15s	BAS125-05	Si-Diode	Dual, Schottky, 25V, 100mA, Vf<0.9V(35mA), Cd<1,1pF	SOT23	16dl	-	Inf
15s	BAS125-05W	Si-Diode	Dual, Schottky, 25V, 100mA, Vf<0.9V(35mA), Cd<1,1pF	SOT323	16dl	-	Inf
15T	TK71515AS	VR-IC	LDO, 1.5V±1.5%, 155mA	SOT23	16cj	VR1	Tok
15V	PZM15NB	Z-Diode	15V±2.5%, 0.3W	SOT346	16dc	-	Phi
15X	02CZ15-X	Z-Diode	13.8..14.63V, 200mW	SC-59	16dc	-	Tos
15X	Z02W15VX	Z-Diode	13.8..14.63V, 200mW	SOT23	16dc	-	Kec
15Y	02CZ15-Y	Z-Diode	14.33..15.11V, 200mW	SC-59	16dc	-	Tos
15Y	Z02W15VY	Z-Diode	14.33..15.11V, 200mW	SOT23	16dc	-	Kec
15Z	02CZ15-Z	Z-Diode	14.81..15.6V, 200mW	SC-59	16dc	-	Tos
15Z	CZ1W15	Z-Diode	15V±5%, 600mW	SOT23	16dc	-	Cdi
15Z	Z02W15VZ	Z-Diode	14.61..15.6V, 200mW	SOT23	16dc	-	Kec
16	1PS59SB16	Si-Diode	2x Schottky, Sw, Fast, 30V, 200mA, Vf<0.8V(100mA), <5ns	SC-59	16df	-	Phi
16	DTA144EE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=47k/47k	EMT3	16ta	-	Rhm
16	DTA144EKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/47k	SMT3	16ta	-	Rhm
16	DTA144EM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=47k/47k	VMT3	16ta	-	Rhm
16	DTA144EUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/47k	UMT3	16ta	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
16	Z02W16V	Z-Diode	15.3..17.1V, 200mW	SOT23	16dc -	Kec
160	HZM16NB	Z-Diode	15.37..17.09V, 200m	MPAK	16dc -	Ren
161	HZM16NB1	Z-Diode	15.37..16.01V, 200m	MPAK	16dc -	Ren
161	PZM16NB1	Z-Diode	16V±2.5%, 0.3W	SOT346	16dc -	Phi
162	HZM16NB2	Z-Diode	15.85..16.51V, 200m	MPAK	16dc -	Ren
162	PZM16NB2	Z-Diode	16V±2.5%, 0.3W	SOT346	16dc -	Phi
163	HZM16NB3	Z-Diode	16.35..17.09V, 200m	MPAK	16dc -	Ren
163	PZM16NB3	Z-Diode	16V±2.5%, 0.3W	SOT346	16dc -	Phi
166	DTC144VUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/10k	UMT3	161a -	Rhm
16H	MAZ3160	Z-Diode	15.3..17.1V, 200mW	SC-59	16dc -	Pan
16L	MAZ3160	Z-Diode	15.3..17.1V, 200mW	SC-59	16dc -	Pan
16M	MAZ3160	Z-Diode	15.3..17.1V, 200mW	SC-59	16dc -	Pan
16s	BAS125-06	Si-Diode	Dual, Schottky, 25V, 100mA, V<0.9V(35mA), Cd<1.1pF	SOT23	16df -	Inf
16s	BAS125-06W	Si-Diode	Dual, Schottky, 25V, 100mA, V<0.9V(35mA), Cd<1.1pF	SOT323	16df -	Inf
16T	TK71518AS	VR-IC	LDD, 1.6V±1.5%, 155mA	SOT23	16cj VR1	Tok
16V	PZM18NB	Z-Diode	18V±2.5%, 0.3W	SOT346	16dc -	Phi
16X	O2CZ16-X	Z-Diode	15.3..16.1V, 200mW	SC-59	16dc -	Tos
16X	Z02W16VX	Z-Diode	15.3..16.1V, 200mW	SOT23	16dc -	Kec
16Y	O2CZ16-Y	Z-Diode	15.8..16.6V, 200mW	SC-59	16dc -	Tos
16Y	Z02W16VY	Z-Diode	15.8..16.6V, 200mW	SOT23	16dc -	Kec
16Z	O2CZ16-Z	Z-Diode	16.3..17.1V, 200mW	SC-59	16dc -	Tos
16Z	CZ1W16	Z-Diode	16V±5%, 600mW	SOT23	16dc -	Cdi
16Z	Z02W16VZ	Z-Diode	16.3..17.1V, 200mW	SOT23	16dc -	Kec
179	FMMT5179	Si-NPN	GP, 20V, 50mA, 330mW, B=25..250, >1100MHz	SOT23	161a -	Zlx
17T	TK71517AS	VR-IC	LDD, 1.7V±1.5%, 155mA	SOT23	16cj VR1	Tok
18	PDTCT143ZK	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/47k	SC-59	161a -	Phi
18	Z02W18V	Z-Diode	16.8..19.1V, 200mW	SOT23	16dc -	Kec
180	HZM18NB	Z-Diode	16.94..19.03V, 200m	MPAK	16dc -	Ren
181	HZM18NB1	Z-Diode	16.94..17.7V, 200mW	MPAK	16dc -	Ren
181	PZM18NB1	Z-Diode	18V±2.5%, 0.3W	SOT346	16dc -	Phi
182	HZM18NB2	Z-Diode	17.56..18.35V, 200m	MPAK	16dc -	Ren
182	PZM18NB2	Z-Diode	18V±2.5%, 0.3W	SOT346	16dc -	Phi
18-2	UTC8118-2	Lin/Dig-IC	Voltage Detector 1.8V, -Reset Open collector output	SOT23	16vdy VD6	Utc
183	HZM18NB3	Z-Diode	18.21..19.03V, 200m	MPAK	16dc -	Ren
183	PZM18NB3	Z-Diode	18V±2.5%, 0.3W	SOT346	16dc -	Phi
18-3	UTC8118-3	Lin/Dig-IC	Voltage Detector 1.8V, -Reset Open collector output	SOT23	16vc VD6	Utc
18-5	UTC8118-5	Lin/Dig-IC	Voltage Detector 1.8V, -Reset Open collector output	SOT23	16vdc VD6	Utc
18A	CMPZ5221B	Z-Diode	2.28..2.52V, 20mA, Zzt<30Q	SOT23	16dc -	Ken
18A	MMBZ5221B	Z-Diode	2.4V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Mol,Kec
18A	MMBZ5221BLT	Z-Diode	2.4V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Fch,Mol
18B	CMPZ5222B	Z-Diode	2.375..2.625V, 20mA, Zzt<30Q	SOT23	16dc -	Ken
18B	MMBZ5222B	Z-Diode	2.5V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Mol,Kec
18B	MMBZ5222BLT	Z-Diode	2.5V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Fch,Mol
18C	CMPZ5223B	Z-Diode	2.565..2.835V, 20mA, Zzt<30Q	SOT23	16dc -	Ken
18C	MMBZ5223B	Z-Diode	2.7V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Mol,Kec
18C	MMBZ5223BLT	Z-Diode	2.7V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Fch,Mol
18D	CMPZ5224B	Z-Diode	2.66..2.94V, 20mA, Zzt<30Q	SOT23	16dc -	Ken
18D	MMBZ5224B	Z-Diode	2.8V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Mol,Kec
18D	MMBZ5224BLT	Z-Diode	2.8V±5%, 225mW, Zzt=30Q	SOT23	16dc -	Fch,Mol
18E	CMPZ5225B	Z-Diode	2.85..3.15V, 20mA, Zzt<29Q	SOT23	16dc -	Ken
18E	MMBZ5225B	Z-Diode	3V±5%, 225mW, Zzt=29Q	SOT23	16dc -	Kec,Vis
18E	MMBZ5225BLT	Z-Diode	3V±5%, 225mW, Zzt=29Q	SOT23	16dc -	Fch,Mol
18F	MMBZ5260B	Z-Diode	43V±5%, 225mW, Zzt=93Q	SOT23	16dc -	Vis
18H	MAZ3180	Z-Diode	16.9..19.1V, 200mW	SC-59	16dc -	Pan
18L	MAZ3180	Z-Diode	16.9..19.1V, 200mW	SC-59	16dc -	Pan
18M	MAZ3180	Z-Diode	16.9..19.1V, 200mW	SC-59	16dc -	Pan
18T	TK71518AS	VR-IC	LDO, 1.8V±1.5%, 155mA	SOT23	16cj VR1	Tok
16V	PZM18NB	Z-Diode	18V±2.5%, 0.3W	SOT346	16dc -	Phi
18X	O2CZ18-X	Z-Diode	16.8..17.76V, 200mW	SC-59	16dc -	Tos
18X	Z02W18VX	Z-Diode	16.8..17.76V, 200mW	SOT23	16dc -	Kec
18Y	O2CZ18-Y	Z-Diode	17.46..18.43V, 200mW	SC-59	16dc -	Tos
18Y	Z02W18VY	Z-Diode	17.46..18.43V, 200mW	SOT23	16dc -	Kec
18Z	O2CZ18-Z	Z-Diode	18.13..19.1V, 200mW	SC-59	16dc -	Tos
18Z	CZ1W18	Z-Diode	18V±5%, 600mW	SOT23	16dc -	Cdi
18Z	Z02W18VZ	Z-Diode	18.13..19.1V, 200mW	SOT23	16dc -	Kec
19	DTA115EE	Si-PNP-Digi	Sw, 50V, 100mA, 150mW, 200MHz, R1/R2=100k/100k	EMT3	161a -	Rhm
19	DTA115EKA	Si-PNP-Digi	Sw, 50V, 100mA, 200mW, 200MHz, 100k/100k	SMT3	161a -	Rhm
19	DTA115EM	Si-PNP-Digi	Sw, 50V, 100mA, 150mW, 200MHz, R1/R2=100k/100k	VMT3	181a -	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
19	DTA115EUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, 100k/100k	UMT3	161a	-	Rhm
19	PDTA1432K	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/47k	SOT346	161a	-	Phi
19-2	UTC8119-2	Lin/Dig-IC	Voltage Detector 1 9V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
19-3	UTC8119-3	Lin/Dig-IC	Voltage Detector 1 9V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
19-5	UTC8119-5	Lin/Dig-IC	Voltage Detector 1 9V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
19T	TK71519AS	VR-IC	LDO, 1.9V±1 5%, 155mA	SOT23	16cj	VR1	Tok
1A	BC846A	Si-NPN	GP, 80V, 100mA, 250mW, B=110 220, >100MHz	SOT23	161a	-	Cdi,Da,Tos
1A	BC846ALT1	Si-NPN	GP, 80V, 100mA, 300mW, B=110 220, >100MHz	SOT23	161a	-	Mot
1A	BC846AT	Si-NPN	GP, 80V, 100mA, 150mW, B=110 220, >100MHz	SOT416	161a	-	Phi
1A	BC846AW	Si-NPN	GP, 80V, 100mA, 330mW, B=110 220, 250MHz	SOT323	161a	-	Kec
1A	BC846AWT1	Si-NPN	GP, 80V, 100mA, 330mW, B=110 220, 250MHz	SOT323	161a	-	Ons
1A	BC846CLT1	Si-NPN	AF, 80V, 100mA, 300mW, B=110 220, >100MHz	SOT23	161a	-	Mot
1A	CMBT3904	Si-NPN	GP, 60V, 200mA, 250mW, B=100 300, >300MHz	SOT23	161a	-	Cdi
1A	FMMT3904	Si-NPN	GP, 60V, 0.1A, 0.2W, B= 100 300, >300MHz	SOT23	161a	-	Ztx
1A	IRLML2402	MOS-N-FET-e	V-MOS, Logt, 20V, 1.2A, <0.25Q	SOT23	16fg	-	Inr
1A	KST3904	Si-NPN	GP, 60V, 0.1A, 0.2W, B= 100 300, >300MHz	SOT23	161a	-	Sam
1A	MMBT3904	Si-NPN	GP, 60V, 100mA, 200mW, B= 100 300, >300MHz	SOT23	161a	-	Nsc,Vis
1A	SMBT3904	Si-NPN	GP, 60V, 0.1A, 0.2W, B= 100 300, >300MHz	SOT23	161a	-	Inf
1A	TMPT3904	Si-NPN	GP, 60V, 100mA, 200mW, B=100 300, >300MHz	SOT23	161a	-	All
1A	YTS3904	Si-NPN	GP, 60V, 0.1A, 0.2W, B= 100 300, >300MHz	SOT23	161a	-	Tos
-1A	PMST3904	Si-NPN	GP, 60V, 200mA 200mW, B=60 300, >300MHz	SOT323	161a	-	PhH
-1A-	BC846AW	Si-NPN	GP, 80V, 100mA, 330mW, B=110 220 250MHz	SOT323	161a	-	PhH
-1AC	CMST3904	Si-NPN	GP, 60V, 200mA, 275mW, B=100 300, >300MHz	SOT323	161a	-	Cen
-1AM	MMBT3904LT1	Si-NPN	GP, 60V, 100mA, 200mW, B= 100 300, >300MHz	SOT23	161a	-	Mot
-1Ap	BC846A	Si-NPN	GP, 80V, 100mA, 250mW, B=110 220, >100MHz	SOT23	161a	-	PhH
-1AQ	25B779-Q	Si-PNP	AF-Driver, 25V, 500mA 200mW, B=80 155, 150MHz	SC-59	161a	-	Pan
-1AR	25B779-R	Si-PNP	AF-Driver, 25V, 500mA, 200mW, B=130 220, 150MHz	SC-59	161a	-	Pan
-1AR	BC846AR	Si-NPN	GP, 80V, 100mA, 310mW, B=220 >300MHz	SOT23	161e	-	Phi
-1As	BC846A	Si-NPN	GP, 80V, 100mA, 330mW, B=110 220, 250MHz	SOT23	161a	-	Siø
-1As	BC846AT	Si-NPN	GP, 80V, 100mA, 250mW, B=110 220 >100MHz	SOT416	161a	-	Inf
-1At	BC846A	Si-NPN	GP, 80V, 100mA, 250mW, B=110 220, >100MHz	SOT23	161a	-	PhM
-1At	BC846AW	Si-NPN	GP, 80V, 100mA, 330mW, B=110 220, 250MHz	SOT323	161a	-	PhM
1B	2N2222	Si-NPN	GP, 60V, 600mA, 330mW, B=100 300, >250MHz	SOT23	161a	-	Nsc
1B	BC846B	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT23	161a	-	Cdi,Du,Vis
1B	BC846BLT1	Si-NPN	GP, 80V, 100mA, 300mW, B=200 450, >100MHz	SOT23	161a	-	Mot
1B	BC846BT	Si-NPN	GP, 80V, 100mA, 150mW, B=200 450, 250MHz	SOT416	161a	-	Phi
1B	BC846BW	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT323	161a	-	Kec
1B	BC846BWT1	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT323	161a	-	Ons
1B	IRLML2803	MOS-N-FET-e	V-MOS, Logt, 30V, 1.2A, <0.25Q	SOT23	16fg	-	Inr
1B	KST2222	Si-NPN	GP, 60V, 600mA, 350mW, B>75, >250MHz	SOT23	161a	-	Sam
1B	MMBT2222	Si-NPN	GP, 60V, 600mA, 330mW, B=120 360 >300MHz	SOT23	161a	-	Mot
1B	R3131N2IEC	CMOS-IC	Voltage Detector 2.1V, Reset ODO, 240ms	SOT23	16vdc	VD6	Ric
1B	SMBT2222	Si-NPN	GP, 60V, 600mA, 330mW, B=120 360, >300MHz	SOT23	161a	-	Inf
1B	TMPT2222	Si-NPN	GP, 60V, 0.8A, 0.2W, B=100 300, >200MHz	SOT23	161a	-	All
1B	UNRF1A3	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=47k/47k	ML3	221a	-	Pan
1B	YTS2222	Si-NPN	GP, 70V, 0.8A, 0.2W, B=100 300, >200MHz	SOT23	161a	-	Tos
-1B	PMST2222	Si-NPN	Switching, 60V, 600mA, 200mW, B=120 300, >300MHz	SOT323	161a	-	PhH
-1B-	BC846BW	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT323	161a	-	PhH
-1Bp	BC846B	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT23	161a	-	PhH
-1BR	BC846BR	Si-NPN	GP, 80V, 100mA, 310mW, B=330, >300MHz	SOT23	161e	-	Phi
-1Be	BC817UPN	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100 600, >200MHz	SOT457	161a	-	Siø
-1Be	BC846B	Si-NPN	GP, 80V, 100mA, 330mW, B=200 450, 250MHz	SOT23	161a	-	Siø
-1Be	BC846BT	Si-NPN	GP, 80V, 100mA, 330mW, B=200 450, 250MHz	SOT416	161a	-	Inf
-1Bt	BC846B	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT23	161a	-	PhM
-1Bt	BC846BW	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT323	161a	-	PhM
-1BZ	FMMT2222	Si-NPN	GP, 60V, 600mA, 330mW, B=100 300, >250MHz	SOT23	161a	-	Ztx
1C	FMMTA20	Si-NPN	GP, 40V, 100mA, 330mW, B=40 400, >125MHz	SOT23	161a	-	Ztx
1C	IRLML6302	MOS-P-FET-e	V-MOS, Logt, 20V, 0.78A, <0.8Q	SOT23	16fg	-	Inr
1C	KST20	Si-NPN	GP, 40V, 100mA, 350mW, B=40 400, >125MHz	SOT23	161a	-	Sam
1C	MMBTA20LT1	Si-NPN	GP, 40V, 100mA, 225mW, B40 400, >125MHz	SOT23	161a	-	Mot
1C	R3131N3IEC	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
1CL	2SC4082-L	Si-NPN	VHF/UHF, 30V, 50mA, 200mW, B=27 56, >1.5GHz	SOT323	161a	-	Rhm
1CM	2SC4082-M	Si-NPN	VHF/UHF, 30V, 50mA, 200mW, B=39 82, >1.5GHz	SOT323	161a	-	Rhm
1CN	2SC4082-N	Si-NPN	VHF/UHF, 30V, 50mA, 200mW, B=56 120, >1.5GHz	SOT323	161a	-	Rhm
1CP	2SC4082-P	Si-NPN	VHF/UHF, 30V, 50mA, 200mW, B=82 180, >1.5GHz	SOT323	161a	-	Rhm
1Cp	BAP50-05	PIN-Diode	Dual, RF, 50V, 50mA, 0.3pF, 3Q(10mA/100MHz), 500mW	SOT23	16dg	-	Phi
1CQ	2SC4082-Q	Si-NPN	VHF/UHF, 30V, 50mA, 200mW, B=120 270, >1.5GHz	SOT323	161a	-	Rhm
1D	BC846	Si-NPN	GP, 80V, 100mA 250mW, B=110 450, >100MHz	SOT23	161a	-	Cdi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок	Сх.	Произв.
1D	IRLML5103	MOS P FET e	V MOS LogL 30V 0.76A <0.6Ω	SOT23	16fg	Inr	
1D	KST42	Si NPN	Vid 300/300V 500mA 350mW B>40 >50MHz	SOT23	16ta	Sam	
1D	MBTA42	Si NPN	Vid 300/300V 500mA 250mW B>40 50MHz	SOT23	16ta	Tos	
1D	MMBTA42	Si NPN	Vid 300V 200mA 350mW B>25 >50MHz	SOT23	16ta	Itt Vis	
1D	MMBTA42LT1	Si NPN	Vid 300V 200mA 350mW B>25 >50MHz	SOT23	16ta	Ons	
1D	R3131N41EC	CMOS IC	Voltage Detector 4 1V Reset Open drain output 240ms	SOT23	16vdc	VD6	
1D	SMBTA20	Si NPN	GP 40V 100mA 330mW B=40 400 >125MHz	SOT23	16ta	Vis	
1D	SMBTA42	Si NPN	Vid 300V 500mA 1W B>40 >50MHz	SOT23	16ta	Inf	
1D	TMPTA42	Si NPN	Vid 300/300V 500mA 350mW B>40 >50MHz	SOT23	16ta	All	
-1D	PMSTA42	Si NPN	Vid 300/300V 100mA 200mW B>25 >50MHz	SOT323	16ta	PhH	
1D-	BC846W	Si NPN	GP 80V 100mA 250mW B=110 450 >100MHz	SOT323	16ta	PhH	
1DL	2SC4083 L	Si NPN	VHF/UHF 20V 50mA 200mW B=27 56 3 2GHz	SOT323	16ta	Rhm	
1DM	2SC4083 M	Si NPN	VHF/UHF 20V 50mA 200mW B=39 82 3 2GHz	SOT323	16ta	Rhm	
1DN	2SC4083 N	Si NPN	VHF/UHF 20V 50mA 200mW B=56 120 3 2GHz	SOT323	16ta	Rhm	
1DP	2SC4083 P	Si NPN	VHF/UHF 20V 50mA 200mW B=82 180 3 2GHz	SOT323	16ta	Rhm	
1Dp	BC846	Si NPN	GP 80V 100mA 250mW B=110 450 >100MHz	SOT23	16ta	PhH	
1DQ	2SC4083 Q	Si NPN	VHF/UHF 20V 50mA 200mW B=120 270 3 2GHz	SOT323	16ta	Rhm	
1DR	MSD1328 RT1	Si NPN	GP 25V 500mA 200mW B=200 350	SOT323	16ta	Mot	
1Dt	BC846	Si NPN	GP 80V 100mA 250mW B=110 450 >100MHz	SOT23	16ta	PhM	
1Dt	BC846W	Si NPN	GP 80V 100mA 250mW B=110 450 >100MHz	SOT323	16ta	PhM	
1E	BC847A	Si NPN	GP 50V 100mA 150mW B=110 220 >300MHz	SOT23	16ta	Cdi Du Tos	
1E	BC847AF	Si NPN	GP 50V 100mA 250mW B=110 220 250MHz	SOT490	16ta	Phi	
1E	BC847ALT1	Si NPN	GP 50V 100mA 300mW B=110 220 >100MHz	SOT23	16ta	Mot	
1E	BC847AT	Si NPN	GP 50V 100mA 150mW B=110 220 250MHz	SOT416	16ta	Dil Phi	
1E	BC847AW	Si NPN	GP 50V 100mA 250mW B=110 220 >100MHz	SOT323	16ta	Kec	
1E	BC847AWT1	Si NPN	GP 50V 100mA 250mW B=110 220 >100MHz	SOT323	16ta	Ons	
1E	FMMTA43	Si NPN	200V 200mA 330mW B=50 200 >50MHz	SOT23	16ta	Ztx	
1E	KST43	Si NPN	Vid 200V 500mA 350mW B>40 >50MHz	SOT23	16ta	Sam	
1E	MMBTA43	Si NPN	Vid 200V 500mA 300mW B>40 >50MHz	SOT23	16ta	Itt	
1E	R3131N29EC3	CMOS IC	Voltage Detector 2.9V Reset Open drain output 240ms	SOT23	16vdc	VD6	
1E	SMBTA43	Si NPN	Vid 200/200V 200mA 350mW B>25 >50MHz	SOT23	16ta	Inf	
1E	TMPTA43	Si NPN	Vid 200/200V 200mA 350mW B>25 >50MHz	SOT23	16ta	All	
-1E	PMSTA43	Si NPN	Vid 200/200V 100mA 200mW B>25 >50MHz	SOT323	16ta	PhH	
1E-	BC847AW	Si NPN	GP 50V 100mA 250mW B=110 220 >100MHz	SOT323	16ta	PhH	
1EL	2SC4084 L	Si NPN	VHF/UHF 30V 50mA 150mW >2GHz B=27 56	SOT323	16ta	Rhm	
1EM	2SC4084 M	Si NPN	VHF/UHF 30V 50mA 150mW >2GHz B=39 82	SOT323	16ta	Rhm	
1EN	2SC4084 N	Si NPN	VHF/UHF 30V 50mA 150mW >2GHz B=56 120	SOT323	16ta	Rhm	
1EP	2SC4084 P	Si NPN	VHF/UHF 30V 50mA 150mW >2GHz B=82 180	SOT323	16ta	Rhm	
1Ep	BC847A	Si NPN	GP 50V 100mA 250mW B=110 220 >100MHz	SOT23	16ta	PhH	
1EQ	2SC4084 Q	Si NPN	VHF/UHF 30V 50mA 150mW >2GHz B=120 270	SOT323	16ta	Rhm	
1ER	BC847AR	Si NPN	GP 45V 100mA 310mW B=220 >300MHz	SOT23	16ta	Phi	
1Es	BC847A	Si NPN	GP 50V 100mA 330mW B=110 220 250MHz	SOT23	16ta	Sie	
1Es	BC847AT	Si NPN	GP 50V 100mA 330mW B=110 220 250MHz	SOT416	16ta	Inf	
1Es	BC847AW	Si NPN	GP 50V 100mA 250mW B=110 220 >100MHz	SOT323	16ta	Sie	
1Et	BC847A	Si NPN	GP 50V 100mA 250mW B=110 220 >100MHz	SOT23	16ta	PhM	
1Et	BC847AW	Si NPN	GP 50V 100mA 250mW B=110 220 >100MHz	SOT323	16ta	PhM	
1F	BC847B	Si NPN	GP 50V 100mA 150mW B=200 450 >300MHz	SOT23	16ta	Cdi Du Vis	
1F	BC847BF	Si NPN	GP 50V 100mA 250mW B=200 450 250MHz	SOT490	16ta	Phi	
1F	BC847BLT1	Si NPN	GP 50V 100mA 300mW B=200 450 >100MHz	SOT23	16ta	Mot	
1F	BC847BT	Si NPN	GP 50V 100mA 150mW B=200 450 >100MHz	SOT416	16ta	Dil	
1F	BC847BTT1	Si NPN	GP 50V 100mA 200mW B=200 450 >100MHz	SOT416	16ta	Ons	
1F	BC847BW	Si NPN	GP 80V 100mA 250mW B=200 450 >100MHz	SOT323	16ta	Kec	
1F	BC847BWT1	Si NPN	GP 80V 100mA 250mW B=200 450 >100MHz	SOT323	16ta	Ons	
1F	KST5550	Si NPN	Vid 160V 600mA 350mW B=60 250 >150MHz	SOT23	16ta	Sam	
-1F	PMST5550	Si NPN	HV 160V 300mA 200mW B=60 250 100 300MHz	SOT323	16ta	PhH	
1F-	BC847BW	Si NPN	GP 80V 100mA 250mW B=200 450 >100MHz	SOT323	16ta	PhH	
1FF	CMPT5551	Si NPN	Sw 180V 600mA 350mW B=80 250 100 300MHz	SOT23	16ta	Cen	
1Fp	BC847B	Si NPN	GP 50V 100mA 250mW B=200 450 >100MHz	SOT23	16ta	PhH	
1FR	BC847BR	Si NPN	GP 45V 100mA 310mW B=330 >300MHz	SOT23	16ta	Phi	
1Fs	BC847B	Si NPN	GP 50V 100mA 330mW B=200 450 250MHz	SOT23	16ta	Sie	
1Fs	BC847BT	Si NPN	GP 50V 100mA 250mW B=200 450 >100MHz	SOT416	16ta	Sie	
1Fs	BC847BW	Si NPN	GP 80V 100mA 250mW B=200 450 >100MHz	SOT323	16ta	Sie	
1Ft	BC847B	Si NPN	GP 50V 100mA 250mW B=200 450 >100MHz	SOT23	16ta	PhM	
1Ft	BC847BW	Si NPN	GP 80V 100mA 250mW B=200 450 >100MHz	SOT323	16ta	PhM	
1G	BC847C	Si NPN	GP 50V 100mA 310mW B=420 800 >300MHz	SOT23	16ta	Dil Itt Ztx	
1G	BC847CF	Si NPN	GP 50V 100mA 250mW B=420 800 250MHz	SOT490	16ta	Phi	
1G	BC847CLT1	Si NPN	GP 50V 100mA 300mW B=420 800 >100MHz	SOT23	16ta	Mot	
1G	BC847CT	Si NPN	GP 50V 100mA 150mW B=420 800 >100MHz	SOT416	16ta	Phi	

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
1G	BC847CT1	Si-NPN	GP, 50V, 100mA, 200mW, B=420..800, >100MHz	SOT416	161a	-	Ons
1G	BC847CW	Si-NPN	GP, 80V, 100mA, 250mW, B=420..800, >100MHz	SOT323	161a	-	Kec
1G	BC847CW1	Si-NPN	GP, 80V, 100mA, 250mW, B=420..800, >100MHz	SOT323	161a	-	Ons
1G	CM8TA06	Si-NPN	GP, 80V, 500mA, 250mW, B>100, >100MHz	SOT23	161a	-	Cdi
1G	CM8TA14	Si-NPN-Darl	GP, 60V, 500mA, 250mW, B>10000, >125MHz	SOT23	161a	-	Cdi
1G	FMMTA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Ztx
1G	KST06	Si-NPN	AF-Driver, 80V, 500mA, 350mW, B>50, >100MHz	SOT23	161a	-	Sam
1G	MM8TA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Vis
1G	R3131N21EA	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
1G	SMBTA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Inf
1G	TMPTA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	All
-1G	PMSTA06	Si-NPN	GP, 80V, 500mA, 200mW, B>50, >100MHz	SOT323	161a	-	PhH
1G-	BC847CW	Si-NPN	GP, 80V, 100mA, 250mW, B=420..800, >100MHz	SOT323	161a	-	PhH
1GM	MM8TA06LT1	Si-NPN	GP, 80V, 500mA, 225mW, B>100, >100MHz	SOT23	161a	-	Mot
1Gp	BC847C	Si-NPN	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	161a	-	PhH
1GR	BC847CR	Si-NPN	GP, 45V, 100mA, 310mW, B=600, >300MHz	SOT23	161e	-	Phi
1Gs	BC847C	Si-NPN	GP, 50V, 100mA, 330mW, B=420..800, 250MHz	SOT23	161a	-	Sie
1Gs	BC847CT	Si-NPN	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT416	161a	-	Inf
1Gs	BC847CW	Si-NPN	GP, 45V, 100mA, 310mW, B=600, >300MHz	SOT323	161a	-	Sie
1Gt	BC847C	Si-NPN	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	161a	-	PhM
1Gt	BC847CW	Si-NPN	GP, 80V, 100mA, 250mW, B=420..800, >100MHz	SOT323	161a	-	PhM
1GT	SOA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Sie
1GZ	BC847C	Si-NPN	GP, 50V, 100mA, 330mW, B=420..800, >300MHz	SOT23	161a	-	Ztx
1H	BC847	Si-NPN	GP, 50V, 100mA, 250mW, B=110..800, >100MHz	SOT23	161a	-	Cdi
1H	CM8TA05	Si-NPN	GP, 60V, 500mA, 250mW, B>100, >100MHz	SOT23	161a	-	Cdi
1H	CM8TA13	Si-NPN-Darl	GP, 60V, 500mA, 250mW, B>5000, >125MHz	SOT23	161a	-	Cdi
1H	FMMTA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Ztx
1H	KST05	Si-NPN	AF-Driver, 60V, 500mA, 350mW, B>50, >100MHz	SOT23	161a	-	Sam
1H	MM8TA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Vis
1H	MM8TA05LT1	Si-NPN	GP, 60V, 500mA, 225mW, B>100, >100MHz	SOT23	161a	-	Ons
1H	R3131N31EA	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
1H	SMBTA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Inf
1H	TMPTA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	All
-1H	PMSTA05	Si-NPN	GP, 60V, 500mA, 200mW, B>50, >100MHz	SOT323	161a	-	PhH
1H-	BC847W	Si-N/P	GP, 50V, 100mA, 250mW, B=110..800, >100MHz	SOT323	161a	-	PhH
1HD	L8550HQLT1	Si-PNP	GP, 40V, 1.5A, 225mW, B=150..300	SOT23	161a	-	Lrc
1Hp	BC847	Si-NPN	GP, 50V, 100mA, 250mW, B=110..800, >100MHz	SOT23	161a	-	PhH
1Hr	BC847	Si-NPN	GP, 50V, 100mA, 250mW, B=110..800, >100MHz	SOT23	161a	-	PhM
1Hr	BC847W	Si-N/P	GP, 50V, 100mA, 250mW, B=110..800, >100MHz	SOT323	161a	-	PhM
1HT	SOA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Sie
1J	BC848A	Si-NPN	GP, 30V, 100mA, 150mW, B=110..220, 300MHz	SOT23	161a	-	Cdi,Du,Vis
1J	BC848AF	Si-NPN	GP, 30V, 100mA, 200mW, B=110..220, 150MHz	SOT490	161a	-	Phi
1J	BC848ALT1	Si-NPN	GP, 30V, 100mA, 300mW, B=110..220, >100MHz	SOT23	161a	-	Mot
1J	BC848AT	Si-NPN	GP, 30V, 100mA, 200mW, B=140, >100MHz	SC75	161a	-	Phi
1J	BC848AWT1	Si-NPN	GP, 30V, 100mA, 310mW, B=110..220, >300MHz	SOT323	161a	-	Ons
1J	FMMT2369	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SOT23	161a	-	Ztx
1J	MMBT2369	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SOT23	161a	-	Mot
1J	R3131N41EA	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
-1J	PMST2369	Si-NPN	Switching, 40V, 200mA, 200mW, B=40..120, >500MHz	SOT323	161a	-	PhH
1JA	MMBT2369A	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SOT23	161a	-	Mot
1JA	MMBT2369ALT1	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SOT23	161a	-	Mot
1Jp	BC848A	Si-NPN	GP, 30V, 100mA, 250mW, B=110..220, >100MHz	SOT23	161a	-	PhH
1Js	BC848A	Si-NPN	GP, 30V, 100mA, 330mW, B=110..220, >300MHz	SOT23	161a	-	Sie
1Js	BC848AT	Si-NPN	GP, 30V, 100mA, 200mW, B=140, >100MHz	SC75	161a	-	Inf
1Js	BC848AW	Si-NPN	GP, 30V, 100mA, 310mW, B=110..220, >300MHz	SOT323	161a	-	Sie
1Jt	BC848AW	Si-NPN	GP, 30V, 100mA, 310mW, B=110..220, >300MHz	SOT323	161a	-	Phi
1JZ	BC848A	Si-NPN	GP, 30V, 100mA, 330mW, B=110..220, >300MHz	SOT23	161a	-	Ztx
1K	BC848B	Si-NPN	GP, 30V, 100mA, 310mW, B=200..450, >300MHz	SOT23	161a	-	Cdi,Du,Tos
1K	BC848BF	Si-NPN	GP, 30V, 100mA, 200mW, B=200..450, 250MHz	SOT490	161a	-	Phi
1K	BC848BLT1	Si-NPN	GP, 30V, 100mA, 300mW, B=200..450, >100MHz	SOT23	161a	-	Mot
1K	BC848BT	Si-NPN	GP, 30V, 100mA, 200mW, B=250, >100MHz	SOT416	161a	-	Phi
1K	BC848BW T1	Si-NPN	GP, 30V, 100mA, 310mW, B=200..450, >300MHz	SOT323	161a	-	Ons
1K	KST6428	Si-NPN	GP, 60V, 200mA, 350mW, B=250..650, 100..700MHz	SOT23	161a	-	Sam
1K	R3131N29EA3	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
-1K	PMST6428	Si-NPN	GP, HI-β, 60V, 100mA, 200mW, B=250..650, 100..700MHz	SOT323	161a	-	PhK
1KM	MMBT6428LT1	Si-NPN	AF, 60V, 200mA, 225mW, B=250..650, <700MHz	SOT23	161a	-	Mot
1Kp	BC848B	Si-NPN	GP, 30V, 100mA, 250mW, B=200..450, >100MHz	SOT23	161a	-	PhH
1KR	BC848BR	Si-NPN	GP, 30V, 100mA, 310mW, B=330, >300MHz	SOT23	161e	-	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
1Ks	BC848B	Si-NPN	GP, 30V, 100mA, 330mW, B=200..450, >250MHz	SOT23	161a -	Sie
1Ks	BC848BT	Si-NPN	GP, 30V, 100mA, 200mW, B=250, >100MHz	SOT416	161a -	Inf
1Ks	BC848BW	Si-NPN	GP, 30V, 100mA, 310mW, B=200..450, >300MHz	SOT323	161a -	Sie
1Kt	BC848BW	Si-NPN	GP, 30V, 100mA, 310mW, B=200..450, >300MHz	SOT323	161a -	Phi
1KZ	FMMT4400	Si-NPN	AF, 60V, 600mA, 330mW, B=50..150, >200MHz	SOT23	161a -	Ztx
1L	BC848C	Si-NPN	GP, 30V, 100mA, 310mW, B=420..800, >300MHz	SOT23	161a -	Cdi,Dil,Tos
1L	BC848CF	Si-NPN	GP, 30V, 100mA, 200mW, B=420..800, 150MHz	SOT490	161a -	Phi
1L	BC848CLT1	Si-NPN	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SOT23	161a -	Mot
1L	BC848CT	Si-NPN	GP, 30V, 100mA, 200mW, B=480, >100MHz	SOT416	161a -	Phi
1L	BC848CW T1	Si-NPN	GP, 30V, 100mA, 310mW, B=420..800, >300MHz	SOT323	161a -	Ons
1L	FMMT4401	Si-NPN	AF, 60V, 600mA, 330mW, B=100..300, >250MHz	SOT23	161a -	Ztx
1L	MMBT6429LT1	Si-NPN	AF, 55V, 200mA, 225mW, B=500..1250, <700MHz	SOT23	161a -	Mot
1L	R3131N44AC	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 50ms	SOT23	16vdc VD6	Ric
-1L	PMST6429	Si-NPN	GP, H _{FE} 55V, 100mA, 200mW, B=250..650, 100..700MHz	SOT323	161a -	PhK
1LM	25C4103-M	Si-NPN	GP, 30V, 30mA, 200mW, B=39..82, >110MHz	SOT323	161a -	Rhm
1LN	25C4103-N	Si-NPN	GP, 30V, 30mA, 200mW, B=56..120, >110MHz	SOT323	161a -	Rhm
1LP	25C4103-P	Si-NPN	GP, 30V, 30mA, 200mW, B=82..180, >110MHz	SOT323	161a -	Rhm
1LP	BC848C	Si-NPN	GP, 30V, 100mA, 250mW, B=420..800, >100MHz	SOT23	161a -	PhH
1LQ	25C4103-Q	Si-NPN	GP, 30V, 30mA, 200mW, B=120..270, >110MHz	SOT323	161a -	Rhm
1LR	BC848CR	Si-NPN	GP, 30V, 100mA, 310mW, B=600, >300MHz	SOT23	161e -	Phi
1Ls	BC848C	Si-NPN	GP, 30V, 100mA, 330mW, B=420..800, 250MHz	SOT23	161a -	Sie
1Ls	BC848CT	Si-NPN	GP, 30V, 100mA, 200mW, B=480, >100MHz	SOT416	161a -	Inf
1Ls	BC848CW	Si-NPN	GP, 30V, 100mA, 310mW, B=420..800, >300MHz	SOT323	161a -	Sie
1Lt	BC848CW	Si-NPN	GP, 30V, 100mA, 310mW, B=420..800, >300MHz	SOT323	161a -	Phi
1M	BC848	Si-NPN	GP, 30V, 100mA, 250mW, B=110..800, >100MHz	SOT23	161a -	Cdi
1M	BC848W	Si-NPN	AF, 30V, 100mA, 200mW, B=110..800, >100MHz	SOT323	161a -	Phi
1M	FMMTA13	Si-NPN-Darl	GP, 40V, 300mA, 330mW, B>10000	SOT23	161a -	Ztx
1M	IMBT3903	Si-NPN	GP, 60V, 200mA, 250mW, B=50..150, >300MHz	SOT23	161a -	Itt
1M	KST13	Si-NPN-Darl	GP, 30V, 300mA, 350mW, B>5000, >125MHz	SOT23	161a -	Sam
1M	MMBT A13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>5000, >125MHz	SOT23	161a -	Vis
1M	MMBT A13LT1	Si-NPN-Darl	GP, 30V, 300mA, 225mW, B>5000, >125MHz	SOT23	161a -	Ons
1M	R3131N44BC	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 100ms	SOT23	16vdc VD6	Ric
1M	SMBA13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>5000, >125MHz	SOT23	161a -	Inf
1MN	25C4128-N	Si-NPN	GP, 40V, 100mA, 200mW, B=56..120, >230MHz	SOT323	161a -	Pan
1MP	25C4128-P	Si-NPN	GP, 40V, 100mA, 200mW, B=82..180, >230MHz	SOT323	161a -	Pan
1Mp	BC848	Si-NPN	GP, 30V, 100mA, 250mW, B=110..800, >100MHz	SOT23	161a -	PhH
1N	FMMTA14	Si-NPN-Darl	GP, 40V, 300mA, 330mW, B>20000	SOT23	161a -	Ztx
1N	IMBT3904	Si-NPN	GP, 60V, 200mA, 250mW, B=100..300, >300MHz	SOT23	161a -	Itt
1N	KST14	Si-NPN-Darl	GP, 30V, 300mA, 350mW, B>10000, >125MHz	SOT23	161a -	Sam
1N	MMBT3904	Si-NPN	GP, 60V, 100mA, 200mW, B=100..300, >300MHz	SOT23	161a -	Itt,Vis
1N	MMBT3904T	Si-NPN	GP, 60V, 200mA, 250mW, B=100..300, >300MHz	SOT23	161a -	Dil
1N	MMBT A14	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>10000, >125MHz	SOT23	161a -	Vis
1N	MMBT A14LT1	Si-NPN-Darl	GP, 30V, 300mA, 225mW, B>10000, >125MHz	SOT23	161a -	Ons
1N	R3131N44DC	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 200ms	SOT23	16vdc VD6	Ric
1N	SMBA14	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>10000, >125MHz	SOT23	161a -	Inf
1N	TMPTA14	Si-NPN-Darl	GP, 30V, 500mA, 350mW, B>10000, >125MHz	SOT23	161a -	All
1N5	ZXT11N15DFTA	Si-NPN	Lo-sat. Switching, 40V, 3A, 625mW, B=200..900, 145MHz	SOT23	161a -	Ztx
1N5	ZXT11N15DFTC	Si-NPN	Lo-sat. Switching, 40V, 3A, 625mW, B=200..900, 145MHz	SOT23	161a -	Ztx
1O	25K198	N-FET	AF, LN, 30V, 220mA, Idss<0.5mA	SOT23	161a -	Pan
1P	FMMT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT23	161a -	Ztx
1P	KST2222A	Si-NPN	GP, 75V, 600mA, 350mW, B>75, >300MHz	SOT23	161a -	Sam
1P	MBT2222A	Si-NPN	GP, 75V, 600mA, 250mW, B>40, 300MHz	SOT23	161a -	Tos
1P	MMBT2222A	Si-NPN	GP, 75V, 800mA, 200mW, B=100..300, >200MHz	SOT23	161a -	Fch,Vis
1P	MMBT2222ALT1	Si-NPN	GP, 75V, 800mA, 200mW, B=100..300, >200MHz	SOT23	161a -	Mot
1P	MMBT2222AT	Si-NPN	GP, 75V, 800mA, 200mW, B=100..300, >200MHz	SOT23	161a -	Dil
1P	MMBT2222AW	Si-NPN	GP, 75V, 800mA, 200mW, B=100..300, >200MHz	SOT323	161a -	Mot
1P	R3131N44HC	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 400ms	SOT23	16vdc VD6	Ric
1P	SMBT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT23	161a -	Inf
1P	TMPT2222A	Si-NPN	GP, 75V, 0.8A, 0.2W, B=100..300, >200MHz	SOT23	161a -	All
1P	UNRF1A1	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=10k/10k	ML3	221a -	Pan
1P	YTS2222A	Si-NPN	GP, 75V, 0.8A, 0.2W, B=100..300, >200MHz	SOT23	161a -	Tos
-1P	PMST2222A	Si-NPN	Switching, 75V, 600mA, 200mW, B=120..300, >300MHz	SOT323	161a -	PhH
1Q	FMMT5088	Si-NPN	GP, 35V, 50mA, 330mW, B=300..900, >50MHz	SOT23	161a -	Ztx
1Q	KST5088	Si-NPN	3GP, 5V, 50mA, 350mW, B=300..900, >50MHz	SOT23	161a -	Sam
1Q	MMBT5087LT1	Si-PNP	GP, LN, 50V, 50mA, 225mW, B=250..800, >40MHz	SOT23	161a -	Mot
1Q	MMBT5088	Si-NPN	GP, LN, 35V, 50mA, 350mW, B=300..900, >50MHz	SOT23	161a -	Vis
1Q	MMBT5088LT1	Si-NPN	GP, LN, 35V, 50mA, 225mW, B=300..900, >50MHz	SOT23	161a -	Mot
1Q	R3131N44AA	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
1Q	TMPT5088	Si NPN	GP 35V 50mA 350mW B=300 900 >50MHz	SOT23	161a	All	
-1Q	PMST5088	Si NPN	GP 35V 100mA 200mW B=300 900 >100MHz	SOT323	161a	PhH	
1R	FMPT5089	Si NPN	AF 30V 50mA 330mW B=400 1200 >50MHz	SOT23	161a	Ztx	
1R	KST5089	Si NPN	GP 35V 50mA 350mW B=400 1200 >50MHz	SOT23	161a	Sam	
1R	MMBT5089	Si NPN	GP LN 30V 50mA 350mW B=400 1200 >50MHz	SOT23	161a	Vis	
1R	MMBT5089LT1	Si NPN	GP LN 30V 50mA 225mW B=400 1200 >50MHz	SOT23	161a	Mot	
1R	R3131N44BA	CMOS IC	Voltage Detector 4 4V Reset Push pull output 100ms	SOT23	16vdc	VD7 Ric	
1R	SRA2201E	Si PNP Digi	Sw 50V 0 1A 0 15W B=30 55 200MHz R1/R2=4 7/47k	SOT523	161a	Auk	
1R	SRA2201EF	Si PNP Digi	Sw 50V 0 1A 0 15W B=30 55 200MHz R1/R2=4 7/4 7k	SOT523F	181a	Auk	
1R	SRA2201U	Si PNP Digi	Sw 50V 0 1A 0 2W B=30 55 200MHz R1/R2=4 7/4 7k	SOT323	161a	Auk	
1R	SRA2201UF	Si PNP Digi	Sw 50V 0 1A 0 2W B=30 55 200MHz R1/R2=4 7/4 7k	SOT323F	181a	Auk	
1R	TMPT5089	Si NPN	AF 30V 50mA 330mW B=400 1200 >50MHz	SOT23	161a	All	
1R	UNRF1A0	Si PNP Digi	Switching 50V 80mA 100mW 80MHz R1=47k	ML3	221a	Pan	
-1R	PMST5089	Si NPN	GP 30V 100mA 200mW B=400 1200 >100MHz	SOT323	161a	PhH	
1RR	2SB970 R	Si PNP	GP AF 15V 500mA 200mW B=130 220 130MHz	SC 59	161a	Pan	
1RS	2SB970 S	Si PNP	GP AF 15V 500mA 200mW B=180 350 130MHz	SC 59	161a	Pan	
1S	MMBT2369A	Si NPN	Switching 40V 200mA 330mW B=40 120	SOT23	161a	Nsc	
1S	MSC3130T1	Si NPN	RF 15V 50mA 200mW B=75 400 >1 4GHz	SC 59	161a	Mot	
1S	R3131N44DA	CMOS IC	Voltage Detector 4 4V Reset Push pull output 200ms	SOT23	16vdc	VD7 Ric	
1S	UNRF1AM	Si PNP Digi	Switching 50V 80mA 100mW 80MHz R1/R2=2k2/47k	ML3	221a	Pan	
1S	UNRF1AT	Si PNP Digi	Switching 50V 80mA 100mW 80MHz R1/R2=22k/47k	ML3	221a	Pan	
1SP	2SC3935 P	Si NPN	HF Amp Osc 15V 50mA 150mW B=75 130 1 9GHz	SC 70	161a	Pan	
1SQ	2SC3935 Q	Si NPN	HF Amp Osc 15V 50mA 150mW B=110 220 1 9GHz	SC 70	161a	Pan	
1SR	2SC3935 R	Si NPN	HF Amp Osc 15V 50mA 150mW B=150 300 1 9GHz	SC 70	161a	Pan	
1T	R3131N44HA	CMOS IC	Voltage Detector 4 4V Reset Push pull output 400ms	SOT23	16vdc	VD7 Ric	
1T	UNRF2A1	Si NPN Digi	Switching 50V 80mA 100mW 150MHz R1/R2=10k/10k	ML3	221a	Pan	
1T1	MMST5101	Si PNP	AF 60V 200mA B=200 400 >125MHz	SOT23	161a	Rhm	
1T1	SST5101	Si PNP	GP 60V 0 2A >125MHz	SOT23	161a	Rhm	
1U	2SC3934	Si NPN	HF WB LN 15V 50mA 150mW B>40 4 5GHz	SC 70	161a	Pan	
1U	KST2484	Si NPN	GP 60V 50mA 350mW B>250	SOT23	161a	Sam	
1V	BF820	Si NPN	Vid 300V 50mA 250mW B>50 >60MHz	SOT23	161a	Cdi llt	
1V	MMBT6427	Si NPN Darl	AF 40V 1 2A 350mW B=10k 100k >130MHz	SOT23	161a	Nsc	
1V	MMBT6427LT1	Si NPN Darl	AF 40V 500mA 225mW B=10k 100k >130MHz	SOT23	161a	Mot	
1V	TMPT6427	Si NPN Darl	GP 40V 500mA 350mW B=10k 100k >130MHz	SOT23	161a	All	
1Vp	BF820	Si NPN	Vid 300V 50mA 250mW B>50 >60MHz	SOT23	161a	PhH	
1Vt	BF820	Si NPN	Vid 300V 50mA 250mW B>50 >60MHz	SOT23	161a	PhM	
1Vt	BF820W	Si NPN	Vid 300V 100mA 200mW B>50 >60MHz	SOT323	161a	Phi	
1W	BF821	Si PNP	Vid 300V 50mA 250mW B>50 >60MHz	SOT23	161a	Cdi	
1W	FMPT3903	Si NPN	GP 60V 200mA 330mW B=50 150 >250MHz	SOT23	161a	Ztx	
1W	UNRF2A3	Si NPN Digi	Switching 50V 80mA 100mW 150MHz R1/R2=47k/47k	ML3	221a	Pan	
1W-	BAP51 05W	PIN Diode	2x RF 50V 50mA 240mW 0 35pF 2 5Q(10mA/100MHz)	SOT323	16dg	Phi	
1Wp	BF821	Si PNP	Vid 300V 50mA 250mW B>50 >60MHz	SOT23	161a	PhH	
1Wt	BF821	Si PNP	Vid 300V 50mA 250mW B>50 >60MHz	SOT23	161a	PhM	
1Wt	BF822W	Si NPN	Vid 250V 100mA 200mW B>50 >60MHz	SOT323	161a	Phi	
1X	2SC2845	Si NPN	UHF LN 25V 70mA 200mW B=40 200 4 5GHz	SC 59	161a	Pan	
1X	BF822	Si NPN	Vid 250V 50mA 250mW B>50 >60MHz	SOT23	161a	Cdi llt	
1X	UNRF2A5	Si NPN Digi	Switching 50V 80mA 100mW 150MHz R1=10k	ML3	221a	Pan	
1Xp	BF822	Si NPN	Vid 250V 50mA 250mW B>50 >60MHz	SOT23	161a	PhH	
1Xt	BF822	Si NPN	Vid 250V 50mA 250mW B>50 >60MHz	SOT23	161a	PhM	
1Y	BF823	Si PNP	Vid 250V 50mA 250mW B>50 >60MHz	SOT23	161a	Cdi	
1Y	CMBT3903	Si NPN	GP 60V 200mA 250mW B=50 150 >300MHz	SOT23	161a	Cdi	
1Y	KST3903	Si PNP	GP 60V 200mA 350mW B=50 150 >250MHz	SOT23	161a	Sam	
1Y	MMBT3903	Si NPN	GP 60V 200mA 250mW B=50 150 >300MHz	SOT23	161a	Mot	
1Y	UNRF2A6	Si NPN Digi	Switching 50V 80mA 100mW 150MHz R1=4k7	ML3	221a	Pan	
1Y	YTS3903	Si NPN	GP 60V 200mA 250mW B=50 150 >300MHz	SOT23	161a	Tos	
1YD	LB550QLT1	Si PNP	GP 40V 800mA 225mW B=150 300	SOT23	161a	Lrc	
1Yp	BF823	Si PNP	Vid 250V 50mA 250mW B>50 >60MHz	SOT23	161a	PhH	
1Yt	BF823	Si PNP	Vid 250V 50mA 250mW B>50 >60MHz	SOT23	161a	PhM	
1Z	BAS70 06	Si Diode	Dual Schottky 70V 70mA Vf<0 1V Cd<2pF	SOT23	16df	Ztx	
1Z	MMBT6517LT1	Si NPN	Vid 350V 250mA 225mW B=30 200 <200MHz	SOT23	161a	Mot	
1Z	UNRF2A7	Si NPN Digi	Switching 50V 80mA 100mW 150MHz R1/R2=22k	ML3	221a	Pan	
2 4	MAZ3024	Z Diode	2 28 2 6V 200mW	SC 59	16dc	Pan	
2 7H	MAZ3027	Z Diode	2 5 2 9V 200mW	SC 59	16dc	Pan	
2 7L	MAZ3027	Z Diode	2 5 2 9V 200mW	SC 59	16dc	Pan	
2 0X	02CZ2 0 X	Z Diode	1 85 2 05V 200mW	SC 59	16dc	Tos	
2 2X	02CZ2 2 X	Z Diode	2 05 2 26V 200mW	SC 59	16dc	Tos	
2 2Z	02CZ2 2 Z	Z Diode	2 16 2 38V 200mW	SC 59	16dc	Tos	
2 4X	02CZ2 4 X	Z Diode	2 28 2 50V 200mW	SC 59	16dc	Tos	

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
2-4Z	02C22 4-Z	Z-Diode	2 4 2 60V, 200mW	SC-59	16dc -	Tos
2-7X	02C22 7-X	Z-Diode	2 5 2 75V, 200mW	SC-59	16dc -	Tos
2-7Z	02C22 7-Z	Z-Diode	2 65 2 9V, 200mW	SC-59	16dc -	Tos
20	BC849	Si-NPN	GP, 30V, 100mA, 250mW, B=200 800, >100MHz	SOT23	16la -	Cdi
20	Z0ZW20V	Z-Diode	18 8 21 2V, 200mW	SOT23	16dc -	Kec
20-	H2M2 0NB	Z-Diode	1 9 2 2V, 200mW	MPAK	16dc -	Ren
200	H2M20NB	Z-Diode	18 86 21 08V, 200m	MPAK	16dc -	Ren
201	H2M20NB1	Z-Diode	18 86 19 7V, 200mW	MPAK	16dc -	Ren
201	P2M20NB1	Z-Diode	20V±2 5%, 0 3W	SOT346	16dc -	Phi
202	H2M20NB2	Z-Diode	19 52 20 39V, 200m	MPAK	16dc -	Ren
202	P2M20NB2	Z-Diode	20V±2 5% 0 3W	SOT346	16dc -	Phi
20-2	UTC8120-2	Lin/Dig-IC	Voltage Detector 2V, -Reset Open collector output	SOT23	16vdy VD6	Ulc
203	H2M20NB3	Z-Diode	20 21 21 08V, 200m	MPAK	16dc -	Ren
203	P2M20NB3	Z-Diode	20V±2 5%, 0 3W	SOT346	16dc -	Phi
20-3	UTC8120-3	Lin/Dig-IC	Voltage Detector 2V, -Reset Open collector output	SOT23	16vc VD6	Ulc
20-5	UTC8120-5	Lin/Dig-IC	Voltage Detector 2V, -Reset Open collector output	SOT23	16vdc VD6	Ulc
20H	MAZ3200	Z-Diode	18 8 21 2V, 200mW	SC-59	16dc -	Pan
20L	MAZ3200	Z-Diode	18 8 21 2V 200mW	SC-59	16dc -	Pan
20M	MAZ3200	Z-Diode	18 8 21 2V 200mW	SC-59	16dc -	Pan
20T	TK71520AS	VR-IC	LDO, 2V±1.5%, 155mA	SOT23	16cj VR1	Tok
20V	P2M20NB	Z-Diode	20V±2 5%, 0 3W	SOT346	16dc -	Phi
20X	02C220-X	Z-Diode	18 8 19 78V, 200mW	SC-59	16dc -	Tos
20X	Z0ZW20VX	Z-Diode	18,8 19 78V, 200mW	SOT23	16dc -	Kec
20Y	02C220-Y	Z-Diode	19 48 20 46V, 200mW	SC-59	16dc -	Tos
20Y	Z0ZW20VY	Z-Diode	19 48 20,46V 200mW	SOT23	16dc -	Kec
20Z	02C220-Z	Z-Diode	20 16 21 2V, 200mW	SC-59	16dc -	Tos
20Z	C21W20	Z-Diode	20V±5%, 600mW	SOT23	16dc -	Cdi
20Z	Z0ZW20VZ	Z-Diode	20 16 21,2V 200mW	SOT23	16dc -	Kec
21	1P559SB21	Si-Diode	Schottky Sw, U-Fast 40V, 200mA, Vf<0 55V(200mA) <5ns	SC-59	16dc -	Phi
210	KTY82-210	Therm-S	Temper sensor (-55 +150°C), R=1980 2020Q(+25°C)	SOT23	16ag -	Phi
21-2	UTC8121-2	Lin/Dig-IC	Voltage Detector 2 1V, -Reset Open collector output	SOT23	16vdy VD6	Ulc
21-3	UTC8121-3	Lin/Dig-IC	Voltage Detector 2 1V, -Reset Open collector output	SOT23	16vc VD6	Ulc
21-5	UTC8121-5	Lin/Dig-IC	Voltage Detector 2 1V, -Reset Open collector output	SOT23	16vdc VD6	Ulc
21T	TK71521AS	VR-IC	LDO, 2.1V±1.5% 155mA	SOT23	16cj VR1	Tok
22	DTC123EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/2k2	EMT3	16la -	Rhm
22	DTC123EKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/2k2	SMT3	16la -	Rhm
22	DTC123EM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/2k2	VMT3	18la -	Rhm
22	DTC123EUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/2k2	UMT3	16la -	Rhm
22	Z0ZW22V	Z-Diode	20,8 23,3V, 200mW	SOT23	16dc -	Kec
22-	H2M2 2NB	Z-Diode	2 1 2 4V, 200mW	MPAK	16dc -	Ren
220	H2M22NB	Z-Diode	20 88 23 17V, 200m	MPAK	16dc -	Ren
220	KTY82-220	Therm-S	Temper sensor (-55 +150°C), R=1980 2040Q(+25°C)	SOT23	16ag -	Phi
221	H2M22NB1	Z-Diode	20 88 21 7V, 200m	MPAK	16dc -	Ren
221	KTY82-221	Therm-S	Temper sensor (-55 +150°C), R=1980 2000Q(+25°C)	SOT23	16ag -	Phi
221	P2M22NB1	Z-Diode	22V±2 5% 0 3W	SOT346	16dc -	Phi
222	H2M22NB2	Z-Diode	21 54 22 47V, 200m	MPAK	16dc -	Ren
222	KTY82-222	Therm-S	Temper sensor (-55 +150°C), R=2000 21040Q(+25°C)	SOT23	16ag -	Phi
222	P2M22NB2	Z-Diode	22V±2 5%, 0 3W	SOT346	16dc -	Phi
22-2	UTC8122-2	Lin/Dig-IC	Voltage Detector 2 2V, -Reset Open collector output	SOT23	16vdy VD6	Ulc
223	H2M22NB3	Z-Diode	22 23 23 17V, 200m	MPAK	16dc -	Ren
223	P2M22NB3	Z-Diode	22V±2 5%, 0 3W	SOT346	16dc -	Phi
22-3	UTC8122-3	Lin/Dig-IC	Voltage Detector 2 2V, -Reset Open collector output	SOT23	16vc VD6	Ulc
22-5	UTC8122-5	Lin/Dig-IC	Voltage Detector 2 2V, -Reset Open collector output	SOT23	16vdc VD6	Ulc
22H	MAZ3220	Z-Diode	20 8 23 3V, 200mW	SC-59	16dc -	Pan
22L	MAZ3220	Z-Diode	20 8 23 3V, 200mW	SC-59	16dc -	Pan
22M	MAZ3220	Z-Diode	20 8 23 3V, 200mW	SC-59	16dc -	Pan
22T	TK71522AS	VR-IC	LDO, 2.2V±1.5%, 155mA	SOT23	16cj VR1	Tok
22V	P2M22NB	Z-Diode	22V±2 5%, 0 3W	SOT346	16dc -	Phi
22X	02C222-X	Z-Diode	20 80 21 88V, 200mW	SC-59	16dc -	Tos
22X	Z0ZW22VX	Z-Diode	20,8 21,88V, 200mW	SOT23	16dc -	Kec
22Y	02C222-Y	Z-Diode	21 48 22 56V, 200mW	SC-59	16dc -	Tos
22Y	Z0ZW22VY	Z-Diode	21,48 22,56V, 200mW	SOT23	16dc -	Kec
22Z	02C222-Z	Z-Diode	22 16 23 3V, 200mW	SC-59	16dc -	Tos
22Z	C21W22	Z-Diode	22V±5%, 600mW	SOT23	16dc -	Cdi
22Z	Z0ZW22VZ	Z-Diode	22,16 23,3V, 200mW	SOT23	16dc -	Kec
23	DTC143EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/4k7	EMT3	16la -	Rhm
23	DTC143EKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/4k7	SMT3	16la -	Rhm
23	DTC143EM	Si-NPN-Digi	Switching 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/4k7	VMT3	18la -	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
23	DTC143EUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/4k7	UMT3	16ta	-	Rhm
23	PDTA114TK	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=10k	SC-59	16ta	-	Phi
-23	PDTA114TU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT323	16ta	-	PHH
23-2	UTC8123-2	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
23-3	UTC8123-3	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
23-5	UTC8123-5	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
23T	TK71523AS	VR-IC	LDO, 2.3V±1.5%, 155mA	SOT23	16cj	VR1	Tok
24	2SC5006	Si-NPN	VHF/UHF, 20V, 100mA, 125mW, 4.5GHz, B=80..160	SOT323	16ta	-	Nec
24	DTC114ECA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10/10k	SOT23	16ta	-	Rhm
24	DTC114EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=10/10k	EMT3	16ta	-	Rhm
24	DTC114EKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10/10k	SMT3	16ta	-	Rhm
24	DTC114EM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=10/10k	VMT3	18ta	-	Rhm
24	DTC114EUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10/10k	UMT3	16ta	-	Rhm
24	MSCT24	Z-Diode/TVS	24V, 300W (8/20µs)	SOT23	16dh	-	Msp
24	PDTC114TE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1=10k	SC-75	16ta	-	Phi
24	PDTC114TK	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=10k	SC-59	16ta	-	Phi
24	Z02W24V	Z-Diode	22.8..25.6V, 200mW	SOT23	16dc	-	Kec
-24	PDTC114TU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT323	16ta	-	PHH
24-	HZM24NB	Z-Diode	2.3..2.6V, 200mW	MPAK	16dc	-	Ren
240	HZM24NB	Z-Diode	22.93..25.57V, 200m	MPAK	16dc	-	Ren
241	HZM24NB1	Z-Diode	22.93..23.96V, 200m	MPAK	16dc	-	Ren
241	PZM24NB	Z-Diode	24V±2.5%, 0.3W	SOT346	16dc	-	Phi
241	PZM24NB1	Z-Diode	24V±2.5%, 0.3W	SC-59	16dc	-	Phi
242	HZM24NB2	Z-Diode	23.72..24.78V, 200m	MPAK	16dc	-	Ren
242	PZM24NB	Z-Diode	24V±2.5%, 0.3W	SOT346	16dc	-	Phi
242	PZM24NB2	Z-Diode	24V±2.5%, 0.3W	SC-59	16dc	-	Phi
24-2	UTC8124-2	Lin/Dig-IC	Voltage Detector 2.4V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
243	HZM24NB3	Z-Diode	24.54..25.57V, 200m	MPAK	16dc	-	Ren
243	PZM20NB	Z-Diode	24V±2.5%, 0.3W	SOT346	16dc	-	Phi
243	PZM24NB3	Z-Diode	24V±2.5%, 0.3W	SC-59	16dc	-	Phi
24-3	UTC8124-3	Lin/Dig-IC	Voltage Detector 2.4V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
24-5	UTC8124-5	Lin/Dig-IC	Voltage Detector 2.4V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
24C	MSCT24C	Z-Diode/TVS	24V, 300W (8/20µs), Bidirectional	SOT23	16dp	-	Msp
24H	MAZ3240	Z-Diode	22.8..25.6V, 200mW	SC-59	16dc	-	Pan
24L	MAZ3240	Z-Diode	22.8..25.6V, 200mW	SC-59	16dc	-	Pan
24M	MAZ3240	Z-Diode	22.8..25.6V, 200mW	SC-59	16dc	-	Pan
24T	TK71524AS	VR-IC	LDO, 2.4V±1.5%, 155mA	SOT23	16cj	VR1	Tok
24V	PZM24NB	Z-Diode	24V±2.5%, 0.3W	SOT346	16dc	-	Phi
24X	02C224-X	Z-Diode	22.8..24.11V, 200mW	SC-59	16dc	-	Tos
24X	Z02W24VX	Z-Diode	22.80..24.11V, 200mW	SOT23	16dc	-	Kec
24Y	02C224-Y	Z-Diode	23.61..24.92V, 200mW	SC-59	16dc	-	Tos
24Y	Z02W24VY	Z-Diode	23.61..24.92V, 200mW	SOT23	16dc	-	Kec
24Z	02C224-Z	Z-Diode	24.42..25.6V, 200mW	SC-59	16dc	-	Tos
24Z	CZ1W24	Z-Diode	24V±5%, 600mW	SOT23	16dc	-	Cdi
24Z	Z02W24VZ	Z-Diode	24.42..25.6V, 200mW	SOT23	16dc	-	Kec
25	DTC124EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=22k/22k	EMT3	16ta	-	Rhm
25	DTC124EKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/22k	SMT3	16ta	-	Rhm
25	DTC124EM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=22k/22k	VMT3	18ta	-	Rhm
25	DTC124EUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/22k	UMT3	16ta	-	Rhm
250	KTY82-250	Therm-S	Temper. sensor (-55..+150°C), R=1900..2100Ω(+25°C)	SOT23	16ag	-	Phi
251	KTY82-251	Therm-S	Temper. sensor (-55..+150°C), R=1900..2000Ω(+25°C)	SOT23	16ag	-	Phi
252	KTY82-252	Therm-S	Temper. sensor (-55..+150°C), R=2000..2100Ω(+25°C)	SOT23	16ag	-	Phi
25-2	UTC8125-2	Lin/Dig-IC	Voltage Detector 2.5V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
25-3	UTC8125-3	Lin/Dig-IC	Voltage Detector 2.5V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
25-5	UTC8125-5	Lin/Dig-IC	Voltage Detector 2.5V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
25T	TK71525AS	VR-IC	LDO, 2.5V±1.5%, 155mA	SOT23	16cj	VR1	Tok
26	DTC144EE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=47k/47k	EMT3	16ta	-	Rhm
26	DTC144EKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/47k	SMT3	16ta	-	Rhm
26	DTC144EM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=47k/47k	VMT3	18ta	-	Rhm
26	DTC144EUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/47k	UMT3	16ta	-	Rhm
26-2	UTC8126-2	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
26-3	UTC8126-3	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
26-5	UTC8126-5	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
26T	TK71526AS	VR-IC	LDO, 2.6V±1.5%, 155mA	SOT23	16cj	VR1	Tok
27	BAS70-04	Si-Diode	Dual, Schottky, 70V, 70mA, Vf<410mV, Cd<2pF	SOT23	16dl	-	Ztx
27	PDTA123JE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=2k2/47k	SOT416	16ta	-	Phi
27	PDTA123JEF	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/47k	SOT490	18ta	-	Phi
27-	HZM27NB	Z-Diode	25.1..28.9V, 200mW	MPAK	16dc	-	Ren

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
270	H2M2.7NB1	Z-Diode	2.5..2.9V, 200mW	MPAK	16dc	-	Ren
271	H2M2.7NB1	Z-Diode	2.5..2.75V, 200mW	MPAK	16dc	-	Ren
271	H2M3.0NB1	Z-Diode	2.8..3.05V, 200mW	MPAK	16dc	-	Ren
271	P2M2.7NB1	Z-Diode	2.7V±2.5%, 0.3W	SOT346	16dc	-	Phi
272	H2M2.7NB2	Z-Diode	2.65..2.9V, 200mW	MPAK	16dc	-	Ren
272	P2M2.7NB2	Z-Diode	2.7V±2.5%, 0.3W	SOT346	16dc	-	Phi
27-2	UTC8127-2	Lin/Dig-IC	Voltage Detector 2.7V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
27-3	UTC8127-3	Lin/Dig-IC	Voltage Detector 2.7V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
27-5	UTC8127-5	Lin/Dig-IC	Voltage Detector 2.7V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
27H	MAZ3270	Z-Diode	25.1..28.9V, 200mW	SC-59	16dc	-	Pan
27L	MAZ3270	Z-Diode	25.1..28.9V, 200mW	SC-59	16dc	-	Pen
27M	MAZ3270	Z-Diode	25.1..28.9V, 200mW	SC-59	16dc	-	Pan
27T	TK1527AS	VR-IC	LDO, 2.7V±1.5%, 155mA	SOT23	16cj	VR1	Tok
27V	P2M27NB	Z-Diode	27V±2.5%, 0.3W	SOT346	16dc	-	Phi
27Z	C21W27	Z-Diode	27V±5%, 600mW	SOT23	16dc	-	Cdi
28	PDTC123JE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=2k2/47k	SOT416	16ta	-	Phi
28	PDTC123JEF	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/47k	SOT490	18ta	-	Phi
28-2	UTC8128-2	Lin/Dig-IC	Voltage Detector 2.8V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
28-3	UTC8128-3	Lin/Dig-IC	Voltage Detector 2.8V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
28-5	UTC8128-5	Lin/Dig-IC	Voltage Detector 2.8V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
28T	TK1528AS	VR-IC	LDO, 2.8V±1.5%, 155mA	SOT23	16cj	VR1	Tok
29	DTC115EE	Si-NPN-Digi	Sw, 50V, 100mA, 150mW, 250MHz, R1/R2=100k/100k	EMT3	16ta	-	Rhm
29	DTC115EKA	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, 250MHz, R1/R2=100k/100k	SMT3	16ta	-	Rhm
29	DTC115EM	Si-NPN-Digi	Sw, 50V, 100mA, 150mW, 250MHz, R1/R2=100k/100k	VMT3	18ta	-	Rhm
29	DTC115EUA	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, 250MHz, R1/R2=100k/100k	UMT3	16ta	-	Rhm
29-2	UTC8129-2	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
29-3	UTC8129-3	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
29-5	UTC8129-5	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
29T	TK1529AS	VR-IC	LDO, 2.9V±1.5%, 155mA	SOT23	16cj	VR1	Tok
2A	CMBT3906	Si-PNP	GP, 40V, 200mA, 250mW, B=60..300, >250MHz	SOT23	16ta	-	Cdi
2A	FMMT3906	Si-PNP	GP, 40V, 200mA, 330mW, B=100..300, >250MHz	SOT23	16ta	-	Ztx
2A	KST3906	Si-PNP	GP, 40V, 200mA, 350mW, B=100..300, >250MHz	SOT23	16ta	-	Sam
2A	MMBT3906	Si-PNP	Sw, AF, 60/40V, 100mA, 200mW, B=100..300, >250MHz	SOT23	16ta	-	Nsc,Vis
2A	MMBT3906LT1	Si-PNP	Sw, AF, 60/40V, 100mA, 200mW, B=100..300, >250MHz	SOT23	16ta	-	Mot
2A	MMBT3906W	Si-PNP	Sw, AF, 60/40V, 100mA, 200mW, B=100..300, >250MHz	SOT323	16ta	-	Mot
2A	SMBT3906	Si-PNP	GP, 40V, 200mA 250MHz, B=100..300	SOT23	16ta	-	Inf
2A	TMPT3906	Si-PNP	Sw, AF, 40V, 100mA, 200mW, B=100..300, >250MHz	SOT23	16ta	-	All
2A	YTS3906	Si-PNP	Sw, AF, 60/40V, 100mA, 200mW, B=100..300, >250MHz	SOT23	16ta	-	Tos
2A	Z02W2.0V	Z-Diode	1.85..2.15V, 200mW	SOT23	16dc	-	Kec
-2A	PMST3906	Si-PNP	GP, 60V, 100mA, 200mW, B=60..300, >250MHz	SOT323	16ta	-	PHH
2A4	P2M2.4NB2A	Z-Diode	Dual, 2.4V±2.5%, 0.3W	SOT346	16df	-	Phi
2A4	P2M2.4NBA	Z-Diode	Dual, 2.4V±2.5%, 0.3W	SC-59	16df	-	Phi
2A7	P2M2.7NB2A	Z-Diode	Dual, 2.7V±2.5%, 0.3W	SOT346	16df	-	Phi
2AC	CMST3906	Si-PNP	GP, 40V, 200mA, 275mW, B=100..300, >250MHz	SOT323	16ta	-	Can
2AX	Z02W2.0VX	Z-Diode	1.85..2.05V, 200mW	SOT23	16dc	-	Kec
2AZ	Z02W2.0VZ	Z-Diode	1.95..2.15V, 200mW	SOT23	16dc	-	Kec
2B	2N2907	Si-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SOT23	16ta	-	Nsc
2B	2SK374	N-FET	GP, 55V, ±30mA, Idss>1mA, Up<5V	SOT23	16fa	-	Pan
2B	BC849B	Si-NPN	GP, 30V, 100mA, 330mW, B=200..450, >300MHz	SOT23	16ta	-	Cdi,Tos
2B	BC849BLT1	Si-NPN	GP, 30V, 100mA, 330mW, B=200..450, 250MHz	SOT23	16ta	-	Mot
2B	BC849BT	Si-NPN	GP, 30V, 100mA, 200mW, B=250, >100MHz	SOT416	16ta	-	Phi
2B	BC849BW	Si-NPN	GP, 30V, 100mA, 200mW, B=200..450, >100MHz	SOT323	16ta	-	Inf
2B	KST2907	Si-PNP	GP, 40V, 600mA, 350mW, B>75, >200MHz	SOT23	16ta	-	Sam
2B	MMBT2907	Si-PNP	GP, 40V, 500mA, 310mW, B=100..300, >200MHz	SOT23	16ta	-	Vis
2B	R3131N22EC	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
2B	SMBT2907	Si-PNP	GP, 40V, 500mA, 310mW, B=100..300, >200MHz	SOT23	16ta	-	Inf
2B	TMPT2907	Si-PNP	GP, 40/40V, 500mA, 310mW, B=100..300, >200MHz	SOT23	16ta	-	All
2B	YTS2907	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SOT23	16ta	-	Tos
2B	Z02W2.2V	Z-Diode	2.05..2.38V, 200mW	SOT23	16dc	-	Kec
2B-	BC849B	Si-NPN	GP, 30V, 100mA, 250mW, B=200..450, >100MHz	SOT23	16ta	-	PhM
2B-	BC849BW	Si-NPN	GP, 30V, 100mA, 200mW, B=200..450, >100MHz	SOT323	16ta	-	PHH
2Bp	BC849B	Si-NPN	GP, 30V, 100mA, 250mW, B=200..450, >100MHz	SOT23	16ta	-	PHH
2BR	BC849BR	Si-NPN	GP, 30V, 100mA, 310mW, B=330, >300MHz	SOT23	16ta	-	Phi
2Bs	BC849B	Si-NPN	GP, 30V, 100mA, 330mW, B=200..450, 250MHz	SOT23	16ta	-	Sie
2Bs	BC849BT	Si-NPN	GP, 30V, 100mA, 200mW, B=250, >100MHz	SOT416	16ta	-	Inf
2Bs	BC849BW	Si-NPN	GP, 30V, 100mA, 200mW, B=200..450, >100MHz	SOT323	16ta	-	Sie
2Bt	BC849BW	Si-NPN	GP, 30V, 100mA, 200mW, B=200..450, >100MHz	SOT323	16ta	-	PhM
2BX	Z02W2.2VX	Z-Diode	2.05..2.26V, 200mW	SOT23	16dc	-	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
2BZ	FMMT2907	Si-PNP	GP, 40V, 600mA, 330mW, B=100 300 >200MHz	SOT23	161a	-	Ztk
2BZ	Z02W2 2VZ	Z-Diode	2 16 2 38 200mW	SOT23	16dc	-	Kec
2C	2SJ0536	MOS-P-FET-e	V-MOS, LogL, 30V, 100mA, <75Q	SOT323	16th	-	Pan
2C	BC849C	Si-NPN	GP, 30V, 100mA, 330mW, B=420 800 >300MHz	SOT23	161a	-	Cdi
2C	BC849CLT1	Si-NPN	GP, 30V, 100mA, 330mW, B=420 800, >300MHz	SOT23	161a	-	Mot
2C	BC849CT	Si-NPN	GP, 30V, 100mA, 200mW, B=480 100, >100MHz	SOT416	161a	-	Phi
2C	BC849CW	Si-NPN	GP, 30V, 100mA, 200mW, B=420 800, >100MHz	SOT323	161a	-	Inf
2C	R3131N32EC	CMOS-IC	Voltage Detector 3 2V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
2C	SMBTA70	Si-PNP	GP, 40V, 100mA, 350mW, B=40 100, >125MHz	SOT23	161a	-	Inf
2C	TMPTA70	Si-PNP	GP, 40V, 100mA, 350mW, B=40 100, >125MHz	SOT23	161a	-	All
2C	UNRF2AN	Si-NPN-Digi	Switching 50V, 80mA, 100mW, 150MHz, R1/R2=4k7/47k	ML3	221a	-	Pan
2C	Z02W2 4V	Z-Diode	2 28 2 60V, 200mW	SOT23	16dc	-	Kec
2C-	BC849C	Si-NPN	GP, 30V, 100mA, 250mW, B=420 800, >100MHz	SOT23	161a	-	PhM
2C-	BC849CW	Si-NPN	GP, 30V, 100mA, 200mW B=420 800, >100MHz	SOT323	161a	-	PhH
2Cp	BC849C	Si-NPN	GP, 30V 100mA, 250mW B=420 800 >100MHz	SOT23	161a	-	PhH
2CR	BC849CR	Si-NPN	GP, 30V, 100mA, 310mW, B=600, >300MHz	SOT23	161e	-	Phi
2Ca	BC849C	Si-NPN	GP, 30V, 100mA, 330mW, B=420 800, 250MHz	SOT23	161a	-	Sie
2Ca	BC849CT	Si-NPN	GP, 30V, 100mA, 200mW, B=480, >100MHz	SOT416	161a	-	Inf
2Ca	BC849CW	Si-NPN	GP, 30V, 100mA, 200mW B=420 800, >100MHz	SOT323	161a	-	Sie
2Ct	BC849CW	Si-NPN	GP, 30V, 100mA, 200mW, B=420 800, >100MHz	SOT323	161a	-	PhM
2CZ	FMMTA70	Si-PNP	40V, 100mA, 330mW, B=40 400, >125MHz	SOT23	161a	-	Ztk
2CZ	Z02W2 4VZ	Z-Diode	2 40 2 60V, 200mW	SOT23	16dc	-	Kec
2D	1PS59SB20	Si-Diode	Schottky, Sw, U-Fast, 40V, 500mA, Vf<0,55V(500mA) <5ns	SC-59	16dc	-	Phi
2D	2SK3064	MOS-N-FET-e*	V-MOS, LogL, 30V, 0,1A, <50Q(100mA)	SOT323	16th	-	Pan
2D	KST92	Si-PNP	Vd, 300V, 500mA, 350mW, B>40, >50MHz	SOT23	161a	-	Sam
2D	MBTA92	Si-PNP	Vd, 300/300V, 500mA, 250mW, B>40, >50MHz	SOT23	161a	-	Tos
2D	MMBT92	Si-PNP	300V, 500mA, 300mW, B>40, >50MHz	SOT23	161a	-	Vis
2D	MMBT92	Si-PNP	Vd, 300V, 500mA, 330mW, B=25, >50MHz	SOT23	161a	-	Itt,Vis
2D	MMBT92LT1	Si-PNP	Vd, 300V, 500mA, 225mW, B=25, >50MHz	SOT23	161a	-	Mot
2D	R3131N42EC	CMOS-IC	Voltage Detector 4,2V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
2D	SMBTA92	Si-PNP	Vd, 300/300V 500mA, 330mW, B=25, >50MHz	SOT23	161a	-	Inf
2D	Z02W2 7V	Z-Diode	2 50 2 9V, 200mW	SOT23	16dc	-	Kec
-2D	PMSTA92	Si-PNP	Vd, 300/300V, 500mA, 200mW B=25, >50MHz	SOT323	161a	-	PhH
2Dp	BC849	Si-NPN	GP, 30V, 100mA, 250mW, B=200 800, >100MHz	SOT23	161a	-	PhH
2Dt	BC849W	Si-NPN	GP, 30V, 100mA, 200mW, B=200 800, >100MHz	SOT323	161a	-	Phi
2DZ	Z02W2 7VZ	Z-Diode	2 65 2 9V 200mW	SOT23	16dc	-	Kec
2E	FMMTA93	Si-PNP	Vd, 200/200V, 500mA, 330mW, B=25, >50MHz	SOT23	161a	-	Ztk
2E	KST93	Si-PNP	Vd, 200V, 500mA, 350mW, B>40, >50MHz	SOT23	161a	-	Sam
2E	MMBT93	Si-PNP	Vd, 200V, 500mA, 300mW, B>25, >50MHz	SOT23	161a	-	Itt
2E	MMBT93LT1	Si-PNP	Vd, 200V, 500mA, 225mW, B=25 >50MHz	SOT23	161a	-	Mot
2E	R3131N30EC8	CMOS-IC	Voltage Detector 3V, Reset Open drain output 240ms	SOT23	16vdc	VD6	Ric
2E	SMBTA93	Si-PNP	Vd, 200/200V, 500mA, 330mW, B=25, >50MHz	SOT23	161a	-	Inf
-2E	PMSTA93	Si-PNP	Vd, 200/200V, 500mA 330mW, B=25 >50MHz	SOT323	161a	-	PhH
2F	BC850B	Si-NPN	GP, 50V, 100mA, 250mW, B=200 450, >100MHz	SOT23	161a	-	Cdi
2F	BC850BLT1	Si-NPN	GP, 50V, 100mA, 250mW, B=200 450, >100MHz	SOT23	161a	-	Mot
2F	BC850BT	Si-NPN	GP, 50V, 100mA, 200mW, B=250, >100MHz	SOT416	161a	-	Phi
2F	BC850BW	Si-NPN	GP, 50V, 100mA, 200mW, B=200 450, >100MHz	SOT323	161a	-	Inf
2F	FMMT2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT23	161a	-	Ztk
2F	KST2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT23	161a	-	Sam
2F	MBT2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT23	161a	-	Tos
2F	MBTA2907A	Si-PNP	AF, 60V, 600mA, 250mW, B>50, >200MHz	SOT23	161a	-	Tos
2F	MMBT2907A	Si-PNP	GP, 60V, 500mA, 310mW, B=75, 300, <200MHz	SOT23	161a	-	Vis
2F	MMBT2907ALT1	Si-PNP	GP, 60V, 500mA, 310mW, B=75, 300, <200MHz	SOT23	161a	-	Mot
2F	MMBT2907AT	Si-PNP	GP, 60V, 500mA, 310mW, B=75, 300, <200MHz	SOT23	161a	-	Dil
2F	MMBT2907AW	Si-PNP	GP, 60V, 500mA, 310mW, B=75, 300, <200MHz	SOT323	161a	-	Mot
2F	SMBT2907A	Si-PNP	GP, 60V, 500mA, 310mW, B=100 300, >200MHz	SOT23	161a	-	Inf
2F	TMPT2907A	Si-PNP	GP, 60/60V, 600mA, 350mW, B=100 300, >200MHz	SOT23	161a	-	All
2F	YTS2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT23	161a	-	Tos
-2F	PMST2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT323	161a	-	PhH
2F-	BC850B	Si-NPN	GP, 50V, 100mA, 250mW, B=200 450, >100MHz	SOT23	161a	-	PhM
2F-	BC850BW	Si-NPN	GP, 50V, 100mA, 200mW, B=200 450, >100MHz	SOT323	161a	-	PhH
2Fp	BC850B	Si-NPN	GP, 50V, 100mA, 250mW, B=200 450, >100MHz	SOT23	161a	-	PhH
2FR	2SB792A-R	Si-PNP	GP, AF, LN, 185V, 50mA, 200mW, B=130 220, 200MHz	SC-59	161a	-	Pan
2FR	BC850BR	Si-NPN	GP, 45V, 100mA, 310mW, B=330, >300MHz	SOT23	161e	-	Phi
2FS	2SB792A-S	Si-PNP	GP AF LN, 185V, 50mA, 200mW, B=185 330, 200MHz	SC-59	161a	-	Pan
2Fs	BC850B	Si-NPN	GP, 50V, 100mA, 330mW, B=200 450, 250MHz	SOT23	161a	-	Sie
2Fa	BC850BT	Si-NPN	GP, 50V, 100mA, 200mW, B=250, >100MHz	SOT416	161a	-	Inf
2Fa	BC850BW	Si-NPN	GP 50V, 100mA 200mW, B=200 450, >100MHz	SOT323	161a	-	Sie

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
2Fi	BC850BW	Si-NPN	GP, 50V, 100mA, 200mW, B=200..450, >100MHz	SOT323	16ta -	PhM
2FZ	BC850B	Si-NPN	GP, 50V, 100mA, 330mW, B=200..450, >300MHz	SOT23	16ta -	Ztx
2G	BC850C	Si-NPN	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta -	Cdi
2G	BC850CLT1	Si-NPN	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta -	Mot
2G	BC850CT	Si-NPN	GP, 50V, 100mA, 200mW, B=480, >100MHz	SOT416	16ta -	Phi
2G	BC850CW	Si-NPN	GP, 50V, 100mA, 200mW, B=420..800, >100MHz	SOT323	16ta -	Inf
2G	CMBTA56	Si-PNP	AF-Driver, 80V, 500mA, 250mW, B>100, >50MHz	SOT23	16ta -	Cdi
2G	FMMTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Ztx
2G	KST56	Si-PNP	AF-Driver, 80V, 500mA, 350mW, B>50, >50MHz	SOT23	16ta -	Sam
2G	MMBTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Vis
2G	R3131N22EA	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
2G	SMBTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Inf
2G	TMPTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	All
-2G	PMSTA56	Si-PNP	AF-Driver, 80V, 500mA, 200mW, B>100, >50MHz	SOT323	16ta -	PhH
2G-	BC850C	Si-NPN	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta -	PhM
2G-	BC850CW	Si-NPN	GP, 50V, 100mA, 200mW, B=420..800, >100MHz	SOT323	16ta -	PhH
2GM	MMBTA56LT1	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Ons
2Gp	BC850C	Si-NPN	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta -	PhH
2GR	BC850CR	Si-NPN	GP, 45V, 100mA, 310mW, B=600, >300MHz	SOT23	16te -	Phi
2Gs	BC850C	Si-NPN	GP, 50V, 100mA, 330mW, B=420..800, 250MHz	SOT23	16ta -	Sie
2Gs	BC850CT	Si-NPN	GP, 50V, 100mA, 200mW, B=480, >100MHz	SOT416	16ta -	Inf
2Gt	BC850CW	Si-NPN	GP, 50V, 100mA, 200mW, B=420..800, >100MHz	SOT323	16ta -	PhM
2GT	SOA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Sie
2H	BC850	Si-NPN	GP, 50V, 100mA, 250mW, B=200..800, >100MHz	SOT23	16ta -	Cdi
2H	CMBTA55	Si-PNP	AF-Driver, 80V, 500mA, 250mW, B>100, >50MHz	SOT23	16ta -	Cdi
2H	FMMTA55	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Ztx
2H	KST55	Si-PNP	GP, 60V, 500mA, 350mW, B>50, >50MHz	SOT23	16ta -	Sam
2H	MMBTA55	Si-PNP	GP, 60V, 500mA, 225mW, B=50, >50MHz	SOT23	16ta -	Vis
2H	MMBTA55LT1	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Ons
2H	R3131N32EA	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
2H	SMBTA55	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Inf
2H	TMPTA55	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	All
-2H	PMSTA55	Si-PNP	AF-Driver, 80V, 500mA, 200mW, B>100, >50MHz	SOT323	16ta -	PhH
2Hp	BC850	Si-NPN	GP, 50V, 100mA, 250mW, B=200..800, >100MHz	SOT23	16ta -	PhH
2Ht	BC850W	Si-NPN	GP, 50V, 100mA, 200mW, B=200..800, >100MHz	SOT323	16ta -	Phi
2HT	SOA55	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta -	Sie
2J	MMBT3640L	Si-PNP	HF, 12V, 80mA, 300mW, B=30..120, >500MHz	SOT23	16ta -	Mot
2J	MMBT3640LT1	Si-PNP	RF, 12V, 80mA, 300mW, B=30..120, >500MHz	SOT23	16ta -	Mot
2J	R3131N42EA	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
2K	BAT754	Si-Diode	Schottky, Sw, U-Fst, 30V, 0.2A, Vf<0.6V(0.1A), <0.3ns	SOT23	16dc -	Phi
2K	DDZX22D	Z-Diode	22V±2.5%, 500mW	SOT23	16dc -	Dil
2K	DDZX22DW	Z-Diode	22V±2.5%, 200mW	SOT323	16dc -	Dil
2K	FMMT4402	Si-PNP	AF, 40V, 600mA, 330mW, B=50..150, >150MHz	SOT23	16ta -	Ztx
2K	R3131N30EA8	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
2L	BAT754A	Si-Diode	Dual, Schottky, Sw, U-Fst, 30V, 0.2A, Vf<0.6V(0.1A), <0.3ns	SOT23	16df -	Phi
2L	FMMT4403	Si-PNP	AF, 40V, 600mA, 330mW, B=100..300, >200MHz	SOT23	16ta -	Ztx
2L	KST5401	Si-PNP	Vid, 160V, 500mA, 350mW, B=60..240, >150MHz	SOT23	16ta -	Sam
2L	MMBT5401	Si-PNP	HV, 160V, 200mA, 350mW, B=60..240, >100MHz	SOT23	16ta -	Nsc,Vis
2L	MMBT5401LT1	Si-PNP	HV, 160V, 500mA, 225mW, B=60..240, >100MHz	SOT23	16ta -	Mot
2L	R3131N26AC3	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 50ms	SOT23	16vdc VD6	Ric
2L	TMPT5401	Si-PNP	GP, 160V, 200mA, 350mW, B=60..240, >100MHz	SOT23	16ta -	All
-2L	PMST5401	Si-PNP	HV, 160V, 300mA, 200mW, B=60..240, 100..300MHz	SOT323	16ta -	PhH
2M	BAT754C	Si-Diode	Dual, Schottky, Sw, U-Fst, 30V, 0.2A, Vf<0.6V(0.1A), <0.3ns	SOT23	16dg -	Phi
2M	DDZX27D	Z-Diode	27V±2.5%, 500mW	SOT23	16dc -	Dil
2M	DDZX27DW	Z-Diode	27V±2.5%, 200mW	SOT323	16dc -	Dil
2m	FMMT5087	Si-PNP	AF, 50V, 100mA, 330mW, B=250..800, >40MHz	SOT23	16ta -	Ztx
2M	R3131N26BC3	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 100ms	SOT23	16vdc VD6	Ric
2N	BAT754S	Si-Diode	Dual, Schottky, Sw, U-Fst, 30V, 0.2A, Vf<0.6V(0.1A), <0.3ns	SOT23	16dl -	Phi
2N	DDZX30D	Z-Diode	30V±2.5%, 500mW	SOT23	16dc -	Dil
2N	DDZX30DTS	Z-Diode	30V±2.5%, 500mW	SOT23	16dc -	Dil
2N	DDZX30DW	Z-Diode	30V±2.5%, 200mW	SOT323	16dc -	Dil
2N	MMBT404ALT1	Si-PNP	Chopper, 40V, 150mA, 225mW, B=100..400, 180ns	SOT23	16ta -	Mot
2N	R3131N26DC3	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 200ms	SOT23	16vdc VD6	Ric
2N0	ZXT11N20DFTA	Si-NPN	Lo-sat, Switching, 40V, 2.5A, 625mW, B=200..900, 160MHz	SOT23	16ta -	Ztx
2N0	ZXT11N20DFTC	Si-NPN	Lo-sat, Switching, 40V, 2.5A, 625mW, B=200..900, 160MHz	SOT23	16ta -	Ztx
2P	FMMT2222R	Si-NPN	GP, 60V, 600mA, 330mW, B=120..360, >250MHz	SOT23	16ta -	Ztx
2P	KST5086	Si-PNP	GP, 50V, 50mA, 350mW, B=150..500, >40MHz	SOT23	16ta -	Sam
2P	R3131N26HC3	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 400ms	SOT23	16vdc VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
2P	TMPT5086	Si-PNP	GP, 50V, 50mA, 350mW, B=150...500, >40MHz	SOT23	161a	-	All
2Q	FMPT5209	Si-NPN	GP, 50V, 50mA, 330mW, B=100...300, >30MHz	SOT23	161a	-	Ztx
2Q	KST5087	Si-PNP	GP, 50V, 50mA, 350mW, B=250...800, >40MHz	SOT23	161a	-	Sam
2Q	R3131N26AA3	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output, 50ms	SOT23	16vdc	VD7	Ric
2Q	TMPT5087	Si-PNP	GP, 50V, 50mA, 350mW, B=250...800, >40MHz	SOT23	161a	-	All
2R	FMPT5210	Si-NPN	GP, 50V, 50mA, 330mW, B=200...600, >30MHz	SOT23	161a	-	Ztx
2R	R3131N26BA3	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
2R	SRA2202E	Si-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30...55, 200MHz, R1/R2=10/10k	SOT523	161a	-	Auk
2R	SRA2202EF	Si-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30...55, 200MHz, R1/R2=10/10k	SOT523F	181a	-	Auk
2R	SRA2202U	Si-PNP-Digi	Sw, 50V, 0.1A, 0.2W, B=30...55, 200MHz, R1/R2=10/10k	SOT323	161a	-	Auk
2R	SRA2202UF	Si-PNP-Digi	Sw, 50V, 0.1A, 0.2W, B=30...55, 200MHz, R1/R2=10/10k	SOT323F	181a	-	Auk
2S	R3131N26DA3	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output, 200ms	SOT23	16vdc	VD7	Ric
2T	HT2	Si-NPN	GP, 90V, 100mA, 300mW, <500/2000ns	SOT23	161a	-	Fer
2T	KST4403	Si-PNP	GP, 60V, 600mA, 350mW, B=100...300, >200MHz	SOT23	161a	-	Sam
2T	MMBT4403	Si-PNP	GP, 40V, 800mA, 200mW, B=100...300, >200MHz	SOT23	161a	-	Vis
2T	MMBT4403LT1	Si-PNP	GP, 40V, 600mA, 300mW, B=100...300, >200MHz	SOT23	161a	-	Mot
2T	MMBT4403T	Si-PNP	GP, 40V, 800mA, 200mW, B=100...300, >200MHz	SOT23	161a	-	Dil
2T	R3131N26HA3	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output, 400ms	SOT23	16vdc	VD7	Ric
2T	TMPT4403	Si-PNP	GP, 40V, 600mA, 330mW, B=100...300, >200MHz	SOT23	161a	-	All
-2T	PMST4403	Si-PNP	GP, 40V, 600mA, 200mW, B=100...300, >200MHz	SOT323	161a	-	PhH
2U	KST63	Si-NPN-Darl	GP, 30V, 500mA, 350mW, B=6000, >125MHz	SOT23	161a	-	Sam
2U	MMBT463LT1	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B=5000, >125MHz	SOT23	161a	-	Mot
2U	SMBTA63	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B=5000, >125MHz	SOT23	161a	-	Inf
2V	KST64	Si-NPN-Darl	GP, 30V, 500mA, 350mW, B=10000, >125MHz	SOT23	161a	-	Sam
2V	MMBT464LT1	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B=10000, >125MHz	SOT23	161a	-	Mot
2V	SMBTA64	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B=10000, >125MHz	SOT23	161a	-	Inf
2V4	PZM2.4NB	Z-Diode	2.4V±2.5%, 0.3W	SOT346	16dc	-	Phi
2V7	PZM2.7NB	Z-Diode	2.7V±2.5%, 0.3W	SOT346	16dc	-	Phi
2W	2SC3704	Si-NPN	UHF, 1N, 15V, 80mA, 200mW, B=50...300, 6GHz	SC-59	161a	-	Pan
2W	2SC3937	Si-NPN	UHF, 15V, 80mA, 150mW, B=80...250, 6GHz	SC-70	161a	-	Pan
2W	FMPT3905	Si-PNP	GP, 40V, 200mA, 330mW, B=50...150, >200MHz	SOT23	161a	-	Ztx
2W	MMBT8599LT1	Si-PNP	GP, 80V, 500mA, 300mW, B=100...300, >150MHz	SOT23	161a	-	Mot
2W	TMPT4402	Si-PNP	GP, 40V, 600mA, 330mW, B=50...150, >150MHz	SOT23	161a	-	All
2X	2SC3707	Si-NPN	UHF, 10V, 10mA, 50mW, B=50...150, 4GHz	SC-59	161a	-	Pan
2X	KST4401	Si-NPN	GP, 60V, 600mA, 350mW, B=100...300, >250MHz	SOT23	161a	-	Sam
2X	MMBT4401	Si-NPN	GP, 60V, 800mA, 200mW, B=100...300, >200MHz	SOT23	161a	-	Nsc,Vis
2X	MMBT4401LT1	Si-NPN	GP, 60V, 600mA, 300mW, B=100...300, >250MHz	SOT23	161a	-	Mot
2X	MMBT4401T	Si-PNP	GP, 60V, 600mA, 300mW, B=100...300, >250MHz	SOT523	161a	-	Dil
2X	TMPT4401	Si-NPN	GP, 60V, 600mA, 350mW, B=100...300, >250MHz	SOT23	161a	-	All
2X	UNRF1A5	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1=10k	ML3	221a	-	Pan
-2X	PMST4401	Si-NPN	Switching, 60V, 600mA, 200mW, B=100...300, >250MHz	SOT323	161a	-	PhH
2Y	CMBT3905	Si-NPN	GP, 40V, 200mA, 250mW, B=50...150, >200MHz	SOT23	161a	-	Cdi
2Y	UNRF2A4	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=10k/47k	ML3	221a	-	Pan
2YQ	2SC3757-Q	Si-NPN	Sw, Hi-speed, 15V, 50mA, 200mW, B=50...120, 1.5GHz	SC-59	161a	-	Pan
2YQ	2SC3938-Q	Si-NPN	Sw, Hi-Sp, 40V, 300mA, 150mW, B=60...120, 450MHz	SC-70	161a	-	Pan
2YR	2SC3757-R	Si-NPN	Sw, Hi-speed, 15V, 50mA, 200mW, B=80...150, 1.5GHz	SC-59	161a	-	Pan
2YR	2SC3938-R	Si-NPN	Sw, Hi-Sp, 40V, 300mA, 150mW, B=90...200, 450MHz	SC-70	161a	-	Pan
2YS	2SC3757-S	Si-NPN	Sw, Hi-speed, 15V, 50mA, 200mW, B=120...240, 1.5GHz	SC-59	161a	-	Pan
2YS	2SC3938-S	Si-NPN	Sw, Hi-speed, 15V, 50mA, 150mW, B=120...240, 1.5GHz	SC-70	161a	-	Pan
2Z	MMBT6520LT1	Si-PNP	Vid, 350V, 250mA, 225mW, B=20...200, <200MHz	SOT23	161a	-	Mot
2Z	UNRF2AM	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=2k2/47k	ML3	221a	-	Pan
2Z5	BAS70-05	Si-Diode	Dual, Schottky, 70V, 70mA, Vfk0.1V, Cdd=2pF	SOT23	16dg	-	Ztx
3.0	Z02W3.0V	Z-Diode	2.8...3.2V, 200mW	SOT23	16dc	-	Kec
3.0H	MAZ3030	Z-Diode	2.8...3.2V, 200mW	SC-59	16dc	-	Pan
3.0L	MAZ3030	Z-Diode	2.8...3.2V, 200mW	SC-59	16dc	-	Pan
3.0Z	Z02W3.0VZ	Z-Diode	2.95...3.2V, 200mW	SOT23	16dc	-	Kec
3.3	Z02W3.3V	Z-Diode	3.1...3.5V, 200mW	SOT23	16dc	-	Kec
3.3H	MAZ3033	Z-Diode	3.1...3.5V, 200mW	SC-59	16dc	-	Pan
3.3L	MAZ3033	Z-Diode	3.1...3.5V, 200mW	SC-59	16dc	-	Pan
3.3Z	Z02W3.3VZ	Z-Diode	3.25...3.5V, 200mW	SOT23	16dc	-	Kec
3.6	Z02W3.6V	Z-Diode	3.4...3.8V, 200mW	SOT23	16dc	-	Kec
3.6H	MAZ3036	Z-Diode	3.4...3.8V, 200mW	SC-59	16dc	-	Pan
3.6L	MAZ3036	Z-Diode	3.4...3.8V, 200mW	SC-59	16dc	-	Pan
3.6X	Z02W3.6VX	Z-Diode	3.4...3.65V, 200mW	SOT23	16dc	-	Kec
3.6Z	Z02W3.6VZ	Z-Diode	3.55...3.8V, 200mW	SOT23	16dc	-	Kec
3.9	Z02W3.9V	Z-Diode	3.7...4.1V, 200mW	SOT23	16dc	-	Kec
3.9H	MAZ3039	Z-Diode	3.7...4.1V, 200mW	SC-59	16dc	-	Pan
3.9L	MAZ3039	Z-Diode	3.7...4.1V, 200mW	SC-59	16dc	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
3-9Z	Z02W3 9VZ	Z-Diode	3 87 4 1V, 200mW	SOT23	16dc -	Kec
3-0X	02C23 0-X	Z-Diode	2 8 3 05V 200mW	SC-59	16dc -	Tos
3-0Z	02C22 0-Z	Z-Diode	1 95 2 15V, 200mW	SC-59	16dc -	Tos
3-0Z	02C23 0-Z	Z-Diode	2 95 3 2V, 200mW	SC-59	16dc -	Tos
3-3X	02C23 3-X	Z-Diode	3 1 3 35V, 200mW	SC-59	16dc -	Tos
3-3Z	02C23 3-Z	Z-Diode	3 25 3 5V, 200mW	SC-59	16dc -	Tos
3-6X	02C23 6-X	Z-Diode	3 4 3 65V 200mW	SC-59	16dc -	Tos
3-6Z	02C23 6-Z	Z-Diode	3 55 3 8V, 200mW	SC-59	16dc -	Tos
3-9X	02C23 9-X	Z-Diode	3 7 3 97V, 200mW	SC-59	16dc -	Tos
3-9Z	02C23 9-Z	Z-Diode	3 87 4 1V, 200mW	SC-59	16dc -	Tos
30-	HZM30NB	Z-Diode	28 32V, 200mW	MPAK	16dc -	Ren
300	HZM3 0NB	Z-Diode	2 8 3 2V, 200mW	MPAK	16dc -	Ren
301	PZM3 0NB1	Z-Diode	3 0V±2 5%, 0,3W	SC-59	16dc -	Phi
302	HZM3 0NB2	Z-Diode	2 95 3 2V, 200mW	MPAK	16dc -	Ren
302	PZM3 0NB2	Z-Diode	3 0V±2 5%, 0,3W	SC-59	16dc -	Phi
30-2	UTC8130-2	Lin/Dig-IC	Voltage Detector 3V, -Reset Open collector output	SOT23	16vdy VD6	Ulc
30-3	UTC8130-3	Lin/Dig-IC	Voltage Detector 3V, -Reset Open collector output	SOT23	16vc VD6	Ulc
305	AT-30533	Si-NPN	UHF, 11V 8mA, 100mW, B=70 300, 10GHz	SOT23	16ta -	Ag
30-5	UTC8130-5	Lin/Dig-IC	Voltage Detector 3V, -Reset Open collector output	SOT23	16vdc VD6	Ulc
309L	CMPT3090L	Si-NPN	GP, Pow 45V 5A, 350mW, B>100 >100MHz	SOT23F	18ta -	Cen
30H	MAZ3300	Z-Diode	28 32V, 200mW	SC-59	16dc -	Pan
30L	MAZ3300	Z-Diode	28 32V, 200mW	SC-59	16dc -	Pan
30M	MAZ3300	Z-Diode	28 32V, 200mW	SC-59	16dc -	Pan
30T	TK71530AS	VR-IC	LDO 3V±1.5%, 155mA	SOT23	16cj VR1	Tok
30V	PZM30NB	Z-Diode	30V±2 5%, 0,3W	SC-59	16dc -	Phi
30V	PZM30NB1	Z-Diode	30V±2 5%, 0,3W	SOT346	16dc -	Phi
30Z	C21W30	Z-Diode	30V±5%, 600mW	SOT23	16dc -	Cdi
31	PDTA124XE	Si-PNP-Digi	Switching 50V, 100mA, 200mW, R1/R2=22k/47k	SOT416	16ta -	Phi
31	PDTA124XEF	Si-PNP-Digi	Switching 50V, 100mA, 250mW, R1/R2=22k/47k	SOT490	18ta -	Phi
310	AT-31033	Si-NPN	UHF, 11V, 16mA, 0 15W, B=70 300, 10GHz	SOT23	16ta -	Ag
31-2	UTC8131-2	Lin/Dig-IC	Voltage Detector 3 1V, -Reset Open collector output	SOT23	16vdy VD6	Ulc
31-3	UTC8131-3	Lin/Dig-IC	Voltage Detector 3 1V, -Reset Open collector output	SOT23	16vc VD6	Ulc
31-A	UTC8131-5	Lin/Dig-IC	Voltage Detector 3 1V, -Reset Open collector output	SOT23	16vdc VD6	Ulc
31T	TK71531AS	VR-IC	LDO, 3 1V±1.5%, 155mA	SOT23	16cj VR1	Tok
32	PDTC124XE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=22k/47k	SOT416	16ta -	Phi
32	PDTC124XEF	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k	SOT490	18ta -	Phi
320	AT-32033	Si-NPN	UHF, 11V 32mA, 0 2W B=70 300, 10GHz	SOT23	16ta -	Ag
32-2	UTC8132-2	Lin/Dig-IC	Voltage Detector 3 2V, -Reset Open collector output	SOT23	16vdy VD6	Ulc
32-3	UTC8132-3	Lin/Dig-IC	Voltage Detector 3 2V, -Reset Open collector output	SOT23	16vc VD6	Ulc
32-5	UTC8132-5	Lin/Dig-IC	Voltage Detector 3 2V, -Reset Open collector output	SOT23	16vdc VD6	Ulc
32T	TK71532AS	VR-IC	LDO 3 2V±1 5% 155mA	SOT23	16cj VR1	Tok
33	DTA143XE	Si-PNP-Digi	Switching 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/10k	EMT3	16ta -	Rhm
33	DTA143XKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/10k	SMT3	16ta -	Rhm
33	DTA143XM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/10k	VMT3	18ta -	Rhm
33	DTA143XUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/10k	UMT3	16ta -	Rhm
33	PDTC114YE	Si-NPN-Digi	Switching 50V, 100mA, 150mW, R1/R2=10k/47k	SC-75	16ta -	PhM
33-	HZM33NB	Z-Diode	31 35V, 200mW	MPAK	16dc -	Ren
330	HZM3 3NB	Z-Diode	3 1 3 5V, 200mW	MPAK	16dc -	Ren
331	HZM3 3NB1	Z-Diode	3 1 3 35V, 200mW	MPAK	16dc -	Ren
331	NDS331N	MOS-N-FET-e	V-MOS, LogL, 20V, 1,3A, <0,16Q	SOT23	16fg -	Nsc
331	PZM3 3NB1	Z-Diode	3 3V±2 5%, 0,3W	SOT346	16dc -	Phi
332	HZM3 3NB2	Z-Diode	3 25 3 5V, 200mW	MPAK	16dc -	Ren
332	NDS332P	MOS-P-FET-e	V-MOS, LogL, 20V, 1A, <0,41Q(5A)	SOT23	16fg -	Nsc
332	PZM3 3NB2	Z-Diode	3 3V±2 5%, 0,3W	SOT346	16dc -	Phi
33-2	UTC8133-2	Lin/Dig-IC	Voltage Detector 3 3V, -Reset Open collector output	SOT23	16vdy VD6	Ulc
33-3	UTC8133-3	Lin/Dig-IC	Voltage Detector 3 3V, -Reset Open collector output	SOT23	16vc VD6	Ulc
335	NDS335N	MOS-N-FET-e	V-MOS, LogL, 20V, 1,7A, <0,11Q	SOT23	16fg -	Nsc
33-5	UTC8133-5	Lin/Dig-IC	Voltage Detector 3 3V, -Reset Open collector output	SOT23	16vdc VD6	Ulc
336	NDS336P	MOS-P-FET-e	V-MOS, LogL, 20V, 1,2A, <0,27Q	SOT23	16fg -	Nsc
33H	MAZ3330	Z-Diode	31 35V, 200mW	SC-59	16dc -	Pan
33L	MAZ3330	Z-Diode	31 35V, 200mW	SC-59	16dc -	Pan
33M	MAZ3330	Z-Diode	31 35V, 200mW	SC-59	16dc -	Pan
33T	TK71533AS	VR-IC	LDO, 3,3V±1.5%, 155mA	SOT23	16cj VR1	Tok
33V	PZM33NB	Z-Diode	33V±2 5%, 0,3W	SC-59	16dc -	Phi
33V	PZM33NB1	Z-Diode	33V±2 5%, 0,3W	SOT346	16dc -	Phi
33Z	C21W33	Z-Diode	33V±5%, 600mW	SOT23	16dc -	Cdi
34	PDTC143XE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/10k	SC-75	16ta -	Phi
34-2	UTC8134-2	Lin/Dig-IC	Voltage Detector 3 4V, -Reset Open collector output	SOT23	16vdy VD6	Ulc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
34-3	UTC8134-3	Lin/Dig-IC	Voltage Detector 3 4V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
34-5	UTC8134-5	Lin/Dig-IC	Voltage Detector 3 4V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
34T	TK71534AS	VR-IC	LDO 3,4V±1,5%, 155mA	SOT23	16cj	VR1	Tok
35	DTA124XE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW 250MHz, R1/R2=22k/47k	EMT3	16la	-	Rhm
35	DTA124XKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/47k	SMT3	16la	-	Rhm
35	DTA124XM	Si-PNP-Digi	Switching 50V, 100mA, 150mW, 250MHz, R1/R2=22k/47k	VMT3	16la	-	Rhm
35	DTA124XUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/47k	UMT3	16la	-	Rhm
35	PDTA143XE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/10k	SOT416	16la	-	Phi
351	NDS351N	MOS-N-FET-e	V-MOS, LogL, 30V, ±1 1A, <0,25Ω	SOT23	16fg	-	Nsc
352	NDS352P	MOS-P-FET-e	V-MOS, LogL, 30V, ±0 85A, <0,5Ω	SOT23	16fg	-	Nsc
35-2	UTC8135-2	Lin/Dig-IC	Voltage Detector 3 5V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
35-3	UTC8135-3	Lin/Dig-IC	Voltage Detector 3 5V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
355	NDS355N	MOS-N-FET-e	V-MOS, LogL, 30V, ±1,6A <0,125Ω	SOT23	16fg	-	Nsc
35-5	UTC8135-5	Lin/Dig-IC	Voltage Detector 3 5V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
356	NDS356P	MOS-P-FET-e	V-MOS, LogL, 20V, ±1,1A, <0,3Ω	SOT23	16fg	-	Nsc
35T	TK71535AS	VR-IC	LDO, 3,5V±1,5%, 155mA	SOT23	16cj	VR1	Tok
36-	HZM36NB	Z-Diode	34 3 8V, 200mW	MPAK	16dc	-	Ren
360	HZM3 6NB	Z-Diode	3 4 3 8V, 200mW	MPAK	16dc	-	Ren
361	HZM3 6NB1	Z-Diode	3 4 3 65V, 200mW	MPAK	16dc	-	Ren
361	PZM3 6NB1	Z-Diode	3 6V±2 5% 0 3W	SOT346	16dc	-	Phi
362	HZM3 6NB2	Z-Diode	3 55 3 8V 200mW	MPAK	16dc	-	Ren
362	PZM3 3NB2	Z-Diode	3 6V±2 5%, 0 3W	SOT346	16dc	-	Phi
362	PZM3 6NB2	Z-Diode	3 6V±2 5%, 0,3W	SC-59	16dc	-	Phi
36-2	UTC8136-2	Lin/Dig-IC	Voltage Detector 3 6V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
36-3	UTC8136-3	Lin/Dig-IC	Voltage Detector 3 6V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
36-5	UTC8136-5	Lin/Dig-IC	Voltage Detector 3 6V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
36H	MAZ3360	Z-Diode	34 3 8V, 200mW	SC-59	16dc	-	Pan
36L	MAZ3360	Z-Diode	34 3 8V, 200mW	SC-59	16dc	-	Pan
36M	MAZ3360	Z-Diode	34 3 8V, 200mW	SC-59	16dc	-	Pan
36T	TK71536AS	VR-IC	LDO, 3 6V±1,5%, 155mA	SOT23	16cj	VR1	Tok
36V	PZM36NB	Z-Diode	36V±2 5%, 0,3W	SC-59	16dc	-	Phi
36V	PZM36NB1	Z-Diode	36V±2 5%, 0 3W	SOT346	16dc	-	Phi
36Z	CZ1W36	Z-Diode	36V±5%, 600mW	SOT23	16dc	-	Cdi
37-2	UTC8137-2	Lin/Dig-IC	Voltage Detector 3 7V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
37-3	UTC8137-3	Lin/Dig-IC	Voltage Detector 3 7V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
37-5	UTC8137-5	Lin/Dig-IC	Voltage Detector 3 7V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
37T	TK71537AS	VR-IC	LDO, 3,7V±1,5%, 155mA	SOT23	16cj	VR1	Tok
38-2	UTC8138-2	Lin/Dig-IC	Voltage Detector 3 8V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
38-3	UTC8138-3	Lin/Dig-IC	Voltage Detector 3 8V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
38-5	UTC8138-5	Lin/Dig-IC	Voltage Detector 3 8V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
38T	TK71538AS	VR-IC	LDO 3,8V±1,5% 155mA	SOT23	16cj	VR1	Tok
390	HZM3 9NB	Z-Diode	3 7 4 1V 200mW	MPAK	16dc	-	Ren
391	HZM3 9NB1	Z-Diode	3 7 3 9V, 200mW	MPAK	16dc	-	Ren
391	PZM3 9NB1	Z-Diode	3 9V±2 5%, 0 3W	SOT346	16dc	-	Phi
392	HZM3 9NB2	Z-Diode	3 87 4 1V, 200mW	MPAK	16dc	-	Ren
392	PZM3 9NB2	Z-Diode	3 9V±2 5%, 0 3W	SOT346	16dc	-	Phi
39-2	UTC8139-2	Lin/Dig-IC	Voltage Detector 3 9V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
39-3	UTC8139-3	Lin/Dig-IC	Voltage Detector 3 9V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
39-5	UTC8139-5	Lin/Dig-IC	Voltage Detector 3 9V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
39T	TK71539AS	VR-IC	LDO, 3 9V±1,5%, 155mA	SOT23	16cj	VR1	Tok
39V	PZM39NB	Z-Diode	39V±2 5%, 0 3W	SC-59	16dc	-	Phi
39V	PZM39NB1	Z-Diode	39V±2 5%, 0 3W	SOT346	16dc	-	Phi
39Z	CZ1W39	Z-Diode	39V±5%, 600mW	SOT23	16dc	-	Cdi
3A	BC856A	Si-PNP	GP, 80V, 100mA, 310mW, B=110 220, >150MHz	SOT23	16ta	-	Cdi,Da Tos
3A	BC856ALT1	Si-PNP	GP, 80V, 100mA, 300mW, B=125 250, >100MHz	SOT23	16ta	-	Mot
3A	BC856AT	Si-PNP	GP, 80V, 100mA, 250mW, B=125 250, >100MHz	SOT416	16ta	-	Phi
3A	BC856AWT1	Si-PNP	GP, 80V, 100mA, 250mW, B=125 250, >100MHz	SOT323	16ta	-	Ons
3A	KST24	Si-NPN	VHF-Mix, 40V, 100mA 350mW, B>30, >620MHz	SOT23	16ta	-	Sam
3A-	BC856AW	Si-PNP	GP 80V, 100mA, 250mW, B=125 250, >100MHz	SOT323	16ta	-	PhM
3A0	PZM3 0NB2A	Z-Diode	Dual, 3 0V±2 5%, 0 3W	SOT346	16df	-	Phi
3A3	PZM3 3NB2A	Z-Diode	Dual, 3 3V±2 5%, 0 3W	SOT346	16df	-	Phi
3A6	PZM3 6NB2A	Z-Diode	Dual, 3 6V±2 5%, 0 3W	SOT346	16df	-	Phi
3A9	PZM3 9NB2A	Z-Diode	Dual, 3 9V±2 5%, 0 3W	SOT346	16df	-	Phi
3Ap	BC856A	Si-PNP	GP, 80V, 100mA, 250mW, B=125 250, >100MHz	SOT23	16ta	-	PhH
3AR	BC856AR	Si-PNP	GP, 80V, 100mA, 200mW, B=125, >150MHz	SOT23	16ta	-	Phi
3As	BC856A	Si-PNP	GP, 80V, 100mA, 330mW, B=125 250, 250MHz	SOT23	16ta	-	Sie
3At	BC856A	Si-PNP	GP, 80V, 100mA, 250mW, B=125 250, >100MHz	SOT23	16ta	-	PhM
3At	BC856AW	Si-PNP	GP, 80V 100mA, 250mW, B=125 250 >100MHz	SOT323	16ta	-	PhH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
3B	BC856B	Si-PNP	GP, 80V, 100mA, 310mW, B=200..450, >150MHz	SOT23	16ta	-	Cdi,Dil,Tos
3B	BC856BLT1	Si-PNP	GP, 80V, 100mA, 300mW, B=220..475, >100MHz	SOT23	16ta	-	Ons
3B	BC856BT	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT416	16ta	-	Phi
3B	BC856BT1	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT416	16ta	-	Ons
3B	BC856BW	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	Inf
3B	BC856BWT1	Si-PNP	GP, 80V, 100mA, 150mW, B=220..475, >100MHz	SOT323	16ta	-	Ons
3B	CMBT918	Si-NPN	VHF/UHF, 30V, 350mA, 225mW, B>20, >600MHz	SOT23	16ta	-	Cdi
3B	FMMT918	Si-NPN	GP, 30V, 100mA, 330mW, B>20, >600MHz	SOT23	16ta	-	Ztx
3B	R3131N23EC	CMOS-IC	Voltage Detector 2,3V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
3B	RB461F	Si-Diode	Schottky Rectifier, 20V, 700mA, Vf<0,49V(700mA)	SOT323	16dc	-	Rhm,Trs
3B	TMPT918	Si-NPN	VHF/UHF, 30V, 50mA, 350mW, B>20, >600MHz	SOT23	16ta	-	All
3B-	BC856BW	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	PhM
3Bp	BC856B	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT23	16ta	-	PhH
3BR	BC856BR	Si-PNP	GP, 80V, 100mA, 200mW, B=475, >100MHz	SOT23	16ta	-	Phi
3Bs	BC856B	Si-PNP	GP, 80V, 100mA, 330mW, B=220..475, 250MHz	SOT23	16ta	-	Sie
3Bt	BC856B	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT23	16ta	-	PhM
3Bt	BC856BW	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	PhH
3C	FMMT420R	Si-NPN	GP, 40V, 100mA, 330mW, B=40..400, >125MHz	SOT23	16te	-	Ztx
3C	R3131N33EC	CMOS-IC	Voltage Detector 3,3V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
3D	BC856	Si-PNP	GP, 80V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	Cdi
3D	MMBT818LT1	Si-PNP	UHF/VHF, 20V, 50mA, 225mW, B>60, >600MHz	SOT23	16ta	-	Mol
3D	R3131N43EC	CMOS-IC	Voltage Detector 4,3V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
3D	RB715F	Si-Diode	Dual, Schottky Rectifier, 40V, 30mA, Vf<0,37V(1mA), 5pF	SOT323	16dg	-	Rhm,Trs
3D	RB715W	Si-Diode	Dual, Schottky Rectifier, 40V, 30mA, Vf<0,37V(1mA), 5pF	SOT523	16dg	-	Rhm,Trs
3D-	BC856W	Si-PNP	GP, 80V, 100mA, 250mW, B=125..475, >100MHz	SOT323	16ta	-	PhM
3Dp	BC856	Si-PNP	GP, 80V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	PhH
3Dt	BC856	Si-PNP	GP, 80V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	PhM
3Dt	BC856W	Si-PNP	GP, 80V, 100mA, 250mW, B=125..475, >100MHz	SOT323	16ta	-	PhH
3E	BC857A	Si-PNP	GP, 50V, 100mA, 310mW, B=110..220, >150MHz	SOT23	16ta	-	Cdi,Dil,Tos
3E	BC857AF	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT490	18ta	-	Phi
3E	BC857ALT1	Si-PNP	GP, 50V, 100mA, 300mW, B=125..250, >100MHz	SOT23	16ta	-	Mot
3E	BC857AT	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT416	18ta	-	Phi
3E	BC857AW	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	Mot
3E	CMBT10	Si-NPN	GP, 30V, 25mA, 225mW, B>60, >650MHz	SOT23	16ta	-	Cdi
3E	FMMT42	Si-NPN	Vid, 300/30V, 200mA, 330mW, B>40, >50MHz	SOT23	16ta	-	Ztx
3E	KST10	Si-NPN	GP, 30V, 25mA, 330mW, B>60, >650MHz	SOT23	16ta	-	Sam
3E	R3131N46EC5	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
3E	RB717F	Si-Diode	Dual, Schottky Rectifier, 40V, 30mA, Vf<0,37V(1mA), 5pF	SOT323	16df	-	Rhm,Trs
3E-	BC857AW	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	PhM
3EM	MMBT10-4LT1	Si-NPN	GP, 30V, 25mA, 225mW, B>60, >650MHz	SOT23	16ta	-	Ons
3EM	MMBT10LT1	Si-NPN	GP, 30V, 25mA, 225mW, B>60, >650MHz	SOT23	16ta	-	Ons
3Ep	BC857A	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT23	16ta	-	PhH
3ER	BC857AR	Si-PNP	GP, 45V, 100mA, 250mW, B=220, >150MHz	SOT23	16te	-	Phi
3Es	BC857A	Si-PNP	GP, 50V, 100mA, 330mW, B=125..250, 250MHz	SOT23	16ta	-	Sie
3Es	BC857AW	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	Sie
3Et	BC857A	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT23	16ta	-	PhM
3Et	BC857AW	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	PhH
3EZ	FMMT10	Si-NPN	Switching, 30V, 25mA, 330mW, B>60, >650MHz	SOT23	16ta	-	Ztx
3EZ	FMMT10	Si-NPN	GP, 30V, 25mA, 330mW, B>60, >650MHz	SOT23	16ta	-	Ztx
3F	BC857B	Si-PNP	GP, 50V, 100mA, 310mW, B=200..450, >150MHz	SOT23	16ta	-	Cdi,Dil,Tos
3F	BC857BF	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT490	18ta	-	Phi
3F	BC857BLT1	Si-PNP	GP, 50V, 100mA, 300mW, B=220..475, >100MHz	SOT23	16ta	-	Mot
3F	BC857BT	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT416	16ta	-	Phi
3F	BC857BW	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	Inf
3F	BC857BWT1	Si-PNP	GP, 50V, 100mA, 150mW, B=220..475, >100MHz	SOT323	16ta	-	Ons
3F-	BC857BW	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	PhM
3Fp	BC857B	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT23	16ta	-	PhH
3FR	BC857BR	Si-PNP	GP, 45V, 100mA, 200mW, B=475, >150MHz	SOT23	16te	-	Phi
3Fs	BC857B	Si-PNP	GP, 50V, 100mA, 330mW, B=220..475, 250MHz	SOT23	16ta	-	Sie
3Ft	BC857B	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT23	16ta	-	PhM
3Ft	BC857BW	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	PhH
3G	BC857C	Si-PNP	GP, 50V, 100mA, 310mW, B=420..800, >150MHz	SOT23	16ta	-	Cdi,Dil,Tos
3G	BC857CF	Si-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT490	18ta	-	Phi
3G	BC857CT	Si-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT416	16ta	-	Dil,Phi
3G	BC857CTT1	Si-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT416	16ta	-	Ons
3G	BC857CW	Si-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT323	16ta	-	Inf
3G	BC857CWT1	Si-PNP	GP, 50V, 100mA, 150mW, B=420..800, >100MHz	SOT323	16ta	-	Ons
3G	R3131N23EA	CMOS-IC	Voltage Detector 2,3V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
3G-	BC857CW	SI-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT323	16ta	-	PhM
3Gr	BC857C	SI-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta	-	PhH
3GR	BC857CR	SI-PNP	GP, 45V, 100mA, 200mW, B=800, >150MHz	SOT23	16ie	-	Phi
3Gс	BC857C	SI-PNP	GP, 50V, 100mA, 330mW, B=420..800, 250MHz	SOT23	16ta	-	Sie
3Gt	BC857C	SI-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta	-	PhM
3Gt	BC857CW	SI-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT323	16ta	-	PhH
3H	BC857	SI-PNP	GP, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	Cdi
3H	R3131N33EA	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
3H-	BC857W	SI-PNP	GP, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT323	16ta	-	PhM
3Hp	BC857	SI-PNP	GP, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	PhH
3Ht	BC857	SI-PNP	GP, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	PhM
3Ht	BC857CW	SI-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT323	16ta	-	Phi
3Ht	BC857W	SI-PNP	GP, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT323	16ta	-	PhH
3J	BC858A	SI-PNP	GP, 30V, 100mA, 310mW, B=110..220, >150MHz	SOT23	16ta	-	DiI,Itt,2x
3J	BC858ALT1	SI-PNP	GP, 30V, 100mA, 300mW, B=125..250, >100MHz	SOT23	16ta	-	Ons
3J	BC858AT	SI-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT416	16ta	-	Phi
3J	BC858AWT1	SI-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	Ons
3J	R3131N43EA	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
3J	RB70BF-40	Si-Diode	Dual, Schottky Rectifier, 40V, 30mA, Vf<0.37V(1mA), 5pF	SOT323	16dj	-	Rhm,Trs
3J-	BC858AW	SI-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	PhM
3Jp	BC858A	SI-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT23	16ta	-	PhH
3JR	BC858AR	SI-PNP	GP, 30V, 100mA, 250mW, B=220, >150MHz	SOT23	16ie	-	Phi
3Js	BC858A	SI-PNP	GP, 30V, 100mA, 330mW, B=125..250, 250MHz	SOT23	16ta	-	Sie
3Js	BC858AW	SI-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	Sie
3Jt	BC858AW	SI-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT323	16ta	-	PhH
3K	BC858B	SI-PNP	GP, 30V, 100mA, 310mW, B=200..450, >150MHz	SOT23	16ta	-	Cdi,Di,Tos
3K	BC858BLT1	SI-PNP	GP, 30V, 100mA, 300mW, B=220..475, >100MHz	SOT23	16ta	-	Mot
3K	BC858BT	SI-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT416	16ta	-	Phi
3K	BC858BW	SI-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	Inf
3K	BC858BWT1	SI-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	Ons
3K	R3131N46EA5	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
3K	UNRF1AN	SI-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=4k7/47k	ML3	22ta	-	Pan
3K-	BC858BW	SI-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	PhM
3Kp	BC858B	SI-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT23	16ta	-	PhH
3KR	BC858BR	SI-PNP	GP, 30V, 100mA, 200mW, B=475, >150MHz	SOT23	16ie	-	Phi
3Kс	BC858B	SI-PNP	GP, 30V, 100mA, 330mW, B=220..475, 250MHz	SOT23	16ta	-	Sie
3Kt	BC858BW	SI-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	16ta	-	PhH
3L	BC858C	SI-PNP	GP, 30V, 100mA, 310mW, B=420..800, >150MHz	SOT23	16ta	-	Cdi,Di,Tos
3L	BC858CLT1	SI-PNP	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SOT23	16ta	-	Mot
3L	BC858CT	SI-PNP	GP, 30V, 100mA, 250mW, B=420..800, >100MHz	SOT416	16ta	-	Phi
3L	BC858CW	SI-PNP	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SOT23	16ta	-	Mot,Inf
3L	R3131N29AC3	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 50ms	SOT23	16vdc	VD6	Ric
3Lp	BC858C	SI-PNP	GP, 30V, 100mA, 250mW, B=420..800, >100Hz	SOT23	16ta	-	PhH
3LR	BC858CR	SI-PNP	GP, 30V, 100mA, 250mW, B=800, >150MHz	SOT23	16ie	-	Phi
3Ls	BC858C	SI-PNP	GP, 30V, 100mA, 330mW, B=420..800, 250MHz	SOT23	16ta	-	Sie
3Ls	BC858CW	SI-PNP	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SOT23	16ta	-	Sie
3Lt	BC858CW	SI-PNP	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SOT23	16ta	-	Phi
3M	2SC3829	SI-NPN	UHF, 15V, 80mA, 200mW, B=50..300, 6GHz	SC-59	16ta	-	Pan
3M	BC858	SI-PNP	GP, 30V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	Cdi
3m	FMNT5087R	SI-PNP	AF, 50V, 100mA, 330mW, B=200..600, >40MHz	SOT23	16ie	-	Ztx
3M	NSF2250WT1	SI-NPN	VHF/UHF OscMix, 30V, 50mA, 200mW, B=150, 2.3GHz	SOT323	16ta	-	Ons
3M	R3131N29BC3	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
3Mp	BC858	SI-PNP	GP, 30V, 100mA, 250mW, B=125..800, >100MHz	SOT23	16ta	-	PhH
3Mt	BC858W	SI-PNP	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SOT323	16ta	-	Phi
3N	2SK620	MOS-N-FET-с	V-MOS, 50V, ±0.1A, Int.Di (S > G)	SOT23	16fg	-	Pan
3N	MMBT3906	SI-PNP	Sw, AF, 60/40V, 100mA, 200mW, B=100..300, >250MHz	SOT23	16ta	-	Itt,Vis
3N	MMBT3906T	SI-PNP	Sw, AF, 60/40V, 100mA, 200mW, B=100..300, >250MHz	SOT323	16ta	-	DiI
3N	R3131N29DC3	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 200ms	SOT23	16vdc	VD6	Ric
3O	2SK621	MOS-N-FET-a	Int.Di+R (S > G), V-MOS, 20V, ±0.1A	SOT23	16fg	-	Pan
3P	FMNT2222AR	SI-NPN	GP, 75V, 800mA, 330mW, B=120..360, >300MHz	SOT23	16ie	-	Ztx
3P	FMT2222AR	SI-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT23R	16ta	-	Ztx
3P	R3131N29HC3	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
3Q	R3131N29AA3	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 50ms	SOT23	16vdc	VD7	Ric
3R	MMBT5751	SI-PNP	Switching, 15V, 200mA, 225mW, B=50..120, 15/20ns	SOT23	16ta	-	Nsc
3R	PDTA124EEF	SI-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k	SOT490	18ta	-	Phi
3R	R3131N29BA3	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
3R	SRA2203E	SI-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1/R2=22/22k	SOT523	16ta	-	Auk
3R	SRA2203EF	SI-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1/R2=22/22k	SOT523F	18ta	-	Auk

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
3R	SRA2203U	Si-PNP-Digi	Sw. 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1/R2=22/22k	SOT323	161a -	Auk
3R	SRA2203UF	Si-PNP-Digi	Sw. 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1/R2=22/22k	SOT323F	161a -	Auk
3S	MMBT5551	Si-NPN	HV, 180V, 200mA, 350mW, B=80..250, >300MHz	SOT23	161a -	Nsc,Vis
3S	R3131N29DA3	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 200ms	SOT23	16vdc VD7	Ric
3S	UNRF1A2	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R/R2=22k/22k	ML3	221a -	Pan
3SS	MMBT428	Si-NPN-Darl	GP, 80V, 500mA, 500mW, B>10000, >100MHz	SOT23	161a -	Nsc
3T	HT3	Si-PNP	GP, 90V, 100mA, 300mW, <500/2000ns	SOT23	161a -	Fer
3T	R3131N29HA3	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 400ms	SOT23	16vdc VD7	Ric
3T	UNRF1A4	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=10k47k	ML3	221a -	Pan
3V	BC857AT	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT416	161a -	Dil
3V0	PZM3.0NB	Z-Diode	3.0V±2.5%, 0.3W	SOT346	16dc -	Phi
3V3	PZM3.3NB	Z-Diode	3.3V±2.5%, 0.3W	SOT346	16dc -	Phi
3V6	PZM3.6NB	Z-Diode	3.6V±2.5%, 0.3W	SOT346	16dc -	Phi
3V9	PZM3.9NB	Z-Diode	3.9V±2.5%, 0.3W	SOT346	16dc -	Phi
3W	BC857BT	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT416	161a -	Dil
3W	FMMTA12	Si-NPN	GP, 20V, 300mA, 330mW, B>20000	SOT23	161a -	Ztx
3X	UNRF1A6	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1=4k7	ML3	221a -	Pan
4.3H	MAZ3043	Z-Diode	4.4..6V, 200mW	SC-59	16dc -	Pan
4.3L	MAZ3043	Z-Diode	4.4..6V, 200mW	SC-59	16dc -	Pan
4.3M	MAZ3043	Z-Diode	4.4..6V, 200mW	SC-59	16dc -	Pan
4.3X	Z02W4.3VX	Z-Diode	4.4..23V, 200mW	SOT23	16dc -	Kec
4.3Y	Z02W4.3VY	Z-Diode	4.13..4.35V, 200mW	SOT23	16dc -	Kec
4.3Z	Z02W4.3V	Z-Diode	4.4..5V, 200mW	SOT23	16dc -	Kec
4.3Z	Z02W4.3VZ	Z-Diode	4.25..4.5V, 200mW	SOT23	16dc -	Kec
4.7	Z02W4.7V	Z-Diode	4.4..4.9V, 200mW	SOT23	16dc -	Kec
4.7H	MAZ3047	Z-Diode	4.4..5V, 200mW	SC-59	16dc -	Pan
4.7L	MAZ3047	Z-Diode	4.4..5V, 200mW	SC-59	16dc -	Pan
4.7M	MAZ3047	Z-Diode	4.4..5V, 200mW	SC-59	16dc -	Pan
4.7X	Z02W4.7VX	Z-Diode	4.4..4.63V, 200mW	SOT23	16dc -	Kec
4.7Y	Z02W4.7VY	Z-Diode	4.53..4.76V, 200mW	SOT23	16dc -	Kec
4.7Z	Z02W4.7VZ	Z-Diode	4.66..4.9V, 200mW	SOT23	16dc -	Kec
4.3X	O2C24.3-X	Z-Diode	4.4..23V, 200mW	SC-59	16dc -	Tos
4.3Y	O2C24.3-Y	Z-Diode	4.13..4.35V, 200mW	SC-59	16dc -	Tos
4.3Z	O2C24.3-Z	Z-Diode	4.25..4.5V, 200mW	SC-59	16dc -	Tos
4.7X	O2C24.7-X	Z-Diode	4.40..4.63V, 200mW	SC-59	16dc -	Tos
4.7Y	O2C24.7-Y	Z-Diode	4.53..4.76V, 200mW	SC-59	16dc -	Tos
4.7Z	O2C24.7-Z	Z-Diode	4.66..4.9V, 200mW	SC-59	16dc -	Tos
40	BC859	Si-PNP	GP, 30V, 100mA, 250mW, B=125..800, >100MHz	SOT23	161a -	Cdi
40-2	UTC8140-2	Lin/Dig-IC	Voltage Detector 4V, -Reset Open collector output	SOT23	16vdy VD6	Utc
40-3	UTC8140-3	Lin/Dig-IC	Voltage Detector 4V, -Reset Open collector output	SOT23	16vc VD6	Utc
40-5	UTC8140-5	Lin/Dig-IC	Voltage Detector 4V, -Reset Open collector output	SOT23	16vdc VD6	Utc
40T	TK71540AS	VR-IC	LDO, 4V±1.5%, 155mA	SOT23	16cj VR1	Tok
41-2	UTC8141-2	Lin/Dig-IC	Voltage Detector 4.1V, -Reset Open collector output	SOT23	16vdy VD6	Utc
413	FMMT413	Si-NPN	Avalanche, 150V, 100mA, 330mW, B>50, >150MHz	SOT23	161a -	Ztx
41-3	UTC8141-3	Lin/Dig-IC	Voltage Detector 4.1V, -Reset Open collector output	SOT23	16vc VD6	Utc
415	FMMT415	Si-NPN	Avalanche, 260V, 500mA, 330mW, B>25, >40MHz	SOT23	161a -	Ztx
41-5	UTC8141-5	Lin/Dig-IC	Voltage Detector 4.1V, -Reset Open collector output	SOT23	16vdc VD6	Utc
417	FMMT417	Si-NPN	Avalanche, 320V, 500mA, 330mW, B>25, >40MHz	SOT23	161a -	Ztx
41A	FMMT491A	Si-NPN	AF, 80V, 1A, 500mW, B=100..300, >150MHz	SOT23	161a -	Ztx
41T	TK71541AS	VR-IC	LDO, 4.1V±1.5%, 155mA	SOT23	16cj VR1	Tok
42	BAT54AW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16df -	Phi
42-2	UTC8142-2	Lin/Dig-IC	Voltage Detector 4.2V, -Reset Open collector output	SOT23	16vdy VD6	Utc
42-3	UTC8142-3	Lin/Dig-IC	Voltage Detector 4.2V, -Reset Open collector output	SOT23	16vc VD6	Utc
42-5	UTC8142-5	Lin/Dig-IC	Voltage Detector 4.2V, -Reset Open collector output	SOT23	16vdc VD6	Utc
42T	TK71542AS	VR-IC	LDO, 4.2V±1.5%, 155mA	SOT23	16cj VR1	Tok
43	1PS895B15	Si-Diode	Dual, Schottky Barrier, U-Speed, 30V, 200mA, <10pF	SOT490	16dg -	Phi
43	BAS40	Si-Diode	Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dc -	Vis
43	BAT54CW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16dg -	Phi
43	DTC143XE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/10k	EMT3	161a -	Rhm
43	DTC143XA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/10k	SMT3	161a -	Rhm
43	DTC143XM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/10k	VMT3	161a -	Rhm
43	DTC143XUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/10k	UMT3	161a -	Rhm
431	HZM4.3NB	Z-Diode	4.01..4.48V, 200mW	MPAK	16dc -	Ren
431	HZM4.3NB1	Z-Diode	4.01..4.21V, 200mW	MPAK	16dc -	Ren
431	PZM4.3NB1	Z-Diode	4.3V±2.5%, 0.3W	SOT346	16dc -	Phi
432	HZM4.3NB2	Z-Diode	4.15..4.34V, 200mW	MPAK	16dc -	Ren
432	PZM4.3NB2	Z-Diode	4.3V±2.5%, 0.3W	SOT346	16dc -	Phi
43-2	UTC8143-2	Lin/Dig-IC	Voltage Detector 4.3V, -Reset Open collector output	SOT23	16vdy VD6	Utc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
433	HZM4 3NB3	Z-Diode	4 28 4 48V, 200mW	MPAK	16dc	-	Ren
433	PZM4 3NB3	Z-Diode	4 3V±2 5%, 0 3W	SOT346	16dc	-	Phi
43-3	UTC8143-3	Lin/Dig-IC	Voltage Detector 4 3V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
43-5	UTC8143-5	Lin/Dig-IC	Voltage Detector 4 3V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
43p	BAS40	Si-Diode	Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dc	-	PhH
43s	BAS40	Si-Diode	Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dc	-	Sse
43t	BAS40	Si-Diode	Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dc	-	PhM
43T	TK71543AS	VR-IC	LDO, 4,3V±1.5%, 155mA	SOT23	16cj	VR1	Tok
43V	PZM43NB	Z-Diode	43V±2 5%, 0 3W	SOT346	16dc	-	Phi
43W	BAS40	Si-Diode	Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dc	-	PhC
43Z	CZ1W43	Z-Diode	43V±5%, 600mW	SOT23	16dc	-	Cdi
44	1PS89SB14	Si-Diode	Dual, Schottky Barner, U-Speed, 30V, 200mA, <10pF	SOT490	18dl	-	Phi
44	BAS40-04	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	Vis
44	BAS40-04W	Si-Diode	Dual Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT323	16dl	-	Sse
44	BAT54SW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA Vf<1V(100mA) <5ns	SOT323	16dl	-	Phi
44-2	UTC8144-2	Lin/Dig-IC	Voltage Detector 4 4V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
44-3	UTC8144-3	Lin/Dig-IC	Voltage Detector 4 4V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
44-5	UTC8144-5	Lin/Dig-IC	Voltage Detector 4 4V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
449	FMMT449	Si-NPN	Lo-sal, 50V, 1A, 500mW, B=100 300, >150MHz	SOT23	16ta	-	Ztx
44p	BAS40-04	Si-Diode	Dual Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	PhH
44s	BAS40-04	Si-Diode	Dual, Schottky, 40V, 200mA 200mW, Cd<5pF, <5ns	SOT23	16dl	-	Sse
44t	BAS40-04	Si-Diode	Dual Schottky, 40V, 200mA 200mW, Cd<5pF, <5ns	SOT23	16dl	-	PhM
44T	TK71544AS	VR-IC	LDO, 4,4V±1.5%, 155mA	SOT23	16cj	VR1	Tok
44W	BAS40-04	Si-Diode	Dual, Schottky, 40V, 200mA 200mW, Cd<5pF, <5ns	SOT23	16dl	-	PhC
45	1PS75SB45	Si-Diode	Dual Schottky Barner, U-Speed, 40V, 120mA, <5pF	SOT416	16dg	-	Phi
45	1PS89SB16	Si-Diode	Dual Schottky Barner, U-Speed, 30V, 200mA, <10pF	SOT490	18df	-	Phi
45	BAS40-05	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	Vis
45	BAS40-05W	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT323	16df	-	Sse
45	DTC124XE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=22k/47k	EMT3	16ta	-	Rhm
45	DTC124XA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/47k	SMT3	16ta	-	Rhm
45	DTC124XM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=22k/47k	VMT3	18ta	-	Rhm
45	DTC124XUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/47k	UMT3	16ta	-	Rhm
451	FMMT451	Si-NPN	AF, 80V, 1A, 500mW, B=50 160, >150MHz	SOT23	16ta	-	Ztx
45-2	UTC8145-2	Lin/Dig-IC	Voltage Detector 4 5V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
45-3	UTC8145-3	Lin/Dig-IC	Voltage Detector 4 5V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
455	FMMT455	Si-NPN	Vid, 160V, 1A, 500mW, B=100 300, >100MHz	SOT23	16ta	-	Ztx
45-5	UTC8145-5	Lin/Dig-IC	Voltage Detector 4 5V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
458	FMMT458	Si-NPN	Vid 400V, 225mA, 500mW, B=100 300, >50MHz	SOT23	16ta	-	Ztx
459	TMPT459	Si-Diode	GP, 200V, 500mA, Cd<6 0pF	SOT23	16dc	-	All
45p	BAS40-05	Si-Diode	Dual, Schottky, 40V, 200mA, 380mW, Cd<5pF, <5ns	SOT23	16dl	-	PhH
45s	BAS40-05	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	Sse
45t	BAS40-05	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	PhM
45T	TK71545AS	VR-IC	LDO, 4,5V±1.5%, 155mA	SOT23	16cj	VR1	Tok
45W	BAS40-05	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	PhC
46	BAS40-06	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16df	-	Vis
46	BAS40-06W	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT323	16dg	-	Sse
46-2	UTC8146-2	Lin/Dig-IC	Voltage Detector 4 6V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
46-3	UTC8146-3	Lin/Dig-IC	Voltage Detector 4 6V, -Reset Open collector output	SOT23	16vc	VD6	Ulc
46-5	UTC8146-5	Lin/Dig-IC	Voltage Detector 4 6V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
46p	BAS40-06	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	PhH
46s	BAS40-06	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16df	-	Sse
46t	BAS40-06	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16df	-	PhM
46T	TK71546AS	VR-IC	LDO, 4,6V±1.5%, 155mA	SOT23	16cj	VR1	Tok
46W	BAS40-06	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16df	-	PhC
470	HZM4 7NB	Z-Diode	4 42 4 9V, 200mW	MPAK	16dc	-	Ren
471	HZM4 7NB1	Z-Diode	4 42 4 61V, 200mW	MPAK	16dc	-	Ren
471	HZM4 7NB3	Z-Diode	4 69 4 9V, 200mW	MPAK	16dc	-	Ren
471	PZM4 7NB1	Z-Diode	4 7V±2 5%, 0 3W	SOT346	16dc	-	Phi
472	HZM4 7NB2	Z-Diode	4 55 4 75V, 200mW	MPAK	16dc	-	Ren
472	PZM4 7NB2	Z-Diode	4 7V±2 5%, 0 3W	SOT346	16dc	-	Phi
473	PZM4 7NB3	Z-Diode	4 7V±2 5%, 0 3W	SOT346	16dc	-	Phi
47T	TK71547AS	VR-IC	LDO, 4,7V±1.5%, 155mA	SOT23	16cj	VR1	Tok
47V	PZM47NB	Z-Diode	47V±2 5%, 0 3W	SOT346	16dc	-	Phi
47Z	CZ1W47	Z-Diode	47V±5%, 600mW	SOT23	16dc	-	Cdi
48	BC859B	Si-PNP	GP, 30V, 100mA, 330mW, B=220 475, >300MHz	SOT23	16ta	-	Cdi
489	FMMT489	Si-NPN	Dr/Out, 50V, 1A, 500mW, B=100 300, >150MHz	SOT23	16ta	-	Ztx
48T	TK71548AS	VR-IC	LDO, 4,8V±1.5%, 155mA	SOT23	16cj	VR1	Tok
491	CMMT491	Si-NPN	AF-Dnver, 80V, 1A, 700mW, B=100 300, >150MHz	SOT23	16ta	-	Cdi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
491	FMMT491	Si-NPN	AF, 80V, 1A 500mW, B=100 300, >150MHz	SOT23	161a	-	Ztx
493	CMMT493	Si-NPN	AF-Driver, 120V, 1A, 700mW, B=100 300, >150MHz	SOT23	161a	-	Cdi
493	FMMT493	Si-NPN	AF-Driver, 120/100V, 1A, 500mW, B=100 300, >150MHz	SOT23	161a	-	Ztx
494	FMMT494	Si-NPN	Vid, 140V, 1A, 500mW, B=100 300, >100MHz	SOT23	161a	-	Ztx
495	CMMT495	Si-NPN	AF-Driver, 170V, 1A, 700mW, B=100 300, >100MHz	SOT23	161a	-	Cdi
495	FMMT495	Si-NPN	Vid, 170V, 1A, 500mW, B=100 300, >100MHz	SOT23	161a	-	Ztx
497	FMMT497	Si-NPN	Sw, Vid, 300/300V 500mA, 500mW, B=80 300, >75MHz	SOT23	161a	-	Ztx
49T	TK71549AS	VR-IC	LDO, 4.9V±1.5%, 155mA	SOT23	16cj	VR1	Tok
4A	BC859A	Si-PNP	GP, 30V, 100mA, 310mW, B=110 220, >150MHz	SOT23	161a	-	Cdi
4A	FMV109	C-Diode	Tuning, 30V, 26/32pF, Q>250	SOT23	16dc	-	Ztx
4A3	PZM4 3NB2A	Z-Diode	Dual, 4 3V±2.5%, 0.3W	SOT346	16df	-	Phi
4A7	PZM4 7NB2A	Z-Diode	Dual, 4 7V±2.5%, 0.3W	SOT346	16df	-	Phi
4Ap	BC859A	Si-PNP	GP, 30V, 100mA, 250mW, B=125, 250, >100MHz	SOT23	161a	-	PhH
4AR	BC859AR	Si-PNP	GP, 30V, 100mA, 200mW, B=250, >150MHz	SOT23	161e	-	Phi
4As	BC859A	Si-PNP	GP, 30V, 100mA, 330mW, B=125, 250, 250MHz	SOT23	161a	-	Sie
4As	BC859AW	Si-PNP	GP, 30V, 100mA, 310mW, B=110 220, >150MHz	SOT23	161a	-	Sie
4At	BC859AW	Si-PNP	GP, 30V, 100mA, 310mW, B=110 220, >150MHz	SOT23	161a	-	Phi
4B	BC859B	Si-PNP	GP, 30V, 100mA, 150mW, B=220 475, 300MHz	SOT23	161a	-	Ztx
4B	BC859BLT1	Si-PNP	GP, 30V, 100mA, 225mW, B=220 475, 300MHz	SOT23	161a	-	Ons
4B	R3131N24EC	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
4B-	BC859BW	Si-PNP	GP, 30V, 100mA, 330mW, B=220 475, >300MHz	SOT23	161a	-	Phi
4Bp	BC859B	Si-PNP	GP, 30V, 100mA, 250mW, B=220 475, >100MHz	SOT23	161a	-	PhH
4BR	BC859BR	Si-PNP	GP, 30V, 100mA, 200mW, B=475, >150MHz	SOT23	161e	-	Phi
4Bs	BC859B	Si-PNP	GP, 30V, 100mA, 330mW, B=220 475, 250MHz	SOT23	161a	-	Sie
4Bs	BC859BW	Si-PNP	GP, 30V, 100mA, 330mW, B=220 475, >300MHz	SOT23	161a	-	Sie
4Bt	BC859B	Si-PNP	GP, 30V, 100mA, 250mW, B=220 475, >150MHz	SOT23	161a	-	Phi
4Bt	BC859BW	Si-PNP	GP, 30V, 100mA, 330mW, B=220 475, >300MHz	SOT23	161a	-	Phi
4C	BC859C	Si-PNP	GP, 30V, 100mA, 330mW, B=420 800, >250MHz	SOT23	161a	-	Cdi,Tos
4C	BC859CLT1	Si-PNP	GP, 30V, 100mA, 225mW, B=420 800, >250MHz	SOT23	161a	-	Ons
4C	FMV3102	C-Diode	Tuning, 30V, 20 25pF, Q>300	SOT23	16dc	-	Ztx
4C	R3131N34EC	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
4C-	BC859CW	Si-PNP	GP, 30V, 100mA, 330mW, B=420 800, 250MHz	SOT23	161a	-	Phi
4Cp	BC859C	Si-PNP	GP, 30V, 100mA, 250mW, B=420 800, >100MHz	SOT23	161a	-	PhH
4CR	BC859CR	Si-PNP	GP, 30V 100mA, 200mW B=800, >150MHz	SOT23	161e	-	Phi
4Cs	BC859C	Si-PNP	GP, 30V, 100mA, 330mW, B=420 800, 250MHz	SOT23	161a	-	Sie
4Cs	BC859CW	Si-PNP	GP, 30V, 100mA, 330mW, B=420 800, 250MHz	SOT23	161a	-	Sie
4Ct	BC859C	Si-PNP	GP, 30V, 100mA, 250mW, B=420 800, 250MHz	SOT23	161a	-	Phi
4Ct	BC859CW	Si-PNP	GP, 30V, 100mA, 330mW, B=420 800, 250MHz	SOT23	161a	-	Phi
4D	2SJ146	MOS-P-FET-в	V-MOS, 50V, 100mA, <40/60ns, <150Ω	SOT23	16fg	-	Pan
4D	HD3A	Si-Diode	Fast Sw, 75V, 100mA, Cd<4,0pF, <6ns	SOT23	16dc	-	Ztx
4D	R3131N44EC	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
4D-	BC859W	Si-PNP	GP, 30V, 100mA, 330mW, B=420 800, 250MHz	SOT23	161a	-	Phi
4Dp	BC859	Si-PNP	GP, 30V, 100mA, 250mW, B=125 800, >100MHz	SOT23	161a	-	PhH
4Dt	BC859W	Si-PNP	GP, 30V, 100mA, 330mW, B=420 800, 250MHz	SOT23	161a	-	Phi
4E	BC860A	Si-PNP	GP, 50V, 100mA, 250mW, B=125 250, >100MHz	SOT23	161a	-	Cdi
4E	FMMTA92	Si-PNP	Vid, 300/300V, 200mA, 330mW, B=25, >50MHz	SOT23	161a	-	Ztx
4Ep	BC860A	Si-PNP	GP, 50V, 100mA, 250mW, B=125, 250, >100MHz	SOT23	161a	-	PhH
4ER	BC860AR	Si-PNP	GP, 45V, 100mA, 200mW, B=250, >150MHz	SOT23	161e	-	Phi
4Et	BC860AW	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=125 250, >100MHz	SOT323	161a	-	Phi
4EZ	FMV105G	C-Diode	Tuning, 30V, 1 8/2,8pF, Q>350	SOT23	16dc	-	Ztx
4F	BC860B	Si-PNP	GP, 50V, 100mA, 330mW, B=220 475, >300MHz	SOT23	161a	-	Ztx
4F-	BC860BW	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=220 475, >100MHz	SOT323	161a	-	Phi
4Fp	BC860B	Si-PNP	GP, 50V, 100mA, 250mW, B=220 475, >100MHz	SOT23	161a	-	PhH
4FR	BC860BR	Si-PNP	GP, 45V, 100mA, 200mW, B=220 475, >150MHz	SOT23	161e	-	Phi
4Fs	BC860B	Si-PNP	GP, 50V, 100mA, 330mW, B=220 475, 250MHz	SOT23	161a	-	Sie
4Fs	BC860BW	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=220 475, >100MHz	SOT323	161a	-	Sie
4Ft	BC860B	Si-PNP	GP, 50V, 100mA, 250mW, B=220 475, >100MHz	SOT23	161a	-	PhM
4Ft	BC860BW	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=220 475, >100MHz	SOT323	161a	-	Phi
4G	BC860C	Si-PNP	GP, 50V, 100mA, 250mW, B=420 800, >100MHz	SOT23	161a	-	Cdi
4G	FMMT2484	Si-NPN	AF, LN, 60V, 50mA, 330mW, B=100 500, >100MHz	SOT23	161a	-	Ztx
4G	R3131N24EA	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
4G-	BC860CW	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=420 800, >100MHz	SOT323	161a	-	Phi
4Gp	BC860C	Si-PNP	GP, 50V, 100mA, 250mW, B=420 800, >100MHz	SOT23	161a	-	PhH
4GR	BC860CR	Si-PNP	GP, 45V, 100mA, 200mW, B=420 800, >150MHz	SOT23	161e	-	Phi
4Gs	BC860C	Si-PNP	GP, 50V, 100mA, 330mW, B=420 800, >300MHz	SOT23	161a	-	Sie
4Gs	BC860CW	Si-PNP	GP, LN 50V, 100mA, 250mW, B=420 800, >100MHz	SOT323	161a	-	Sie
4Gt	BC860C	Si-PNP	GP, 50V, 100mA, 250mW, B=420 800, >100MHz	SOT23	161a	-	PhM
4Gt	BC860CW	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=420 800, >100MHz	SOT323	161a	-	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
4GZ	BC860C	Si-PNP	GP, 50V, 100mA, 330mW, B=420..800, >300MHz	SOT23	161a	-	Ztx
4H	BC860	Si-PNP	GP, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT23	161a	-	Cdi
4H	R3131N34EA	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
4H-	BC860W	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT323	161a	-	PhM
4Hr	BC860	Si-PNP	GP, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT23	161a	-	PhH
4Hr	BC860W	Si-PNP	GP, LN, 50V, 100mA, 250mW, B=125..800, >100MHz	SOT323	161a	-	PhH
4J	FMMT38A	Si-NPN	GP, 80V, 300mA, 330mW, B>500	SOT23	161a	-	Ztx
4J	R3131N44EA	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
4Kp	BAP64-04	PIN-Diode	2x RF, 175V, 100mA, 250mW, 0.35pF, 3.8Q(10mA/100MHz)	SOT23	16dl	-	Phi
4L	R3131N30AC8	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 50ms	SOT23	16vdc	VD6	Ric
4LO	2SK1103-O	N-FET	Switching, 65V, 20mA, 150mW, Idss=0.2..1mA, Up<3.5V	SC-59	16fa	-	Pan
4LP	2SK1103-P	N-FET	Switching, 65V, 20mA, 150mW, Idss=0.8..1.5mA, Up<3.5V	SC-59	16fa	-	Pan
4Lp	BAP50-04	PIN-Diode	Dual, RF, 50V, 50mA, 0.3pF, 3Q(10mA/100MHz), 500mW	SOT23	16dl	-	Phi
4LQ	2SK1103-Q	N-FET	Switching, 65V, 20mA, 150mW, Idss=1..3mA, Up<3.5V	SC-59	16fa	-	Pan
4LR	2SK1103-R	N-FET	Switching, 65V, 20mA, 150mW, Idss=2.5..6mA, Up<3.5V	SC-59	16fa	-	Pan
4M	MMBD101LT1	Si-Diode	Schottky, UHF/VHF, 7V, 10mA, 225mW, Vf<0.5V(10mA), <1pF	SOT23	16dc	-	Ons
4M	MMBD110T1	Si-Diode	Schottky, UHF/VHF-Det, 7V, 10mA, Vf<0.6V(10mA), <1pF	SOT323	16dc	-	Mot
4M	R3131N30BC8	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
4N	R3131N30DC8	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 200ms	SOT23	16vdc	VD6	Ric
4P	FMMT2907R	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SOT23	16te	-	Ztx
4P	R3131N30HC8	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
4Q	R3131N30AA8	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 50ms	SOT23	16vdc	VD7	Ric
4R	R3131N30BA8	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
4R	SRA2204E	Si-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1/R2=47/47k	SOT523	16ta	-	Auk
4R	SRA2204EF	Si-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1/R2=47/47k	SOT523F	16ta	-	Auk
4R	SRA2204U	Si-PNP-Digi	Sw, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1/R2=47/47k	SOT323	16ta	-	Auk
4R	SRA2204UF	Si-PNP-Digi	Sw, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1=47k, R2=47k	SOT323F	16ta	-	Auk
4S	R3131N30DA8	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 200ms	SOT23	16vdc	VD7	Ric
4T	2SK1216	N-FET	Video-Camera, 10V, 50mA, Idss>9.2mA	SOT23	16fa	-	Pan
4T	MMBD301LT1	Si-Diode	Schottky, UHF/VHF-Det, 30V, 200mW, <1.5pF	SOT23	16dc	-	Ons
4T	MMBD330T1	Si-Diode	Schottky, UHF/VHF-Det, 70V, 10mA, Vf<0.6V(10mA), <1pF	SOT323	16dc	-	Ons
4T	R3131N30HA8	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 400ms	SOT23	16vdc	VD7	Ric
4V	2SK1228	MOS-N-FET-e	Switching, 50V, ±50mA, <50Q(10mA)	SOT23	16fg	-	Pan
4V	BCW65AR	Si-NPN	AF, 60V, 800mA, 330mW, B=100..250, >100MHz	SOT23	16ta	-	Ztx
4V3	PZM4.3NB	Z-Diode	4.3V±2.5%, 0.3W	SOT346	16dc	-	Phi
4V7	PZM4.7NB	Z-Diode	4.7V±2.5%, 0.3W	SOT346	16dc	-	Phi
4W	BCW67AR	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B=100..250, >100MHz	SOT23	16ta	-	Ztx
4W-	BAP64-04W	PIN-Diode	2x RF, 100V, 100mA, 250mW, 0.35pF, 3.8Q(10mA/100MHz)	SOT323	16dl	-	Phi
4X	UNRF2A0	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1=47k	ML3	22ta	-	Pan
4Y	UNRF2A2	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=22k/22k	ML3	22ta	-	Pan
4Z7	CZ1W4.7	Z-Diode	4.7V±5%, 600mW	SOT23	16dc	-	Cdi
5.1	Z02W5.1V	Z-Diode	4.8..5.4V, 200mW	SOT23	16dc	-	Kec
5.1H	MAZ3051	Z-Diode	4.8..5.4V, 200mW	SC-59	16dc	-	Pan
5.1L	MAZ3051	Z-Diode	4.8..5.4V, 200mW	SC-59	16dc	-	Pan
5.1M	MAZ3051	Z-Diode	4.8..5.4V, 200mW	SC-59	16dc	-	Pan
5.1X	Z02W5.1VX	Z-Diode	4.8..5.07V, 200mW	SOT23	16dc	-	Kec
5.1Y	Z02W5.1VY	Z-Diode	4.97..5.24V, 200mW	SOT23	16dc	-	Kec
5.1Z	Z02W5.1VZ	Z-Diode	5.14..5.4V, 200mW	SOT23	16dc	-	Kec
5.6	Z02W5.6V	Z-Diode	5.3..6V, 200mW	SOT23	16dc	-	Kec
5.6H	MAZ3056	Z-Diode	5.3..6V, 200mW	SC-59	16dc	-	Pan
5.6L	MAZ3056	Z-Diode	5.3..6V, 200mW	SC-59	16dc	-	Pan
5.6M	MAZ3056	Z-Diode	5.3..6V, 200mW	SC-59	16dc	-	Pan
5.6X	Z02W5.6VX	Z-Diode	5.3..5.63V, 200mW	SOT23	16dc	-	Kec
5.6Y	Z02W5.6VY	Z-Diode	5.43..5.81V, 200mW	SOT23	16dc	-	Kec
5.6Z	MAZT056H	SA-Diode	2x 5.6V, 5mA, 150mW	SC-81	16df	-	Pan
5.6Z	Z02W5.6VZ	Z-Diode	5.61..6V, 200mW	SOT23	16dc	-	Kec
5-1X	02CZ5.1-X	Z-Diode	4.8..5.07V, 200mW	SC-59	16dc	-	Tos
5-1Y	02CZ5.1-Y	Z-Diode	4.97..5.24V, 200mW	SC-59	16dc	-	Tos
5-1Z	02CZ5.1-Z	Z-Diode	5.14..5.4V, 200mW	SC-59	16dc	-	Tos
5-6X	02CZ5.6-X	Z-Diode	5.3..5.63V, 200mW	SC-59	16dc	-	Tos
5-6Y	02CZ5.6-Y	Z-Diode	5.43..5.81V, 200mW	SC-59	16dc	-	Tos
5-6Z	02CZ5.6-Z	Z-Diode	5.61..6V, 200mW	SC-59	16dc	-	Tos
50-2	UTC8150-2	Lin/Dig-IC	Voltage Detector 5V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
50-3	UTC8150-3	Lin/Dig-IC	Voltage Detector 5V, -Reset Open collector output	SOT23	16vdy	VD6	Ulc
50-5	UTC8150-5	Lin/Dig-IC	Voltage Detector 5V, -Reset Open collector output	SOT23	16vdc	VD6	Ulc
50T	TK71550AS	VR-IC	LDO, 5V±1.5%, 155mA	SOT23	16cj	VR1	Tok
510	HZM5.1NB	Z-Diode	4.84..5.37V, 200mW	MPAK	16dc	-	Ren
511	HZM5.1NB1	Z-Diode	4.84..5.04V, 200mW	MPAK	16dc	-	Ren

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
511	PZM5.1NB1	Z-Diode	5.1V±2.5%, 0.3W	SOT346	16dc	- Phi
512	HZM5.1NB2	Z-Diode	4.98..5.2V, 200mW	MPAK	16dc	- Ren
512	PZM5.1NB2	Z-Diode	5.1V±2.5%, 0.3W	SOT346	16dc	- Phi
513	HZM5.1NB3	Z-Diode	5.14..5.37V, 200mW	MPAK	16dc	- Ren
513	PZM5.1NB3	Z-Diode	5.1V±2.5%, 0.3W	SOT346	16dc	- Phi
517	FMMT6517	Si-PNP	Vid, 350/350V, 500mA, 330mW, B=30..200, >50MHz	SOT23	161a	- Ztx
51V	PZM51NB	Z-Diode	51V±2.5%, 0.3W	SOT346	16dc	- Phi
52	DTA123YE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 220MHz, R1/R2=2k2/10k	EMT3	161a	- Rhm
52	DTA123YKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 220MHz, R1/R2=2k2/10k	SMT3	161a	- Rhm
52	DTA123YUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 220MHz, R1/R2=2k2/10k	UMT3	161a	- Rhm
520	FMMT6520	Si-PNP	Vid, 350/350V, 500mA, 330mW, B=30..200, >50MHz	SOT23	161a	- Ztx
53	BAT17	Si-Diode	Schottky, UHF-Mix, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT23	16dc	- Sie
54	BAT17-04	Si-Diode	Dual, Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT23	16dl	- Sie
54	DTA114YE	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/47k	EMT3	161a	- Rhm
54	DTA114YKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/47k	SMT3	161a	- Rhm
54	DTA114YM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 200MHz, R1/R2=10k/47k	VMT3	161a	- Rhm
54	DTA114YUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/47k	UMT3	161a	- Rhm
54	ZMDC953TA	C-Diode	2x Hyperabrupt varicap, 12V, 100mA, 45p..37pF(0.5..1.5V)	SOT323	16dg	- Ztx
549	FMMT549	Si-PNP	GP, 35V, 1A, 500mW, B=100..300, >100MHz	SOT23	161a	- Ztx
54s	BAT17-04W	Si-Diode	Dual, Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT323	16dl	- Sie
55	BAT17-05	Si-Diode	Dual, Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT23	16dg	- Sie
55	FSD273TA-A	C-Diode	2x Hyperabrupt varicap, 12V, 100mA, 45p..32.5pF(0.5..1.5V)	SOT323	16dg	- Ztx
551	FMMT551	Si-PNP	AF, 80V, 1A, 500mW, B=50..150, >150MHz	SOT23	161a	- Ztx
555	FMMT555	Si-PNP	Vid, 160V, 1A, 500mW, B=50..300, >100MHz	SOT23	161a	- Ztx
558	FMMT558	Si-PNP	Vid, 400V, 150mA, 500mW, B=100..300, >50MHz	SOT23	161a	- Ztx
55s	BAT17-05W	Si-Diode	Dual, Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT323	16dl	- Sie
56	BAT17-06	Si-Diode	Dual Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT23	16df	- Sie
56	FSD273TA-B	C-Diode	2x Hyperabrupt varicap, 12V, 100mA, 45p..34.7pF(0.5..1.5V)	SOT323	16dg	- Ztx
560	HZM5.6NB	Z-Diode	5.31..5.92V, 200mW	MPAK	16dc	- Ren
561	HZM5.6NB1	Z-Diode	5.31..5.55V, 200mW	MPAK	16dc	- Ren
561	PZM5.6NB1	Z-Diode	5.6V±2.5%, 0.3W	SC-59	16dc	- Phi
562	HZM5.6NB2	Z-Diode	5.49..5.73V, 200mW	MPAK	16dc	- Ren
562	PZM5.6NB2	Z-Diode	5.6V±2.5%, 0.3W	SC-59	16dc	- Phi
563	HZM5.6NB3	Z-Diode	5.67..5.92V, 200mW	MPAK	16dc	- Ren
563	PZM5.6NB3	Z-Diode	5.6V±2.5%, 0.3W	SC-59	16dc	- Phi
56s	BAT17-06W	Si-Diode	Dual, Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT323	16dg	- Sie
56V	PZM56NB	Z-Diode	56V±2.5%, 0.3W	SOT346	16dc	- Phi
57	FSD273TA-C	C-Diode	2x Hyperabrupt varicap, 12V, 100mA, 45p..37pF(0.5..1.5V)	SOT323	16dg	- Ztx
576	FMMT576	Si-PNP	Vid, 200V, 1A, 500mW, B=50..300, >100MHz	SOT23	161a	- Ztx
589	FMMT589	Si-PNP	AF, 50V, 1A, 500mW, B=100..300, >100MHz	SOT23	161a	- Ztx
591	CMMT591	Si-PNP	GP, 80V, 1A, 500mW, B=100..300, >150MHz	SOT23	161a	- Cdi
591	FMMT591	Si-PNP	AF, 80V, 1A, 500mW, B=100..300, >150MHz	SOT23	161a	- Ztx
593	FMMT593	Si-PNP	AF, 120V, 1A, 500mW, B=100..300, >50MHz	SOT23	161a	- Ztx
596	FMMT596	Si-PNP	Vid, 220V, 300mA, 500mW, B=85..300, >150MHz	SOT23	161a	- Ztx
597	FMMT597	Si-PNP	Sw, Vid, 300/300V, 200mA, 500mW, B=100..300, >75MHz	SOT23	161a	- Ztx
59A	CMMT591A	Si-PNP	GP, 40V, 1A, 500mW, B>300, >150MHz	SOT23	161a	- Cdi
59A	FMMT549A	Si-PNP	GP, 35V, 1A, 500mW, B=150..500, >100MHz	SOT23	161a	- Ztx
5A	BC807-16	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	- DiI,Itt
5A	BC807-16LT1	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	- Mot
5A	BC807-16W	Si-PNP	AF-Driver, 50V, 0.5A, 0.2W, 80MHz, B=100..250	SOT23	161a	- Inf
5A	FMMD6050	Si-Diode	Fast Sw, 70V, 200mA, Cd<2.5pF, <5ns	SOT23	16dc	- Ztx
5A	MMBD6050LT1	Si-Diode	Switching, 70V, 200mA, Vf<1.1V(100mA), <2.5pF	SOT23	16dc	- Ons
5A-	BC807-16W	Si-PNP	AF-Driver, 50V, 0.5A, 0.2W, 80MHz, B=100..250	SOT23	161a	- Phi
5A1	PZM5.1NB2A	Z-Diode	Dual, 5.1V±2.5%, 0.3W	SOT346	16df	- Phi
5A6	PZM5.6NB2A	Z-Diode	Dual, 5.6V±2.5%, 0.3W	SOT346	16df	- Phi
5Ap	BC807-16	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	- PhH
5AR	BC807-16R	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	- Phi,Sie
5As	BC807-16	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	- Sie
5At	BC807-16	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	- PhM
5At	BC807-16W	Si-PNP	AF-Driver, 50V, 0.5A, 0.2W, 80MHz, B=100..250	SC-59	161a	- Phi
5AZ	BC807-16	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	- Ztx
5B	BC807-25	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160..400	SOT23	161a	- Cdi,DiI,Itt
5B	BC807-25LT1	Si-PNP	AF-Driver, 50V, 0.5A, 225mW, 200MHz, B=160..400	SOT23	161a	- Mot
5B	FMMD6100	C-Diode	Dual, 70V, 200mA, Vf<1.1V, Cd<2.5pF, <5ns	SOT23	16dg	- Ztx
5B	KST4123	Si-PNP	GP, 40V, 200mA, 350mW B=50..150, >250MHz	SOT23	161a	- Sem
5B	MMBT4123	Si-PNP	GP, 40V, 200mA, 350mW B=50..150, >250MHz	SOT23	161a	- Mot
5B	R3131N25EC	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output, 240ms	SOT23	16vdc VD6	- Ric
5B-	BC807-25W	Si-PNP	AF-Driver, 50V, 0.5A, 0.2W, 80MHz, B=160..400	SOT23	161a	- PhH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
5BM	MMBD6100LT1	Si-Diode	Dual, Switching, 70V, 200mA, Vf<1,1V(100mA), <2,5pF	SOT23	16dg	-	Ons
5Bp	BC807-25	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160 400	SOT23	16ta	-	PhH
5BR	BC807-25R	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160 400	SOT23	16te	-	Phi Sie
5Bs	BC807-25	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160 400	SOT23	16ta	-	Sie
5Bs	BC807-25U	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160 400	SOT457	16ta	-	Sie
5Bt	BC807-25	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160 400	SOT23	16ta	-	PhM
5Bt	BC807-25W	Si-PNP	AF-Driver, 50V, 0.5A 0.2W, 80MHz, B=160 400	SOT23	16ta	-	PhM
5BZ	BC807-25	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160 400	SOT23	16ta	-	Ztx
5C	BC807-40	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=250 600	SOT23	16ta	-	Cdi,Du,Itt
5C	BC807-40LT1	Si-PNP	AF-Driver, 50V, 0.5A, 225mW, 200MHz, B=250 600	SOT23	16ta	-	Mot
5C	FMMD7000	C-Diode	Dual, 70V, 200mA, Vf<1.1V, Cd<2.5pF, <15ns	SOT23	16dl	-	Ztx
5C	R3131N35EC	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
5C-	BC807-40W	Si-PNP	AF-Driver, 50V, 0.5A, 0.2W, 80MHz, B=250 600	SOT23	16ta	-	PhH
5Cp	BC807-40	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=250 600	SOT23	16ta	-	PhH
5CR	BC807-40R	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=250 600	SOT23	16te	-	Phi Sie
5Cs	BC807-40	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=250 600	SOT23	16ta	-	Sie
5Ct	BC807-40	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=250 600	SOT23	16ta	-	PhM
5Ct	BC807-40W	Si-PNP	AF-Driver, 50V, 0.5A, 0.2W, 80MHz, B=250 600	SOT23	16ta	-	PhM
5CZ	BC807-40	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=250 600	SOT23	16ta	-	Ztx
5D	BC807	Si-PNP	AF-Driver, 50V, 0.5A, 330mW, B=100 600, 100MHz	SOT23	16ta	-	Cdi
5D	FMMD914	Si-Diode	Fast Sw, 75V, 225mA, Vf<1V, Cd<4pF, <8ns	SOT23	16dc	-	Ztx
5D	HD2A	Si-Diode	Dual, 35V, 100mA, Vf<1V, Cd<4pF, <6ns	SOT23	16dg	-	Ztx
5D	MMBD914LT1	Si-Diode	Sw, Fast, 100V, 200mA, 225mW, Vf<1V(10mA), <4ns	SOT23	16dc	-	Mot
5D	R3131N45EC	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
5D	TMDD4148	Si-Diode	Switching, 100V, 600mA, Vf<1V, Cd<4pF, <4ns	SOT23	16dc	-	All
5D	TMDD914	Si-Diode	Switching, 100V, 600mA, Vf<1V, Cd<6pF, <4ns	SOT23	16dc	-	All
5D-	BC807W	Si-PNP	AF-Driver, 50V, 0.5A, 0.2W, 80MHz, B=100 600	SOT23	16ta	-	Phi
5Dp	BC807	Si-PNP	AF-Driver, 50V, 0.5A, 330mW, B=100 600, 100MHz	SOT23	16ta	-	PhH
5DR	BC807R	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100 600	SOT23	16te	-	Ztx
5Dt	BC807	Si-PNP	AF-Driver, 50V, 0.5A, 330mW, B=100 600, 100MHz	SOT23	16ta	-	PhM
5Dt	BC807W	Si-PNP	AF-Driver, 50V, 0.5A 0.2W, 80MHz, B=100 600	SOT23	16ta	-	PhM
5DZ	BC807	Si-PNP	AF-Driver, 50V, 0.5A, 330mW, B=100 600, 100MHz	SOT23	16ta	-	Ztx
5E	BC808-16	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 250, >100MHz	SOT23	16ta	-	Cdi,Itt
5E	FMMTA43R	Si-NPN	200V, 200mA, 330mW, B=50 200, >50MHz	SOT23	16te	-	Ztx
5Ep	BC808-16	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 250, >100MHz	SOT23	16ta	-	PhH
5ER	BC808-16R	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 250, >100MHz	SOT23	16te	-	Phi
5Es	BC808-16	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 250, >100MHz	SOT23	16ta	-	Sie
5Es	BC808-16W	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B>250, >100MHz	SOT23	16ta	-	Sie
5Et	BC808-16W	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B>250, >100MHz	SOT23	16ta	-	PhM
5EZ	BC808-16	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 250, >100MHz	SOT23	16ta	-	Ztx
5F	BC808-25	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=160 400, >100MHz	SOT23	16ta	-	Cdi,Itt
5Fp	BC808-25	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=160 400, >100MHz	SOT23	16ta	-	PhH
5FR	BC808-25R	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=160 400, >100MHz	SOT23	16te	-	Phi
5Fs	BC808-25	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=160 400, >100MHz	SOT23	16ta	-	Sie
5Fs	BC808-25W	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=160 400, >100MHz	SOT23	16ta	-	Sie
5Ft	BC808-25W	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=160 400, >100MHz	SOT23	16ta	-	Phi
5FZ	BC808-25	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=160 400, >100MHz	SOT23	16ta	-	Ztx
5G	BC808-40	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >100MHz	SOT23	16ta	-	Cdi,Itt
5G	R3131N25EA	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
5Gp	BC808-40	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >100MHz	SOT23	16ta	-	PhH
5GR	BC808-40R	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >100MHz	SOT23	16te	-	Phi
5Gs	BC808-40	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >100MHz	SOT23	16ta	-	Sie
5Gs	BC808-40W	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >100MHz	SOT23	16ta	-	Sie
5Gt	BC808-40W	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >100MHz	SOT23	16ta	-	Phi
5GZ	BC808-40	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >100MHz	SOT23	16ta	-	Ztx
5H	BC808	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 600, >100MHz	SOT23	16ta	-	Cdi
5H	MMBD4148	Si-Diode	Switching, Fast, 75V, 200mA, 350mW, <4ns, 4pF	SOT23	16dc	-	Fch, Vis
5H	MMBD701LT1	Si-Diode	Schottky, UHF/VHF-Det, 70V, 10mA, Vf<1V(10mA), <1pF	SOT23	16dc	-	Ons
5H	MMBD770T1	Si-Diode	Schottky, UHF/VHF-Det, 30V, 10mA, Vf<1V(10mA), <1pF	SOT323	16dc	-	Ons
5H	R3131N35EA	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
5Hp	BC808	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 600, >100MHz	SOT23	16ta	-	PhH
5Ht	BC808W	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=250 630, >80MHz	SOT23	16ta	-	Phi
5HZ	BC808	Si-PNP	AF-Driver, 30/25V, 0.5A, 0.33W, B=100 600, >100MHz	SOT23	16ta	-	Ztx
5J	FMMT38B	Si-NPN-Darl	GP, 50V, 300mA, 330mW, B>2000	SOT23	16ta	-	Ztx
5J	R3131N45EA	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
5K	MMBV809LT1	C-Diode	UHF-Tuning, 20V, 225mW, 4.5 6.1pF(2V, 1MHz)	SOT23	16dc	-	Ons
5Kp	BAP64-05	PIN-Diode	2x RF, 175V, 100mA, 250mW, 0.35pF, 3.8Q(10mA/100MHz)	SOT23	16dg	-	Phi
5L	MMBV609	C-Diode	Dual FM-Tuning, 26 32pF(3V)	SOT23	16dg	-	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
5L	R3131N46AC5	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output, 50ms	SOT23	16vdc VD6	Ric
5M	R3131N46BC5	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output, 100ms	SOT23	16vdc VD6	Ric
5N	IMBT3906	Si-PNP	GP, 40V, 200mA, 250mW, B=60 300, >250MHz	SOT23	16ta -	Itt
5N	MMBD452LT1	Si-Diode	Dual, UHF/VHF-Det, 30V, 10mA, Vf<0,6V(10mA), <1,5pF	SOT23	16dl -	Dns
5N	R3131N46DC5	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output, 200ms	SOT23	16vdc VD6	Ric
5N	YTS4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120 360, >250MHz	SOT23	16ta -	Tos
5P	FMMT2907AR	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT23	16te -	Ztx
5P	R3131N46HC5	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output, 400ms	SOT23	16vdc VD6	Ric
5Q	DDZX39F	Z-Diode	39V±2,5%, 500mW	SOT23	16dc -	Dil
5Q	DDZX39FW	Z-Diode	39V±2,5%, 200mW	SOT323	16dc -	Dil
5Q	R3131N46AA5	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
5R	R3131N46BA5	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output, 100ms	SOT23	16vdc VD7	Ric
5R	SRA2205E	Si-PNP-Digi	Sw, 50V, 0,1A, 0,15W, B=30 55, 200MHz, R1/R2=22/47k	SOT523	16ta -	Auk
5R	SRA2205EF	Si-PNP-Digi	Sw, 50V, 0,1A, 0,15W, B=30 55, 200MHz, R1/R2=22/47k	SOT523F	16ta -	Auk
5R	SRA2205U	Si-PNP-Digi	Sw, 50V, 0,1A, 0,2W, B=30 55, 200MHz, R1/R2=22/47k	SOT323	16ta -	Auk
5R	SRA2205UF	Si-PNP-Digi	Sw, 50V, 0,1A, 0,2W, B=30 55, 200MHz, R1/R2=22/47k	SOT323F	16ta -	Auk
5S	R3131N46DA5	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output, 200ms	SOT23	16vdc VD7	Ric
5T	BCW66GR	Si-NPN	AF, 75V, 800mA, 330mW, B=160 400, >100MHz	SOT23	16ta -	Ztx
5T	BCW68GR	Si-PNP	AF, Sw, 60V, 800mA, 330mW, B=160 400, >100MHz	SOT23	16ta -	Ztx
5T	R3131N46HA5	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output, 400ms	SOT23	16vdc VD7	Ric
5V	BCW65BR	Si-NPN	AF, 60V, 800mA, 330mW, B=160 400, >100MHz	SOT23	16ta -	Ztx
5V1	PZM5 1NB	Z-Diode	5,1V±2,5%, 0,3W	SOT346	16dc -	Phi
5V6	PZM5 6NB	Z-Diode	5,6V±2,5%, 0,3W	SOT346	16dc -	Phi
5W	BCW67BR	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B=160 400, >100MHz	SOT23	16ta -	Ztx
5W-	BAP64-05W	PIN-Diode	2x RF, 100V, 100mA, 250mW, 0,35pF, 3,8Ω(10mA/100MHz)	SOT323	16dg -	Phi
5Z1	CZ1W5 1	Z-Diode	5,1V±5%, 600mW	SOT23	16dc -	Cdi
5Z6	CZ1W5 6	Z-Diode	5,6V±5%, 600mW	SOT23	16dc -	Cdi
6.2	Z02W6 2V	Z-Diode	5 8 6 6V, 200mW	SOT23	16dc -	Kec
6.2C	MAZC062D	SA-Diode	2x 6,2V, 5mA, 200mW	SC-59	16df -	Pan
6.2C	MAZE062D	SA-Diode	2x 6,2V, 5mA, 150mW	SC-79	16df -	Pan
6.2H	MAZ3062	Z-Diode	5 8 6 6V, 200mW	SC-59	16dc -	Pan
6.2L	MAZ3062	Z-Diode	5 8 6 6V, 200mW	SC-59	16dc -	Pan
6.2M	MAZ3062	Z-Diode	5 8 6 6V, 200mW	SC-59	16dc -	Pan
6.2X	Z02W6 2VX	Z-Diode	5 8 6 2V, 200mW	SOT23	16dc -	Kec
6.2Y	Z02W6 2VY	Z-Diode	6 6 39V, 200mW	SOT23	16dc -	Kec
6.2Z	MAZ9062H	SA-Diode	2x 6,2V, 5mA, 200mW	SC-59	16df -	Pan
6.2Z	MAZT062H	SA-Diode	2x 6,2V, 5mA, 150mW	SC-81	16df -	Pan
6.2Z	Z02W6 2VZ	Z-Diode	6 19 6 6V, 200mW	SOT23	16dc -	Kec
6.8	Z02W6 8V	Z-Diode	6 4 7 2V, 200mW	SOT23	16dc -	Kec
6.8H	MAZ3068	Z-Diode	6 4 7 2V, 200mW	SC-59	16dc -	Pan
6.8L	MAZ3068	Z-Diode	6 4 7 2V, 200mW	SC-59	16dc -	Pan
6.8M	MAZ3068	Z-Diode	6 4 7 2V, 200mW	SC-59	16dc -	Pan
6.8X	Z02W6 8VX	Z-Diode	6 4 6 8V, 200mW	SOT23	16dc -	Kec
6.8Y	Z02W6 8VY	Z-Diode	6 6 7 02V, 200mW	SOT23	16dc -	Kec
6.8Z	MAZ9068H	SA-Diode	2x 6,8V, 5mA, 200mW	SC-59	16df -	Pan
6.8Z	MAZT068H	SA-Diode	2x 6,8V, 5mA, 150mW	SC-81	16df -	Pan
6.8Z	Z02W6 8VZ	Z-Diode	6 82 7 2V, 200mW	SOT23	16dc -	Kec
6-2X	02CZ6 2-X	Z-Diode	5 8 6 2V, 200mW	SC-59	16dc -	Tos
6-2Y	02CZ6 2-Y	Z-Diode	6 6 39V, 200mW	SC-59	16dc -	Tos
6-2Z	02CZ6 2-Z	Z-Diode	6 19 6 6V, 200mW	SC-59	16dc -	Tos
6-8X	02CZ6 8-X	Z-Diode	6 4 6 8V, 200mW	SC-59	16dc -	Tos
6-8Y	02CZ6 8-Y	Z-Diode	6 6 7 02V, 200mW	SC-59	16dc -	Tos
6-8Z	02CZ6 8-Z	Z-Diode	6 82 7 20V, 200mW	SC-59	16dc -	Tos
605	NDS0805	MOS-P-FET-e	V-MOS, 60V, 0,18A, <5Ω(0,5A)	SOT23	16fg -	Nsc
60T	TK71560AS	VR-IC	LDO, 6V±1,5%, 155mA	SOT23	16cj VR1	Tok
610	KV1610S	C-Diode	Dual, AM-Tuning, 26V, 50mA, 100mW, 19 446pF(8 1V)	SOT23	16dg -	Tok
614	FMMT614	Si-NPN-Darl	GP, 120/100V, 500mA, 500mW, B>15000	SDT23	16ta -	Ztx
617	FMMT617	Si-NPN	Switching, Lo-sat, 15V, 3A, 625mW 120/160ns	SDT23	16ta -	Ztx
618	FMMT618	Si-NPN	Sw, Lo-sat, 20V, 2,5A, 625mW, B=300 450, >140MHz	SDT23	16ta -	Ztx
619	FMMT619	Si-NPN	Switching, Lo-sat, 50V, 2A, 625mW, B=300 450, >160MHz	SOT23	16ta -	Ztx
62	DTC123YE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/10k	EMT3	16ta -	Rhm
62	DTC123YKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/10k	SMT3	16ta -	Rhm
62	DTC123YUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/10k	UMT3	16ta -	Rhm
62	MAZW062H	SA-Diode	2x 6,2V, 5mA, 150mW	SSSMin3	16df -	Pan
621	HZM6 2NB	Z-Diode	5 86 6 53V, 200mW	MPAK	16dc -	Ren
621	HZM6 2NB1	Z-Diode	5 86 6 12V, 200mW	MPAK	16dc -	Ren
621	PZM6 2NB1	Z-Diode	6 2V±2,5%, 0,3W	SOT346	16dc -	Phi
622	HZM6 2NB2	Z-Diode	6 06 6 33V, 200mW	MPAK	16dc -	Ren

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
622	PZM6.2NB2	Z-Diode	6.2V±2.5%, 0.3W	SOT346	16dc	-	Phi
623	HZM6.2NB3	Z-Diode	6.26..6.53V, 200mW	MPAK	16dc	-	Ren
623	PZM6.2NB3	Z-Diode	6.2V±2.5%, 0.3W	SOT346	16dc	-	Phi
624	FMMT624	Si-NPN	Sw, Lo-sat, 125V, 1A, 625mW, B=300..450, >155MHz	SOT23	16ta	-	Ztx
625	FMMT625	Si-NPN	Sw, Lo-sat, 150V, 1A, 625mW, B=300..450, >135MHz	SOT23	16ta	-	Ztx
62V	PZM62NB	Z-Diode	62V±2.5%, 0.3W	SC-59	16dc	-	Phi
62V	PZM62NB1	Z-Diode	62V±2.5%, 0.3W	SOT346	16dc	-	Phi
63	BAS40W	Si-Diode	Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dc	-	Phi
63	CSA1163	Si-PNP	GP, 120V, 100mA, 150mW, B=200..700, 100MHz	SOT23	16ta	-	Cdi
63	CSA1163G	Si-PNP	GP, 120V, 100mA, 150mW, B=200..400, 100MHz	SOT23	16ta	-	Cdi
63	CSA1163L	Si-PNP	GP, 120V, 100mA, 150mW, B=350..700, 100MHz	SOT23	16ta	-	Cdi
6-3	1PS70SB40	Si-Diode	Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16dc	-	PHH
63s	BAT64	Si-Diode	Schottky, Fast-Sw, 30V, 250mA, Vf<0.75V, Cd<6pF	SOT23	16dc	-	Sie
64	BAS40-04W	Si-Diode	Dual Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT323	16dl	-	Phi
64	DTC114YE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=10/47k	EMT3	16ta	-	Rhm
64	DTC114YKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10/47k	SMT3	16ta	-	Rhm
64	DTC114YMA	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=10/47k	VMT3	16ta	-	Rhm
64	DTC114YUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10/47k	UMT3	16ta	-	Rhm
6-4	1PS70SB44	Si-Diode	Dual, Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16dl	-	PHH
64s	BAT64-04	Si-Diode	Dual, Schottky, 30V, 250mA, Vf<0.75V, Cd<6pF	SOT23	16dl	-	Sie
65	BAS40-05W	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT323	16dl	-	Phi
6-5	1PS70SB45	Si-Diode	Dual, Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16dg	-	PHH
65s	BAT64-05	Si-Diode	Dual, Schottky, 30V, 250mA, Vf<0.75V, Cd<6pF	SOT23	16dg	-	Sie
65s	BAT64-05W	Si-Diode	Dual, Schottky, 30V, 250mA, Vf<0.75V, Cd<6pF	SOT323	16dg	-	Sie
66	BAS40-06W	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT323	16dg	-	Phi
6-6	1PS70SB46	Si-Diode	Dual, Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16dl	-	PHH
66s	BAT64-06	Si-Diode	Dual Schottky, 30V, 250mA, Vf<0.75V, Cd<6pF	SOT23	16dl	-	Sie
68	MAZW068H	SA-Diode	2x 6.8V, 5mA, 150mW	SSSMm3	16dl	-	Pan
680	HZM6.8NB	Z-Diode	6.47..7.14V, 200mW	MPAK	16dc	-	Ren
681	HZM6.8NB1	Z-Diode	6.47..6.73V, 200mW	MPAK	16dc	-	Ren
681	PZM6.8NB1	Z-Diode	6.8V±2.5%, 0.3W	SOT346	16dc	-	Phi
682	HZM6.8NB2	Z-Diode	6.65..6.93V, 200mW	MPAK	16dc	-	Ren
682	PZM6.8NB2	Z-Diode	6.8V±2.5%, 0.3W	SOT346	16dc	-	Phi
683	HZM6.8NB3	Z-Diode	6.86..7.14V, 200mW	MPAK	16dc	-	Ren
683	PZM6.8NB1	Z-Diode	6.8V±2.5%, 0.3W	SOT346	16dc	-	Phi
683	PZM6.8NB3	Z-Diode	6.8V±2.5%, 0.3W	SC-59	16dc	-	Phi
68V	PZM68NB	Z-Diode	68V±2.5%, 0.3W	SC-59	16dc	-	Phi
68V	PZM68NB1	Z-Diode	68V±2.5%, 0.3W	SOT346	16dc	-	Phi
6A	BC817-16	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100..250, >200MHz	SOT23	16ta	-	Cdi,Da,Itt
6A	BC817-16LT1	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100..250, >200MHz	SOT23	16ta	-	Mot
6A	DA121TT1	Si-Diode	Switching, 80V, 200mA, 225mW, Vf<1.25V(150mA), <6ns	SOT416	16dc	-	Ons
6A	DTA114EET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/10k	SC-75	16ta	-	Ons
6A	KIA7019AT	Lin/Dig-IC	Voltage Detector 1.9V, -Reset Open collector output	TSM	16vd	VD6	Kec
6A	MUN2111T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/10k	SC-59	16ta	-	Mot
6A	MUN5111T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/10k	SOT323	16ta	-	Mot
6A	R3131N16EC	CMOS-IC	Voltage Detector 1.6V, Reset ODO, 240ms	SOT23	16vdc	VD6	Ric
6A	UN2111	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=10k/10k	SC-59	16ta	-	Pan
6A	UN5111	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/10k	SMini-3	16ta	-	Pan
6A	UN9111J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=10k/10k	SC-89	16ta	-	Pan
6A	UNR2111	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=10k/10k	SC-59	16ta	-	Pan
6A	UNR5111	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/10k	SMini-3	16ta	-	Pan
6A	UNR9111J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=10k/10k	SC-89	16ta	-	Pan
6A-	BC817-16W	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=100..250, >200MHz	SOT323	16ta	-	PHH
6A2	PZM6.2NB2A	Z-Diode	Dual, 6.2V±2.5%, 0.3W	SOT346	16df	-	Phi
6A8	PZM6.8NB2A	Z-Diode	Dual, 6.8V±2.5%, 0.3W	SOT346	16df	-	Phi
6Ap	BC817-16	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100..250, >200MHz	SOT23	16ta	-	PHH
6Ap	BC817-16W	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=100..250, >200MHz	SOT323	16ta	-	PHH
6AR	BC817-16R	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=100..250, >200MHz	SOT23	16te	-	Phi
6As	BC817-16	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100..250, >200MHz	SOT23	16ta	-	Sie
6At	BC817-16	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=100..250, >200MHz	SOT23	16ta	-	PhM
6At	BC817-16W	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=100..250, >200MHz	SOT323	16ta	-	Phi
6AZ	BC817-16	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100..250, >200MHz	SOT23	16ta	-	Ztx
6B	BC817-25	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=160..400, >200MHz	SOT23	16ta	-	Cdi,Dil,Itt
6B	BC817-25LT1	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=160..400, >200MHz	SOT23	16ta	-	Mot
6B	DTA124EET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=22k/22k	SC-75	16ta	-	Ons
6B	KIA7021AT	Lin/Dig-IC	Voltage Detector 2.1V, -Reset Open collector output	TSM	16vd	VD6	Kec
6B	MMBF5484	N-FET	RF, LN, 25V, 10mA, 225mW, Up<6V	SOT23	16fa	-	Nsc
6B	MMBF5484LT1	N-FET	VHF-UHF-Amp, 25V, 10mA, 200mW, Up<3V	SOT23	16jf	-	Dns

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
6B	MUN2112T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22/22k	SC-59	161a	-	Mot
6B	MUN5112T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22/22k	SOT323	161a	-	Mot
6B3	R3131N26EC	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
6B	STZ6 2N	Z-Diode	Dual, 5,81 6,4V, 100mW, Zzt<60Ω(5mA)	SOT346	17df	-	Rhm
6B	UN2112	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=22k/22k	SC-59	161a	-	Pan
6B	UN5112	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=22k/22k	SMini-3	161a	-	Pan
6B	UN9112J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=22k/22k	SC-89	181a	-	Pan
6B	UNR2112	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=22k/22k	SC-59	161a	-	Pan
6B	UNR5112	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=22k/22k	SMini-3	161a	-	Pan
6B	UNR9112J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=22k/22k	SC-89	181a	-	Pan
6B-	BC817-25W	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=160 400, >200MHz	SOT323	161a	-	PhH
6BG	CMPP4416A	N-FET	AF 35V, Idss=5 15mA, Vgs(off)=2 5 6V, Nf=2dB	SOT23	16fk	-	Cen
6Bp	BC817-25	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=160 400, >200MHz	SOT23	161a	-	PhH
6BR	BC817-25R	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=160 400, >200MHz	SOT23	161e	-	Phi
6Bs	BC817-25	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=160 400, >200MHz	SOT23	161a	-	Sie
6Bs	BC817-25W	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=160 400, >200MHz	SOT323	161a	-	Sie
6Bt	BC817-25	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=160 400, >200MHz	SOT23	161a	-	PhM
6Bt	BC817-25W	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=160 400, >200MHz	SOT323	161a	-	Phi
6BZ	BC817-25	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=160 400, >200MHz	SOT23	161a	-	Ztx
6C	BC817-40	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161a	-	Cdi,Dii,Itt
6C	BC817-40LT1	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161a	-	Mot
6C	DTA144EET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=47k/47k	SC-75	161a	-	Ons
6C	KIA7023AT	Lin/Dig-IC	Voltage Detector 2 3V, -Reset Open collector output	TSM	16vd	VD6	Kec
6C	MUN2113T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SC-59	161a	-	Mot
6C	MUN5113T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT323	161a	-	Mot
6C	R3131N36EC	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
6C	STZ6 8N	Z-Diode	Dual, 6 47 7,14V, 100mW, Zzt<40Ω(5mA)	SOT346	17df	-	Rhm
6C	UN2113	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=47k/47k	SC-59	161a	-	Pan
6C	UN5113	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=47k/47k	SMini-3	161a	-	Pan
6C	UN9113J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=47k/47k	SC-89	181a	-	Pan
6C	UNR2113	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=47k/47k	SC-59	161a	-	Pan
6C	UNR5113	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=47k/47k	SMini-3	161a	-	Pan
6C	UNR9113J	Si-PNP-Digi	Switching, 50V 100mA, 125mW, 80MHz, R1/R2=47k/47k	SC-89	181a	-	Pan
6C-	BC817-40W	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT323	161a	-	PhH
6Cp	BC817-40	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161a	-	PhH
6CR	BC817-40R	Si-NPN	AF-Driver 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161e	-	Phi
6Cs	BC817-40	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161a	-	Sie
6Ca	BC817-40W	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT323	161a	-	Sie
6Ct	BC817-40	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161a	-	PhM
6Ct	BC817-40W	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT323	161a	-	PhM
6CZ	BC817-40	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161a	-	Ztx
6D	BC817	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100 600, >200MHz	SOT23	161a	-	Cdi
6D	DTA114YET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/47k	SC-75	161a	-	Ons
6D	KIA7025AT	Lin/Dig-IC	Voltage Detector 2 5V, -Reset Open collector output	TSM	16vd	VD6	Kec
6D	MMBF5457LT1	N-FET	GP, 25V, 10mA, 225mW, Up<6V	SOT23	16jf	-	Ons
6D	MUN2114T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/47k	SC-59	161a	-	Mot
6D	MUN5114T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/47k	SOT323	161a	-	Mot
6D	R3131N46EC	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
6D	UN2114	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=10k/47k	SC-59	161a	-	Pan
6D	UN5114	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/47k	SMini-3	161a	-	Pan
6D	UN9114J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=10k/47k	SC-89	181a	-	Pan
6D	UNR2114	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=10k/47k	SC-59	161a	-	Pan
6D	UNR5114	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/47k	SMini-3	161a	-	Pan
6D	UNR9114J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=10k/47k	SC-89	181a	-	Pan
6D-	BC817W	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100 600, >200MHz	SOT23	161a	-	PhH
6Dp	BC817	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=100 600, >200MHz	SOT23	161a	-	PhH
6Dt	BC817	Si-NPN	AF-Driver, 50/45V, 500mA, 250mW, B=100 600, >200MHz	SOT23	161a	-	PhM
6Dt	BC817W	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100 600, >200MHz	SOT23	161a	-	PhM
6DZ	BC817	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100 600, >200MHz	SOT23	161a	-	Ztx
6E	BC818-16	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=100 250, >170MHz	SOT23	161a	-	Cdi,Itt
6E	DTA114TET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=10k	SC-75	161a	-	Ons
6E	FMMTA93R	Si-PNP	Vid, 200/200V, 500mA, 330mW, B=25, >50MHz	SOT23	161e	-	Ztx
6E	KIA7027AT	Lin/Dig-IC	Voltage Detector 2 7V, -Reset Open collector output	TSM	16vd	VD6	Kec
6E	MMBF5460LT1	N-FET	GP, 40V, 10mA, 225mW, Up<6V	SOT23	16jf	-	Ons
6E	MUN2115T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SC-59	161a	-	Mot
6E	MUN5115T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT323	161a	-	Mot
6E	UN2115	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=10k	SC-59	161a	-	Pan
6E	UN5115	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=10k	SMini-3	161a	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
6E	UN9115J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=10k	SC-89	18ta	-	Pan
6E	UNR2115	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=10k	SC-59	16ta	-	Pan
6E	UNR5115	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=10k	SMini-3	16ta	-	Pan
6E	UNR9115J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=10k	SC-89	18ta	-	Pan
6EP	BC818-16	Si-NPN	AF-Driver, 30/25V, 500mA, 250mW, B=100 250, >80MHz	SOT23	16ta	-	PhH
6ER	BC818-16R	Si-NPN	AF-Driver, 30V, 500mA, 310mW, B=100 250, >200MHz	SOT23	16ta	-	Phi
6Es	BC818-16	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=100 250, >170MHz	SOT23	16ta	-	Sie
6Es	BC818-16W	Si-NPN	AF-Driver, 30V, 500mA, 250mW, B=100 250, >170MHz	SOT323	16ta	-	Sie
6Et	BC818-16W	Si-NPN	AF-Driver, 30V, 500mA, 250mW, B=100 250, >170MHz	SOT323	16ta	-	Phi
6EZ	BC818-16	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=100 250, >200MHz	SOT23	16ta	-	Ztx
6F	BC818-25	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=160 400, >170MHz	SOT23	16ta	-	Cdi,ltt
6F	DTA143TET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=4k7	SC-75	16ta	-	Ons
6F	KIA7029AT	Lin/Dig-IC	Voltage Detector 2 9V, -Reset Open collector output	TSM	16vd	VD6	Kec
6F	MUN2116T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=4k7	SC-59	16ta	-	Mot
6F	MUN5116T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=4k7	SOT323	16ta	-	Mot
6F	R3131N16EA	CMOS-IC	Voltage Detector 1,6V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
6F	STZ5 6N	Z-Diode	Dual, 5,31 5.92V, 100mW, Zzt<60Q(5mA)	SOT346	17df	-	Rhm
6F	UN2116	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=4k7	SC-59	16ta	-	Pan
6F	UN5116	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=4k7	SMini-3	16ta	-	Pan
6F	UN9116J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=4k7	SC-89	18ta	-	Pan
6F	UNR2116	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=4k7	SC-59	16ta	-	Pan
6F	UNR5116	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=4k7	SMini-3	16ta	-	Pan
6F	UNR9116J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=4k7	SC-89	18ta	-	Pan
6Fp	BAP1321-04	PIN-Diode	2x RF, 60V, 0,1A, 250mW, 0,45pF, 1,3Q(100mA/100MHz)	SOT23	16dl	-	Phi
6Fp	BC818-25	Si-NPN	AF-Driver, 30/25V, 500mA, 250mW, B=160 400, >80MHz	SOT23	16ta	-	PhH
6FR	BC818-25R	Si-NPN	AF-Driver, 30V, 500mA, 310mW, B=400, >200MHz	SOT23	16te	-	Phi
6Fs	BC818-25	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=160 400, >170MHz	SOT23	16ta	-	Sie
6Fs	BC818-25W	Si-NPN	AF-Driver, 30V, 500mA, 250mW, B=160 400, >170MHz	SOT323	16ta	-	Sie
6FZ	BC818-25	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=160 400, >200MHz	SOT23	16ta	-	Ztx
6G	BC818-40	Si-NPN	AF-Driver, 30/25V, 500mA, 250mW, B=250 600, >80MHz	SOT23	16ta	-	Cdi,ltt
6G	CMFP4393	N-FET	AF, 40V, Idss=5-30mA, Vgs(off)=0-5.3V, Rds<100Q, <50ns	SOT23	16fj	-	Cen
6G	FMV2103	C-Diode	Tuning, 30V, 9/11pF, Q>400	SOT23	16dc	-	Ztx
6G	KIA7031AT	Lin/Dig-IC	Voltage Detector 3 1V, -Reset Open collector output	TSM	16vd	VD6	Kec
6G	MMBF4393LT1	N-FET	Switching, 30V, 50mA, 225mA, Rds=100Q (1mA)	SOT23	16fj	-	Ons
6G	MUN2130T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=1k/1k0	SC-59	16ta	-	Mot
6G	MUN5130T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=1k/1k0	SOT323	16ta	-	Mot
6G	R3131N26EA	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
6Gp	BC818-40	Si-NPN	AF-Driver, 30/25V, 500mA, 250mW, B=250 600, >80MHz	SOT23	16ta	-	PhH
6GR	BC818-40R	Si-NPN	AF-Driver, 30V, 500mA, 310mW, B=600, >200MHz	SOT23	16ta	-	Phi
6Gs	BC818-40	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=250 630, >170MHz	SOT23	16ta	-	Sie
6Gs	BC818-40W	Si-NPN	AF-Driver, 30V, 500mA, 250mW, B=250 630, >170MHz	SOT323	16ta	-	Sie
6Gt	BC818-40W	Si-NPN	AF-Driver, 30V, 500mA, 250mW, B=250 630, >170MHz	SOT323	16ta	-	Phi
6GZ	BC818-40	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=250 630, >200MHz	SOT23	16ta	-	Ztx
6H	BC818	Si-NPN	AF-Driver, 30/25V, 500mA, 250mW, B=100 600, >80MHz	SOT23	16ta	-	Cdi
6H	DTA123EET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=2k2/2k2	SC-75	16ta	-	Ons
6H	FMV2104	C-Diode	Tuning, 30V, 10 8 13,2pF, Q>400	SOT23	16dc	-	Ztx
6H	KIA7032AT	Lin/Dig-IC	Voltage Detector 3 2V, -Reset Open collector output	TSM	16vd	VD6	Kec
6H	MMBF5486	N-FET	RF, LN, 25V, 10mA, 225mW, Up<4V	SOT23	16ta	-	Nsc
6H	MUN2131T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=2k2/2k2	SC-59	16ta	-	Mot
6H	MUN5131T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=2k2/2k2	SOT323	16ta	-	Mot
6H	R3131N36EA	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
6H	UN2117	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=22k	SC-59	16ta	-	Pan
6H	UN5117	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=22k	SMini-3	16ta	-	Pan
6H	UN9117J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=22k	SC-89	18ta	-	Pan
6H	UNR2117	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=22k	SC-59	16ta	-	Pan
6H	UNR5117	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=22k	SMini-3	16ta	-	Pan
6H	UNR9117J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=22k	SC-89	18ta	-	Pan
6Hp	BC818	Si-NPN	AF-Driver, 30/25V, 500mA, 250mW, B=100 600, >80MHz	SOT23	16ta	-	PhH
6Ht	BC818W	Si-NPN	AF-Driver, 30V, 500mA, 250mW, B=100 600, >170MHz	SOT323	16ta	-	Phi
6HZ	BC818	Si-NPN	AF-Driver, 30V, 500mA, 330mW, B=100 600, >200MHz	SOT23	16ta	-	Ztx
6I	UN2118	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=510R/5k1	SC-59	16ta	-	Pan
6I	UN5118	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=510R/5k1	SMini-3	16ta	-	Pan
6I	UN9118J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=510R/5k1	SC-89	18ta	-	Pan
6I	UNR2118	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=510R/5k1	SC-59	16ta	-	Pan
6I	UNR5118	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=510R/5k1	SMini-3	16ta	-	Pan
6I	UNR9118J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=510R/5k1	SC-89	18ta	-	Pan
6J	CMFP4391	N-FET	AF, 40V, Idss=50-150mA, Vgs(off)=4-10V, Rds<30Q, <20ns	SOT23	16fk	-	Cen
6J	DTA143EET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=4k7/4k7	SC-75	16ta	-	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
6J	FMV2105	C-Diode	Tuning, 30V, 13,5/16 5pF, Q>400	SOT23	16dc -	Ztx
6J	KIA7033AT	Lin/Dig-IC	Voltage Detector 3 3V, -Reset Open collector output	TSM	16vd VD6	Kec
6J	MMBF4391LT1	N-FET	Switching, 30V, 50mA, 225mA, Rds=300 (1mA)	SOT23	16fj -	Ons
6J	MUN2132T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k/4k7	SC-59	16ta -	Mot
6J	MUN5132T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k/4k7	SOT323	16ta -	Mot
6J	R3131N46EA	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output, 240ms	SOT23	16vdc VD7	Ric
6K	CMPP4392	N-FET	AF, 40V, Idss=25 75mA, Vgs(off)=2 5V, Rds<60Ω, <35ns	SOT23	16fk -	Cen
6K	DTA143ZET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=4k7/47k	SC-75	16ta -	Ons
6K	KIA7034AT	Lin/Dig-IC	Voltage Detector 3 4V, -Reset Open collector output	TSM	16vd VD6	Kec
6K	MMBF4392LT1	N-FET	Switching, 30V, 50mA, 225mA, Rds=60Ω (1mA)	SOT23	16fj -	Ons
6K	MUN2133T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k7/47k	SC-59	16ta -	Mot
6K	MUN5133T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k7/47k	SOT323	16ta -	Mot
6K	UN2119	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=1k/10k	SC-59	16ta -	Pan
6K	UN5119	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=1k/10k	SMini-3	16ta -	Pan
6K	UN9119J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=1k/10k	SC-89	18ta -	Pan
6K	UNR2119	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=1k/10k	SC-59	16ta -	Pan
6K	UNR5119	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=1k/10k	SMini-3	16ta -	Pan
6K	UNR9119J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=1k/10k	SC-89	18ta -	Pan
6Kp	BAP64-06	PIN-Diode	2x RF, 175V, 100mA, 250mW, 0.35pF, 3.8Q(10mA/100MHz)	SOT23	16df -	Phi
6L	DTA124XET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=22k/47k	SC-75	16ta -	Ons
6L	FMV2107	C-Diode	Tuning, 30V, 19 8/24, 2pF, Q>350	SOT23	16dc -	Ztx
6L	KIA7035AT	Lin/Dig-IC	Voltage Detector 3 5V, -Reset Open collector output	TSM	16vd VD6	Kec
6L	MUN2134T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/47k	SC-59	16ta -	Mot
6L	MUN5134T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/47k	SOT323	16ta -	Mot
6L	UN2110	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=47k	SC-59	16ta -	Pan
6L	UN5110	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=47k	SMini-3	16ta -	Pan
6L	UN9110J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=47k	SC-89	18ta -	Pan
6L	UNR2110	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1=47k	SC-59	16ta -	Pan
6L	UNR5110	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1=47k	SMini-3	16ta -	Pan
6L	UNR9110J	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=47k	SC-89	18ta -	Pan
6M	DTA123JET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=2k2/47k	SC-75	16ta -	Ons
6M	FMV2108	C-Diode	Tuning, 30V, 24.3/29 7pF, Q>300	SOT23	16dc -	Ztx
6M	KIA7036AT	Lin/Dig-IC	Voltage Detector 3 6V, -Reset Open collector output	TSM	16vd VD6	Kec
6M	MMBF5485	N-FET	RF, LN, 25V, 10mA, 225mW, Up<3V	SOT23	16fa -	Nsc
6M	UN211D	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R2=10k	SC-59	16ta -	Pan
6M	UN511D	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R2=10k	SMini-3	16ta -	Pan
6M	UN911D	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R2=10k	SC-89	18ta -	Pan
6M	UNR211D	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R2=10k	SC-59	16ta -	Pan
6M	UNR511D	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R2=10k	SMini-3	16ta -	Pan
6M	UNR911D	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R2=10k	SC-89	18ta -	Pan
6N	DTA115EET1	Si-PNP-Digi	Sw, 50V, 100mA, 200mW, 200MHz, R1/R2=100k/100k	SC-75	16ta -	Ons
6N	FMV2109	C-Diode	Tuning, 30V, 29 3/36 3pF, Q>280	SOT23	16dc -	Ztx
6N	KIA7039AT	Lin/Dig-IC	Voltage Detector 3 9V, -Reset Open collector output	TSM	16vd VD6	Kec
6N	MUN2136T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=100k/100k	SC-59	16ta -	Mot
6N	MUN5136T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=100k/100k	SOT323	16ta -	Mot
6N	UN211E	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=47k/22k	SC-59	16ta -	Pan
6N	UN511E	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=47k/22k	SMini-3	16ta -	Pan
6N	UN911EJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=47k/22k	SC-89	18ta -	Pan
6N	UNR211E	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=47k/22k	SC-59	16ta -	Pan
6N	UNR511E	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=47k/22k	SMini-3	16ta -	Pan
6N	UNR911EJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=47k/22k	SC-89	18ta -	Pan
6O	UN211F	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/10k	SC-59	16ta -	Pan
6O	UN511F	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/10k	SMini-3	16ta -	Pan
6O	UN911FJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=4k7/10k	SC-89	18ta -	Pan
6O	UNR211F	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/10k	SC-59	16ta -	Pan
6O	UNR511F	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/10k	SMini-3	16ta -	Pan
6O	UNR911FJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=4k7/10k	SC-89	18ta -	Pan
6P	BCX71HR	Si-PNP	GP, 45V, 200mA, 330mW, B=180 310, >180MHz	SOT23	16ta -	Ztx
6P	BCX71RH	Si-PNP	GP, 45V, 200mA, 250mW, B=180 310, >100MHz	SOT23	16ta -	Ztx
6P	DTA144WET1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=47k/22k	SC-75	16ta -	Ons
6P	KIA7042AT	Lin/Dig-IC	Voltage Detector 4 2V, -Reset Open collector output	TSM	16vd VD6	Kec
6P	MUN2137T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SC-59	16ta -	Mot
6P	MUN5137T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SOT323	16ta -	Mot
6P	UN211H	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=2k2/10k	SC-59	16ta -	Pan
6P	UN511K	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/4k7	SMini-3	16ta -	Pan
6P	UN911KJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=10k/4k7	SC-89	18ta -	Pan
6P	UNR211H	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=2k2/10k	SC-59	16ta -	Pan
6P	UNR511K	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/4k7	SMini-3	16ta -	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
6P	UNR911KJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=10k/4k7	SC-89	181a	-	Pan
6Q	UN211L	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/4k7	SC-59	161a	-	Pan
6Q	UN511L	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/4k7	SMm-3	161a	-	Pan
6Q	UN911LJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=4k4/4k7	SC-89	181a	-	Pan
6Q	UNR211L	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/4k7	SC-59	161a	-	Pan
6Q	UNR511L	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/4k7	SMm-3	161a	-	Pan
6Q	UNR911LJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=4k4/4k7	SC-89	181a	-	Pan
6R	FMV2101	C-Diode	Tuning, 30V, 6 1/7 5pF, Q>450	SOT23	16dc	-	Ztx
6R	KIA7045AT	Lin/Dig-IC	Voltage Detector 4 5V -Reset Open collector output	TSM	16vd	VD6	Kec
6R	SRA2206E	Si-PNP-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT523	161a	-	Auk
6R	SRA2206EF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT523F	181a	-	Auk
6R	SRA2206U	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT323	161a	-	Auk
6R	SRA2206UF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W B=30 55, 200MHz, R1/R2=4 7/47k	SOT323F	181a	-	Auk
6T	BCW68RG	Si-PNP	AF, Sw, 60V, 800mA 350mW, B>160, >100MHz	SOT23	161a	-	Ztx
6T	DTA144TT1	Si-PNP-Digi	Switching, 50V, 100mA, 230mW, 250MHz, R1=47k	SC-59	161a	-	Ons
6T	MUN2140T1	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=47k	SC-59	161a	-	Mot
6t3	1PS70SB40	Si-Diode	Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16dc	-	PhM
6t4	1PS70SB44	Si-Diode	Dual, Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16dl	-	PhM
6t5	1PS70SB45	Si-Diode	Dual, Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16dg	-	PhM
6t6	1PS70SB46	Si-Diode	Dual, Schottky, Switching, Fast, 40V, 120mA, <100ps	SC-70	16df	-	PhM
6V	BCW65CR	Si-NPN	AF 60V, 800mA 330mW B=250 630 >100MHz	SOT23	161a	-	Ztx
6V2	PZM6 2NB	Z-Diode	6 2V±2 5%, 0 3W	SOT346	16dc	-	Phi
6V8	PZM6 8NB	Z-Diode	6 8V±2 5%, 0 3W	SOT346	16dc	-	Phi
6W	BCW67CR	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B=250 630, >100MHz	SOT23	161a	-	Ztx
6W-	BAP50-04W	PIN-Diode	Dual, RF, 50V, 50mA, 0.3pF 3Q(10mA/100MHz), 500mW	SOT323	16dl	-	Phi
6X	UNR911AJ	Si-PNP-Digi	Sw 50V, 100mA, 125mW, 80MHz, R1/R2=100k/100k	SC-89	181a	-	Pan
6Y	UNR911BJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1=100k	SC-89	181a	-	Pan
6Z	UNR911CJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R2=47k	SC-89	181a	-	Pan
6Z2	CZ1W6 2	Z-Diode	6,2V±5%, 600mW	SOT23	16dc	-	Cdi
6Z8	CZ1W6 8	Z-Diode	6,8V±5%, 600mW	SOT23	16dc	-	Cdi
7.5	Z02W7 5V	Z-Diode	7 7 9V, 200mW	SOT23	16dc	-	Kec
7.5H	MAZ3075	Z-Diode	7 7 9V, 200mW	SC-59	16dc	-	Pan
7.5L	MAZ3075	Z-Diode	7 7 9V, 200mW	SC-59	16dc	-	Pan
7.5M	MAZ3075	Z-Diode	7 7 9V, 200mW	SC-59	16dc	-	Pan
7.5X	Z02W7 5VX	Z-Diode	7 7 43V, 200mW	SOT23	16dc	-	Kec
7.5Y	Z02W7 5VY	Z-Diode	7 23 7 66V, 200mW	SOT23	16dc	-	Kec
7.5Z	Z02W7 5VZ	Z-Diode	7 46 7 9V, 200mW	SOT23	16dc	-	Kec
7-5X	02CZ7 5-X	Z-Diode	7 7 43V, 200mW	SC-59	16dc	-	Tos
7-5Y	02CZ7 5-Y	Z-Diode	7 23 7 66V, 200mW	SC-59	16dc	-	Tos
7-5Z	02CZ7 5-Z	Z-Diode	7 46 7 9V, 200mW	SC-59	16dc	-	Tos
7-8X	02CZ8 2-X	Z-Diode	7 7 8 16V, 200mW	SC-59	16dc	-	Tos
7-8Y	02CZ8 2-Y	Z-Diode	7 96 8 43V, 200mW	SC-59	16dc	-	Tos
7-8Z	02CZ8 2-Z	Z-Diode	8 23 8 7V, 200mW	SC-59	16dc	-	Tos
7-0	1PS70SB20	Si-Diode	Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16dc	-	PhH
701	2N7001	MOS-N-FET-e	V-MOS, 240V, 50mA <45Ω, <30/-ns	SOT23	16fg	-	Mot
702	2N7002	MOS-N-FET-e	D-MOS, 60V, 250mA, 310mW, <7.5Q(0.5A), 5/25ns	SOT23	16fi	-	Phi
702	2N7002LT1	MOS-N-FET-e	D-MOS, 60V, 250mA, 310mW, <7.5Q(0.5A), 5/25ns	SOT23	16fi	-	Mot
70T	TK71570AS	VR-IC	LDO, 7V±1.5%, 155mA	SOT23	16cj	VR1	Tok
712	NDS7002A	MOS-N-FET-e	V-MOS, 60V, 0.28A <2Q(0.5A)	SOT23	16fg	-	Nsc
717	FMMT717	Si-PNP	Switching, Lo-sat, 12V, 2 5A, 0 625W, 70/130ns	SOT23	161a	-	Ztx
718	FMMT718	Si-PNP	Sw, Lo-sat, 20V, 1.5A, 0 625W, 40/670ns	SOT23	161a	-	Ztx
72	1PS70SB20	Si-Diode	Schottky, Sw, U-Fast, 40V, 500mA, Vf<0.55V(500mA)	SOT323	16dc	-	Phi
72	2N7002	MOS-N-FET-e	D-MOS, 60V, 250mA, 310mW, <7.5Q(0.5A), 5/25ns	SOT23	16fi	-	Six
72	2N7002T	MOS-N-FET-e	D-MOS, 60V, 1150mA, 200mW, <7.5Q(0.5A), 7/11ns	SOT523	16fh	-	Trs
720	FMMT720	Si-PNP	Sw, Lo-sat, 40V, 1.5A, 625mW, B=300 450, >190MHz	SOT23	161a	-	Ztx
722	FMMT722	Si-PNP	Sw, Lo-sat, 70V, 1.5A, 625mW, B=300 450, >200MHz	SOT23	161a	-	Ztx
723	FMMT723	Si-PNP	Sw, Lo-sat, 100V, -1A, 625mW, B=300 450, >200MHz	SOT23	161a	-	Ztx
723	ST123SF	Lin/Dig-IC	Voltage Detector 2.3V, Reset Open collector output	SOT23F	18vd	VD6	Auk
73	BAS70	Si-Diode	Schottky, 70V, 70mA, Vf<1V, Cd<2pF, 5ns	SOT23	16dc	-	Vis
73-	BAS70W	Si-Diode	Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT323	16dc	-	PhH
73p	BAS70	Si-Diode	Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT23	16dc	-	PhH
73s	BAS70	Si-Diode	Schottky, 70V, 70mA, Vf<1V, Cd<2pF, 5ns	SOT23	16dc	-	Inf
73t	BAS70	Si-Diode	Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT23	16dc	-	PhM
73t	BAS70W	Si-Diode	Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT323	16dc	-	PhM
73W	BAS70	Si-Diode	Schottky, 70V, 70mA, Vf<410mV, Cd<2pF, 5ns	SOT23	16dc	-	PhC
74	BAS70-04	Si-Diode	Dual, Schottky, 70V, 200mA, Vf<1V, Cd<2pF, <5ns	SOT23	16dl	-	Vis
74	DTA114WE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 200MHz, R1/R2=10k/4k7	EMT3	161a	-	Rhm
74	DTA114WKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/4k7	SMT3	161a	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
74	DTA114WUA	S-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=10k/4k7	UMT3	161a	-	Rhm
7-4	1PS70SB14	S-Diode	Dual, Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16dl	-	PhH
74-	BAS70-04W	S-Diode	Dual Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT323	16dl	-	PhH
74p	BAS70-04	S-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF	SOT23	16dl	-	PhH
74s	BAS70-04	S-Diode	Dual, Schottky, 70V, 70mA, Vf<410mV, Cd<2pF	SOT23	16dl	-	Inf
74s	BAS70-04T	S-Diode	Dual, Schottky, GP, 70V, 70mA, Vf<1V(15mA), <100ps	SC-75	16dl	-	Dil
74s	BAS70-04W	S-Diode	Dual, Schottky, GP, 70V, 70mA, Vf<1V(15mA), <100ps	SOT323	16dl	-	Dil
74t	BAS70-04	S-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF	SOT23	16dl	-	PhM
74t	BAS70-04W	S-Diode	Dual Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT323	16dl	-	PhM
74W	BAS70-04	S-Diode	Dual Schottky, 70V, 200mA, Vf<410mV, Cd<2pF	SOT23	16dl	-	PhC
75	BAS70-05	S-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	Vis
7-5	1PS70SB15	S-Diode	Dual Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16dg	-	PhH
75-	BAS70-05W	S-Diode	Dual Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT323	16dg	-	PhH
750	HZM7 5NB	Z-Diode	7 06 7 84V, 200mW	MPAK	16dc	-	Ren
751	HZM7 5NB1	Z-Diode	7 06 7 36V, 200mW	MPAK	16dc	-	Ren
751	PZM7 5NB1	Z-Diode	7 5V±2 5%, 0.3W	SOT346	16dc	-	Phi
752	HZM7 5NB2	Z-Diode	7 28 7 6V, 200mW	MPAK	16dc	-	Ren
752	PZM7 5NB2	Z-Diode	7 5V±2 5%, 0.3W	SOT346	16dc	-	Phi
753	HZM7 5NB3	Z-Diode	7 52 7 84V, 200mW	MPAK	16dc	-	Ren
753	PZM7 5NB3	Z-Diode	7 5V±2 5%, 0.3W	SOT346	16dc	-	Phi
75p	BAS70-05	S-Diode	Dual Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	PhH
75s	BAS70-05	S-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	Inf
75s	BAS70-05W	S-Diode	Dual Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT323	16dg	-	Inf
75t	BAS70-05	S-Diode	Dual, Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	PhM
75t	BAS70-05W	S-Diode	Dual, Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT323	16dg	-	PhM
75V	PZM75NB	Z-Diode	75V±2 5%, 0.3W	SC-59	16dc	-	Phi
75W	BAS70-05	S-Diode	Dual, Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	PhC
76	BAS70-06	S-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16df	-	Vis
76	DTA144WE	S-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=47k/22k	EMT3	161a	-	Rhm
76	DTA144WKA	S-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/22k	SMT3	161a	-	Rhm
76	DTA144WUA	S-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/22k	UMT3	161a	-	Rhm
7-6	1PS70SB16	S-Diode	Dual Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16df	-	PhH
76-	BAS70-06W	S-Diode	Dual, Schottky, 70V, 200mA, Vf<0.1V, Cd<2.0pF	SOT323	16df	-	PhH
76p	BAS70-06	S-Diode	Dual Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT23	16df	-	PhH
76s	BAS70-06	S-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16df	-	Inf
76s	BAS70-06W	S-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT323	16df	-	Inf
76t	BAS70-06	S-Diode	Dual, Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT23	16df	-	PhM
76t	BAS70-06W	S-Diode	Dual Schottky, 70V, 200mA, Vf<0.1V, Cd<2.0pF	SOT323	16df	-	PhM
76W	BAS70-06	S-Diode	Dual Schottky, 70V, 200mA, Vf<0.1V, Cd<2pF	SOT23	16df	-	PhC
77	2SC5004-FB	S-NPN	UHF-Mix/Osc, 20V, 60mA, 100mW, B=60 120 5GHz	SOT323	161a	-	Nec
7A	MMBR901LT1	S-NPN	UHF, 25V, 30mA, 300mW, B=30 200, 4GHz	SOT23	161a	-	Mot
7A	MMBR901LT3	S-NPN	UHF, 25V, 30mA, 300mW, B=30 200, 4GHz	SOT23	161a	-	Mot
7A	R3131N17EC	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
7A	UN2121	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/2k2	SC-59	161a	-	Pan
7A	UNR2121	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/2k2	SC-59	161a	-	Pan
7A5	PZM7 5NB2A	Z-Diode	Dual 7 5V±2 5%, 0.3W	SOT346	16df	-	Phi
7Ap	MMBT3904	S-NPN	GP, 60V, 200mA, 250mW, B=100 300 >300MHz	SOT23	161a	-	PhH
7At	MMBT3904	S-NPN	GP, 60V, 200mA, 250mW, B=100 300, >300MHz	SOT23	161a	-	PhM
7B	MMBR920LT2	S-NPN	UHF, 20V, 35mA, 268mW, B=25 250, 4.5GHz	SOT23	161a	-	Mot
7B	R3131N27EC	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
7B	UN2122	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=4k4/4k7	SC-59	161a	-	Pan
7B	UNR2122	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=4k4/4k7	SC-59	161a	-	Pan
7Bp	MMBT3906	S-PNP	Sw AF, 60/40V, 100mA, 250mW, B=100 300, >250MHz	SOT23	161a	-	PhH
7Bt	MMBT3906	S-PNP	Sw AF, 60/40V, 100mA, 250mW, B=100 300, >250MHz	SOT23	161a	-	PhM
7C	BAS70T	S-Diode	Schottky, GP, 70V, 70mA, Vf<1V(15mA), <100ps	SOT523	16dc	-	Dil
7C	MMBR930	S-NPN	UHF, 15V, 35mA, 150mW, B=50 150, 5.5GHz	SOT23	161a	-	Mot
7C	R3131N37EC	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
7C	UN2123	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=10k/10k	SC-59	161a	-	Pan
7C	UNR2123	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=10k/10k	SC-59	161a	-	Pan
7C	YTS4123	S-NPN	GP, 40V, 200mA, 350mW B=50 150, >250MHz	SOT23	161a	-	Tos
7Cp	MMBT2222A	S-NPN	GP, 75V, 800mA, 250mW, B=100 300, >300MHz	SOT23	161a	-	PhH
7Ct	MMBT2222A	S-NPN	GP, 75V, 800mA, 250mW, B=100 300, >300MHz	SOT23	161a	-	PhM
7D	BAS70-04T	S-Diode	Dual, Schottky, GP, 70V, 70mA, Vf<1V(15mA), <100ps	SOT523	16df	-	Dil
7D	HD4A	C-Diode	Dual, 35V, 100mA, Vf<1V, Cd<4pF, <6ns	SOT23	16df	-	Ztx
7D	MMBR931LT1	S-NPN	UHF, 10V, 5mA, 150mW, B=50 150, 3GHz	SOT23	161a	-	Mot
7D	R3131N47EC	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
7D	UN2124	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/10k	SC-59	161a	-	Pan
7D	UNR2124	S-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/10k	SC-59	161a	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
7Dp	MMBTA42	Si-NPN	V _{id} , 300V, 100mA, 250mW, B>25, >50MHz	SOT23	161a	-	PhH
7Dt	MMBTA42	Si-NPN	V _{id} , 300V, 100mA, 250mW, B>25, >50MHz	SOT23	161a	-	PhM
7E	BAS70-05T	Si-Diode	Dual, Schottky, GP, 70V, 70mA, V _f <1V(15mA), <100ps	SOT523	16dl	-	Dil
7E	FMMTA42R	Si-NPN	V _{id} , 300/300V, 200mA, 330mW, B>40, >50MHz	SOT23	161a	-	Ztx
7E	MMBR2060	Si-NPN	UHF, 30V, 50mA, 1GHz	SOT23	161a	-	Mot
7E	YTS2221	Si-NPN	GP, 70V, 0.8A, 0.2W, B>70, >200MHz	SOT23	161a	-	Tos
7Ep	MMBTA92	Si-PNP	V _{id} , 300V, 100mA, 250mW, B=25, >50MHz	SOT23	161a	-	PhH
7Et	MMBTA92	Si-PNP	V _{id} , 300V, 100mA, 250mW, B=25, >50MHz	SOT23	161a	-	PhM
7F	BAS70-06T	Si-Diode	Dual, Schottky, GP, 70V, 70mA, V _f <1V(15mA), <100ps	SOT523	16dg	-	Dil
7F	MMBR4957	Si-NPN	UHF, 30V, 30mA, 1.2GHz	SOT23	161a	-	Mot
7F	R3131N17EA	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
7F	YTS2221A	Si-NPN	GP, 75V, 0.8A, 0.2W, B>40, >200MHz	SOT23	161a	-	Tos
7G	MMBR5031LT1	Si-NPN	UHF, 15V, 20mA, 300mW, B=25 300, 1GHz	SOT23	161a	-	Mot
7G	R3131N27EA	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
7H	KST5179	Si-NPN	GP, 20V, 50mA, 350mW, B>25, >900MHz	SOT23	161a	-	Sam
7H	MMBR5179LT1	Si-NPN	UHF, 20V, 50mA, 375mW, B>25, 1.4GHz	SOT23	161a	-	Mot
7H	R3131N37EA	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
7I	UN212X	Si-PNP-Digi	Sw, 50V, 500mA, 200mW, 200MHz, R1/R2=270R/5k	SC-59	161a	-	Pan
7I	UNR212X	Si-PNP-Digi	Sw, 50V, 500mA, 200mW, 200MHz, R1/R2=270R/5k	SC-59	161a	-	Pan
7J	FMMT38C	Si-NPN-Darl	GP, 80V 300mA, 330mW, B>5000	SOT23	161a	-	Ztx
7J	R3131N47EA	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
7K	MMBR2857	Si-NPN	UHF, 30V, 40mA, >1GHz	SOT23	161a	-	Mot
7Kp	BAP65-05	PIN-Diode	2x RF, 30V, 100mA, 0.61pF, 0.3Ω(0.1A/100MHz), 250mW	SOT23	16dg	-	Phi
7M	BCW66HR	Si-NPN	AF, 75V, 800mA, 330mW, B=250 630, >100MHz	SOT23	161a	-	Ztx
7M	MMBR521LT1	Si-PNP	UHF, 20V, 70mA, 333mW, B=25 125, 3.4GHz	SOT23	161a	-	Mot
7N	BCW66HR	Si-PNP	AF Sw, 60V, 800mA, 330mW, B=250 630, >100MHz	SOT23	161a	-	Ztx
7N	MMBR941BLT1	Si-NPN	UHF, 20V, 50mA, 250mW, B=100 200, 8GHz	SOT23	161a	-	Mot
7N	MMBR941BLT3	Si-NPN	UHF, 20V, 50mA, 250mW, B=100 200, 8GHz	SOT23	161a	-	Mot
7P	BCW66HR	Si-NPN	AF, 75V, 800mA, 330mW, B=100 250, >100MHz	SOT23	161a	-	Ztx
7P	MMBR911BLT1	Si-NPN	UHF, 20V, 60mA, 300mW, B=30 200, 8GHz	SOT23	161a	-	Mot
7P	MMBR911LT1	Si-NPN	UHF, 20V, 60mA, 300mW, B=30 200, 8GHz	SOT23	161a	-	Mot
7P	UN21174	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/47k	SMm3	161a	-	Pan
7P	UNR5174	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/47k	SMm3	161a	-	Pan
7p0	1PS70SB10	Si-Diode	Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16dc	-	PhM
7p4	1PS70SB14	Si-Diode	Dual, Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16dl	-	PhM
7p5	1PS70SB15	Si-Diode	Dual, Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16dg	-	PhM
7p6	1PS70SB16	Si-Diode	Dual, Schottky, Switching, Fast, 30V, 200mA, <5ns	SOT323	16df	-	PhM
7R	MMBR536	Si-NPN	UHF, 15V, 30mA, 4.5MHz	SOT23	161a	-	Mot
7R	SRA2207E	Si-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30 55, 200MHz, R1/R2=10/47k	SOT523	161a	-	Auk
7R	SRA2207EF	Si-PNP-Digi	Sw, 50V, 0.1A, 0.15W, B=30 55, 200MHz, R1/R2=10/47k	SOT523F	161a	-	Auk
7R	SRA2207U	Si-PNP-Digi	Sw, 50V, 0.1A, 0.2W, B=30 55, 200MHz, R1/R2=10/47k	SOT323	161a	-	Auk
7R	SRA2207UF	Si-PNP-Digi	Sw, 50V, 0.1A, 0.2W, B=30 55, 200MHz, R1/R2=10/47k	SOT323F	161a	-	Auk
7R	UN22274	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/47k	SMm3	161a	-	Pan
7R	UNR5274	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/47k	SMm3	161a	-	Pan
7T	BCW66FR	Si-PNP	AF, Sw, 60V, 800mA, 330mW, B=100 250, >100MHz	SOT23	161a	-	Ztx
7V5	PZM7 5NB	Z-Diode	7.5V±2.5%, 0.3W	SOT346	16dc	-	Phi
7X	MMBR571LT1	Si-NPN	UHF, 20V, 80mA, 330mW, B=50 300, 8GHz	SOT23	161a	-	Mot
7Y	MMBR941LT1	Si-NPN	UHF, 20V, 50mA, 250mW, B=100 200, 8GHz	SOT23	161a	-	Mot
7Y	MMBR941LT3	Si-NPN	UHF, 20V, 50mA, 250mW, B=100 200, 8GHz	SOT23	161a	-	Mot
7Y	UN212Y	Si-PNP-Digi	Sw, 50V, 500mA, 200mW, 200MHz, R1/R2=3.1k/4.6k	SC-59	161a	-	Pan
7Y	UNR212Y	Si-PNP-Digi	Sw, 50V, 500mA, 200mW, 200MHz, R1/R2=3.1k/4.6k	SC-59	161a	-	Pan
7Z	MMBR951LT1	Si-NPN	UHF, 20V, 100mA, 322mW, B=50 200, 8GHz	SOT23	161a	-	Mot
7Z5	CZ1W7.5	Z-Diode	7.5V±5%, 600mW	SOT23	16dc	-	Cdi
6.2	Z02W8.2V	Z-Diode	7.7 8.7V, 200mW	SOT23	16dc	-	Kec
6.2H	MAZ3082	Z-Diode	7.7 8.7V, 200mW	SC-59	16dc	-	Pan
6.2L	MAZ3082	Z-Diode	7.7 8.7V, 200mW	SC-59	16dc	-	Pan
6.2M	MAZ3082	Z-Diode	7.7 8.7V, 200mW	SC-59	16dc	-	Pan
6.2X	Z02W8.2VX	Z-Diode	7.7 8.16V, 200mW	SOT23	16dc	-	Kec
6.2Y	Z02W8.2VY	Z-Diode	7.96 8.43V, 200mW	SOT23	16dc	-	Kec
6.2Z	MAZ9082H	SA-Diode	2x 8.2V, 5mA, 200mW	SC-59	16df	-	Pan
6.2Z	MAZT082H	SA-Diode	2x 8.2V, 5mA, 150mW	SC-81	16df	-	Pan
8.2Z	Z02W8.2VZ	Z-Diode	8.23 8.7V, 200mW	SOT23	16dc	-	Kec
80T	TK71580AS	VR-IC	LDO, 8V±1.5%, 155mA	SOT23	16cj	VR1	Tok
81	BAT7854W	Si-Diode	Schottky, Sw, U-Fast, 40V, 0.2A, V _f <0.55V(0.1A), <0.3ns	SOT323	16dc	-	Phi
810A	DS1810-5	CMOS-IC	Voltage Detector 5V±5%, -Reset Push-pull output	SOT23	16vd	-	Dal
810B	DS1810-10	CMOS-IC	Voltage Detector 5V±10%, -Reset Push-pull output	SOT23	16vd	-	Dal
810C	DS1810-15	CMOS-IC	Voltage Detector 5V±15%, -Reset Push-pull output	SOT23	16vd	-	Dal
810D	DS1810-20	CMOS-IC	Voltage Detector 5V±20%, -Reset Push-pull output	SOT23	16vd	-	Dal

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
811A	DS1811-5	CMOS-IC	Voltage Detector 5V±5%, -Reset Open drain output	SOT23	16vd	-	Dal
811B	DS1811-10	CMOS-IC	Voltage Detector 5V±10%, -Reset Open drain output	SOT23	16vd	-	Dal
811C	DS1811-15	CMOS-IC	Voltage Detector 5V±15%, -Reset Open drain output	SOT23	16vd	-	Dal
811D	DS1811-20	CMOS-IC	Voltage Detector 5V±20%, -Reset Open drain output	SOT23	16vd	-	Dal
812A	DS1812-5	CMOS-IC	Voltage Detector 5V±5%, Reset Push-pull output	SOT23	16vd	-	Dal
812B	DS1812-10	CMOS-IC	Voltage Detector 5V±10%, Reset Push-pull output	SOT23	16vd	-	Dal
812C	DS1812-15	CMOS-IC	Voltage Detector 5V±15%, Reset Push-pull output	SOT23	16vd	-	Dal
812D	DS1812-20	CMOS-IC	Voltage Detector 5V±20%, Reset Push-pull output	SOT23	16vd	-	Dal
813A	DS1813-5	CMOS-IC	Voltage Detector 5V±5%, MR, Reset Output	SOT23	16vd	-	Dal
813B	DS1813-10	CMOS-IC	Voltage Detector 5V±5%, MR, Reset Output	SOT23	16vd	-	Dal
813C	DS1813-15	CMOS-IC	Voltage Detector 5V±5%, MR, Reset Output	SOT23	16vd	-	Dal
813D	DS1813-20	CMOS-IC	Voltage Detector 5V±5%, MR, Reset Output	SOT23	16vd	-	Dal
815A	DS1815-5	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Push-pull output	SOT23	16vd	-	Dal
815B	DS1815-10	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Push-pull output	SOT23	16vd	-	Dal
815C	DS1815-15	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Push-pull output	SOT23	16vd	-	Dal
815D	DS1815-20	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Push-pull output	SOT23	16vd	-	Dal
816A	DS1816-5	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Open drain output	SOT23	16vd	-	Dal
816B	DS1816-10	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Open drain output	SOT23	16vd	-	Dal
816C	DS1816-15	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Open drain output	SOT23	16vd	-	Dal
816D	DS1816-20	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Open drain output	SOT23	16vd	-	Dal
818A	DS1818-5	CMOS-IC	Voltage Detector 3.3V±5%, MR, -Reset Output	SOT23	16vd	-	Dal
818B	DS1818-10	CMOS-IC	Voltage Detector 3.3V±5%, MR, -Reset Output	SOT23	16vd	-	Dal
818C	DS1818-15	CMOS-IC	Voltage Detector 3.3V±5%, MR, -Reset Output	SOT23	16vd	-	Dal
818D	DS1818-20	CMOS-IC	Voltage Detector 3.3V±5%, MR, -Reset Output	SOT23	16vd	-	Dal
81A	MMBZ5250B	Z-Diode	20V±5%, 225mW, Zzt=25Ω	SOT23	16dc	-	Mot
81A	MMBZ5250BLT	Z-Diode	20V±5%, 225mW, Zzt=25Ω	SOT23	16dc	-	Fch,Mot
81A	PMBZ5250B	Z-Diode	20V±5%, 250mW	SOT23	16dc	-	Phi
81A	SMBZ5250B	Z-Diode	20V±5%, 500mW	SOT23	16dc	-	Sur
81A	TMPZ5250	Z-Diode	19...21V±5%, 250mW, Zzt<25Ω	SOT23	16dc	-	All,Spr
81A	TMPZ5250R	Z-Diode	19...21V±5%, 250mW, Zzt<25Ω	SOT23	16dr	-	All,Spr
81B	MMBZ5251B	Z-Diode	22V±5%, 225mW, Zzt=29Ω	SOT23	16dc	-	Mot
81B	MMBZ5251BLT	Z-Diode	22V±5%, 225mW, Zzt=29Ω	SOT23	16dc	-	Fch,Mot
81B	PMBZ5251B	Z-Diode	22V±5%, 250mW	SOT23	16dc	-	Phi
81B	SMBZ5251B	Z-Diode	22V±5%, 500mW	SOT23	16dc	-	Sur
81B	TMPZ5251	Z-Diode	20...23...1V±5%, 250mW, Zzt<29Ω	SOT23	16dc	-	All,Spr
81B	TMPZ5251R	Z-Diode	20...23...1V±5%, 250mW, Zzt<29Ω	SOT23	16dr	-	All,Spr
81C	MMBZ5252B	Z-Diode	24V±5%, 225mW, Zzt=33Ω	SOT23	16dc	-	Mot
81C	MMBZ5252BLT	Z-Diode	24V±5%, 225mW, Zzt=33Ω	SOT23	16dc	-	Fch,Mot
81C	PMBZ5252B	Z-Diode	24V±5%, 250mW	SOT23	16dc	-	Phi
81C	SMBZ5252B	Z-Diode	24V±5%, 500mW	SOT23	16dc	-	Sur
81C	TMPZ5252	Z-Diode	22...25...2V±5%, 250mW, Zzt<33Ω	SOT23	16dc	-	All,Spr
81C	TMPZ5252R	Z-Diode	22...25...2V±5%, 250mW, Zzt<33Ω	SOT23	16dr	-	All,Spr
81D	MMBZ5253B	Z-Diode	25V±5%, 225mW, Zzt=35Ω	SOT23	16dc	-	Mot
81D	MMBZ5253BLT	Z-Diode	25V±5%, 225mW, Zzt=35Ω	SOT23	16dc	-	Fch,Mot
81D	PMBZ5253B	Z-Diode	25V±5%, 250mW	SOT23	16dc	-	Phi
81D	SMBZ5253B	Z-Diode	25V±5%, 500mW	SOT23	16dc	-	Sur
81D	TMPZ5253	Z-Diode	23...26...3V±5%, 250mW, Zzt<35Ω	SOT23	16dc	-	All,Spr
81D	TMPZ5253R	Z-Diode	23...26...3V±5%, 250mW, Zzt<35Ω	SOT23	16dr	-	All,Spr
81E	MMBZ5254B	Z-Diode	27V±5%, 225mW, Zzt=41Ω	SOT23	16dc	-	Mot
81E	MMBZ5254BLT	Z-Diode	27V±5%, 225mW, Zzt=41Ω	SOT23	16dc	-	Fch,Mot
81E	PMBZ5254B	Z-Diode	27V±5%, 250mW	SOT23	16dc	-	Phi
81E	SMBZ5254B	Z-Diode	27V±5%, 500mW	SOT23	16dc	-	Sur
81E	TMPZ5254	Z-Diode	25...28...4V±5%, 250mW, Zzt<41Ω	SOT23	16dc	-	All,Spr
81E	TMPZ5254R	Z-Diode	25...28...4V±5%, 250mW, Zzt<41Ω	SOT23	16dr	-	All,Spr
81F	MMBZ5255B	Z-Diode	28V±5%, 225mW, Zzt=44Ω	SOT23	16dc	-	Mot
81F	MMBZ5255BLT	Z-Diode	28V±5%, 225mW, Zzt=44Ω	SOT23	16dc	-	Fch,Mot
81F	PMBZ5255B	Z-Diode	28V±5%, 250mW	SOT23	16dc	-	Phi
81F	SMBZ5255B	Z-Diode	28V±5%, 500mW	SOT23	16dc	-	Sur
81F	TMPZ5255	Z-Diode	26...29...4V±5%, 250mW, Zzt<44Ω	SOT23	16dc	-	All,Spr
81F	TMPZ5255R	Z-Diode	26...29...4V±5%, 250mW, Zzt<44Ω	SOT23	16dr	-	All,Spr
81G	MMBZ5256B	Z-Diode	30V±5%, 225mW, Zzt=49Ω	SOT23	16dc	-	Mot
81G	MMBZ5256BLT	Z-Diode	30V±5%, 225mW, Zzt=49Ω	SOT23	16dc	-	Fch,Mot
81G	PMBZ5256B	Z-Diode	23V±5%, 250mW	SOT23	16dc	-	Phi
81G	SMBZ5256B	Z-Diode	30V±5%, 500mW	SOT23	16dc	-	Sur
81G	TMPZ5256	Z-Diode	28...31...5V±5%, 250mW, Zzt<49Ω	SOT23	16dc	-	All,Spr
81G	TMPZ5256R	Z-Diode	28...31...5V±5%, 250mW, Zzt<49Ω	SOT23	16dr	-	All,Spr
81H	MMBZ5257B	Z-Diode	33V±5%, 225mW, Zzt=58Ω	SOT23	16dc	-	Mot
81H	MMBZ5257BLT	Z-Diode	33V±5%, 225mW, Zzt=58Ω	SOT23	16dc	-	Fch,Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
81H	PMBZ5257B	Z-Diode	33V±5%, 250mW	SOT23	16dc	-	Phi
81H	SMBZ5257B	Z-Diode	33V±5%, 500mW	SOT23	16dc	-	Sur
81H	TMPZ5257	Z-Diode	31,4 34,7V±5%, 250mW, Zzt<58Ω	SOT23	16dc	-	All,Spr
81H	TMPZ5257R	Z-Diode	31,4 34,7V±5%, 250mW, Zzt<58Ω	SOT23	16dr	-	All,Spr
81J	MMBZ5258B	Z-Diode	36V±5%, 225mW, Zzt=70Ω	SOT23	16dc	-	Vis
81J	MMBZ5258BLT	Z-Diode	36V±5%, 225mW, Zzt=70Ω	SOT23	16dc	-	Fch,Mot
81K	MMBZ5259B	Z-Diode	39V±5%, 225mW, Zzt=80Ω	SOT23	16dc	-	Vis
81K	MMBZ5259BLT	Z-Diode	39V±5%, 225mW, Zzt=80Ω	SOT23	16dc	-	Fch,Mot
81L	MMBZ5260BLT	Z-Diode	43V±5%, 225mW, Zzt=93Ω	SOT23	16dc	-	Fch,Mot
81M	MMBZ5261B	Z-Diode	47V±5%, 225mW, Zzt=105Ω	SOT23	16dc	-	Vis
81M	MMBZ5261BLT	Z-Diode	47V±5%, 225mW, Zzt=105Ω	SOT23	16dc	-	Fch,Mot
81N	MMBZ5262B	Z-Diode	51V±5%, 225mW, Zzt=125Ω	SOT23	16dc	-	Vis
81N	MMBZ5262BLT	Z-Diode	51V±5%, 225mW, Zzt=125Ω	SOT23	16dc	-	Fch,Mot
81P	MMBZ5263B	Z-Diode	56V±5%, 225mW, Zzt=150Ω	SOT23	16dc	-	Vis
81P	MMBZ5263BLT	Z-Diode	56V±5%, 225mW, Zzt=150Ω	SOT23	16dc	-	Fch,Mot
81Q	MMBZ5264B	Z-Diode	60V±5%, 225mW, Zzt=170Ω	SOT23	16dc	-	Vis
81Q	MMBZ5264BLT	Z-Diode	60V±5%, 225mW, Zzt=170Ω	SOT23	16dc	-	Fch,Mot
81R	MMBZ5265B	Z-Diode	62V±5%, 225mW, Zzt=185Ω	SOT23	16dc	-	Vis
81R	MMBZ5265BLT	Z-Diode	62V±5%, 225mW, Zzt=185Ω	SOT23	16dc	-	Fch,Mot
81S	MMBZ5266B	Z-Diode	68V±5%, 225mW, Zzt=230Ω	SOT23	16dc	-	Vis
81S	MMBZ5266BLT	Z-Diode	68V±5%, 225mW, Zzt=230Ω	SOT23	16dc	-	Fch,Mot
81T	MMBZ5267B	Z-Diode	75V±5%, 225mW, Zzt=270Ω	SOT23	16dc	-	Vis
81T	MMBZ5267BLT	Z-Diode	75V±5%, 225mW, Zzt=270Ω	SOT23	16dc	-	Fch,Mot
81U	MMBZ5268B	Z-Diode	82V±5%, 225mW, Zzt=330Ω	SOT23	16dc	-	Mot
81U	MMBZ5268BLT	Z-Diode	82V±5%, 225mW, Zzt=330Ω	SOT23	16dc	-	Fch,Mot
81V	MMBZ5269B	Z-Diode	87V±5%, 225mW, Zzt=370Ω	SOT23	16dc	-	Mot
81V	MMBZ5269BLT	Z-Diode	87V±5%, 225mW, Zzt=370Ω	SOT23	16dc	-	Fch,Mot
81W	MMBZ5270B	Z-Diode	91V±5%, 225mW, Zzt=400Ω	SOT23	16dc	-	Mot
81W	MMBZ5270BLT	Z-Diode	91V±5%, 225mW, Zzt=400Ω	SOT23	16dc	-	Fch,Mot
82	BAT7854AW	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0,2A, Vf<0,55V(0,1A), <0,3ns	SOT323	16df	-	Phi
82	MAZW082H	SA-Diode	2x 8,2V, 5mA, 150mW	SSSMin3	18df	-	Pan
820	HZM8 2NB	Z-Diode	7 76 8 64V, 200mW	MPAK	16dc	-	Ren
821	HZM8 2NB1	Z-Diode	7 76 8 1V, 200mW	MPAK	16dc	-	Ren
821	HZM8 2NB2	Z-Diode	8 02 8 36V, 200mW	MPAK	16dc	-	Ren
821	PZM8 2NB1	Z-Diode	8 2V±2 5%, 0 3W	SOT23	16dc	-	Phi
822	HZM8 2NB3	Z-Diode	8 28 8 64V, 200mW	MPAK	16dc	-	Ren
822	PZM8 2NB2	Z-Diode	8 2V±2 5%, 0 3W	SOT23	16dc	-	Phi
823	PZM8 2NB3	Z-Diode	8 2V±2 5%, 0 3W	SOT23	16dc	-	Phi
83	2SC5010	Si-NPN	UHF/SHF, 9V, 30mA, 125mW, B=75 150, 12GHz	SOT23	16ta	-	Nec
83	BAT68	Si-Diode	Schottky, VHF/UHF-Mix, Sw, 8V, 130mA, Vf<0 5V, Cd<1 0pF	SOT23	16dc	-	Sie
83	BAT7854CW	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0,2A, Vf<0.55V(0,1A), <0,3ns	SOT323	16dg	-	Phi
84	BAT68-04	Si-Diode	Dual, Schottky, 8V, 130mA, Vf<0 5V, Cd<1 0pF	SOT23	16dl	-	Sie
84	BAT7854SW	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0,2A, Vf<0.55V(0,1A), <0,3ns	SOT323	16dl	-	Phi
84	DTC114WE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=10k/4k7	EMT3	16ta	-	Rhm
84	DTC114WKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10k/4k7	SMT3	16ta	-	Rhm
84	DTC114WUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10k/4k7	UMT3	16ta	-	Rhm
85	1PS70SB85	Si-Diode	Dual, Schottky, UHF-Mix, 15V, 30mA, Vf<0,7V(30mA), 1pF	SOT323	16dg	-	Phi
85	BAT68-05	Si-Diode	Dual, Schottky, 8V, 130mA, Vf<0 5V, Cd<1 0pF	SOT23	16dg	-	Sie
85P	L8550PLT1	Si-PNP	GP, 40V, 800mA, 225mW, B=120 200	SOT23	16ta	-	Lrc
85R	L8550RLT1	Si-PNP	GP, 40V, 800mA, 225mW, B=200 400	SOT23	16ta	-	Lrc
85s	BAT68-05W	Si-Diode	Dual, Schottky, 8V, 130mA, Vf<0 5V, Cd<1 0pF	SOT323	16dg	-	Sie
85S	L8550SLT1	Si-PNP	GP, 40V, 800mA, 225mW, B=300 600	SOT23	16ta	-	Lrc
86	1PS70SB86	Si-Diode	Dual, Schottky, UHF-Mix, 15V, 30mA, Vf<0,7V(30mA), 1pF	SOT323	16df	-	Phi
86	BAT68-06	Si-Diode	Dual Schottky, 8V, 130mA, Vf<0 5V, Cd<1 0pF	SOT23	16df	-	Sie
86	DTC144WE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=47k/22k	EMT3	16ta	-	Rhm
86	DTC144WKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/22k	SMT3	16ta	-	Rhm
86	DTC144WUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/22k	UMT3	16ta	-	Rhm
87	1PS70SB84	Si-Diode	Dual, Schottky, UHF-Mix, 15V, 30mA, Vf<0,7V(30mA), 1pF	SOT323	16dl	-	Phi
88	1PS70SB82	Si-Diode	Schottky, UHF-Mix, 15V, 30mA, Vf<0,7V(30mA), 1pF	SOT323	16dc	-	Phi
8A	2DA1774Q	Si-PNP	GP, 60V 150mA, 0 15W, B=120 270, >140MHz	SOT523	16ta	-	Dil
8A	DTC114EET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10k/10k	SC-75	16ta	-	Ons
8A	MMBZ5226B	Z-Diode	3,3V±5%, 225mW, Zzt=28Ω	SOT23	16dc	-	Mot,Kec
8A	MMBZ5226BLT	Z-Diode	3,3V±5%, 225mW, Zzt=28Ω	SOT23	16dc	-	Fch,Mot
8A	MUN2211T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/10k	SC-59	16ta	-	Mot
8A	MUN5211T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/10k	SOT323	16ta	-	Mot
8A	R3131N18EC	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output, 240ms	SOT23	16vdc	Y06	Ric
8A	UN2211	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=10k/10k	SC-59	16ta	-	Pan
8A	UN5211	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/10k	SMin3	16ta	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
8A	UN9211J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=10k/10k	SC-89	181a -	Pan
8A	UNR2211	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=10k/10k	SC-59	161a -	Pan
8A	UNR5211	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/10k	SMInr-3	161a -	Pan
8A	UNR9211J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=10k/10k	SC-89	181a -	Pan
8A2	PZM8 2NB2A	Z-Diode	Dual, 8 2V±2 5%, 0 3W	SOT23	16df -	Phi
8AA	BC846A	Si-NPN	GP, 80V, 100mA, 310mW, B=110 220, >300MHZ	SOT23	161a -	Sam
8AB	BC846B	Si-NPN	GP, 80V, 100mA, 310mW, B=200 450, >300MHZ	SOT23	161a -	Sam
8AC	BC846C	Si-NPN	GP, 80V, 100mA, 310mW, B=420 800, >300MHZ	SOT23	161a -	Sam
8B	2DA1774R	Si-PNP	GP, 60V 150mA, 0 15W, B=180 390, >140MHz	SOT523	161a -	Dil
8B	DTC124EET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/22k	SC-75	161a -	Ons
8B	MMBZ5227B	Z-Diode	3,6V±5%, 225mW, Zzt=24Q	SOT23	16dc -	Mot,Kec
8B	MMBZ5227BLT	Z-Diode	3,6V±5%, 225mW, Zzt=24Q	SOT23	16dc -	Fch Mot
8B	MUN2212T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22/22k	SC-59	161a -	Mot
8B	MUN5212T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22/22k	SOT323	161a -	Mot
8B	R3131N28EC	CMOS-IC	Voltage Detector 2,8V, Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
8B	UN2212	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=22k/22k	SC-59	161a -	Pan
8B	UN5212	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=22k/22k	SMInr-3	161a -	Pan
8B	UN9212J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=22k/22k	SC-89	181a -	Pan
8B	UNR2212	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=22k/22k	SC-59	161a -	Pan
8B	UNR5212	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=22k/22k	SMInr-3	161a -	Pan
8B	UNR9212J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=22k/22k	SC-89	181a -	Pan
8BB	BC847B	Si-NPN	GP, 50V, 100mA, 310mW, B=200 450, >300MHZ	SOT23	161a -	Sam
8C	2DA1774S	Si-PNP	GP, 60V 150mA, 0 15W, B=270 560, >140MHz	SOT523	161a -	Dil
8C	DTC144EET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/47k	SC-75	161a -	Ons
8C	MMBZ5228B	Z-Diode	3,9V±5%, 225mW, Zzt=23Q	SOT23	16dc -	Mot,Kec
8C	MMBZ5228BLT	Z-Diode	3,9V±5%, 225mW, Zzt=23Q	SOT23	16dc -	Fch,Mot
8C	MUN2213T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SC-59	161a -	Mot
8C	MUN5213T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT323	161a -	Mot
8C	R3131N38EC	CMOS-IC	Voltage Detector 3,8V, Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
8C	UN2213	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=47k/47k	SC-59	161a -	Pan
8C	UN5213	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=47k/47k	SMInr-3	161a -	Pan
8C	UN9213J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=47k/47k	SC-89	181a -	Pan
8C	UNR2213	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=47k/47k	SC-59	161a -	Pan
8C	UNR5213	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=47k/47k	SMInr-3	161a -	Pan
8C	UNR9213J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=47k/47k	SC-89	181a -	Pan
8CA	BC848A	Si-NPN	GP, 30V, 100mA, 310mW, B=110 220, >300MHZ	SOT23	161a -	Sam
8CB	BC848B	Si-NPN	GP, 30V, 100mA, 310mW, B=200 450, >300MHZ	SOT23	161a -	Sam
8CC	BC848C	Si-NPN	GP, 30V, 100mA, 310mW, B=420 800, >300MHZ	SOT23	161a -	Sam
8D	2DC4617Q	Si-NPN	GP, 60V 150mA, 0 15W, B=120 270, >180MHz	SOT523	161a -	Dil
8D	DTC114YET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10k/47k	SC-75	161a -	Ons
8D	MMBZ5229B	Z-Diode	4,3V±5%, 225mW, Zzt=22Q	SOT23	16dc -	Kec,Nsc
8D	MMBZ5229BLT	Z-Diode	4,3V±5%, 225mW, Zzt=22Q	SOT23	16dc -	Fch,Mot
8D	MUN2214T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/47k	SC-59	161a -	Mot
8D	MUN5214T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/47k	SOT323	161a -	Mot
8D	R3131N48EC	CMOS-IC	Voltage Detector 4,8V, Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
8D	TMPZ5229	Z-Diode	4 4,52V±5%, 250mW, Zzt<22Q	SOT23	16dc -	All,Spr
8D	TMPZ5229R	Z-Diode	4 4,52V±5%, 250mW, Zzt<22Q	SOT23	16dr -	All,Spr
8D	UN2214	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=10k/47k	SC-59	161a -	Pan
8D	UN5214	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/47k	SMInr-3	161a -	Pan
8D	UN9214J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=10k/47k	SC-89	181a -	Pan
8D	UNR2214	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=10k/47k	SC-59	161a -	Pan
8D	UNR5214	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/47k	SMInr-3	161a -	Pan
8D	UNR9214J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=10k/47k	SC-89	181a -	Pan
8DA	BC849A	Si-NPN	GP, 30V, 100mA, 310mW, B=110 220, >300MHZ	SOT23	161a -	Sam
8DC	BC849C	Si-NPN	GP, 30V, 100mA, 310mW, B=420 800, >300MHZ	SOT23	161a -	Sam
8E	2DC4617R	Si-NPN	GP, 60V 150mA, 0 15W, B=180 390, >180MHz	SOT523	161a -	Dil
8E	DTC114TET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=10k	SC-75	161a -	Ons
8E	FMMTA92R	Si-PNP	Vid, 300/300V, 200mA, 330mW, B>25, >50MHz	SOT23	161a -	Ztk
8E	MMBZ5230B	Z-Diode	4,7V±5%, 350mW, Zzt=19Q	SOT23	16dc -	Dil,Mot
8E	MMBZ5230BLT	Z-Diode	4,7V±5%, 225mW, Zzt=19Q	SOT23	16dc -	Fch,Mot
8E	MUN2215T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SC-59	161a -	Mot
8E	MUN5215T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT323	161a -	Mot
8E	SMBZ5230	Z-Diode	4,7V±5%, 500mW	SOT23	16dc -	Sur
8E	TMPZ5230	Z-Diode	4,47 4,94V±5%, 250mW, Zzt<19Q	SOT23	16dc -	All,Spr
8E	TMPZ5230R	Z-Diode	4,47 4,94V±5%, 250mW, Zzt<19Q	SOT23	16dr -	All,Spr
8E	UN2215	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1=10k	SC-59	161a -	Pan
8E	UN5215	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=10k	SMInr-3	161a -	Pan
8E	UN9215J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=10k	SC-89	181a -	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
8E	UNR2215	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1=10k	SC-59	161a	-	Pan
8E	UNR5215	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=10k	SMini-3	161a	-	Pan
8E	UNR9215J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=10k	SC-89	161a	-	Pan
8EA	BC850A	Si-NPN	GP, 50V, 100mA, 310mW, B=110 220, >300MHz	SOT23	161a	-	Sam
8EB	BC850B	Si-NPN	GP, 50V, 100mA, 310mW, B=200 450, >300MHz	SOT23	161a	-	Sam
8F	20C4617S	Si-NPN	GP, 60V 150mA, 0 15W, B=270 560, >180MHz	SOT523	161a	-	Dil
8F	DTC143TET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=4k7	SC-75	161a	-	Ons
8F	MMBZ5231B	Z-Diode	5,1V±5%, 225mW, Zzt=17Ω	SOT23	16dc	-	Mot,Kec
8F	MMBZ5231BLT	Z-Diode	5,1V±5%, 225mW, Zzt=17Ω	SOT23	16dc	-	Fch,Mot
8F	MUN2216T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=4k7	SC-59	161a	-	Mot
8F	MUN5216T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=4k7	SOT323	161a	-	Mot
8F	R3131N18EA	CMOS-IC	Voltage Detector 1,8V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
8F	SMBZ5231B	Z-Diode	5,1V±5%, 500mW	SOT23	16dc	-	Sur
8F	TMPZ5231	Z-Diode	4,85 5,36V±5%, 250mW, Zzt<17Ω	SOT23	16dc	-	All,Spr
8F	TMPZ5231R	Z-Diode	4,85 5,36V±5%, 250mW, Zzt<17Ω	SOT23	16dr	-	All,Spr
8F	UN2216	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1=4k7	SC-59	161a	-	Pan
8F	UN5216	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=4k7	SMini-3	161a	-	Pan
8F	UN9216J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=4k7	SC-89	161a	-	Pan
8F	UNR2216	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1=4k7	SC-59	161a	-	Pan
8F	UNR5216	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=4k7	SMini-3	161a	-	Pan
8F	UNR9216J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=4k7	SC-89	161a	-	Pan
8FA	BC817-16	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100 250, >200MHz	SOT23	161a	-	Sam
8FB	BC817-25	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=160 400, >200MHz	SOT23	161a	-	Sam
8FC	BC817-40	Si-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250 630, >200MHz	SOT23	161a	-	Sam
8G	MMBZ5232B	Z-Diode	5,6V±5%, 225mW, Zzt=11Ω	SOT23	16dc	-	Mot
8G	MMBZ5232BLT	Z-Diode	5,6V±5%, 225mW, Zzt=11Ω	SOT23	16dc	-	Fch,Mot
8G	MUN2230T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=1k/1k0	SC-59	161a	-	Mot
8G	MUN5230T1	Si-NPN-Digi	Switching 50V, 100mA, 200mW, R1/R2=1k/1k0	SOT323	161a	-	Mot
8G	R3131N26EA	CMOS-IC	Voltage Detector 2,8V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
8G	SMBZ5232B	Z-Diode	5,6V±5%, 500mW	SOT23	16dc	-	Sur
8G	TMPZ5232	Z-Diode	5,32 5,88V±5%, 250mW, Zzt<11Ω	SOT23	16dc	-	All,Spr
8G	TMPZ5232R	Z-Diode	5,32 5,88V±5%, 250mW, Zzt<11Ω	SOT23	16dr	-	All,Spr
8GA	BC813-16	Si-NPN	AF-Driver, 30V, 0 8A, 310mW, B=100 250, 100MHz	SOT23	161a	-	Sam
8GB	BC818-25	Si-NPN	AF-Driver, 30V, 0 8A, 310mW B=160 400, 100MHz	SOT23	161a	-	Sam
8GC	BC818-40	Si-NPN	AF-Driver, 30V, 0 8A, 310mW, B=250 630, 100MHz	SOT23	161a	-	Sam
8H	DTC123EET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/2k2	SC-75	161a	-	Ons
8H	MMBZ5233B	Z-Diode	6V±5%, 225mW, Zzt=7Ω	SOT23	16dc	-	Mot
8H	MMBZ5233BLT	Z-Diode	6V±5%, 225mW, Zzt=7Ω	SOT23	16dc	-	Fch,Mot
8H	MUN2231T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=2k2/2k2	SC-59	161a	-	Mot
8H	MUN5231T1	Si-NPN-Digi	Switching 50V, 100mA, 200mW, R1/R2=2k2/2k2	SOT323	161a	-	Mot
8H	R3131N38EA	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
8H	SMBZ5233B	Z-Diode	6V±5%, 500mW	SOT23	16dc	-	Sur
8H	TMPZ5233	Z-Diode	5,7 6,3V±5%, 250mW, Zzt<7Ω	SOT23	16dc	-	All,Spr
8H	TMPZ5233R	Z-Diode	5,7 6,3V±5%, 250mW, Zzt<7Ω	SOT23	16dr	-	All,Spr
8H	UN2217	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1=22k	SC-59	161a	-	Pan
8H	UN5217	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=22k	SMini-3	161a	-	Pan
8H	UN9217J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=22k	SC-89	161a	-	Pan
8H	UNR2217	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1=22k	SC-59	161a	-	Pan
8H	UNR5217	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=22k	SMini-3	161a	-	Pan
8H	UNR9217J	Si-NPN-Digi	Switching, 50V 100mA, 125mW, 150MHz, R1=22k	SC-89	161a	-	Pan
8I	UN2218	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, 150MHz, R1/R2=510R/5k1	SC-59	161a	-	Pan
8I	UN5218	Si-NPN-Digi	Sw, 50V, 100mA, 150mW, 150MHz, R1/R2=510R/5k1	SMini-3	161a	-	Pan
8I	UN9218J	Si-NPN-Digi	Sw, 50V, 100mA, 125mW, 150MHz, R1/R2=510R/5k1	SC-89	161a	-	Pan
8I	UNR2218	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, 150MHz, R1/R2=510R/5k1	SC-59	161a	-	Pan
8I	UNR5218	Si-NPN-Digi	Sw, 50V, 100mA, 150mW, 150MHz, R1/R2=510R/5k1	SMini-3	161a	-	Pan
8I	UNR9218J	Si-NPN-Digi	Sw, 50V, 100mA, 125mW, 150MHz, R1/R2=510R/5k1	SC-89	161a	-	Pan
8J	DTC143EET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/4k7	SC-75	161a	-	Ons
8J	MMBZ5234B	Z-Diode	6,2V±5%, 225mW, Zzt=7Ω	SOT23	16dc	-	Mot
8J	MMBZ5234BLT	Z-Diode	6,2V±5%, 225mW, Zzt=7Ω	SOT23	16dc	-	Fch,Mot
8J	MUN2232T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k/4k7	SC-59	161a	-	Mot
8J	MUN5232T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k/4k7	SOT323	161a	-	Mot
8J	R3131N48EA	CMOS-IC	Voltage Detector 4,8V, Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
8J	SMBZ5234B	Z-Diode	6,2V±5%, 500mW	SOT23	16dc	-	Sur
8J	TMPZ5234	Z-Diode	5,98 6,51V±5%, 250mW, Zzt<7Ω	SOT23	16dc	-	All,Spr
8J	TMPZ5234R	Z-Diode	5,98 6,51V±5%, 250mW, Zzt<7Ω	SOT23	16dr	-	All,Spr
8K	DTC143ZET1	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/4k7	SC-75	161a	-	Ons
8K	MMBZ5235B	Z-Diode	6,8V±5%, 225mW, Zzt=5Ω	SOT23	16dc	-	Mot
8K	MMBZ5235BLT	Z-Diode	6,8V±5%, 225mW, Zzt=5Ω	SOT23	16dc	-	Fch,Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
8K	MUN2233T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k7/47k	SC-59	161a	-	Mot
8K	MUN5233T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k7/47k	SOT323	161a	-	Mot
8K	SMBZ5235B	Z-Diode	6,8V±5%, 500mW	SOT23	16dc	-	Sur
8K	TMPZ5235	Z-Diode	6,46 7,14V±5%, 250mW, Zzt<5Ω	SOT23	16dc	-	All,Spr
8K	TMPZ5235R	Z-Diode	6,46 7,14V±5%, 250mW, Zzt<5Ω	SOT23	16dr	-	All,Spr
8K	UN2219	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=1k/10k	SC-59	161a	-	Pan
8K	UN5219	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=1k/10k	SMInr-3	161a	-	Pan
8K	UN9219J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=1k/10k	SC-89	181a	-	Pan
8K	UNR2219	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=1k/10k	SC-59	161a	-	Pan
8K	UNR5219	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=1k/10k	SMInr-3	161a	-	Pan
8K	UNR9219J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=1k/10k	SC-89	181a	-	Pan
8L	DTC124XET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/47k	SC-75	161a	-	Ons
8L	MMBZ5236B	Z-Diode	7,5V±5%, 350mW, Zzt=6Ω	SOT23	16dc	-	Dil,Mot
8L	MMBZ5236BLT	Z-Diode	7,5V±5%, 225mW, Zzt=6Ω	SOT23	16dc	-	Fch,Mot
8L	MUN2234T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/47k	SC-59	161a	-	Mot
8L	MUN5234T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/47k	SOT323	161a	-	Mot
8L	SMBZ5236B	Z-Diode	7,5V±5%, 500mW	SOT23	16dc	-	Sur
8L	TMPZ5236	Z-Diode	7,13 7,88V±5%, 250mW, Zzt<6Ω	SOT23	16dc	-	All,Spr
8L	TMPZ5236R	Z-Diode	7,13 7,88V±5%, 250mW, Zzt<6Ω	SOT23	16dr	-	All,Spr
8L	UN5210	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=47k	SMInr-3	161a	-	Pan
8L	UN9210J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=47k	SC-89	181a	-	Pan
8L	UNR2210	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1=47k	SC-59	161a	-	Pan
8L	UNR5210	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1=47k	SMInr-3	161a	-	Pan
8L	UNR9210J	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=47k	SC-89	181a	-	Pan
8M	DTC123JET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/47k	SC-75	161a	-	Ons
8M	MMBZ5237B	Z-Diode	8,2V±5%, 225mW, Zzt=8Ω	SOT23	16dc	-	Mot
8M	MMBZ5237BLT	Z-Diode	8,2V±5%, 225mW	SOT23	16dc	-	Fch,Mot
8M	SMBZ5237B	Z-Diode	8,2V±5%, 500mW	SOT23	16dc	-	Sur
8M	TMPZ5237	Z-Diode	7,79 8,61V±5%, 250mW, Zzt<8Ω	SOT23	16dc	-	All,Spr
8M	TMPZ5237R	Z-Diode	7,79 8,61V±5%, 250mW, Zzt<8Ω	SOT23	16dr	-	All,Spr
8M	UN221D	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R2=10k	SC-59	161a	-	Pan
8M	UN521D	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R2=10k	SMInr-3	161a	-	Pan
8M	UN921DJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R2=10k	SC-89	181a	-	Pan
8M	UNR221D	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R2=10k	SC-59	161a	-	Pan
8M	UNR521D	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R2=10k	SMInr-3	161a	-	Pan
8M	UNR921DJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R2=10k	SC-89	181a	-	Pan
8N	DTC115EET1	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, 250MHz, R1/R2=100k/100k	SC-75	161a	-	Ons
8N	MMBZ5238B	Z-Diode	8,7V±5%, 225mW	SOT23	16dc	-	Mot
8N	MMBZ5238BLT	Z-Diode	8,7V±5%, 225mW	SOT23	16dc	-	Fch,Mot
8N	MUN2236T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=100k/100k	SC-59	161a	-	Mot
8N	MUN5236T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=100k/100k	SOT323	161a	-	Mot
8N	SMBZ5238B	Z-Diode	8,7V±5%, 500mW	SOT23	16dc	-	Sur
8N	TMPZ5238	Z-Diode	8,26 9,14V±5%, 250mW, Zzt<8Ω	SOT23	16dc	-	All,Spr
8N	TMPZ5238R	Z-Diode	8,26 9,14V±5%, 250mW, Zzt<8Ω	SOT23	16dr	-	All,Spr
8N	UN221E	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=47k/22k	SC-59	161a	-	Pan
8N	UN521E	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=47k/22k	SMInr-3	161a	-	Pan
8N	UN921EJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=47k/22k	SC-89	181a	-	Pan
8N	UNR221E	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=47k/22k	SC-59	161a	-	Pan
8N	UNR521E	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=47k/22k	SMInr-3	161a	-	Pan
8N	UNR921EJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=47k/22k	SC-89	181a	-	Pan
8O	UN221F	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/10k	SC-59	161a	-	Pan
8O	UN521F	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/10k	SMInr-3	161a	-	Pan
8O	UN921FJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=4k7/10k	SC-89	181a	-	Pan
8O	UNR221F	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/10k	SC-59	161a	-	Pan
8O	UNR521F	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/10k	SMInr-3	161a	-	Pan
8O	UNR921FJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=4k7/10k	SC-89	181a	-	Pan
8P	DTC144WET1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/22k	SC-75	161a	-	Ons
8P	MMBZ5239B	Z-Diode	9,1V±5%, 225mW, Zzt=10Ω	SOT23	16dc	-	Mot
8P	MMBZ5239BLT	Z-Diode	9,1V±5%, 225mW	SOT23	16dc	-	Fch,Mot
8P	MUN2237T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SC-59	161a	-	Mot
8P	MUN5237T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SOT323	161a	-	Mot
8P	SMBZ5239B	Z-Diode	9,1V±5%, 500mW	SOT23	16dc	-	Sur
8P	TMPZ5239	Z-Diode	8,65 9,56V±5%, 250mW, Zzt<10Ω	SOT23	16dc	-	All,Spr
8P	TMPZ5239R	Z-Diode	8,65 9,56V±5%, 250mW, Zzt<10Ω	SOT23	16dr	-	All,Spr
8P	UN221H	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=2k2/10k	SC-59	161a	-	Pan
8P	UN521K	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/4k7	SMInr-3	161a	-	Pan
8P	UN921KJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=10k/4k7	SC-89	181a	-	Pan
8P	UNR221H	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=2k2/10k	SC-59	161a	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
8P	UNR521K	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=10k/4k7	SMini-3	161a	-	Pan
8P	UNR921KJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=10k/4k7	SC-89	181a	-	Pan
8Q	MMBZ5240B	Z-Diode	10V±5%, 225mW	SOT23	16dc	-	Mot
8Q	MMBZ5240BLT	Z-Diode	10V±5%, 225mW	SOT23	16dc	-	Fch,Mot
8Q	SMBZ5240B	Z-Diode	10V±5%, 500mW	SOT23	16dc	-	Sur
8Q	TMPZ5240	Z-Diode	9,5 10,5V±5%, 250mW, Zzt<17Ω	SOT23	16dc	-	All,Spr
8Q	TMPZ5240R	Z-Diode	9,5 10,5V±5%, 250mW, Zzt<17Ω	SOT23	16dr	-	All,Spr
8Q	UN221L	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/4k7	SC-59	161a	-	Pan
8Q	UN521L	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/4k7	SMini-3	161a	-	Pan
8Q	UN921LJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=4k4/4k7	SC-89	181a	-	Pan
8Q	UNR221L	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/4k7	SC-59	161a	-	Pan
8Q	UNR521L	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/4k7	SMini-3	161a	-	Pan
8Q	UNR921LJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=4k4/4k7	SC-89	181a	-	Pan
8R	MMBZ5241B	Z-Diode	11V±5%, 225mW, Zzt=22Ω	SOT23	16dc	-	Mot
8R	MMBZ5241BLT	Z-Diode	11V±5%, 225mW	SOT23	16dc	-	Fch,Mot
8R	SMBZ5241B	Z-Diode	11V±5%, 500mW	SOT23	16dc	-	Sur
8R	TMPZ5241	Z-Diode	10,5 11,6V±5%, 250mW, Zzt<22Ω	SOT23	16dc	-	All,Spr
8R	TMPZ5241R	Z-Diode	10,5 11,6V±5%, 250mW, Zzt<22Ω	SOT23	16dr	-	All,Spr
8S	MMBZ5242B	Z-Diode	12V±5%, 350mW, Zzt=30Ω	SOT23	16dc	-	Dil,Mot
8S	MMBZ5242BLT	Z-Diode	12V±5%, 225mW, Zzt=30Ω	SOT23	16dc	-	Fch,Mot
8S	SMBZ5242B	Z-Diode	12V±5%, 500mW	SOT23	16dc	-	Sur
8S	TMPZ5242	Z-Diode	11,4 12,6V±5%, 250mW, Zzt<30Ω	SOT23	16dc	-	All,Spr
8S	TMPZ5242R	Z-Diode	11,4 12,6V±5%, 250mW, Zzt<30Ω	SOT23	16dr	-	All,Spr
8T	DTC144TT1	Si-NPN-Digi	Switching, 50V, 100mA, 230mW, 250MHz, R1=47k	SC-59	161a	-	Ons
8T	MMBZ5243B	Z-Diode	13V±5%, 225mW, Zzt=13Ω	SOT23	16dc	-	Mot
8T	MMBZ5243BLT	Z-Diode	13V±5%, 225mW, Zzt=13Ω	SOT23	16dc	-	Fch,Mot
8T	MUN2240T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=47k	SC-59	161a	-	Mot
8T	SMBZ5243B	Z-Diode	13V±5%, 500mW	SOT23	16dc	-	Sur
8T	TMPZ5243	Z-Diode	12,4 13,7V±5%, 250mW, Zzt<13Ω	SOT23	16dc	-	All,Spr
8T	TMPZ5243R	Z-Diode	12,4 13,7V±5%, 250mW, Zzt<13Ω	SOT23	16dr	-	All,Spr
8U	MMBZ5244B	Z-Diode	14V±5%, 225mW, Zzt=15Ω	SOT23	16dc	-	Mot
8U	MMBZ5244BLT	Z-Diode	14V±5%, 225mW, Zzt=15Ω	SOT23	16dc	-	Fch,Mot
8U	MUN2241T1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=100k	SC-59	161a	-	Mot
8U	SMBZ5244B	Z-Diode	14V±5%, 500mW	SOT23	16dc	-	Sur
8U	TMPZ5244	Z-Diode	13,3 14,7V±5%, 250mW, Zzt<15Ω	SOT23	16dc	-	All,Spr
8U	TMPZ5244R	Z-Diode	13,3 14,7V±5%, 250mW, Zzt<15Ω	SOT23	16dr	-	All,Spr
8V	MMBZ5245B	Z-Diode	15V±5%, 225mW, Zzt=16Ω	SOT23	16dc	-	Mot
8V	MMBZ5245BLT	Z-Diode	15V±5%, 225mW, Zzt=16Ω	SOT23	16dc	-	Fch,Mot
8V	SMBZ5245B	Z-Diode	15V±5%, 500mW	SOT23	16dc	-	Sur
8V	TMPZ5245	Z-Diode	14,3 15,8V±5%, 250mW, Zzt<16Ω	SOT23	16dc	-	All,Spr
8V	TMPZ5245R	Z-Diode	14,3 15,8V±5%, 250mW, Zzt<16Ω	SOT23	16dr	-	All,Spr
8V2	PZM8 2NB	Z-Diode	8 2V±2 5%, 0 3W	SC-59	16dc	-	Phi
8W	MMBZ5246B	Z-Diode	16V±5%, 225mW, Zzt=17Ω	SOT23	16dc	-	Mot
8W	MMBZ5246BLT	Z-Diode	16V±5%, 225mW, Zzt=17Ω	SOT23	16dc	-	Fch,Mot
8W	SMBZ5246B	Z-Diode	16V±5%, 500mW	SOT23	16dc	-	Sur
8W	TMPZ5246	Z-Diode	15,2 16,8V±5%, 250mW, Zzt<17Ω	SOT23	16dc	-	All,Spr
8W	TMPZ5246R	Z-Diode	15,2 16,8V±5%, 250mW, Zzt<17Ω	SOT23	16dr	-	All,Spr
8X	MMBZ5247B	Z-Diode	17V±5%, 225mW, Zzt=19Ω	SOT23	16dc	-	Mot
8X	MMBZ5247BLT	Z-Diode	17V±5%, 225mW, Zzt=19Ω	SOT23	16dc	-	Fch,Mot
8X	SMBZ5247B	Z-Diode	17V±5%, 500mW	SOT23	16dc	-	Sur
8X	TMPZ5247	Z-Diode	16,2 17,9V±5%, 250mW, Zzt<19Ω	SOT23	16dc	-	All,Spr
8X	TMPZ5247R	Z-Diode	16,2 17,9V±5%, 250mW, Zzt<19Ω	SOT23	16dr	-	All,Spr
8X	UNR921AJ	Si-PNP-Digi	Sw, 50V, 100mA, 125mW, 150MHz, R1/R2=100k/100k	SC-89	181a	-	Pan
8Y	MMBZ5248B	Z-Diode	18V±5%, 225mW, Zzt=21Ω	SOT23	16dc	-	Mot
8Y	MMBZ5248BLT	Z-Diode	18V±5%, 225mW, Zzt=21Ω	SOT23	16dc	-	Fch,Mot
8Y	SMBZ5248B	Z-Diode	18V±5%, 500mW	SOT23	16dc	-	Sur
8Y	TMPZ5248	Z-Diode	17,1 18,9V±5%, 250mW, Zzt<21Ω	SOT23	16dc	-	All,Spr
8Y	TMPZ5248R	Z-Diode	17,1 18,9V±5%, 250mW, Zzt<21Ω	SOT23	16dr	-	All,Spr
8Y	UNR921BJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1=100k	SC-89	181a	-	Pan
8Z	MMBZ5249B	Z-Diode	19V±5%, 225mW, Zzt=23Ω	SOT23	16dc	-	Mot
8Z	MMBZ5249BLT	Z-Diode	19V±5%, 225mW, Zzt=23Ω	SOT23	16dc	-	Fch,Mot
8Z	SMBZ5249B	Z-Diode	19V±5%, 500mW	SOT23	16dc	-	Sur
8Z	TMPZ5249	Z-Diode	18,1 20V±5%, 250mW, Zzt<23Ω	SOT23	16dc	-	All,Spr
8Z	TMPZ5249R	Z-Diode	18,1 20V±5%, 250mW, Zzt<23Ω	SOT23	16dr	-	All,Spr
8Z	UNR921CJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R2=47k	SC-89	181a	-	Pan
8Z2	C21W8 2	Z-Diode	8,2V±5%, 600mW	SOT23	16dc	-	Cdi
9.1	Z02W9 1V	Z-Diode	8 5 9 6V, 200mW	SOT23	16dc	-	Kec
9.1H	MAZ3091	Z-Diode	8 5 9 6V, 200mW	SC-59	16dc	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
9.1L	MAZ3091	Z-Diode	8 5 9 6V, 200mW	SC-59	16dc -	Pan
9.1M	MAZ3091	Z-Diode	8 5 9 6V, 200mW	SC-59	16dc -	Pan
9.1X	Z02W9 1VX	Z-Diode	8 5 9V, 200mW	SOT23	16dc -	Kec
9.1Y	Z02W9 1VY	Z-Diode	8 8 9 3V, 200mW	SOT23	16dc -	Kec
9.1Z	Z02W9 1VZ	Z-Diode	9 1 9 6V, 200mW	SOT23	16dc -	Kec
9-1X	02CZ9 1-X	Z-Diode	8 5 9V, 200mW	SC-59	16dc -	Tos
9-1Y	02CZ9 1-Y	Z-Diode	8 8 9 3V, 200mW	SC-59	16dc -	Tos
9-1Z	02CZ9 1-Z	Z-Diode	9 1 9 6V, 200mW	SC-59	16dc -	Tos
90T	TK71590AS	VR-IC	LDO 9V±1 5%, 155mA	SOT23	16cj VR1	Tok
91	BZB784-C2V4	Z-Diode	2x 2 4V±5%, 0,35W, Zzt=70Ω	SOT323	16df -	Phi
91	DTA113TKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=1k	SMT3	16ta -	Rhm
910	HZM9 1NB	Z-Diode	8 56 9 55V, 200mW	MPAK	16dc -	Ren
911	HZM9 1NB1	Z-Diode	8 56 8 93V, 200mW	MPAK	16dc -	Ren
911	PZM9 1NB1	Z-Diode	9 1V±2 5%, 0 3W	SOT346	16dc -	Phi
912	HZM9 1NB2	Z-Diode	8 85 9 23V, 200mW	MPAK	16dc -	Ren
912	PZM9 1NB2	Z-Diode	9 1V±2 5%, 0 3W	SOT346	16dc -	Phi
913	HZM9 1NB3	Z-Diode	9 15 9 55V, 200mW	MPAK	16dc -	Ren
913	PZM9 1NB3	Z-Diode	9 1V±2 5%, 0 3W	SOT346	16dc -	Phi
91A	FMMT591A	Si-PNP	AF, 80V, 1A, 500mW, B=100 300, >150MHz	SOT23	16ta -	Ztx
92	BZB784-C2V7	Z-Diode	2x 2 7V±5%, 0 35W, Zzt=75Ω	SOT323	16df -	Phi
93	BZB784-C3V0	Z-Diode	2x 3V±5%, 0,35W, Zzt=80Ω	SOT323	16df -	Phi
93	DTA143TE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=4k7	EMT3	16ta -	Rhm
93	DTA143TKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=4k7	SMT3	16ta -	Rhm
93	DTA143TM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=4k7	VMT3	16ta -	Rhm
93	DTA143TUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=4k7	UMT3	16ta -	Rhm
94	BZB784-C3V3	Z-Diode	2x 3,3V±5%, 0,35W, Zzt=85Ω	SOT323	16df -	Phi
94	DTA114TE	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=10k	EMT3	16ta -	Rhm
94	DTA114TKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=10k	SMT3	16ta -	Rhm
94	DTA114TM	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=10k	VMT3	16ta -	Rhm
94	DTA114TUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=10k	UMT3	16ta -	Rhm
94	DTC114TE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=10k	EMT3	16ta -	Rhm
94	DTC114TKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=10k	SMT3	16ta -	Rhm
94	DTC114TM	Si-NPN-Digi	Switching, 50V, 100mA, 150W, 250MHz, R1=10k	VMT3	16ta -	Rhm
94	DTC114TUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=10k	UMT3	16ta -	Rhm
95	BZB784-C3V6	Z-Diode	2x 3,6V±5%, 0,35W, Zzt=85Ω	SOT323	16df -	Phi
95	DTA124TE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R2=22k	EMT3	16ta -	Rhm
95	DTA124TKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=22k	SMT3	16ta -	Rhm
95	DTA124TM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R2=22k	VMT3	16ta -	Rhm
95	DTA124TUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=22k	UMT3	16ta -	Rhm
96	BZB784-C3V9	Z-Diode	2x 3 9V±5%, 0,35W, Zzt=85Ω	SOT323	16df -	Phi
96	DTA144TE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=47k	EMT3	16ta -	Rhm
96	DTA144TKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=47k	SMT3	16ta -	Rhm
96	DTA144TM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=47k	VMT3	16ta -	Rhm
96	DTA144TUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=47k	UMT3	16ta -	Rhm
96	DTC144TE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=47k	EMT3	16ta -	Rhm
96	DTC144TKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=47k	SMT3	16ta -	Rhm
96	DTC144TM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=47k	VMT3	16ta -	Rhm
96	DTC144TUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=47k	UMT3	16ta -	Rhm
97	BZB784-C4V3	Z-Diode	2x 4,3V±5%, 0,35W, Zzt=80Ω	SOT323	16df -	Phi
98	BZB784-C4V7	Z-Diode	2x 4,7V±5%, 0,35W, Zzt=50Ω	SOT323	16df -	Phi
99	BZB784-C5V1	Z-Diode	2x 5,1V±5%, 0,35W, Zzt=40Ω	SOT323	16df -	Phi
99	DTA115TE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=100k	EMT3	16ta -	Rhm
99	DTA115TKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=100k	SMT3	16ta -	Rhm
99	DTA115TM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1=100k	VMT3	16ta -	Rhm
99	DTA115TUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=100k	UMT3	16ta -	Rhm
9A	BZB784-C5V6	Z-Diode	2x 5,6V±5%, 0,35W, Zzt=15Ω	SOT323	16df -	Phi
9A	DTA125TKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=200k	SMT3	16ta -	Rhm
9A	DTA125TU	Si-PNP-Digi	Sw, 50V, 100mA, 200mW, B=100 600, >250MHz, R1=200k	SOT323	16ta -	Rhm
9A	DTA125TUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1=200k	UMT3	16ta -	Rhm
9A	FMMT2369AR	Si-NPN	Switching, 40V, 200mA, 330mW, B=40 120	SOT23	16te -	Ztx
9A	R3131N19EC	CMOS-IC	Voltage Detector 1,9V, Reset ODO, 240ms	SOT23	16vdc VD6	Ric
9A	UN2221	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=2k2/2k2	SC-59	16ta -	Pan
9A	UNR2221	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=2k2/2k2	SC-59	16ta -	Pan
9A1	PZM9 1NB2A	Z-Diode	Dual, 9 1V±2 5%, 0 3W	SOT346	16df -	Phi
9AA	BC856A	Si-PNP	GP, 80V, 100mA, 310mW, B=110 220, >150MHz	SOT23	16ta -	Sam
9AB	BC856B	Si-PNP	GP, 80V, 100mA, 310mW, B=200 450, >150MHz	SOT23	16ta -	Sam
9AC	BC856C	Si-PNP	GP, 80V, 100mA, 310mW, B=420 800, >150MHz	SOT23	16ta -	Sam
9Ap	PMMT491A	Si-NPN	AF, 80V, 1A, 250mW, B=300 900, >150MHz	SOT23	16ta -	PhH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
9Aa	PMMT491A	Si NPN	AF 80V 1A 250mW B=300 900 >150MHz	SOT23	16ta		PhM
9B	BZB784 C6V2	Z Diode	2x 6 2V±5% 0 35W Zzt=6Ω	SOT323	16df		Phi
9B	R3131N29EC	CMOS IC	Voltage Detector 2 9V Reset Open drain output 240ms	SOT23	16vdc	VD6	Ric
9B	UN2222	Si NPN Digi	Switching 50V 500mA 200mW 250MHz R1/R2=4k4/4k7	SC 59	16ta		Pan
9B	UNR2222	Si NPN Digi	Switching 50V 500mA 200mW 250MHz R1/R2=4k4/4k7	SC 59	16ta		Pan
9BA	BC857A	Si PNP	GP 50V 100mA 310mW B=110 220 >150MHz	SOT23	16ta		Sam
9BB	BC857B	Si PNP	GP 50V 100mA 310mW B=200 450 >150MHz	SOT23	16ta		Sam
9BC	BC857C	Si PNP	GP 50V 100mA 310mW B=420 800 >150MHz	SOT23	16ta		Sam
9Bp	PMMT591A	Si PNP	AF 80V 1A 250mW B=300 800 >150MHz	SOT23	16ta		PhH
9Bt	PMMT591A	Si PNP	AF 80V 1A 250mW B=300 800 >150MHz	SOT23	16ta		PhM
9C	BZB784 C6V8	Z Diode	2x 6 8V±5% 0 35W Zzt=6Ω	SOT323	16df		Phi
9C	R3131N39EC	CMOS IC	Voltage Detector 3 9V Reset Open drain output 240ms	SOT23	16vdc	VD6	Ric
9C	UN2223	Si NPN Digi	Switching 50V 500mA 200mW 250MHz R1/R2=10k/10k	SC 59	16ta		Pan
9C	UNR2223	Si NPN Digi	Switching 50V 500mA 200mW 250MHz R1/R2=10k/10k	SC 59	16ta		Pan
9CA	BC858A	Si PNP	GP 30V 100mA 310mW B=110 220 >150MHz	SOT23	16ta		Sam
9CB	BC858B	Si PNP	GP 30V 100mA 310mW B=200 450 >150MHz	SOT23	16ta		Sam
9CC	BC858C	Si PNP	GP 30V 100mA 310mW B=420 800 >150MHz	SOT23	16ta		Sam
9D	BZB784 C7V5	Z Diode	2x 7 5V±5% 0 35W Zzt=6Ω	SOT323	16df		Phi
9D	UN2224	Si NPN Digi	Switching 50V 500mA 200mW 250MHz R1/R2=2k2/10k	SC 59	16ta		Pan
9D	UNR2224	Si NPN Digi	Switching 50V 500mA 200mW 250MHz R1/R2=2k2/10k	SC 59	16ta		Pan
9DA	BC859A	Si PNP	GP 30V 100mA 310mW B=110 220 >150MHz	SOT23	16ta		Sam
9DB	BC859B	Si PNP	GP 30V 100mA 310mW B=200 450 >150MHz	SOT23	16ta		Sam
9DC	BC859C	Si PNP	GP 30V 100mA 310mW B=420 800 >150MHz	SOT23	16ta		Sam
9E	BZB784 C8V2	Z Diode	2x 8 2V±5% 0 35W Zzt=6Ω	SOT323	16df		Phi
9EA	BC860A	Si PNP	GP 50V 100mA 310mW B=110 220 >150MHz	SOT23	16ta		Sam
9EB	BC860B	Si PNP	GP 50V 100mA 310mW B=200 450 >150MHz	SOT23	16ta		Sam
9EC	BC860C	Si PNP	GP 50V 100mA 310mW B=420 800 >150MHz	SOT23	16ta		Sam
9F	BZB784 C9V1	Z Diode	2x 9 1V±5% 0 35W Zzt=6Ω	SOT323	16df		Phi
9F	R3131N19EA	CMOS IC	Voltage Detector 1 9V Reset Push pull output 240ms	SOT23	16vdc	VD7	Ric
9FA	BC807 16	Si PNP	AF Driver 50V 500mA 250mW 80MHz B=100 250	SOT23	16ta		Sam
9FB	BC807 25	Si PNP	AF Driver 50V 500mA 250mW 80MHz B=160 400	SOT23	16ta		Sam
9FC	BC807 40	Si PNP	AF Driver 50V 500mA 250mW 80MHz B=250 600	SOT23	16ta		Sam
9G	BZB784 C10	Z Diode	2x 10V±5% 0 35W Zzt=8Ω	SOT323	16df		Phi
9G	R3131N29EA	CMOS IC	Voltage Detector 2 9V Reset Push pull output 240ms	SOT23	16vdc	VD7	Ric
9GA	BC808 16	Si PNP	AF Driver 30/25V 0 5A 0 33W B=100 250 >100MHz	SOT23	16ta		Sam
9GB	BC808 25	Si PNP	AF Driver 30/25V 0 5A 0 33W B=160 400 >100MHz	SOT23	16ta		Sam
9GC	BC808 40	Si PNP	AF Driver 30/25V 0 5A 0 33W B=250 630 >100MHz	SOT23	16ta		Sam
9H	BZB784 C11	Z Diode	2x 11V±5% 0 35W Zzt=10Ω	SOT323	16df		Phi
9H	R3131N39EA	CMOS IC	Voltage Detector 3 9V Reset Push pull output 240ms	SOT23	16vdc	VD7	Ric
9J	BZB784 C12	Z Diode	2x 12V±5% 0 35W Zzt=10Ω	SOT323	16df		Phi
9K	BZB784 C13	Z Diode	2x 13V±5% 0 35W Zzt=10Ω	SOT323	16df		Phi
9L	BZB784 C15	Z Diode	2x 15V±5% 0 35W Zzt=10Ω	SOT323	16df		Phi
9P	BCX70HR	Si NPN	GP 45V 200mA 330mW B=180 310 >250MHz	SOT23	16ta		Ztx
9R	FMMT2369R	Si NPN	Switching 40V 200mA 330mW B=40 120	SOT23	16te		Ztx
9V1	P2M9 1NB	Z Diode	9 1V±2 5% 0 3W	SOT346	16dc		Phi
9Z1	CZ1W9 1	Z Diode	9 1V±5% 600mW	SOT23	16dc		Cdi
A	MRF947	Si NPN	UHF 20V 50mA 188mW B>50 8GHz	SOT323	16ta		Mot
A	MRF947T1	Si NPN	VHF/UHF 20V 50mA 188mW B>50 8GHz	SOT323	16ta		Mot
A0	HSMS 2800	Si Diode	Schottky RF 70V 1A Vf<0 41V(1mA) <2pF 350(5mA)	SOT23	16dc		Agf
A0	HSMS 280B	Si Diode	Schottky RF 70V 1A Vf<0 41V(1mA) <2pF 350(5mA)	SOT323	16dc		Agf
A1	2SJ243	MOS P FET e'	V MOS Sw 30V ±0 1A 200mW 10/130nS <250(10mA)	SC 70	16th		Nec
A1	BAW56	C Diode	Dual Switching 70V 200mA 250mW Vf<1 25V 2pF <6ns	SOT23	16df		All Ste Vis
A1	BAW56LT1	Si Diode	Dual Switching 70V 200mA 250mW Vf<1 25V 2pF <6ns	SOT23	16df		Ons
A1	BAW56T	Si Diode	Dual Hi Speed 85V 150mA 200mW 2pF 4ns	SOT416	16df		Phi
A1	BAW56TT1	Si Diode	Dual Switching 70V 200mA 250mW Vf<1 25V 2pF <6ns	SC 75	16df		Ons
A1	BAW56W	Si Diode	Dual Hi Speed 75V 150mA 200mW 2pF 4ns	SOT323	16df		Phi
A1	BAW56WT1	Si Diode	Dual Hi Speed 70V 200mA 200mW 2pF 4ns	SOT323	16df		Ons
A1	Si2301DS	MOS P FET e	V MOS LQTL 12V 2 3A <0 19Ω	SOT23	16fg		Six
A11	MMBD1501A	Si Diode	Switching 200V 100mA <4pF	SOT23	16dc		Fch
A13	MMBD1503A	Si Diode	Dual Switching 180V 200mA <4pF	SOT23	16dl		Fch
A14	MMBD1504A	Si Diode	Dual Switching 180V 200mA <4pF	SOT23	16dg		Fch
A15	MMBD1505A	Si Diode	Dual Switching 180V 200mA <4pF	SOT23	16df		Fch
A15	XC31PPS0015AM	VR IC	Temperature Sensitive +T*coefficient 1 5V±5% 50mA	SOT23	16cg	VR1	Tor
A16	XC31PNS0016AM	VR IC	Temperature Sensitive T*coefficient 1 6V±5% 50mA	SOT23	16cg	VR1	Tor
A16	XC31PPS0016AM	VR IC	Temperature Sensitive +T*coefficient 1 6V±5% 50mA	SOT23	16cg	VR1	Tor
A16	ZC934ATA	C Diode	VHF Tuning 12V 47 57 7pF(2 5V) Q>80	SOT23	16dc		Ztx
A17	XC31PNS0017AM	VR IC	Temperature Sensitive T*coefficient 1 7V±5% 50mA	SOT23	16cg	VR1	Tor
A17	XC31PPS0017AM	VR IC	Temperature Sensitive +T*coefficient 1 7V±5% 50mA	SOT23	16cg	VR1	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
A17	ZC933ATA	C-Diode	VHF-Tuning, 12V, 20,25, 24 75pF Q>150	SOT23	18dc	-	Ztx
A18	XC31PNS0018AM	VR-IC	Temperature Sensitive, -T*coefficient, 1,8V±5%, 50mA	SOT23	16cg	VR1	Tor
A18	XC31PPS0018AM	VR-IC	Temperature Sensitive, +T*coefficient, 1,8V±5%, 50mA	SOT23	16cg	VR1	Tor
A19	XC31PNS0019AM	VR-IC	Temperature Sensitive, -T*coefficient, 1,9V±5%, 50mA	SOT23	16cg	VR1	Tor
A19	XC31PPS0019AM	VR-IC	Temperature Sensitive, +T*coefficient, 1,9V±5%, 50mA	SOT23	16cg	VR1	Tor
A1p	BAW56	Si-Diode	Dual, Switching, 70V, 200mA 250mW, Vf<1 25V 2pF, <6ns	SOT23	16df	-	PhH
A1s	BAW56	Si-Diode	Dual, Switching, 70V, 200mA, 250mW, Vf<1 25V, 2pF, <6ns	SOT23	16df	-	Sie
A1s	BAW56W	Si-Diode	Dual, Hi-Speed, 75V, 150mA, 200mW, 2pF, 4ns	SOT323	16df	-	Sie
A1t	BAW56	Si-Diode	Dual, Switching 70V, 200mA, 250mW, Vf<1 25V, 2pF, <6ns	SOT23	16df	-	PhM
A2	BAS16T	Si-Diode	Switching, Fast, 75V, 155mA, 170mW, <6ns	SOT416	16dc	-	Dil
A2	BAS16W	Si-Diode	Switching, Fast, 75V, 300mA, Vf<1,25V(150mA), <4ns, 2pF	SOT323	16dc	-	Dil
A2	BAT18	PIN-Diode	Switching, 35V, 100mA, Vf<1,2V, Cd<1pF	SOT23	16dc	-	Phi,Sie
A2	FMMD2B36	C-Diode	Dual, 75V, 100mA, Cd<4pF, <6ns	SOT23	16df	-	Ztx
A2	HSMS-2802	Si-Diode	2x Schottky, RF, 70V, 1A, Vf<0,41V(1mA), <2pF, 35Q(5mA)	SOT23	16dl	-	Agi
A2	HSMS-280C	Si-Diode	2x Schottky, RF, 70V, 1A, Vf<0,41V(1mA), <2pF, 35Q(5mA)	SOT323	16dl	-	Agi
A2	KV1520	C-Diode	Dual, AM-Tuning, 20V, 50mA, 100mW, 14 335pF(6,5 1V)	SOT23	16dg	-	Tok
A2	MMBD4148	Si-Diode	Switching, Fast, 75V, 0,3A, 350mW, <6ns	SOT23	16dc	-	Vis
A2	MMBD4148V	Si-Diode	Switching, Fast, 75V, 300mA, Vf<1,25V(150mA), <4ns, 2pF	SOT323	16dc	-	Dil
A2	Si2302DS	MOS-N-FET-e	V-MOS, LogL, 20V, ±2,8A, <155mQ	SOT23	16fg	-	Six
A20	2SK1066-20	N-FET	GP, 15V, 20mA, 100mW, Idss=3.5 6mA, Up<1,5V	MCP	16fa	-	Say
A20	XC31PNS0020AM	VR-IC	Temperature Sensitive, -T*coefficient, 2V±5%, 50mA	SOT23	16cg	VR1	Tor
A20	XC31PPS0020AM	VR-IC	Temperature Sensitive, +T*coefficient, 2V±5%, 50mA	SOT23	16cg	VR1	Tor
A21	2SK1066-21	N-FET	GP, 15V, 20mA, 100mW, Idss=5 8,5mA, Up<1,5V	MCP	16fa	-	Say
A21	GS809C21EUA	CMOS-IC	Voltage Detector 2,1V, -Reset Push-pull output, 1,5ms	SDT23	16vdc	VD7	Vis
A21	XC31PNS0021AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,1V±5%, 50mA	SOT23	16cg	VR1	Tor
A21	XC31PPS0021AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,1V±5%, 50mA	SOT23	16cg	VR1	Tor
A22	2SK1066-22	N-FET	GP, 15V, 20mA, 100mW, Idss=7 3 12mA, Up<1,5V	MCP	16fa	-	Say
A22	XC31PNS0022AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,2V±5%, 50mA	SOT23	16cg	VR1	Tor
A22	XC31PPS0022AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,2V±5%, 50mA	SOT23	16cg	VR1	Tor
A23	XC31PNS0023AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,3V±5%, 50mA	SOT23	16cg	VR1	Tor
A23	XC31PPS0023AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,3V±5%, 50mA	SOT23	16cg	VR1	Tor
A24	GS809C24EUA	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
A24	XC31PNS0024AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,4V±5%, 50mA	SOT23	16cg	VR1	Tor
A24	XC31PPS0024AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,4V±5%, 50mA	SOT23	16cg	VR1	Tor
A25	XC31PNS0025AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,5V±5%, 50mA	SOT23	16cg	VR1	Tor
A25	XC31PPS0025AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,5V±5%, 50mA	SOT23	16cg	VR1	Tor
A26	GS809CREUA	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output, 1,5ms	SDT23	16vdc	VD7	Vis
A26	XC31PNS0026AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,6V±5%, 50mA	SOT23	16cg	VR1	Tor
A26	XC31PPS0026AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,6V±5%, 50mA	SOT23	16cg	VR1	Tor
A27	GS809C27SEUA	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
A27	XC31PNS0027AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,7V±5%, 50mA	SOT23	16cg	VR1	Tor
A27	XC31PPS0027AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,7V±5%, 50mA	SOT23	16cg	VR1	Tor
A28	XC31PNS0028AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,8V±5%, 50mA	SOT23	16cg	VR1	Tor
A28	XC31PPS0028AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,8V±5%, 50mA	SOT23	16cg	VR1	Tor
A29	GS809CSEUA	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
A29	XC31PNS0029AM	VR-IC	Temperature Sensitive, -T*coefficient, 2,9V±5%, 50mA	SOT23	16cg	VR1	Tor
A29	XC31PPS0029AM	VR-IC	Temperature Sensitive, +T*coefficient, 2,9V±5%, 50mA	SOT23	16cg	VR1	Tor
A2X	MMBD2836LT1	Si-Diode	Dual, Sw, 75V, 100mA, 225mW, Vf<1,2V(100mA), <15ns	SOT23	16df	-	Ons
A3	1PS300	Si-Diode	Dual, Switching, Fast, 85V, 85mA, <4ns	SC-70	16df	-	Phi
A3	1S2835	Si-Diode	Dual, Switching, Fast, 35V, 150mA, <4ms	SOT23	16df	-	Nec
A3	1SS181	Si-Diode	2x Sw, U-Fst, 85V, 100mA, 150mW, Vf<1,2V(100mA), <4ns	SC-59	16df	-	Tos
A3	1SS300	Si-Diode	Dual, 80V, 100mA, Vf<1 2V(100mA), <4ns	SOT323	16df	-	Tos
A3	BAS16	Si-Diode	Switching, Fast, 75V, 215mA, 250mW, <6ns	SOT23	16dc	-	Ztx
A3	HSMS-2803	Si-Diode	2x Schottky, RF, 70V, 1A, Vf<0,41V(1mA), <2pF, 35Q(5mA)	SOT23	16df	-	Agi
A3	HSMS-280E	Si-Diode	2x Schottky, RF, 70V, 1A, Vf<0,41V(1mA), <2pF, 35Q(5mA)	SOT323	16df	-	Agi
A3	MBT3906DW	Si-PNP	GP, 40V, 200mA, 250mW, B=60, 300, >250MHz	SOT363	16ta	-	Mot
A3	MMBD1005LT1	Si-Diode	2x Switching, 30V, 200mA, 225mW, Vf<0,95V(10mA), <2pF	SOT23	16df	-	Mot
A3	MMBD4448	Si-Diode	Switching, Fast, 80V, 500mA, Vf<1V(100mA), <4ns	SOT23	16dc	-	Vis
A3	MMBD4448HT	Si-Diode	Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT523	16dc	-	Dil
A3	Si2303DS	MOS-P-FET-e	V-MOS, LogL, 30V, 1,7A, <0,48Q	SOT23	16fg	-	Six
A30	GS809CCTEUA	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
A30	XC31PNS0030AM	VR-IC	Temperature Sensitive, -T*coefficient, 3V±5%, 50mA	SOT23	16cg	VR1	Tor
A30	XC31PPS0030AM	VR-IC	Temperature Sensitive, +T*coefficient, 3V±5%, 50mA	SOT23	16cg	VR1	Tor
A31	XC31PNS0031AM	VR-IC	Temperature Sensitive, -T*coefficient, 3,1V±5%, 50mA	SOT23	16cg	VR1	Tor
A31	XC31PPS0031AM	VR-IC	Temperature Sensitive, +T*coefficient, 3,1V±5%, 50mA	SOT23	16cg	VR1	Tor
A32	XC31PNS0032AM	VR-IC	Temperature Sensitive, -T*coefficient, 3,2V±5%, 50mA	SOT23	16cg	VR1	Tor
A32	XC31PPS0032AM	VR-IC	Temperature Sensitive, +T*coefficient, 3,2V±5%, 50mA	SOT23	16cg	VR1	Tor
A33	XC31PNS0033AM	VR-IC	Temperature Sensitive, -T*coefficient, 3,3V±5%, 50mA	SOT23	16cg	VR1	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
A33	XC31PPS0033AM	VR-IC	Temperature Sensitive, +T°coefficient, 3.3V±5%, 50mA	SOT23	16cg	VR1	Tor
A34	XC31PNS0034AM	VR-IC	Temperature Sensitive, -T°coefficient, 3.4V±5%, 50mA	SOT23	16cg	VR1	Tor
A34	XC31PPS0034AM	VR-IC	Temperature Sensitive, +T°coefficient, 3.4V±5%, 50mA	SOT23	16cg	VR1	Tor
A35	XC31PNS0035AM	VR-IC	Temperature Sensitive, -T°coefficient, 3.5V±5%, 50mA	SOT23	16cg	VR1	Tor
A35	XC31PPS0035AM	VR-IC	Temperature Sensitive, +T°coefficient, 3.5V±5%, 50mA	SOT23	16cg	VR1	Tor
A36	XC31PNS0036AM	VR-IC	Temperature Sensitive, -T°coefficient, 3.6V±5%, 50mA	SOT23	16cg	VR1	Tor
A36	XC31PPS0036AM	VR-IC	Temperature Sensitive, +T°coefficient, 3.6V±5%, 50mA	SOT23	16cg	VR1	Tor
A37	XC31PNS0037AM	VR-IC	Temperature Sensitive, -T°coefficient, 3.7V±5%, 50mA	SOT23	16cg	VR1	Tor
A37	XC31PPS0037AM	VR-IC	Temperature Sensitive, +T°coefficient, 3.7V±5%, 50mA	SOT23	16cg	VR1	Tor
A38	XC31PNS0038AM	VR-IC	Temperature Sensitive, -T°coefficient, 3.8V±5%, 50mA	SOT23	16cg	VR1	Tor
A38	XC31PPS0038AM	VR-IC	Temperature Sensitive, +T°coefficient, 3.8V±5%, 50mA	SOT23	16cg	VR1	Tor
A39	XC31PNS0039AM	VR-IC	Temperature Sensitive, -T°coefficient, 3.9V±5%, 50mA	SOT23	16cg	VR1	Tor
A39	XC31PPS0039AM	VR-IC	Temperature Sensitive, +T°coefficient, 3.9V±5%, 50mA	SOT23	16cg	VR1	Tor
A3p	BAT17	Si-Diode	Schottky, UHF-Mix, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT23	16dc	-	PhH
A3T	1PS181	Si-Diode	Duat, Hi-Speed, 85V, 215mA, 250mW, <2pF, <4ns	SC-59	16df	-	Phi
A3T	BAT17	Si-Diode	Schottky, UHF-Mix, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT23	16dc	-	PhM
A3X	MMBD2835LT1	Si-Diode	Dual, Sw, 35V, 100mA, 225mW, Vf>1.2V(100mA), <15ns	SOT23	16df	-	Ons
A4	1S2836	Si-Diode	Dual, Switching, Fast, 75V, 150mA, <4ms	SOT23	16df	-	Nec
A4	BAV70	Si-Diode	Dual, Switching, 75V, 215mA, Vf<1.25V, <4ns	SOT23	16dg	-	Nsc
A4	BAV70LT1	Si-Diode	Dual, Switching, 70V, 200mA, 225mW, Vf<1.25V, <4ns	SOT23	16dg	-	Ons
A4	BAV70T	Si-Diode	Duat, Switching, 75V, 150mA, 200mW, Vf<1.25V, <4ns	SOT416	16dg	-	Phi
A4	BAV70TT1	Si-Diode	Duat, Switching, 70V, 200mA, 225mW, Vf<1.25V, <4ns	SC-75	16dg	-	Ons
A4	BAV70W	Si-Diode	Dual, Switching, 75V, 215mA, 225mW, Vf<1.25V, <4ns	SOT323	16dg	-	Phi
A4	BAV70WT1	Si-Diode	Duet, Switching, 75V, 215mA, 225mW, Vf<1.25V, <4ns	SOT323	16dg	-	Ons
A4	HSMS-2804	Si-Diode	2x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 350(5mA)	SOT23	16dg	-	Agi
A4	HSMS-280F	Si-Diode	2x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 350(5mA)	SOT323	16dg	-	Agi
A4	KA4A4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-75	16ta	-	Nec
A4	SI2304DS	MOS-N-FET-e	V-MOS, 30V, ±2.5A, <190mΩ(5A)	SOT23	16fg	-	Six
A40	GS809CJEUA	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 1.5ms	SOT23	16vdc	VD7	Vis
A40	XC31PNS0040AM	VR-IC	Temperature Sensitive, -T°coefficient, 4V±5%, 50mA	SOT23	16cg	VR1	Tor
A40	XC31PPS0040AM	VR-IC	Temperature Sensitive, +T°coefficient, 4V±5%, 50mA	SOT23	16cg	VR1	Tor
A41	XC31PNS0041AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.1V±5%, 50mA	SOT23	16cg	VR1	Tor
A41	XC31PPS0041AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.1V±5%, 50mA	SOT23	16cg	VR1	Tor
A42	XC31PNS0042AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.2V±5%, 50mA	SOT23	16cg	VR1	Tor
A42	XC31PPS0042AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.2V±5%, 50mA	SOT23	16cg	VR1	Tor
A43	GS809CEUA	CMOS-IC	Voltage Detector 4.38V, -Reset Push-pull output, 1.5ms	SOT23	16vdc	VD7	Vis
A43	XC31PNS0043AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.3V±5%, 50mA	SOT23	16cg	VR1	Tor
A43	XC31PPS0043AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.3V±5%, 50mA	SOT23	16cg	VR1	Tor
A44	XC31PNS0044AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.4V±5%, 50mA	SOT23	16cg	VR1	Tor
A44	XC31PPS0044AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.4V±5%, 50mA	SOT23	16cg	VR1	Tor
A45	XC31PNS0045AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.5V±5%, 50mA	SOT23	16cg	VR1	Tor
A45	XC31PPS0045AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.5V±5%, 50mA	SOT23	16cg	VR1	Tor
A46	BAR46A	Si-Diode	2x Schottky, 100V, 150mA, 230mW, Vf<1V(250mA), 10pF	SOT23	16df	-	Sta
A46	GS809CLEUA	CMOS-IC	Voltage Detector 4.63V, -Reset Push-pull output, 1.5ms	SOT23	16vdc	VD7	Vis
A46	XC31PNS0046AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.6V±5%, 50mA	SOT23	16cg	VR1	Tor
A46	XC31PPS0046AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.6V±5%, 50mA	SOT23	16cg	VR1	Tor
A47	XC31PNS0047AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.7V±5%, 50mA	SOT23	16cg	VR1	Tor
A47	XC31PPS0047AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.7V±5%, 50mA	SOT23	16cg	VR1	Tor
A48	XC31PNS0048AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.8V±5%, 50mA	SOT23	16cg	VR1	Tor
A48	XC31PPS0048AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.8V±5%, 50mA	SOT23	16cg	VR1	Tor
A49	XC31PNS0049AM	VR-IC	Temperature Sensitive, -T°coefficient, 4.9V±5%, 50mA	SOT23	16cg	VR1	Tor
A49	XC31PPS0049AM	VR-IC	Temperature Sensitive, +T°coefficient, 4.9V±5%, 50mA	SOT23	16cg	VR1	Tor
A4p	BAV70	Si-Diode	Dual, Switching, 75V, 215mA, Vf<1.25V, <4ns	SOT23	16dg	-	PhH
A4e	BAV70T	Si-Diode	Dual, Switching, 75V, 150mA, 200mW, Vf<1.25V, <4ns	SOT416	16dg	-	Sie
A4e	BAV70U	Si-Diode	Dual, Switching, 75V, 150mA, 200mW, Vf<1.25V, <4ns	SOT457	16dg	-	Sie
A4e	BAV70W	Si-Diode	Dual, Switching, 75V, 215mA, 225mW, Vf<1.25V, <4ns	SOT323	16dg	-	Sie
A4t	BAV70	Si-Diode	Dual, Switching, 75V, 215mA, Vf<1.25V, <4ns	SOT23	16dg	-	PhM
A4W	BAV70	Si-Diode	Dual, Switching, 75V, 215mA, Vf<1.25V, <4ns	SOT23	16dg	-	PhC
A5	1S2837	Si-Diode	Dual, Switching, Fast, 35V, 150mA, <4ms	SOT23	16dg	-	Nec
A5	MMBD2837LT1	Si-Diode	Dual, Sw, 30V, 150mA, 225mW, Vf>1.2V(100mA), <4ns	SOT23	16dg	-	Ons
A5	SI2305DS	MOS-P-FET-e	V-MOS, LogL, 8V, 3.5A, <108mΩ	SOT23	16fg	-	Six
A50	XC31PNS0050AM	VR-IC	Temperature Sensitive, -T°coefficient, 5V±5%, 50mA	SOT23	16cg	VR1	Tor
A50	XC31PPS0050AM	VR-IC	Temperature Sensitive, +T°coefficient, 5V±5%, 50mA	SOT23	16cg	VR1	Tor
A51	XC31PNS0051AM	VR-IC	Temperature Sensitive, -T°coefficient, 5.1V±5%, 50mA	SOT23	16cg	VR1	Tor
A51	XC31PPS0051AM	VR-IC	Temperature Sensitive, +T°coefficient, 5.1V±5%, 50mA	SOT23	16cg	VR1	Tor
A52	XC31PNS0052AM	VR-IC	Temperature Sensitive, -T°coefficient, 5.2V±5%, 50mA	SOT23	16cg	VR1	Tor
A52	XC31PPS0052AM	VR-IC	Temperature Sensitive, +T°coefficient, 5.2V±5%, 50mA	SOT23	16cg	VR1	Tor
A53	XC31PNS0053AM	VR-IC	Temperature Sensitive, -T°coefficient, 5.3V±5%, 50mA	SOT23	16cg	VR1	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
A53	XC31PPS0053AM	VR-IC	Temperature Sensitive, +T*coefficient, 5.3V±5%, 50mA	SOT23	16cg	VR1	Tor
A54	XC31PNS0054AM	VR-IC	Temperature Sensitive, -T*coefficient, 5.4V±5%, 50mA	SOT23	16cg	VR1	Tor
A54	XC31PPS0054AM	VR-IC	Temperature Sensitive, +T*coefficient, 5.4V±5%, 50mA	SOT23	16cg	VR1	Tor
A55	XC31PNS0055AM	VR-IC	Temperature Sensitive, -T*coefficient, 5.5V±5%, 50mA	SOT23	16cg	VR1	Tor
A55	XC31PPS0055AM	VR-IC	Temperature Sensitive, +T*coefficient, 5.5V±5%, 50mA	SOT23	16cg	VR1	Tor
A6	1S2638	Si-Diode	Dual, Switching, Fast, 75V, 150mA, <4ns	SOT23	16dg	-	Nec
A6	AP431W	Vref-IC	Adjustable, Precision, Shunt, 2.495V±1%	SOT23-3L	16rc	RF1	Ana
A6	BAS16	Si-Diode	Switching, Fast, 75V, 215mA, 250mW, <6ns	SOT23	16dc	-	Nsc,Trs
A6	BAS16LT	Si-Diode	Switching, Fast, 75V, 200mA, 225mW, <6ns	SOT23	16dc	-	Ons
A6	BAS16T	Si-Diode	Switching, Fast, 75V, 155mA, 170mW, <6ns	SOT416	16dc	-	Phi
A6	BAS16TT	Si-Diode	Switching, Fast, 75V, 155mA, 170mW, <6ns	SOT416	16dc	-	Ons
A6	BAS16W	Si-Diode	Switching, Fast, 75V, 175mA, 200mW, <6ns	SOT323	16dc	-	Phi
A6	BAS16WT	Si-Diode	Switching, Fast, 75V, 200mA, 200mW, <6ns	SOT323	16dc	-	Ons
A6	MMBD4448HTA	Si-Diode	2x Switching, Fast, 75V, 500mA, Vt<1.25V(150mA), <4ns	SOT523	16df	-	Dil
A6	R3130N16EC	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
A6	Si2306DS	MOS-N-FET-e	V-MOS, 30V, ±2.5A, <94mΩ(2.5A)	SOT23	16fg	-	Six
A63	FZTA63	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SOT23	16ta	-	Ztx
A6A	MMUN2111LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10/10k	SOT23	16ta	-	Mot
A6B	MMUN2112LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22/22k	SOT23	16ta	-	Mot
A6C	MMUN2113LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SOT23	16ta	-	Mot
A6D	MMUN2114LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10/47k	SOT23	16ta	-	Mot
A6E	MMUN2115LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=10k	SOT23	16ta	-	Mot
A6F	MMUN2116LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=4k7	SOT23	16ta	-	Mot
A6G	MMUN2130LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=1k/1k0	SOT23	16ta	-	Mot
A6H	MMUN2131LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/2k2	SOT23	16ta	-	Mot
A6J	MMUN2132LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4k/4k7	SOT23	16ta	-	Mot
A6K	MMUN2133LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4k7/47k	SOT23	16ta	-	Mot
A6L	MMUN2134LT1	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k	SOT23	16ta	-	Mot
A6p	BAS16	Si-Diode	Switching, Fast, 75V, 215mA, 250mW, <6ns	SOT23	16dc	-	PHH
A6s	BAS16	Si-Diode	Switching, Fast, 75V, 215mA, 370mW, <6ns	SOT23	16dc	-	Inf
A6s	BAS16W	Si-Diode	Switching, Fast, 75V, 175mA, 250mW, <6ns	SOT323	16dc	-	Inf
A6t	BAS16	Si-Diode	Switching, Fast, 75V, 215mA, 250mW, <6ns	SOT23	16dc	-	PhM
A6W	BAS16	Si-Diode	Switching, Fast, 75V, 215mA, 250mW, <6ns	SOT23	16dc	-	PhC
A7	1S5123	Si-Diode	2x Switching, Fast, 70V, 100mA, Vt<1.3V(100mA), <9ns	SOT23	16dl	-	Nec
A7	AP431AW	Vref-IC	Adjustable, Precision, Shunt, 2.495V±0.5%	SOT23-3L	16rc	RF1	Ana
A7	BAV99LT1	Si-Diode	Dual, U-Speed, 70V, 215mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT23	16dl	-	Ons
A7	BAV99U	Si-Diode	Dual, U-Speed, 80V, 100mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT323	16dl	-	Rhm
A7	BAV99W	Si-Diode	Dual, U-Speed, 75V, 125mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT323	16dl	-	Phi
A7	BAV99WT1	Si-Diode	Dual, U-Speed, 70V, 215mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT323	16dl	-	Ons
A7	DAN217U	Si-Diode	Dual, U-Speed, 80V, 100mA, Vt<1.2V(100mA), 0.5pF, 4ns	UMD3	16dl	-	Rhm
A7	KN4A4M	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=10k/10k	SC-75	16ta	-	Nec
A7	MMBD4448HTC	Si-Diode	2x Switching, Fast, 75V, 500mA, Vt<1.25V(150mA), <4ns	SOT523	16dg	-	Dil
A7	R3130N17EC	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
A7	Si2307DS	MOS-P-FET-e	V-MOS, 30V, 3A, <140mΩ(2.5A)	SOT23	16fg	-	Six
A7p	BAV99	Si-Diode	Dual, U-Speed, 75V, 125mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT23	16dl	-	PHH
A7s	BAV99	Si-Diode	Dual, U-Speed, 80V, 150mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT23	16dl	-	Sie
A7s	BAV99W	Si-Diode	Dual, U-Speed, 75V, 125mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT323	16dl	-	Sie
A7t	BAV99	Si-Diode	Dual, U-Speed, 75V, 125mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT23	16dl	-	PhM
A7W	BAV99	Si-Diode	Dual, U-Speed, 75V, 125mA, Vt<1.2V(100mA), 0.5pF, 4ns	SOT23	16dl	-	PhC
A8	AP431R	Vref-IC	Adjustable, Precision, Shunt, 2.495V±1%	SOT23-3L	16rd	RF1	Ana
A8	R3130N18EC	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
A8	Si2308DS	MOS-N-FET-e	V-MOS, 60V, ±2A, <220mΩ(1.5A)	SOT23	16fg	-	Six
A81	BAS20	Si-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT23	16dc	-	Phi
A82	BAS21	Si-Diode	Switching, Fast, 200V, 250mA, 250mW, <50ns	SOT23	16dc	-	Phi
A8A	MMUN2211LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/10k	SOT23	16ta	-	Mot
A8B	MMUN2212LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22/22k	SOT23	16ta	-	Mot
A8C	MMUN2213LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT23	16ta	-	Mot
A8D	MMUN2214LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10/47k	SOT23	16ta	-	Mot
A8E	MMUN2215LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT23	16ta	-	Mot
A8F	MMUN2216LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=4k7	SOT23	16ta	-	Mot
A8G	MMUN2230LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=1k/1k0	SOT23	16ta	-	Mot
A8H	MMUN2231LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=2k2/2k2	SOT23	16ta	-	Mot
A8J	MMUN2232LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k/4k7	SOT23	16ta	-	Mot
A8K	MMUN2233LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4k7/47k	SOT23	16ta	-	Mot
A8L	MMUN2234LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/47k	SOT23	16ta	-	Mot
A8N	MMUN2236LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=100k/100k	SOT23	16ta	-	Mot
A8P	MMUN2237LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SOT23	16ta	-	Mot
A8R	MMUN2238LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=2k2	SOT23	16ta	-	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
A8U	MMUN2241LT1	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=100k	SOT23	161a	-	Mol
A9	1SS294	Si-Diode	Schottky, 45V, 0.1A, Uf<0.6V	SC-59	16dc	-	Tos
A9	1SS322	Si-Diode	Schottky, 40V, 0.1A	SC-70	16dc	-	Tos
A9	AP431AR	Vref-IC	Adjustable, Precision, Shunt, 2,495V±0.5%	SOT23-3L	16rd	RF1	Ana
A9	R3111N092A	CMOS-IC	Voltage Detector 0.9V, Reset Push-pull output	SOT23	16vc	VD7	Ric
A9	R3130N19EC	CMOS-IC	Voltage Detector 1.9V, -Reset ODO, 240ms	SOT23	16vdc	VD6	Ric
A9	SI2309DS	MOS-P-FET-e	V-MOS, 60V, 1.25A, <550mΩ(5A)	SOT23	16fg	-	Six
A91	BAS17	Si-Stab	Stabistor, 5V, 200mA, 250mW, 140pF	SOT23	16dc	-	Phi
AA	2SA1864	Si-PNP-Digi	Muting, 15V, 100mA, 150mW, 600MHz, R1/R2=4k7/4k7	SOT23	161a	-	Say
AA	BCW60A	Si-NPN	GP, 32V, 0.2A, 250MHz, B=120..220	SOT23	161a	-	Itt
AA1	FA4A4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-59	161a	-	Nec
AA1	GA4A4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-70	161a	-	Nec
AAA	MAX6806XR46-T	Lin/Dig-IC	Voltage Detector 4.6V, -Reset Push-pull output	SC-70	16vc	VD7	Max
AAA	MAX809LUR	CMOS-IC	Voltage Detector 4.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
AAB	MAX6806XR26-T	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Push-pull output	SC-70	16vc	VD7	Max
AAC	MAX6806XR23-T	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Push-pull output	SC-70	16vc	VD7	Max
AAD	MAX6807XR46-T	Lin/Dig-IC	Voltage Detector 4.6V, Reset Push-pull output	SC-70	16vc	VD7	Max
AAE	MAX6807XR26-T	Lin/Dig-IC	Voltage Detector 2.6V, Reset Push-pull output	SC-70	16vc	VD7	Max
AAF	MAX6808XR46-T	Lin/Dig-IC	Voltage Detector 4.6V, -Reset Open drain output	SC-70	16vc	VD6	Max
AAG	MAX6808XR26-T	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open drain output	SC-70	16vc	VD6	Max
AAG	MMBR951AL	Si-NPN	UHF, 20V, 100mA, 322mW, B=50..200, 8GHz	SOT23	161a	-	Mol
AAG	MMBR951ALT1	Si-NPN	UHF, 20V, 100mA, 322mW, B=75..150, 8GHz	SOT23	161a	-	Mol
AAH	MAX8326_R22-T	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
AAJ	MAX6327XR22-T	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SC-70	16vdc	VD7	Max
AAJ	MAX6328XR22-T	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SC-70	16vdc	VD6	Max
AAN	MAX809LXR	CMOS-IC	Voltage Detector 4.63V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
AAO	MAX809MXR	CMOS-IC	Voltage Detector 4.38V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
AAP	MAX809TXR	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
AAQ	2SD1757K-Q	Si-NPN	Lo-sat, Mut, 30V, 500mA, 200mW, B=120..270, >150MHz	SC-59	161a	-	Rhm
AAQ	MAX809S	CMOS-IC	Voltage Detector 2.93V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
AAQ	MAX809SXR	CMOS-IC	Voltage Detector 2.93V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
AAR	2SD1757K-R	Si-NPN	Lo-sat, Mut, 30V, 500mA, 200mW, B=180..390, >150MHz	SC-59	161a	-	Rhm
AAR	MAX809RXR	CMOS-IC	Voltage Detector 2.63V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
AAS	2SD1757K-S	Si-NPN	Lo-sat, Mut, 30V, 500mA, 200mW, B=270..560, >150MHz	SC-59	161a	-	Rhm
AAa	BCW60A	Si-NPN	GP, 32V, 0.2A, 250MHz, B=120..220	SOT23	161a	-	Sie
AAS	MAX8032XR	CMOS-IC	Voltage Detector 2.32V, -Reset Open drain output	SC-70	16vdc	VD6	Max
AAT	MAX810LXR	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SC-70	16vdc	VD7	Max
AAU	MAX810MXR	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output	SC-70	16vdc	VD7	Max
AAV	MAX810TXR	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output	SC-70	16vdc	VD7	Max
AAW	MAX810RXR	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output	SC-70	16vdc	VD7	Max
AAX	MAX810SXR	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output	SC-70	16vdc	VD7	Max
AAY	MAX810ZXR	CMOS-IC	Voltage Detector 2.32V, Reset Push-pull output	SC-70	16vdc	VD7	Max
AAZ	MAX803LXR	CMOS-IC	Voltage Detector 4.63V, -Reset Open drain output	SC-70	16vdc	VD6	Max
AB	BCW60B	Si-NPN	GP, 32V, 100mA, 250mW, B=150..310, 250MHz	SOT23	161a	-	Itt
AB	MMBD4448HTS	Si-Diode	2x Switching, Fast, 75V, 500mA, Vf<1.25V(150mA), <4ns	SOT523	16dl	-	Dij
AB1	FA4F4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-59	161a	-	Nec
AB1	GA4F4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-70	161a	-	Nec
ABA	MAX803TXR	CMOS-IC	Voltage Detector 3.08V, -Reset Open drain output	SC-70	16vdc	VD6	Max
ABAA	MAX809MUR	CMOS-IC	Voltage Detector 4.38V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
ABB	MAX803MXR	CMOS-IC	Voltage Detector 4.38V, -Reset Open drain output	SC-70	16vdc	VD6	Max
ABC	MAX803SXR	CMOS-IC	Voltage Detector 2.93V, -Reset Open drain output	SC-70	16vdc	VD6	Max
ABD	MAX803RXR	CMOS-IC	Voltage Detector 2.63V, -Reset Open drain output	SC-70	16vdc	VD6	Max
ABE	MAX803ZXR	CMOS-IC	Voltage Detector 2.32V, -Reset Open drain output	SC-70	16vdc	VD6	Max
ABG	2SA1312-GR	Si-PNP	AF, LN, 120V, 100mA, 150mW, B=200..400, 100MHz	SC-59	161a	-	Tos
ABL	2SA1312-BL	Si-PNP	AF, LN, 120V, 100mA, 150mW, B=350..700, 100MHz	SC-59	161a	-	Tos
ABp	BCW60B	Si-NPN	GP, 32V, 100mA, 250mW, B=150..310, 250MHz	SOT23	161a	-	PhH
ABa	BCW60B	Si-NPN	GP, 32V, 100mA, 250mW, B=150..310, 250MHz	SOT23	161a	-	Sie
ABl	BCW60B	Si-NPN	GP, 32V, 100mA, 250mW, B=150..310, 250MHz	SOT23	161a	-	PhM
AC	AP431IW	Vref-IC	Adjustable, Precision, Shunt, 2,495V±1%	SOT23-3L	16rc	RF1	Ana
AC	MT3S06S	Si-NPN	VHF/UHF, 10V, 15mA, 10GHz	SOT23	161a	-	Tos
AC1	FA4L4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-59	161a	-	Nec
AC1	GA4L4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-70	161a	-	Nec
ACAA	MAX809TUR	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
ACD	MAX6808XR32-T	Lin/Dig-IC	Voltage Detector 3.2V, -Reset Open drain output	SC-70	16vc	VD6	Max
ACE	MAX6326_R31-T	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
ACF	MAX6347XR46-T	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SC-70	16vdc	VD7	Max
ACH	MAX6326_R23-T	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SC-70	16vdc	VD7	Max
ACI	MAX6326_R26-T	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SC-70	16vdc	VD7	Max

SMD код	Тип	Функ	Краткое описание		Корп	Цок	Сх	Произв
ACJ	MAX6328XR26 T	CMOS IC	Voltage Detector 2 6V	Reset Open drain output	SC 70	16vdc	VD6	Max
ACK	MAX6346XR44 T	CMOS IC	Voltage Detector 4 4V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACL	25C3837K L	Si NPN	VHF/UHF 30V 50mA 150mW B 27 56 >1 5GHz		SOT346	161a		Rhm
ACL	25C4725 L	Si NPN	VHF/UHF 30V 50mA 150mW B 27 56 >1 5GHz		SC 75A	161a		Rhm
ACL	25C5661 L	Si NPN	VHF/UHF 30V 50mA 150mW B 27 56 >1 5GHz		VMT3	181a		Rhm
ACL	MAX6347XR44 T	CMOS IC	Voltage Detector 4 4V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACM	25C3837K M	Si NPN	VHF/UHF 30V 50mA 150mW B 39 82 >1 5GHz		SOT346	161a		Rhm
ACM	25C4725 M	Si NPN	VHF/UHF 30V 50mA 150mW B 39 82 >1 5GHz		SC 75A	161a		Rhm
ACM	25C5661 M	Si NPN	VHF/UHF 30V 50mA 150mW B 39 82 >1 5GHz		VMT3	181a		Rhm
ACM	MAX6348XR46 T	CMOS IC	Voltage Detector 4 6V	Reset Open drain output	SC 70	16vdc	VD6	Max
ACN	25C3837K N	Si NPN	VHF/UHF 30V 50mA 150mW B 56 120 >1 5GHz		SOT346	161a		Rhm
ACN	25C4725 N	Si NPN	VHF/UHF 30V 50mA 150mW B 56 120 >1 5GHz		SC 75A	161a		Rhm
ACN	25C5661 N	Si NPN	VHF/UHF 30V 50mA 150mW B 56 120 >1 5GHz		VMT3	181a		Rhm
ACN	MAX6348XR44 T	CMOS IC	Voltage Detector 4 4V	Reset Open drain output	SC 70	16vdc	VD6	Max
ACO	MAX6346XR46 T	CMOS IC	Voltage Detector 4 6V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACP	25C3837K P	Si NPN	VHF/UHF 30V 50mA 150mW B 82 180 >1 5GHz		SOT346	161a		Rhm
ACP	25C4725 P	Si NPN	VHF/UHF 30V 50mA 150mW B 82 180 >1 5GHz		SC 75A	161a		Rhm
ACP	25C5661 P	Si NPN	VHF/UHF 30V 50mA 150mW B 82 180 >1 5GHz		VMT3	181a		Rhm
ACp	BCW60C	Si NPN	GP 32V 100mA 250mW B 250 480 250MHz		SOT23	161a		PHI
ACP	MAX6326 R29 T	CMOS IC	Voltage Detector 2 9V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACQ	25C3837K Q	Si NPN	VHF/UHF 30V 50mA 150mW B 120 270 >1 5GHz		SOT346	161a		Rhm
ACQ	25C4725 Q	Si NPN	VHF/UHF 30V 50mA 150mW B 120 270 >1 5GHz		SC 75A	161a		Rhm
ACQ	25C5661 Q	Si NPN	VHF/UHF 30V 50mA 150mW B 120 270 >1 5GHz		VMT3	181a		Rhm
ACQ	MAX6327XR23 T	CMOS IC	Voltage Detector 2 3V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACR	MAX6327XR26 T	CMOS IC	Voltage Detector 2 6V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACs	BCW60C	Si NPN	GP 32V 100mA 250mW B 250 480 250MHz		SOT23	161a		Sie
ACS	MAX6327XR29 T	CMOS IC	Voltage Detector 2 9V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACt	BCW60C	Si NPN	GP 32V 100mA 250mW B 250 480 250MHz		SOT23	161a		PHM
ACT	MAX6327XR31 T	CMOS IC	Voltage Detector 3 1V	Reset Push pull output	SC 70	16vdc	VD7	Max
ACU	MAX6328XR23 T	CMOS IC	Voltage Detector 2 3V	Reset Open drain output	SC 70	16vdc	VD6	Max
ACV	MAX6328XR29 T	CMOS IC	Voltage Detector 2 9V	Reset Open drain output	SC 70	16vdc	VD6	Max
ACW	MAX6328XR31 T	CMOS IC	Voltage Detector 3 1V	Reset Open drain output	SC 70	16vdc	VD6	Max
ACX	MMBTA05	Si NPN	GP 60V 500mA 350mW B>100 >100MHz		SOT323	161a		Kec
AD	AP431IAW	Vref IC	Adjustable Precision Shunt 2 495V±0 5%		SOT23 3L	16rc	RF1	Ana
AD	GS6333UR15D1	CMOS IC	Voltage Detector 1 5V	Reset Push pull output 1 5ms	SOT23	16vdc	VD7	Vis
AD	MT3S07S	Si NPN	VHF/UHF 10V 25mA 12GHz		SOT23	161a		Tos
AD	SiP6333R15D1	CMOS IC	Voltage Detector 1 5V	Reset Push pull output 1 5ms	SOT23	16vdc	VD7	Vis
AD1	FA4L3N	Si NPN Dig	Switching 60V 100mA 200mW R1/R2 4k7/4k7		SC 59	161a		Nec
AD1	GA4L3M	Si NPN Dig	Switching 60V 100mA 200mW R1/R2 4k7/4k7		SC 70	161a		Nec
ADAA	MAX809S	CMOS IC	Voltage Detector 2 93V	Reset Push pull output	SC 70	16vdc	VD7	Max
ADAA	MAX809SUR	CMOS IC	Voltage Detector 2 93V	Reset Push pull output	SOT23	16vdc	VD7	Max
ADL	25C3838K L	Si NPN	VHF/UHF 20V 50mA 200mW B 27 56 3 2GHz		SOT346	161a		Rhm
ADL	25C4726 L	Si NPN	VHF/UHF 20V 50mA 150mW B 27 56 3 2GHz		SC 75A	161a		Rhm
ADL	25C5662 L	Si NPN	VHF/UHF 20V 50mA 150mW B 27 56 3 2GHz		VMT3	161a		Rhm
ADM	25C3838K M	Si NPN	VHF/UHF 20V 50mA 200mW B 39 82 3 2GHz		SOT346	161a		Rhm
ADM	25C4726 M	Si NPN	VHF/UHF 20V 50mA 150mW B 39 82 3 2GHz		SC 75A	161a		Rhm
ADM	25C5662 M	Si NPN	VHF/UHF 20V 50mA 150mW B 39 82 3 2GHz		VMT3	161a		Rhm
ADN	25C3838K N	Si NPN	VHF/UHF 20V 50mA 200mW B 56 120 3 2GHz		SOT346	161a		Rhm
ADN	25C4726 N	Si NPN	VHF/UHF 20V 50mA 150mW B 56 120 3 2GHz		SC 75A	161a		Rhm
ADN	25C5662 N	Si NPN	VHF/UHF 20V 50mA 150mW B 56 120 3 2GHz		VMT3	161a		Rhm
ADP	25C3838K P	Si NPN	VHF/UHF 20V 50mA 200mW B 82 180 3 2GHz		SOT346	161a		Rhm
ADP	25C4726 P	Si NPN	VHF/UHF 20V 50mA 150mW B 82 180 3 2GHz		SC 75A	161a		Rhm
ADP	25C5662 P	Si NPN	VHF/UHF 20V 50mA 150mW B 82 180 3 2GHz		VMT3	161a		Rhm
ADp	BCW60D	Si NPN	GP 32V 100mA 250mW B 380 630 250MHz		SOT23	161a		PHI
ADQ	25C3838K Q	Si NPN	VHF/UHF 20V 50mA 200mW B-120 270 3 2GHz		SOT346	161a		Rhm
ADQ	25C4726 Q	Si NPN	VHF/UHF 20V 50mA 150mW B-120 270 3 2GHz		SC 75A	161a		Rhm
ADQ	25C5662 Q	Si NPN	VHF/UHF 20V 50mA 150mW B 120 270 3 2GHz		VMT3	161a		Rhm
ADs	BCW60D	Si NPN	GP 32V 100mA 250mW B 380 630 250MHz		SOT23	161a		Su
ADt	BCW60D	Si NPN	GP 32V 100mA 250mW B 380 630 250MHz		SOT23	161a		PHM
ADX	MMBTA06	Si NPN	GP 80V 500mA 350mW B>100 >100MHz		SOT23	161a		Kec
AE	2SA1365 E	Si PNP	Relay Drv 25V 1A 150mW B-150 300 180MHz		SOT23	161a		Mit
AE	AP431IR	Vref IC	Adjustable Precision Shunt 2 495V±1%		SOT23 3L	16rd	RF1	Ana
AE	GS6333UR15D2	CMOS IC	Voltage Detector 1 5V	Reset Push pull output 30ms	SOT23	16vdc	VD7	Vis
AE	MT3S04AS	Si NPN	VHF/UHF 10V 40mA 7GHz		SOT23	161a		Tos
AE	SiP6333R15D2	CMOS IC	Voltage Detector 1 5V	Reset Push pull output 30ms	SOT23	16vdc	VD7	Vis
AE1	FA4L3N	Si NPN Dig	Switching 60V 100mA 200mW R1/R2 4k7/10k		SC 59	161a		Nec
AE1	GA4L3N	Si NPN Dig	Switching 60V 100mA 200mW R1/R2 4k7/10k		SC 70	161a		Nec
AEL	25C3839K L	Si NPN	AF 30V 50mA 150mW B 27 56 >200MHz		SOT346	161a		Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
AEM	2SC3839K-M	Si-NPN	AF, 30V, 50mA, 150mW, B=39..82, >200MHz	SOT346	16ta	-	Rhm
AEN	2SC3839K-N	Si-NPN	AF, 30V, 50mA, 150mW, B=56..120, >200MHz	SOT346	16ta	-	Rhm
AEP	2SC3839K-P	Si-NPN	AF, 30V, 50mA, 150mW, B=82..180, >200MHz	SOT346	16ta	-	Rhm
AEQ	2SC3839K-Q	Si-NPN	AF, 30V, 50mA, 150mW, B=120..270, >200MHz	SOT346	16ta	-	Rhm
AEW	MAX6138AEXR12-T	Vref-IC	Shunt, 1.225V, 0.1%	SC-70	16dk	-	Max
AEX	MAX6138BEXR12-T	Vref-IC	Shunt, 1.225V, 0.2%	SC-70	16dk	-	Max
AEY	MAX6138CEXR12-T	Vref-IC	Shunt, 1.225V, 0.5%	SC-70	16dk	-	Max
AF	2SA1365-F	Si-PNP	Relay-Drv, 25V, 1A, 150mW, B=250..500, 180MHz	SOT23	16ta	-	Mit
AF	AP431IAR	Vref-IC	Adjustable, Precision, Shunt, 2.495V±0.5%	SOT23-3L	16rd	RF1	Ana
AF1	FA4L3Z	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7	SC-59	16ta	-	Nec
AF1	GA4L3Z	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7	SC-70	16ta	-	Nec
AFA	MAX6138AEXR21-T	Vref-IC	Shunt, 2.048V, 0.1%	SC-70	16dk	-	Max
AFAA	MAX809RUR	CMOS-IC	Voltage Detector 2.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
AFB	MAX6138BEXR21-T	Vref-IC	Shunt, 2.048V, 0.2%	SC-70	16dk	-	Max
AFC	MAX6138CEXR21-T	Vref-IC	Shunt, 2.048V, 0.5%	SC-70	16dk	-	Max
AFE	MAX6138AEXR25-T	Vref-IC	Shunt, 2.5V, 0.1%	SC-70	16dk	-	Max
AFF	MAX6138BEXR25-T	Vref-IC	Shunt, 2.5V, 0.2%	SC-70	16dk	-	Max
AFG	MAX6138CEXR25-T	Vref-IC	Shunt, 2.5V, 0.5%	SC-70	16dk	-	Max
AFI	MAX6138AEXR30-T	Vref-IC	Shunt, 3V, 0.1%	SC-70	16dk	-	Max
AFJ	MAX6138BEXR30-T	Vref-IC	Shunt, 3V, 0.2%	SC-70	16dk	-	Max
AFK	MAX6138CEXR30-T	Vref-IC	Shunt, 3V, 0.5%	SC-70	16dk	-	Max
AFM	MAX6138AEXR41-T	Vref-IC	Shunt, 4.096V, 0.1%	SC-70	16dk	-	Max
AFN	MAX6138BEXR41-T	Vref-IC	Shunt, 4.096V, 0.2%	SC-70	16dk	-	Max
AFO	MAX6138CEXR41-T	Vref-IC	Shunt, 4.096V, 0.5%	SC-70	16dk	-	Max
AFP	2SD1781K-P	Si-NPN	AF-Driver, 40V, 800mA, 200mW, B=82..180, >150MHz	SOT346	16ta	-	Rhm
AFQ	2SD1781K-Q	Si-NPN	AF-Driver, 40V, 800mA, 200mW, B=120..270, >150MHz	SOT346	16ta	-	Rhm
AFQ	MAX6138AEXR50-T	Vref-IC	Shunt, 5.000V, 0.1%	SC-70	16dk	-	Max
AFR	2SD1781K-R	Si-NPN	AF-Driver, 40V, 800mA, 200mW, B=180..390, >150MHz	SOT346	16ta	-	Rhm
AFR	MAX6138BEXR50-T	Vref-IC	Shunt, 5.000V, 0.2%	SC-70	16dk	-	Max
AFs	BCW60FF	Si-NPN	AF, 32V, 100mA, 330mW, B=250..480, 250MHz	SOT23	16ta	-	Sie
AFS	MAX6138CEXR50-T	Vref-IC	Shunt, 5.00V, 0.5%	SC-70	16dk	-	Max
AG	2SA1365-G	Si-PNP	Relay-Drv, 25V, 1A, 150mW, B=400..800, 180MHz	SOT23	16ta	-	Mit
AG	GS6333UR15D3	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
AG	SIP6333R15D3	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output 150ms	SOT23	18vdc	VD7	Vis
AG1	FA4A3Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-59	16ta	-	Nec
AG1	GA4A3Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-70	16ta	-	Nec
AGAA	MAX810LUR	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SOT23	16vdc	VD7	Max
Agp	BCX70G	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=120..220, >100MHz	SOT23	16ta	-	PhH
Agp	BCX70G	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=120..220, >100MHz	SOT23	16ta	-	Sie
AGt	BCX70G	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=120..220, >100MHz	SOT23	16ta	-	PhM
AH	1SS345	Si-Diode	Schottky, UHF Detector, Mix., 55V, 10mA, 150mW, 0.45pF	SOT23	16dc	-	Say
AH	GS6333UR16D1	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output, 1.5ms	SOT23	16vdc	VD7	Vis
AH	SIP6333R16D1	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output 1.5ms	SOT23	16vdc	VD7	Vis
AH1	FA4A4P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-59	16ta	-	Nec
AH1	GA4A4P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-70	16ta	-	Nec
AHAA	MAX810MUR	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output	SOT23	16vdc	VD7	Max
AHP	2SB1197K-P	Si-PNP	AF, 40V, 800mA, 200mW, B=82..180, 200MHz	SOT23	16ta	-	Rhm
Ahp	BCX70H	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=180..310, >100MHz	SOT23	16ta	-	PhH
AHQ	2SB1197K-Q	Si-PNP	AF, 40V, 800mA, 200mW, B=120..270, 200MHz	SOT23	16ta	-	Rhm
AHR	2SB1197K-R	Si-PNP	AF, 40V, 800mA, 200mW, B=180..390, 200MHz	SOT23	16ta	-	Rhm
AHs	BCX70H	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=180..310, >100MHz	SOT23	16ta	-	Sie
AHt	BCX70H	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=180..310, >100MHz	SOT23	16ta	-	PhM
AJ	GS6333UR16D2	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
AJ	SIP6333R16D2	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
AJ1	FA4F4N	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-59	16ta	-	Nec
AJ1	GA4F4N	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-70	16ta	-	Nec
AJAA	MAX810TUR	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output	SOT23	16vdc	VD7	Max
Ajp	2SD1782K-P	Si-NPN	AF-Driver, 80V, 500mA, 200mW, B=82..180, >180MHz	SOT346	16ta	-	Rhm
AJp	BCX70J	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SOT23	16ta	-	PhH
AJQ	2SD1782K-Q	Si-NPN	AF-Driver, 80V, 500mA, 200mW, B=120..270, >180MHz	SOT346	16ta	-	Rhm
AJR	2SD1782K-R	Si-NPN	AF-Driver, 80V, 500mA, 200mW, B=180..390, >180MHz	SOT346	16ta	-	Rhm
AJs	BCX70J	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SOT23	16ta	-	Sie
Ajt	BCX70J	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SOT23	16ta	-	PhM
AK	2SK2539	N-FET	FM/VHF, 15V, Idss=10..50mA, Up<3V	SOT23	16fa	-	Say
AK	GS6333UR16D3	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
AK	SIP6333R16D3	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
AK1	FA4L4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/22k	SC-59	16ta	-	Nec
AK1	GA4L4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/22k	SC-70	16ta	-	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
AKAA	MAX810SUR	CMOS-IC	Voltage Detector 2 93V, Reset Push-pull output	SOT23	16vdc VD7	Max
AKP	2SB1198K-P	Si-PNP	AF-Driver 80V, 500mA, 200mW, B=82 180, >180MHz	SOT346	161a -	Rhm
AKP	BCX70K	Si-NPN	GP Sw 45V 100mA 250mW, B=380 630 >100MHz	SOT23	161a -	PhH
AKQ	2SA1738-Q	Si-PNP	Sw, Hi-speed, 15V, 50mA, 200mW, B=50 120, 1,5GHz	SC-59	161a -	Pan
AKQ	2SB1198K-Q	Si-PNP	AF-Drv 80V 500mA 200mW, B=120 270 >180MHz	SOT346	161a -	Rhm
AKR	2SA1738-R	Si-PNP	Sw, Hi-speed 15V, 50mA, 200mW, B=90 150, 1,5GHz	SC-59	161a -	Pan
AKR	2SB1198K-R	Si-PNP	AF-Driver 80V, 500mA 200mW B=180 390, >180MHz	SOT346	161a -	Rhm
AKs	BCX70K	Si-NPN	GP, Sw, 45V 100mA, 250mW, B=380 630, 250MHz	SOT23	161a -	Sie
AKi	BCX70K	Si-NPN	GP Sw, 45V, 100mA 250mW, B=380 630, >100MHz	SOT23	161a -	PhM
AL	GS6333UR18D1	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output, 1,5ms	SOT23	16vdc VD7	Vis
AL	SIP6333R18D1	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output 1,5ms	SOT23	16vdc VD7	Vis
AL1	FA4A4Z	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=10k	SC-59	161a -	Nec
AL1	GA4A4Z	Si-NPN-Digi	Switching 60V, 100mA, 200mW, R1=10k	SC-70	161a -	Nec
ALAA	MAX810RUR	CMOS-IC	Voltage Detector 2 63V, Reset Push-pull output	SOT23	16vdc VD7	Max
ALJM	2SC3802K-M	Si-NPN	AF 30V, 30mA, 200mW, B=39 82, >110MHz	SOT346	161a -	Rhm
ALN	2SC3802K-N	Si-NPN	AF 30V, 30mA, 200mW B=56 120, >110MHz	SOT346	161a -	Rhm
ALP	2SC3802K-P	Si-NPN	AF 30V 30mA 200mW B=82 180 >110MHz	SOT346	161a -	Rhm
ALQ	2SC3802K-Q	Si-NPN	AF, 30V 30mA 200mW, B=120 270 >110MHz	SOT346	161a -	Rhm
ALV	AME8500AETCF29	CMOS-IC	Voltage Detector 2 93V, Reset Push-pull output	SOT23	16vdc -	Ame
ALV	AME8501AETCF29	CMOS-IC	Voltage Detector 2 93V, Reset Push-pull output	SOT23	16vdc -	Ame
ALX	AME8500AETAD20	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT23	16vdc -	Ame
ALX	AME8501AETAD20	CMOS-IC	Voltage Detector 2V -Reset Push-pull output	SOT23	16vdc -	Ame
ALY	AME8500AETAE29	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vdc -	Ame
ALY	AME8501AETAE29	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vdc -	Ame
ALZ	AME8500AETCD20	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT23	16vdc -	Ame
ALZ	AME8501AETCD20	CMOS-IC	Voltage Detector 2V Reset Push-pull output	SOT23	16vdc -	Ame
AM	BSS64	Si-NPN	GP 120V, 100mA, 250mW, B>20, >60MHz	SOT23	161a -	Ons
AM	GS6333UR18D2	CMOS-IC	Voltage Detector 1.8V -Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
AM	MMBT3904W	Si-NPN	GP, 60V, 100mA, 200mW, B= 100 300, >300MHz	SOT23	161a -	Mot
AM	SIP6333R18D2	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Vis
AM1	FA4F4Z	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=22k	SC-59	161a -	Nec
AM1	GA4F4Z	Si-NPN-Digi	Switching 60V, 100mA, 200mW, R1=22k	SC-70	161a -	Nec
AMN	2SC4018K-N	Si-NPN	AF, 40V 100mA, 200mW, B=56 120, >230MHz	SOT346	161a -	Rhm
AMO	AME8500AETAF29	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vdc -	Ame
AMO	AME8501AETAF29	CMOS-IC	Voltage Detector 2 93V -Reset Push-pull output	SOT23	16vdc -	Ame
AMP	2SC4018K-P	Si-NPN	AF 40V 100mA, 200mW B=82 180, >230MHz	SOT346	161a -	Rhm
AMP	AME8500AETAF26	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vdc -	Ame
AMP	AME8501AETAF26	CMOS-IC	Voltage Detector 2 63V -Reset Push-pull output	SOT23	16vdc -	Ame
AmP	BSS64	Si-NPN	GP 120V, 100mA, 250mW, B>20, >60MHz	SOT23	161a -	PhH
AMs	BSS64	Si-NPN	GP, 120V 100mA, 330mW B=20 80, 100MHz	SOT23	161a -	Sie
AMt	BSS64	Si-NPN	GP, 120V, 100mA, 250mW, B>20, >60MHz	SOT23	161a -	PhM
AN	2SC2413K-N	Si-NPN	HF Amp 40V, 50mA, 200mW, B=56 120, 300MHz	SOT346	161a -	Rhm
AN	2SC2532	Si-NPN-Dari	AF-Driver, 40V, 300mA, 150mW, B>5000	SC-59	161a -	Tos
AN	2SC4098-N	Si-NPN	HF, Amp, 40V, 50mA, 200mW, B=56 120, >350MHz	SOT323	161a -	Rhm
AN	2SC4618-N	Si-NPN	HF, Amp 40V, 50mA, 150mW, B=56 120, 300MHz	SOT416	161a -	Rhm
AN	2SK3287	MOS-N-FET-e*	V-MOS, LogL, 30V, 0.3A, <3 44Q	SOT23	161g -	Hit
AN	GS6333UR18D3	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output, 150ms	SOT23	16vdc VD7	Vis
AN	SIP6333R18D3	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis
AN1	FA4L4Z	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=47k	SC-59	161a -	Nec
AN1	GA4L4Z	Si-NPN-Digi	Switching, 60V 100mA, 200mW, R1=47k	SC-70	161a -	Nec
ANM	2SC4061K-M	Si-NPN	AF 30V, 100mA, 200mW, B=39 82, >100MHz	SOT346	161a -	Rhm
ANN	2SC4061K-N	Si-NPN	AF, 30V 100mA, 200mW, B=56 120, >100MHz	SOT346	161a -	Rhm
ANP	2SC4061K-P	Si-NPN	AF, 30V, 100mA, 200mW, B=82 180, >100MHz	SOT346	161a -	Rhm
Ans	BCW60FN	Si-NPN	GP 32V, 100mA 330mW, B=380 630, 250MHz	SOT23	161a -	Sie
AO	BCW60AR	Si-NPN	GP, 32V, 0.2A, 250MHz, B=120 220	SOT23R	161e -	Itt
AO	GS6333UR19D1	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output, 1,5ms	SOT23	16vdc VD7	Vis
AO	SIP6333R19D1	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output 1,5ms	SOT23	16vdc VD7	Vis
AP	2SC2413K-P	Si-NPN	HF, Amp, 40V, 50mA, 200mW, B=82 180, 300MHz	SOT346	161a -	Rhm
AP	2SC4098-P	Si-NPN	HF, Amp, 40V, 50mA, 200mW, B=82 180, >350MHz	SOT323	161a -	Rhm
AP	2SC4618-P	Si-NPN	HF Amp, 40V, 50mA, 150mW, B=82 180, 300MHz	SOT416	161a -	Rhm
AP	2SJ575	MOS-P-FET-e*	V-MOS, LogL, 30V, 0.1A, <7,9Q	SOT23	161g -	Hit
AP	BCW60BR	Si-NPN	GP, 32V, 100mA, 250mW, B=150 310, 250MHz	SOT23R	161e -	Itt
AP	GS6333UR19D2	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
AP	SIP6333R19D2	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Vis
AP_	2SC4074M	Si-NPN	UHF/VHF, 18V, 50mA, 150mW, B=270, >1 5GHz	SOT346	161a -	Rhm
AP1	FA4F3M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/2k2	SC-59	161a -	Nec
AP1	GA4F3M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/2k2	SC-70	161a -	Nec
AQ	2SA1979UF-Q	Si-PNP	AF, 40V, 500mA, 200mW, B=70 140, 200MHz	SOT323F	161a -	Auk

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
AQ	2SA1979U-Q	Si-PNP	AF, 40V, 500mA, 200mW, B=70 140, 200MHz	SOT323	161a	-	Auk
AQ	2SB1218-Q	Si-PNP	AF, 25V, 100mA, 150mW, B=160 280, >80MHz	SOT323	161a	-	Pan
AQ	2SB709-Q	Si-PNP	GP, AF, 50V, 600mA, B=160 260, 150MHz	SC-59	161a	-	Pan
AQ	2SC2413K-Q	Si-NPN	HF, Amp, 40V, 50mA, 200mW, B=120 270, 300MHz	SOT346	161a	-	Rhm
AQ	2SC4098-Q	Si-NPN	HF, Amp, 40V, 50mA, 200mW, B=120 270, >350MHz	SOT323	161a	-	Rhm
AQ	2SC4618-Q	Si-NPN	HF, Amp, 40V, 50mA, 150mW, B=120 270, 300MHz	SOT416	161a	-	Rhm
AQ	2SC5342UF-Q	Si-NPN	AF, 40V, 500mA, 200mW, B=70 140, 200MHz	SOT323F	161a	-	Auk
AQ	2SC5342U-Q	Si-NPN	AF, 40V, 500mA, 200mW, B=70 140, 200MHz	SOT323	161a	-	Auk
A-Q	2PD1820AQ	Si-NPN	GP, Sw, 60V, 500mA, 200mW, B=85 170 >150MHz	SOT323	161a	-	PhH
AQ1	FA4F3P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/10k	SC-59	161a	-	Nec
AQ1	GA4F3P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/10k	SC-70	161a	-	Nec
AQ2	2SB1051K-P	Si-PNP	AF-Driver, 40V, 1A, 200mW, B=82 180, >150MHz	SOT346	161a	-	Rhm
AQ2	2SB1051K-Q	Si-PNP	AF-Driver, 40V, 1A, 200mW, B=120 270, >150MHz	SOT346	161a	-	Rhm
AQ2	2SB1051K-R	Si-PNP	AF-Driver, 40V, 1A, 200mW, B=180 390, >150MHz	SOT346	161a	-	Rhm
AR	2SB1218-R	Si-PNP	AF, 25V, 100mA, 150mW, B=210 340, >80MHz	SOT323	161a	-	Pan
AR	2SB709-R	Si-PNP	GP, AF, 50V, 600mA, B=210 340, 150MHz	SC-59	161a	-	Pan
AR	BCW60CR	Si-NPN	GP, 32V, 0,2A, 0,33W, B=250 460, >250MHz	SOT23	161a	-	Ztk
AR	GS6333UR19D3	CMOS-IC	Voltage Detector 1,9V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
AR	MSB709-RT1	Si-PNP	GP, 60V, 100mA, 200mW, B=210 340, <300µs	SOT323	161a	-	Mot
AR	SIP6333R19D3	CMOS-IC	Voltage Detector 1,9V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
AR	SRA2210E	Si-PNP-Digi	Switching, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1=4 7k	SOT523	161a	-	Auk
AR	SRA2210EF	Si-PNP-Digi	Switching, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1=4 7k	SOT523F	161a	-	Auk
AR	SRA2210U	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=4 7k	SOT323	161a	-	Auk
AR	SRA2210UF	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=4 7k	SOT323F	161a	-	Auk
A-R	2PD1820AR	Si-NPN	GP Sw, 60V, 500mA, 200mW, B=120 240, >150MHz	SOT323	161a	-	PhH
AR1	FA4F3R	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/47k	SC-59	161a	-	Nec
AR1	GA4F3R	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/47k	SC-70	161a	-	Nec
ARI	AME8500AETDF46	CMOS-IC	Voltage Detector 4 63V, Reset Open drain output	SOT23	16vdc	-	Ame
ARI	AME8501AETDF46	CMOS-IC	Voltage Detector 4 63V, Reset Open drain output	SOT23	16vdc	-	Ame
ARJ	AME8500AETCF46	CMOS-IC	Voltage Detector 4 63V, Reset Push-pull output	SOT23	16vdc	-	Ame
ARJ	AME8501AETCF46	CMOS-IC	Voltage Detector 4 63V, Reset Push-pull output	SOT23	16vdc	-	Ame
ARK	AME8500AETAF46	CMOS-IC	Voltage Detector 4 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ARK	AME8501AETAF46	CMOS-IC	Voltage Detector 4 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ARL	AME8500BEETBA29	CMOS-IC	Voltage Detector 2 93V, -Reset Open drain output	SOT23	16vc	-	Ame
ARL	AME8501BEETBA29	CMOS-IC	Voltage Detector 2 93V, -Reset Open drain output	SOT23	16vc	-	Ame
ARM	AME8500BEETAA27	CMOS-IC	Voltage Detector 2 7V, -Reset Push-pull output	SOT23	16vc	-	Ame
ARM	AME8501BEETAA27	CMOS-IC	Voltage Detector 2 7V, -Reset Push-pull output	SOT23	16vc	-	Ame
ARN	AME8500AETAF44	CMOS-IC	Voltage Detector 4 38V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ARN	AME8501AETAF44	CMOS-IC	Voltage Detector 4 38V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ART	AME8500BEETAA21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vc	-	Ame
ART	AME8501BEETAA21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vc	-	Ame
ARW	AME8500CEETBF46	CMOS-IC	Voltage Detector 4 63V, -Reset Open drain output	SOT23	18vd	-	Ame
ARW	AME8501CEETBF46	CMOS-IC	Voltage Detector 4 63V, -Reset Open drain output	SOT23	18vd	-	Ame
ARZ	AME8500BEETAA29	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	18vc	-	Ame
ARZ	AME8501BEETAA29	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vc	-	Ame
AS	2SB1218-S	Si-PNP	AF, 25V, 100mA, 150mW, B=290 460, >80MHz	SOT323	161a	-	Pan
AS	2SB709-S	Si-PNP	GP, AF, 50V, 600mA, B=290 460, 150MHz	SC-59	161a	-	Pan
AS	BA718-05	Si-Diode	Dual, Switching, 35V, 0 1A, V _f <1 2V, C _d <1pF	SOT23	18dg	-	Sie
AS	GS6333UR20D1	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 30ms	SOT23	18vdc	VD7	Vis
AS	SIP6333R20D1	CMOS-IC	Voltage Detector 2V, Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
A-S	2PD1820AS	Si-NPN	GP Sw, 80V, 500mA, 200mW, B=170 340, >150MHz	SOT323	161a	-	PhH
AS1	FA4A4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/4k7	SC-59	161a	-	Nec
AS1	GA4A4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/4k7	SC-70	161a	-	Nec
ASA	AME8500AETAF31	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASA	AME8501AETAF31	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASA	BC848AU	Si-NPN	GP, 80V, 100mA, 200mW, B=110 220, >100MHz	SOT323	161a	-	Auk
ASA	BC846AUF	Si-NPN	GP, 80V, 100mA, 200mW, B=110 220, >100MHz	SOT323F	161a	-	Auk
ASB	AME8500AETAF40	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASB	AME8501AETAF40	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASB	BC846BU	Si-NPN	GP, 80V, 100mA, 200mW, B=200 450, >100MHz	SOT323	161a	-	Auk
ASB	BC846BUF	Si-NPN	GP, 80V, 100mA, 200mW, B=200 450, >100MHz	SOT323F	161a	-	Auk
ASC	BC846CU	Si-NPN	GP, 80V, 100mA, 200mW, B=420 800, >100MHz	SOT323	161a	-	Auk
ASC	BC846CUF	Si-NPN	GP, 80V, 100mA, 200mW, B=420 800, >100MHz	SOT323F	161a	-	Auk
ASG	KTA1504-G	Si-PNP	GP, 50V, 150mA, 150mW, B=200 400, >80MHz	SOT23	161a	-	Kec
ASH	AME8500CEETA26	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vd	-	Ame
ASH	AME8501CEETA26	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vd	-	Ame
ASI	AME8500BEETBA42	CMOS-IC	Voltage Detector 4 2V, -Reset Open drain output	SOT23	16vc	-	Ame
ASI	AME8501BEETBA42	CMOS-IC	Voltage Detector 4 2V, -Reset Open drain output	SOT23	16vc	-	Ame

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
ASJ	AME8500AETAE26	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASJ	AME8500AETAE26L	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASJ	AME8501AETAE26	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASJ	AME8501AETAE26L	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASK	AME8500AETAF21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASK	AME8501AETAF21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASL	AME8500CEETAF29	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vd	-	Ame
ASL	AME8501CEETAF29	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vd	-	Ame
ASO	KTA1504-O	Si-PNP	GP 50V, 150mA, 150mW, B=70 140, >80MHz	SOT23	16ta	-	Kec
ASQ	AME8500BEETBA27	CMOS-IC	Voltage Detector 2 7V, -Reset Open drain output	SOT23	16vc	-	Ame
ASQ	AME8501BEETBA27	CMOS-IC	Voltage Detector 2 7V, -Reset Open drain output	SOT23	16vc	-	Ame
ASR	AME8500BEETAA28	CMOS-IC	Voltage Detector 2 8V, -Reset Push-pull output	SOT23	16vc	-	Ame
ASR	AME8501BEETAA28	CMOS-IC	Voltage Detector 2 8V, -Reset Push-pull output	SOT23	16vc	-	Ame
ASS	AME8500BEETBA28	CMOS-IC	Voltage Detector 2 8V, -Reset Open drain output	SOT23	16vc	-	Ame
ASS	AME8500BEETBA28L	CMOS-IC	Voltage Detector 2 8V, -Reset Open drain output	SOT23	16vc	-	Ame
ASS	AME8500BEETBA28Y	CMOS-IC	Voltage Detector 2 8V, -Reset Open drain output	SOT23	16vc	-	Ame
ASS	AME8501BEETBA28	CMOS-IC	Voltage Detector 2 8V, -Reset Open drain output	SOT23	16vc	-	Ame
ASS	AME8501BEETBA28L	CMOS-IC	Voltage Detector 2 8V, -Reset Open drain output	SOT23	16vc	-	Ame
ASS	AME8501BEETBA28Y	CMOS-IC	Voltage Detector 2 8V, -Reset Open drain output	SOT23	16vc	-	Ame
ASU	AME8500AETCF31	CMOS-IC	Voltage Detector 3 08V, Reset Push-pull output	SOT23	16vdc	-	Ame
ASU	AME8501AETCF31	CMOS-IC	Voltage Detector 3 08V, Reset Push-pull output	SOT23	16vdc	-	Ame
ASV	AME8500AETAA21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASV	AME8501AETAA21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ASW	AME8500AETCA21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vdc	-	Ame
ASW	AME8501AETCA21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vdc	-	Ame
ASX	AME8500BEETCA21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vc	-	Ame
ASX	AME8501BEETCA21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vc	-	Ame
ASY	AME8500CEETAA21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vd	-	Ame
ASY	AME8501CEETAA21	CMOS-IC	Voltage Detector 2 1V, -Reset Push-pull output	SOT23	16vd	-	Ame
ASY	KTA1504-Y	Si-PNP	GP 50V 150mA, 150mW, B=120 240 >80MHz	SOT23	16ta	-	Kec
ASZ	AME8500CEETCA21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vd	-	Ame
ASZ	AME8501CEETCA21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vd	-	Ame
AT	BAT18-06	PIN-Diode	Dual Switching, 35V, 0 1A, Vf<1 2V, Cd<1pF	SOT23	16df	-	Sie
AT	G56333UR20D2	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
AT	SiP6333R20D2	CMOS-IC	Voltage Detector 2V, Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
AT1	FA4L4K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/10k	SC-59	16ta	-	Nec
AT1	GA4L4K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/10k	SC-70	16ta	-	Nec
ATD	AME8500AETAF15	CMOS-IC	Voltage Detector 1 5V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATD	AME8501AETAF15	CMOS-IC	Voltage Detector 1 5V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATE	AME8500AETAF16	CMOS-IC	Voltage Detector 1 6V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATE	AME8501AETAF16	CMOS-IC	Voltage Detector 1 6V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATO	AME8500BEETAF31	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SOT23	16vc	-	Ame
ATO	AME8501BEETAF31	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SOT23	16vc	-	Ame
AtQ	2PD1820AQ	Si-NPN	GP, Sw, 60V, 500mA, 200mW, B=85 170, >150MHz	SOT323	16ta	-	PhM
ATQ	25C4326K-Q	Si-NPN	HF, 12V, 50mA, 150mW, B=120 270, >800MHz	SOT346	16ta	-	Rhm
ATQ	AME8500BEETAF40	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vc	-	Ame
ATQ	AME8501BEETAF40	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vc	-	Ame
AiR	2PD1820AR	Si-NPN	GP, Sw, 60V, 500mA, 200mW, B=120 240, >150MHz	SOT323	16ta	-	PhM
ATR	25C4326K-R	Si-NPN	HF, 12V, 50mA, 150mW, B=180 390, >800MHz	SOT346	16ta	-	Rhm
ATR	AME8500AETAF27	CMOS-IC	Voltage Detector 2 7V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATR	AME8501AETAF27	CMOS-IC	Voltage Detector 2 7V, -Reset Push-pull output	SOT23	16vdc	-	Ame
AiS	2PD1820AS	Si-NPN	GP, Sw, 60V, 500mA, 200mW, B=170 340, >150MHz	SOT323	16ta	-	PhM
ATS	25C4326K-S	Si-NPN	HF, 12V, 50mA, 150mW, B=270 560, >800MHz	SOT346	16ta	-	Rhm
ATS	AME8500AETAE46	CMOS-IC	Voltage Detector 4 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATS	AME8501AETAE46	CMOS-IC	Voltage Detector 4 63V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATT	AME8500AETAF23	CMOS-IC	Voltage Detector 2 32V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATT	AME8501AETAF23	CMOS-IC	Voltage Detector 2 32V, -Reset Push-pull output	SOT23	16vdc	-	Ame
ATY	AME8500AETCF21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vdc	-	Ame
ATY	AME8501AETCF21	CMOS-IC	Voltage Detector 2 1V, Reset Push-pull output	SOT23	16vdc	-	Ame
AU	BAT18-04	PIN-Diode	Dual, Switching, 35V, 0 1A, Vf<1 2V, Cd<1pF	SOT23	16dl	-	Sie
AU	BCX70RG	Si-NPN	GP, 45V, 100mA, 330mW, B=120 220, 250MHz	SOT23	16ta	-	Sie
AUA	AME8500AETAE20	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT23	16vdc	-	Ame
AUA	AME8501AETAE20	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT23	16vdc	-	Ame
AUB	AME8500AETAE31	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SOT23	16vdc	-	Ame
AUB	AME8501AETAE31	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SOT23	16vdc	-	Ame
AUC	AME8500BEETAF27	CMOS-IC	Voltage Detector 2 7V, -Reset Push-pull output	SOT23	16vc	-	Ame
AUC	AME8501BEETAF27	CMOS-IC	Voltage Detector 2 7V, -Reset Push-pull output	SOT23	16vc	-	Ame
AUT	AME8500AETBF31	CMOS-IC	Voltage Detector 3 08V, -Reset Open drain output	SOT23	16vdc	-	Ame

Страница отсутствует

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
B1Y	KSC2715-Y	Si-NPN	AF, 35V, 50mA 150mW, B=120 240 >150MHz	SOT23	16ta -	Sam
B2	2SC4175-B2	Si-NPN	Switching, 40V, 200mA, 150mW, B=40 80, 12/18ns	SOT323	16ta -	Nec
B2	BSV52	Si-NPN	Switching, 20/12V, 100mA, 250mW, B=40 120, 500MHz	SOT23	16ta -	Ztx
B2	BSV52LT1	Si-NPN	Switching, 20/12V, 100mA, 250mW, B=40 120, 500MHz	SOT23	16ta -	Mot
B2	HSMS-2812	Si-Diode	2x Schottky, RF, 20V, 1A, Vf<0.4V(1mA), <1 2pF, 15Q(5mA)	SOT23	16dl -	Agf
B2	HSMS-281C	Si-Diode	2x Schottky RF 20V, 1A, Vf<0.4V(1mA), <1 2pF, 15Q(5mA)	SOT323	16dl -	Agf
B2	R3111N122A	CMOS-IC	Voltage Detector 1.2V, Reset Push-pull output	SOT23	16vc VD7	Ric
B2	R3130N22EC	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
B22	2SC3734-B22	Si-NPN	Switching 40V, 200mA, 200mW, B=75 150, >200MHz	SOT23	16ta -	Nec
B23	2SC3734-B23	Si-NPN	Switching, 40V, 200mA, 200mW, B=100 200, >200MHz	SOT23	16ta -	Nec
B24	2SC3734-B24	Si-NPN	Switching, 40V, 200mA, 200mW, B=150 300, >200MHz	SOT23	16ta -	Nec
B26	BF570	Si-NPN	TV-IF-Pre, 40V, 200mA, 250mW, B>40 >490MHz	SOT23	16ta -	Phi
B2p	BSV52	Si-NPN	Switching, 20/12V 100mA, 250mW, B=40 120, 500MHz	SOT23	16ta -	PHH
B2t	BSV52	Si-NPN	Switching 20/12V, 100mA, 250mW, B=40 120, 500MHz	SOT23	16ta -	PHM
B3	1PS301	Si-Diode	Dual, Switching, Fast, 85V, 80mA, <4ns	SC-70	16dg -	Phi
B3	1SS184	Si-Diode	2x Sw, U-Fst 85V, 100mA, 150mW Vf<1.2V(100mA), <4ns	SC-59	16dg -	Tos
B3	1SS301	Si-Diode	Dual, 80V, 100mA, Vf<1.2V(100mA), <4ns	SOT323	16dg -	Tos
B3	2SC4175-B3	Si-NPN	Switching, 40V, 200mA 150mW, B=60 120, 12/18ns	SOT323	16ta -	Nec
B3	AP432W	Vref-IC	Adjustable, Precision, Shunt, 1.24V±1%	SOT23-3L	16rc RF1	Ana
B3	HSMS-2813	Si-Diode	2x Schottky RF, 20V, 1A, Vf<0.4V(1mA), <1 2pF, 15Q(5mA)	SOT23	16df -	Agf
B3	HSMS-281E	Si-Diode	2x Schottky RF, 20V, 1A, Vf<0.4V(1mA) <1 2pF, 15Q(5mA)	SOT323	16df -	Agf
B3	MMBD711LT1	Si-Diode	Dual, Switching, 20V 20mA Vf<0.37V(1mA), <2.5pF	SOT323	16df -	Ons
B3	R3111N132A	CMOS-IC	Voltage Detector 1.3V, Reset Push-pull output	SOT23	16vc VD7	Ric
B3	R3130N23EC	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
B33	2SC3735-B33	Si-NPN	Switching, 15V, 50mA, 200mW, B=50 100, >800MHz	SOT23	16ta -	Nec
B33	2SC4176-B33	Si-NPN	Switching, 40V 200mA, 150mW, B=40 80, >500MHz	SOT323	16ta -	Nec
B34	2SC3735-B34	Si-NPN	Switching 15V, 50mA, 200mW, B=75 150, >800MHz	SOT23	16ta -	Nec
B34	2SC4176-B34	Si-NPN	Switching, 40V, 200mA, 150mW, B=60 120, >500MHz	SOT323	16ta -	Nec
B35	2SC3735-B35	Si-NPN	Switching, 15V, 50mA, 200mW, B=100 200, >800MHz	SOT23	16ta -	Nec
B35	2SC4176-B35	Si-NPN	Switching, 40V, 200mA, 150mW, B=90 180, >500MHz	SOT323	16ta -	Nec
B3T	1PS184	Si-Diode	Dual, Hi-Speed, 85V, 215mA, 250mW, <1.5pF, <4ns	SC-59	16dg -	Phi
B4	2SC4175-B4	Si-NPN	Switching 40V, 200mA, 150mW, B=90 180, 12/18ns	SOT323	16ta -	Nec
B4	AP432AW	Vref-IC	Adjustable, Precision, Shunt, 1.24V±0.5%	SOT23-3L	16rc RF1	Ana
B4	BAT54WT1	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<0.52V(100mA), <5ns	SOT323	16dc -	Ons
B4	BSV52R	Si-NPN	Switching, 20/12V, 100mA, 250mW, B=40 120, 500MHz	SOT23	16te -	Ztx
B4	HSMS-2814	Si-Diode	2x Schottky, RF 20V, 1A Vf<0.4V(1mA), <1 2pF, 15Q(5mA)	SOT23	16dg -	Agf
B4	HSMS-281F	Si-Diode	2x Schottky RF, 20V, 1A, Vf<0.4V(1mA), <1 2pF, 15Q(5mA)	SOT323	16dg -	Agf
B4	KA4F4M	Si-NPN-Digi	Switching, 60V, 100mA 200mW, R1/R2=22k/22k	SC-75	16ta -	Nec
B4	R3111N142A	CMOS-IC	Voltage Detector 1.4V, Reset Push-pull output	SOT23	16vc VD7	Ric
B4	R3130N24EC	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
B42	2SB1475-B42	Si-PNP	AF, 25V, 500mA 150mW, B=110 240, >50MHz	SOT323	16ta -	Nec
B43	2SB1475-B43	Si-PNP	AF, 25V, 500mA, 150mW, B=190 320 >50MHz	SOT323	16ta -	Nec
B44	2SB1475-B44	Si-PNP	AF, 25V, 500mA, 150mW, B=270 400, >50MHz	SOT323	16ta -	Nec
B5	AP432R	Vref-IC	Adjustable, Precision, Shunt, 1.24V±0.5%	SOT23-3L	16rd RF1	Ana
B5	R3111N152A	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output	SOT23	16vc VD7	Ric
B5	R3130N25EC	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output 240ms	SOT23	16vdc VD6	Ric
B51	2SB736A-B51	Si-PNP	AF, 80V, 300mA 200mW, B=110 180, 100MHz	SOT23	16ta -	Nec
B52	2SB736A-B52	Si-PNP	AF 80V 300mA 200mW B=135 220, 100MHz	SOT23	16ta -	Nec
B53	2SB736A-B53	Si-PNP	AF, 80V, 300mA 200mW, B=170 270, 100MHz	SOT23	16ta -	Nec
B54	2SB736A-B54	Si-PNP	AF, 80V, 300mA, 200mW, B=200 320, 100MHz	SOT23	16ta -	Nec
B55	2SB736A-B55	Si-PNP	AF, 80V, 300mA, 200mW, B=250 400, 100MHz	SOT23	16ta -	Nec
B6	AP432AR	Vref-IC	Adjustable, Precision, Shunt, 1.24V±0.5%	SOT23-3L	16rd RF1	Ana
B6	BAT54ALT1	Si-Diode	2x Schottky Rectifier, 30V, 200mA, Vf<0.52V(100mA), <5ns	SOT23	16df -	Ons
B6	R3111N162A	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT23	16vc VD7	Ric
B6	R3130N26EC	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
B6	XC61CC1602M	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT23	16vc VD7	Tor
B65	XC61FC1612M	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 200ms	SOT23	16vc VD7	Tor
B66	XC61FC1642M	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 400ms	SOT23	16vc VD7	Tor
B67	XC61FC1652M	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 50ms	SOT23	16vc VD7	Tor
B7	KN4F4M	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=22k/22k	SC-75	16ta -	Nec
B7	R3111N172A	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output	SOT23	16vc VD7	Ric
B7	R3130N27EC	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
B7	XC61CC1702M	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output	SOT23	16vc VD7	Tor
B75	XC61FC1712M	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output, 200ms	SOT23	16vc VD7	Tor
B76	XC61FC1742M	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output 400ms	SOT23	16vc VD7	Tor
B77	XC61FC1752M	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output, 50ms	SOT23	16vc VD7	Tor
B8	BAT54SWT1	Si-Diode	2x Schottky Rectifier, 30V, 200mA, Vf<0.52V(100mA), <5ns	SOT323	16dl -	Ons
B8	R3111N182A	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT23	16vc VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
B8	R3130N28EC	CMOS-IC	Voltage Detector 2,8V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
B8	XC61CC1802M	CMOS-IC	Voltage Detector 1,8V, Reset Push-pull output	SOT23	16vc	VD7	Tor
B85	XC61FC1812M	CMOS-IC	Voltage Detector 1,8V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
B86	XC61FC1842M	CMOS-IC	Voltage Detector 1,8V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
B87	XC61FC1952M	CMOS-IC	Voltage Detector 1,8V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
B9	25C4617	Si-NPN	GP, 50V, 100mA, 150mW, B=120 560, 180MHz	SOT416	16la	-	Ons
B9	R3111N192A	CMOS-IC	Voltage Detector 1,9V, Reset Push-pull output	SOT23	16vc	VD7	Ric
B9	R3130N29EC	CMOS-IC	Voltage Detector 2,9V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
B9	XC61CC1902M	CMOS-IC	Voltage Detector 1,9V, Reset Push-pull output	SOT23	16vc	VD7	Tor
B95	XC61FC1912M	CMOS-IC	Voltage Detector 1,9V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
B96	XC61FC1942M	CMOS-IC	Voltage Detector 1,9V, Reset Push-pull output 400ms	SOT23	16vc	VD7	Tor
B97	XC61FC1952M	CMOS-IC	Voltage Detector 1,9V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
BA	1S5154	Si-Diode	Schottky, UHF-S-Band Max/Det, 6V, 30mA, <0,8pF(1MHz)	SC-59	16dr	-	Tos
BA	25A1865	Si-PNP-Digi	Muting, 15V, 100mA, 150mW, 600MHz, R1/R2=10k/10k	SOT23	16la	-	Say
BA	BCW61A	Si-PNP	GP, 32V, 200mA, 330mW, B=120 220, >180MHz	SOT23	16la	-	All,Cdi Zlx
BA	DAN217	Si-Diode	Dual, U-Speed, 80V, 100mA, Vf<1,2V(100mA), 0,5pF, 4ns	SMD3	16dl	-	Rhm
BA	GS6333UR22D2	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
BA	SP6333R22D2	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
BAp	BCW61A	Si-PNP	GP, 32V, 200mA, 250mW, B=120 220 >100MHz	SOT23	16la	-	PhH
BAs	BCW61A	Si-PNP	GP, 32V, 100mA, 330mW B=120 220, 250MHz	SOT23	16la	-	Sie
BB	15V128	PIN-Diode	VHF/UHF, AGC, 50V, 0,05A, 0,25pF	SOT23	16dc	-	Tos
BB	BCW61B	Si-PNP	GP, 32V, 200mA, 330mW, B=180 310, >180MHz	SOT23	16la	-	All,Cdi Zlx
BB	GS6333UR22D3	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
BB	SP6333R22D3	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
BBD	KTC9012S-D	Si-PNP	GP, Sw, 40V, 500mA, 350mW B=64 91, >150MHz	SOT23	16la	-	Kec
BBE	KTC9012S-E	Si-PNP	GP, Sw, 40V, 500mA, 350mW B=68 112, >150MHz	SOT23	16la	-	Kec
BBF	KTC9012S-F	Si-PNP	GP, Sw 40V, 500mA, 350mW, B=95 135, >150MHz	SOT23	16la	-	Kec
BBG	KTC9012S-G	Si-PNP	GP, Sw, 40V, 500mA, 350mW B=118 166, >150MHz	SOT23	16la	-	Kec
BBH	KTC9012S-H	Si-PNP	GP, Sw, 40V, 500mA, 350mW B=144 202, >150MHz	SOT23	16la	-	Kec
BBi	KTC9012S-I	Si-PNP	GP, Sw 40V, 500mA, 350mW, B=176 246 >150MHz	SOT23	16la	-	Kec
BBp	BCW61B	Si-PNP	GP, 32V, 200mA, 250mW B=180 310, >100MHz	SOT23	16la	-	PhH
BBs	BCW61B	Si-PNP	GP 32V, 100mA, 330mW, B=180 310 250MHz	SOT23	16la	-	Sie
BBU	2SD2114K-U	Si-NPN	AF 25V, 500mA, 200mW, B=560 1200, >350MHz	SOT346	16la	-	Rhm
BBV	2SD2114K-V	Si-NPN	AF, 25V, 500mA, 200mW B=820 1800, >350MHz	SOT346	16la	-	Rhm
BBW	2SD2114K-W	Si-NPN	AF, 25V, 500mA, 200mW, B=1200 2700, >350MHz	SOT346	16la	-	Rhm
BC	AP432IW	Vref-IC	Adjustable, Precision, Shunt, 1,24V±1%	SOT23-3L	16rc	RF1	Ana
BC	BCW61C	Si-PNP	GP, 32V, 200mA, 330mW, B=250 460, >180MHz	SOT23	16la	-	All,Cdi Zlx
BC	GS6333UR23D1	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
BC	SP6333R23D1	CMOS-IC	Voltage Detector 2,3V, Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
BCD	KTC9013S-D	Si-NPN	GP, Sw, 40V, 500mA, 350mW, B=64 91, >140MHz	SOT23	16la	-	Kec
BCE	KTC9013S-E	Si-NPN	GP, Sw, 40V, 500mA, 350mW, B=68 112, >140MHz	SOT23	16la	-	Kec
BCF	KTC9013S-F	Si-NPN	GP, Sw, 40V, 500mA, 350mW, B=95 135 >140MHz	SOT23	16la	-	Kec
BCG	KTC9013S-G	Si-NPN	GP Sw, 40V, 500mA, 350mW, B=118 166, >140MHz	SOT23	16la	-	Kec
BCH	KTC9013S-H	Si-NPN	GP, Sw, 40V, 500mA, 350mW B=144 202, >140MHz	SOT23	16la	-	Kec
BCI	KTC9013S-I	Si-NPN	GP, Sw, 40V, 500mA, 350mW, B=176 246, >140MHz	SOT23	16la	-	Kec
BCp	BCW61C	Si-PNP	GP, 32V, 200mA, 250mW, B=250 460, >100MHz	SOT23	16la	-	PhH
BCs	BCW61C	Si-PNP	GP, 32V, 100mA, 330mW, B=250 460, 250MHz	SOT23	16la	-	Sie
BD	AP432IAW	Vref-IC	Adjustable, Precision, Shunt, 1,24V±0,5%	SOT23-3L	16rc	RF1	Ana
BD	GS6333UR23D2	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
BD	SP6333R23D2	CMOS-IC	Voltage Detector 2,3V, Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
BDD	KTC9014S-D	Si-NPN	GP, Sw, 50V, 150mA, 350mW, B=64 91, >60MHz	SOT23	16la	-	Kec
BDE	KTC9014S-E	Si-NPN	GP, Sw, 50V, 150mA, 350mW, B=68 112 >60MHz	SOT23	16la	-	Kec
BDF	KTC9014S-F	Si-NPN	GP, Sw, 50V, 150mA, 350mW, B=95 135, >60MHz	SOT23	16la	-	Kec
BDG	KTC9014S-G	Si-NPN	GP, Sw, 50V, 150mA, 350mW, B=118 166, >60MHz	SOT23	16la	-	Kec
BDH	KTC9014S-H	Si-NPN	GP, Sw, 50V, 150mA, 350mW, B=144 202, >60MHz	SOT23	16la	-	Kec
BDI	KTC9014S-I	Si-NPN	GP, Sw, 50V, 150mA, 350mW, B=176 246, >60MHz	SOT23	16la	-	Kec
BDM	2SA1733K-M	Si-PNP	Switching, 30V, 30mA, 200mW, B=39 82, >400MHz	SOT346	16la	-	Rhm
BDM	2SA1808-M	Si-PNP	RF, 30V, 30mA, 200mW, B=39 82, >400MHz	SOT323	16la	-	Rhm
BDN	2SA1733K-N	Si-PNP	Switching, 30V, 30mA, 200mW, B=56 120, >400MHz	SOT346	16la	-	Rhm
BDN	2SA1808-N	Si-PNP	RF, 30V, 30mA, 200mW, B=56 120, >400MHz	SOT323	16la	-	Rhm
BDP	2SA1733K-P	Si-PNP	Switching, 30V, 30mA, 200mW, B=82 180, >400MHz	SOT346	16la	-	Rhm
BDP	2SA1808-P	Si-PNP	RF, 30V, 30mA, 200mW, B=82 180, >400MHz	SOT323	16la	-	Rhm
BDp	BCW61D	Si-PNP	GP, 32V, 200mA, 250mW, B=380 630, >100MHz	SOT23	16la	-	PhH
BDs	BCW61D	Si-PNP	GP, 32V, 100mA, 330mW, B=380 630, 250MHz	SOT23	16la	-	Sie
BE	1SV172	C-Diode	2x VHF/UHF-B, 50V, 0,25pF(50V), Rs=7Ω(10mA), 100MHz	SOT23	16dl	-	Tos
BE	25C3440-E	Si-NPN	Relay-Drv, 25V, 1A, 150mW, B=150 300, 180MHz	SOT23	16la	-	Mit
BE	AP432IR	Vref-IC	Adjustable, Precision, Shunt, 1,24V±1%	SOT23-3L	16rd	RF1	Ana
BE	BA570LT1	Si-Diode	Schottky, 70V, 70mA, Vf<1V, Cd<2pF, 5ns	SOT23	16dc	-	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
BE	GS6333UR23D3	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output, 150ms	SOT23	16vdc VD7	Vis
BE	SiP6333R23D3	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis
BED	KTC9015S-D	Si-PNP	GP, Sw, 50V, 150mA, 350mW, B=64 91, >60MHz	SOT23	18ta -	Kec
BEE	KTC9015S-E	Si-PNP	GP, Sw, 50V, 150mA, 350mW, B=68 112 >60MHz	SOT23	18ta -	Kec
BEF	KTC9015S-F	Si-PNP	GP, Sw, 50V, 150mA, 350mW, B=95 135, >60MHz	SOT23	18ta -	Kec
BEG	KTC9015S-G	Si-PNP	GP, Sw, 50V, 150mA, 350mW, B=118 166, >60MHz	SOT23	18ta -	Kec
BEH	KTC9015S-H	Si-PNP	GP, Sw, 50V 150mA 350mW, B=144 202, >60MHz	SOT23	18ta -	Kec
BEI	KTC9015S-I	Si-PNP	GP Sw, 50V, 150mA, 350mW B=176 246, >60MHz	SOT23	18ta -	Kec
BF	25C3440-F	Si-NPN	Relay-Drv, 25V, 1A, 150mW, B=250 500, 180MHz	SOT23	18ta -	Mit
BF	AP432IAR	Vref-IC	Adjustable, Precision, Shunt, 1,24V±0,5%	SOT23-3L	16rd RF1	Ana
BF	KDS112	C-Diode	VHF-Band-S 30V, <1,2pF(6V)	SOT323	18dg -	Kec
BFR	25C4642-K	Si-NPN	AF, 50V, 100mA, 200mW, B=180 390, >180MHz	SOT346	16ta -	Rhm
BFR	25C4723-R	Si-NPN	AF 50V, 100mA 200mW, B=180 390, >180MHz	SOT323	18ta -	Rhm
BFS	25C4642-S	Si-NPN	AF, 50V, 100mA, 200mW, B=270 560, >180MHz	SOT346	16ta -	Rhm
BFS	25C4723-S	Si-NPN	AF, 50V, 100mA, 200mW, B=270 580, >180MHz	SOT323	18ta -	Rhm
BFs	BCW61FF	Si-PNP	GP, 32V, 100mA, 330mW, B=250 460, 250MHz	SOT23	16ta -	Sie
BG	25C3440-G	Si-NPN	Relay-Drv, 25V, 1A, 150mW, B=400 800, 180MHz	SOT23	16ta -	Mit
BG	BCW61G	Si-PNP	AF, 45V 200mA, 250mW, B=120 220, >100MHz	SOT23	18ta -	AlI,Cdi,Sam
BG	GS8333UR24D1	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 1,5ms	SOT23	16vdc VD7	Vis
BG	SiP6333R24D1	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output 1,5ms	SOT23	18vdc VD7	Vis
BGp	BCW61G	Si-PNP	AF, 45V, 200mA, 250mW, B=120 220, >100MHz	SOT23	16ta -	Phi
BGp	BCX71G	Si-PNP	GP, 45V, 200mA, 250mW, B=120 220, >100MHz	SOT23	16ta -	PhH
BGs	BCW61G	Si-PNP	AF, 45V, 100mA, 330mW, B=120 220, 250MHz	SOT23	18ta -	Sie
BGs	BCX71G	Si-PNP	GP, 45V, 100mA, 330mW, B= 120 220, 250MHz	SOT23	16ta -	Sie
BGl	BCX71G	Si-PNP	GP, 45V, 200mA 250mW B=120 220, >100MHz	SOT23	18ta -	PhM
BH	1SS350	Si-Diode	Schottky, UHF Detector, Mix, 5V, 30mA, 0,89pF	SOT23	16dc -	Say
BH	GS8333UR24D2	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
BH	SiP6333R24D2	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output 30ms	SOT23	18vdc VD7	Vis
BHM	25C4699K-M	Si-NPN	AF, 25V, 200mA, 200mW, B=39 82, >250MHz	SOT346	16ta -	Rhm
BHM	25C4700-M	Si-NPN	RF Switching 25V, 200mA 150mW, B=39 82, >250MHz	SOT323	18ta -	Rhm
BHN	25C4699K-N	Si-NPN	AF, 25V, 200mA, 200mW, B=58 120, >250MHz	SOT346	16ta -	Rhm
BHN	25C4700-N	Si-NPN	RF, Switching, 25V, 200mA, 150mW, B=58 120, >250MHz	SOT323	18ta -	Rhm
BHP	25C4699K-P	Si-NPN	AF, 25V, 200mA, 200mW, B=82 180, >250MHz	SOT346	16ta -	Rhm
BHP	25C4700-P	Si-NPN	RF, Switching, 25V, 200mA, 150mW, B=82 180, >250MHz	SOT323	16ta -	Rhm
BHP	BCX71H	Si-PNP	GP, 45V, 200mA 250mW, B=180 310, >100MHz	SOT23	16ta -	PhH
BHs	BCX71H	Si-PNP	GP, 45V, 100mA, 330mW, B=180 310, 250MHz	SOT23	18ta -	Sie
BHt	BCX71H	Si-PNP	GP, 45V, 200mA, 250mW, B=180 310, >100MHz	SOT23	16ta -	PhM
BI	GS8333UR24D3	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 150ms	SOT23	16vdc VD7	Vis
BI	SiP6333R24D3	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis
BJ	BCX71J	Si-PNP	GP, 45V 100mA 330mW, B=250 460, 250MHz	SOT23	16ta -	AlI,Cdi Zlx
BJp	BCX71J	Si-PNP	GP 45V, 200mA, 250mW B=250 460, >100MHz	SOT23	16ta -	PhH
BJS	BCX71J	Si-PNP	GP, 45V 100mA 330mW, B=250 460, 250MHz	SOT23	16ta -	Sie
BJt	BCX71J	Si-PNP	GP, 45V 200mA, 250mW, B=250 460, >100MHz	SOT23	16ta -	PhM
BJU	25D2226K-U	Si-NPN	AF, 60V, 150mA, 200mW, B=560 1200, >250MHz	SOT346	16ta -	Rhm
BJU	25D2351-U	Si-NPN	Hi-beta, 60V, 150mA, 200mW, B=560 1200, >250MHz	SOT323	16ta -	Rhm
BJV	25D2226K-V	Si-NPN	AF, 60V, 150mA, 200mW, B=820 1800, >250MHz	SOT346	16ta -	Rhm
BJV	25D2351-V	Si-NPN	Hi-beta, 60V, 150mA 200mW, B=820 1800, >250MHz	SOT323	16ta -	Rhm
BJW	25D2226K-W	Si-NPN	AF, 60V, 150mA, 200mW, B=1200 2700, >250MHz	SOT346	16ta -	Rhm
BJW	25D2351-W	Si-NPN	Hi-beta 60V, 150mA, 200mW, B=1200 2700, >250MHz	SOT323	16ta -	Rhm
BK	GS6333UR25D1	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output, 1,5ms	SOT23	16vdc VD7	Vis
BK	SiP6333R25D1	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output 1,5ms	SOT23	16vdc VD7	Vis
BKp	BCX71K	Si-PNP	GP, 45V, 200mA, 250mW, B=380 630, >100MHz	SOT23	16ta -	PhH
BKq	25B1590K-Q	Si-PNP	Lo-sat 15V, 1A, 200mW, B=120 270, 200MHz	SC-59	16ta -	Rhm
BKs	BCX71K	Si-PNP	GP, 45V, 100mA, 330mW, B=380 630, 250MHz	SOT23	16ta -	Sie
BKt	BCX71K	Si-PNP	GP, 45V, 200mA, 250mW, B=380 630, >100MHz	SOT23	16ta -	PhM
BL	25A1676	Si-PNP-Digi	Switching, 50V, 100mA, 200MHz, R1/R2=47k/47k	SOT323	16ta -	Say
BL	GS6333UR25D2	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
BL	SiP6333R25D2	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output 30ms	SOT23	16vdc VD7	Vis
BLL	25C4771K-L	Si-NPN	HF, 30V, 50mA, 200mW, B=27 56, >600MHz	SOT346	16ta -	Rhm
BLL	25C4772-L	Si-NPN	RF, 30V, 50mA, 150mW, B=27 56, >600MHz	SOT323	16ta -	Rhm
BLM	25C4771K-M	Si-NPN	HF, 30V, 50mA, 200mW, B=39 82, >600MHz	SOT346	18ta -	Rhm
BLM	25C4772-M	Si-NPN	RF, 30V, 50mA, 150mW, B=39 82, >600MHz	SOT323	18ta -	Rhm
BLN	25C4771K-N	Si-NPN	HF, 30V, 50mA, 200mW, B=56 120, >600MHz	SOT346	18ta -	Rhm
BLN	25C4772-N	Si-NPN	RF, 30V, 50mA, 150mW, B=56 120, >600MHz	SOT323	18ta -	Rhm
BLP	25C4771K-P	Si-NPN	HF, 30V, 50mA, 200mW, B=82 180, >600MHz	SOT346	16ta -	Rhm
BLP	25C4772-P	Si-NPN	RF, 30V, 50mA, 150mW, B=82 180, >600MHz	SOT323	18ta -	Rhm
BM	GS8333UR25D3	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output, 150ms	SOT23	18vdc VD7	Vis
BM	SiP6333R25D3	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
BMp	BSS63	Si-PNP	GP, 110V, 100mA, 250mW, B>30, >50MHz	SOT23	161a	-	PhH
BMQ	2SC4713K-Q	Si-NPN	HF, 12V, 50mA, 200mW, B=120..270, 800MHz	SOT346	161a	-	Rhm
BMQ	2SC4774-Q	Si-NPN	RF, Switching, 12V, 50mA, 150mW, B=120..270, >800MHz	SOT323	161a	-	Rhm
BMR	2SC4713K-R	Si-NPN	HF, 12V, 50mA, 200mW, B=180..390, 800MHz	SOT346	161a	-	Rhm
BMR	2SC4774-R	Si-NPN	RF, Switching, 12V, 50mA, 150mW, B=180..390, >800MHz	SOT323	161a	-	Rhm
BMS	2SC4713K-S	Si-NPN	HF, 12V, 50mA, 200mW, B=270..560, 800MHz	SOT346	161a	-	Rhm
BMS	2SC4774-S	Si-NPN	RF, Switching, 12V, 50mA, 150mW, B=270..560, >800MHz	SOT323	161a	-	Rhm
BMs	BSS63	Si-PNP	GP, 100V, 100mA, 330mW, B>30, 150MHz	SOT23	161a	-	Sie
BMt	BSS63	Si-PNP	GP, 110V, 100mA, 250mW, B>30, >50MHz	SOT23	161a	-	PhM
BN	2SD2324	Si-NPN-Digi+Di	Motor Drv, 20V, 800mA, 200mW, B>70, 150MHz, R2=1kΩ	CP	161a	-	Say
BN	GS6332UR15D1	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output, 1.5ms	SOT23	16vdc	VD7	Vis
BN	SIP6332R15D1	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output 1.5ms	SOT23	16vdc	VD7	Vis
BNs	BCW61FN	Si-PNP	LN, 32V, 100mA, 330mW, B=380..630, 250MHz	SOT23	161a	-	Sie
BO	GS6332UR15D2	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
BO	SIP6332R15D2	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
BP	2SJ574	MOS-P-FET-e*	V-MOS, Logt, 30V, 0.3A, <3,1Ω	SOT23	16fg	-	Hlt
BP	GS6332UR15D3	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
BP	SIP6332R15D3	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
BQ	2PB709AQ	Si-PNP	GP, 45V, 100mA, 250mW, B=160..260, >60MHz	SC-59	161a	-	Phi
BQ	2SB1218A-Q	Si-PNP	AF, 45V, 100mA, 150mW, B=160..260, >80MHz	SOT323	161a	-	Pan
BQ	2SB709A-Q	Si-PNP	GP, AF, 60V, 600mA, B=160..260, 150MHz	SC-59	161a	-	Pan
BQ	2SC2412K-Q	Si-NPN	GP, 60/50V, 150mA, 200mW, B=120..270, 100MHz	SOT346	161a	-	Rhm
BQ	2SC4081-Q	Si-NPN	GP, 60/50V, 0.15A, 0.2W, 100MHz, B=120..270	SOT323	161a	-	Rhm
BQ	2SC4617-Q	Si-NPN	GP, 60/50V, 150mA, 150mW, B=120..270, 100MHz	SOT416	161a	-	Rhm
BQ	2SC5658-Q	Si-NPN	GP, 60/50V, 0.15A, 0.15W, 100MHz, B=120..270	VMT3	161a	-	Rhm
BR	2PB709AR	Si-PNP	GP, 45V, 100mA, 250mW, B=210..340, >70MHz	SC-59	161a	-	Phi
BR	2SB1218A-R	Si-PNP	AF, 45V, 100mA, 150mW, B=210..340, >80MHz	SOT323	161a	-	Pan
BR	2SB709A-R	Si-PNP	GP, AF, 60V, 600mA, B=210..340, 150MHz	SC-59	161a	-	Pan
BR	2SC2412K-R	Si-NPN	GP, 60/50V, 150mA, 200mW, B=180..390, 100MHz	SOT346	161a	-	Rhm
BR	2SC4081-R	Si-NPN	GP, 60/50V, 0.15A, 0.2W, 100MHz, B=180..390	SOT323	161a	-	Rhm
BR	2SC4617-R	Si-NPN	GP, 60/50V, 150mA, 150mW, B=180..390, 100MHz	SOT416	161a	-	Rhm
BR	2SC5658-R	Si-NPN	GP, 60/50V, 0.15A, 0.15W, 100MHz, B=180..390	VMT3	161a	-	Rhm
BR	BCW60DR	Si-NPN	GP, 32V, 0.2A, 0.33W, B=380..630, >250MHz	SOT23	161a	-	Ztx
BR	GS6332UR16D1	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 1.5ms	SOT23	16vdc	VD7	Vis
BR	MSB1218A-RT1	Si-PNP	GP, 45V, 100mA, 150mW, B=210..340	SOT323	161a	-	Mot
BR	SIP6332R16D1	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output 1.5ms	SOT23	16vdc	VD7	Vis
BR	SRA2212E	Si-PNP-Digi	Switching, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1=100k	SOT523	161a	-	Auk
BR	SRA2212EF	Si-PNP-Digi	Switching, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1=100k	SOT523F	181a	-	Auk
BR	SRA2212U	Si-PNP-Digi	Switching, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1=100k	SOT323	161a	-	Auk
BS	2PB709AS	Si-PNP	GP, 45V, 100mA, 250mW, B=290..460, >80MHz	SC-59	161a	-	Phi
BS	2SB1218A-S	Si-PNP	AF, 45V, 100mA, 150mW, B=290..460, >80MHz	SOT323	161a	-	Pan
BS	2SB709A-S	Si-PNP	GP, AF, 60V, 600mA, B=290..460, 150MHz	SC-59	161a	-	Pan
BS	2SC2412K-S	Si-NPN	GP, 60/50V, 150mA, 200mW, B=270..560, 100MHz	SOT346	161a	-	Rhm
BS	2SC4081-S	Si-NPN	GP, 60/50V, 0.15A, 0.2W, 100MHz, B=270..560	SOT323	161a	-	Rhm
BS	2SC4617-S	Si-NPN	GP, 60/50V, 150mA, 150mW, B=270..560, 100MHz	SOT416	161a	-	Rhm
BS	2SC5658-S	Si-NPN	GP, 60/50V, 0.15A, 0.15W, 100MHz, B=270..560	VMT3	161a	-	Rhm
BS	GS6332UR16D2	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
BS	MSB1218A-ST1	Si-PNP	GP, 45V, 100mA, 150mW, B=210..340	SOT323	161a	-	Mot
BS	SIP6332R16D2	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
BSA	BC848AU	Si-NPN	GP, 30V, 100mA, 200mW, B=110..220, 150MHz	SOT323	161a	-	Auk
BSA	BC848AUF	Si-NPN	GP, 30V, 100mA, 200mW, B=110..220, 150MHz	SOT323F	181a	-	Auk
BSS	BC848BU	Si-NPN	GP, 30V, 100mA, 200mW, B=200.450, 150MHz	SOT323	161a	-	Auk
BSS	BC848BUF	Si-NPN	GP, 30V, 100mA, 200mW, B=200.450, 150MHz	SOT323F	181a	-	Auk
BSC	BC848CU	Si-NPN	GP, 30V, 100mA, 200mW, B=420.800, 150MHz	SOT323	161a	-	Auk
BSC	BC848CUF	Si-NPN	GP, 30V, 100mA, 200mW, B=420.800, 150MHz	SOT323F	181a	-	Auk
BSQ	2SD244K-Q	Si-NPN	Lo-sat, 15V, 1A, 200mW, B=120..270, 200MHz	SC-59	161a	-	Rhm
BT	GS6332UR16D3	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
BT	SIP6332R16D3	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
BU	BCX71GR	Si-PNP	GP, 45V, 100mA, 330mW, B=120..220, 250MHz	SOT23	161a	-	Phi
BU	BCX71RG	Si-PNP	GP, 45V, 100mA, 330mW, B=120..220, 250MHz	SOT23	161a	-	Sie
BU	DA228K	Si-Diode	Dual, Switching, 2x80V, 0.2A, 200mW	SOT346	16dl	-	Rhm
BU	DA228U	Si-Diode	Dual, Switching, 2x80V, 0.2A, 200mW	SOT323	16dl	-	Rhm
BV	1SV233	PIN-Diode	VHF/UHF/AGC, 50V, 50mA, 0.23pF, Rs=5Ω(10mA, 100MHz)	SOT23	16dc	-	Say
BV	1SV247	PIN-Diode	VHF/UHF/AGC, 50V, 50mA, 0.23pF, Rs=5Ω(10mA, 100MHz)	MCP	16dc	-	Say
BV	CSB624B	Si-PNP	GP, 30V, 700mA, 200mW, B=110..400, 160MHz	SOT23	161a	-	Cdi
BV	GS6332UR18D1	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output, 1.5ms	SOT23	16vdc	VD7	Vis
BV	SIP6332R18D1	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output 1.5ms	SOT23	16vdc	VD7	Vis
BV1	2SB624-BV1	Si-PNP	AF, 30V, 700mA, 200mW, B=110..180, 170MHz	SOT23	161a	-	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
BV1	CSB624B1	Si-PNP	GP, 30V, 700mA, 200mW, B=110..180, 160MHz	SOT23	161a -	Cdi
BV2	2SB624-BV2	Si-PNP	AF, 30V, 700mA, 200mW, B=135..220, 170MHz	SOT23	161a -	Nec
BV2	CSB624B2	Si-PNP	GP, 30V, 700mA, 200mW, B=135..220, 160MHz	SOT23	161a -	Cdi
BV3	2SB624-BV3	Si-PNP	AF, 30V, 700mA, 200mW, B=170..270, 170MHz	SOT23	161a -	Nec
BV3	CSB624B3	Si-PNP	GP, 30V, 700mA, 200mW, B=170..270, 160MHz	SOT23	161a -	Cdi
BV4	2SB624-BV4	Si-PNP	AF, 30V, 700mA, 200mW, B=200..320, 170MHz	SOT23	161a -	Nec
BV4	CSB624B4	Si-PNP	GP, 30V, 700mA, 200mW, B=200..320, 160MHz	SOT23	161a -	Cdi
BV5	2SB624-BV5	Si-PNP	AF, 30V, 700mA, 200mW, B=250..400, 170MHz	SOT23	161a -	Nec
BV5	CSB624B5	Si-PNP	GP, 30V, 700mA, 200mW, B=250..400, 160MHz	SOT23	161a -	Cdi
BW	2SA2018	Si-PNP	Switching, 15V, 500mA, 150mW, B=270..680, 260MHz	SC-75A	161a -	Rhm
BW	2SA2018H	Si-PNP	Switching, 15V, 500mA, 150mW, B=270..680, 260MHz	SC-89	161a -	Rhm
BW	2SA2030	Si-PNP	Switching, 15V, 500mA, 150mW, B=270..680, 260MHz	VMT3	161a -	Rhm
BW	BCX71RH	Si-PNP	GP, 45V, 200mA, 250mW, B=180..310, >100MHz	SOT23	161a -	Sie
BW	GS6332UR18D2	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
BW1	2SB736-BW1	Si-PNP	AF, 60V, 300mA, 200mW, B=110..180, 100MHz	SOT23	161a -	Nec
BW2	2SB736-BW2	Si-PNP	AF, 60V, 300mA, 200mW, B=135..220, 100MHz	SOT23	161a -	Nec
BW3	2SB736-BW3	Si-PNP	AF, 60V, 300mA, 200mW, B=170..270, 100MHz	SOT23	161a -	Nec
BW4	2SB736-BW4	Si-PNP	AF, 60V, 300mA, 200mW, B=200..320, 100MHz	SOT23	161a -	Nec
BW5	2SB736-BW5	Si-PNP	AF, 60V, 300mA, 200mW, B=250..400, 100MHz	SOT23	161a -	Nec
BX	BCX71RJ	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SOT23	161a -	Sie
BX	GS6332UR18D3	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output, 150ms	SOT23	16vdc VD7	Vis
BX	SIP6332R18D3	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis
BY	BCX71RK	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=380..630, >100MHz	SOT23	161a -	Sie
BY	GS6332UR19D1	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output, 1.5ms	SOT23	16vdc VD7	Vis
BY	SIP6332R19D1	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output 1.5ms	SOT23	16vdc VD7	Vis
BZ	GS6332UR19D2	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
BZ	SIP6332R19D2	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output 30ms	SOT23	16vdc VD7	Vis
C0	AP130-41W	VR-IC	LDO, 4.1V±2%, 300mA	SOT23	16vra VR1	Ana
C0	HSMS-2820	Si-Diode	Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT23	16dc -	Agi
C0	HSMS-282B	Si-Diode	Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT323	16dc -	Agi
C0	KV1700R	C-Diode	FM-tun, 14V, 50mA, 27.4..79.93pF(8.2V), <0.3Q (100MHz)	SOT23C-3	16dg -	Tok
C0	KV1700S	C-Diode	FM-tun, 14V, 50mA, 27.4..79.93pF(8.2V), <0.3Q (100MHz)	SOT23	16dg -	Tok
C0	KV1705R	C-Diode	AM-up conv, 14V, 50mA, 52..148pF(8.2V), <0.5Q(100MHz)	SOT23C-3	16dg -	Tok
C0	KV1705S	C-Diode	AM-up conv, 14V, 50mA, 52..148pF(8.2V), <0.5Q(100MHz)	SOT23	16dg -	Tok
C0	R3111N202A	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT23	16vc VD7	Ric
C0	R3130N30EC	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
C0	XC61CC2002M	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT23	16vc VD7	Tor
C05	KV1705R	C-Diode	AM-up conv, 14V, 50mA, 52..148pF(8.2V), <0.5Q(100MHz)	SOT23C-3	16dg -	Tok
C05	KV1705S	C-Diode	AM-up conv, 14V, 50mA, 52..148pF(8.2V), <0.5Q(100MHz)	SOT23	16dg -	Tok
C05	XC61FC2012M	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 200ms	SOT23	16vc VD7	Tor
C06	XC61FC2042M	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 400ms	SOT23	16vc VD7	Tor
C07	XC61FC2052M	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 50ms	SOT23	16vc VD7	Tor
C1	2SJ559	MOS-P-FET-*	V-MOS, LogL, 30V, ±0.1A, <60Q	SOT23	16fh -	Nec
C1	AP130-42W	VR-IC	LDO, 4.2V±2%, 300mA	SOT23	16vra VR1	Ana
C1	BCW29	Si-PNP	GP, 20V, 100mA, 350mW, B=110..220, >100MHz	SOT23	161a -	Rhm
C1	MMBZ5221B	Z-Diode	2.4V±5%, 410mW	SOT23	16dc -	Pjt
C1	MMBZ5221BW	Z-Diode	2.4V±5%, 200mW, Zzt=30Q	SOT323	16dc -	Pjt
C1	R3111N212A	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT23	16vc VD7	Ric
C1	R3130N31EC	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output, 240ms	SOT23	16vdc VD6	Ric
C1	TC54VC2101ECB	CMOS-IC	Voltage Detector 2.1V±1%, -Reset Push-pull output	SOT23	16vc VD7	Tcs
C1	TC54VC2102ECB	CMOS-IC	Voltage Detector 2.1V±2%, -Reset Push-pull output	SOT23	16vc VD7	Tcs
C1	XC61CC2102M	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT23	16vc VD7	Tor
C15	2SA1612-C15	Si-PNP	AF, 120V, 50mA, 150mW, B=135..270, >50MHz	SOT323	161a -	Nec
C15	2SA811A-C15	Si-PNP	AF, Hi-Beta, 120V, 50mA, 200mW, B=135..270, 90MHz	SOT23	161a -	Nec
C15	XC61FC2112M	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 200ms	SOT23	16vc VD7	Tor
C16	2SA1612-C16	Si-PNP	AF, 120V, 50mA, 150mW, B=200..400, >50MHz	SOT323	161a -	Nec
C16	2SA811A-C16	Si-PNP	AF, Hi-Beta, 120V, 50mA, 200mW, B=200..400, 90MHz	SOT23	161a -	Nec
C16	XC61FC2142M	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 400ms	SOT23	16vc VD7	Tor
C17	2SA1612-C17	Si-PNP	AF, 120V, 50mA, 150mW, B=300..600, >50MHz	SOT323	161a -	Nec
C17	2SA811A-C17	Si-PNP	AF, Hi-Beta, 120V, 50mA, 200mW, B=300..600, 90MHz	SOT23	161a -	Nec
C17	XC61FC2152M	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 50ms	SOT23	16vc VD7	Tor
C18	2SA1612-C18	Si-PNP	AF, 120V, 50mA, 150mW, B=450..900, >50MHz	SOT323	161a -	Nec
C18	2SA811A-C18	Si-PNP	AF, Hi-Beta, 120V, 50mA, 200mW, B=450..900, 90MHz	SOT23	161a -	Nec
C1A	CMPT3904	Si-NPN	GP, 60V, 200mA, 350mW, B=100..300, >300MHz	SOT23	161a -	Can
C1D	CMPTA42	Si-NPN	Vid, 300/300V, 500mA, 350mW, B>40, >50MHz	SOT23	161a -	Can
C1G	CMPTA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	161a -	Can
C1G	KSA1623-G	Si-NPN	Switching, 60V, 100mA, 0.2W, B=200..400, >250MHz	SOT23	161a -	Sam
C1J	CMPT2369	Si-NPN	GP, 40V, 500mA, 350mW, B=40..120, >500MHz	SOT23	161a -	Can

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
C1K	CMPT6428	Si-NPN	GP, 60V, 200mA, 350mW, B=250 650, 100 700MHz	SOT23	16ta	-	Cen
C1L	CMPT6429	Si-NPN	GP, 55V, 200mA, 350mW, B=500 1250, 100 700MHz	SOT23	16ta	-	Cen
C1L	KSA1623-L	Si-NPN	Switching, 60V, 100mA, 0.2W, B=300 600, >250MHz	SOT23	16ta	-	Sam
C1M	CMPTA13	Si-NPN-Darl	GP, 30V, 500mA, 350mW, B>5000, >125MHz	SOT23	16ta	-	Cen
C1N	CMPTA14	Si-NPN-Darl	GP, 30V, 500mA, 350mW, B>10000, >125MHz	SOT23	16ta	-	Cen
C1O	KSA1623-O	Si-NPN	Switching, 60V, 100mA, 0.2W, B=90 180, >250MHz	SOT23	16ta	-	Sam
C1p	BCW29	Si-PNP	GP, 32V, 100mA, 250mW, B=120 260, >100MHz	SOT23	16ta	-	PhH
C1P	CMPT2222A	Si-NPN	AF, 75V, 600mA, 350mW, B<35, >300MHz	SOT23	16ta	-	Cen
C1P	KSA1623-P	Si-NPN	AF, 60V, 100mA, 200mW, B=90 180, >250MHz	SOT23	16ta	-	Sam
C1Q	CMPT5088	Si-NPN	GP, 35V, 50mA, 350mW, B=300 900, >50MHz	SOT23	16ta	-	Cen
C1R	CMPT5089	Si-NPN	AF, 30V, 50mA, 350mW, B=400 1200, >50MHz	SOT23	16ta	-	Cen
C1t	BCW29	Si-PNP	GP, 32V, 100mA, 250mW, B=120 260, >100MHz	SOT23	16ta	-	PhM
C1U	CMPT2484	Si-NPN	GP, 60V, 50mA, 350mW, B=250 800	SOT23	16ta	-	Cen
C1V	CMPT6427	Si-NPN-Darl	GP, 40V, 500mA, 350mW, B=10k 100k, >130MHz	SOT23	16ta	-	Cen
C1X	CMPT930	Si-NPN	GP, 45V, 30mA, 350mW, B=100 300, >30MHz	SOT23	16ta	-	Cen
C1Y	KSA1623-Y	Si-NPN	Switching, 60V, 100mA, 0.2W, B=135, 270, >250MHz	SOT23	16ta	-	Sam
C1Z	CMPT6517	Si-NPN	Vid, 350/350V, 500mA, 350mW, B=20 200, 40 200MHz	SOT23	16ta	-	Cen
C2	AP130-43W	VR-IC	LDO, 4.3V±2%, 300mA	SOT23	16vra	VR1	Ana
C2	BCW30	Si-PNP	GP, 32V, 100mA, 250mW, B=215 500, >100MHz	SOT23	16ta	-	All,Rhm
C2	BFS38	Si-NPN	AF/HF, 45V, 0.5A, >150MHz	SOT323	16te	-	Fer
C2	HSMS-2822	Si-Diode	2x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT23	16dl	-	Agi
C2	HSMS-282C	Si-Diode	2x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT323	16dl	-	Agi
C2	KV1720R	C-Diode	FM-tun, 14V, 50mA, 21.34 46,48pF(8 2V), <0.3Q (100MHz)	SOT23C-3	16dg	-	Tok
C2	KV1720S	C-Diode	FM-tun, 14V, 50mA, 21.34 46,48pF(8 2V), <0.3Q (100MHz)	SOT23	16dg	-	Tok
C2	MMBZ5222B	Z-Diode	2.5V±5%, 410mW	SOT23	16dc	-	Pjt
C2	MMBZ5222BW	Z-Diode	2.5V±5%, 200mW, Zzt=30Q	SOT323	16dc	-	Pjt
C2	R3111N222A	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C2	R3130N32EC	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C2	TC54VC2201ECB	CMOS-IC	Voltage Detector 2.2V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C2	TC54VC2202ECB	CMOS-IC	Voltage Detector 2.2V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C2	XC61CC2202M	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SOT23	16vc	VO7	Tor
C20	CPB7720	Si-PNP	Switching, 45V, 500mA, 350mW, B>300, >150MHz	SOT23	16ta	-	Cdi
C25	XC61FC2212M	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C26	XC61FC2242M	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
C27	XC61FC2252M	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C29	CMPTA29	Si-NPN-Darl	GP, 100V, 500mA, 350mW, B>10000, >125MHz	SOT23	16ta	-	Cen
C2A	CMPT3906	Si-PNP	GP, 40V, 200mA, 350mW, B=100 300, >250MHz	SOT23	16ta	-	Cen
C2A	ZDC833A	C-Diode	Dual, 25V, 29.7 33.6pF, Q>200	SOT23	16dg	-	Ztx
C2A	ZDC833ATA	C-Diode	Dual, VHF/UHF-Tuning, 25V, 330mW, 33pF(2V), ΔC ±10%	SOT323	16dg	-	Ztx
C2D	CMPTA92	Si-PNP	Vid, 300/300V, 500mA, 350mW, B>25, >50MHz	SOT23	16ta	-	Cen
C2F	CMPT2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT23	16ta	-	Cen
C2G	CMPTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW B>100, >50MHz	SOT23	16ta	-	Cen
C2J	CMPT3640	Si-PNP	RF, 12V, 80mA, 350mW, B=30 120, >500MHz	SOT23	16ta	-	Cen
C2L	CMPT5401	Si-PNP	GP, 160V, 500mA, 350mW, B=60 240, 100 300MHz	SOT23	16ta	-	Cen
C2p	BCW30	Si-PNP	GP, 32V, 100mA, 250mW, B=215 500, >100MHz	SOT23	16ta	-	PhH
C2P	CMPT5086	Si-PNP	GP, 50V, 50mA, 350mW, B=150 500, >40MHz	SOT23	16ta	-	Cen
C2Q	CMPT5087	Si-PNP	GP, 50V, 50mA, 350mW, B=250 800, >40MHz	SOT23	16ta	-	Cen
C2R	CMPT3646	Si-NPN	GP, 40V, 200mA, 350mW, B=30 120, >350MHz	SOT23	16ta	-	Cen
C2t	BCW30	Si-PNP	GP, 32V, 100mA, 250mW, B=215 500, >100MHz	SOT23	16ta	-	PhM
C2T	CMPT4403	Si-PNP	GP, 40V, 600mA, 350mW, B=100 300, >200MHz	SOT23	16ta	-	Cen
C2U	CMPTA63	Si-NPN-Darl	GP, 30V, 500mA, 350mW, B>10000, >125MHz	SOT23	16ta	-	Cen
C2V	CMPTA64	Si-NPN-Darl	GP, 30V, 500mA, 350mW, B>20000, >125MHz	SOT23	16ta	-	Cen
C2W	CMPT6599	Si-PNP	GP, 80V, 500mA, 350mW, B=100 300, >150MHz	SOT23	16ta	-	Cen
C2X	CMPT4401	Si-NPN	GP, 60V, 600mA, 350mW, B=100 300, >25MHz	SOT23	16ta	-	Cen
C2Z	CMPT6520	Si-PNP	Vid, 350/350V, 500mA, 350mW, B=20 200, >20MHz	SOT23	16ta	-	Cen
C3	1PS302	Si-Diode	Dual, Switching, Fast, 80V, 170mA, Vf<1.2V(100mA), <4ns	SOT323	16dl	-	Phi
C3	1SS302	Si-Diode	Dual, 80V, 100mA, Vf<1.2V(100mA), <4ns	SOT323	16dg	-	Tos
C3	AP130-44W	VR-IC	LDO, 4.4V±2%, 300mA	SOT23	16vra	VR1	Ana
C3	HSMS-2823	Si-Diode	2x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT23	16df	-	Agi
C3	HSMS-282E	Si-Diode	2x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT323	16df	-	Agi
C3	KST4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120 360, >250MHz	SOT23	16ta	-	Sam
C3	MMBT4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120 360, >250MHz	SOT23	16ta	-	Mot, Sam
C3	MMBZ5223B	Z-Diode	2.7V±5%, 410mW	SOT23	16dc	-	Pjt
C3	MMBZ5223BW	Z-Diode	2.7V±5%, 200mW, Zzt=30Q	SOT323	16dc	-	Pjt
C3	R3111N232A	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C3	R3130N33EC	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C3	SMBT4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120 360, >250MHz	SOT23	16ta	-	Sie
C3	TC54VC2301ECB	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
C3	TC54VC2302ECB	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C3	XC61CC2302M	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT23	16vc	VD7	Tor
C35	KV1735S	C-Diode	FM-tun, 16V, 50mA, 22.25..77.74pF(8..2V), <0.3Q (100MHz)	SOT23	16dг	-	Tok
C35	XC61FC2312M	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C36	XC61FC2342M	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
C37	XC61FC2352M	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C3A	CMPT3019	Si-NPN	Sw, 120V, 500mA, 350mW, B=100..300, >100MHz	SOT23	16ta	-	Cen
C3AY	ILC5062AIC23X	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C3AY	ILC5062AM23X	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C3B	CMPT918	Si-NPN	VHF/UHF, 30V, 50mA, 350mW, B>20, >600MHz	SOT23	16ta	-	Cen
C3E	CMPTH10	Si-NPN	GP, 30V, 25mA, 330mW, B>60, >650MHz	SOT23	16ta	-	Cen
C3T	1PS226	Si-Diode	Dual, Switching, Fast, 80V, 215mA, <4ns	SC-59	16dl	-	Phi
C3Y	ILC5062IC23X	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C3Y	ILC5062M23X	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C3Z	CMPTA44	Si-NPN	450V, 300mA, 350mW, B=50..200, >20MHz	SOT23	16ta	-	Cen
C4	AP130-45W	VR-IC	LDO, 4.5V±2%, 300mA	SOT23	16vra	VR1	Ana
C4	BCW29R	Si-PNP	GP, 32V, 100mA, 250mW, B=120..260, >100MHz	SOT23	16ta	-	Ztx
C4	HSMS-2824	Si-Diode	2x Schotky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT23	16dг	-	Agi
C4	HSMS-282F	Si-Diode	2x Schotky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT323	16dг	-	Agi
C4	KA4L4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-75	16ta	-	Nec
C4	MC804	C-Diode	Dual, TV, VHF-Band-S, 1pF(6V)	SOT23	16dг	-	Mit
C4	R3111N242A	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C4	R3130N34EC	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C4	TC54VC2401ECB	CMOS-IC	Voltage Detector 2.4V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C4	TC54VC2402ECB	CMOS-IC	Voltage Detector 2.4V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C4	XC61CC2402M	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT23	16vc	VD7	Tor
C41	SST4091	N-FET	Switching, Chopper, 40..50V, Idss=30mA, Up<10V	SOT23	16ta	-	Lin
C42	SST4092	N-FET	Switching, Chopper, 40..50V, Idss=15mA, Up<7V	SOT23	16ta	-	Lin
C43	SST4093	N-FET	Switching, Chopper, 40..50V, Idss=8mA, Up<5V	SOT23	16ta	-	Lin
C45	XC61FC2412M	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C46	XC61FC2442M	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
C47	XC61FC2452M	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C4A	CMPT4033	Si-PNP	GP, 80V, 500mA, 350mW, B=100..300, >100MHz	SOT23	16ta	-	Cen
C4AY	ILC5062AIC24X	CMOS-IC	Voltage Detector 2.4V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C4AY	ILC5062AM24X	CMOS-IC	Voltage Detector 2.4V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C4Y	ILC5062IC24X	CMOS-IC	Voltage Detector 2.4V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C4Y	ILC5062M24X	CMOS-IC	Voltage Detector 2.4V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C5	2SA811-C5	Si-PNP	AF, Hi-Beta, 50V, 30mA, 200mW, B=135..270, 100MHz	SOT23	16ta	-	Nec
C5	AP130-46W	VR-IC	LDO, 4.6V±2%, 300mA	SOT23	16vra	VR1	Ana
C5	BCW30R	Si-PNP	GP, 32V, 100mA, 250mW, B=215..500, >100MHz	SOT23	16ta	-	Phi
C5	BFS40	Si-PNP	AF/HF, 45V, 0.5A, >150MHz	SOT323	16ta	-	Fer
C5	MMBA811C5	Si-PNP	AF, LN, 50V, 50mA, 350mW, B=135..270, >75MHz	SOT23	16ta	-	Sam
C5	MMBZ5225B	Z-Diode	3V±5%, 410mW	SOT23	16dc	-	Pjt
C5	MMBZ5225BW	Z-Diode	3V±5%, 200mW, Zzt=29Q	SOT323	16dc	-	Pjt
C5	R3111N252A	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C5	R3130N35EC	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C5	SI2315DS	MOS-P-FET-e	V-MOS, LogL, 12V, 3.5A, <118ns	SOT23	16fg	-	Sux
C5	TC54VC2501ECB	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C5	TC54VC2502ECB	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C5	XC61CC2502M	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT23	16vc	VD7	Tor
C55	XC61FC2512M	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C56	XC61FC2542M	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
C57	XC61FC2552M	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C5A	ZDC834ATA	C-Diode	Dual, VHF/UHF-Tuning, 25V, 330mW, 47pF(2V), ΔC ±10%	SOT323	16dг	-	Ztx
C5AY	ILC5062AIC25X	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C5AY	ILC5062AM25X	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C5Y	ILC5062IC25X	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C5Y	ILC5062M25X	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C6	2SA811-C6	Si-PNP	AF, Hi-Beta, 50V, 30mA, 200mW, B=200..400, 100MHz	SOT23	16ta	-	Nec
C6	AP130-47W	VR-IC	LDO, 4.7V±2%, 300mA	SOT23	16vra	VR1	Ana
C6	MMBA811C6	Si-PNP	AF, LN, 50V, 50mA, 350mW, B=200..400, >75MHz	SOT23	16ta	-	Sam
C6	R3111N262A	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C6	R3130N36EC	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C6	TC54VC2601ECB	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C6	TC54VC2602ECB	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C6	XC61CC2602M	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT23	16vc	VD7	Tor
C65	XC61FC2612M	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C66	XC61FC2642M	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
C67	XC61FC2652M	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C6AY	ILC5062AIC26X	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C6AY	ILC5062AM26X	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C6Y	ILC5062IC26X	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C6Y	ILC5062M26X	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C7	2SA811-C7	Si-PNP	AF, Hi-Beta, 50V, 30mA, 200mW, B=300..600, 100MHz	SOT23	16ta	-	Nec
C7	AP130-48W	VR-IC	LDO, 4.8V±2%, 300mA	SOT23	16vra	VR1	Ana
C7	KN414M	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=47k/47k	SC-75	16ta	-	Nec
C7	MMA811C7	Si-PNP	AF, LN, 50V, 50mA, 350mW, B=300..600, >75MHz	SOT23	16ta	-	Sam
C7	R3111N272A	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C7	R3130N37EC	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C7	TC54VC2701ECB	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C7	TC54VC2702ECB	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C7	XC61CC2702M	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT23	16vc	VD7	Tor
C75	XC61FC2712M	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C76	XC61FC2742M	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
C77	BCF29R	Si-PNP	GP, AF, LN, 32V, 200mA, 200mW, B=120..260, >100MHz	SOT23	16te	-	Phi
C77	XC61FC2752M	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C7AY	ILC5062AIC27X	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C7AY	ILC5062AM27X	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C7H	CMPT5179	Si-NPN	VHF, 20V, 500mW, 350mW, B>25, >900MHz	SOT23	16ta	-	Cen
C7p	BCF29	Si-PNP	GP, AF, LN, 32V, 200mA, 200mW, B=120..260, >100MHz	SOT23	16ta	-	Phi
C7Y	ILC5062IC27X	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C7Y	ILC5062M27X	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C8	2SA811-C8	Si-PNP	AF, Hi-Beta, 50V, 30mA, 200mW, B=450..900, 100MHz	SOT23	16ta	-	Nec
C8	AP130-48W	VR-IC	LDO, 4.9V±2%, 300mA	SOT23	16vra	VR1	Ana
C8	BCF30	Si-PNP	GP, AF, LN, 32V, 200mA, 200mW, B=215..500, >100MHz	SOT23	16ta	-	Ste
C8	MMA811C8	Si-PNP	AF, LN, 50V, 50mA, 350mW, B=450..900, >75MHz	SOT23	16ta	-	Sam
C8	R3111N282A	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C8	R3130N38EC	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C8	TC54VC2801ECB	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C8	TC54VC2802ECB	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C8	XC61CC2802M	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT23	16vc	VD7	Tor
C85	XC61FC2812M	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C86	XC61FC2842M	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
C87	XC61FC2852M	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C8A	CMPT5226B	Z-Diode	3.135..3.465V, 20mA, Zzt<25Ω	SOT23	16dc	-	Cen
C8AY	ILC5062AIC28X	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C8AY	ILC5062AM28X	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C8B	CMPT5227B	Z-Diode	3.42..3.78V, 20mA, Zzt<15Ω	SOT23	16dc	-	Cen
C8C	CMPT5228B	Z-Diode	3.705..4.095V, 20mA, Zzt<10Ω	SOT23	16dc	-	Cen
C8D	CMPT5229B	Z-Diode	4.085..4.515V, 20mA, Zzt<5Ω	SOT23	16dc	-	Cen
C8E	CMPT5230B	Z-Diode	4.465..4.935V, 20mA, Zzt<5Ω	SOT23	16dc	-	Cen
C8F	CMPT5231B	Z-Diode	4.845..5.355V, 20mA, Zzt<5Ω	SOT23	16dc	-	Cen
C8G	CMPT5232B	Z-Diode	5.32..5.88V, 20mA, Zzt<5Ω	SOT23	16dc	-	Cen
C8H	CMPT5233B	Z-Diode	5.7..6.3V, 20mA, Zzt<5Ω	SOT23	16dc	-	Cen
C8J	CMPT5234B	Z-Diode	5.89..6.51V, 20mA, Zzt<5Ω	SOT23	16dc	-	Cen
C8K	CMPT5235B	Z-Diode	6.46..7.14V, 20mA, Zzt<3Ω	SOT23	16dc	-	Cen
C8L	CMPT5236B	Z-Diode	7.125..7.875V, 20mA, Zzt<3Ω	SOT23	16dc	-	Cen
C8M	CMPT5237B	Z-Diode	7.790..8.61V, 20mA, Zzt<3Ω	SOT23	16dc	-	Cen
C8N	CMPT5238B	Z-Diode	8.265..9.135V, 20mA, Zzt<3Ω	SOT23	16dc	-	Cen
C8p	BCF30	Si-PNP	GP, AF, LN, 32V, 200mA, 200mW, B=215..500, >100MHz	SOT23	16te	-	Phi
C8P	CMPT5239B	Z-Diode	8.645..9.555V, 20mA, Zzt<3Ω	SOT23	16dc	-	Cen
C8Q	CMPT5240B	Z-Diode	9.5..10.5V, 20mA, Zzt<3Ω	SOT23	16dc	-	Cen
C8R	CMPT5241B	Z-Diode	10.45..11.55V, 20mA, Zzt<2Ω	SOT23	16dc	-	Cen
C8S	CMPT5242B	Z-Diode	11.4..12.6V, 20mA, Zzt<1Ω	SOT23	16dc	-	Cen
C8T	CMPT5243B	Z-Diode	12.35..13.65V, 20mA, Zzt<0.5Ω	SOT23	16dc	-	Cen
C8U	CMPT5244B	Z-Diode	13.3..14.7V, 20mA, Zzt<0.1Ω	SOT23	16dc	-	Cen
C8Y	ILC5062IC28X	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C8Y	ILC5062M28X	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C9	AP130-50W	VR-IC	LDO, 5V±2%, 300mA	SOT23	16vra	VR1	Ana
C9	BCF30R	Si-PNP	GP, AF, LN, 32V, 200mA, 200mW, B=215..500, >100MHz	SOT23	16te	-	Phi
C9	R3111N292A	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT23	16vc	VD7	Ric
C9	R3130N39EC	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
C9	TC54VC2901ECB	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C9	TC54VC2902ECB	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
C9	XC61CC2902M	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT23	16vc	VD7	Tor
C91	SST4391	N-FET	Switching, Chopper, 40V, Idss=50mA, Up<10V	SOT23	16fa	-	Lin

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
C92	S9T4392	N-FET	Switching, Chopper, 40V, Idss=23mA, Up<3V	SOT23	16fa	-	Lin
C93	S9T4393	N-FET	Switching, Chopper, 40V, Idss=5mA, Up<3V	SOT23	16fa	-	Lin
C95	XC61FC2912M	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
C96	XC61FC2942M	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
C97	XC61FC2952M	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
C9AY	ILC5062AIC29X	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C9AY	ILC5062AM29X	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
C9Y	ILC5062IC29X	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
C9Y	ILC5062M29X	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
CA	2SA1866	Si-PNP-Digi	Mute, Driver, 15V, 50mA, 150mW, 600MHz, R1/R2=47k/47k	SMCP	16ta	-	Say
CA	AP130-15W	VR-IC	LDO, 1.5V±2%, 300mA	SOT23	16vra	VR1	Ana
CA	BCW61AR	Si-PNP	AF, 32V, 200mA, 330mW, B=120..220, >180MHz	SOT23	16ta	-	Ztx
CA	BFS18	Si-NPN	HF, 30V, 30mA, 200MHz	SOT23	16ta	-	Sie
CA	GS6332UR19D3	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
CA	MMBZ4691	Z-Diode	6.2V 5%, 350mW	SOT23	16dc	-	Vis
CA	RN1444A	Si-NPN-Digi	Muting, 50V, 300mA, 300mW, R1=5k2, B=200..700	S-MINI	16ta	-	Tos
CA	SIP6332R19D3	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
CB	2SC4997	Si-NPN	HF/Sw, Hi-β, 15V, 100mA, 150mW, B=560..2700, 240MHz	EMT3	16ta	-	Rhm
CB	2SC4998	Si-NPN	HF/Sw, Hi-β, 15V, 100mA, 200mW, B=560..2700, 240MHz	UMT3	16ta	-	Rhm
CB	AP130-16W	VR-IC	LDO, 1.6V±2%, 300mA	SOT23	16vra	VR1	Ana
CB	BCW61BR	Si-PNP	AF, 32V, 200mA, 330mW, B=180..310, >180MHz	SOT23	16ta	-	Ztx
CB	BFS19	Si-NPN	RF, 30V, 30mA, 250mW, B=65..225, 260MHz	SOT23	16ta	-	Sie
CB	GS6332UR20D1	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
CB	RN1444B	Si-NPN-Digi	Muting, 50V, 300mA, 300mW, R1=5k2, B=350..1200	S-MINI	16ta	-	Tos
CB	SIP6332R20D1	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output 1.5ms	SOT23	16vdc	VD7	Vis
CBG	2SC3324-GR	Si-NPN	AF, LN, 120V, 100mA, 150mW, B=200..400, 100MHz	SC-59	16ta	-	Tos
CBL	2SC3324-BL	Si-NPN	AF, LN, 120V, 100mA, 150mW, B=350..700, 100MHz	SC-59	16ta	-	Tos
CC	2SA1122-C	Si-PNP	GP, AF, 55V, 100mA, 150mW, B=160..320	SOT23	16ta	-	Hit
CC	AP130-17W	VR-IC	LDO, 1.7V±2%, 300mA	SOT23	16vra	VR1	Ana
CC	BCW61CR	Si-PNP	AF, 32V, 200mA, 330mW, B=250..460, >180MHz	SOT23	16ta	-	Ztx
CC	BF554	Si-NPN	AF, 20V, 30mA, 280mW, B=60..280, >250MHz	SOT23	16ta	-	Sie
CC	GS6332UR20D2	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
CC	SIP6332R20D2	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
CC	ZMDC831BTA	C-Diode	Dual, VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±5%	SOT23	16dg	-	Ztx
CC10	CMPZDC27V	Z-Diode	Dual, 27V, 5%, 350mW	SOT23	16dg	-	Cen
CC11	CMPZDC30V	Z-Diode	Dual, 30V, 5%, 350mW	SOT23	16dg	-	Cen
CC12	CMPZDC33V	Z-Diode	Dual, 33V, 5%, 350mW	SOT23	16dg	-	Cen
CC13	CMPZDC36V	Z-Diode	Dual, 36V, 5%, 350mW	SOT23	16dg	-	Cen
CC14	CMPZDC39V	Z-Diode	Dual, 39V, 5%, 350mW	SOT23	16dg	-	Cen
CC15	CMPZDC43V	Z-Diode	Dual, 43V, 5%, 350mW	SOT23	16dg	-	Cen
CC16	CMPZDC47V	Z-Diode	Dual, 47V, 5%, 350mW	SOT23	16dg	-	Cen
CCW3	CMPZDC2V4	Z-Diode	Dual, 2.4V, 5%, 350mW	SOT23	16dg	-	Cen
CCW4	CMPZDC2V7	Z-Diode	Dual, 2.7V, 5%, 350mW	SOT23	16dg	-	Cen
CCW5	CMPZDC3V0	Z-Diode	Dual, 3.0V, 5%, 350mW	SOT23	16dg	-	Cen
CCW6	CMPZDC3V3	Z-Diode	Dual, 3.3V, 5%, 350mW	SOT23	16dg	-	Cen
CCW7	CMPZDC3V6	Z-Diode	Dual, 3.6V, 5%, 350mW	SOT23	16dg	-	Cen
CCW8	CMPZDC3V9	Z-Diode	Dual, 3.9V, 5%, 350mW	SOT23	16dg	-	Cen
CCW9	CMPZDC4V3	Z-Diode	Dual, 4.3V, 5%, 350mW	SOT23	16dg	-	Cen
CCY1	CMPZDC11V	Z-Diode	Dual, 11V, 5%, 350mW	SOT23	16dg	-	Cen
CCY2	CMPZDC12V	Z-Diode	Dual, 12V, 5%, 350mW	SOT23	16dg	-	Cen
CCY3	CMPZDC13V	Z-Diode	Dual, 13V, 5%, 350mW	SOT23	16dg	-	Cen
CCY4	CMPZDC15V	Z-Diode	Dual, 15V, 5%, 350mW	SOT23	16dg	-	Cen
CCY5	CMPZDC16V	Z-Diode	Dual, 16V, 5%, 350mW	SOT23	16dg	-	Cen
CCY6	CMPZDC18V	Z-Diode	Dual, 18V, 5%, 350mW	SOT23	16dg	-	Cen
CCY7	CMPZDC20V	Z-Diode	Dual, 20V, 5%, 350mW	SOT23	16dg	-	Cen
CCY8	CMPZDC22V	Z-Diode	Dual, 22V, 5%, 350mW	SOT23	16dg	-	Cen
CCY9	CMPZDC24V	Z-Diode	Dual, 24V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ1	CMPZDC4V7	Z-Diode	Dual, 4.7V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ2	CMPZDC5V1	Z-Diode	Dual, 5.1V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ3	CMPZDC5V6	Z-Diode	Dual, 5.6V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ4	CMPZDC6V2	Z-Diode	Dual, 6.2V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ5	CMPZDC6V8	Z-Diode	Dual, 6.8V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ6	CMPZDC7V5	Z-Diode	Dual, 7.5V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ7	CMPZDC8V2	Z-Diode	Dual, 8.2V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ8	CMPZDC9V1	Z-Diode	Dual, 9.1V, 5%, 350mW	SOT23	16dg	-	Cen
CCZ9	CMPZDC10V	Z-Diode	Dual, 10V, 5%, 350mW	SOT23	16dg	-	Cen
CD	2SA1122-D	Si-PNP	GP, AF, 55V, 100mA, 150mW, B=250..500	SOT23	16ta	-	Hit
CD	2SA1366-D	Si-PNP	Relay-Drv, 55V, 400mA, 150mW, B=90..180, 150MHz	SOT23	16ta	-	Mit

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
CD	AP130-18W	VR-IC	LDO, 1.8V±2%, 300mA	SOT23	16vra	VR1	Ana
CD	BCW61DR	Si-PNP	AF, 32V, 200mA, 330mW, B=380..630, >180MHz	SOT23	16ta	-	Ztx
CD	GS6332UR20D3	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
CD	SIP6332R20D3	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
CD	UNR31A0	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1=47k	SSSMini3	18ta	-	Pan
CD	ZMDC832BTA	C-Diode	Dual, VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±5%	SOT23	16dgc	-	Ztx
CDs	BSS81B	Si-NPN	Switching, 75V, 800mA, 330mW, B=40..120, 250MHz	SOT23	16ta	-	Sie
CE	2SA1122-E	Si-PNP	GP, AF, 55V, 100mA, 150mW, B=400..800	SOT23	16ta	-	Hlt
CE	2SA1366-E	Si-PNP	Relay-Drv, 55V, 400mA, 150mW, B=150..300, 150MHz	SOT23	16ta	-	Mlt
CE	AP130-19W	VR-IC	LDO, 1.9V±2%, 300mA	SOT23	16vra	VR1	Ana
CE	BSS79B	Si-NPN	Switching, 75V, 800mA, 330mW, B=40..120, >250MHz	SOT23	16ta	-	Ztx
CE	GS6332UR21D1	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
CE	SIP6332R21D1	CMOS-IC	Voltage Detector 2,1V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
CE	UNR31A1	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=10k/10k	SSSMini3	18ta	-	Pan
CEs	BSS79B	Si-NPN	Switching, 75V, 800mA, 330mW, B=40..120, 250MHz	SOT23	16ta	-	Sie
CF	2SA1366-F	Si-PNP	Relay-Drv, 55V, 400mA, 150mW, B=250..500, 150MHz	SOT23	16ta	-	Mlt
CF	AP130-20W	VR-IC	LDO, 2V±2%, 300mA	SOT23	16vra	VR1	Ana
CF	BSS79C	Si-NPN	Switching, 75V, 800mA, 330mW, B=100..300, >250MHz	SOT23	16ta	-	Ztx
CF	UNR31A2	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=22k/22k	SSSMini3	18ta	-	Pan
CFs	BSS79C	Si-NPN	Switching, 75V, 800mA, 330mW, B=100..300, 250MHz	SOT23	16ta	-	Sie
CG	2SA1163-GR	Si-PNP	GP, AF, 120V, 100mA, 150mW, B=200..400, 100MHz	SOT23	16ta	-	Tos
CG	2SA1587-G	Si-PNP	GP, LN, 120V, 120mA, 100mW, B=200..400, >100MHz	SOT323	16ta	-	Tos
CG	2SC5343EF-G	Si-NPN	GP, 60/50V, 150mA, 0.15W, >80MHz, B=200..400	SOT523F	18ta	-	Auk
CG	AP130-21W	VR-IC	LDO, 2,1V±2%, 300mA	SOT23	16vra	VR1	Ana
CG	BA570-04LT1	Si-Diode	Dual, Schottky, 70V, 70mA, Vf<410mV, Cd<2pF	SOT23	16dl	-	Ons
CG	BCX71RG	Si-PNP	GP, 45V, 100mA, 330mW, B= 120..220, 250MHz	SOT23	16ta	-	Ztx
CG	GS6332UR21D2	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
CG	SIP6332R21D2	CMOS-IC	Voltage Detector 2,1V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
CGs	BSS81C	Si-NPN	Switching, 75V, 800mA, 330mW, B=100..300, 250MHz	SOT23	16ta	-	Sie
CH	1SS351	Si-Diode	Dual, Schottky, UHF Detector, Mix., 5V, 30mA, 0,69pF	SOT23	16dl	-	Say
CH	AP130-22W	VR-IC	LDO, 2,2V±2%, 300mA	SOT23	16vra	VR1	Ana
CH	BSS80B	Si-PNP	Switching, 60V, 800mA, 330mW, B=40..120, >200MHz	SOT23	16ta	-	Ztx
CH	GS6332UR21D3	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
CH	MMBZ4682	Z-Diode	2.7V 5%, 350mW	SOT23	16dc	-	Vis
CH	SIP6332R21D3	CMOS-IC	Voltage Detector 2,1V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
CH	UNR31A3	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=47k/47k	SSSMini3	18ta	-	Pan
CHs	BSS80B	Si-PNP	Switching, 60V, 800mA, 330mW, B=40..120, 250MHz	SOT23	16ta	-	Sie
CI	AP130-23W	VR-IC	LDO, 2,3V±2%, 300mA	SOT23	16vra	VR1	Ana
CI	GS6332UR22D1	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
CI	SIP6332R22D1	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
CJ	AP130-24W	VR-IC	LDO, 2,4V±2%, 300mA	SOT23	16vra	VR1	Ana
CJ	BSS80C	Si-PNP	Switching, 60V, 800mA, 330mW, B=100..300, >200MHz	SOT23	16ta	-	Ztx
CJ	MMBZ4683	Z-Diode	3.0V 5%, 350mW	SOT23	16dc	-	Vis
CJ3	2SK1067-3	MOS-N-FET-d	VHF/FM, 16V, 30mA, 150mW, Idss=1.2..3mA, Up<2,5V	MCP	16fa	-	Say
CJ4	2SK1067-4	MOS-N-FET-d	VHF/FM, 16V, 30mA, 150mW, Idss=2.5..6mA, Up<2,5V	MCP	16fa	-	Say
CJ5	2SK1067-5	MOS-N-FET-d	VHF/FM, 16V, 30mA, 150mW, Idss=5..12mA, Up<2,5V	MCP	16fa	-	Say
CJs	BSS80C	Si-PNP	Switching, 60V, 800mA, 330mW, B=100..300, 250MHz	SOT23	16ta	-	Sie
CK	AP130-25W	VR-IC	LDO, 2,5V±2%, 300mA	SOT23	16vra	VR1	Ana
CK	BCX71JR	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SOT23R	16le	-	Phi
CK	BCX71KR	Si-PNP	AF, 45V, 200mA, 330mW, B=380..630, >180MHz	SOT23	16ta	-	Ztx
CK	BCX71RK	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=380..630, >100MHz	SOT23	16ta	-	Ztx
CK	GS6332UR22D2	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
CK	MMBZ4684	Z-Diode	3.3V 5%, 350mW	SOT23	16dc	-	Vis
CK	SIP6332R22D2	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
CK	UNR31A4	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=10k/47k	SSSMini3	18ta	-	Pan
CKB	CMPT8099	Si-NPN	AF, 80V, 500mA, 350mW, B=100..300, >150MHz	SOT23	16ta	-	Cen
CL	2SA1163-BL	Si-PNP	GP, AF, 120V, 100mA, 150mW, B=350..700, 100MHz	SOT23	16ta	-	Tos
CL	2SA1587-B	Si-PNP	GP, LN, 120V, 120mA, 100mW, B=350..700, >100MHz	SOT323	16ta	-	Tos
CL	2SA1677	Si-PNP-Digi	Switching, 50V, 100mA, 200MHz, R1/R2=22k/22k	SOT323	16ta	-	Say
CL	2SC5343EF-L	Si-NPN	GP, 60/50V, 150mA, 0.15W, >80MHz, B=300..700	SOT523F	18ta	-	Auk
CL	AP130-26W	VR-IC	LDO, 2,6V±2%, 300mA	SOT23	16vra	VR1	Ana
CL	BSS82B	Si-PNP	Switching, 60V, 800mA, 330mW, B=40..120, >200MHz	SOT23	16ta	-	Ztx
CL	GS6332UR22D3	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
CL	SIP6332R22D3	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
CL	UNR31A5	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1=10k	SSSMini3	18ta	-	Pan
CLs	BSS82B	Si-PNP	Switching, 60V, 800mA, 330mW, B=40..120, 250MHz	SOT23	16ta	-	Sie
CM	AP130-27W	VR-IC	LDO, 2,7V±2%, 300mA	SOT23	16vra	VR1	Ana
CM	BSS82C	Si-PNP	Switching, 60V, 800mA, 330mW, B=100..300, >200MHz	SOT23	16ta	-	Ztx

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок	Сх.	Прозв
CM	GS6332UR23D1	CMOS IC	Voltage Detector 2 3V Reset Push pull output 1 5ms	SOT23	16vdc	VD7	Vis
CM	MMBZ4685	Z Diode	3 6V 5% 350mW	SOT23	16dc		Vis
CM	SiP6332R23D1	CMOS IC	Voltage Detector 2 3V Reset Push pull output 1 5ms	SOT23	16vdc	VD7	Vis
CMs	BSS82C	Si PNP	Switching 60V 800mA 330mW B=100 300 250MHz	SOT23	16ta		Sie
CN	2SC5537	Si NPN	VHF/UHF 12V 15mA 80mW B=90 200 5GHz	SSFP	18ta		Say
CN	AP130 28W	VR IC	LDO 2 8V±2% 300mA	SOT23	16vra	VR1	Ana
CN	GS6332UR23D2	CMOS IC	Voltage Detector 2 3V Reset Push pull output 30ms	SOT23	16vdc	VD7	Vis
CN	MMBZ4686	Z Diode	3 9V 5% 350mW	SOT23	16dc		Vis
CN	SiP6332R23D2	CMOS IC	Voltage Detector 2 3V Reset Push pull output 30ms	SOT23	16vdc	VD7	Vis
CN	UNR31A6	Si PNP Digi	Switching 50V 80mA 100mW 80MHz R1=4k7	SSSMin3	18ta		Pan
CN3	2SC4853 3	Si NPN	VHF/UHF 12V 15mA 80mW B-60 120 5GHz	MCP	16ta		Say
CN3	2SC4854 3	Si NPN	VHF/UHF 12V 15mA 80mW B-60 120 5GHz	CP	16ta		Say
CN4	2SC4853 4	Si NPN	VHF/UHF 12V 15mA 80mW B-901 180 5GHz	MCP	16ta		Say
CN4	2SC4854 4	Si NPN	VHF/UHF 12V 15mA 80mW B=901 180 5GHz	CP	16ta		Say
CN5	2SC4853 5	Si NPN	VHF/UHF 12V 15mA 80mW B=135 270 5GHz	MCP	16ta		Say
CN5	2SC4854 5	Si NPN	VHF/UHF 12V 15mA 80mW B-60 120 5GHz	CP	16ta		Say
CO	2SC5343EF 0	Si NPN	GP 60/50V 150mA 0 15W >80MHz B=70 140	SOT523F	18ta		Auk
CO	AP130 29W	VR IC	LDO 2 9V±2% 300mA	SOT23	16vra	VR1	Ana
CO	GS6332UR23D3	CMOS IC	Voltage Detector 2 3V Reset Push pull output 150ms	SOT23	16vdc	VD7	Vis
CO	SiP6332R23D3	CMOS IC	Voltage Detector 2 3V Reset Push pull output 150ms	SOT23	16vdc	VD7	Vis
CP	2SC2411K P	Si NPN	AF 40V 500mA 200mW B-82 180 >250MHz	SOT346	16ta		Rhm
CP	2SC4097 P	Si NPN	GP 40V 500mA 200mW B-82 180 >250MHz	SOT323	16ta		Rhm
CP	AP130 30W	VR IC	LDO 3V±2% 300mA	SOT23	16vra	VR1	Ana
CP	GS6332UR24D1	CMOS IC	Voltage Detector 2 4V Reset Push pull output 1 5ms	SOT23	16vdc	VD7	Vis
CP	MMBZ4687	Z Diode	4 3V 5% 350mW	SOT23	16dc		Vis
CP	SiP6332R24D1	CMOS IC	Voltage Detector 2 4V Reset Push pull output 1 5ms	SOT23	16vdc	VD7	Vis
CP	UNR31A7	Si PNP Digi	Switching 50V 80mA 100mW 80MHz R1/R2=22k	SSSMin3	18ta		Pan
CQ	2PB1219Q	Si PNP	GP 60V 150mA 200mW B=85 170 100MHz	SOT323	16ta		Phi
CQ	2PB710Q	Si PNP	GP 60V 500mA 250mW B=85 170 >100MHz	SOT23	16ta		Phi
CQ	2SB1219 Q	Si PNP	GP 30V 500mA 150mW B=85 170 20MHz	SC 70	16ta		Pan
CQ	2SB710 Q	Si PNP	GP AF 50V 500mA 200mW B=85 170 200MHz	SC 59	16ta		Pan
CQ	2SC2411K Q	Si NPN	AF 40V 500mA 200mW B-120 270 >250MHz	SOT346	16ta		Rhm
CQ	2SC4097 Q	Si NPN	GP 40V 500mA 200mW B=120 270 >250MHz	SOT323	16ta		Rhm
CQ	AP130 31W	VR IC	LDO 3 1V±2% 300mA	SOT23	16vra	VR1	Ana
CQ	MSB710 QT1	Si PNP	GP 60V 500mA 200mW B=85 170	SOT323	16ta		Mot
CR	2PB1219R	Si PNP	GP 60V 150mA 200mW B=120 240 120MHz	SOT323	16ta		Phi
CR	2PB710R	Si PNP	GP 60V 500mA 250mW B=120 240 >120MHz	SOT23	16ta		Phi
CR	2SB1219 R	Si PNP	GP 30V 500mA 150mW B=120 240 20MHz	SC 70	16ta		Pan
CR	2SB710 R	Si PNP	GP AF 50V 500mA 200mW B=120 240 200MHz	SC 59	16ta		Pan
CR	2SC2411K R	Si NPN	AF 40V 500mA 200mW B=180 390 >250MHz	SOT346	16ta		Rhm
CR	2SC4097 R	Si NPN	GP 40V 500mA 200mW B=180 390 >250MHz	SOT323	16ta		Rhm
CR	AP130 32W	VR IC	LDO 3 2V±2% 300mA	SOT23	16vra	VR1	Ana
CR	GS6332UR24D2	CMOS IC	Voltage Detector 2 4V Reset Push pull output 30ms	SOT23	16vdc	VD7	Vis
CR	MSB710 RT1	Si PNP	GP 60V 500mA 200mW B=120 240	SOT323	16ta		Mot
CR	SiP6332R24D2	CMOS IC	Voltage Detector 2 4V Reset Push pull output 30ms	SOT23	16vdc	VD7	Vis
CR	SRA2219E	Si PNP Digi	Sw 50V 0 1A 0 15W B=30 55 200MHz R1/R2=4 7/10k	SOT523	16ta		Auk
CR	SRA2219EF	Si PNP Digi	Sw 50V 0 1A 0 15W B=30 55 200MHz R1/R2=4 7/10k	SOT523F	18ta		Auk
CR	SRA2219U	Si PNP Digi	Sw 50V 0 1A 0 2W B-30 55 200MHz R1/R2=4 7/10k	SOT323	16ta		Auk
CR	SRA2219UF	Si PNP Digi	Sw 50V 0 1A 0 2W B-30 55 200MHz R1/R2=4 7/10k	SOT323F	18ta		Auk
CS	2PB1219S	Si PNP	GP 60V 150mA 200mW B=170 340 140MHz	SOT323	16ta		Phi
CS	2PB710S	Si PNP	GP 60V 500mA 250mW B=170 340 >140MHz	SOT23	16ta		Phi
CS	2SB1219 S	Si PNP	GP 30V 500mA 150mW B=170 340 20MHz	SC 70	16ta		Pan
CS	2SB710 S	Si PNP	GP AF 50V 500mA 200mW B=170 340 200MHz	SC 59	16ta		Pan
CS	AP130 33W	VR IC	LDO 3 3V±2% 300mA	SOT23	16vra	VR1	Ana
CS	GS6332UR24D3	CMOS IC	Voltage Detector 2 4V Reset Push pull output 150ms	SOT23	16vdc	VD7	Vis
CS	SiP6332R24D3	CMOS IC	Voltage Detector 2 4V Reset Push pull output 150ms	SOT23	16vdc	VD7	Vis
CS4	2SA1682 4	Si PNP	HV Driver 300V 50mA 250mW B=100 200 70MHz	CP	16ta		Say
CS5	2SA1682 5	Si PNP	HV Driver 300V 50mA 250mW B=160 320 70MHz	CP	16ta		Say
CSA	BC847AU	Si NPN	GP 50V 100mA 200mW B=110 220 >300MHz	SOT323	16ta		Auk Dil Tos
CSA	BC847AUF	Si NPN	GP 50V 100mA 200mW B=110 220 >300MHz	SOT323F	18ta	-	Auk Dil Tos
CSB	BC847BU	Si NPN	GP 50V 100mA 200mW B=200 450 >300MHz	SOT323	16ta		Auk Dil Vis
CSB	BC847BUF	Si NPN	GP 50V 100mA 200mW B=200 450 >300MHz	SOT323F	18ta		Auk Dil Vis
CSC	BC847CU	Si NPN	GP 50V 100mA 200mW B=420 800 >300MHz	SOT323	16ta		Auk Ztx
CSC	BC847CUF	Si NPN	GP 50V 100mA 200mW B=420 800 >300MHz	SOT323F	18ta		Auk Ztx
CT	AP130 34W	VR IC	LDO 3 4V±2% 300mA	SOT23	16vra	VR1	Ana
CT	GS6332UR25D1	CMOS IC	Voltage Detector 2 5V Reset Push-pull output 1 5ms	SOT23	16vdc	VD7	Vis
CT	MMBZ4688	Z Diode	4 7V 5% 350mW	SOT23	16dc		Vis
CT	SiP6332R25D1	CMOS IC	Voltage Detector 2 5V Reset Push pull output 1 5ms	SOT23	16vdc	VD7	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
CU	AP130-35W	VR-IC	LDO, 3,5V±2%, 300mA	SOT23	16vra	VR1	Ana
CU	MMBZ4689	Z-Diode	5 1V 5%, 350mW	SOT23	16dc	-	Vis
CV	1SV234	PIN-Diode	2x VHF/UHF, 50V, 50mA, 0,23pF, Rs=5Ω(10mA, 100MHz)	SOT23	16dl	-	Say
CV	1SV246	PIN-Diode	2x VHF/UHF, 50V, 50mA, 0,23pF, Rs=5Ω(10mA, 100MHz)	MCP	16dl	-	Say
CV	AP130-36W	VR-IC	LDO, 3,6V±2%, 300mA	SOT23	16vra	VR1	Ana
CV	GS6332UR25D2	CMOS-IC	Voltage Detector 2,5V Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
CV	MMBZ4690	Z-Diode	5 6V 5%, 350mW	SOT23	16dc	-	Vis
CV	SP6332R25D2	CMOS-IC	Voltage Detector 2 5V -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
CW	AP130-37W	VR-IC	LDO, 3,7V±2%, 300mA	SOT23	16vra	VR1	Ana
CW	GS6332UR25D3	CMOS-IC	Voltage Detector 2,5V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
CW	MAZ6001UR	Vref-IC	Precision, 1 250V	SOT23	16di	-	Max
CW	SP6332R25D3	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
CWAA	MAX809JUR	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
CX	AP130-38W	VR-IC	LDO, 3,8V±2%, 300mA	SOT23	16vra	VR1	Ana
CX	MAZ6002UR	Vref-IC	Precision, 2 500V	SOT23	16di	-	Max
CX	MMBZ4692	Z-Diode	6 8V 5%, 350mW	SOT23	16dc	-	Vis
CXAA	MAX809LUR	CMOS-IC	Voltage Detector 4,63V -Reset Push-pull output	SOT23	16vdc	VD7	Max
CY	2SC5343EF-Y	Si-NPN	GP, 60/50V, 150mA 0 15W, >80MHz, B=120 240	SOT523F	18ta	-	Auk
CY	AP130-39W	VR-IC	LDO, 3,9V±2%, 300mA	SOT23	16vra	VR1	Ana
CY	BFS18R	Si-NPN	RF, 30V, 30mA, 200MHz	SOT23	16te	-	Sie
CY	MAZ6004UR	Vref-IC	Precision, 4 096V	SOT23	16di	-	Max
CY	MMBZ4693	Z-Diode	7 5V 5%, 350mW	SOT23	16dc	-	Vis
CZ	AP130-40W	VR-IC	LDO, 4V±2%, 300mA	SOT23	16vra	VR1	Ana
CZ	BFS19R	Si-NPN	RF, 30V, 30mA, 250mW, B=65 225, 260MHz	SOT23	16te	-	Sie
CZ	MAZ6005UR	Vref-IC	Precision, 5 000V	SOT23	16di	-	Max
CZ	MMBZ4694	Z-Diode	8 2V 5%, 350mW	SOT23	16dc	-	Vis
D	2SK2219	N-FET	Cond -Microphone, 20V, Idss>0,14mA	SOT323	16fa	-	Say
D0	HSPM-3800	PIN-Diode	RF, 100V, 1A(1ms), <0 37pF, <2Ω(100mA)	SOT23	16dc	-	Ag
D0	R3111N302A	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D0	R3130N40EC	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D0	SI2320DS	MOS-N-FET-e	V-MOS, 200V, ±0,22A, <7Ω(0,5A)	SOT23	16fg	-	Six
D0	TC54VC3001ECB	CMOS-IC	Voltage Detector 3 0V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D0	TC54VC3002ECB	CMOS-IC	Voltage Detector 3 0V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D0	XC61CC3002M	CMOS-IC	Voltage Detector 3V Reset Push-pull output	SOT23	16vc	VD7	Tor
D05	XC61FC3012M	CMOS-IC	Voltage Detector 3V Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D06	XC61FC3042M	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D07	XC61FC3052M	CMOS-IC	Voltage Detector 3V, Reset Push-pull output 50ms	SOT23	16vc	VD7	Tor
DOAY	ILC5062AIC30X	CMOS-IC	Voltage Detector 3V±1%, -Reset Push-pull output,	SC-70	16vc	VD7	Imp
DOAY	ILC5062AM30X	CMOS-IC	Voltage Detector 3V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
DOY	ILC5062IC30X	CMOS-IC	Voltage Detector 3V,±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
DOY	ILC5062M30X	CMOS-IC	Voltage Detector 3V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
D1	2SK3107	MOS-N-FET-e*	V-MOS, LogL, 30V, ±0,1A, <15Ω	SOT23	16fh	-	Nec
D1	AZ23C2V7	Z-Diode	Dual, 2 7V, 5%, 0 3W	SOT23	16df	-	Dil
D1	BW31	Si-PNP	GP, 32V, 100mA, 250mW, B=110 220, >100MHz	SOT23	16ta	-	Rhm
D1	MMBZ5226B	Z-Diode	3,3V±5%, 410mW	SOT23	16dc	-	Pjt
D1	MMBZ5226BW	Z-Diode	3,3V±5%, 200mW, Zzt=28Ω	SOT323	16dc	-	Pjt
D1	R3111N312A	CMOS-IC	Voltage Detector 3,1V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D1	R3130N41EC	CMOS-IC	Voltage Detector 4,1V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D1	TC54VC3101ECB	CMOS-IC	Voltage Detector 3 1V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D1	TC54VC3102ECB	CMOS-IC	Voltage Detector 3 1V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D1	XC61CC3102M	CMOS-IC	Voltage Detector 3,1V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D10	AZ23C6V2	Z-Diode	Dual, 2x6 2V, 5%, 0 3W	SOT23	16df	-	Dil
D10	CZMA10	Z-Diode	Dual, 10V±5%, 300mW	SOT23	16df	-	Cdi
D11	AZ23C6V8	Z-Diode	Dual, 6 8V 5%, 0 3W	SOT23	16df	-	Dil
D11	CZMA11	Z-Diode	Dual, 11V±5%, 300mW	SOT23	16df	-	Cdi
D12	AZ23C7V5	Z-Diode	Dual, 7 5V 5%, 0 3W	SOT23	16df	-	Dil
D12	CZMA12	Z-Diode	Dual, 12V±5%, 300mW	SOT23	16df	-	Cdi
D13	AZ23C8V2	Z-Diode	Dual, 8 2V 5%, 0 3W	SOT23	16df	-	Dil
D13	CZMA13	Z-Diode	Dual, 13V±5%, 300mW	SOT23	16df	-	Cdi
D14	AZ23C9V1	Z-Diode	Dual, 9 1V 5%, 0 3W	SOT23	16df	-	Dil
D15	2SC4180-D15	Si-NPN	AF, 120V, 50mA, 150mW, B=135 270, >50MHz	SOT323	16ta	-	Nec
D15	AZ23C10	Z-Diode	Dual, 10V 5%, 0 3W	SOT23	16df	-	Dil
D15	CZMA15	Z-Diode	Dual, 15V±5%, 300mW	SOT23	16df	-	Cdi
D15	XC61FC3112M	CMOS-IC	Voltage Detector 3,1V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D16	2SC4180-D16	Si-NPN	AF, 120V, 50mA, 150mW, B=200 400, >50MHz	SOT323	16ta	-	Nec
D16	AZ23C11	Z-Diode	Dual, 11V 5%, 0 3W	SOT23	16df	-	Dil
D16	CZMA16	Z-Diode	Dual, 16V±5%, 300mW	SOT23	16df	-	Cdi
D16	XC61FC3142M	CMOS-IC	Voltage Detector 3,1V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
D17	25C4180-D17	Si-NPN	AF, 120V, 50mA, 150mW, B=300..600, >50MHz	SOT323	161a	-	Nec
D17	AZZ23C12	Z-Diode	Dual, 12V 5%, 0.3W	SOT23	16df	-	Dil
D17	XC61FC3152M	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D18	25C4180-D18	Si-NPN	AF, 120V, 50mA, 150mW, B=450..900, >50MHz	SOT323	161a	-	Nec
D18	AZZ23C13	Z-Diode	Dual, 13V 5%, 0.3W	SOT23	16df	-	Dil
D18	CZMA18	Z-Diode	Dual, 18V±5%, 300mW	SOT23	16df	-	Cdi
D19	AZZ23C15	Z-Diode	Dual, 15V 5%, 0.3W	SOT23	16df	-	Dil
D1AY	ILC5062AIC31X	CMOS-IC	Voltage Detector 3.1V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
D1AY	ILC5062AM31X	CMOS-IC	Voltage Detector 3.1V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
D1G	KSA812-G	Si-PNP	AF, 60V, 100mA, 150mW, B=200..400, >180MHz	SOT23	161a	-	Sam
D1L	KSA812-L	Si-PNP	AF, 60V, 100mA, 150mW, B=300..600, >180MHz	SOT23	161a	-	Sam
D1O	KSA812-O	Si-PNP	AF, 60V, 100mA, 150mW, B=90..180, >180MHz	SOT23	161a	-	Sam
D1p	BCW31	Si-PNP	GP, 32V, 100mA, 250mW, B=110..220, >100MHz	SOT23	161a	-	PHH
D1t	BCW31	Si-PNP	GP, 32V, 100mA, 250mW, B=110..220, >100MHz	SOT23	161a	-	PhM
D1Y	ILC5062IC31X	CMOS-IC	Voltage Detector 3.1V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
D1Y	ILC5062M31X	CMOS-IC	Voltage Detector 3.1V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
D1Y	KSA812-Y	Si-PNP	AF, 60V, 100mA, 150mW, B=135..270, >180MHz	SOT23	161a	-	Sam
D2	AZ23C3V0	Z-Diode	Dual, 2x3.0V, 5%, 0.3W	SOT23	16df	-	Dil
D2	BCW32	Si-PNP	GP, 32V, 100mA, 250mW, B=200..450, >100MHz	SOT23	161a	-	Rhm
D2	HSMP-3802	PIN-Diode	Dual, RF, 100V, 1A(1ms), <0.37pF, <2Q(100mA)	SOT23	16dl	-	Agi
D2	MMBZ5227B	Z-Diode	3.6V±5%, 410mW	SOT23	16dc	-	Pjt
D2	MMBZ5227BW	Z-Diode	3.6V±5%, 200mW, Zzt=24Q	SOT23	16dc	-	Pjt
D2	R3111N322A	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D2	R3130N42EC	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D2	TC54VC3201ECB	CMOS-IC	Voltage Detector 3.2V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D2	TC54VC3202ECB	CMOS-IC	Voltage Detector 3.2V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D2	XC61CC3202M	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D20	AZZ23C16	Z-Diode	Dual, 16V 5%, 0.3W	SOT23	16df	-	Dil
D20	CZMA20	Z-Diode	Dual, 20V±5%, 300mW	SOT23	16df	-	Cdi
D21	25K931-21	N-FET	GP, 30V, 50mA, 200mW, Idss=5..8.5mA, Up<2V	CP	161a	-	Say
D21	AZZ23C18	Z-Diode	Dual, 18V 5%, 0.3W	SOT23	16df	-	Dil
D21	GS809C21EUD	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D22	25K931-22	N-FET	GP, 30V, 50mA, 200mW, Idss=7.3..12mA, Up<2V	CP	161a	-	Say
D22	AZZ23C20	Z-Diode	Dual, 20V 5%, 0.3W	SOT23	16df	-	Dil
D22	CZMA22	Z-Diode	Dual, 22V±5%, 300mW	SOT23	16df	-	Cdi
D23	25K931-23	N-FET	GP, 30V, 50mA, 200mW, Idss=10..17mA, Up<2V	CP	161a	-	Say
D23	AZZ23C22	Z-Diode	Dual, 22V 5%, 0.3W	SOT23	16df	-	Dil
D24	25K931-24	N-FET	GP, 30V, 50mA, 200mW, Idss=14..5..24mA, Up<2V	CP	161a	-	Say
D24	AZZ23C24	Z-Diode	Dual, 24V 5%, 0.3W	SOT23	16df	-	Dil
D24	CZMA24	Z-Diode	Dual, 24V±5%, 300mW	SOT23	16df	-	Cdi
D24	GS809C24EUD	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D25	25K931-25	N-FET	GP, 30V, 50mA, 200mW, Idss=16..30mA, Up<2V	CP	161a	-	Say
D25	AZZ23C27	Z-Diode	Dual, 27V 5%, 0.3W	SOT23	16df	-	Dil
D25	XC61FC3212M	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D26	AZZ23C30	Z-Diode	Dual, 30V 5%, 0.3W	SOT23	16df	-	Dil
D26	GS809CREUD	CMOS-IC	Voltage Detector 2.63V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D26	XC61FC3242M	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D27	AZZ23C33	Z-Diode	Dual, 33V 5%, 0.3W	SOT23	16df	-	Dil
D27	CZMA27	Z-Diode	Dual, 27V±5%, 300mW	SOT23	16df	-	Cdi
D27	GS809C27SEUD	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D27	XC61FC3252M	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D28	AZZ23C36	Z-Diode	Dual, 36V 5%, 0.3W	SOT23	16df	-	Dil
D29	AZZ23C39	Z-Diode	Dual, 39V 5%, 0.3W	SOT23	16df	-	Dil
D29	GS809CSEUD	CMOS-IC	Voltage Detector 2.93V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D2D	R8491D	Si-Diode	Schottky Rectifier, 40V, 100mA, Vf<0.53V(1A)	SOT23	16dc	-	Rhm,Trs
D2p	BCW32	Si-PNP	GP, 32V, 100mA, 250mW, B=200..450, >100MHz	SOT23	161a	-	Phi
D2t	BCW32	Si-PNP	GP, 32V, 100mA, 250mW, B=200..450, >100MHz	SOT23	161a	-	Phi
D3	1S5187	Si-Diode	Sw, U-Fest, 85V, 100mA, 150mW, Vf<1.2V(100mA), <4ns	SC-59	16ab	-	Tos
D3	AZ23C3V3	Z-Diode	Dual, 2x3.3V, 5%, 0.3W	SOT23	16df	-	Dil
D3	BCW33	Si-PNP	GP, 32V, 100mA, 250mW, B=420..800, >100MHz	SOT23	161a	-	Rhm
D3	-KV1735R	C-Diode	FM-tun, 16V, 50mA, 22.25..77.74pF(8.2V), <0.3Q (100MHz)	SOT23C-3	16dg	-	Tok
D3	MMBZ5228B	Z-Diode	3.9V±5%, 410mW	SOT23	16dc	-	Pjt
D3	MMBZ5228BW	Z-Diode	3.9V±5%, 200mW, Zzt=23Q	SOT323	16dc	-	Pjt
D3	R3111N332A	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D3	R3130N43EC	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D3	TC54VC3301ECB	CMOS-IC	Voltage Detector 3.3V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D3	TC54VC3302ECB	CMOS-IC	Voltage Detector 3.3V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D3	XC61CC3302M	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT23	16vc	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
D30	AZZ23C43	Z-Diode	Dual, 43V 5%, 0.3W	SOT23	16df	-	Dil
D30	CZMA30	Z-Diode	Dual, 30V±5%, 300mW	SOT23	16df	-	Cdi
D30	GS809CTEUD	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D31	AZZ23C47	Z-Diode	Dual, 47V 5%, 0.3W	SOT23	16df	-	Dil
D32	AZZ23C51	Z-Diode	Dual, 51V 5%, 0.3W	SOT23	16df	-	Dil
D33	CZMA33	Z-Diode	Dual, 33V±5%, 300mW	SOT23	16df	-	Cdi
D35	XC61FC3312M	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D36	CZMA36	Z-Diode	Dual, 36V±5%, 300mW	SOT23	16df	-	Cdi
D36	XC61FC3342M	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D37	XC61FC3352M	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D39	CZMA39	Z-Diode	Dual, 39V±5%, 300mW	SOT23	16df	-	Cdi
D3A	RB400D	Si-Diode	Schottky Rectifier, 40V, 500mA, Vf<0.55V(500mA), <20pF	SOT23	16dc	-	Rhm,Trs
D3B	RB420D	Si-Diode	Schottky Rectifier, 40V, 100mA, Vf<0.45V(10mA), <6pF	SOT23	16dc	-	Rhm,Trs
D3C	RB421D	Si-Diode	Schottky Rectifier, 40V, 100mA, Vf<0.55V(100mA), <6pF	SOT23	16dc	-	Rhm,Trs
D3L	RB425D	Si-Diode	2x Schottky Rectifier, 40V, 100mA, Vf<0.55V(100mA), <6pF	SOT23	16dg	-	Rhm,Trs
D3p	BCW33	Si-PNP	GP, 32V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta	-	Phi
D3Q	RB495D	Si-Diode	Dual, Schottky Rectifier, 40V, 400mA, Vf<0.5V(200mA)	SOT23	16dg	-	Rhm,Trs
D3t	BCW33	Si-PNP	GP, 32V, 100mA, 250mW, B=420..800, >100MHz	SOT23	16ta	-	Phi
D4	AZ23C3V6	Z-Diode	Dual, 2x3.6V, 5%, 0.3W	SOT23	16df	-	Dil
D4	BCW31R	Si-PNP	GP, 32V, 100mA, 250mW, B=110..220, >100MHz	SOT23R	16te	-	Phi
D4	HSPM-3804	PIN-Diode	Dual, RF, 100V, 1A(1ms), <0.37pF, <2Q(100mA)	SOT23	16dg	-	Agi
D4	KA41.3M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k/1k7	SC-75	16ta	-	Nec
D4	MMBD4148SE	Si-Diode	Dual, Switching, Fast, 75V, 200mA, 350mW, <4ns, 4pF	SOT23	16di	-	Fch
D4	MMBZ5229B	Z-Diode	4.3V±5%, 410mW	SOT23	16dc	-	Pjt
D4	MMBZ5229BW	Z-Diode	4.3V±5%, 200mW, Zzt=22Ω	SOT323	16dc	-	Pjt
D4	R3111N342A	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D4	R3130N44EC	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D4	TC54VC3401ECB	CMOS-IC	Voltage Detector 3.4V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D4	TC54VC3402ECB	CMOS-IC	Voltage Detector 3.4V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D4	XC61CC3402M	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D4.3	CZMA4.3	Z-Diode	Dual, 4.3V±5%, 300mW	SOT23	16df	-	Cdi
D4.7	CZMA4.7	Z-Diode	Dual, 4.7V±5%, 300mW	SOT23	16df	-	Cdi
D40	GS809CJEUD	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D43	GS809CMEUD	CMOS-IC	Voltage Detector 4.38V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D45	XC61FC3412M	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D46	GS809CLEUD	CMOS-IC	Voltage Detector 4.63V, -Reset Push-pull output, 30ms	SOT23	16vdc	VD7	Vis
D46	XC61FC3442M	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D47	BZX84-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	Ste
D47	XC61FC3452M	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D48	BZX84-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	Ste
D5	2SA1687-5	Si-PNP	GP, AF, 60V, 150mA, 150mW, B=135..270, 130MHz	SOT323	16ta	-	Say
D5	AZ23C3V9	Z-Diode	Dual, 2x3.9V, 5%, 0.3W	SOT23	16df	-	Dil
D5	BCW32R	Si-PNP	GP, 32V, 100mA, 250mW, B=200..450, >100MHz	SOT23R	16te	-	Phi
D5	MMBD4148CC	Si-Diode	Dual, Switching, Fast, 75V, 200mA, 350mW, <4ns, 4pF	SOT23	16dg	-	Fch
D5	MMBZ5230B	Z-Diode	4.7V±5%, 410mW	SOT23	16dc	-	Pjt
D5	MMBZ5230BW	Z-Diode	4.7V±5%, 200mW, Zzt=19Ω	SOT323	16dc	-	Pjt
D5	R3111N352A	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D5	R3130N45EC	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D5	TC54VC3501ECB	CMOS-IC	Voltage Detector 3.5V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D5	TC54VC3502ECB	CMOS-IC	Voltage Detector 3.5V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D5	XC61CC3502M	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D5.1	CZMA5.1	Z-Diode	Dual, 5.1V±5%, 300mW	SOT23	16df	-	Cdi
D5.6	CZMA5.6	Z-Diode	Dual, 5.6V±5%, 300mW	SOT23	16df	-	Cdi
D51	2SD780A-D51	Si-NPN	AF, 80V, 300mA, 200mW, B=110..180, 100MHz	SOT23	16ta	-	Nec
D52	2SD780A-D52	Si-NPN	AF, 80V, 300mA, 200mW, B=135..220, 100MHz	SOT23	16ta	-	Nec
D53	2SD780A-D53	Si-NPN	AF, 80V, 300mA, 200mW, B=170..270, 100MHz	SOT23	16ta	-	Nec
D54	2SD780A-D54	Si-NPN	AF, 80V, 300mA, 200mW, B=200..320, 100MHz	SOT23	16ta	-	Nec
D54	BZX84-C3V3	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	Ste
D55	2SD780A-D55	Si-NPN	AF, 80V, 300mA, 200mW, B=250..400, 100MHz	SOT23	16ta	-	Nec
D55	XC61FC3512M	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D56	XC61FC3542M	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D57	XC61FC3552M	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D6	2SA1687-7	Si-PNP	GP, AF, 60V, 150mA, 150mW, B=300..600, 130MHz	SOT323	16ta	-	Say
D6	AZ23C4V3	Z-Diode	Dual, 2x4.3V, 5%, 0.3W	SOT23	16df	-	Dil
D6	BCW33R	Si-PNP	GP, 32V, 100mA, 250mW, B=420..800, >100MHz	SOT23R	16te	-	Phi
D6	MMBC1622D6	Si-NPN	GP, AF, 40V, 100mA, 350mW, B=200..400, >100MHz	SOT23	16ta	-	Sam
D6	MMBD4148CA	Si-Diode	Dual, Switching, Fast, 75V, 200mA, 350mW, <4ns, 4pF	SOT23	16df	-	Fch
D6	R3111N362A	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT23	16vc	VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
D6	R3130N46EC	CMOS-IC	Voltage Detector 4,6V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D6	TC54VC3801ECB	CMOS-IC	Voltage Detector 3.6V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D6	TC54VC3802ECB	CMOS-IC	Voltage Detector 3.6V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D6	XC61CC3802M	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D6.2	CZMA6.2	Z-Diode	Dual, 6.2V±5%, 300mW	SOT23	16df	-	Cdi
D6.8	CZMA6.8	Z-Diode	Dual, 6.8V±5%, 300mW	SOT23	16df	-	Cdi
D64	BZX84-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	Ste
D65	XC61FC3612M	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D66	XC61FC3642M	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D67	XC61FC3652M	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D7	2SA1687-6	Si-PNP	GP, AF, 60V, 150mA, 150mW, B=200..400, 130MHz	SOT323	16ta	-	Say
D7	AZ23C4V7	Z-Diode	Dual, 2x4.7V, 5%, 0.3W	SOT23	16df	-	Dil
D7	KN4L3M	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=4k7/4k7	SC-75	16ta	-	Nec
D7	MMBC1622D7	Si-NPN	GP, AF, 40V, 100mA, 350mW, B=300..600, >100MHz	SOT23	16ta	-	Sam
D7	R3111N372A	CMOS-IC	Voltage Detector 3,7V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D7	R3130N47EC	CMOS-IC	Voltage Detector 4,7V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D7	TC54VC3701ECB	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D7	TC54VC3702ECB	CMOS-IC	Voltage Detector 3.7V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D7	XC61CC3702M	CMOS-IC	Voltage Detector 3,7V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D7.5	CZMA7.5	Z-Diode	Dual, 7.5V±5%, 300mW	SOT23	16df	-	Cdi
D71	BCW60A	Si-NPN	GP, 32V, 0.2A, 250mW, B=120..220	SOT23	16ta	-	Phi
D73	BA579A	PN-Diode	Dual, VHF/UHF, 30V, 20mA	SOT23	16df	-	Ste
D74	BAT54AW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16df	-	Ste
D75	XC61FC3712M	CMOS-IC	Voltage Detector 3,7V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D76	BAR18	Si-Diode	Schottky, 70V, 50mA, 250mW, <2pF	SOT23	16dc	-	Ste
D76	XC61FC3742M	CMOS-IC	Voltage Detector 3,7V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D77	BAT54CW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16dg	-	Ste
D77	BCF32R	Si-NPN	GP, AF, LN, 32V, 100mA, 250mW, B=200..450, >100MHz	SOT23	16ta	-	Phi
D77	XC61FC3752M	CMOS-IC	Voltage Detector 3,7V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D78	BAT54SW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16di	-	Ste
D7AY	ILC5062AIC37X	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
D7AY	ILC5062AM37X	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
D7p	BCF32	Si-NPN	GP, AF, LN, 32V, 100mA, 250mW, B=200..450, >100MHz	SOT23	16ta	-	PhH
D7l	BCF32	Si-NPN	GP, AF, LN, 32V, 100mA, 250mW, B=200..450, >100MHz	SOT23	16ta	-	PhM
D7Y	ILC5062IC37X	CMOS-IC	Voltage Detector 3.7V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
D7Y	ILC5062M37X	CMOS-IC	Voltage Detector 3.7V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
D8	AZ23C5V1	Z-Diode	Dual, 2x5.1V, 5%, 0.3W	SOT23	16df	-	Dil
D8	MMBC1622D8	Si-NPN	GP, AF, 40V, 100mA, 350mW, B=450..900, >100MHz	SOT23	16ta	-	Sam
D8	R3111N382A	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D8	R3130N48EC	CMOS-IC	Voltage Detector 4,8V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
D8	TC54VC3801ECB	CMOS-IC	Voltage Detector 3.8V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D8	TC54VC3802ECB	CMOS-IC	Voltage Detector 3.8V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D8	XC61CC3802M	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D8.2	CZMA8.2	Z-Diode	Dual, 8.2V±5%, 300mW	SOT23	16df	-	Cdi
D81	BCF33R	Si-NPN	GP, AF, LN, 32V, 0.1A, 300mW	SOT23	16ta	-	Phi
D85	BAT17DS	Si-Diode	Dual, Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT23	16di	-	Ste
D85	XC61FC3812M	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D86	BAT54	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dc	-	Ste
D86	XC61FC3842M	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D87	BAT54C	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dg	-	Ste
D87	XC61FC3852M	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D88	BAT54S	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16di	-	Ste
D8p	BCF33	Si-NPN	GP, AF, LN, 32V, 0.1A, 300mW	SOT23	16ta	-	Phi
D9	1SS401	Si-Diode	Schtkl, Sw, 20V, 300mA, 100mW, Vf<0.45V(300mA), <46pF	SC-70	16dc	-	Tos
D9	AZ23C5V6	Z-Diode	Dual, 2x5.6V, 5%, 0.3W	SOT23	16df	-	Dil
D9	R3111N392A	CMOS-IC	Voltage Detector 3,9V, Reset Push-pull output	SOT23	16vc	VD7	Ric
D9	TC54VC3901ECB	CMOS-IC	Voltage Detector 3.9V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D9	TC54VC3902ECB	CMOS-IC	Voltage Detector 3.9V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
D9	XC61CC3902M	CMOS-IC	Voltage Detector 3,9V, Reset Push-pull output	SOT23	16vc	VD7	Tor
D9.1	CZMA9.1	Z-Diode	Dual, 9.1V±5%, 300mW	SOT23	16df	-	Cdi
D94	BAR42	Si-Diode	Schottky, 30V, 100mA, 250mW, Vf<1V(100mA), 7pF, <5ns	SOT23	16dc	-	Fch,Ste
D95	BAR43	Si-Diode	Schottky, 30V, 100mA, 250mW, Vf<1V(100mA), 7pF, <5ns	SOT23	16dc	-	Fch,Ste
D95	XC61FC3912M	CMOS-IC	Voltage Detector 3,9V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
D96	BAS70-04	Si-Diode	Dual, Schottky, 70V, 200mA, Vf<1V, Cd<2pF	SOT23	16di	-	Ste
D96	CMPD6263S	Si-Diode	Dual, Schottky, 70V, 15mA, Vf(If=1mA)<0.395..0.41V, <2pF	SOT23	16di	-	Cen
D96	XC61FC3942M	CMOS-IC	Voltage Detector 3,9V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
D97	BAS70-05	Si-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	Ste
D97	CMPD6263C	Si-Diode	Dual, Schottky, 70V, 15mA, Vf(If=1mA)<0.395..0.41V, <2pF	SOT23	16di	-	Cen

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
D97	XC61FC3952M	CMOS-IC	Voltage Detector 3,9V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
D98	BAS70-06	Si-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16df	-	Ste
D98	CMPD6263A	Si-Diode	Dual, Schottky, 70V, 15mA, Vf(I _f =1mA)<0.395..0.41V, <2pF	SOT23	16df	-	Cen
DA	BCW67A	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B>100, >100MHz	SOT23	16te	-	Cen,Ste
DA	MMBZ4708	Z-Diode	22V 5%, 350mW	SOT23	16dc	-	Vis
DA	SSM3K03FE	MOS-N-FET-e*	LogL, 20V, 0.1A, <12Ω(10mA)	SOT23	16fh	-	Tos.
DA5	BAR43S	Si-Diode	Dual, Schottky, 30V, 100mA, Vf<1V(100mA), 7pF, <5ns	SOT23	16dl	-	Fch,Ste
DA5	CMP5H-3S	Si-Diode	Dual, Schottky, 30V, 100mA, Vf(I _f =100mA)<1V, 2pF, <5ns	SOT23	16dl	-	Cen
DB	2SA1669	Si-PNP	UHF, 20V, 50mA, 200mW, B>15, 3GHz	CP	16ta	-	Say
DB	BCW67B	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B>160, >100MHz	SOT23	16ta	-	Cen,Ste
DB1	BAR43A	Si-Diode	Dual, Schottky, 30V, 100mA, Vf<1V(100mA), 7pF, <5ns	SOT23	16df	-	Fch,Ste
DB1	CMP5H-3A	Si-Diode	Dual, Schottky, 30V, 100mA, Vf(I _f =100mA)<1V, 2pF, <5ns	SOT23	16df	-	Cen
DB2	BAR43C	Si-Diode	Dual, Schottky, 30V, 100mA, Vf<1V(100mA), 7pF, <5ns	SOT23	16dg	-	Fch,Ste
DB2	CMP5H-3C	Si-Diode	Dual, Schottky, 30V, 100mA, Vf(I _f =100mA)<1V, 2pF, <5ns	SOT23	16dg	-	Cen
DB8	SDB310WKUF	Si-Diode	Dual, Rectifier, 30V, 200mA, 150mW, <10pF, <5ns	SOT323F	18dg	-	Auk
DC	BCW67C	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B>250, >100MHz	SOT23	16ta	-	Cen,Ste
DC	MMBZ4695	Z-Diode	8.7V 5%, 350mW	SOT23	16dc	-	Vis
DC	SSM3K04FE	MOS-N-FET-e*	LogL, 20V, 0.1A, <12Ω(10mA)	SOT23	16fh	-	Tos
DC	UNR31A9	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=	SSSMini3	18te	-	Pan
DC4	DTC124XK	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=22k/47k	SOT23	16ta	-	Itt
DD	2SC3441-D	Si-NPN	Relay-Drv, 55V, 400mA, 150mW, B=90..180, 150MHz	SC-59	16ta	-	Mit
DD	MMBZ4696	Z-Diode	9.1V 5%, 350mW	SOT23	16dc	-	Vis
DD	SSM3J02F	MOS-P-FET-e*	LogL, 30V, 0.6A, <0.7Ω(0.5A)	SOT23	16fg	-	Tos
DE	2SA1037AK-LNE	Si-PNP	AF, 50V, 150mA, 200mW, B=390..820, >140MHz	SOT346	16ta	-	Rhm
DE	2SC3441-E	Si-NPN	Relay-Drv, 55V, 400mA, 150mW, B=150..300, 150MHz	SC-59	16ta	-	Mit
DE	MMBZ4697	Z-Diode	10V 5%, 350mW	SOT23	16dc	-	Vis
DE	SSM3J01F	MOS-P-FET-e*	LogL, 30V, 0.7A, <0.6Ω(0.35A)	SOT23	16fg	-	Tos
DE	UNR31AA	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=	SSSMini3	18ta	-	Pan
DF	2SC3441-F	Si-NPN	Relay-Drv, 55V, 400mA, 150mW, B=250..500, 150MHz	SC-59	16ta	-	Mit
DF	BCW68F	Si-PNP	AF, Sw, 60V, 800mA, 350mW, B>100, >100MHz	SOT23	16ta	-	Cen,Ste
DF	MMBZ4698	Z-Diode	11V 5%, 350mW	SOT23	16dc	-	Vis
DF	SSM3K05FU	MOS-N-FET-e*	LogL, 20V, 0.4A, <1.2Ω(0.5A)	SOT323	16fh	-	Tos
DG	2SC2713-GR	Si-NPN	GP, AF, 120V, 100mA, 150mW, B=200..400, 100MHz	SOT23	16ta	-	Tos
DG	BCW68G	Si-PNP	AF, Sw, 60V, 800mA, 350mW, B>160, >100MHz	SOT23	16ta	-	Cen,Ste
DH	BCW68H	Si-PNP	AF, Sw, 60V, 800mA, 350mW, B>250, >100MHz	SOT23	16ta	-	Cen,Ste
DH	MMBD2000T1	Si-Diode	Switching, 30V, 200mA, 150mW, Vf<0.95V(10mA), <2pF	SOT323	16dc	-	Mot
DH	MMBZ4699	Z-Diode	12V 5%, 350mW	SOT23	16dc	-	Vis
DH	SSM3J05FU	MOS-P-FET-e*	LogL, 20V, 0.2A, <4Ω(50A)	SOT323	16fh	-	Tos
DI	MMBD2005T1	Si-Diode	Dual, Sw, 30V, 200mA, 150mW, Vf<0.95V(10mA), <2pF	SOT323	16df	-	Mot
DI	SiP809CREUADT	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
DI-	2SC3867	Si-NPN	UHF/VHF, 20V, 50mA, 150mW, B=20..200, >1.4GHz	SOT346	16te	-	Hit
DJ	MMBZ4700	Z-Diode	13V 5%, 350mW	SOT23	16dc	-	Vis
DK	2SK2909	MOS-N-FET-e*	V-MOS, LogL, 20V, 0.8A, <0.3Ω(0.5A)	SOT23	16fg	-	Say
DK	MAZ6003UR	Vref-IC	Precision, 3.000V	SOT23	16di	-	Max
DK	MMBZ4701	Z-Diode	14V 5%, 350mW	SOT23	16dc	-	Vis
DK	SiP809C27EUADT	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
DKs	BCX42	Si-PNP	AF, 125V, 800mA, 330mW, B>63, 150MHz	SOT23	16ta	-	Sie
DL	2SC2713-BL	Si-NPN	GP, AF, 120V, 100mA, 150mW, B=350..700, 100MHz	SOT23	16ta	-	Tos
DL	SiP809CSEUADT	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
DL	UNR31AE	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=	SSSMini3	18ta	-	Pan
DM	MMBZ4702	Z-Diode	15V 5%, 350mW	SOT23	16dc	-	Vis
DM	SiP809CTEUADT	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
DN	MMBZ4703	Z-Diode	16V 5%, 350mW	SOT23	16dc	-	Vis
DN	SiP809CJEUADT	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
DN	UNR31AF	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=4k7/10k	SSSMini3	18ta	-	Pan
DO	SiP809CMEUADT	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
DP	MAX809BJUR	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
DP	MMBZ4704	Z-Diode	17V 5%, 350mW	SOT23	16dc	-	Vis
DP	SiP809CLEUADT	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
DQ	2PB710AQ	Si-PNP	GP, 60V, 500mA, 250mW, B=85..170, >100MHz	SC-59	16ta	-	Phi
DQ	2SB1219A-Q	Si-PNP	GP, 60V, 500mA, 150mW, B=85..170, 20MHz	SC-70	16ta	-	Pan
DQ	2SB710A-Q	Si-PNP	GP, AF, 60V, 500mA, 200mW, B=85..170, 200MHz	SC-59	16ta	-	Pan
DQ	MAX809BLUR	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
D-Q	2PB1219AQ	Si-PNP	GP, 60V, 150mA, 200mW, B=85..170, 100MHz	SOT323	16ta	-	PhH
DR	2PB710AR	Si-PNP	GP, 60V, 500mA, 250mW, B=120..240, >120MHz	SC-59	16ta	-	Phi
DR	2SA1037AK-LNR	Si-PNP	AF, 50V, 150mA, 200mW, B=180..390, >140MHz	SOT346	16ta	-	Rhm
DR	2SB1219A-R	Si-PNP	GP, 60V, 500mA, 150mW, B=120..240, 20MHz	SC-70	16ta	-	Pan
DR	2SB710A-R	Si-PNP	GP, AF, 60V, 500mA, 200mW, B=120..240, 200MHz	SC-59	16ta	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
DR	MAX809BMUR	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
DR	SRA2211E	Si-PNP-Digi	Switching, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1=10k	SOT523	16ta	-	Auk
DR	SRA2211EF	Si-PNP-Digi	Switching, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1=10k	SOT523F	18ta	-	Auk
DR	SRA2211U	Si-PNP-Digi	Switching, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1=10k	SOT323	16ta	-	Auk
DR	SRA2211UF	Si-PNP-Digi	Switching, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1=10k	SOT323F	18ta	-	Auk
DR	SRA2212F	Si-PNP-Digi	Switching, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1=100k	SOT323F	18ta	-	Auk
D-R	2PB1219AR	Si-PNP	GP, 60V, 150mA, 200mW, B=120..240, 100MHz	SOT323	16ta	-	PhH
DS	2PB1219AS	Si-PNP	GP, 60V, 500mA, 250mW, B=170..340, >140MHz	SC-59	16ta	-	Phi
DS	2SA1037AK-LNS	Si-PNP	AF, 50V, 150mA, 200mW, B=270..560, >140MHz	SOT346	16ta	-	Rhm
DS	2SB1219A-S	Si-PNP	GP, 60V, 500mA, 150mW, B=170..340, 20MHz	SC-70	16ta	-	Pan
DS	2SB710A-S	Si-PNP	GP, AF, 60V, 500mA, 200mW, B=170..340, 200MHz	SC-59	16ta	-	Pan
DS	SIP809CREUDDT	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
D-S	2PB1219AS	Si-PNP	GP, 60V, 150mA, 200mW, B=170..340, 100MHz	SOT323	16ta	-	PhH
DS3	2SA1728-3	Si-PNP	Sw, 50V, 500mA, 200mW, B=70..130, 350MHz, 60/170ns	SOT23	16ta	-	Say
DS4	2SA1728-4	Si-PNP	Sw, 50V, 500mA, 200mW, B=100..200, 350MHz, 60/170ns	SOT23	16ta	-	Say
DS5	2SA1728-5	Si-PNP	Sw, 50V, 500mA, 200mW, B=140..280, 350MHz, 60/170ns	SOT23	16ta	-	Say
DSAA	MAX809BTUR	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
DT	BCW67RA	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B>100, >100MHz	SOT23	16ta	-	Sie
DT	MMBZ4705	Z-Diode	18V 5%, 350mW	SOT23	16dc	-	Vis
DT	SIP809C2TEUDDT	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
DTAA	MAX809BSUR	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
DiQ	2PB1219AQ	Si-PNP	GP, 60V, 150mA, 200mW, B=85..170, 100MHz	SOT323	16ta	-	PhM
DiR	2PB1219AR	Si-PNP	GP, 60V, 150mA, 200mW, B=120..240, 100MHz	SOT323	16ta	-	PhM
DiS	2PB1219AS	Si-PNP	GP, 60V, 150mA, 200mW, B=170..340, 100MHz	SOT323	16ta	-	PhM
DU	BCW67RB	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B>160, >100MHz	SOT23	16ta	-	Sie
DU	MMBZ4706	Z-Diode	19V 5%, 350mW	SOT23	16dc	-	Vis
DV	MAX809BRUR	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
DV	MMBZ4707	Z-Diode	20V 5%, 350mW	SOT23	16dc	-	Vis
DV	SIP809CSEEUDDT	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
DV1	2SD596-DV1	Si-NPN	AF, 30V, 700mA, 200mW, B=110..180, 170MHz	SOT23	16ta	-	Nec
DV2	2SD596-DV2	Si-NPN	AF, 30V, 700mA, 200mW, B=135..220, 170MHz	SOT23	16ta	-	Nec
DV3	2SD596-DV3	Si-NPN	AF, 30V, 700mA, 200mW, B=170..270, 170MHz	SOT23	16ta	-	Nec
DV4	2SD596-DV4	Si-NPN	AF, 30V, 700mA, 200mW, B=200..320, 170MHz	SOT23	16ta	-	Nec
DV5	2SD596-DV5	Si-NPN	AF, 30V, 700mA, 200mW, B=250..400, 170MHz	SOT23	16ta	-	Nec
DW	BCW67RC	Si-PNP	AF, Sw, 45V, 800mA, 330mW, B>250, >100MHz	SOT23	16ta	-	Sie
DW	SIP809CTEUDDT	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
DW1	2SD780-DW1	Si-NPN	AF, 60V, 300mA, 200mW, B=110..180, 100MHz	SOT23	16ta	-	Nec
DW2	2SD780-DW2	Si-NPN	AF, 60V, 300mA, 200mW, B=135..220, 100MHz	SOT23	16ta	-	Nec
DW3	2SD780-DW3	Si-NPN	AF, 60V, 300mA, 200mW, B=170..270, 100MHz	SOT23	16ta	-	Nec
DW4	2SD780-DW4	Si-NPN	AF, 60V, 300mA, 200mW, B=200..320, 100MHz	SOT23	16ta	-	Nec
DW5	2SD780-DW5	Si-NPN	AF, 60V, 300mA, 200mW, B=250..400, 100MHz	SOT23	16ta	-	Nec
DWAA	MAX810BLUR	CMOS-IC	Voltage Detector 4,63V, Reset Push-pull output	SOT23	16vdc	VD7	Max
DX	BCW68RF	Si-PNP	AF, Sw, 60V, 800mA, 350mW, B>100, >100MHz	SOT23	16ta	-	Sie
DX	SIP809CJEUDDT	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
DXAA	MAX810BMUR	CMOS-IC	Voltage Detector 4,38V, Reset Push-pull output	SOT23	16vdc	VD7	Max
DY	BCW68RG	Si-PNP	AF, Sw, 60V, 800mA, 350mW, B>160, >100MHz	SOT23	16ta	-	Sie
DY	MMBZ4710	Z-Diode	25V 5%, 350mW	SOT23	16dc	-	Vis
DY	SIP809CMEUDDT	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
DYAA	MAX810BTUR	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output	SOT23	16vdc	VD7	Max
DZ	BCW68RH	Si-PNP	AF, Sw, 60V, 800mA, 350mW, B>250, >100MHz	SOT23	16ta	-	Sie
DZ	MMBZ4709	Z-Diode	24V 5%, 350mW	SOT23	16dc	-	Vis
DZ	SIP809CLEUDDT	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
DZAA	MAX810BSUR	CMOS-IC	Voltage Detector 2,93V, Reset Push-pull output	SOT23	16vdc	VD7	Max
E	IMBT3904	Si-NPN	GP, 60V, 200mA, 250mW, B=100..300, >300MHz	SOT23	16ta	-	Itt
E	IMBT3906	Si-PNP	GP, 40V, 200mA, 250mW, B=60..300, >250MHz	SOT23	16ta	-	Itt
E0	AP1702AW	CMOS-IC	Voltage Detector, 4,63V, Reset Push-pull output	SOT23	16vdc	VD7	Ana
E0	HSPM-3810	PIN-Diode	RF Att, 100V, 1A(1µs), <0,35pF, <3Q(100mA), 3GHz	SOT23	16dc	-	AgI
E0	HSPM-381B	PIN-Diode	RF Att, 100V, 1A(1µs), <0,35pF, <3Q(100mA), 3GHz	SOT323	16dc	-	AgI
E0	R3111N402A	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E0	R3130N26EC3	CMOS-IC	Voltage Detector 2,6V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
E0	TC54VC4001ECB	CMOS-IC	Voltage Detector 4.0V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E0	TC54VC4002ECB	CMOS-IC	Voltage Detector 4.0V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tca
E0	TS810CXA	CMOS-IC	Voltage Detector 4,63V, Reset Push-pull output	SOT23	16vdc	VD7	Tsc
E0	XC61CC4002M	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E05	XC61FC4012M	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E06	XC61FC4042M	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E07	XC61FC4052M	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E1	BFS17LT1	Si-NPN	VHF.UHF, 15V, 50mA, 200mW, B=20..150, >1GHz	SOT23	16ta	-	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
E1	BFS17W	Si-NPN	VHF/UHF, Mix/Osc, 25V, 25mA, 250mW, B=90, 1,6GHz	SOT323	16ta	-	Phi
E1	MMBZ5231B	Z-Diode	5,1V±5%, 410mW	SOT23	16dc	-	Pjt
E1	MMBZ5231BW	Z-Diode	5,1V±5%, 200mW, Zzt=17Ω	SOT323	16dc	-	Pjt
E1	R3111N412A	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E1	R3130N29EC3	CMOS-IC	Voltage Detector 2,9V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
E1	TC54VC4101ECB	CMOS-IC	Voltage Detector 4.1V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs.
E1	TC54VC4102ECB	CMOS-IC	Voltage Detector 4.1V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E1	XC61CC4102M	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E11	DTA113ZE	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=1k/10k	EMT3	16ta	-	Rhm
E11	DTA113ZKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=1k/10k	SMT3	16ta	-	Rhm
E13	DTA143ZE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/47k	EMT3	16ta	-	Rhm
E13	DTA143ZKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/47k	SMT3	16ta	-	Rhm
E13	DTA143ZM	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k7/47k	VMT3	18ta	-	Rhm
E15	BF747	Si-NPN	VHF/UHF TV-Tun, 20V, 50mA, 300mW, N=40...250, >1,2GHz	SOT23	16ta	-	Phi
E15	XC61FC4112M	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E16	BF547	Si-NPN	VHF/UHF-Mix/Osc, 30V, 30mA, 300mW, B=40...250, 1,6GHz	SOT23	16ta	-	Phi
E16	XC61FC4142M	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E17	XC61FC4152M	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E1H	BFS17H	Si-NPN	VHF UHF, 25V, 25mA, 330mW, B=70...200, >1GHz	SOT23	16ta	-	Ztk
E1L	BFS17L	Si-NPN	VHF UHF, 25V, 25mA, 330mW, B=25...100, >1GHz	SOT23	16ta	-	Ztk
E1O	KSC2859-O	Si-NPN	AF, 35V, 500mA, 150mW, B=70...140, >300MHz	SOT23	16ta	-	Sam
E1p	BFS17	Si-NPN	VHF/UHF, Mix/Osc, 25V, 25mA, 300mW, B=90, 1GHz	SOT23	16ta	-	Phi
E1Y	KSC2859-Y	Si-NPN	AF, 35V, 500mA, 150mW, B=120...240, >300MHz	SOT23	16ta	-	Sam
E2	2SA1226-2	Si-PNP	HF, 40V, 30mA, 200mW, B=40...80, >250MHz	SOT23	16ta	-	Nec
E2	AP1702BW	CMOS-IC	Voltage Detector, 4,38V, Reset Push-pull output	SOT23	16vdc	VD7	Ana
E2	BAL99	Si-Diode	Switching, Fast, 70V, 100mA, 330mW, <4ns	SOT23	16dr	-	Ztk
E2	BF547W	Si-NPN	VHF/UHF-Mix/Osc, 30V, 50mA, 300mW, B=40...250, 1,6GHz	SOT323	16ta	-	Phi
E2	HSMP-3812	PIN-Diode	Dual, RF Att, 100V, 1A(1µs), <0,35pF, <3Ω(100mA), 3GHz	SOT23	16dl	-	Agi
E2	HSMP-381C	PIN-Diode	Dual, RF Att, 100V, 1A(1µs), <0,35pF, <3Ω(100mA), 3GHz	SOT323	16dl	-	Agi
E2	MMBZ5232B	Z-Diode	5,6V±5%, 410mW	SOT23	16dc	-	Pjt
E2	MMBZ5232BW	Z-Diode	5,6V±5%, 200mW, Zzt=11Ω	SOT323	16dc	-	Pjt
E2	R3111N422A	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E2	R3130N30EC8	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
E2	TC54VC4201ECB	CMOS-IC	Voltage Detector 4.2V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E2	TC54VC4202ECB	CMOS-IC	Voltage Detector 4.2V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E2	TS810CXB	CMOS-IC	Voltage Detector 4,38V, Reset Push-pull output	SOT23	16vdc	VD7	Tsc
E2	XC61CC4202M	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E21	2SK932-21	N-FET	RF, LN, 15V, 50mA, 200mW, Idss=5...8,5mA, Up<1,4V	CP	16fa	-	Say
E21	GS809C21EUE	CMOS-IC	Voltage Detector 2,1V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E22	2SK932-22	N-FET	RF, LN, 15V, 50mA, 200mW, Idss=7...12mA, Up<1,4V	CP	16fa	-	Say
E23	2SK932-23	N-FET	RF, LN, 15V, 50mA, 200mW, Idss=10...17mA, Up<1,4V	CP	16fa	-	Say
E23	DTC143ZE	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k/47k	EMT3	16ta	-	Rhm
E23	DTC143ZKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/47k	SMT3	16ta	-	Rhm
E23	DTC143ZM	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=4k/47k	VMT3	18ta	-	Rhm
E23	DTC143ZUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=4k7/47k	UMT3	16ta	-	Rhm
E24	2SK932-24	N-FET	RF, LN, 15V, 50mA, 200mW, Idss=14...24mA, Up<1,4V	CP	16fa	-	Say
E24	GS809C24EUE	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E25	XC61FC4212M	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E26	GS809CREUE	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E26	XC61FC4242M	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E27	GS809C27SEUE	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E27	XC61FC4252M	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E29	GS809CSEUE	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E2p	BFS17A	Si-NPN	VHF/UHF, Mix/Osc, 25V, 25mA, 300mW, B=90, 2,8GHz	SOT23	16ta	-	Phi
E3	1SS190	Si-Diode	Sw, U-Fast, 85V, 100mA, 150mW, Vf<1,2V(100mA), <4ns	SC-59	16ak	-	Tos
E3	2SA1226-3	Si-PNP	HF, 40V, 30mA, 200mW, B=60...120, >250MHz	SOT23	16ta	-	Nec
E3	2SA1256-3	Si-PNP	HF Amp, 30V, 30mA, 150mW, B=60...120, 230MHz	CP	17ta	-	Say
E3	2SA1656-3	Si-PNP	GP, FM/RF, 30V, 30mA, 150mW, B=60...120, >320MHz	CP	16ta	-	Say
E3	2SA1688-3	Si-PNP	GP, FM/RF, 30V, 30mA, 150mW, B=60...120, >320MHz	MCP	16ta	-	Say
E3	AP1702CW	CMOS-IC	Voltage Detector, 4V, Reset Push-pull output	SOT23	16vdc	VD7	Ana
E3	BAR99	Si-Diode	Switching, 70V, 100mA, 330mW, Vf<1,25V(150mA), <6ns	SOT23	16dc	-	Ztk
E3	HSMP-3813	PIN-Diode	Dual, RF Att, 100V, 1A(1µs), <0,35pF, <3Ω(100mA), 3GHz	SOT23	16df	-	Agi
E3	HSMP-381E	PIN-Diode	Dual, RF Att, 100V, 1A(1µs), <0,35pF, <3Ω(100mA), 3GHz	SOT323	16df	-	Agi
E3	R3111N432A	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E3	R3130N46EC5	CMOS-IC	Voltage Detector 4,6V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
E3	TC54VC4301ECB	CMOS-IC	Voltage Detector 4.3V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E3	TC54VC4302ECB	CMOS-IC	Voltage Detector 4.3V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E3	TS810CXC	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vdc	VD7	Tsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
E3	XC61CC4302M	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E30	GS809CJEUE	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E32	DTA123JKA	SI-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/47k	SMT3	16la	-	Rhm
E35	XC61FC4312M	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E36	XC61FC4342M	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E37	XC61FC4352M	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E4	2SA1226-4	SI-PNP	HF, 40V, 30mA, 200mW, B=90...180, >250MHz	SOT23	16la	-	Nec
E4	2SA1256-4	SI-PNP	HF Amp, 30V, 30mA, 150mW, B=90...180, 230MHz	CP	17la	-	Say
E4	2SA1656-4	SI-PNP	GP, FM/RF, 30mA, 150mW, B=90...180, >320MHz	CP	16la	-	Say
E4	2SA1688-4	SI-PNP	GP, FM/RF, 30mA, 150mW, B=90...180, >320MHz	MCP	16la	-	Say
E4	AP1702DW	CMOS-IC	Voltage Detector, 3,08V, Reset Push-pull output	SOT23	16vdc	VD7	Ana
E4	HSMP-3814	PIN-Diode	Dual, RF Att, 100V, 1A(1µs), <0,35pF, <3Ω(100mA), 3GHz	SOT23	16dg	-	Agi
E4	HSMP-381F	PIN-Diode	Dual, RF Att, 100V, 1A(1µs), <0,35pF, <3Ω(100mA), 3GHz	SOT323	16dg	-	Agi
E4	KA4L3N	SI-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/10k	SC-75	16la	-	Nec
E4	MMBZ5233B	Z-Diode	6V±5%, 410mW	SOT23	16dc	-	Pjt
E4	MMBZ5234BW	Z-Diode	6,2V±5%, 200mW, Zzt=7Ω	SOT323	16dc	-	Pjt
E4	R3111N442A	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E4	R3130N46E3C	CMOS-IC	Voltage Detector 4,6V, -Reset Open drain output, 240ms	SOT23	16vdc	VD6	Ric
E4	TC54VC4401ECB	CMOS-IC	Voltage Detector 4,4V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E4	TC54VC4402ECB	CMOS-IC	Voltage Detector 4,4V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E4	TS810CXD	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output	SOT23	16vdc	VD7	Tsc
E4	XC61CC4402M	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E40	GS809CJEUE	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E42	DTC123JE	SI-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/47k	EMT3	16la	-	Rhm
E42	DTC123JKA	SI-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/47k	SMT3	16la	-	Rhm
E42	DTC123JM	SI-NPN-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R1/R2=2k2/47k	VMT3	16la	-	Rhm
E42	DTC123JUA	SI-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=2k2/47k	UMT3	16la	-	Rhm
E43	GS809CMEUE	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E45	XC61FC4412M	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E46	GS809CLEUE	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
E46	XC61FC4442M	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E47	XC61FC4452M	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E4AY	ILC5062AIC44X	CMOS-IC	Voltage Detector 4,4V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
E4AY	ILC5062AM44X	CMOS-IC	Voltage Detector 4,4V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
E4Y	ILC5062IC44X	CMOS-IC	Voltage Detector 4,4V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
E4Y	ILC5062M44X	CMOS-IC	Voltage Detector 4,4V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
E5	2SA1256-5	SI-PNP	HF Amp, 30V, 30mA, 150mW, B=135...280, 230MHz	CP	17la	-	Say
E5	2SA1656-5	SI-PNP	GP, FM/RF, 30mA, 150mW, B=135...270, >320MHz	CP	16la	-	Say
E5	2SA1688-5	SI-PNP	GP, FM/RF, 30mA, 150mW, B=135...270, >320MHz	MCP	16la	-	Say
E5	AP1702EW	CMOS-IC	Voltage Detector, 2,93V, Reset Push-pull output	SOT23	16vdc	VD7	Ana
E5	BFS17AR	SI-NPN	VHF/UHF, Mix/Osc, 25V, 25mA, 300mW, B=90, 2,8GHz	SOT23	16le	-	Tem
E5	MMBZ5235B	Z-Diode	6,8V±5%, 410mW	SOT23	16dc	-	Pjt
E5	MMBZ5235BW	Z-Diode	6,8V±5%, 200mW, Zzt=5Ω	SOT323	16dc	-	Pjt
E5	R3111N452A	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E5	TC54VC4501ECB	CMOS-IC	Voltage Detector 4,5V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E5	TC54VC4502ECB	CMOS-IC	Voltage Detector 4,5V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E5	TS810CXE	CMOS-IC	Voltage Detector 2,93V, Reset Push-pull output	SOT23	16vdc	VD7	Tsc
E5	XC61CC4502M	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E55	XC61FC4512M	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E56	DTA144VKA	SI-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/10k	SMT3	16la	-	Rhm
E56	XC61FC4542M	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E57	XC61FC4552M	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E6	AP1702FW	CMOS-IC	Voltage Detector, 2,63V, Reset Push-pull output	SOT23	16vdc	VD7	Ana
E6	R3111N462A	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E6	TC54VC4601ECB	CMOS-IC	Voltage Detector 4,6V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E6	TC54VC4602ECB	CMOS-IC	Voltage Detector 4,6V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E6	TS810CXF	CMOS-IC	Voltage Detector 2,63V, Reset Push-pull output	SOT23	16vdc	VD7	Tsc
E6	XC61CC4602M	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E65	XC61FC4612M	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output, 280ms	SOT23	16vc	VD7	Tor
E66	DTC144VKA	SI-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=47k/10k	SMT3	16la	-	Rhm
E66	XC61FC4642M	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E67	XC61FC4652M	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E6AY	ILC5062AIC46X	CMOS-IC	Voltage Detector 4,6V±1%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
E6AY	ILC5062AM46X	CMOS-IC	Voltage Detector 4,6V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
E6Y	ILC5062IC46X	CMOS-IC	Voltage Detector 4,6V±2%, -Reset Push-pull output	SC-70	16vc	VD7	Imp
E6Y	ILC5062M46X	CMOS-IC	Voltage Detector 4,6V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Imp
E7	AP1704AW	CMOS-IC	Voltage Detector, 4,63V, Reset Push-pull output	SOT23	16vc	VD7	Ana
E7	KN4L3N	SI-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=4k7/10k	SC-75	16la	-	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
E7	R3111N472A	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E7	TC54VC4701ECB	CMOS-IC	Voltage Detector 4.7V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E7	TC54VC4702ECB	CMOS-IC	Voltage Detector 4.7V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E7	TS810RCXA	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SOT23	16vd	VD7	Tsc
E7	XC61CC4702M	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E75	XC61FC4712M	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E76	XC61FC4742M	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E77	XC61FC4752M	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E8	AP1704BW	CMOS-IC	Voltage Detector, 4.38V, Reset Push-pull output	SOT23	16vc	VD7	Ana
E8	R3111N482A	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E8	TC54VC4801ECB	CMOS-IC	Voltage Detector 4.8V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E8	TC54VC4802ECB	CMOS-IC	Voltage Detector 4.8V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E8	TS810RCXB	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output	SOT23	16vd	VD7	Tsc
E8	XC61CC4802M	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E85	XC61FC4812M	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E86	XC61FC4842M	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E87	XC61FC4852M	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
E9	AP1704CW	CMOS-IC	Voltage Detector, 4V, Reset Push-pull output	SOT23	16vc	VD7	Ana
E9	R3111N492A	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT23	16vc	VD7	Ric
E9	TC54VC5901ECB	CMOS-IC	Voltage Detector 4.9V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E9	TC54VC5902ECB	CMOS-IC	Voltage Detector 4.9V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
E9	TS810RCXC	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vd	VD7	Tsc
E9	XC61CC4902M	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT23	16vc	VD7	Tor
E94	DTB114TK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1=10k	SMT3	16ta	-	Rhm
E95	XC61FC4912M	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
E96	XC61FC4942M	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
E97	XC61FC4952M	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
EA	2SA1532-A	Si-PNP	AF, 20V, 1A, 900mW, B=200..400 >210MHz	SOT323	16ta	-	Pan
EA	2SC4920	Si-NPN-Digi	Muting, 25V, 0.1A, 240MHz, Ron=2.2Ω, R1=R2=4.7kΩ	SOT23	16ta	-	Say
EA	AP1701AW	CMOS-IC	Voltage Detector, 4.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Ana
EA	BCW65A	Si-NPN	AF, 60V, 800mA, 330mW, B=100..250, >100MHz	SOT23	16ta	-	All,Cdi,Ztx
EA	TS809CXA	CMOS-IC	Voltage Detector 4.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Tsc
EAAA	MAX810BRUR	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output	SOT23	16vdc	VD7	Max
EAs	BCW65A	Si-NPN	AF, 60V, 800mA, 330mW, B=100..250, 170MHz	SOT23	16ta	-	Sie
EB	2SA1022-B	Si-PNP	HF, 30V, 30mA, 200mW, B=70..140, 300MHz	SC-59	16ta	-	Pan
EB	2SA1532-B	Si-PNP	AF, 20V, 1A, 900mW, B=250..500 >210MHz	SOT323	16ta	-	Pan
EB	2SK1842	N-FET	IR-Sensor, 40V, Idss>30μA, Up<3V	SOT23	16fa	-	Pan
EB	AAT35601GY-2.20	CMOS-IC	Voltage Detector, 2.2V, Reset Push-pull output	SOT23	16vdc	VD7	Ant
EB	AP1701BW	CMOS-IC	Voltage Detector, 4.38V, -Reset Push-pull output	SOT23	16vdc	VD7	Ana
EB	BCW65B	Si-NPN	AF, 60V, 800mA, 330mW, B=160..400, >100MHz	SOT23	16ta	-	All,Cdi,Ztx
EB	H5MP-4610	PIN-Diode	Dual, RF Att, 100V, 1A(1μs), <0.35pF, <3Ω(100mA), 3GHz	SOT23	16dh	-	Agi
EB	H5MP-481B	PIN-Diode	Dual, RF Att, 100V, 1A(1μs), <0.35pF, <3Ω(100mA), 3GHz	SOT323	16df	-	Agi
EB	SP809CREUEDT	CMOS-IC	Voltage Detector 2.63V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
EB	TS809CXB	CMOS-IC	Voltage Detector 4.38V, -Reset Push-pull output	SOT23	16vdc	VD7	Tsc
EBs	BCW65B	Si-NPN	AF, 60V, 800mA, 330mW, B=100..250, 170MHz	SOT23	16ta	-	Sie
EC	2SA1022-C	Si-PNP	HF, 30V, 30mA, 200mW, B=110..220, 300MHz	SC-59	16ta	-	Pan
EC	2SA1532-C	Si-PNP	AF, 20V, 1A, 900mW, B=300..560 >210MHz	SOT323	16ta	-	Pan
EC	2SC2732	Si-NPN	UHF, 30V, 20mA, 150mW, B=60, 1GHz	SOT23	16ta	-	Hit
EC	2SC4462	Si-NPN	HF, 30V, 20mA, 150mW, B>30, >700MHz	SOT323	16ta	-	Hit
EC	AAT35601GY-2.50	CMOS-IC	Voltage Detector, 2.5V, Reset Push-pull output	SOT23	16vdc	VD7	Ant
EC	AP1701CW	CMOS-IC	Voltage Detector, 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Ana
EC	BCW65C	Si-NPN	AF, 60V, 800mA, 330mW, B=250..630, >100MHz	SOT23	16ta	-	Cdi,Ztx
EC	MSA1022-CT1	Si-PNP	RF, 30V, 30mA, 200mW, B=110..220, >150MHz	SC-59	16ta	-	Mot
EC	SIP809C27EUEDT	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
EC	TS809CXC	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Tsc
EC	UNR31AH	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=2k2/10k	SSSMini3	18ta	-	Pan
EC4	DTC114EK	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R1/R2=10/10k	SOT23	16ta	-	lit
ECs	BCW65C	Si-NPN	AF, 60V, 800mA, 330mW, B=250..630, 170MHz	SOT23	16ta	-	Sie
ED	AP1701DW	CMOS-IC	Voltage Detector, 3.08V, -Reset Push-pull output	SOT23	16vdc	VD7	Ana
ED	SIP809CSEUEDT	CMOS-IC	Voltage Detector 2.93V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
ED	TS809CXD	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output	SOT23	16vdc	VD7	Tsc
ED	UNR31AL	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=4k7/4k7	SSSMini3	18ta	-	Pan
EE	AP1701EW	CMOS-IC	Voltage Detector, 2.93V, -Reset Push-pull output	SOT23	16vdc	VD7	Ana
EE	SIP809CTEUEDT	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
EE	TS809CXE	CMOS-IC	Voltage Detector 2.93V, -Reset Push-pull output	SOT23	16vdc	VD7	Tsc
EF	AP1701FW	CMOS-IC	Voltage Detector, 2.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Ana
EF	BCW66F	Si-NPN	AF, 75V, 800mA, 330mW, B=100..250, >100MHz	SOT23	16ta	-	All,Cdi,Ztx
EF	TS809CXF	CMOS-IC	Voltage Detector 2.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Tsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
EF	UNR31AM	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=2k2/47k	SSSMini3	181a -	Pan
EFs	BCW66F	Si-NPN	AF, 75V, 800mA, 330mW, B=100...250, >170MHz	SOT23	161a -	Sie
EG	AP1703AW	CMOS-IC	Voltage Detector, 4,63V, -Reset Push-pull output	SOT23	16vc VD7	Ana
EG	BCW66G	Si-NPN	AF, 75V, 800mA, 330mW, B=160...400, >100MHz	SOT23	161a -	All,Cdi,Ztx
EG	SIP809CJEUEDT	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis
EG	TS809RCXA	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output	SOT23	16vd VD7	Tsc
EGs	BCW66G	Si-NPN	AF, 75V, 800mA, 330mW, B=160...400, 170MHz	SOT23	161a -	Sie
EH	1S3365	Si-Diode	Schottky, UHF Detector, Mx., 10V, 35mA, <0,85pF	SOT23	16dc -	Say
EH	AP1703BW	CMOS-IC	Voltage Detector, 4,38V, -Reset Push-pull output	SOT23	16vc VD7	Ana
EH	BCW66H	Si-NPN	AF, 75V, 800mA, 330mW, B=250...630, >100MHz	SOT23	161a -	Cdi,Ztx
EH	SIP809CMEUEDT	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis
EH	TS809RCXB	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output	SOT23	16vd VD7	Tsc
EHA	MAX6326_R22-T	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output	SOT23	16vdc VD7	Max
EHA	MAX6326UR22	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output	SOT23	16vdc VD7	Max
Ehs	BCW66H	Si-NPN	AF, 75V, 800mA, 330mW, B=250...630, >170MHz	SOT23	161a -	Sie
Ei	AP1703CW	CMOS-IC	Voltage Detector, 4V, -Reset Push-pull output	SOT23	16vc VD7	Ana
Ei	SIP809CLEUEDT	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output 150ms	SOT23	16vdc VD7	Vis
Ei	TS809RCXC	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vd VD7	Tsc
Ei	UN211M	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=2k2/47k	SC-59	161a -	Pan
Ei	UN511M	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=2k2/47k	SMini-3	161a -	Pan
Ei	UNR211M	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=2k2/47k	SC-59	161a -	Pan
Ei	UNR511M	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=2k2/47k	SMini-3	161a -	Pan
Ei	UNR911MJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=2k2/47k	SC-89	181a -	Pan
EJAA	MAX6327UR22-T	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output	SOT23	16vdc VD7	Max
EJ	AP1703DW	CMOS-IC	Voltage Detector, 3,08V, -Reset Push-pull output	SOT23	16vc VD7	Ana
EJ	TS809RCXD	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output	SOT23	16vd VD7	Tsc
EJAA	MAX6328UR22-T	CMOS-IC	Voltage Detector 2,2V, -Reset Open drain output	SOT23	16vdc VD6	Max
EK	AP1703EW	CMOS-IC	Voltage Detector, 2,93V, -Reset Push-pull output	SOT23	16vc VD7	Ana
EK	BCX41	Si-NPN	AF, 125V, 800mA, 330mW, B>63, >100MHz	SOT23	161a -	Ztx
EK	TS809RCXE	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output	SOT23	16vd VD7	Tsc
EK	UNR31AN	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=4k7/47k	SSSMini3	181a -	Pan
Eks	BCX41	Si-NPN	AF, 125V, 800mA, 330mW, B>63, 100MHz	SOT23	161a -	Sie
EL	2SA1678	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT323	161a -	Say
EL	AP1703FW	CMOS-IC	Voltage Detector, 2,63V, -Reset Push-pull output	SOT23	16vc VD7	Ana
EL	SIP809CREUDT	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output 210ms	SOT23	16vdc VD7	Vis
EL	TS809RCXF	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output	SOT23	16vd VD7	Tsc
EL	UN221M	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=2k2/47k	SC-59	161a -	Pan
EL	UN521M	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=2k2/47k	SMini-3	161a -	Pan
EL	UNR221M	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=2k2/47k	SC-59	161a -	Pan
EL	UNR521M	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=2k2/47k	SMini-3	161a -	Pan
EL	UNR921MJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=2k2/47k	SC-89	181a -	Pan
EM	2SJ501	MOS-P-FET-a*	V-MOS, LogL, 20V, 0,5A, <1Q(0,0(A)	SOT23	16fg -	Say
EM	AP1704DW	CMOS-IC	Voltage Detector, 3,08V, Reset Push-pull output	SOT23	16vc VD7	Ana
EM	SIP809C27EUEDT	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output 210ms	SOT23	16vdc VD7	Vis
EM	TS810RCXD	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output	SOT23	16vd VD7	Tsc
EN	AP1704EW	CMOS-IC	Voltage Detector, 2,93V, Reset Push-pull output	SOT23	16vc VD7	Ana
EN	SIP809CSEUDT	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output 210ms	SOT23	16vdc VD7	Vis
EN	TS810RCXE	CMOS-IC	Voltage Detector 2,93V, Reset Push-pull output	SOT23	16vd VD7	Tsc
EN	UNR31AT	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=22k/47k	SSSMini3	181a -	Pan
EN	UNR92AL	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=4k7/47k	SSSMini3	181a -	Pan
EN3	2SC4860-3	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=60...120, 6,5GHz	MCP	161a -	Say
EN3	2SC4861-3	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=60...120, 6,5GHz	CP	161a -	Say
EN4	2SC4860-4	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=90...180, 6,5GHz	MCP	161a -	Say
EN4	2SC4861-4	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=90...180, 6,5GHz	CP	161a -	Say
EN5	2SC4860-5	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=130...270, 6,5GHz	MCP	161a -	Say
EN5	2SC4861-5	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=130...270, 6,5GHz	CP	161a -	Say
EO	KTC3265-O	Si-NPN	AF, 35V, 800mA, 200mW, B=100...200, >120MHz	SOT23	161a -	Kec
EO	SIP809CTEUEDT	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output 210ms	SOT23	16vdc VD7	Vis
EP	AP1704FW	CMOS-IC	Voltage Detector, 2,63V, Reset Push-pull output	SOT23	16vc VD7	Ana
EP	SIP809CJEUEDT	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output 210ms	SOT23	16vdc VD7	Vis
EP	TS810RCXF	CMOS-IC	Voltage Detector 2,63V, Reset Push-pull output	SOT23	16vd VD7	Tsc
EP	UNR31AV	Si-PNP-Digi	Switching, 50V, 80mA, 100mW, 80MHz, R1/R2=2k2/2k2	SSSMini3	181a -	Pan
ER	SIP809CMEUDT	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output 210ms	SOT23	16vdc VD7	Vis
ES	SIP809CLEUDT	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output 210ms	SOT23	16vdc VD7	Vis
ES5	2SA1745-5	Si-PNP	AF, Lo-sat, 20V, 500mA, 150mW, B=135...270, 400MHz	SOT323	161a -	Say
ES6	2SA1745-6	Si-PNP	AF, Lo-sat, 20V, 500mA, 150mW, B=200...400, 400MHz	SOT323	161a -	Say
ES7	2SA1745-7	Si-PNP	AF, Lo-sat, 20V, 500mA, 150mW, B=300...600, 400MHz	SOT323	161a -	Say
EV	SIP810CREUADT	CMOS-IC	Voltage Detector 2,63V, Reset Push-pull output 1,5ms	SOT23	16vdc VD7	Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
EV	UN5154	Si-PNP-Digi	Switching, 30V, 100mA, 150mW, 80MHz, R1/R2=10k/47k	SMini3	16ta	-	Pan
EW	UNR5154	Si-PNP-Digi	Switching, 30V, 100mA, 150mW, 80MHz, R1/R2=10k/47k	SMini3	16ta	-	Pan
EW	SP810C27EUADT	CMOS-IC	Voltage Detector 2,7V, Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
EW	UN211N	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/47k	SC-59	16ta	-	Pan
EW	UN511N	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/47k	SMini-3	16ta	-	Pan
EW	UNR211N	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/47k	SC-59	16ta	-	Pan
EW	UNR511N	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/47k	SMini-3	16ta	-	Pan
EW	UNR911NJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=4k7/47k	SC-89	18ta	-	Pan
EWAA	MAX6326_R23-T	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
EWAA	MAX6326UR23	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
EX	SP810CSEUADT	CMOS-IC	Voltage Detector 2,93V, Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
EX	UN221N	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/47k	SC-59	16ta	-	Pan
EX	UN521N	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/47k	SMini-3	16ta	-	Pan
EX	UNR221N	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/47k	SC-59	16ta	-	Pan
EX	UNR521N	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/47k	SMini-3	16ta	-	Pan
EX	UNR921NJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=4k7/47k	SC-89	18ta	-	Pan
EXAA	MAX6326_R24-T	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
EXAA	MAX6326UR24	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
EY	KTC3265-Y	Si-NPN	AF, 35V, 800mA, 200mW, B=160 320, >120MHz	SOT23	16ta	-	Kec
EY	SP810CTEUADT	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
EY	UN211T	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=22k/47k	SC-59	16ta	-	Pan
EY	UN511T	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=22k/47k	SMini-3	16ta	-	Pan
EY	UN911TJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=22k/47k	SC-89	18ta	-	Pan
EY	UNR211T	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=22k/47k	SC-59	16ta	-	Pan
EY	UNR511T	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=22k/47k	SMini-3	16ta	-	Pan
EY	UNR911TJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=22k/47k	SC-89	18ta	-	Pan
EYAA	MAX6326_R25-T	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
EYAA	MAX6326UR25	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
EZ	SP810CJEUADT	CMOS-IC	Voltage Detector 4V, Reset Push-pull output 1,5ms	SOT23	16vdc	VD7	Vis
EZ	UN221T	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=22k/47k	SC-59	16ta	-	Pan
EZ	UN521T	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=22k/47k	SMini-3	16ta	-	Pan
EZ	UNR21TJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=22k/47k	SC-89	18ta	-	Pan
EZ	UNR221T	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=22k/47k	SC-59	16ta	-	Pan
EZ	UNR521T	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=22k/47k	SMini-3	16ta	-	Pan
EZ	UNR921TJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=22k/47k	SC-89	18ta	-	Pan
EZAA	MAX6326_R26-T	CMOS-IC	Voltage Detector 2,6V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
EZAA	MAX6326UR26	CMOS-IC	Voltage Detector 2,6V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
F0	H5MP-3820	PIN-Diode	RF, Sw, 50V, 1A(1µs), <0,75pF, <0,6Ω(10mA), 3GHz	SOT23	16dc	-	Agil
F0	R311N502A	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F0	TC54VC5001ECB	CMOS-IC	Voltage Detector 5 0V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F0	TC54VC5002ECB	CMOS-IC	Voltage Detector 5 0V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F0	XC61CC5002M	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F02	DTD123TK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1=2k2	SMT3	16ta	-	Rhm
F03	DTD143TK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1=4k7	SMT3	16ta	-	Rhm
F05	XC61FC5012M	CMOS-IC	Voltage Detector 5V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F06	XC61FC5042M	CMOS-IC	Voltage Detector 5V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F07	XC61FC5052M	CMOS-IC	Voltage Detector 5V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F1	KST1009-F1	Si-NPN	GP, 50V, 50mA, 350mW, B=60 120, >150MHz	SOT23	16ta	-	Sam
F1	KTC1009F1	Si-NPN	AF, 50V, 50mA, 350mW, B=30 60, >150MHz	SOT23	16ta	-	Sam
F1	MMBC1009F1	Si-NPN	AM/FM RF Amp, 50V, 50mA, 350mW, B=30 60, >150MHz	SOT23	16ta	-	Sam
F1	MMBZ5236B	Z-Diode	7,5V±5%, 410mW	SOT23	16dc	-	Pjt
F1	MMBZ5236BW	Z-Diode	7,5V±5%, 200mW, Zzt=6Ω	SOT323	16dc	-	Pjt
F1	R311N512A	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F1	TC54VC5101ECB	CMOS-IC	Voltage Detector 5 1V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F1	TC54VC5102ECB	CMOS-IC	Voltage Detector 5 1V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F1	XC61CC5102M	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F11	DTB113EK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=1k/1k	SMT3	16ta	-	Rhm
F12	25CA178-F12	Si-NPN	HF, 30V, 20mA, 150mW, B=40 80, >600MHz	SOT323	16ta	-	Nec
F12	DTB123EK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/2k2	SMT3	16ta	-	Rhm
F13	25CA178-F13	Si-NPN	HF, 30V, 20mA, 150mW, B=60 120, >600MHz	SOT323	16ta	-	Nec
F13	DTB143EC	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=4k7/4k7	SST3	16ta	-	Rhm
F13	DTB143EK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=4k7/4k7	SMT3	16ta	-	Rhm
F14	25CA178-F14	Si-NPN	HF, 30V, 20mA, 150mW, B=90 180, >600MHz	SOT323	16ta	-	Nec
F14	DTB114EK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=10k/10k	SMT3	16ta	-	Rhm
F15	XC61FC5112M	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F16	XC61FC5142M	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F17	XC61FC5152M	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F10	KSA1182-O	Si-PNP	AF, 35V, 500mA, 150mW, B=70 140, >200MHz	SOT23	16ta	-	Sam

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
F1p	BFS18	Si-NPN	RF, 30V, 30mA, 200MHz	SOT23	161a	-	PhH
F1t	BFS18	Si-NPN	RF, 30V, 30mA, 200MHz	SOT23	161a	-	PhM
F1Y	KSA1182-Y	Si-PNP	AF, 35V, 500mA, 150mW, B=120..240, >200MHz	SOT23	161a	-	Sam
F2	2SC2814-2	Si-NPN	GP, AF, 30V, 30mA, 150mW, B=40..80, 320MHz	CP	161a	-	Say
F2	BFS19	Si-NPN	RF, 30V, 30mA, 250mW, B=65..225, 260MHz	SOT23	161a	-	Sle
F2	HSMP-3822	PIN-Diode	Dual, RF, Sw, 50V, 1A(1µs), <0.75pF, <0.6Q(10mA), 3GHz	SOT23	16dl	-	Agi
F2	KST1009-F2	Si-NPN	GP, 50V, 50mA, 350mW, B=90..180, >150MHz	SOT23	161a	-	Sam
F2	MMBC1009F2	Si-NPN	AM/FM RF Amp, 50V, 50mA, 350mW, B=40..80, >150MHz	SOT23	161a	-	Sam
F2	MMBZ5237B	Z-Diode	8.2V±5%, 410mW	SOT23	16dc	-	Pjt
F2	MMBZ5237BW	Z-Diode	8.2V±5%, 200mW, Zzt=8Ω	SOT323	16dc	-	Pjt
F2	R3111N522A	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F2	TC54VC5201ECB	CMOS-IC	Voltage Detector 5.2V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F2	TC54VC5202ECB	CMOS-IC	Voltage Detector 5.2V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F2	XC61CC5202M	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F21	DTD113EK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=1k/1k	SMT3	161a	-	Rhm
F22	DTD123EK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/2k2	SMT3	161a	-	Rhm
F23	DTD143EC	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=4k7/4k7	SST3	161a	-	Rhm
F23	DTD143EK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=4k7/4k7	SMT3	161a	-	Rhm
F24	DTD114EK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=10k/10k	-SMT3	161a	-	Rhm
F25	XC61FC5212M	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F26	XC61FC5242M	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F27	XC61FC5252M	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F2p	BFS19	Si-NPN	RF, 30V, 30mA, 250mW, B=65..225, 260MHz	SOT23	161a	-	PhH
F2t	BFS19	Si-NPN	RF, 30V, 30mA, 250mW, B=65..225, 260MHz	SOT23	161a	-	PhM
F3	1SS193	Si-Diode	Sw, U-Fast, 85V, 100mA, 150mW, Vf<1.2V(100mA), <4ns	SC-59	16dc	-	Tos
F3	2SC2814-3	Si-NPN	GP, AF, 30V, 30mA, 150mW, B=60..120, 320MHz	CP	161a	-	Say
F3	2SC4399-3	Si-NPN	AF, 30V, 30mA, 150mW, B=60..120, >320MHz	SOT323	161a	-	Say
F3	HSMP-3823	PIN-Diode	Dual, RF, Sw, 50V, 1A(1µs), <0.75pF, <0.6Q(10mA), 3GHz	SOT23	16df	-	Agi
F3	KST1009-F3	Si-NPN	GP, 50V, 50mA, 350mW, B=135..270, >150MHz	SOT23	161a	-	Sam
F3	MMBC1009F3	Si-NPN	AM/FM RF Amp, 50V, 50mA, 350mW, B=50..130, >150MHz	SOT23	161a	-	Sam
F3	R3111N532A	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F3	TC54VC5301ECB	CMOS-IC	Voltage Detector 5.3V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F3	TC54VC5302ECB	CMOS-IC	Voltage Detector 5.3V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F3	XC61CC5302M	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F35	XC61FC5312M	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F36	XC61FC5342M	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F37	XC61FC5352M	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F3T	1PS193	Si-Diode	Switching, Fast, 80V, 215mA, <4ns	SC-59	16dc	-	Phi
F4	2SC2814-4	Si-NPN	GP, AF, 30V, 30mA, 150mW, B=90..180, 320MHz	CP	161a	-	Say
F4	2SC4399-4	Si-NPN	AF, 30V, 30mA, 150mW, B=90..180, >320MHz	SOT323	161a	-	Say
F4	BFS18R	Si-NPN	RF, 30V, 30mA, 200MHz	SOT23	161e	-	Sle
F4	HSMP-3824	PIN-Diode	Dual, RF, Sw, 50V, 1A(1µs), <0.75pF, <0.6Q(10mA), 3GHz	SOT23	16dg	-	Agi
F4	KA4L32	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7	SC-75	161a	-	Nec
F4	KST1009-F4	Si-NPN	GP, 50V, 50mA, 350mW, B=200..400, >150MHz	SOT23	161a	-	Sam
F4	MMBC1009F4	Si-NPN	AM/FM RF Amp, 50V, 50mA, 350mW, B=100..200, >150MHz	SOT23	161a	-	Sam
F4	MMBZ5239B	Z-Diode	9.1V±5%, 410mW	SOT23	16dc	-	Pjt
F4	MMBZ5239BW	Z-Diode	9.1V±5%, 200mW, Zzt=10Ω	SOT323	16dc	-	Pjt
F4	R3111N542A	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F4	TC54VC5401ECB	CMOS-IC	Voltage Detector 5.4V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F4	TC54VC5402ECB	CMOS-IC	Voltage Detector 5.4V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F4	XC61CC5402M	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F45	XC61FC5412M	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F46	XC61FC5442M	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F47	XC61FC5452M	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F5	1SS370	Si-Diode	Rectifier, 200V, 100mA, Vf<1.2V(100mA), <60ns	SOT323	16dc	-	Tos
F5	2SC2814-5	Si-NPN	GP, AF, 30V, 30mA, 150mW, B=40..135, 270MHz	CP	161a	-	Say
F5	2SC4399-5	Si-NPN	AF, 30V, 30mA, 150mW, B=135..270, >320MHz	SOT323	161a	-	Say
F5	BFS19R	Si-NPN	RF, 30V, 30mA, 250mW, B=65..225, 260MHz	SOT23	161e	-	Tem
F5	KST1009-F5	Si-NPN	GP, 50V, 50mA, 350mW, B=300..600, >150MHz	SOT23	161a	-	Sam
F5	MMBC1009F5	Si-NPN	AM/FM RF Amp, 50V, 50mA, 350mW, B=135..270, >150MHz	SOT23	161a	-	Sam
F5	MMBZ5240B	Z-Diode	10V±5%, 410mW	SOT23	16dc	-	Pjt
F5	MMBZ5240BW	Z-Diode	10V±5%, 200mW, Zzt=17Ω	SOT323	16dc	-	Pjt
F5	R3111N552A	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F5	TC54VC5501ECB	CMOS-IC	Voltage Detector 5.5V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F5	TC54VC5502ECB	CMOS-IC	Voltage Detector 5.5V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F5	XC61CC5502M	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F52	DTB123YK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/10k	SST3	161a	-	Rhm
F52	DTB123YK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/10k	SMT3	161a	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
F55	XC61FC5512M	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F56	XC61FC5542M	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F57	XC61FC5552M	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F6	R311N562A	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F6	R3130N16EA	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
F6	TC54VC5601ECB	CMOS-IC	Voltage Detector 5.6V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F6	TC54VC5602ECB	CMOS-IC	Voltage Detector 5.6V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F6	XC61CC5602M	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F62	DTD123YK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=2k2/10k	SMT3	16le	-	Rhm
F65	XC61FC5612M	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F66	XC61FC5642M	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F67	XC61FC5652M	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F7	BAV99RWT1	Si-Diode	Dual, U-Speed, 70V, 215mA, Vf=1.2V(100mA), 0.5pF, 4ns	SOT323	16ea	-	Ons
F7	KN4L32	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1=4k7	SC-75	16la	-	Nec
F7	R311N572A	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F7	R3130N17EA	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
F7	TC54VC5701ECB	CMOS-IC	Voltage Detector 5.7V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F7	TC54VC5702ECB	CMOS-IC	Voltage Detector 5.7V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F7	XC61CC5702M	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F75	XC61FC5712M	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F76	XC61FC5742M	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F77	XC61FC5752M	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F8	R311N582A	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F8	R3130N16EA	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
F8	TC54VC5801ECB	CMOS-IC	Voltage Detector 5.8V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F8	TC54VC5802ECB	CMOS-IC	Voltage Detector 5.8V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F8	XC61CC5802M	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F85	XC61FC5812M	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F86	XC61FC5842M	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F87	XC61FC5852M	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
F8p	BF824	Si-PNP	FM RF, 30V, 25mA, 250mW, B=25, 450MHz	SOT23	16ta	-	PhH
F8p	BF824W	Si-PNP	FM RF, 30V, 25mA, 200mW, B=25, 450MHz	SOT323	16ta	-	PhH
F8p	BF828	Si-PNP	AF, 30V, 25mA, 250mW, 450MHz	SOT23	16ta	-	Phi
F8t	BF824	Si-PNP	FM RF, 30V, 25mA, 250mW, B=25, 450MHz	SOT23	16ta	-	PhM
F8t	BF824W	Si-PNP	FM RF, 30V, 25mA, 200mW, B=25, 450MHz	SOT323	16ta	-	PhM
F9	1SS321	Si-Diode	Dual, Schottky, 2x10V 50mA	SC-59	16dg	-	Tos
F9	2SA1774	Si-PNP	GP, 60V, 100mA, 150mW, B=150..560, 140MHz	SOT416	16le	-	Ons
F9	R311N592A	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT23	16vc	VD7	Ric
F9	R3130N19EA	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
F9	TC54VC5901ECB	CMOS-IC	Voltage Detector 5.9V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F9	TC54VC5902ECB	CMOS-IC	Voltage Detector 5.9V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
F9	XC61CC5902M	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT23	16vc	VD7	Tor
F92	DTB123TK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1=2k2	SMT3	16ta	-	Rhm
F93	DTB143TK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1=4k7	SMT3	16le	-	Rhm
F95	XC61FC5912M	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
F96	XC61FC5942M	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
F97	XC61FC5952M	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
FA	2SC2619-A	Si-NPN	AF, 100mA, 150mW, B=35..70, 230MHz	SOT23	16ta	-	Ren
FA	2SC4921	Si-NPN-Digi	Muting, 25V, 0.1A, 240MHz, Ron=2.8Ω, R1=R2=10kΩ	SOT23	16ta	-	Say
FA	H5MP-4820	PIN-Diode	Dual, RF, Sw, 50V, 1A(1µs), <0.75pF, <0.6Q(10mA), 3GHz	SOT323	16df	-	AgI
FA	H5MP-482B	PIN-Diode	Dual, RF, Sw, 50V, 1A(1µs), <0.75pF, <0.6Q(10mA), 3GHz	SOT323	16df	-	AgI
FA	SP810CMEUADT	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output 1.5ms	SOT23	16vdc	VD7	Vts
FA3	2SC4179-FA3	Si-NPN	UHF, FM/AM, 50V, 50mA, 150mW, B=60..120, >150MHz	SOT323	16ta	-	Nec
FA4	2SC4179-FA4	Si-NPN	UHF, FM/AM, 50V, 50mA, 150mW, B=90..180, >150MHz	SOT323	16ta	-	Nec
FAAA	MAX6326-R27-T	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FAAA	MAX6326UR27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FB	2SC2619-B	Si-NPN	AF, 100mA, 150mW, B=60..120, 230MHz	SOT23	16ta	-	Ren
FB	2SC3053-B	Si-NPN	GP, AM/FM, 30V, 30mA, 200mW, B=55..110, 200MHz	SOT23	16ta	-	Mit
FB	SP1810CLEUADT	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output 1.5ms	SOT23	16vdc	VD7	Vis
FBA	MAX6326UR2B	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FC	2SC2619-C	Si-NPN	AF, 100mA, 150mW, B=100..200, 230MHz	SOT23	16ta	-	Ren
FC	2SC3053-C	Si-NPN	GP, AM/FM, 30V, 30mA, 200mW, B=90..180, 200MHz	SOT23	16ta	-	Mit
FC	UN211V	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=2k2/2k2	SC-59	16ta	-	Pan
FC	UN511V	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=2k2/2k2	SMini-3	16ta	-	Pan
FC	UNR211V	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=2k2/2k2	SC-59	16ta	-	Pan
FC	UNR511V	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=2k2/2k2	SMini-3	16ta	-	Pan
FC	UNR911VJ	Si-PNP-Digi	Switching, 50V, 100mA, 125mW, 80MHz, R1/R2=2k2/2k2	SC-49	16ta	-	Pan
FAA	MAX6326_R29-T	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SOT23	16vdc	VD7	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
FCAA	MAX6326UR29	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SOT23	16vdc VD7	Max
FD	25C3053-D	Si-NPN	GP. AM/FM, 30V, 30mA, 200mW, B=150...300, 200MHz	SOT23	16ta -	Mit
FD	AAT3562IGY-2.70	CMOS-IC	Voltage Detector, 2.7V, -Reset Open drain output	SOT23	16vdc VD6	Ant
FD	BCV26	Si-PNP-Darl	AF, 40V, 500mA, 300mW, 200MHz, B>4000	SOT23	16ta -	Itt,Ste
FD	SIP810CREUDDT	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Via
FD	UN221V	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=2k2/2k2	SC-59	16ta -	Pan
FD	UN521V	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=2k2/2k2	SMini-3	16ta -	Pan
FD	UNR221V	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=2k2/2k2	SC-59	16ta -	Pan
FD	UNR521V	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=2k2/2k2	SMini-3	16ta -	Pan
FD	UNR921VJ	Si-NPN-Digi	Switching, 50V, 100mA, 125mW, 150MHz, R1/R2=2k2/2k2	SC-89	16ta -	Pan
FDA	MAX6326_R31-T	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SOT23	16vdc VD7	Max
FDA	MAX6326UR31	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SOT23	16vdc VD7	Max
Fdp	BCV26	Si-PNP-Darl	AF, 40V, 500mA, 300mW, 200MHz, B>4000	SOT23	16ta -	PhH
FDe	BCV26	Si-PNP-Darl	AF, 40V, 500mA, 300mW, 200MHz, B>4000	SOT23	16ta -	Inf
FDr	BCV26	Si-PNP-Darl	AF, 40V, 500mA, 300mW, 200MHz, B>4000	SOT23	16ta -	PhM
FE	BCV46	Si-PNP-Darl	AF, 80V, 500mA, 300mW, 200MHz, B>2000	SOT23	16ta -	Ste
FE	SIP810C27EUDDT	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Via
FE	UN211Z	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/22k	SC-59	16ta -	Pan
FE	UN511Z	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/22k	SMini-3	16ta -	Pan
FE	UNR211Z	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 80MHz, R1/R2=4k7/22k	SC-59	16ta -	Pan
FE	UNR511Z	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 80MHz, R1/R2=4k7/22k	SMini-3	16ta -	Pan
FEA	MAX6326_R30-T	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT23	16vdc VD7	Max
FEA	MAX6326UR30	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT23	16vdc VD7	Max
FEp	BCV46	Si-PNP-Darl	AF, 80V, 500mA, 300mW, 200MHz, B>2000	SOT23	16ta -	PhH
FEs	BCV46	Si-PNP-Darl	AF, 80V, 500mA, 300mW, 200MHz, B>2000	SOT23	16ta -	Inf
FEt	BCV46	Si-PNP-Darl	AF, 80V, 500mA, 300mW, 200MHz, B>2000	SOT23	16ta -	PhM
FF	BCV27	Si-NPN-Darl	AF, 40V, 300mA, 300mW, 200MHz, B>4000	SOT23	16ta -	Itt,Ste
FF	UN221Z	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/22k	SC-59	16ta -	Pan
FF	UN521Z	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/22k	SMini-3	16ta -	Pan
FF	UNR221Z	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 150MHz, R1/R2=4k7/22k	SC-59	16ta -	Pan
FF	UNR521Z	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, 150MHz, R1/R2=4k7/22k	SMini-3	16ta -	Pan
FFA	MAX6327UR23-T	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT23	16vdc VD7	Max
FFA	MAX6327UR31-T	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT23	16vdc VD7	Max
FFA	MAX6327UR30-T	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23	16vdc VD7	Max
FFp	BCV27	Si-NPN-Darl	AF, 40V, 500mA, 300mW, 200MHz, B>4000	SOT23	16ta -	PhH
FFs	BCV27	Si-NPN-Darl	AF, 40V, 500mA, 300mW, 200MHz, B>4000	SOT23	16ta -	Inf
FFr	BCV27	Si-NPN-Darl	AF, 40V, 500mA, 300mW, 200MHz, B>4000	SOT23	16ta -	PhM
FG	SIP810CSEUDDT	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Via
FGA	MAX6327UR24-T	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT23	16vdc VD7	Max
FGp	BCV47	Si-NPN-Darl	AF, 80V, 500mA, 300mW, 200MHz, B>2000	SOT23	16ta -	PhH
FGs	BCV47	Si-NPN-Darl	AF, 80V, 500mA, 300mW, 200MHz, B>2000	SOT23	16ta -	Inf
FGt	BCV47	Si-NPN-Darl	AF, 80V, 500mA, 300mW, 200MHz, B>2000	SOT23	16ta -	PhM
FH	1SS366	Si-Diode	Dual, Schottky, UHF-Mixer, 10V, 35mA, <0.85pF	SOT23	16di -	Say
FH	1SS375	Si-Diode	Dual, Schottky, UHF-Mixer, 10V, 35mA, <0.85pF	SOT323	16di -	Say
FH	SIP810C2EUDDT	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Via
FHAA	MAX6327UR25-T	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT23	16vdc VD7	Max
FHs	BFN24	Si-NPN	Vid, 250V, 200mA, 360mW, B>40, 70MHz	SOT23	16ta -	Sie
FI	SIP810CJEUDDT	CMOS-IC	Voltage Detector 4V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Via
FIAA	MAX6327UR26-T	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT23	16vdc VD7	Max
FJ3	25K1069-3	N-FET	GP, AF, 40V, 20mA, 150mW, Idss=1.2...3mA, Up<2V	MCP	16ta -	Say
FJ4	25K1069-4	N-FET	GP, AF, 40V, 20mA, 150mW, Idss=2.5...6mA, Up<2V	MCP	16ta -	Say
FJ5	25K1069-5	N-FET	GP, AF, 40V, 20mA, 150mW, Idss=5...12mA, Up<2V	MCP	16ta -	Say
FJAA	MAX6327UR27-T	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT23	16vdc VD7	Max
FJs	BFN26	Si-NPN	Vid, 300V, 200mA, 360mW, B>30, 70MHz	SOT23	16ta -	Sie
FK	SIP810CMEUDDT	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Via
FK	UNR32A1	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=10k/10k	SSSMini3	16ta -	Pan
FKAA	MAX6327UR28-T	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT23	16vdc VD7	Max
FKs	BFN25	Si-PNP	Vid, 250V, 200mA, 360mW, B>40, 100MHz	SOT23	16ta -	Sie
FL	2SA1434	Si-PNP	Hi-beta, 60V, 100mA, 200mW, B=500...1200, >100MHz	CP	17ta -	Say
FL	SIP810CLEUDDT	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output 30ms	SOT23	16vdc VD7	Via
FL	UNR32A2	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=22k/22k	SSSMini3	16ta -	Pan
FLAA	MAX6327UR29-T	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT23	16vdc VD7	Max
FLs	BFN27	Si-PNP	Vid, 300V, 200mA, 360mW, B>30, 100MHz	SOT23	16ta -	Sie
FM0	BB804-0	C-Diode	Dual, VHF, 18V, 50mA, 42/43.5pF	SOT23	16dg -	Via
FM1	BB804-1	C-Diode	Dual, VHF, 18V, 50mA, 43/44.5pF	SOT23	16dg -	Via
FM2	BB804-2	C-Diode	Dual, VHF, 18V, 50mA, 44/45.5pF	SOT23	16dg -	Via
FM3	BB804-3	C-Diode	Dual, VHF, 18V, 50mA, 45/46.5pF	SOT23	16dg -	Via
FM4	BB804-4	C-Diode	Dual, VHF, 18V, 50mA, 46/47.5pF	SOT23	16dg -	Via

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
FN	SIP810CUEUDET	CMOS-IC	Voltage Detector 2,63V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
FN	UNNR32A3	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=47k/47k	SSSMini3	181a	-	Pan
FN3	25C4863-3	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0,2W, B=60..120, 7GHz	MCP	161a	-	Say
FN3	25C4864-3	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0,2W, B=60..120, 7GHz	CP	161a	-	Say
FN4	25C4863-4	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0,2W, B=90..180, 7GHz	MCP	161a	-	Say
FN4	25C4864-4	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0,2W, B=90..180, 7GHz	CP	161a	-	Say
FN5	25C4863-5	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0,2W, B=90..180, 7GHz	MCP	161a	-	Say
FN5	25C4864-5	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0,2W, B=130..270, 7GHz	CP	161a	-	Say
FO	25C2716-0	Si-NPN	HF/AF, 35V, 100mA, 150mW, B=40..80, 120MHz	SOT23	161a	-	Tos
FO	SIP810C27UEUDET	CMOS-IC	Voltage Detector 2,7V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
FOAA	MAX6328UR23-T	CMOS-IC	Voltage Detector 2,3V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FP	SIP810CSEUDET	CMOS-IC	Voltage Detector 2,93V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
FP	UNR32A4	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=10k/47k	SSSMini3	181a	-	Pan
FPA	MAX6328UR24-T	CMOS-IC	Voltage Detector 2,4V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FQ	25A1037AK-Q	Si-PNP	AF, 50V, 150mA, 200mW, B=120..270, >140MHz	SOT346	161a	-	Rhm
FQ	25A1037-Q	Si-NPN	GP, 60V, 150mA, 200mW, B=120..270, >120MHz	SOT23	161a	-	Rhm,Trs
FQ	25A1576A-Q	Si-PNP	AF, 50V, 150mA, 200mW, B=120..270, >140MHz	SOT323	161a	-	Rhm
FQ	25A1576-Q	Si-PNP	GP, 60V, 100mA, 150mW, B=120..270, 140MHz	SC-70	161a	-	Rhm
FQ	25A1774-Q	Si-PNP	GP, 60V, 100mA, 150mW, B=120..270, 140MHz	SC-75A	161a	-	Rhm
FQ	25A1774A-Q	Si-PNP	AF, 50V, 150mA, 200mW, B=120..270, >140MHz	SOT416	161a	-	Rhm
FQ	25A2029-Q	Si-PNP	GP, 60V, 100mA, 150mW, B=120..270, 140MHz	VMT3	181a	-	Rhm
FQ	L2SA1774QT1	Si-PNP	GP, 60V, 150mA, 150mW, B=120..270, 140MHz	SC-89	161a	-	Lrc
F-Q	2PA1576Q	Si-PNP	GP, 50V, 100mA, 200mW, >100MHz, B=120..270	SOT323	161a	-	PhH
FQAA	MAX6328UR25-T	CMOS-IC	Voltage Detector 2,5V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FR	25A1034-R	Si-PNP	AF, LN, 55V, 10mA, 200mW, B=180..360, 200MHz	SOT23	161a	-	Pan
FR	25A1037AK-R	Si-PNP	AF, 50V, 150mA, 200mW, B=180..390, >140MHz	SOT346	161a	-	Rhm
FR	25A1037-R	Si-NPN	GP, 60V, 150mA, 200mW, B=180..390, >120MHz	SOT23	161a	-	Rhm,Trs
FR	25A1531-R	Si-PNP	AF, LN, 55V, 50mA, 150mW, B=180..360, 80MHz	SOT323	161a	-	Pan
FR	25A1576A-R	Si-PNP	AF, 50V, 150mA, 200mW, B=180..390, >140MHz	SOT323	161a	-	Rhm
FR	25A1576-R	Si-PNP	GP, 60V, 100mA, 150mW, B=180..390, 140MHz	SC-70	161a	-	Rhm
FR	25A1774-R	Si-PNP	GP, 60V, 100mA, 150mW, B=180..390, 140MHz	SC-75A	161a	-	Rhm
FR	25A1774A-R	Si-PNP	AF, 50V, 150mA, 200mW, B=180..390, >140MHz	SOT416	161a	-	Rhm
FR	25A2029-R	Si-PNP	GP, 60V, 100mA, 150mW, B=180..390, 140MHz	VMT3	181a	-	Rhm
FR	25C2716-R	Si-NPN	HF/AF, 35V, 100mA, 150mW, B=70..140, 120MHz	SOT23	161a	-	Tos
FR	L2SA1774RT1	Si-PNP	GP, 60V, 150mA, 150mW, B=180..390, 140MHz	SC-89	161a	-	Lrc
FR	SIP810CTEUDET	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
F-R	2PA1576R	Si-PNP	GP, 50V, 100mA, 200mW, >100MHz, B=180..390	SOT323	161a	-	PhH
FRAA	MAX6328UR26-T	CMOS-IC	Voltage Detector 2,6V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FS	25A1034-S	Si-PNP	AF, LN, 55V, 10mA, 200mW, B=260..520, 200MHz	SOT23	161a	-	Pan
FS	25A1037AK-S	Si-PNP	AF, 50V, 150mA, 200mW, B=270..560, >140MHz	SOT346	161a	-	Rhm
FS	25A1037-S	Si-NPN	GP, 60V, 150mA, 200mW, B=270..560, >120MHz	SOT23	161a	-	Rhm,Trs
FS	25A1531-S	Si-PNP	AF, LN, 55V, 50mA, 150mW, B=260..520, 80MHz	SOT323	161a	-	Pan
FS	25A1576A-S	Si-PNP	AF, 50V, 150mA, 200mW, B=270..560, >140MHz	SOT323	161a	-	Rhm
FS	25A1576-S	Si-PNP	GP, 60V, 100mA, 150mW, B=270..560, 140MHz	SC-70	161a	-	Rhm
FS	25A1763	Si-PNP	Switching, 15V, 200mA, 150mW, B=50..140, 1GHz	MCP	161a	-	Say
FS	25A1764	Si-PNP	Fast-Sw, 15V, 200mA, 200mW, B=50..140, 1GHz, 11/19ns	SOT23	161a	-	Say
FS	25A1774-S	Si-PNP	GP, 60V, 100mA, 150mW, B=270..560, 140MHz	SC-75A	161a	-	Rhm
FS	25A1774A-S	Si-PNP	AF, 50V, 150mA, 200mW, B=270..560, >140MHz	SOT416	161a	-	Rhm
FS	25A2029-S	Si-PNP	GP, 60V, 100mA, 150mW, B=270..560, 140MHz	VMT3	181a	-	Rhm
FS	L2SA1774ST1	Si-PNP	GP, 60V, 150mA, 150mW, B=270..560, 140MHz	SC-89	161a	-	Lrc
FS	SIP810CJEUDET	CMOS-IC	Voltage Detector 4V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
F-S	2PA1576S	Si-PNP	GP, 50V, 100mA, 200mW, >100MHz, B=270..560	SOT323	161a	-	PhH
FSA	MAX6328UR27-T	CMOS-IC	Voltage Detector 2,7V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FT	25A1034-T	Si-PNP	AF, LN, 55V, 10mA, 200mW, B=360..700, 200MHz	SOT23	161a	-	Pan
FT	25A1531-T	Si-PNP	AF, LN, 55V, 50mA, 150mW, B=360..700, 80MHz	SOT323	161a	-	Pan
FT	SIP810CMEUDET	CMOS-IC	Voltage Detector 4,38V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
FTAA	MAX6328UR28-T	CMOS-IC	Voltage Detector 2,8V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FIQ	2PA1576Q	Si-PNP	GP, 50V, 100mA, 200mW, >100MHz, B=120..270	SOT323	161a	-	PhM
FIR	2PA1576R	Si-PNP	GP, 50V, 100mA, 200mW, >100MHz, B=180..390	SOT323	161a	-	PhM
FIS	2PA1576S	Si-PNP	GP, 50V, 100mA, 200mW, >100MHz, B=270..560	SOT323	161a	-	PhM
FUAA	MAX6328UR29-T	CMOS-IC	Voltage Detector 2,9V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FV	15V248	PIN-Diode	VHF/UHF, 50V, 50mA, 0,23pF, 3,5Q(100MHz)	MCP	16dc	-	Say
FV	15V250	PIN-Diode	VHF/UHF, 50V, 50mA, 0,23pF, 3,5Q(100MHz)	CP	16dc	-	Say
FV	SIP810CLEUDET	CMOS-IC	Voltage Detector 4,63V, Reset Push-pull output 150ms	SOT23	16vdc	VD7	Vis
FVAA	MAX6328UR31-T	CMOS-IC	Voltage Detector 3,1V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FW	AAT35621GY-2.20	CMOS-IC	Voltage Detector, 2,2V, -Reset Open drain output	SOT23	16vdc	VD6	Ant
FW	UN2227	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=6k/6k/6k	SC-59	161a	-	Pan
FW	UNR2227	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=6k/6k/6k	SC-59	161a	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
FW	UNR5227	Si-NPN-Digi	Switching, 30V, 600mA, 150mW, 200MHz, R1/R2=6k8/6k8	SMini3	16la	-	Pan
FWAA	MAX6328UR30-T	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FX	AAT3562IGY-2.30	CMOS-IC	Voltage Detector, 2.3V, -Reset Open drain output	SOT23	16vdc	VD6	Ant
FX	SP1810CREUDT	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output 210ms	SOT23	16vdc	VD7	Vis
FY	2SC2716-Y	Si-NPN	HFIAF, 35V, 100mA, 150mW, B=120..240, 120MHz	SOT23	16la	-	Tos
FY	SP1810C27EUDT	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output 210ms	SOT23	16vdc	VD7	Vis
FY	UN2226	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1=4k7	SC-59	16la	-	Pan
FY	UNR2226	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1=4k7	SC-59	16la	-	Pan
FY	UNR5226	Si-NPN-Digi	Switching, 30V, 600mA, 150mW, 200MHz, R1=4k7	SMini3	16la	-	Pan
FZ	SIP1810CSEUDT	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output 210ms	SOT23	16vdc	VD7	Vis
FZ	UN2225	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1=10k	SC-59	16la	-	Pan
FZ	UNR2225	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1=10k	SC-59	16la	-	Pan
FZ	UNR5225	Si-NPN-Digi	Switching, 30V, 600mA, 150mW, 200MHz, R1=10k	SMini3	16la	-	Pan
FZAP	MAX6012AUR	Vref-IC	Precision, 1.247V	SOT23	16di	RF1	Max
FZAQ	MAX6025AUR	Vref-IC	Precision, 2.500V	SOT23	16di	RF1	Max
FZAR	MAX6041AUR	Vref-IC	Precision, 4.096V	SOT23	16di	RF1	Max
FZAS	MAX6045AUR	Vref-IC	Precision, 4.500V	SOT23	16di	RF1	Max
FZAT	MAX6050AUR	Vref-IC	Precision, 5.000V	SOT23	16di	RF1	Max
FZAU	MAX6021AUR	Vref-IC	Precision, 2.048V	SOT23	16di	RF1	Max
FZAV	MAX6346UR33-T	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZAW	MAX6346UR34-T	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZAX	MAX6346UR35-T	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZAY	MAX6346UR36-T	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZAZ	MAX6346UR37-T	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBA	MAX6346UR38-T	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBB	MAX6346UR39-T	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBC	MAX6346UR40-T	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBD	MAX6346UR41-T	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBE	MAX6346UR42-T	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBF	MAX6346UR43-T	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBG	MAX6346UR44-T	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBH	MAX6346UR45-T	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBI	MAX6346UR46-T	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBJ	MAX6348UR33-T	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBK	MAX6348UR34-T	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBL	MAX6348UR35-T	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBM	MAX6348UR36-T	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBN	MAX6348UR37-T	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBO	MAX6348UR38-T	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBP	MAX6348UR39-T	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBQ	MAX6348UR40-T	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBR	MAX6348UR41-T	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBS	MAX6348UR42-T	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBT	MAX6348UR43-T	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBU	MAX6348UR44-T	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBV	MAX6348UR45-T	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBW	MAX6348UR46-T	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZBX	MAX6348UR33-T	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZBY	MAX6348UR34-T	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SOT23	16vdc	VD44	Max
FZBZ	MAX6348UR35-T	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCA	MAX6348UR36-T	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCB	MAX6348UR37-T	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCC	MAX6348UR38-T	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCD	MAX6348UR39-T	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCE	MAX6348UR40-T	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCF	MAX6348UR41-T	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCG	MAX6348UR42-T	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCH	MAX6348UR43-T	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCI	MAX6348UR44-T	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCJ	MAX6348UR45-T	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCK	MAX6348UR46-T	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCL	MAX6332UR18D3	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZCM	MAX6332UR18D3	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZCN	MAX6332UR22D3	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZCO	MAX6333UR16D3	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZCP	MAX6333UR18D3	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZCQ	MAX6333UR20D3	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZCR	MAX6333UR22D3	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SOT23	16vdc	VD7	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
FZCS	MAX6333UR23D3	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SOT23	16vdc	VD7	Max
FZCT	MAX6334UR16D3	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCU	MAX6334UR18D3	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCV	MAX6334UR22D3	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZCW	MAX6001EUR-T	Vref-IC	LDO, Shunt, 1.25V, 1%	SOT23	16rd	RF1	Max
FZCX	MAX6002EUR-T	Vref-IC	LDO, Shunt, 2.5V, 1%	SOT23	16rd	RF1	Max
FZCY	MAX6004EUR-T	Vref-IC	LDO, Shunt, 4.096V, 1%	SOT23	16rd	RF1	Max
FZCZ	MAX6005EUR-T	Vref-IC	LDO, Shunt, 5V, 1%	SOT23	16rd	RF1	Max
FZDA	MAX6012BUR	Vref-IC	Precision, 1.247V	SOT23	16di	RF1	Max
FZDB	MAX6025BUR	Vref-IC	Precision, 2.500V	SOT23	16di	RF1	Max
FZDC	MAX6041BUR	Vref-IC	Precision, 4.096V	SOT23	16di	RF1	Max
FZDD	MAX6045BUR	Vref-IC	Precision, 4.500V	SOT23	16di	RF1	Max
FZDE	MAX6050BUR	Vref-IC	Precision, 5.000V	SOT23	16di	RF1	Max
FZDF	MAX6021BUR	Vref-IC	Precision, 2.048V	SOT23	16di	RF1	Max
FZDK	MAX6003EUR-T	Vref-IC	LDO, Shunt, 3V, 1%	SOT23	16rd	RF1	Max
FZDL	MAX6332UR20D3	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZDM	MAX6332UR23D3	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT23	16vdc	VD7	Max
FZDN	MAX6334UR20D3	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZDO	MAX6334UR23D3	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SOT23	16vdc	VD6	Max
FZDP	MAX6806UR46-T	Lin/Dig-IC	Voltage Detector 4.6V, -Reset Push-pull output	SOT23	16vc	VD7	Max
FZDQ	MAX6806UR26-T	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Push-pull output	SOT23	16vc	VD7	Max
FZDR	MAX6806UR23-T	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Push-pull output	SOT23	16vc	VD7	Max
FZDS	MAX6807UR46-T	Lin/Dig-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT23	16vc	VD7	Max
FZDT	MAX6807UR26-T	Lin/Dig-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT23	16vc	VD7	Max
FZDU	MAX6808UR46-T	Lin/Dig-IC	Voltage Detector 4.6V, -Reset Open drain output	SOT23	16vc	VD6	Max
FZDV	MAX6808UR26-T	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open drain output	SOT23	16vc	VD6	Max
FZDW	MAX6030AUR	Vref-IC	Precision, 3.000V	SOT23	16di	RF1	Max
FZDX	MAX6030BUR	Vref-IC	Precision, 3.000V	SOT23	16di	RF1	Max
FZEB	LM4041AIM3-1.2	Vref-IC	Precision, Shunt, 1.225V, 0.1%	SOT23	16dk	-	Max,Nsc
FZEC	LM4041BIM3-1.2	Vref-IC	Precision, Shunt, 1.225V, 0.2%	SOT23	16dk	-	Max,Nsc
FZED	LM4041DIM3-1.2	Vref-IC	Precision, Shunt, 1.225V, 0.5%	SOT23	16dk	-	Max
FZEE	LM4041DIM3-1.2	Vref-IC	Precision, Shunt, 1.225V, 1.5%	SOT23	16dk	-	Max,Nsc
FZEF	LM4040AIM3-2.1	Vref-IC	Precision, Shunt, 2.048V, 0.1%	SOT23	16dk	-	Max
FZEG	LM4040BIM3-2.1	Vref-IC	Precision, Shunt, 2.048V, 0.2%	SOT23	16dk	-	Max
FZEH	LM4040CIM3-2.1	Vref-IC	Shunt, 2.048V, 0.5%	SOT23	16dk	-	Max
FZEI	LM4040DIM3-2.1	Vref-IC	Shunt, 2.048V, 1%	SOT23	16dk	-	Max
FZEJ	LM4040AIM3-2.5	Vref-IC	Precision, Shunt, 2.500V, 0.1%	SOT23	16dk	-	Max,Nsc
FZEK	LM4040BIM3-2.5	Vref-IC	Precision, Shunt, 2.500V, 0.2%	SOT23	16dk	-	Max
FZEL	LM4040CIM3-2.5	Vref-IC	Shunt, 2.500V, 0.5%	SOT23	16dk	-	Max,Nsc
FZEN	LM4040DIM3-2.5	Vref-IC	Shunt, 2.500V, 1%	SOT23	16dk	-	Max,Nsc
FZEO	LM4040AIM3-3.0	Vref-IC	Precision, Shunt, 3.000V, 0.1%	SOT23	16dk	-	Max,Nsc
FZEP	LM4040BIM3-3.0	Vref-IC	Precision, Shunt, 3.000V, 0.2%	SOT23	16dk	-	Max
FZEQ	LM4040CIM3-3.0	Vref-IC	Shunt, 3.000V, 0.5%	SOT23	16dk	-	Max,Nsc
FZER	LM4040DIM3-3.0	Vref-IC	Shunt, 3.000V, 1%	SOT23	16dk	-	Max,Nsc
FZER	LM4040AIM3-4.1	Vref-IC	Precision, Shunt, 4.096V, 0.1%	SOT23	16dk	-	Max,Nsc
FZES	LM4040BIM3-4.1	Vref-IC	Precision, Shunt, 4.096V, 0.2%	SOT23	16dk	-	Max
FZET	LM4040CIM3-4.1	Vref-IC	Shunt, 4.096V, 0.5%	SOT23	16dk	-	Max,Nsc
FZEU	LM4040DIM3-4.1	Vref-IC	Shunt, 4.096V, 1%	SOT23	16dk	-	Max,Nsc
FZEV	LM4040AIM3-5.0	Vref-IC	Precision, Shunt, 5.000V, 0.1%	SOT23	16di	-	Max
FZEW	LM4040BIM3-5.0	Vref-IC	Precision, Shunt, 5.000V, 0.2%	SOT23	16dk	-	Max
FZEX	LM4040CIM3-5.0	Vref-IC	Shunt, 5.000V, 0.5%	SOT23	16dk	-	Max,Nsc
FZEY	LM4040DIM3-5.0	Vref-IC	Shunt, 5.000V, 1%	SOT23	16dk	-	Max,Nsc
FZFL	MAX6808UR32-T	Lin/Dig-IC	Voltage Detector 3.2V, -Reset Open drain output	SOT23	16vc	VD6	Max
FZGH	MAX6006AEUR-T	Vref-IC	Precision, Shunt, 1.25V, 0.2%	SOT23	16dk	-	Max
FZGI	MAX6006BEUR-T	Vref-IC	Precision, Shunt, 1.25V, 0.5%	SOT23	16dk	-	Max
FZGK	MAX6007AEUR-T	Vref-IC	Precision, Shunt, 2.048V, 0.2%	SOT23	16dk	-	Max
FZGL	MAX6007BEUR-T	Vref-IC	Precision, Shunt, 2.048V, 0.5%	SOT23	16dk	-	Max
FZGN	MAX6008AEUR-T	Vref-IC	Precision, Shunt, 2.5V, 0.2%	SOT23	16dk	-	Max
FZGO	MAX6008BEUR-T	Vref-IC	Precision, Shunt, 2.5V, 0.5%	SOT23	16dk	-	Max
FZGQ	MAX6009AEUR-T	Vref-IC	Precision, Shunt, 3V, 0.2%	SOT23	16dk	-	Max
FZGR	MAX6009BEUR-T	Vref-IC	Precision, Shunt, 3V, 0.5%	SOT23	16dk	-	Max
G	MRF947A	Si-NPN	UHF, 20V, 50mA, 180mW, B>50, 8GHz	SOT323	16ta	-	Mot
G	MRF947AT1	Si-NPN	VHF/UHF, 20V, 50mA, 180mW, B=75..150, 8GHz	SOT323	16ta	-	Mot
G0	HSPM-3890	PIN-Diode	RF, 100V, 1A, 250mW, Rs<2.5Ω, Cd<0.3pF	SOT23	16dc	-	Agi
G0	HSPM-3898	PIN-Diode	RF, 100V, 1A, Rs(typ)=2.5Ω, 0.3pF	SOT323	16dc	-	Agi
G0	R3111N602A	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT23	16vc	VD7	Ric
G0	R3130N20EA	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G06	DTD133HK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=3k3/10k	SMT3	16ta	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
G1	MMBT5551LT1	Si-NPN	HV, 180V, 600mA, 225mW, B=80..250, >300MHz	SOT23	161a	-	Mot
G1	R3130N21EA	CMOS-IC	Voltage Detector 2,1V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G11	DTB1132K	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=1k/10k	SMT3	161a	-	Rhm
G13	2SK1580	MOS-N-FET-e*	V-MOS, LogL, 16V, $\pm 0,1A$, <10Q(10A)	SOT323	16fh	-	Nec
G14	2SK1581	MOS-N-FET-e*	V-MOS, LogL, 16V, $\pm 0,2A$, <3Q(10A)	SOT23	16fg	-	Nec
G15	2SK1582	MDS-N-FET-e*	V-MOS, LogL, 30V, $\pm 0,2A$, <3Q(10mA)	SOT23	16fg	-	Nec
G16	2SK1590	MOS-N-FET-e*	V-MOS, LogL, 60V, $\pm 0,2A$, <3Q	SOT23	16fg	-	Nec
G17	2SK1589	MOS-N-FET-e*	V-MOS, LogL, 100V, $\pm 0,1A$, <25Q	SOT23	16fg	-	Nec
G17	MMBZ4617	Z-Diode	2.4V 5%, 350mW	SOT23	16dc	-	Vis
G18	2SK1591	MOS-N-FET-e*	V-MOS, LogL, 100V, $\pm 0,2A$, <6,5Q	SOT23	16fg	-	Nec
G18	MMBZ4618	Z-Diode	2.7V 5%, 350mW	SOT23	16dc	-	Vis
G19	MMBZ4619	Z-Diode	3.0V 5%, 350mW	SOT23	16dc	-	Vis
G1K	BC848BW	Si-NPN	GP, 30V, 100mA, 310mW, B=200..450, >300MHz	SOT323	161a	-	Rhm
G1p	BFS20	Si-NPN	RF, 30V, 25mA, 250mW, B=85, 450MHz	SOT23	161a	-	PhH
G1t	BFS20	Si-NPN	RF, 30V, 25mA, 250mW, B=85, 450MHz	SOT23	161a	-	PhM
G2	BFS599	Si-NPN	VHF, IF, 40V, 25mA, 200mW, B>40, 550MHz	SOT23	161a	-	Kec
G2	HSPM-389C	PIN-Diode	Dual, RF, 100V, 1A, Rs(typ)=2.5Q, 0.3pF	SOT323	16dg	-	AgI
G2	R3130N22EA	CMOS-IC	Voltage Detector 2,2V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G20	MMBZ4620	Z-Diode	3.3V 5%, 350mW	SOT23	16dc	-	Vis
G21	2SK1958	MOS-N-FET-e*	V-MOS, LogL, 16V, $\pm 0,1A$, <12Q(10mA)	SOT323	16fh	-	Nec
G21	MMBZ4621	Z-Diode	3.6V 5%, 350mW	SOT23	16dc	-	Vis
G22	2SK2090	MOS-N-FET-e*	V-MOS, LogL, 50V, $\pm 0,1A$, <20Q(10mA)	SOT323	16fh	-	Nec
G22	MMBZ4622	Z-Diode	3.9V 5%, 350mW	SOT23	16dc	-	Vis
G23	2SK2158	MOS-N-FET-e*	V-MOS, LogL, 50V, $\pm 0,1A$, <15Q(10mA)	SOT23	16fg	-	Nec
G23	MMBZ4623	Z-Diode	4.3V 5%, 350mW	SOT23	16dc	-	Vis
G24	2SK2858	MOS-N-FET-e*	V-MOS, LogL, 30V, 0,1A, <15Q	SOT323	16fh	-	Nec
G24	GS809C21EU	CMOS-IC	Voltage Detector 2,1V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G24	GS809C24EU	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G24	MMBZ4624	Z-Diode	4.7V 5%, 350mW	SOT23	16dc	-	Vis
G25	2SK3054	MOS-N-FET-e*	V-MOS, LogL, 50V, $\pm 0,1A$, <40Q(10mA)	SOT323	16fh	-	Nec
G25	MMBZ4625	Z-Diode	5.1V 5%, 350mW	SOT23	16dc	-	Vis
G26	GS809CREU	CMOS-IC	Voltage Detector 2,63V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G26	MMBZ4626	Z-Diode	5.6V 5%, 350mW	SOT23	16dc	-	Vis
G27	GS809C27SEU	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G27	MMBZ4627	Z-Diode	6.2V 5%, 350mW	SOT23	16dc	-	Vis
G29	GS809CSEU	CMOS-IC	Voltage Detector 2,93V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G3	1SS196	Si-Diode	Sw, U-Fast, 85V, 100mA, 150mW, Vf<1,2V(100mA), <4ns	SC-59	16dr	-	Tos
G3	2SA1257-3	Si-PNP	HV, Sw, AF-Drv, 180V, 80mA, 200mW, B=60..120, 150MHz	CP	161a	-	Say
G3	BAR63	PIN-Diode	RF, 50V, 100mA, V(f=100mA)<1.2V, Ir<0.05 μ A, Cd<0.3pF	SOT23	16dc	-	Sie
G3	HSPM-389E	PIN-Diode	Dual, RF, 100V, 1A, Rs(typ)=2.5Q, 0.3pF	SOT323	16df	-	AgI
G3	R3130N23EA	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
-G3	PMST5551	Si-NPN	HV, 180V, 300mA, 200mW, B=80..250, 100..300MHz	SOT323	161a	-	PhH
G30	GS809CTEU	CMOS-IC	Voltage Detector 3,08V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G3C	DTB122JK	Si-PNP-Digi	Sw, 50V, 500mA, 200mW, 200MHz, R1/R2=220/470R	SMT3	161a	-	Rhm
G3K	BC858BW	Si-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	UMT3	161a	-	Rhm
G4	2SA1257-4	Si-PNP	HV, Sw, AF-Driver, 180V, 80mA, 200mW, B=90..180, 150MHz	CP	161a	-	Say
G4	BAR63	PIN-Diode	RF, 50V, 100mA, V(f=100mA)<1.2V, Ir<0.05 μ A, Cd<0.3pF	SOT23	16dl	-	Sie
G4	BFS20R	Si-NPN	RF, 30V, 25mA, 250mW, B=85, 450MHz	SOT23	161e	-	Ztx
G4	HSPM-389F	PIN-Diode	Dual, RF, 100V, 1A, Rs(typ)=2.5Q, 0.3pF	SOT323	16dg	-	AgI
G4	KA4A3Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-75	161a	-	Nec
G4	R3130N24EA	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G40	GS809CJEU	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G43	GS809CMEU	CMOS-IC	Voltage Detector 4,38V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G46	GS809CLEU	CMOS-IC	Voltage Detector 4,63V, -Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
G4C	DTD122JK	Si-NPN-Digi	Sw, 50V, 500mA, 200mW, 200MHz, R1/R2=220R/470R	SMT3	161a	-	Rhm
G4e	BAR63-04	PIN-Diode	Dual, Sw, RF, 100V, 100mA, Vf<1,1V(50mA), <0.3pF	SOT23	16dl	-	Inf
G4e	BAR63-04W	PIN-Diode	Dual, Sw, RF, 100V, 100mA, Vf<1,1V(50mA), <0.3pF	SOT323	16dl	-	Inf
G5	2SA1257-5	Si-PNP	HV, Sw, AF-Driver, 180V, 80mA, 200mW, B=135..270, 150MHz	CP	161a	-	Say
G5	BFS50R	Si-PNP	Hf/AF, 40V, 25mA, 200mW, B=50..125, 350MHz	SOT23	161a	-	Tem
G5	R3130N25EA	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G5B	BC807-25	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160..400	SOT23	161a	-	Rhm
G5e	BAR63-05	PIN-Diode	Dual, Sw, RF, 100V, 100mA, Vf<1,1V(50mA), <0.3pF	SOT23	16dg	-	Inf
G5e	BAR63-05W	PIN-Diode	Dual, Sw, RF, 100V, 100mA, Vf<1,1V(50mA), <0.3pF	SOT323	16dg	-	Inf
G6	BF569	Si-PNP	UHF-Mix/Osc, 40V, 30mA, 850MHz	SOT23	161a	-	Ztx
G6	R3130N26EA	CMOS-IC	Voltage Detector 2,6V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G61	BF569R	Si-PNP	UHF-Mix/Osc, 40V, 30mA, 850MHz	SOT23	161e	-	Ztx
G6e	BAR63-06	PIN-Diode	Dual, Sw, RF, 100V, 100mA, Vf<1,1V(50mA), <0.3pF	SOT23	16df	-	Inf
G6e	BAR63-06W	PIN-Diode	Dual, Sw, RF, 100V, 100mA, Vf<1,1V(50mA), <0.3pF	SOT323	16df	-	Inf

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
G7	BF579	Si-PNP	VHF/UHF, 20V, 30mA, 1600MHz	SOT23	16ta	-	Tem,Phi
G7	KN4A3Q	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=1k/10k	SC-75	16ta	-	Nec
G7	R3130N27EA	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G6	BF660	Si-PNP	VHF-Osc, 40V, 25mA, 650MHz	SOT23	16ta	-	Tem
G6	R3130N28EA	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G9	BF767	Si-PNP	VHF/UHF-LN, 950MHz	SOT23	16ta	-	Phi
G9	R3130N29EA	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
G98	DTB133HKA	Si-PNP-Digi	Sw.-50V, 500mA, 200mW, 200MHz, R1/R2=3k3/10k	SMT3	16ta	-	Rhm
GA	2SC4922	Si-NPN-Digi	Mutng, 25V, 0.1A, 240MHz, Ron=4Q, R1=R2=47kQ	SOT23	16ta	-	Say
GA	HSMP-4890	PIN-Diode	RF, 100V, 1A, 250mW, Rs<2.5Q, Cd<0.375pF	SOT23	16dh	-	Agi
GAB	BCW608	Si-NPN	GP, 32V, 100mA, 250mW, B=150..310, 250MHz	SOT23	16ta	-	Rhm
GAC	BCW60C	Si-NPN	GP, 32V, 100mA, 250mW, B=250..480, 250MHz	SOT23	16ta	-	Rhm
GAD	BCW60D	Si-NPN	GP, 32V, 100mA, 250mW, B=380..630, 250MHz	SOT23	16ta	-	Rhm
GAH	BCX70H	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=180..310, >100MHz	SOT23	16ta	-	Rhm
GB	SIP810CJEUDT	CMOS-IC	Voltage Detector 4V, Reset Push-pull output 210ms	SOT23	16vdc	VD7	Vis
GC	2SC2734	Si-NPN	UHF, 20V, 50mA, 150mW, B=20..200, 3.5GHz	SOT23	16ta	-	HK
GC	2SC4264	Si-NPN	VHF/UHF, 20V, 50mA, 100mW, B=20..200, >1.4GHz	SOT323	16ta	-	HK
GC	SIP810CMEUDT	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output 210ms	SOT23	16vdc	VD7	Vis
GD	SIP810CLEUDT	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output 210ms	SOT23	16vdc	VD7	Vis
GE	2SA1455K-E	Si-PNP	AF, 50V, 150mA, 200mW, B=390..820, >140MHz	SOT346	16ta	-	Rhm
GEs	BFR35AP	Si-NPN	VHF/UHF, 20V, 30mA, 280mW, B=40..200, 5GHz	SOT23	16ta	-	Sie
GF	9FN22	Si-NPN	Vid, 250V, 20..50mA, >80MHz	SOT23	16ta	-	Ste
GFs	BFR92P	Si-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Sis
GG	BFR93P	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Sis
GH	MAZ6006AUR	Vref-IC	Shunt, 1.250V, 0.2%	SOT23	16di	-	Max
GH1	BCW69	Si-PNP	GP, 50V, 100mA, 330mW, B=120..260, >150MHz	SOT23	16ta	-	Rhm
GH2	BCW70	Si-PNP	GP, 50V, 100mA, 330mW, B=215..500, >150MHz	SOT23	16ta	-	Rhm
GI	MAZ6006BUR	Vref-IC	Shunt, 1.250V, 0.5%	SOT23	16di	-	Max
GJ	MAZ6006CUR	Vref-IC	Shunt, 1.250V, 1%	SOT23	16di	-	Max
GK	2SK2989	MOS-N-FET-e*	V-MOS, LogL, 30V, 0.8A, <0.52Q, 20/50ns	SOT23	16fg	-	Say
GK	MAZ6007AUR	Vref-IC	Shunt, 2.480V, 0.2%	SOT23	16di	-	Max
GK1	BCW71	Si-NPN	AF, 50V, 100mA, 250mW, >100MHz, B=110..220	SOT23	16ta	-	Rhm
GK2	BCW72	Si-NPN	AF, 50V, 100mA, 250mW, >100MHz, B=200..450	SOT23	16ta	-	Rhm
GL	MAZ6007BUR	Vref-IC	Shunt, 2.480V, 0.5%	SOT23	16di	-	Max
GLP	MMBT1010LT1	Si-NPN	Lo-sat, 45V, 100mA, 225mW, B=300..600	SOT23	16ta	-	Mol
GLP	MSD1010T1	Si-NPN	Lo-sat, 45V, 100mA, 225mW, B=300..600	SC-59	16ta	-	Mol
GM	MAZ6007CUR	Vref-IC	Shunt, 2.480V, 1%	SOT23	16di	-	Max
GMA	9FS17	Si-NPN	VHF/UHF, Mix/Osc, 25V, 25mA, 300mW, B=90, 1GHz	SOT23	16ta	-	Rhm
GN	2SC5489	Si-NPN	VHF/UHF LN, 16V, 50mA, 100mW, B=90..200, 9GHz	SSFP	16ta	-	Say
GN	MAZ6008AUR	Vref-IC	Shunt, 2.500V, 0.2%	SOT23	16di	-	Max
GN3	2SC4867-3	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=60..120, 9GHz	MCP	16ta	-	Say
GN3	2SC4868-3	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=60..120, 9GHz	CP	16ta	-	Say
GN4	2SC4867-4	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=90..180, 9GHz	MCP	16ta	-	Say
GN4	2SC4868-4	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=90..180, 9GHz	CP	16ta	-	Say
GN5	2SC4867-5	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=130..270, 9GHz	MCP	16ta	-	Say
GN5	2SC4868-5	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=130..270, 9GHz	CP	16ta	-	Say
GO	AP130-15R	VR-IC	LDO, 1.5V±2%, 300mA	SOT23	16cg	VR1	Ana
GO	MAZ6008BUR	Vref-IC	Shunt, 2.500V, 0.5%	SOT23	16di	-	Max
GP	AP130-16R	VR-IC	LDO, 1.6V±2%, 300mA	SOT23	16cg	VR1	Ana
GP	MAZ6008CUR	Vref-IC	Shunt, 2.500V, 1%	SOT23	16di	-	Max
GQ	AP130-17R	VR-IC	LDO, 1.7V±2%, 300mA	SOT23	16cg	VR1	Ana
GQ	MAZ6009AUR	Vref-IC	Shunt, 3.000V, 0.2%	SOT23	16di	-	Max
GR	2SA1455K-R	Si-PNP	AF, 50V, 150mA, 200mW, B=180..390, >140MHz	SOT346	16ta	-	Rhm
GR	AP130-18R	VR-IC	LDO, 1.8V±2%, 300mA	SOT23	16cg	VR1	Ana
GR	MAZ6009BUR	Vref-IC	Shunt, 3.000V, 0.5%	SOT23	16di	-	Max
GS	2SA1455K-S	Si-PNP	AF, 50V, 150mA, 200mW, B=270..560, >140MHz	SOT346	16ta	-	Rhm
GS	AP130-19R	VR-IC	LDO, 1.9V±2%, 300mA	SOT23	16cg	VR1	Ana
GS	MAZ6009CUR	Vref-IC	Shunt, 3.000V, 1%	SOT23	16di	-	Max
GT	AP130-20R	VR-IC	LDO, 2V±2%, 300mA	SOT23	16cg	VR1	Ana
GT0	BC857CT	Si-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT523	16ta	-	Can,Phi
GT1	BC846AT	Si-NPN	GP, 80V, 100mA, 150mW, B=110..220, >100MHz	SOT523	16ta	-	Can
GT1	BCX17	Si-PNP	AF-Driver, 50V, 500mA, 250mW, B=100..600, >80MHz	SOT23	16ta	-	Rhm
GT2	BC846BT	Si-NPN	GP, 80V, 100mA, 150mW, B=200..450, 250MHz	SOT523	16ta	-	Can
GT2	BCX18	Si-PNP	AF-Driver, 30V, 500mA, 250mW, B=100..600, >80MHz	SOT23	16ta	-	Rhm
GT3	2SC4168-3	Si-NPN	Switching, 40V, 150mA, 200mA, B=60..120, 700MHz	SOT23	16ta	-	Say
GT3	2BC4443-3	Si-NPN	Switching, 20V, 150mA, 150mW, B=60..120, 700MHz	SOT323	16ta	-	Say
GT3	BC847AT	Si-NPN	GP, 50V, 100mA, 330mW, B=110..220, 250MHz	SOT523	16ta	-	Can
GT4	2SC4168-4	Si-NPN	Switching, 40V, 150mA, 200mA, B=90..180, 700MHz	SOT23	16ta	-	Say

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
GT4	2SC4443-4	Si-NPN	Switching, 20V, 150mA, 150mW, B=90..180, 700MHz	SOT323	161a	-	Say
GT4	BC847BT	Si-NPN	GP, 50V, 100mA, 250mW, B=200..450, >100MHz	SOT523	161a	-	Cen
GT5	2SC4168-5	Si-NPN	Switching, 40V, 150mA, 200mA, B=135..270, 700MHz	SOT23	161a	-	Say
GT5	2SC4443-5	Si-NPN	Switching, 20V, 150mA, 150mW, B=135..270, 700MHz	SOT323	161a	-	Say
GT5	BC847CT	Si-NPN	GP, 50V, 100mA, 150mW, B=420..800, >100MHz	SOT523	161a	-	Cen
GT6	BC856AT	Si-PNP	GP, 80V, 100mA, 250mW, B=125..250, >100MHz	SOT523	161a	-	Cen
GT7	BC856BT	Si-PNP	GP, 80V, 100mA, 250mW, B=220..475, >100MHz	SOT523	161a	-	Cen
GT8	BC857AT	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT523	161a	-	Cen
GT9	BC857BT	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT523	161a	-	Cen
GU	AP130-21R	VR-IC	LDO, 2.1V±2%, 300mA	SOT23	16cg	VR1	Ana
GU1	BCX19	Si-NPN	AF-Driver, 50V, 0.5A, 200MHz	SOT23	161a	-	Rhm
GU8	BSR14	Si-NPN	HF/Sw, 75V, 0.8A, <35/285ns	SOT23	161a	-	Rhm
GV	1SV249	PIN-Diode	Dual, VHF/UHF, 50V, 50mA, 0.23pF, 3.5Q(100MHz)	MCP	16dl	-	Say
GV	1SV251	PIN-Diode	Dual, VHF/UHF, 50V, 50mA, 0.23pF, 3.5Q(100MHz)	CP	16dl	-	Say
GV	AP130-22R	VR-IC	LDO, 2.2V±2%, 300mA	SOT23	16cg	VR1	Ana
GW	AP130-23R	VR-IC	LDO, 2.3V±2%, 300mA	SOT23	16cg	VR1	Ana
GX	AP130-24R	VR-IC	LDO, 2.4V±2%, 300mA	SOT23	16cg	VR1	Ana
GX	DDZX14	Z-Diode	14V±2.5%, 500mW	SOT23	16dc	-	Dil
GX	DDZX14W	Z-Diode	14V±2.5%, 200mW	SOT323	16dc	-	Dil
GY	2SC4413	Si-NPN	Hi-Ueb, Hi-β, 60V, 100mA, 150mW, B=800..3200, 200MHz	SOT323	161a	-	Say
GY	AP130-25R	VR-IC	LDO, 2.5V±2%, 300mA	SOT23	16cg	VR1	Ana
GY	DDZX15	Z-Diode	15V±2.5%, 500mW	SOT23	16dc	-	Dil
GY	DDZX15W	Z-Diode	15V±2.5%, 200mW	SOT323	16dc	-	Dil
GZ	AP130-26R	VR-IC	LDO, 2.6V±2%, 300mA	SOT23	16cg	VR1	Ana
GZ	SIP810CTEUDT	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output 210ms	SOT23	16vdc	VD7	Vis
H	2SK2076	N-FET	GP, 30V, Idss>0.4mA, Up<1.5V	SOT23	161a	-	Say
H	MRF947B	Si-NPN	UHF, 20V, 50mA, 188mW, B>50, 8GHz	SOT323	161a	-	Mot
H	MRF947BT1	Si-NPN	VHF/UHF, 20V, 50mA, 188mW, B=100..200, 8GHz	SOT323	161a	-	Mot
H	MRF947BT3	Si-NPN	VHF/UHF, 20V, 50mA, 188mW, B=100..200, 8GHz	SOT323	161a	-	Mot
H0	2SC4252	Si-NPN	VHF-Osc, 20V, 30mA, 100mW, B=40..250, 2.1GHz	SC-70	161a	-	Tos
H0	AP130-27R	VR-IC	LDO, 2.7V±2%, 300mA	SOT23	16cg	VR1	Ana
H0	R3130N30EA	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H0	TC54VC6001ECB	CMOS-IC	Voltage Detector 6.0V±1%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
H0	TC54VC6002ECB	CMOS-IC	Voltage Detector 6.0V±2%, -Reset Push-pull output	SOT23	16vc	VD7	Tcs
H0	XC61CC602M	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT23	16vc	VD7	Tor
H02	DTC323TK	Si-NPN-Digi	Muting, AF, 50V, 100mA, 200mW, 200MHz, R1=2k2	SMT3	161a	-	Rhm
H02	DTC323TU	Si-NPN-Digi	Muting, AF, 50V, 100mA, 200mW, 200MHz, R1=2k2	UMT3	161a	-	Rhm
H03	DTC343TK	Si-NPN-Digi	Muting, AF, 50V, 100mA, 200mW, 200MHz, R1=4k7	SMT3	161a	-	Rhm
H04	DTC314TK	Si-NPN-Digi	Muting, AF, 50V, 100mA, 200mW, 250MHz, R1=10k	SMT3	161a	-	Rhm
H04	DTC314TU	Si-NPN-Digi	Muting, AF, 50V, 100mA, 200mW, 250MHz, R1=10k	UMT3	161a	-	Rhm
H05	XC61FC8012M	CMOS-IC	Voltage Detector 6V, Reset Push-pull output, 200ms	SOT23	16vc	VD7	Tor
H06	XC61FC6042M	CMOS-IC	Voltage Detector 6V, Reset Push-pull output, 400ms	SOT23	16vc	VD7	Tor
H07	DTC363TK	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1=6k8	SMT3	161a	-	Rhm
H07	XC61FC6052M	CMOS-IC	Voltage Detector 6V, Reset Push-pull output, 50ms	SOT23	16vc	VD7	Tor
H1	AP130-28R	VR-IC	LDO, 2.8V±2%, 300mA	SOT23	16cg	VR1	Ana
H1	BCW69	Si-PNP	GP, 50V, 100mA, 330mW, B=120..260, >150MHz	SOT23	161a	-	Kec
H1	MMBZ5241B	Z-Diode	11V±5%, 410mW	SOT23	16dc	-	Pjt
H1	MMBZ5241BW	Z-Diode	11V±5%, 200mW, Zzt=22Q	SOT323	16dc	-	Pjt
H1	R3130N31EA	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H1	SST4416	N-FET	VHF/UHF, 30V, 350mW, Idss=5..15mA, Up<6V, Rds=150Q	SOT23	16fj	-	Sil
H13	2SJ202	MOS-P-FET-e*	V-MOS, Sw, 16V, ±0.1A, <30Q(10mA)	SOT323	16fg	-	Nec
H14	2SJ203	MOS-P-FET-e*	V-MOS, Sw, 16V, ±0.2A, <10Q(10A)	SOT23	16fg	-	Nec
H15	2SJ204	MOS-P-FET-e*	V-MOS, Sw, 30V, ±0.2A, <8Q(10mA)	SOT23	16fg	-	Nec
H16	2SJ210	MOS-P-FET-e*	V-MOS, Sw, 60V, ±0.2A, <10Q(10mA)	SOT23	16fg	-	Nec
H17	2SJ209	MOS-P-FET-e*	V-MOS, Sw, 100V, ±0.1A, <60Q(10mA)	SOT23	16fg	-	Nec
H18	2SJ211	MOS-P-FET-e*	V-MOS, Sw, 100V, ±0.2A, <20Q(10mA)	SOT23	16fg	-	Nec
H10	KSC2755-O	Si-NPN	HF, 30V, 20mA, 150mW, B=70..140, >600MHz	SOT23	161a	-	Sam
H1p	BCW89	Si-PNP	GP, 50V, 100mA, 330mW, B=120..260, >150MHz	SOT23	161a	-	PhH
H1R	KSC2755-R	Si-NPN	HF, 30V, 20mA, 150mW, B=40..80, >600MHz	SOT23	161a	-	Sam
H1t	BCW69	Si-PNP	GP, 50V, 100mA, 330mW, B=120..260, >150MHz	SOT23	161a	-	PhM
H1Y	KSC2755-Y	Si-NPN	HF, 30V, 20mA, 150mW, B=120..240, >600MHz	SOT23	161a	-	Sam
H2	AP130-29R	VR-IC	LDO, 2.9V±2%, 300mA	SOT23	16cg	VR1	Ana
H2	BCW70	Si-PNP	GP, 50V, 100mA, 330mW, B=215..500, >150MHz	SOT23	161a	-	Kec
H2	MMBZ5242B	Z-Diode	12V±5%, 410mW	SOT23	16dc	-	Pjt
H2	MMBZ5242BW	Z-Diode	12V±5%, 200mW, Zzt=30Q	SOT323	16dc	-	Pjt
H2	R3130N32EA	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H27	DTC363EK	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=6k8/6k8	SMT3	161a	-	Rhm
H27	DTC363EU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R1/R2=6k8/6k8	UMT3	161a	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
H2O	KSC2756-O	Si-NPN	HF, 20V, 30mA, 150mW, B=90..180, >850MHz	SOT23	18ta	-	Sam
H2p	BCW70	Si-PNP	GP, 50V, 100mA, 330mW, B=215..500, >150MHz	SOT23	16ta	-	PhH
H2R	KSC2756-R	Si-NPN	HF, 20V, 30mA, 150mW, B=60..120, >850MHz	SOT23	16ta	-	Sam
H2t	BCW70	Si-PNP	GP, 50V, 100mA, 330mW, B=215..500, >150MHz	SOT23	16ta	-	PhM
H2Y	KSC2756-Y	Si-NPN	HF, 20V, 30mA, 150mW, B=120..240, >850MHz	SOT23	16ta	-	Sam
H3	AP130-30R	VR-IC	LDO, 3V±2%, 300mA	SOT23	16cg	VR1	Ana
H3	BCW89	Si-PNP	AF, 80V, 100mA, 250mW, B=120..280, >100MHz	SOT23	16ta	-	Cdi,Ztx
H3	MMBZ5243B	Z-Diode	13V±5%, 410mW	SOT23	16dc	-	Pjt
H3	MMBZ5243BW	Z-Diode	13V±5%, 200mW, Zzt=13Ω	SOT323	16dc	-	Pjt
H3	R3130N33EA	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H31	BCW89R	Si-PNP	AF, 60V, 100mA, 350mW, B=120..260, 150MHz	SOT23	16ta	-	Phi
H3O	KSC2757	Si-NPN	AF, 30V, 50mA, 150mW, B=90..180, >1100MHz	SOT23	16ta	-	Sam
H3p	BCW89	Si-PNP	AF, 80V, 100mA, 250mW, B=120..260, >150MHz	SOT23	16ta	-	Phi
H3R	KSC2757R	Si-NPN	AF, 30V, 50mA, 150mW, B=60..120, >1100MHz	SOT23	16ta	-	Sam
H3Y	KSC2757Y	Si-NPN	AF, 30V, 50mA, 150mW, B=120..240, >1100MHz	SOT23	16ta	-	Sam
H4	AP130-31R	VR-IC	LDO, 3.1V±2%, 300mA	SOT23	16cg	VR1	Ana
H4	BCW69R	Si-PNP	GP, 50V, 100mA, 330mW, B=120..260, >150MHz	SOT23R	16ta	-	Ztx
H4	HVM121WK	PIN-Diode	HF-Attenuator, 100V, 0.1A	SOT23	16dg	-	Ren
H4	KA4A4P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-75	16ta	-	Nec
H4	R3130N34EA	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H4	SST5484	N-FET	VHF/UHF, 25V, 350mW, Idss=1.5mA, Up<3V	SOT23	16fj	-	Sil
H4Z	KSC2758	Si-NPN	UHF, 30V, 20mA, 150mW, B=60..240, >1GHz	SOT23	16ta	-	Sam
H5	2SC4446-6	Si-NPN	GP, AF, 60V, 150mA, 150mW, B=200..400, 130MHz	SOT323	16ta	-	Say
H5	AP130-32R	VR-IC	LDO, 3.2V±2%, 300mA	SOT23	16cg	VR1	Ana
H5	BCW70R	Si-PNP	GP, 50V, 100mA, 330mW, B=215..500, >150MHz	SOT23R	16ta	-	Ztx
H5	MMBZ5245B	Z-Diode	15V±5%, 410mW	SOT23	16dc	-	Pjt
H5	MMBZ5245BW	Z-Diode	15V±5%, 200mW, Zzt=16Ω	SOT323	16dc	-	Pjt
H5	R3130N35EA	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H5	SST5485	N-FET	VHF/UHF, 25V, 350mW, Idss=4..10mA, Up<4V	SOT23	16fj	-	Sil
H5O	KSC2223-O	Si-NPN	RF, 30V, 20mA, 150mW, B=60..120, >600MHz	SOT23	16ta	-	Sam
H5R	KSC2223-R	Si-NPN	RF, 30V, 20mA, 150mW, B=40..80, >600MHz	SOT23	16ta	-	Sam
H5Y	KSC2223-Y	Si-NPN	RF, 30V, 20mA, 150mW, B=90..180, >600MHz	SOT23	16ta	-	Sam
H6	2SC4446-5	Si-NPN	GP, AF, 60V, 150mA, 150mW, B=135..270, 130MHz	SOT323	16ta	-	Say
H6	BCW89R	Si-PNP	AF, 80V, 100mA, 330mW, B=120..260, >150MHz	SOT23	16ta	-	Ztx
H6	R3130N36EA	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H6	SST5486	N-FET	VHF/UHF, 25V, 350mW, Idss=8..20mA, Up<6V	SOT23	16fj	-	Sil
H6O	KSC2759-O	Si-NPN	UHF, 30V, 50mA, 150mW, B=60..120, >2GHz	SOT23	16ta	-	Sam
H6R	KSC2759-R	Si-NPN	UHF, 30V, 50mA, 150mW, B=40..80, >2GHz	SOT23	16ta	-	Sam
H6Y	KSC2759-Y	Si-NPN	UHF, 30V, 50mA, 150mW, B=90..180, >2GHz	SOT23	16ta	-	Sam
H7	2SC4446-7	Si-NPN	GP, AF, 60V, 150mA, 150mW, B=300..600, 130MHz	SOT323	16ta	-	Say
H7	KN4A4P	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=10k/47k	SC-75	16ta	-	Nec
H7	R3130N37EA	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H71	BCF70R	Si-PNP	AF, 45V, 100mA, 350mW, B=215..500, >100MHz	SOT23	16ta	-	Phi
H7p	BCF70	Si-PNP	AF, 50V, 100mA, 250mW, B=215..500, >100MHz	SOT23	16ta	-	Phi
H8	R3130N38EA	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H8Z	KSC2734	Si-NPN	AF, 20V, 50mA, 150mW, B=20..200, >3500MHz	SOT23	16ta	-	Sam
H9	1SS344	Si-Diode	Schottky, 20V, 0.5A	SC-70	16dc	-	Tos
H9	AP130-33R	VR-IC	LDO, 3.3V±2%, 300mA	SOT23	16cg	VR1	Ana
H9	R3111N082C	CMOS-IC	Voltage Detector 0.9V, -Reset Open drain output	SOT23	16vc	VD6	Ric
H9	R3130N39EA	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
H9Z	KSC3120	Si-NPN	UHF, 30V, 50mA, 150mW, B=40..200, >2.4GHz	SOT23	16ta	-	Sam
HA	AP130-34R	VR-IC	LDO, 3.4V±2%, 300mA	SOT23	16cg	VR1	Ana
HA	DDZX9682	Z-Diode	2.7V±5%, 500mW	SOT23	16dc	-	Dil
HA	DDZX9682W	Z-Diode	2.7V±5%, 200mW	SOT323	16dc	-	Dil
HAO	KSC3123-O	Si-NPN	UHF, 30V, 50mA, 150mW, B=90..180, >1.4GHz	SOT23	16ta	-	Sam
HAR	KSC3123-R	Si-NPN	UHF, 30V, 50mA, 150mW, B=60..120, >1.4GHz	SOT23	16ta	-	Sam
HAY	KSC3123-Y	Si-NPN	UHF, 30V, 50mA, 150mW, B=120..240, >1.4GHz	SOT23	16ta	-	Sam
HB	2SC3120	Si-NPN	VHF/UHF-TV-Tun, 30V, 50mA, 150mW, B=40..200, 2.4GHz	SC-59	16ta	-	Tos
HB	2SC4245	Si-NPN	UHF-Mix, 30V, 50mA, 100mW, B=40..200, 2.4GHz	SC-70	16ta	-	Tos
HB	AP130-35R	VR-IC	LDO, 3.5V±2%, 300mA	SOT23	16cg	VR1	Ana
HB	DDZX9683	Z-Diode	3V±5%, 500mW	SOT23	16dc	-	Dil
HB	DDZX9683W	Z-Diode	3V±5%, 200mW	SOT323	16dc	-	Dil
HBa	BFN22	Si-NPN	Vid, 250V, 20..50mA, >60MHz	SOT23	16ta	-	Sie,Sie
HC	2SC2733	Si-NPN	VHF, 30V, 50mA, 150mW, B>80, 1GHz	SOT23	16ta	-	Hil
HC	2SC3121	Si-NPN	VHF/UHF-TV-Tun, 30V, 50mA, 150mW, B=60..320, 1.5GHz	SC-59	16ta	-	Tos
HC	2SC4246	Si-NPN	UHF-Osc, 30V, 50mA, 100mW, B=60..320, 1.5GHz	SC-70	16ta	-	Tos
HC	2SC4463	Si-NPN	HF, 30V, 50mA, 100mW, B>60, >600MHz	SOT323	16ta	-	Hil
HC	AP130-36R	VR-IC	LDO, 3.6V±2%, 300mA	SOT23	16cg	VR1	Ana

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
HC DDZX9684		Z-Diode	3,3V±5%, 500mW	SOT23	16dc	-	Dil
HC DDZX9684W		Z-Diode	3,3V±5%, 200mW	SOT323	16dc	-	Dil
HC UNR32A5		Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1=10k	SSSMini3	18ta	-	Pan
HCs BFN23		Si-PNP	Vid, 250V, 20...50mA, >60MHz	SOT23	16ta	-	Sie, Sie
HD 2SC3122		Si-NPN	VHF/UHF-TV-Tun, 30V, 20mA, 150mW, B=60...300, 650MHz	SC-59	16ta	-	Tos
HD 2SC4249		Si-NPN	VHF/UHF, 30V, 20mA, 100mW, B=60...300, 650MHz	SC-70	16ta	-	Tos
HD AP130-37R		VR-IC	LDO, 3,7V±2%, 300mA	SOT23	16cg	VR1	Ana
HD DDZX9685		Z-Diode	3,6V±5%, 500mW	SOT23	16dc	-	Dil
HD DDZX9685W		Z-Diode	3,6V±5%, 200mW	SOT323	16dc	-	Dil
HD UNR32A6		Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1=4k7	SSSMini3	18ta	-	Pan
HE 2SC3123		Si-NPN	VHF, TV-Mix, 30V, 50mA, 150mW, B=40...300, 1,4GHz	SC-59	16ta	-	Tos
HE 2SC3906K-E		Si-NPN	AF-Driver, 120V, 50mA, 200mW, B=390...820, >140MHz	SOT346	16ta	-	Rhm
HE 2SC4102-HE		Si-NPN	AF, 120V, 50mA, 200mW, B=390...820, >140MHz	SOT323	16ta	-	Rhm
HE 2SC4250		Si-NPN	VHF-Mix, 30V, 50mA, 100mW, B=40...300, 1,4GHz	SC-70	16ta	-	Tos
HE AP130-38R		VR-IC	LDO, 3,8V±2%, 300mA	SOT23	16cg	VR1	Ana
HE DDZX9686		Z-Diode	3,9V±5%, 500mW	SOT23	16dc	-	Dil
HE DDZX9686W		Z-Diode	3,9V±5%, 200mW	SOT323	16dc	-	Dil
HE UNR32A7		Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=22k	SSSMini3	18ta	-	Pan
HF 2SC3124		Si-NPN	VHF, TV-Tun, 30V, 50mA, 150mW, B=40...200, 1,1GHz	SC-59	16ta	-	Tos
HF 2SC4251		Si-NPN	VHF-Osc, 30V, 50mA, 100mW, B=40...200, 1,1GHz	SC-70	16ta	-	Tos
HF AP130-39R		VR-IC	LDO, 3,9V±2%, 300mA	SOT23	16cg	VR1	Ana
HF BFN23		Si-PNP	Vid, 250V, 20...50mA, >60MHz	SOT23	16ta	-	Sie
HF DDZX9687		Z-Diode	4,3V±5%, 500mW	SOT23	16dc	-	Dil
HF DDZX9687W		Z-Diode	4,3V±5%, 200mW	SOT323	16dc	-	Dil
HF UNR32A8		Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1=510R	SSSMini3	18ta	-	Pan
HG AP130-40R		VR-IC	LDO, 4V±2%, 300mA	SOT23	16cg	VR1	Ana
HG DDZX9688		Z-Diode	4,7V±5%, 500mW	SOT23	16dc	-	Dil
HG DDZX9688W		Z-Diode	4,7V±5%, 200mW	SOT323	16dc	-	Dil
HH 2SC3125		Si-NPN	TV-IF-Out, 30V, 50mA, 150mW, B=20...200, 600MHz	SC-59	16ta	-	Tos
HH 2SC4253		Si-NPN	TV-IF-Out, 30V, 50mA, 100mW, B=20...200, 600MHz	SC-70	16ta	-	Tos
HH AP130-41R		VR-IC	LDO, 4,1V±2%, 300mA	SOT23	16cg	VR1	Ana
HH DDZX9689		Z-Diode	5,1V±5%, 500mW	SOT23	16dc	-	Dil
HH DDZX9689W		Z-Diode	5,1V±5%, 200mW	SOT323	16dc	-	Dil
HI 2SC4247		Si-NPN	UHF-Osc, 20V, 30mA, 100mW, B=35...130, 4GHz	SC-70	16ta	-	Tos
HI AP130-42R		VR-IC	LDO, 4,2V±2%, 300mA	SOT23	16cg	VR1	Ana
HJ AP130-43R		VR-IC	LDO, 4,3V±2%, 300mA	SOT23	16cg	VR1	Ana
HJ DDZX9690		Z-Diode	5,6V±5%, 500mW	SOT23	16dc	-	Dil
HJ DDZX9690W		Z-Diode	5,6V±5%, 200mW	SOT323	16dc	-	Dil
HK AP130-44R		VR-IC	LDO, 4,4V±2%, 300mA	SOT23	16cg	VR1	Ana
HK DDZX9691		Z-Diode	6,2V±5%, 500mW	SOT23	16dc	-	Dil
HK DDZX9691W		Z-Diode	6,2V±5%, 200mW	SOT323	16dc	-	Dil
HK UNR32A9		Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=	SSSMini3	18ta	-	Pan
HL 2SA1722		Si-PNP-Digi	Switching, 50V, 100mA, R/R2=2,2k/10k	SOT323	16ta	-	Say
HL AP130-45R		VR-IC	LDO, 4,5V±2%, 300mA	SOT23	16cg	VR1	Ana
HL DDZX9692		Z-Diode	6,8V±5%, 500mW	SOT23	16dc	-	Dil
HL DDZX9692W		Z-Diode	6,8V±5%, 200mW	SOT323	16dc	-	Dil
HL UNR32AA		Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=	SSSMini3	18ta	-	Pan
HM 2SC4248		Si-NPN	UHF-Osc, 20V, 30mA, 100mW, B=70...130, 4GHz	SC-70	16ta	-	Tos
HM AP130-46R		VR-IC	LDO, 4,6V±2%, 300mA	SOT23	16cg	VR1	Ana
HM DDZX9693		Z-Diode	7,5V±5%, 500mW	SOT23	16dc	-	Dil
HM DDZX9693W		Z-Diode	7,5V±5%, 200mW	SOT323	16dc	-	Dil
HN 2SC4244		Si-NPN	VHF/UHF, 25V, 20mA, 100mW, B=100, 850MHz	SC-70	16ta	-	Tos
HN 2SC5540		Si-NPN	UHF-S-Band, L.N, 16V, 20mA, 100mW, B=90...200, 10GHz	S8FP	18ta	-	Say
HN AP130-47R		VR-IC	LDO, 4,7V±2%, 300mA	SOT23	16cg	VR1	Ana
HN DDZX9694		Z-Diode	8,2V±5%, 500mW	SOT23	16dc	-	Dil
HN DDZX9694W		Z-Diode	8,2V±5%, 200mW	SOT323	16dc	-	Dil
HN3 2SC4871-3		Si-NPN	UHF-S-B, Amp, Osc, 16V, 20mA, 0,1W, B=60...120, 10GHz	MCP	16ta	-	Say
HN4 2SC4871-4		Si-NPN	UHF-S-B, Amp, Osc, 16V, 20mA, 0,1W, B=90...180, 10GHz	MCP	16ta	-	Say
HN5 2SC4871-5		Si-NPN	UHF-S-B, Amp, Osc, 16V, 20mA, 0,1W, B=130...270, 10GHz	MCP	16ta	-	Say
HO AP130-48R		VR-IC	LDO, 4,8V±2%, 300mA	SOT23	16cg	VR1	Ana
HP 2SA1036K-P		Si-PNP	GP, 40V, 0,5A, 0,2W, B=82...180, 200MHz	SC-59	16ta	-	Rhm
HP 2SA1577-P		Si-PNP	GP, 40V, 500mA, 200mW, B=82...180, 200MHz	SC-70	16ta	-	Rhm
HP AP130-49R		VR-IC	LDO, 4,9V±2%, 300mA	SOT23	16cg	VR1	Ana
HP DDZX9696		Z-Diode	9,1V±5%, 500mW	SOT23	16dc	-	Dil
HP DDZX9696W		Z-Diode	9,1V±5%, 200mW	SOT323	16dc	-	Dil
HQ 2SA1036K-Q		Si-PNP	GP, 40V, 0,5A, 0,2W, B=120...270, 200MHz	SC-59	16ta	-	Rhm
HQ 2SA1577-Q		Si-PNP	GP, 40V, 500mA, 200mW, B=120...270, 200MHz	SC-70	16ta	-	Rhm
HQ 2SC3928-Q		Si-NPN	AF, 50V, 200mA, 200mA, B=120...270, 200MHz	SC-59	16ta	-	Mit

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
HQ	25C4155A-Q	SI-NPN	AF, 50V, 200mA, 150mW, B=120..270, 200MHz	SC-70	16ta	-	Mil
HQ	AP130-50R	VR-IC	LDO, 5V±2%, 300mA	SOT23	16cg	VR1	Ana
HQ	DDZX9697	Z-Diode	10V±5%, 500mW	SOT23	16dc	-	Dil
HQ	DDZX9697W	Z-Diode	10V±5%, 200mW	SOT323	16dc	-	Dil
HR	25A1035-R	SI-PNP	AF, LN, 55V, 10mA, 200mW, B=180..360, 200MHz	SOT23	16ta	-	Pan
HR	25A1036K-R	SI-PNP	GP, 40V, 0.5A, 0.2W, B=180..390, 200MHz	SC-59	16ta	-	Rhm
HR	25A1531A-R	SI-PNP	AF, LN, 55V, 50mA, 150mW, B=180..360, 80MHz	SOT323	16ta	-	Pan
HR	25A1577-R	SI-PNP	GP, 40V, 500mA, 200mW, B=180..390, 200MHz	SC-70	16ta	-	Rhm
HR	25C3906K-R	SI-NPN	AF-Driver, 120V, 50mA, 200mW, B=180..390, >140MHz	SOT346	16ta	-	Rhm
HR	25C3928-R	SI-NPN	AF, 50V, 200mA, 200mA, B=180..390, 200MHz	SC-59	16ta	-	Mil
HR	25C4102-HR	SI-NPN	AF, 120V, 50mA, 200mW, B=180..390, >140MHz	SOT323	16ta	-	Rhm
HR	25C4155A-R	SI-NPN	AF, 50V, 200mA, 150mW, B=180..390, 200MHz	SC-70	16ta	-	Mil
HR	DDZX9698	Z-Diode	11V±5%, 500mW	SOT23	16dc	-	Dil
HR	DDZX9698W	Z-Diode	11V±5%, 200mW	SOT323	16dc	-	Dil
HS	25A1035-S	SI-PNP	AF, LN, 55V, 10mA, 200mW, B=260..520, 200MHz	SOT23	16ta	-	Pan
HS	25A1531A-S	SI-PNP	AF, LN, 55V, 50mA, 150mW, B=260..520, 80MHz	SOT323	16ta	-	Pan
HS	25C3906K-S	SI-NPN	AF-Driver, 120V, 50mA, 200mW, B=270..560, >140MHz	SOT346	16ta	-	Rhm
HS	25C3928-S	SI-NPN	AF, 50V, 200mA, 200mA, B=270..560, 200MHz	SC-59	16ta	-	Mil
HS	25C4102-HS	SI-NPN	AF, 120V, 50mA, 200mW, B=270..560, >140MHz	SOT323	16ta	-	Rhm
HS	25C4155A-S	SI-NPN	AF, 50V, 200mA, 150mW, B=270..560, 200MHz	SC-70	16ta	-	Mil
HS	25K2751	N-FET	LN, 40V, 10mA, 200mW, Up<3.5V	SC-59	16fa	-	Pan
HS	25K2988	N-FET	40V, 10mA, Idss<4.7mA, Up<3.5V	SOT23	16fa	-	Pan
HS	DDZX9699	Z-Diode	12V±5%, 500mW	SOT23	16dc	-	Dil
HS	DDZX9699W	Z-Diode	12V±5%, 200mW	SOT323	16dc	-	Dil
HS2	25A1778-2	SI-PNP	VHF Conv. Osc, 15V, 50mA, 250mW, B=40..80, 1.2GHz	SOT23	16ta	-	Say
HS3	25A1778-3	SI-PNP	VHF Conv. Osc, 15V, 50mA, 250mW, B=60..120, 1.2GHz	SOT23	16ta	-	Say
HS4	25A1778-4	SI-PNP	VHF Conv. Osc, 15V, 50mA, 250mW, B=100..200, 1.2GHz	SOT23	16ta	-	Say
HT	25A1035-T	SI-PNP	AF, LN, 55V, 10mA, 200mW, B=360..700, 200MHz	SOT23	16ta	-	Pan
HT	25A1531A-T	SI-PNP	AF, LN, 55V, 50mA, 150mW, B=360..700, 80MHz	SOT323	16ta	-	Pan
HT	25C3928-T	SI-NPN	AF, 50V, 200mA, 200mA, B=390..620, 200MHz	SC-59	16ta	-	Mil
HT	25C4155A-T	SI-NPN	AF, 50V, 200mA, 150mW, B=390..820, 200MHz	SC-70	16ta	-	Mil
HT	DDZX9700	Z-Diode	13V±5%, 500mW	SOT23	16dc	-	Dil
HT	DDZX9700W	Z-Diode	13V±5%, 200mW	SOT323	16dc	-	Dil
HU	DDZX9701	Z-Diode	14V±5%, 500mW	SOT23	16dc	-	Dil
HU	DDZX9701W	Z-Diode	14V±5%, 200mW	SOT323	16dc	-	Dil
HV	DDZX9702	Z-Diode	15V±5%, 500mW	SOT23	16dc	-	Dil
HV	DDZX9702W	Z-Diode	15V±5%, 200mW	SOT323	16dc	-	Dil
HW	DDZX9703	Z-Diode	16V±5%, 500mW	SOT23	16dc	-	Dil
HW	DDZX9703W	Z-Diode	16V±5%, 200mW	SOT323	16dc	-	Dil
HY	DDZX9705	Z-Diode	18V±5%, 500mW	SOT23	16dc	-	Dil
HY	DDZX9705W	Z-Diode	18V±5%, 200mW	SOT323	16dc	-	Dil
I	MRF947RT3	SI-NPN	VHF/JUHF, 20V, 50mA, 188mW, B=50, 8GHz	SOT323	16ta	-	Mot
ID-	25C3127	SI-NPN	UHF/VHF, 20V, 50mA, 150mW, B=30..900, 4.5GHz	MPAK	16ta	-	Hil
IE	25C3722K-E	SI-NPN	AF-Driver, 120V, 50mA, 200mW, B=390..820, >140MHz	SOT346	16ta	-	Rhm
IGD	25K1215-D	MOS-N-FET-d	VHF, 20V, 30mA, 100mW, Idss=4..8mA, Up<2V	CMPAK	16fk	-	Hil
IGE	25K1215-E	MOS-N-FET-d	VHF, 20V, 30mA, 100mW, Idss=6..10mA, Up<2V	CMPAK	16fk	-	Hil
IGF	25K1215-F	MOS-N-FET-d	VHF, 20V, 30mA, 100mW, Idss=8..12mA, Up<2V	CMPAK	16fk	-	Hil
IJ	ETC809JU	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Etc
IJ	MIC809JU	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
IJ-	25C3374	SI-NPN	Switching, 20V, 20mA, 150mW, B=20..200, >400MHz	SOT346	16ta	-	Hil
IL	ETC809LU	CMOS-IC	Voltage Detector 4.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Etc
IL	MIC809LU	CMOS-IC	Voltage Detector 4.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
IL-	25C3493	SI-NPN	VHF/JUHF, 15V, 20mA, 150mW, B=30..200, >700MHz	SOT346	16ta	-	Hil
IL-	25C4263	SI-NPN	HF, 15V, 20mA, 100mW, B=30..200, >700MHz	SOT323	16ta	-	Hil
IM	ETC809MU	CMOS-IC	Voltage Detector 4.38V, -Reset Push-pull output	SOT23	16vdc	VD7	Etc
IM	MIC809MU	CMOS-IC	Voltage Detector 4.38V, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
IO	25A1298-O	SI-PNP	AF, Switching, 30V, 800mA, 200mA, B=100..200, 120MHz	SC-59	16ta	-	Tos
IO	KTA1298-O	SI-PNP	AF, 35V, 800mA, 200mW, B=100..200, >120MHz	SOT23	16ta	-	Kec
IP	AAT35621GY-2.50	CMOS-IC	Voltage Detector, 2.5V, -Reset Open drain output	SOT23	16vdc	VD6	Ani
IP-	25C3793	SI-NPN	VHF/JUHF, 20V, 50mA, 150mW, B=50..200, >1.4GHz	SOT346	16ta	-	Hil
IP-	25C4282	SI-NPN	VHF/JUHF, 20V, 50mA, 100mW, B=50..200, >1.4GHz	SOT323	16ta	-	Hil
IQ	25B1220-Q	SI-PNP	AF, LN, 150V, 100mA, 150mW, B=85..170, 200MHz	SOT323	16ta	-	Pan
IR	25B1220-R	SI-PNP	AF, LN, 150V, 100mA, 150mW, B=130..220, 200MHz	SOT323	16ta	-	Pan
IR	25B792-R	SI-PNP	GP, AF, LN, 150V, 50mA, 200mW, B=130..220, 200MHz	SC-59	16ta	-	Pan
IR	25C3722K-R	SI-NPN	AF-Driver, 120V, 50mA, 200mW, B=120..390, >140MHz	SOT346	16ta	-	Rhm
IR	ETC809RU	CMOS-IC	Voltage Detector 2.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Etc
IR	MIC809RU	CMOS-IC	Voltage Detector 2.63V, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
IS	25B1220-S	SI-PNP	AF, LN, 150V, 100mA, 150mW, B=180..330, 200MHz	SOT323	16ta	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
IS	2SB792-S	Si-PNP	GP, AF, LN, 150V, 50mA, 200mW, B=165..330, 200MHz	SC-59	161a	-	Pan
IS	2SC3722K-S	Si-NPN	AF-Driver, 120V, 50mA, 200mW, B=270..560, >140MHz	SOT346	161a	-	Rhm
IS	ETC809SU	CMOS-IC	Voltage Detector 2.93V, -Reset Push-pull output	SOT23	16vdc	VD7	Etc
IS	MIC809SU	CMOS-IC	Voltage Detector 2.93V, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
IS-	2SC3513	Si-NPN	VHF/UHF, 15V, 50mA, 160mW, B=50..250, >4.5GHz	SOT346	161a	-	Hil
IS-	2SC4537	Si-NPN	VHF/UHF, 15V, 50mA, 100mW, B=50..250, >4.5GHz	SOT323	161a	-	Hil
IT	2SB1220-T	Si-PNP	AF, LN, 150V, 100mA, 150mW, B=260..450, 200MHz	SOT323	161a	-	Pan
IT	2SB792-T	Si-PNP	GP, AF, LN, 150V, 50mA, 200mW, B=260..450, 200MHz	SC-59	161a	-	Pan
IT	ETC809TU	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output	SOT23	16vdc	VD7	Etc
IT	MIC809TU	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
IX	MIC809-5S-U	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
IY	2SA1296-Y	Si-PNP	AF, Switching, 30V, 600mA, 200mA, B=160..320, 120MHz	SC-59	161a	-	Tos
IY	KTA1296-Y	Si-PNP	AF, 35V, 600mA, 200mW, B=160..320, >120MHz	SOT23	161a	-	Kec
J0	HSMS-2700	Si-Diode	Schottky, 15V, 350mA, Vf<0.55V(350mA), Cd<6.7pF	SOT23	16dc	-	Agi
J0	HSMS-270B	Si-Diode	Schottky, 15V, 750mA, Vf<0.55V(350mA), Cd<6.7pF	SOT323	16dc	-	Agi
J0	R3111N102C	CMOS-IC	Voltage Detector 1V, Reset Open drain output	SOT23	16vc	VD6	Ric
J0	R3130N40EA	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J0	SS1110	N-FET	AF, 25V, 350mW, Idss=10mA, RDS(on)=18Q	SOT23	16fj	-	Sil
J03	SO2907AR	Si-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SOT23R	161e	-	Ste
J05	SO2907R	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SOT23R	161e	-	Ste
J1	BSH101	MOS-N-FET-e	V-MOS, LogL, 60V, 0.7A, <0.9Q	SOT23	16fg	-	Phi
J1	MMBZ5246B	Z-Diode	16V±5%, 410mW	SOT23	16dc	-	Pjt
J1	MMBZ5246BW	Z-Diode	16V±5%, 200mW, Zzt=17Q	SOT323	16dc	-	Pjt
J1	R3111N112C	CMOS-IC	Voltage Detector 1.2V, Reset Open drain output	SOT23	16vc	VD6	Ric
J1	R3130N41EA	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J1	ZC830	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 10pF(2V), ΔC ±20%	SOT23	16dc	-	Ztx
J1A	ZC830A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 10pF(2V), ΔC ±10%	SOT23	16dc	-	Ztx
J1B	ZC830B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 10pF(2V), ΔC ±5%	SOT23	16dc	-	Ztx
J1O	KSA1296-O	Si-PNP	GP, AF, 30V, 600mA, 200mW, B=100..200, 120MHz	SOT23	161a	-	Fch.Sam
J1Y	KSA1296-Y	Si-PNP	GP, AF, 30V, 600mA, 200mW, B=130..320, 120MHz	SOT23	161a	-	Fch.Sam
J2	BSH102	MOS-N-FET-e	V-MOS, LogL, 30V, 0.85A, <0.8Q	SOT23	16fg	-	Phi
J2	HSMS-2702	Si-Diode	Dual, Schottky, 15V, 350mA, Vf<0.55V(350mA), Cd<6.7pF	SOT23	16dl	-	Agi
J2	HSMS-270C	Si-Diode	Dual, Schottky, 15V, 750mA, Vf<0.55V(350mA), Cd<6.7pF	SOT323	16dl	-	Agi
J2	MAX809MTR	CMOS-IC	Voltage Detector 4.36V, -Reset Push-pull output	SOT23	16vdc	VD7	Ons
J2	R3111N122C	CMOS-IC	Voltage Detector 1.2V, Reset Open drain output	SOT23	16vc	VD6	Ric
J2	R3130N42EA	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J2	ZC833	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 33pF(2V), ΔC ±20%	SOT23	16dc	-	Ztx
J2A	ZC833A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 33pF(2V), ΔC ±10%	SOT23	16dc	-	Ztx
J2B	ZC833B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 33pF(2V), ΔC ±5%	SOT23	16dc	-	Ztx
J3	BSH103	MOS-N-FET-e	V-MOS, LogL, 30V, 0.85A, <0.5Q	SOT23	16fg	-	Phi
J3	MAX809TTR	CMOS-IC	Voltage Detector 3.08V, -Reset Push-pull output	SOT23	16vdc	VD7	Ons
J3	MMBZ5248B	Z-Diode	16V±5%, 410mW	SOT23	16dc	-	Pjt
J3	MMBZ5248BW	Z-Diode	16V±5%, 200mW, Zzt=21Q	SOT323	16dc	-	Pjt
J3	R3111N132C	CMOS-IC	Voltage Detector 1.3V, Reset Open drain output	SOT23	16vc	VD6	Ric
J3	R3130N43EA	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J3	ZC831	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±20%	SOT23	16dc	-	Ztx
J3A	ZC831A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±10%	SOT23	16dc	-	Ztx
J3B	ZC831B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 15pF(2V), ΔC ±5%	SOT23	16dc	-	Ztx
J4	R3111N142C	CMOS-IC	Voltage Detector 1.4V, Reset Open drain output	SOT23	16vc	VD6	Ric
J4	R3130N44EA	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J4	ZC832	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±20%	SOT23	16dc	-	Ztx
J4A	ZC832A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±10%	SOT23	16dc	-	Ztx
J4B	ZC832B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 22pF(2V), ΔC ±5%	SOT23	16dc	-	Ztx
J5	AH175W	H-IC	Hall-effect sensor IC, Vce=3.5..20V, Iout=25mA, OCO	SOT23	16ha	-	Ana
J5	MAX809RTR	CMOS-IC	Voltage Detector 2.83V, -Reset Push-pull output	SOT23	16vdc	VD7	Ons
J5	MMBZ5250B	Z-Diode	20V±5%, 410mW	SOT23	16dc	-	Pjt
J5	MMBZ5250BW	Z-Diode	20V±5%, 200mW, Zzt=25Q	SOT323	16dc	-	Pjt
J5	R3111N152C	CMOS-IC	Voltage Detector 1.5V, Reset Open drain output	SOT23	16vc	VD6	Ric
J5	R3130N45EA	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J5	ZC834	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 47pF(2V), ΔC ±20%	SOT23	16dc	-	Ztx
J5A	ZC834A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 47pF(2V), ΔC ±10%	SOT23	16dc	-	Ztx
J5B	ZC834B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 47pF(2V), ΔC ±5%	SOT23	16dc	-	Ztx
J6	M1MA174T1	Si-Diode	Switching, 100V, 200mA, 200mW, Vf<1.2V(100mA), <4pF	SOT323	16dc	-	Ons
J6	MAX809JTR	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23	16vdc	VD7	Ons
J6	R3111N162C	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT23	16vc	VD6	Ric
J6	R3130N46EA	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J6	ZC835	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 66pF(2V), ΔC ±20%	SOT23	16dc	-	Ztx
J6A	ZC835A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 66pF(2V), ΔC ±10%	SOT23	16dc	-	Ztx

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
J6B	ZC635B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 66pF(2V), $\Delta C \pm 5\%$	SOT23	16dc	-	Ztx
J7	ATS177W	H-IC	Hall-effect sensor IC, Vcc=3.5..20V, Iout=25mA, OCO	SOT23	16ha	-	Ana
J7	R3111N172C	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output	SOT23	16vc	VD6	Ric
J7	R3130N47EA	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J7	ZC636	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 100pF(2V), $\Delta C \pm 20\%$	SOT23	16dc	-	Ztx
J7A	ZC636A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 100pF(2V), $\Delta C \pm 10\%$	SOT23	16dc	-	Ztx
J7B	ZC636B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 100pF(2V), $\Delta C \pm 5\%$	SOT23	16dc	-	Ztx
J8	BCX71JR	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SOT23R	16la	-	Phi
J8	BCX71RJ	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SOT23	16la	-	Ztx
J8	R3111N182C	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT23	16vc	VD6	Ric
J8	R3130N48EA	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
J9	R3111N192C	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT23	16vc	VD6	Ric
J9	SST109	N-FET	AF, 25V, 350mW, I _{ds} =40mA, R _{ds(on)} =12 Ω	SOT23	16lj	-	Sil
J9	ZC629	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 8.2pF(2V), $\Delta C \pm 20\%$	SOT23	16dc	-	Ztx
J9A	ZC629A	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 8.2pF(2V), $\Delta C \pm 10\%$	SOT23	16dc	-	Ztx
J9B	ZC629B	C-Diode	VHF/UHF-Tuning, 25V, 330mW, 8.2pF(2V), $\Delta C \pm 5\%$	SOT23	16dc	-	Ztx
JA	ATS137W	H-IC	Hall-effect sensor IC, Vcc=3.5..20V, Iout=25mA, OCO	SOT23	16ha	-	Ana
JA	BAV70	Si-Diode	Dual, Switching, 75V, 215mA, Vf<1.25V, <4ns	SOT23	16dg	-	Pjt
JA	BAV70W	Si-Diode	Dual, Switching, 75V, 215mA, 225mW, Vf<1.25V, <4ns	SOT323	16dg	-	Pjt
JA	BAV74	Si-Diode	Hi-Speed, 50V, 215mA, Vf<1V(100mA), 1.5pF, 4ns	SOT23	16dg	-	Nsc
JA	BAV74LT1	Si-Diode	Hi-Speed, 50V, 200mA, Vf<1V(100mA), 2pF, 4ns	SOT23	16dg	-	Ons
JAp	BAV74	Si-Diode	Hi-Speed, 50V, 215mA, Vf<1V(100mA), 1.5pF, 4ns	SOT23	16dg	-	PhH
JAt	BAV74	Si-Diode	Hi-Speed, 50V, 215mA, Vf<1V(100mA), 1.5pF, 4ns	SOT23	16dg	-	PhM
JBp	BAV73	Si-Diode	Hi-Speed, 200V, 200mA, Vf<1.25V(200mA), 5pF, 5ns	SOT23	16dg	-	Phi
JBs	BAR74	Si-Diode	Switching, 50V, 250mA, 370mW, Vf<1V(100mA), <4ns	SOT23	16dc	-	Inf
JC	25C2735	Si-NPN	VHF/UHF-Osc, 30V, 50mA, 150mW, B>40, 1.2GHz	SOT23	16la	-	Hit
JC	25C4265	Si-NPN	HF, 30V, 50mA, 100mW, B>40, >600MHz	SOT323	16la	-	Hit
JC	BAL74W	Si-Diode	Switching, Fast, 50V, 0.25A, 250mW, <4ns	SOT323	16dr	-	Phi
JC	BAW58	Si-Diode	2x Switching, 70V, 200mA, 250mW, Vf<1.25V, 2pF, <6ns	SOT23	16df	-	Pjt
JC	BAW58W	Si-Diode	Dual, Hi-Speed, 75V, 150mA, 200mW, 2pF, 4ns	SOT323	16df	-	Pjt
JCp	BAL74	Si-Diode	Switching, Fast, 50V, 0.25A, 250mW, <4ns	SOT23	16dr	-	PhH
JCs	BAL74	Si-Diode	Switching, Fast, 50V, 0.25A, 250mW, <4ns	SOT23	16dr	-	Sie
JCt	BAL74	Si-Diode	Switching, Fast, 50V, 0.25A, 250mW, <4ns	SOT23	16dr	-	PhM
JD	BAW58T	Si-Diode	Dual, Hi-Speed, 85V, 150mA, 200mW, 2pF, 4ns	SOT416	16df	-	Dil
JF	BAL99	Si-Diode	Switching, Fast, 75V, 0.25A, 250mW, <4ns	SOT23	16dr	-	Dil
JF	BAL99LT1	Si-Diode	Sw, Fast, 70V, 100mA, 225mW, Vf<1.25V(150mA), <6ns	SOT23	16dr	-	Mot,Ons
JF	BAL99W	Si-Diode	Sw, Fast, 75V, 150mA, 200mW, Vf<1.25V(150mA), <4ns	SOT323	16dr	-	Phi
JFp	BAL99	Si-Diode	Switching, Fast, 75V, 0.25A, 250mW, <4ns	SOT23	16dr	-	PhH
JFs	BAL99	Si-Diode	Switching, Fast, 75V, 0.25A, 250mW, <4ns	SOT23	16dr	-	Sie
JFt	BAL99	Si-Diode	Switching, Fast, 75V, 0.25A, 250mW, <4ns	SOT23	16dr	-	PhM
JG	BAV99	Si-Diode	Dual, U-Speed, 80V, 150mA, Vf<1.2V(100mA), 0.5pF, 4ns	SOT23	16dl	-	Pjt
JG	BAV99W	Si-Diode	Dual, U-Speed, 75V, 125mA, Vf<1.2V(100mA), 0.5pF, 4ns	SOT323	16dl	-	Pjt
JGs	BAR99	Si-Diode	Switching, 70V, 250mA, 370mW, Vf<1.25V(150mA), <6ns	SOT23	16dc	-	Sie
JJ	BAV70	Si-Diode	Dual, Switching, 75V, 215mA, Vf<1.25V, <4ns	SOT23	16dg	-	Sie
JJ	BAV70T	Si-Diode	Dual, Switching, 75V, 150mA, 200mW, Vf<1.25V, <4ns	SOT416	16dg	-	Dil
JJ	ETC610JU	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vdc	VD7	Etc
JJ	MIC610JU	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
JL	ETC610LU	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SOT23	16vdc	VD7	Etc
JL	MIC610LU	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
JM	25C2059K-M	Si-NPN	25V, 20mA, 150mW, B=39..82, >500MHz	SOT346	16la	-	Rhm
JM	25C4099-M	Si-NPN	HF, 25V, 20mA, 150mW, B=39..82, >500MHz	SOT323	16la	-	Rhm
JM	25C4649-M	Si-NPN	AF, 25V, 20mA, 150mW, B=39..82, >500MHz	SOT416	16la	-	Rhm
JM	ETC610MU	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output	SOT23	16vdc	VD7	Etc
JM	MIC610MU	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
JN	25C2059K-N	Si-NPN	25V, 20mA, 150mW, B=56..120, >500MHz	SOT346	16la	-	Rhm
JN	25C4099-N	Si-NPN	HF, 25V, 20mA, 150mW, B=56..120, >500MHz	SOT323	16la	-	Rhm
JN	25C4649-N	Si-NPN	AF, 25V, 20mA, 150mW, B=56..120, >500MHz	SOT416	16la	-	Rhm
JP	25C2059K-P	Si-NPN	25V, 20mA, 150mW, B=82..180, >500MHz	SOT346	16la	-	Rhm
JP	25C4099-P	Si-NPN	HF, 25V, 20mA, 150mW, B=82..180, >500MHz	SOT323	16la	-	Rhm
JP	25C4649-P	Si-NPN	AF, 25V, 20mA, 150mW, B=82..180, >500MHz	SOT416	16la	-	Rhm
JPp	BAS19	Si-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT23	16dc	-	PhH
JPs	BAS19	Si-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT23	16dc	-	Sie
JPt	BAS19	Si-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT23	16dc	-	PhM
JR	ETC610RU	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output	SOT23	16vdc	VD7	Etc
JR	MIC610RU	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
JRp	BAS20	Si-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT23	16dc	-	PhH
JRs	BAS20	Si-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT23	16dc	-	Sie
JRt	BAS20	Si-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT23	16dc	-	PhM

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
JS	BAS21LT1	Si-Diode	Switching, Fast, 250V, 250mA, 250mW, <50ns	SOT23	16dc	-	Ons
JS	BAS21SLT1	Si-Diode	Dual, Switching, Fast, 250V, 250mA, 250mW, <50ns	SOT23	16dl	-	Ons
JS	ETC810SU	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output	SOT23	16vdc	VD7	Etc
JS	MIC810SU	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
JS3	2SA1815-3	Si-PNP	FM, RF, IF-Amp, 15V, 50mA, 250mW, B=60..120, 750MHz	SOT23	16la	-	Say
JS3	2SA1857-3	Si-PNP	HF, 15V, 50mA, 150mW, B=60..120, >750MHz	SOT323	16la	-	Say
JS4	2SA1815-4	Si-PNP	FM, RF, IF-Amp, 15V, 50mA, 250mW, B=90..180, 750MHz	SOT23	16la	-	Say
JS4	2SA1857-4	Si-PNP	HF, 15V, 50mA, 150mW, B=90..180, >750MHz	SOT323	16la	-	Say
JS5	2SA1815-5	Si-PNP	FM, RF, IF-Amp, 15V, 50mA, 250mW, B=135..270, 750MHz	SOT23	16la	-	Say
JS5	2SA1857-5	Si-PNP	HF, 15V, 50mA, 150mW, B=135..270, >750MHz	SOT323	16la	-	Say
JSp	BAS21	Si-Diode	Switching, Fast, 200V, 250mA, 250mW, <50ns	SOT23	16dc	-	Phi
JSe	BAS21	Si-Diode	Switching, Fast, 200V, 250mA, 250mW, <50ns	SOT23	16dc	-	Sie
JSt	BAS21	Si-Diode	Switching, Fast, 200V, 250mA, 250mW, <50ns	SOT23	16dc	-	PHM
JT	ETC810TU	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output	SOT23	16vdc	VD7	Etc
JT	MIC810TU	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
JT2	2SC4269-2	Si-NPN	VHF/UHF-Osc, 30V, 50mA, 250mW, B=40..80, 1,2GHz	CP	16la	-	Say
JT3	2SC4269-3	Si-NPN	VHF/UHF-Osc, 30V, 50mA, 250mW, B=60..120, 1,2GHz	CP	16la	-	Say
JT4	2SC4269-4	Si-NPN	VHF/UHF-Osc, 30V, 50mA, 250mW, B=100..200, 1,2GHz	CP	16la	-	Say
JV	1SV263	PIN-Diode	VHF/UHF, AGC, 50V, 50mA, 100mW, 0,23pF, 2,5Q(100MHz)	MCP	16dc	-	Say
JV	1SV266	PIN-Diode	VHF/UHF, AGC, 50V, 50mA, 100mW, 0,23pF, 2,5Q(100MHz)	CP	17dc	-	Say
JV	BAS116	Si-Diode	Switching, 85V, 250mA, 225mW, >3µs, 2pF	SOT23	16dc	-	Sie
JV	BAS116LT	Si-Diode	Switching, 75V, 250mA, 225mW, >3µs, 2pF	SOT23	16dc	-	Ons
JV3	BAT54LT1	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<0,52V(100mA), <5ns	SOT23	16dc	-	Ons
JVp	BAS116	Si-Diode	Switching, 85V, 250mA, 225mW, >3µs, 2pF	SOT23	16dc	-	PHH
JVt	BAS116	Si-Diode	Switching, 85V, 250mA, 225mW, >3µs, 2pF	SOT23	16dc	-	PHM
JY	BAV199LT1	Si-Diode	Dual, Switching, 70V, 215mA, 225mW, <2pF, <3µs	SOT23	16dl	-	Ons
JY-	BAV199W	Si-Diode	Dual, Switching, 70V, 135mA, 150mW, <2pF, <3µs	SOT323	16dl	-	PHH
JY2	2SC4406-2	Si-NPN	UHF, Mix, Osc, 30V, 50mA, 150mW, B=40..80, 1,2GHz	SOT23	16la	-	Say
JY3	2SC4406-3	Si-NPN	UHF, Mix, Osc, 30V, 50mA, 150mW, B=60..120, 1,2GHz	SOT23	16la	-	Say
JY4	2SC4406-4	Si-NPN	UHF, Mix, Osc, 30V, 50mA, 150mW, B=100..200, 1,2GHz	SOT23	16la	-	Say
JYp	BAV199	Si-Diode	Dual, Switching, 75V, 215mA, 225mW, <2pF, <3µs	SOT23	16dl	-	PHH
JYt	BAV199	Si-Diode	Dual, Switching, 75V, 215mA, 225mW, <2pF, <3µs	SOT23	16dl	-	PHM
JYt	BAV199W	Si-Diode	Dual, Switching, 75V, 135mA, 150mW, <2pF, <3µs	SOT323	16dl	-	PHM
JYW	BAV199	Si-Diode	Dual, Switching, 75V, 215mA, 225mW, <2pF, <3µs	SOT23	16dl	-	PHC
JZ	BAW156	Si-Diode	Dual, Sw, 82V, 160mA, 250mW, 3pF, 3µs	SOT23	16df	-	Mol
JZp	BAW156	Si-Diode	Dual, Sw, 82V, 160mA, 250mW, 3pF, 3µs	SOT23	16df	-	PHH
JZt	BAW156	Si-Diode	Dual, Sw, 82V, 160mA, 250mW, 3pF, 3µs	SOT23	16df	-	PHM
K	DA204K	Si-Diode	Dual, Switching, 2x20V, 200mA, 200mW	SOT346	16dl	-	Rhm
K	DA204U	Si-Diode	Dual, Switching, 2x20V, 200mA, 200mW	SOT323	16dl	-	Rhm
K	DA221	Si-Diode	Dual, Switching, 2x20V, 200mA, 150mW	SOT416	16dl	-	Rhm
K0	R3111N202C	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT23	16vc	VD6	Ric
K0	R3130N26EA3	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
K1	MAX810LTR	CMOS-IC	Voltage Detector 4,63V, Reset Push-pull output	SOT23	16vdc	VD7	Ons
K1	MMBZ5251B	Z-Diode	22V±5%, 410mW	SOT23	16dc	-	Pjt
K1	MMBZ5251BW	Z-Diode	22V±5%, 200mW, Zzt=29Ω	SOT323	16dc	-	Pjt
K1	R3111N212C	CMOS-IC	Voltage Detector 2,1V, Reset Open drain output	SOT23	16vc	VD6	Ric
K1	R3130N29EA3	CMOS-IC	Voltage Detector 2,9V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
K14	DTA114GE	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R2=10k	EMT3	16la	-	Rhm
K14	DTA114GKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R2=10k	SMT3	16la	-	Rhm
K14	DTA114GUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R2=10k	UMT3	16la	-	Rhm
K15	DTA124GE	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, 250MHz, R2=22k	EMT3	16la	-	Rhm
K15	DTA124GKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=22k	SMT3	16la	-	Rhm
K15	DTA124GUA	Si-PNP-Digi	Sw, 50V, 100mA, 200mW, B=56, >250MHz, R2=22k	SOT323	16la	-	Rhm
K16	DTA144GKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=47k	SMT3	16la	-	Rhm
K16	DTA144GUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=47k	UMT3	16la	-	Rhm
K19	DTA115GKA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R2=100k	SMT3	16la	-	Rhm
K19	DTA115GUA	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, 200MHz, R2=100k	UMT3	16la	-	Rhm
K1B	MMBT4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SOT23	16la	-	Dil
K1B	MMST4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SC-59	16la	-	Dil
K1D	MMBT6427	Si-NPN-Darl	AF, 40V, 500mA, 360mW, B=10k..100k, >130MHz	SOT23	16la	-	Dil
K1D	MMST6427	Si-NPN-Darl	AF, 40V, 500mA, 360mW, B=10k..100k, >130MHz	SOT23	16la	-	Dil
K1E	BC847AW	Si-NPN	GP, 50V, 100mA, 250mW, B=110..220, >100MHz	SOT323	16la	-	Dil
K1E	BC848AW	Si-NPN	GP, 30V, 100mA, 310mW, B=110..220, >300MHz	SOT323	16la	-	Dil
K1F	BC847BW	Si-NPN	GP, 80V, 100mA, 250mW, B=200..450, >100MHz	SOT323	16la	-	Dil
K1F	BC848BW	Si-NPN	GP, 30V, 100mA, 310mW, B=200..450, >300MHz	SOT323	16la	-	Dil
K1G	MMBT805	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	16la	-	Dil
K1G	MMBT806	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	16la	-	Dil
K1G	MMSTA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SC-59	16la	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
K1G	MMSTA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SC-59	161a	-	Dil
K1H	MMBT0A5	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	-	Dil
K1H	MMST0A5	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SC-59	161a	-	Dil
K1J	BC846AW	Si-NPN	GP, 30V, 100mA, 310mW, B=110 220, >300MHz	SOT323	161a	-	Dil
K1K	BC848BW	Si-NPN	GP, 30V, 100mA, 310mW, B=200 450, >300MHz	SOT323	161a	-	Dil
K1L	BC846CW	Si-NPN	GP, 30V, 100mA, 310mW, B=420 800, >300MHz	SOT323	161a	-	Dil
K1M	BC847CW	Si-NPN	GP, 80V, 100mA, 250mW, B=420 800, >100MHz	SOT323	161a	-	Dil
K1M	BC846CW	Si-NPN	GP, 30V, 100mA, 310mW, B=420 800, >300MHz	SOT323	161a	-	Dil
K1N	MMBT3904	Si-NPN	GP, 60V, 100mA, 200mW, B= 100 300, >300MHz	SOT23	161a	-	Dil
K1O	KSA3265-O	Si-NPN	AF, 30V, 800mA, 200mW, B=100 200, >120MHz	SOT23	161a	-	Sam
K1p	BCW71	Si-NPN	AF, 50V, 100mA, 250mW, >100MHz, B=110 220	SOT23	161a	-	PhH
K1P	MMBT2222A	Si-NPN	GP, 75V, 600mA, 200mW, B=100 300, >200MHz	SOT23	161a	-	Dil
K1Q	BC846AW	Si-NPN	GP, 60V, 100mA, 330mW, B=110 220, 250MHz	SOT323	161a	-	Dil
K1Q	BC847AW	Si-NPN	GP, 50V, 100mA, 250mW, B=110 220, >100MHz	SOT323	161a	-	Dil
K1Q	BC848AW	Si-NPN	GP, 30V, 100mA 310mW, B=110 220 >300MHz	SOT323	161a	-	Dil
K1R	BC846BW	Si-NPN	GP, 60V, 100mA, 250mW, B=200 450, >100MHz	SOT323	161a	-	Dil
K1R	BC847BW	Si-NPN	GP, 80V, 100mA, 250mW, B=200 450, >100MHz	SOT323	161a	-	Dil
K1R	BC846BW	Si-NPN	GP, 30V, 100mA, 310mW, B=200 450, >300MHz	SOT323	161a	-	Dil
K1t	BCW71	Si-NPN	AF, 50V, 100mA, 250mW, >100MHz B=110 220	SOT23	161a	-	PhM
K1Y	KSA3265-Y	Si-NPN	AF, 30V, 800mA, 200mW, B=160 320, >120MHz	SOT23	161a	-	Sam
K2	AH182W	H-IC	Hall-effect sensor IC, Vcc=2,5 5,5V, ODO	SOT23	16ha	-	Ana
K2	HSPM-3832	PIN-Diode	Dual, RF, 200V, 1A(1ms), <0 3pF, <1,5Q(100mA)	SOT23	16df	-	Agi
K2	MAX810MTR	CMOS-IC	Voltage Detector 4,38V, Reset Push-pull output	SOT23	16vdc	VD7	Ons
K2	MMBZ5252B	Z-Diode	24V±5%, 410mW	SOT23	16dc	-	Pjt
K2	MMBZ5252BW	Z-Diode	24V±5%, 200mW, Zzt=33Ω	SOT323	16dc	-	Pjt
K2	R3111N222C	CMOS-IC	Voltage Detector 2,2V, Reset Open drain output	SOT23	16vc	VD6	Ric
K2	R3130N30EA6	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
K23	BSS123	MOS-N-FET-e	V-MOS, LogL, 100V, 0,17A, 200mW, <6Q, 10/22ns	SOT23	16fh	-	Dil
K23	BSS123W	MOS-N-FET-e	V-MOS, LogL, 100V, 0,17A, 200mW, <6Q, 10/22ns	SOT323	16fh	-	Dil
K24	DTC114GKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=22k	SMT3	161a	-	Rhm
K24	DTC114GUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=22k	UMT3	161a	-	Rhm
K25	DTC124GUA	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, B>56, 250MHz, R2=22k	SOT323	161a	-	Rhm
K26	DTC144GE	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=47k	EMT3	161e	-	Rhm
K26	DTC144GKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=47k	SMT3	161a	-	Rhm
K26	DTC144GUA	Si-NPN-Digi	Switching 50V, 100mA, 200mW, 250MHz, R2=47k	UMT3	161a	-	Rhm
K29	DTC115GKA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2=100k	SMT3	161a	-	Rhm
K29	DTC115GUA	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, 250MHz, R2= 100k	UMT3	161a	-	Rhm
K2B	MMBT4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120 360, >250MHz	SOT23	161a	-	Dil
K2B	MMST4126	Si-PNP	GP, 25V, 200mA, 350mW B=120 360, >250MHz	SOT323	161a	-	Dil
K2D	MMBT413	Si-NPN-Darl	GP, 30V, 00mA, 300mW, B>5000, >125MHz	SOT23	161a	-	Dil
K2D	MMSTA13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>5000 >125MHz	SC-59	161a	-	Dil
K2E	MMBT463	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SOT23	161a	-	Dil
K2E	MMST463	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SC-59	161a	-	Dil
K2F	MMBT2907A	Si-PNP	GP, 60V, 500mA, 310mW, B=75 300 <200MHz	SOT23	161a	-	Dil
K2G	MMBT456	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	161a	-	Dil
K2G	MMSTA55	Si-PNP	AF-Driver, 60V, 500mA, 300mW, B>100, >50MHz	SC-59	161a	-	Dil
K2G	MMSTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SC-59	161a	-	Dil
K2H	MMBT455	Si-PNP	GP, 60V, 500mA, 225mW, B=50, >50MHz	SOT23	161a	-	Dil
K2H	MMSTA55	Si-PNP	AF-Driver, 60V, 500mA, 300mW, B>100, >50MHz	SC-59	161a	-	Dil
K2N	MMST3904	Si-NPN	GP, 60V, 200mA, 250mW, B=100 300, >300MHz	SOT323	161a	-	Dil
K2p	BCW72	Si-NPN	AF, 50V, 100mA, 250mW, >100MHz, B=200 450	SOT23	161a	-	Phi
K2t	BCW72	Si-NPN	AF, 50V, 100mA, 250mW, >100MHz, B=200 450	SOT23	161a	-	Phi
K2T	MMBT4403	Si-PNP	GP, 40V, 600mA, 200mW, B= 100 300, >200MHz	SOT23	161a	-	Dil
K2X	MMBT4401	Si-PNP	GP, 60V, 600mA, 200mW, B=100 300, >200MHz	SOT23	161a	-	Dil
K3	2SC3143-3	Si-NPN	HV, Sw, AF-Drv, 180V, 80mA, 200mW, B=60 120, 130MHz	CP	161a	-	Say
K3	AH183W	H-IC	Hall-effect sensor IC, Vcc=2,5 5,5V, ODO	SOT23	16ha	-	Ana
K3	HSPM-3833	PIN-Diode	Dual, RF, 200V, 1A(1ms), <0 3pF, <1,5Q(100mA)	SOT23	16df	-	Agi
K3	MAX810TTR	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output	SOT23	16vdc	VD7	Ons
K3	R3111N232C	CMOS-IC	Voltage Detector 2,3V, Reset Open drain output	SOT23	16vc	VD6	Ric
K3	R3130N46EA5	CMOS-IC	Voltage Detector 4,6V, -Reset Push-pull output, 240ms	SOT23	16vdc	VD7	Ric
K31	BCW81R	Si-NPN	AF, 50V, 100mA, 350mW, B=420 800, >300MHz	SOT23	161e	-	Phi
K3A	BC856AW	Si-PNP	GP, 60V, 100mA, 250mW, B=125 250, >100MHz	SOT323	161a	-	Dil
K3A	BC857A	Si-PNP	GP, 50V, 100mA, 250mW, B=125 250, >100MHz	SOT23	161a	-	Dil
K3A	BC857AW	Si-PNP	GP, 50V, 100mA, 250mW, B=125 250, >100MHz	SOT323	161a	-	Dil
K3A	BC856AW	Si-PNP	GP, 30V, 100mA, 250mW, B=125 250, >100MHz	SOT323	161a	-	Dil
K3A	KDV804S	C-Diode	Dual, 15V, 50nA, 45 7 25pF, R<0 3Ω	SOT23	16dg	-	Kec
K3B	BC856BW	Si-PNP	GP, 60V, 100mA, 250mW, B=220 475, >100MHz	SOT323	161a	-	Dil
K3B	BC857B	Si-PNP	GP, 50V, 100mA, 250mW, B=220 475, >100MHz	SOT23	161a	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
K3B	BC857BW	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT323	161a	-	Dil
K3B	BC858BW	Si-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	161a	-	Dil
K3B	KDV804S	C-Diode	Dual, 15V, 50nA, 45.7..25pF, Rr<0.3Q	SOT23	16dg	-	Kec
K3C	KDV804S	C-Diode	Dual, 15V, 50nA, 45.7..25pF, Rr<0.3Q	SOT23	16dg	-	Kec
K3D	KDV804S	C-Diode	Dual, 15V, 50nA, 45.7..25pF, Rr<0.3Q	SOT23	16dg	-	Kec
K3D	MMBT413	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B=5000, >125MHz	SOT23	161a	-	Dil
K3D	MMBT414	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>10000, >125MHz	SOT23	161a	-	Dil
K3D	MMSTA13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B=5000, >125MHz	SC-59	161a	-	Dil
K3D	MMSTA14	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>10000, >125MHz	SC-59	161a	-	Dil
K3E	KDV804S	C-Diode	Dual, 15V, 50nA, 45.7..25pF, Rr<0.3Q	SOT23	16dg	-	Kec
K3E	MMBT464	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>10000, >125MHz	SOT23	161a	-	Dil
K3E	MMSTA63	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SC-59	161a	-	Dil
K3E	MMSTA64	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>10000, >125MHz	SC-59	161a	-	Dil
K3F	MMST2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SOT323	161a	-	Dil
K3G	BC857C	Si-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT23	161a	-	Dil
K3G	BC857CW	Si-PNP	GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT323	161a	-	Dil
K3G	BC858C	Si-PNP	GP, 30V, 100mA, 310mW, B=420..800, >150MHz	SOT23	161a	-	Dil
K3G	BC858CW	Si-PNP	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SOT23	161a	-	Dil
K3H	MMBTH10	Si-NPN	GP, 30V, 25mA, 330mW, B>60, >650MHz	SOT23	161a	-	Dil
K3J	BC858AW	Si-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT323	161a	-	Dil
K3K	BC858BW	Si-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	161a	-	Dil
K3L	BC858C	Si-PNP	GP, 30V, 100mA, 310mW, B=420..800, >150MHz	SOT23	161a	-	Dil
K3L	BC858CW	Si-PNP	GP, 30V, 100mA, 300mW, B=420..800, >100MHz	SC-59	161a	-	Dil
K3M	MMBT442	Si-NPN	Vid, 300V, 200mA, 350mW, B>25, >50MHz	SOT23	161a	-	Dil
K3M	MMSTA42	Si-NPN	Vid, 300/300V, 200mA, 350mW, B>25, >50MHz	SC-59	161a	-	Dil
K3N	MMBT3906	Si-PNP	Sw, AF, 60/40V, 100mA, 200mW, B=100..300, >250MHz	SOT23	161a	-	Dil
K3p	BCW81	Si-NPN	GP, 50V, 100mA, 200mW, B=420	SOT23	161a	-	Phi
K3P	MMST2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT323	161a	-	Dil
K3R	MMSTA92	Si-PNP	Vid, 300/300V, 500mA, 330mW, B=25, >50MHz	SC-59	161a	-	Dil
K3t	BCW81	Si-NPN	GP, 50V, 100mA, 200mW, B=420	SOT23	161a	-	Phi
K3V	BC857A	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT23	161a	-	Dil
K3V	BC857AW	Si-PNP	GP, 50V, 100mA, 250mW, B=125..250, >100MHz	SOT323	161a	-	Dil
K3V	BC858AW	Si-PNP	GP, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT323	161a	-	Dil
K3W	BC857B	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT23	161a	-	Dil
K3W	BC857BW	Si-PNP	GP, 50V, 100mA, 250mW, B=220..475, >100MHz	SOT323	161a	-	Dil
K3W	BC858BW	Si-PNP	GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	161a	-	Dil
K3Y	MMBTH10	Si-NPN	GP, 30V, 25mA, 330mW, B>60, >650MHz	SOT23	161a	-	Dil
K4	25C3143-4	Si-NPN	HV, Sw, AF-Drv, 180V, 80mA, 200mW, B=90..160, 130MHz	CP	161a	-	Say
K4	BCW71R	Si-NPN	AF, 45V, 100mA, 350mW, B=110..220, >100MHz	SOT23	161e	-	Phi,Ztx
K4	HSMP-3834	Pin-Diode	Dual, RF, 200V, 1A(1ms), <0.3pF, <1.5Q(100mA)	SOT23	16dg	-	Agu
K4	KA4L4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/22k	SC-75	161a	-	Nec
K4	MAX810STR	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output	SOT23	16vdc	VD7	Ons
K4	MMBZ5254B	Z-Diode	27V±5%, 410mW	SOT23	16dc	-	Pjt
K4	MMBZ5254BW	Z-Diode	27V±5%, 200mW, Zzt=41Q	SOT323	16dc	-	Pjt
K4	R3111N242C	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT23	16vc	VD6	Ric
K43	BAS40	Si-Diode	Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dc	-	Dil
K44	BAS40-04	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	Dil
K45	BAS40-05	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16dl	-	Dil
K4M	MMBT5401	Si-PNP	HV, 160V, 200mA, 350mW, B=60..240, >100MHz	SOT23	161a	-	Dil
K4N	MMBT5551	Si-NPN	HV, 180V, 200mA, 350mW, B=80..250, >300MHz	SOT23	161a	-	Dil
K4N	MMST5551	Si-NPN	GP, 160V, 200mA, 200mW, B=80..250, <300MHz	SOT323	161e	-	Dil
K5	25C3143-5	Si-NPN	HV, Sw, AF-Drv, 180V, 80mA, 200mW, B=135..270, 130MHz	CP	161a	-	Say
K5	BCW72R	Si-NPN	AF, 45V, 100mA, 350mW, B=200..450, >100MHz	SOT23	161e	-	Phi,Ztx
K5	MAX610TR	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output	SOT23	16vdc	VD7	Ons
K5	MMBZ5255B	Z-Diode	28V±5%, 410mW	SOT23	16dc	-	Pjt
K5	MMBZ5255BW	Z-Diode	28V±5%, 200mW, Zzt=44Q	SOT323	16dc	-	Pjt
K5	R3111N252C	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT23	16vc	VD6	Ric
K50	BAS116	Si-Diode	Switching, 85V, 250mA, 225mW, >3µs, 2pF	SOT23	16dc	-	Dil
K52	BAV199	Si-Diode	Dual, Switching, 70V, 215mA, 225mW, <2pF, <3µs	SOT23	16dl	-	Dil
K53	BAW156	Si-Diode	Dual, Sw, 82V, 160mA, 250mW, 3pF, 3µs	SOT23	16df	-	Dil
K54	BAS116	Si-Diode	Switching, 85V, 250mA, 225mW, >3µs, 2pF	SOT23	16dc	-	Dil
K5A	BC807-16	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=100..250	SOT23	161a	-	Dil
K5B	BC807-25	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=160..400	SOT23	161a	-	Dil
K5C	BC807-40	Si-PNP	AF-Driver, 50V, 500mA, 250mW, 80MHz, B=250..600	SOT23	161a	-	Dil
K5D	MMBD914	Si-Diode	Sw, Fast, 100V, 200mA, 225mW, Vt<1V(10mA), <4ns	SOT23	16dc	-	Dil
K5N	MMST3906	Si-PNP	GP, 40V, 200mA, 250mW, B=80..300, >250MHz	SOT323	161a	-	Dil
K6	BCV71R	Si-NPN	AF, Sw, 60V, 100mA, 250mW, >100MHz, B=110..220	SOT23R	161e	-	Phi
K6	R3111N262C	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT23	16vc	VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
K6A	BC817-16	SI-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=100..250, >200MHz	SOT23	16ta	-	Dil
K6B	BC817-25	SI-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=160..400, >200MHz	SOT23	16ta	-	Dil
K6C	BC817-40	SI-NPN	AF-Driver, 50/45V, 500mA, 330mW, B=250..630, >200MHz	SOT23	16ta	-	Dil
K6R	MMBTA28	SI-NPN-Darl	GP, 80V, 500mA, 500mW, B>10000, >100MHz	SOT23	16ta	-	Dil
K7	KN4L4L	SI-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=47k/22k	SC-75	16ta	-	Nec
K7	R3111N272C	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SOT23	16vc	VD6	Ric
K70	BS670	MOS-N-FET-e	D-MOS, Sw, 60V, 250mA, 310mW, <3.5Q(100mA), 5/25ns	SOT23	16fh	-	Dil
K72	2N7002T	MOS-N-FET-e	D-MOS, 60V, 1150mA, 200mW, <7.5Q(0.5A), 7/11ns	SOT323	16fh	-	Trs
K72	2N7002W	MOS-N-FET-e	D-MOS, 60V, 250mA, 310mW, <7.5Q(0.5A), 5/25ns	SOT323	16fi	-	Dil
K73	BAS70W	SI-Diode	Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT323	16dc	-	Trs
K74	BAS70W-04	SI-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT323	16di	-	Trs
K75	BAS70-05	SI-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	Dil
K75	BAS70W-05	SI-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT323	16dg	-	Trs
K76	BAS70W-06	SI-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT323	16df	-	Trs
K7B	2N7002E	MOS-N-FET-e	D-MOS, 60V, 250mA, 310mW, <7.5Q(0.5A), 5/25ns	SOT23	16fi	-	Dil
K7E	BAS70-05	SI-Diode	Dual, Schottky, 70V, 70mA, Vf<0.1V, Cd<2pF	SOT23	16dg	-	Dil
K7p	BCV71	SI-NPN	AF, Sw, 80V, 100mA, 250mW, >100MHz, B=110..220	SOT23	16ta	-	PhH
K7r	BCV71	SI-NPN	AF, Sw, 80V, 100mA, 250mW, >100MHz, B=110..220	SOT23	16ta	-	PhM
K8	R3111N262C	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT23	16vc	VD6	Ric
K8p	BCV72	SI-NPN	AF, Sw, 80V, 100mA, 250mW, >100MHz, B=200..450	SOT23	16ta	-	PhH
K8r	BCV72	SI-NPN	AF, Sw, 80V, 100mA, 250mW, >100MHz, B=200..450	SOT23	16ta	-	PhM
K9	1S5348	SI-Diode	Schottky, 80V, 0.1A	SC-59	16dg	-	Tos
K9	BCV72R	SI-NPN	AF, Sw, 80V, 100mA, 250mW, >100MHz, B=200..450	SOT23R	16le	-	Phi
K9	R3111N292C	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT23	16vc	VD6	Ric
K91	BCF81R	SI-NPN	GP, AF, 50V, 200mA, 250mW, B=420..80, >100MHz	SOT23	16ta	-	Phi
K9A	MMBZ56VAL	Z-Diode/TVS	Dual, 2x5.6V, 3A, 40W(1ms)	SOT23	16df	-	Dil
K9C	MMBZ6VAL	Z-Diode/TVS	Dual, 2x6.8V, 2.5A, 40W(1ms)	SOT23	16df	-	Dil
K9D	MMBZ9V1AL	Z-Diode/TVS	Dual, 2x9.1V, 1.7A, 40W(1ms)	SOT23	16df	-	Dil
K9E	MMBZ10VAL	Z-Diode/TVS	Dual, 2x10V, 1.7A, 40W(1ms)	SOT23	16df	-	Dil
K9K	MMBZ15VAL	Z-Diode/TVS	Dual, 2x15V, 1.9A, 40W(1ms)	SOT23	16df	-	Dil
K9L	MMBZ18VAL	Z-Diode/TVS	Dual, 2x18V, 1.6A, 40W(1ms)	SOT23	16df	-	Dil
K9N	MMBZ20VAL	Z-Diode/TVS	Dual, 2x20V, 1.4A, 40W(1ms)	SOT23	16df	-	Dil
K9p	BCF81	SI-NPN	GP, AF, 50V, 200mA, 250mW, B=420..80, >100MHz	SOT23	16ta	-	Phi
K9Q	MMBZ27VAL	Z-Diode/TVS	Dual, 2x27V, 1A, 40W(1ms)	SOT23	16df	-	Dil
K9T	MMBZ33VAL	Z-Diode/TVS	Dual, 2x33V, 0.87A, 40W(1ms)	SOT23	16df	-	Dil
KA	2SA1965	SI-PNP	Muting, 15V, 0.1A, 0.15W, B=200..800, 800MHz, Ron=1.2Q	SOT23	16ta	-	Say
KA	RN1441A	SI-NPN-Digi	Muting, 50V, 300mA, 300mW, R1=5k6, B=200..700	S-MINI	16ta	-	Tos
KA1	MMBD4448HW	SI-Diode	Switching, Fast, 75V, 500mA, Vf<1.25V(150mA), <4ns	SOT323	16dc	-	Dil
KA2	BAS16W	SI-Diode	Switching, Fast, 75V, 300mA, Vf<1.25V(150mA), <4ns, 2pF	SOT323	16dc	-	Dil
KA2	MMBD4146	SI-Diode	Switching, Fast, 75V, 0.3A, 350mW, <6ns	SOT23	16dc	-	Dil
KA2	MMBD4146W	SI-Diode	Switching, Fast, 75V, 300mA, Vf<1.25V(150mA), <4ns, 2pF	SOT323	16dc	-	Dil
KA3	MMBD4446	SI-Diode	Switching, Fast, 80V, 500mA, Vf<1.25V(150mA), <4ns	SOT23	16dc	-	Vis
KA3	MMBD4446H	SI-Diode	Switching, Fast, 80V, 500mA, Vf<1.25V(150mA), <4ns	SOT23	16dc	-	Dil
KA3	MMBD4448W	SI-Diode	Switching, Fast, 75V, 500mA, Vf<1.25V(150mA), <4ns	SOT323	16dc	-	Dil
KA6	BAS18	SI-Diode	Switching, Fast, 75V, 215mA, 250mW, <6ns	SOT23	16dc	-	Dil
KA8	BAS19	SI-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT23	16dc	-	Dil
KA8	BAS19W	SI-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT323	16dc	-	Dil
KB	2SC2778-B	SI-NPN	RF, AM/FM, IF, 30V, 30mA, 200mW, B=70..160, 230MHz	SOT23	16ta	-	Pan
KB	2SC3936-B	SI-NPN	RF, FM/AM, IF, 30V, 30mA, 150mW, B=70..160, 230MHz	SC-70	16ta	-	Pan
KB	RN1441B	SI-NPN-Digi	Muting, 50V, 300mA, 300mW, R1=5k6, B=350..1200	S-MINI	16ta	-	Tos
KC	2SC2778-C	SI-NPN	RF, AM/FM, IF, 30V, 30mA, 200mW, B=110..250, 230MHz	SOT23	16ta	-	Pan
KC	2SC3936-C	SI-NPN	RF, FM/AM, IF, 30V, 30mA, 150mW, B=110..250, 230MHz	SC-70	16ta	-	Pan
KC	BFQ29P	SI-NPN	VHF-UHF, 20V, 30mA, 280mW, B=50..250, 5GHz	SOT23	16ta	-	Sie
KC	UNR32AE	SI-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=	SSSMint3	16ta	-	Pan
KC1	MMBZ5221B	Z-Diode	2.4V±5%, 350mW, Zzt=30Q	SOT23	16dc	-	Dil
KC1	MMBZ5221BT	Z-Diode	2.4V±5%, 150mW, Zzt=30Q	SOT523	16dc	-	Dil
KC1	MMBZ5221BW	Z-Diode	2.4V±5%, 200mW, Zzt=30Q	SOT323	16dc	-	Dil
KC3	MMBZ5223B	Z-Diode	2.7V±5%, 350mW, Zzt=30Q	SOT23	16dc	-	Dil
KC3	MMBZ5223BT	Z-Diode	2.7V±5%, 150mW, Zzt=30Q	SOT523	16dc	-	Dil
KC3	MMBZ5223BW	Z-Diode	2.7V±5%, 200mW, Zzt=30Q	SOT323	16dc	-	Dil
KC5	MMBZ5225B	Z-Diode	3V±5%, 350mW, Zzt=29Q	SOT23	16dc	-	Dil
KC5	MMBZ5225BT	Z-Diode	3V±5%, 150mW, Zzt=29Q	SOT523	16dc	-	Dil
KC5	MMBZ5225BW	Z-Diode	3V±5%, 200mW, Zzt=29Q	SOT323	16dc	-	Dil
KCK	AZ23C16	Z-Diode	Dual, 2x16V, 5%, 0.3W	SOT23	16df	-	Dil
KD1	AZ23C2V7	Z-Diode	Dual, 2x2.7V, 5%, 0.3W	SOT23	16df	-	Dil
KD2	AZ23C3V0	Z-Diode	Dual, 2x3.0V, 5%, 0.3W	SOT23	16df	-	Dil
KD3	AZ23C3V3	Z-Diode	Dual, 2x3.3V, 5%, 0.3W	SOT23	16df	-	Dil
KD4	AZ23C3V6	Z-Diode	Dual, 2x3.6V, 5%, 0.3W	SOT23	16df	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
KD5	AZ23C3V9	Z-Diode	Dual, 2x3.9V, 5%, 0.3W	SOT23	16df	-	DII
KD6	AZ23C4V3	Z-Diode	Dual, 2x4.3V, 5%, 0.3W	SOT23	16df	-	DII
KD7	AZ23C4V7	Z-Diode	Dual, 2x4.7V, 5%, 0.3W	SOT23	16df	-	DII
KD8	AZ23C5V1	Z-Diode	Dual, 2x5.1V, 5%, 0.3W	SOT23	16df	-	DII
KD9	AZ23C5V6	Z-Diode	Dual, 2x5.6V, 5%, 0.3W	SOT23	16df	-	DII
KD9	AZ23C5V6W	Z-Diode	Dual, 2x5.6V, 0.2W	SOT323	16df	-	DII
KD9	AZZ23C5V6W	Z-Diode	Dual, 5.6V 5%, 0.2W	SOT323	16df	-	DII
KDA	AZ23C6V2	Z-Diode	Dual, 2x6.2V, 5%, 0.3W	SOT23	16df	-	DII
KDB	AZ23C6V6	Z-Diode	Dual, 2x6.6V, 5%, 0.3W	SOT23	16df	-	DII
KDB	AZ23C6V6W	Z-Diode	Dual, 2x6.6V, 0.2W	SOT323	16df	-	DII
KDB	AZZ23C6V6	Z-Diode	Dual, 6.6V 5%, 0.3W	SOT23	16df	-	DII
KDB	AZZ23C6V6W	Z-Diode	Dual, 6.6V 5%, 0.2W	SOT323	16df	-	DII
KDC	AZ23C7V5	Z-Diode	Dual, 2x7.5V, 5%, 0.3W	SOT23	16df	-	DII
KDC	AZZ23C7V5	Z-Diode	Dual, 7.5V 5%, 0.3W	SOT23	16df	-	DII
KDD	AZ23C8V2	Z-Diode	Dual, 2x8.2V, 5%, 0.3W	SOT23	16df	-	DII
KDD	AZZ23C8V2	Z-Diode	Dual, 8.2V 5%, 0.3W	SOT23	16df	-	DII
KDE	AZ23C9V1	Z-Diode	Dual, 2x9.1V, 5%, 0.3W	SOT23	16df	-	DII
KDE	AZZ23C9V1	Z-Diode	Dual, 9.1V 5%, 0.3W	SOT23	16df	-	DII
KDF	AZ23C10	Z-Diode	Dual, 2x10V, 5%, 0.3W	SOT23	16df	-	DII
KDF	AZ23C10W	Z-Diode	Dual, 2x10V, 5%, 0.2W	SOT323	16df	-	DII
KDF	AZZ23C10	Z-Diode	Dual, 10V 5%, 0.3W	SOT23	16df	-	DII
KDF	AZZ23C10W	Z-Diode	Dual, 10V 5%, 0.2W	SOT323	16df	-	DII
KDG	AZ23C11	Z-Diode	Dual, 2x11V, 5%, 0.3W	SOT23	16df	-	DII
KDG	AZZ23C11	Z-Diode	Dual, 11V 5%, 0.3W	SOT23	16df	-	DII
KDH	AZ23C12	Z-Diode	Dual, 2x12V, 5%, 0.3W	SOT23	16df	-	DII
KDH	AZZ23C12	Z-Diode	Dual, 12V 5%, 0.3W	SOT23	16df	-	DII
KDI	AZ23C13	Z-Diode	Dual, 2x13V, 5%, 0.3W	SOT23	16df	-	DII
KDI	AZZ23C13	Z-Diode	Dual, 13V 5%, 0.3W	SOT23	16df	-	DII
KDJ	AZ23C15	Z-Diode	Dual, 2x15V, 5%, 0.3W	SOT23	16df	-	DII
KDJ	AZZ23C15	Z-Diode	Dual, 15V 5%, 0.3W	SOT23	16df	-	DII
KDK	AZZ23C16	Z-Diode	Dual, 16V 5%, 0.3W	SOT23	16df	-	DII
KDL	AZ23C16	Z-Diode	Dual, 2x16V, 5%, 0.3W	SOT23	16df	-	DII
KDL	AZ23C18W	Z-Diode	Dual, 2x16V, 0.2W	SOT323	16df	-	DII
KDL	AZZ23C18W	Z-Diode	Dual, 16V 5%, 0.2W	SOT323	16df	-	DII
KDL	AZZ23C16	Z-Diode	Dual, 16V 5%, 0.3W	SOT23	16df	-	DII
KDM	AZ23C20	Z-Diode	Dual, 2x20V, 5%, 0.3W	SOT23	16df	-	DII
KDM	AZZ23C20	Z-Diode	Dual, 20V 5%, 0.3W	SOT23	16df	-	DII
KDN	AZ23C22	Z-Diode	Dual, 2x22V, 5%, 0.3W	SOT23	16df	-	DII
KDN	AZZ23C22	Z-Diode	Dual, 22V 5%, 0.3W	SOT23	16df	-	DII
KDO	AZ23C24	Z-Diode	Dual, 2x24V, 5%, 0.3W	SOT23	16df	-	DII
KDO	AZZ23C24	Z-Diode	Dual, 24V 5%, 0.3W	SOT23	16df	-	DII
KDP	AZ23C27	Z-Diode	Dual, 2x27V, 5%, 0.3W	SOT23	16df	-	DII
KDP	AZZ23C27	Z-Diode	Dual, 27V 5%, 0.3W	SOT23	16df	-	DII
KDQ	AZ23C30	Z-Diode	Dual, 2x30V, 5%, 0.3W	SOT23	16df	-	DII
KDQ	AZZ23C30	Z-Diode	Dual, 30V 5%, 0.3W	SOT23	16df	-	DII
KDR	AZ23C33	Z-Diode	Dual, 2x33V, 5%, 0.3W	SOT23	16df	-	DII
KDR	AZZ23C33	Z-Diode	Dual, 33V 5%, 0.3W	SOT23	16df	-	DII
KDS	AZ23C36	Z-Diode	Dual, 2x36V, 5%, 0.3W	SOT23	16df	-	DII
KDS	AZZ23C36	Z-Diode	Dual, 36V 5%, 0.3W	SOT23	16df	-	DII
KDT	AZ23C39	Z-Diode	Dual, 2x39V, 5%, 0.3W	SOT23	16df	-	DII
KDT	AZZ23C39	Z-Diode	Dual, 39V 5%, 0.3W	SOT23	16df	-	DII
KDU	AZ23C43	Z-Diode	Dual, 2x43V, 5%, 0.3W	SOT23	16df	-	DII
KDV	AZ23C47	Z-Diode	Dual, 2x47V, 5%, 0.3W	SOT23	16df	-	DII
KDV	AZZ23C47	Z-Diode	Dual, 2x47V, 5%, 0.3W	SOT23	16df	-	DII
KDW	AZ23C51	Z-Diode	Dual, 2x51V, 5%, 0.3W	SOT23	16df	-	DII
KE1	MMBZ5231B	Z-Diode	5.1V±5%, 350mW, Zzt=17Q	SOT23	16dc	-	DII
KE1	MMBZ5231BT	Z-Diode	5.1V±5%, 150mW, Zzt=17Q	SOT523	16dc	-	DII
KE1	MMBZ5231BW	Z-Diode	5.1V±5%, 200mW, Zzt=17Q	SOT323	16dc	-	DII
KE2	MMBZ5232B	Z-Diode	5.6V±5%, 350mW, Zzt=11Q	SOT23	16dc	-	DII
KE2	MMBZ5232BT	Z-Diode	5.6V±5%, 150mW, Zzt=11Q	SOT523	16dc	-	DII
KE2	MMBZ5232BW	Z-Diode	5.6V±5%, 200mW, Zzt=11Q	SOT323	16dc	-	DII
KE3	MMBZ5233B	Z-Diode	6V±5%, 350mW, Zzt=7Q	SOT23	16dc	-	DII
KE4	MMBZ5234B	Z-Diode	6.2V±5%, 350mW, Zzt=7Q	SOT23	16dc	-	DII
KE4	MMBZ5234BT	Z-Diode	6.2V±5%, 150mW, Zzt=7Q	SOT523	16dc	-	DII
KE4	MMBZ5234BW	Z-Diode	6.2V±5%, 200mW, Zzt=7Q	SOT323	16dc	-	DII
KE5	MMBZ5235B	Z-Diode	6.8V±5%, 350mW, Zzt=5Q	SOT23	16dc	-	DII
KE5	MMBZ5235BT	Z-Diode	6.8V±5%, 150mW, Zzt=5Q	SOT523	16dc	-	DII
KE5	MMBZ5235BW	Z-Diode	6.8V±5%, 200mW, Zzt=5Q	SOT323	16dc	-	DII
KF1	MMBZ5236B	Z-Diode	7.5V±5%, 350mW, Zzt=8Q	SOT23	16dc	-	DII

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
KF1	MMBZ5236BT	Z-Diode	7,5V±5%, 150mW, Zzt=6Ω	SOT523	16dc	-	Dil
KF1	MMBZ5236BW	Z-Diode	7,5V±5%, 200mW, Zzt=6Ω	SOT323	16dc	-	Dil
KF2	MMBZ5237B	Z-Diode	8,2V±5%, 350mW, Zzt=8Ω	SOT23	16dc	-	Dil
KF2	MMBZ5237BT	Z-Diode	8,2V±5%, 150mW, Zzt=8Ω	SOT523	16dc	-	Dil
KF2	MMBZ5237BW	Z-Diode	8,2V±5%, 200mW, Zzt=8Ω	SOT323	16dc	-	Dil
KF3	MMBZ5238B	Z-Diode	8,7V±5%, 350mW	SOT23	16dc	-	Dil*
KF4	MMBZ5239B	Z-Diode	8,7V±5%, 350mW	SOT23	16dc	-	Dil*
KF4	MMBZ5239BT	Z-Diode	9,1V±5%, 150mW, Zzt=10Ω	SOT523	16dc	-	Dil
KF4	MMBZ5239BW	Z-Diode	9,1V±5%, 200mW	SOT323	16dc	-	Dil
KF5	MMBZ5240B	Z-Diode	10V±5%, 350mW	SOT23	16dc	-	Dil
KF5	MMBZ5240BT	Z-Diode	10V±5%, 150mW, Zzt=17Ω	SOT523	16dc	-	Dil
KF5	MMBZ5240BW	Z-Diode	10V±5%, 200mW, Zzt=17Ω	SOT323	16dc	-	Dil
KG1	MMBZ5226B	Z-Diode	3,3V±5%, 350mW, Zzt=28Ω	SOT23	16dc	-	Dil
KG1	MMBZ5226BT	Z-Diode	3,3V±5%, 150mW, Zzt=28Ω	SOT523	16dc	-	Dil
KG1	MMBZ5226BW	Z-Diode	3,3V±5%, 200mW, Zzt=28Ω	SOT323	16dc	-	Dil
KG2	MMBZ5227B	Z-Diode	3,6V±5%, 350mW, Zzt=24Ω	SOT23	16dc	-	Dil
KG2	MMBZ5227BT	Z-Diode	3,6V±5%, 150mW, Zzt=24Ω	SOT523	16dc	-	Dil
KG2	MMBZ5227BW	Z-Diode	3,6V±5%, 200mW, Zzt=24Ω	SOT323	16dc	-	Dil
KG3	MMBZ5228B	Z-Diode	3,9V±5%, 350mW, Zzt=23Ω	SOT23	16dc	-	Dil
KG3	MMBZ5228BT	Z-Diode	3,9V±5%, 150mW, Zzt=23Ω	SOT523	16dc	-	Dil
KG3	MMBZ5228BW	Z-Diode	3,9V±5%, 200mW, Zzt=23Ω	SOT323	16dc	-	Dil
KG4	MMBZ5229B	Z-Diode	4,3V±5%, 350mW, Zzt=22Ω	SOT23	16dc	-	Dil
KG4	MMBZ5229BT	Z-Diode	4,3V±5%, 150mW, Zzt=22Ω	SOT523	16dc	-	Dil
KG4	MMBZ5229BW	Z-Diode	4,3V±5%, 200mW, Zzt=22Ω	SOT323	16dc	-	Dil
KG5	MMBZ5230B	Z-Diode	4,7V±5%, 350mW, Zzt=19Ω	SOT23	16dc	-	Dil
KG5	MMBZ5230BT	Z-Diode	4,7V±5%, 150mW, Zzt=19Ω	SOT523	16dc	-	Dil
KG5	MMBZ5230BW	Z-Diode	4,7V±5%, 200mW, Zzt=19Ω	SOT323	16dc	-	Dil
KH	MMBZ5241BT	Z-Diode	11V±5%, 200mW, Zzt=22Ω	SOT523	16dc	-	Dil
KH	UNR32AM	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=2k2/47k	SSSMini3	18la	-	Pan
KH1	MMBZ5241B	Z-Diode	11V±5%, 350mW, Zzt=22Ω	SOT23	16dc	-	Dil
KH1	MMBZ5241BT	Z-Diode	11V±5%, 150mW, Zzt=22Ω	SOT523	16dc	-	Dil
KH1	MMBZ5241BW	Z-Diode	11V±5%, 200mW, Zzt=22Ω	SOT323	16dc	-	Dil
KH2	MMBZ5242B	Z-Diode	12V±5%, 350mW, Zzt=30Ω	SOT23	16dc	-	Dil
KH2	MMBZ5242BT	Z-Diode	12V±5%, 150mW, Zzt=30Ω	SOT523	16dc	-	Dil
KH2	MMBZ5242BW	Z-Diode	12V±5%, 200mW, Zzt=30Ω	SOT323	16dc	-	Dil
KH3	MMBZ5243B	Z-Diode	13V±5%, 350mW, Zzt=13Ω	SOT23	16dc	-	Dil
KH3	MMBZ5243BT	Z-Diode	13V±5%, 150mW, Zzt=13Ω	SOT523	16dc	-	Dil
KH3	MMBZ5243BW	Z-Diode	13V±5%, 200mW, Zzt=13Ω	SOT323	16dc	-	Dil
KH4	MMBZ5244B	Z-Diode	14V±5%, 350mW, Zzt=16Ω	SOT23	16dc	-	Dil
KH5	MMBZ5245B	Z-Diode	15V±5%, 350mW, Zzt=16Ω	SOT23	16dc	-	Dil
KH5	MMBZ5245BT	Z-Diode	15V±5%, 150mW, Zzt=16Ω	SOT523	16dc	-	Dil
KH5	MMBZ5245BW	Z-Diode	15V±5%, 200mW, Zzt=16Ω	SOT323	16dc	-	Dil
KI	2SK1826	MOS-N-FET-a*	V-MOS +Di (S->G), 20V, 0,05A, <40Q(10mA)	SOT23	16fg	-	Tos
KJ	2SK1847	MOS-N-FET-a*	V-MOS, LogL, 30V, 0,5A, <1,1Ω	SOT23	16fg	-	Say
KJ	2SK2036	MOS-N-FET-e	V-MOS, +Di(S->G), 20V, 0,1A, <6Q(10mA)	SOT23	16fg	-	Tos
KJ1	MMBZ5246B	Z-Diode	16V±5%, 350mW, Zzt=17Ω	SOT23	16dc	-	Dil
KJ1	MMBZ5246BT	Z-Diode	16V±5%, 150mW, Zzt=17Ω	SOT523	16dc	-	Dil
KJ1	MMBZ5246BW	Z-Diode	16V±5%, 200mW, Zzt=17Ω	SOT323	16dc	-	Dil
KJ2	MMBZ5247B	Z-Diode	17V±5%, 350mW, Zzt=19Ω	SOT23	16dc	-	Dil
KJ3	MMBZ5248B	Z-Diode	18V±5%, 200mW, Zzt=21Ω	SOT23	16dc	-	Dil
KJ3	MMBZ5248BT	Z-Diode	18V±5%, 150mW, Zzt=21Ω	SOT523	16dc	-	Dil
KJ3	MMBZ5248BW	Z-Diode	18V±5%, 200mW, Zzt=21Ω	SOT323	16dc	-	Dil
KJ4	MMBZ5249B	Z-Diode	19V±5%, 350mW, Zzt=23Ω	SOT23	16dc	-	Dil
KJ5	MMBZ5250B	Z-Diode	20V±5%, 350mW, Zzt=25Ω	SOT23	16dc	-	Dil
KJ5	MMBZ5250BT	Z-Diode	20V±5%, 150mW, Zzt=25Ω	SOT523	16dc	-	Dil
KJ5	MMBZ5250BW	Z-Diode	20V±5%, 200mW, Zzt=25Ω	SOT323	16dc	-	Dil
KJA	BAV70W	Si-Diode	Dual, Switching, 75V, 215mA, 225mW, Vf<1,25V, <4ns	SOT323	16dg	-	Dil
KJC	BAW56W	Si-Diode	Dual, Hi-Speed, 75V, 150mA, 200mW, 2pF, 4ns	SOT323	16df	-	Dil
KJD	BAW56	Si-Diode	Dual, Switching, 70V, 200mA, 250mW, Vf<1,25V, 2pF, <6ns	SOT23	16df	-	Dil
KJE	BAV99	Si-Diode	Dual, U-Speed, 80V, 150mA, Vf<1,2V(100mA), 0,5pF, 4ns	SOT23	16dl	-	Dil
KJF	BAL99	Si-Diode	Switching, Fast, 75V, 300mA, 250mW, <4ns	SOT23	16dr	-	Dil
KJG	BAV99W	Si-Diode	Dual, U-Speed, 75V, 125mA, Vf<1,2V(100mA), 0,5pF, 4ns	SOT323	16dl	-	Dil
KJH	MMBD7000	Si-Diode	Dual, Fast Switching, 100V, 300mA, 350mW, <15ns	SOT23	16dl	-	Dil
KJH	BAV70	Si-Diode	Dual, Switching, 75V, 215mA, Vf<1,25V, <4ns	SOT23	16dg	-	Dil,Vis
KK1	MMBZ5251B	Z-Diode	22V±5%, 350mW, Zzt=29Ω	SOT23	16dc	-	Dil
KK1	MMBZ5251BT	Z-Diode	22V±5%, 150mW, Zzt=29Ω	SOT523	16dc	-	Dil
KK1	MMBZ5251BW	Z-Diode	22V±5%, 200mW, Zzt=29Ω	SOT323	16dc	-	Dil
KK2	MMBZ5252B	Z-Diode	24V±5%, 350mW, Zzt=33Ω	SOT23	16dc	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прои́зв.
KK2	MMBZ5252BT	Z-Diode	24V±5%, 150mW, Zzt=33Ω	SOT523	16dc -	Dil
KK2	MMBZ5252BW	Z-Diode	24V±5%, 200mW, Zzt=33Ω	SOT323	16dc -	Dil
KK3	MMBZ5253B	Z-Diode	25V±5%, 350mW, Zzt=35Ω	SOT23	16dc -	Dil
KK4	MMBZ5254B	Z-Diode	27V±5%, 350mW, Zzt=41Ω	SOT23	16dc -	Dil
KK4	MMBZ5254BT	Z-Diode	27V±5%, 150mW, Zzt=41Ω	SOT523	16dc -	Dil
KK4	MMBZ5254BW	Z-Diode	27V±5%, 200mW, Zzt=41Ω	SOT323	16dc -	Dil
KK5	MMBZ5255B	Z-Diode	28V±5%, 350mW, Zzt=44Ω	SOT23	16dc -	Dil
KK5	MMBZ5255BT	Z-Diode	28V±5%, 150mW, Zzt=44Ω	SOT523	16dc -	Dil
KK5	MMBZ5255BW	Z-Diode	28V±5%, 200mW, Zzt=44Ω	SOT323	16dc -	Dil
KL	2SK2731	MOS-N-FET-e*	V-MOS, LogL, 30V, 0,2A, <2,8Ω	SOT23	16fg -	Rhm
KL	UNR32AN	Si-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1/R2=4k7/47k	SSSMini3	18ta -	Pan
KL1	BAT54	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dc -	Dil
KL2	BAS54A	Si-Diode	Dual, Schottky, 30V, 200mA, 200mW, <5ns	SOT23	16df -	Vis
KL2	BAT54A	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16df -	Dil
KL3	BAS54C	Si-Diode	Dual, Schottky, 30V, 200mA, 200mW, <5ns	SOT23	16dg -	Vis
KL3	BAT54B	Si-Diode	Dual, Schottky, 30V, 200mA, Vf(If=100mA)<1V, <10pF, <5ns	SOT23	16dg -	Vis
KL3	BAT54C	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dg -	Dil
KL31	BAV23S	Si-Diode	Dual, GP, 200V, 225mA, Vs<1.25V(200mA), <50ns	SOT23	16dl -	Dil
KL4	BAS54C	Si-Diode	Dual, Schottky, 30V, 200mA, 200mW, <5ns	SOT23	16dl -	Vis
KL4	BAT54S	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dt -	Dil
KL6	BAT54AW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16df -	Dil
KL7	BAT54CW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16dg -	Dil
KL8	BAT54SW	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT323	16dl -	Dil
KM	28K2009	MOS-N-FET-e*	V-MOS, 30V, 0,2A, <2Ω(50mA)	SOT23	16fg -	Tos
KM	DDZX5V1B	Z-Diode	5,1V±2,5%, 500mW	SOT23	16dc -	Dil
KM	DDZX5V1BW	Z-Diode	5,1V±2,5%, 200mW	SOT323	16dc -	Dil
KM1	MMBZ5256B	Z-Diode	30V±5%, 350mW, Zzt=49Ω	SOT23	16dc -	Dil
KM1	MMBZ5256BT	Z-Diode	30V±5%, 150mW, Zzt=49Ω	SOT523	16dc -	Dil
KM1	MMBZ5256BW	Z-Diode	30V±5%, 200mW, Zzt=49Ω	SOT323	16dc -	Dil
KM2	MMBZ5257B	Z-Diode	33V±5%, 350mW, Zzt=58Ω	SOT23	16dc -	Dil
KM2	MMBZ5257BT	Z-Diode	33V±5%, 150mW, Zzt=58Ω	SOT523	16dc -	Dil
KM2	MMBZ5257BW	Z-Diode	33V±5%, 200mW, Zzt=58Ω	SOT323	16dc -	Dil
KM3	MMBZ5258B	Z-Diode	36V±5%, 350mW, Zzt=70Ω	SOT23	16dc -	Dil
KM3	MMBZ5258BT	Z-Diode	36V±5%, 150mW, Zzt=70Ω	SOT523	16dc -	Dil
KM3	MMBZ5258BW	Z-Diode	36V±5%, 200mW, Zzt=70Ω	SOT323	16dc -	Dil
KM4	MMBZ5259B	Z-Diode	39V±5%, 350mW, Zzt=80Ω	SOT23	16dc -	Dil
KM4	MMBZ5259BT	Z-Diode	39V±5%, 150mW, Zzt=80Ω	SOT523	16dc -	Dil
KM4	MMBZ5259BW	Z-Diode	39V±5%, 200mW, Zzt=80Ω	SOT323	16dc -	Dil
KN	2SJ305	MOS-P-FET-e*	V-MOS, 30V, 200mA, <4Ω(0,05A)	SOT23	16fg -	Say
KN	2SK3016	MOS-N-FET*+Di	Switching, LogL, 30V, 0,1A, 200mW, 15/60ns, 5Ω	UMT3	16fh -	Rhm
KN	2SK3019	MOS-N-FET*+Di	Switching, LogL, 30V, 0,1A, 200mW, 15/80ns, 5Ω	EMT3	16fh -	Rhm
KN	2SK3541	MOS-N-FET*+Di	Switching, LogL, 30V, 0,1A, 150mW, 15/80ns, 5Ω	VMT3	16fh -	Rhm
KN	DDZX5V6B	Z-Diode	5,6V±2,5%, 500mW	SOT23	16dc -	Dil
KN	DDZX5V6BW	Z-Diode	5,6V±2,5%, 200mW	SOT323	16dc -	Dil
KO	AAT3562IGY-3.10	CMOS-IC	Voltage Detector, 3,1V, -Reset Open drain output	SOT23	16dc VD6	Ant
KO	DDZX6V2B	Z-Diode	6,2V±2,5%, 500mW	SOT23	16dc -	Dil
KO	DDZX6V2BW	Z-Diode	6,2V±2,5%, 200mW	SOT323	16dc -	Dil
KO	HSMP-3630	PIN-Diode	RF, 200V, 1A(1ms), <0,3pF, <1,5Ω(100mA)	SOT23	16dc -	Agf
KP	2SK2033	MOS-N-FET-e	V-MOS, +D(S->G), 20V, 0,1A, <12Ω(10mA)	SOT23	16fg -	Tos
KP1	BZX84-C11W	Z-Diode	11V±5%, 200mW	SOT323	16dc -	Dil
KP2	BZX84-C12W	Z-Diode	12V±5%, 200mW	SOT323	16dc -	Dil
KP3	BZX84-C13W	Z-Diode	13V±5%, 200mW	SOT323	16dc -	Dil
KP4	BZX84-C15W	Z-Diode	15V±5%, 200mW	SOT323	16dc -	Dil
KP5	BZX84-C16W	Z-Diode	16V±5%, 200mW	SOT323	16dc -	Dil
KP6	BZX84-C18W	Z-Diode	18V±5%, 200mW	SOT323	16dc -	Dil
KP7	BZX84-C20W	Z-Diode	20V±5%, 200mW	SOT323	16dc -	Dil
KP6	BZX84-C22W	Z-Diode	22V±5%, 200mW	SOT323	16dc -	Dil
KP9	BZX84-C24W	Z-Diode	24V±5%, 200mW	SOT323	16dc -	Dil
KPA	BZX84-C27W	Z-Diode	27V±5%, 200mW	SOT323	16dc -	Dil
KPB	BZX84-C30W	Z-Diode	30V±5%, 200mW	SOT323	16dc -	Dil
KPC	BZX84-C33W	Z-Diode	33V±5%, 200mW	SOT323	16dc -	Dil
KPD	BZX84-C36W	Z-Diode	36V±5%, 200mW	SOT323	16dc -	Dil
KPE	BZX84-C39W	Z-Diode	39V±5%, 200mW	SOT323	16dc -	Dil
KR1	BZX84-C4V7W	Z-Diode	4,7V±5%, 200mW	BOT323	16dc -	Dil
KR2	BZX84-C5V1W	Z-Diode	5,1V±5%, 200mW	SOT323	16dc -	Dil
KR3	BZX84-C5V6W	Z-Diode	5,6V±5%, 200mW	SOT323	16dc -	Dil
KR4	BZX84-C6V2W	Z-Diode	6,2V±5%, 200mW	SOT323	16dc -	Dil
KR5	BZX84-C6V8W	Z-Diode	6,8V±5%, 200mW	SOT323	16dc -	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
KR6	BZX84-C7V5W	Z-Diode	7.5V±5%, 200mW	SOT323	16dc	-	Dil
KR7	BZX84-C8V2W	Z-Diode	8.2V±5%, 200mW	SOT323	16dc	-	Dil
KR8	BZX84-C9V1W	Z-Diode	9.1V±5%, 200mW	SOT323	16dc	-	Dil
KR9	BZX84-C10W	Z-Diode	10V±5%, 200mW	SOT323	16dc	-	Dil
KRB	BZX84-C2V4W	Z-Diode	2.4V±5%, 200mW	SOT323	16dc	-	Dil
KRC	BZX84-C2V7W	Z-Diode	2.7V±5%, 200mW	SOT323	16dc	-	Dil
KRD	BZX84-C3V0W	Z-Diode	3V±5%, 200mW	SOT323	16dc	-	Dil
KRE	BZX84-C3V3W	Z-Diode	3.3V±5%, 200mW	SOT323	16dc	-	Dil
KRF	BZX84-C3V6W	Z-Diode	3.6V±5%, 200mW	SOT323	16dc	-	Dil
KRG	BZX84-C3V9W	Z-Diode	3.9V±5%, 200mW	SOT323	16dc	-	Dil
KRH	BZX84-C4V3W	Z-Diode	4.3V±5%, 200mW	SOT323	16dc	-	Dil
KS	2SA1813	SI-PNP	AF-Drv, Mut, 30V, 150mA, 200mW, B=500..1200, 210MHz	SOT323	16ta	-	Say
KS	2SA1814	SI-PNP	AF, Muling, 30V, 150mA, 250mW, B=500..1200, 210MHz	SOT323	16ta	-	Say
KS	2SJ345	MOS-P-FET-e	V-MOS, InLDI (G > S), 20V, 50mA, <40Ω	SOT23	16fg	-	Tos
KT	UNR32A0	SI-NPN-Digi	Switching, 50V, 80mA, 100mW, 150MHz, R1=47k	SSSMini3	18ta	-	Pan
KT1	BAS16W	SI-Diode	Switching, Fast, 75V, 300mA, Vf<1.25V(150mA), <4ns, 2pF	SOT323	16dc	-	Dil
KT1	MMBD4148W	SI-Diode	Switching, Fast, 75V, 300mA, Vf<1.25V(150mA), <4ns, 2pF	SOT323	16dc	-	Dil
KT2	2SC4270-2	SI-NPN	VHF/UHF-Osc, 25V, 50mA, 250mW, B=40..80, 3GHz	CP	16ta	-	Say
KT2	BAS19	SI-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT23	16dc	-	Dil
KT2	BAS19W	SI-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT323	16dc	-	Dil
KT2	BAS20	SI-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT23	16dc	-	Dil
KT2	BAS20W	SI-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT323	16dc	-	Dil
KT3	2SC4270-3	SI-NPN	VHF/UHF-Osc, 25V, 50mA, 250mW, B=60..120, 3GHz	CP	16ta	-	Say
KT3	BAS19	SI-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT23	16dc	-	Dil
KT3	BAS19W	SI-Diode	Switching, Fast, 120V, 250mA, 250mW, <50ns	SOT323	16dc	-	Dil
KT3	BAS20	SI-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT23	16dc	-	Dil
KT3	BAS20W	SI-Diode	Switching, Fast, 150V, 250mA, 250mW, <50ns	SOT323	16dc	-	Dil
KT3	BAS21	SI-Diode	Switching, Fast, 200V, 250mA, 250mW, <50ns	SOT23	16dc	-	Dil
KT3	BAS21W	SI-Diode	Switching, Fast, 250V, 250mA, 250mW, <50ns	SOT323	16dc	-	Dil
KT4	2SC4270-4	SI-NPN	VHF/UHF-Osc, 25V, 50mA, 250mW, B=100..200, 3GHz	CP	16ta	-	Say
KT6	BAV23C	SI-Diode	Dual, GP, 200V, 225mA, Vs<1.25V(200mA), <50ns	SOT23	16dg	-	Dil
KT7	BAV23A	SI-Diode	Dual, GP, 200V, 225mA, Vs<1.25V(200mA), <50ns	SOT23	16df	-	Dil
KU	SSM3K02F	MOS-N-FET-e*	LogL, 30V, 1A, <0.25Ω(0.5A)	SOT23	16fg	-	Tos
KV	1SV264	PIN-Diode	2x VHF/UHF, 50V, 50mA, 100mW, 0.23pF, 2.5Q(100MHz)	MCP	16dl	-	Say
KV	1SV267	PIN-Diode	2x VHF/UHF, 50V, 50mA, 100mW, 0.23pF, 2.5Q(100MHz)	CP	17dl	-	Say
KV1	DZ23-C2V7	Z-Diode	Dual, 2x2.7V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV2	DZ23-C3V0	Z-Diode	Dual, 2x3.0V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV3	DZ23-C3V3	Z-Diode	Dual, 2x3.3V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV4	DZ23-C3V6	Z-Diode	Dual, 2x3.6V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV5	DZ23-C3V9	Z-Diode	Dual, 2x3.9V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV6	DZ23-C4V3	Z-Diode	Dual, 2x4.3V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV7	DZ23-C4V7	Z-Diode	Dual, 2x4.7V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV8	DZ23-C5V1	Z-Diode	Dual, 2x5.1V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KV9	DZ23-C5V6	Z-Diode	Dual, 2x5.6V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVA	DZ23-C6V2	Z-Diode	Dual, 2x6.2V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVB	DZ23-C6V8	Z-Diode	Dual, 2x6.8V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVC	DZ23-C7V5	Z-Diode	Dual, 2x7.5V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVD	DZ23-C8V2	Z-Diode	Dual, 2x8.2V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVE	DZ23-C9V1	Z-Diode	Dual, 2x9.1V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVF	DZ23-C10	Z-Diode	Dual, 2x10V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVG	DZ23-C11	Z-Diode	Dual, 2x11V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVH	DZ23-C12	Z-Diode	Dual, 2x12V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVI	DZ23-C13	Z-Diode	Dual, 2x13V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVJ	DZ23-C15	Z-Diode	Dual, 2x15V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVK	DZ23-C16	Z-Diode	Dual, 2x16V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVL	DZ23-C18	Z-Diode	Dual, 2x18V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVM	DZ23-C20	Z-Diode	Dual, 2x20V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVN	DZ23-C22	Z-Diode	Dual, 2x22V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVO	DZ23-C24	Z-Diode	Dual, 2x24V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVP	DZ23-C27	Z-Diode	Dual, 2x27V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVQ	DZ23-C30	Z-Diode	Dual, 2x30V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVR	DZ23-C33	Z-Diode	Dual, 2x33V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVS	DZ23-C36	Z-Diode	Dual, 2x36V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVT	DZ23-C39	Z-Diode	Dual, 2x39V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVU	DZ23-C43	Z-Diode	Dual, 2x43V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVV	DZ23-C47	Z-Diode	Dual, 2x47V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KVW	DZ23-C51	Z-Diode	Dual, 2x51V 5%, 0.3W	SOT23	16dg	-	Dil,Vis
KW	DD2X13B	Z-Diode	13V±2.5%, 500mW	SOT23	16dc	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
KW	DDZX13BW	Z-Diode	13V±2.5%, 200mW	SOT323	16dc -	Dil
KW	8SM3K01F	MOS-N-FET-е*	LogL, 30V, 1.3A, <0.15Ω(0.65A)	SOT23	16fg -	Tos
KX2	MMTT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT23	16ta -	Dil
KY1	BZX84-C11	Z-Diode	11V±5%, 300mW	SOT23	16dc -	Dil
KY2	2SC4407-2	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 150mW, B=40..80, 3GHz	SOT23	16ta -	Say
KY2	BZX84-C12	Z-Diode	12V±5%, 300mW	SOT23	16dc -	Dil
KY3	2SC4407-3	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 150mW, B=60..120, 3GHz	SOT23	16ta -	Say
KY3	BZX84-C13	Z-Diode	13V±5%, 300mW	SOT23	16dc -	Dil
KY4	2SC4407-4	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 150mW, B=100..200, 3GHz	SOT23	16ta -	Say
KY4	BZX84-C15	Z-Diode	15V±5%, 300mW	SOT23	16dc -	Dil
KY5	BZX84-C16	Z-Diode	16V±5%, 300mW	SOT23	16dc -	Dil
KY6	BZX84-C18	Z-Diode	18V±5%, 300mW	SOT23	16dc -	Dil
KY7	BZX84-C20	Z-Diode	20V±5%, 300mW	SOT23	16dc -	Dil
KY8	BZX84-C22	Z-Diode	22V±5%, 300mW	SOT23	16dc -	Dil
KY9	BZX84-C24	Z-Diode	24V±5%, 300mW	SOT23	16dc -	Dil
KYA	BZX84-C27	Z-Diode	27V±5%, 300mW	SOT23	16dc -	Dil
KYB	BZX84-C30	Z-Diode	30V±5%, 300mW	SOT23	16dc -	Dil
KYC	BZX84-C33	Z-Diode	33V±5%, 300mW	SOT23	16dc -	Dil
KYD	BZX84-C36	Z-Diode	36V±5%, 300mW	SOT23	16dc -	Dil
KYE	BZX84-C39	Z-Diode	39V±5%, 300mW	SOT23	16dc -	Dil
KYF	BZX84-C43	Z-Diode	43V±5%, 300mW	SOT23	16dc -	Dil
KYG	BZX84-C47	Z-Diode	47V±5%, 300mW	SOT23	16dc -	Dil
KYH	BZX84-C51	Z-Diode	51V±5%, 300mW	SOT23	16dc -	Dil
KZ1	BZX84-C4V7	Z-Diode	4.7V±5%, 300mW	SOT23	16dc -	Dil
KZ2	BZX84-C5V1	Z-Diode	5.1V±5%, 300mW	SOT23	16dc -	Dil
KZ3	BZX84-C5V6	Z-Diode	5.6V±5%, 300mW	SOT23	16dc -	Dil
KZ4	BZX84-C6V2	Z-Diode	6.2V±5%, 300mW	SOT23	16dc -	Dil
KZ5	BZX84-C6V8	Z-Diode	6.8V±5%, 300mW	SOT23	16dc -	Dil
KZ6	BZX84-C7V5	Z-Diode	7.5V±5%, 300mW	SOT23	16dc -	Dil
KZ7	BZX84-C8V2	Z-Diode	8.2V±5%, 300mW	SOT23	16dc -	Dil
KZ8	BZX84-C9V1	Z-Diode	9.1V±5%, 300mW	SOT23	16dc -	Dil
KZ9	BZX84-C10	Z-Diode	10V±5%, 300mW	SOT23	16dc -	Dil
KZB	BZX84-C2V4	Z-Diode	2.4V±5%, 300mW	SOT23	16dc -	Dil
KZC	BZX84-C2V7	Z-Diode	2.7V±5%, 300mW	SOT23	16dc -	Dil
KZD	BZX84-C3V0	Z-Diode	3V±5%, 300mW	SOT23	16dc -	Dil
KZE	BZX84-C3V3	Z-Diode	3.3V±5%, 300mW	SOT23	16dc -	Dil
KZF	BZX84-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc -	Dil
KZG	BZX84-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc -	Dil
KZH	BZX84-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc -	Dil
L0	HSPM-386B	PIN-Diode	RF, 50V, 1A, Rs(typ)=3Ω, 0.2pF	SOT323	16dc -	Agi
L0	R3111N302C	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT23	16vc VD6	Ric
L0	R3130N40AC	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 50ms	SOT23	16vdc VD6	Ric
L05	ZLLS5007A	Si-Diode	Schottky Rectifier, 40V, 700mA, Vf<0.63V(750mA)	SOT23	16dc -	Ztx
L05	ZLLS5007C	Si-Diode	Schottky Rectifier, 40V, 700mA, Vf<0.63V(750mA)	SOT23	16dc -	Ztx
L0A	LM3480IM3-3.3	VR-IC	Quasi-LDO, 3.3V, 100mA	SOT23	16cj VR1	Nsc
L0B	LM3480IM3-5.0	VR-IC	Quasi-LDO, 5V, 100mA	SOT23	16cj VR1	Nsc
L0C	LM3480IM3-12	VR-IC	Quasi-LDO, 12V, 100mA	SOT23	16cj VR1	Nsc
L0D	LM3480IM3-15	VR-IC	Quasi-LDO, 15V, 100mA	SOT23	16cj VR1	Nsc
L0p	BA7721S	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16dl -	PhH
L0t	BA7721S	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16dl -	PhM
L0W	BA7721S	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16dl -	PhC
L1	BFS36	Si-NPN	AF, LN, 45V, 0.5A, >30MHz	SOT323	16ta -	Fer
L1	BSS65	Si-PNP	Switching, 12V, 0.1A, 400MHz, <60/90ns	SOT23	16ta -	Fer
L1	R3111N312C	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT23	16vc VD6	Ric
L1	R3130N44AC	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 50ms	SOT23	16vdc VD6	Ric
L10	ZLLS10007A	Si-Diode	Schottky Rectifier, 40V, 1.6A, Vf<0.86V(1.5A)	SOT23	16dc -	Ztx
L10	ZLLS10007C	Si-Diode	Schottky Rectifier, 40V, 1.6A, Vf<0.86V(1.5A)	SOT23	16dc -	Ztx
L14	DTB114GK	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R2=10k	SMT3	16ta -	Rhm
L15	2SC4181A-L15	Si-NPN	AF, Sw, 60V, 150mA, 150mW, B=1000..2000, 250MHz	SC-70	16ta -	Nec
L16	2SC4181A-L16	Si-NPN	AF, Sw, 60V, 150mA, 150mW, B=1600..3200, 250MHz	SC-70	16ta -	Nec
L17	2SC4181-L17	Si-NPN	AF, Sw, 60V, 150mA, 150mW, B=1000..2000, 250MHz	SC-70	16ta -	Nec
L18	2SC4181-L18	Si-NPN	AF, Sw, 60V, 150mA, 150mW, B=1600..3200, 250MHz	SC-70	16ta -	Nec
L2	BAS40-06L71	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT23	16df -	Ons
L2	BSS69	Si-PNP	Sw, 40V, 100mA, 200MHz, <75/225ns, B>50	SOT23	16ta -	Fer
L2	HSPM-3862	PIN-Diode	Dual, RF, 50V, 1A(1ms), <0.2pF, <3Ω(100mA)	SOT23	16dl -	Agi
L2	HSPM-386C	PIN-Diode	Dual, RF, 50V, 1A, Rs(typ)=3Ω, 0.2pF	SOT323	16dg -	Agi
L2	KTC4075-2	Si-NPN	AF, 60V, 150mA, 100mW, B=70..140, >80MHz	SOT323	16ta -	Kec
L2	R3111N322C	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SOT23	16vc VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
L2	R3130N26AC3	Lin/Dig-IC	Voltage Detector 2,6V, -Reset Open drain output, 50ms	SOT23	16vdc	VD6	Ric
L20	BAS29	Si-Diode	GP, Contr. Avalanche, 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16dc	-	Nsc
L20	KSK211	N-FET	VHF/FM, 18V, 200mW, Idss=1mA, Vp<4V	SOT23	16fk	-	Sam
L21	BAS31	Si-Diode	Dual, GP, Contr. Aval., 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16df	-	Nsc
L21	GS810C21EUA	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L22	BAS35	Si-Diode	Dual, GP, Contr. Aval., 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16df	-	Nse
L24	DTD114GK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R2=10k	SM73	16ta	-	Rhm
L24	GS810C24EUA	CMOS-IC	Voltage Detector 2,4V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L26	GS810CREUA	CMOS-IC	Voltage Detector 2,63V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L27	GS810C27SEUA	CMOS-IC	Voltage Detector 2,7V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L29	GS810CSEUA	CMOS-IC	Voltage Detector 2,93V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L3	25C1623-L3	Si-NPN	GP, 50V, 100mA, 200mW, 250MHz, B=60...120	SOT23	16ta	-	Nec,Trs
L3	BFS37	Si-PNP	AF, LN, 45V, 0,5A, >30MHz	SOT323	16te	-	Fer
L3	BSS70	Si-PNP	Switching, 40V, 100mA, 330mW, B=100...300, >250MHz	SOT23	16ta	-	Ztx
L3	HSMP-3863	PIN-Diode	Dual, RF, 50V, 1A(1ms), <0,2pF, <3D(100mA)	SOT23	16df	-	Agi
L3	HSMP-386E	PIN-Diode	Dual, RF, 50V, 1A, Rs(typ)=3Q, 0,2pF	SOT323	16df	-	Agi
L3	KST1623-L3	Si-NPN	GP, 50V, 100mA, 350mW, B=60...120, >200MHz	SOT23	16ta	-	Sam
L3	MMBC1623L3	Si-NPN	DP, AF, 50V, 100mA, 350mW, B=60...120, >200MHz	SOT23	16ta	-	Sam
L3	R3111N332C	CMOS-IC	Voltage Detector 3,3V, Reset Open drain output	SOT23	16vc	VD6	Ric
L3	R3130N29AC3	CMOS-IC	Voltage Detector 2,9V, -Reset Open drain output, 50ms	SOT23	16vdc	VD6	Ric
L30	FA1L4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/22k	SC-59	16ta	-	Nec
L30	GA1L4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/22k	SC-70	16ta	-	Nec
L30	GS810C7EUA	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L31	BAV23S	Si-Diode	Dual, GP, 200V, 225mA, Vs<1,25V(200mA), <50ns	SOT23	16dl	-	Phi
L31	FA1L4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-59	16ta	-	Nec
L31	GA1L4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-70	16ta	-	Nec
L32	FA1F4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-59	16ta	-	Nec
L32	GA1F4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-70	16ta	-	Nec
L33	FA1A4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-59	16ta	-	Nec
L33	GA1A4M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-70	16ta	-	Nec
L34	FA1A4P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-59	16ta	-	Nec
L34	GA1A4P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-70	16ta	-	Nec
L35	FA1F4N	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-59	16ta	-	Nec
L35	GA1F4N	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-70	16ta	-	Nec
L36	FA1L3Z-K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=135...270	SC-59	16ta	-	Nec
L36	GA1L3Z-O	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=200...400	SC-70	16ta	-	Nec
L37	FA1L3Z-P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=200...400	SC-59	16ta	-	Nec
L37	GA1L3Z-P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=135...270	SC-70	16ta	-	Nec
L38	FA1L3Z-Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=300...600	SC-59	16ta	-	Nec
L38	GA1L3Z-K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=135...270	SC-70	16ta	-	Nec
L4	25C1623-L4	Si-NPN	GP, 50V, 100mA, 200mW, 250MHz, B=90...180	SOT23	16ta	-	Nec,Trs
L4	25C2812-L4	Si-NPN	GP, AF, 55V, 150mA, 200mW, B=90...180, 100MHz	CPA	16ta	-	Say
L4	25C4177-L4	Si-NPN	AF, 60V, 100mA, 150mW, B=90...180, 250MHz	SOT323	16ta	-	Nec
L4	BAT54	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dc	-	Vis
L4	BAT54W	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<0,52V(100mA), <5ns	SOT323	16dc	-	Phi
L4	HSMP-3864	PIN-Diode	Dual, RF, 50V, 1A(1ms), <0,2pF, <3D(100mA)	SOT23	16dg	-	Agi
L4	HSMP-386F	PIN-Diode	Dual, RF, 50V, 1A, Rs(typ)=3Q, 0,2pF	SOT323	16dg	-	Agi
L4	KST1623-L4	Si-NPN	GP, 50V, 100mA, 350mW, B=90...180, >200MHz	SOT23	16ta	-	Sam
L4	KTC4075-4	Si-NPN	AF, 60V, 150mA, 100mW, B=120...240, >80MHz	SOT323	16ta	-	Kec
L4	MMBC1623L4	Si-NPN	DP, AF, 50V, 100mA, 350mW, B=100...200, >200MHz	SOT23	16ta	-	Sam
L4	R3111N342C	CMOS-IC	Voltage Detector 3,4V, Reset Open drain output	SOT23	16vc	VD6	Ric
L4	R3130N30AC8	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 50ms	SOT23	16vdc	VD6	Ric
L40	GS810CJEUA	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L42	BAT54A	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16df	-	Nsc,Phi
L43	BAT54B	Si-Diode	Dual, Schottky, 30V, 200mA, Vf(if=100mA)<1V, 10pF, <5ns	SOT23	16dg	-	Vis
L43	BAT54C	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dg	-	Nsc,Phi
L43	GS810CMEUA	CMOS-IC	Voltage Detector 4,38V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L44	BAT54S	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16di	-	Nsc,Phi
L46	GS810CLEUA	CMOS-IC	Voltage Detector 4,83V, Reset Push-pull output, 1,5ms	SOT23	16vdc	VD7	Vis
L4p	BAT54	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dc	-	PhH
L4r	BAT54	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dc	-	PhM
L4w	BAT54	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dc	-	PhC
L4Z	BAT54	Si-Diode	Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dc	-	Ztx
L5	25C1623-L5	Si-NPN	GP, 50V, 100mA, 200mW, 250MHz, B=135...270	SOT23	16ta	-	Nec,Trs
L5	25C2812-L5	Si-NPN	GP, AF, 55V, 150mA, 200mW, B=135...270, 100MHz	CPA	16ta	-	Say
L5	25C4177-L5	Si-NPN	AF, 60V, 100mA, 150mW, B=135...270, 250MHz	SOT323	16ta	-	Nec
L5	BFT72	Si-NPN	AF, 60V, 0,5A, >30MHz	SOT323	16te	-	Fer
L5	BSS65R	Si-PNP	Switching, 12V, 100mA, 330mW, B=40...150, >400MHz	SOT23	16te	-	Ztx

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
L5	KST1623-L5	Si-NPN	GP, 50V, 100mA, 350mW, B=135 270, >200MHz	SOT23	161a	-	Sam
L5	MMBC1623L5	Si-NPN	DP, AF, 50V, 100mA, 350mW, B=135 270, >200MHz	SOT23	161a	-	Sam
L5	R3111N352C	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT23	16vc	VD6	Ric
L5	R3130N46AC5	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 50ms	SOT23	16vdc	VD6	Ric
L52	BAS678	Si-Diode	Switching Fast, 80V, 250mA, Vf<1V(100mA), <6ns	SOT23	16dc	-	Phi
L5p	BAS55	Si-Diode	Switching, U-Fast, 60V, 250mA, Vf<1V(200mA), <8ns	SOT23	16dc	-	Phi
L6	2SC1623-L6	Si-NPN	GP, 50V, 100mA, 200mW, 250MHz, B=200 400	SOT23	161a	-	Nec,Trs
L6	2SC2812-L6	Si-NPN	GP, AF, 55V, 150mA, 200mW, B=150 300, 100MHz	CPA	161a	-	Say
L6	2SC4177-L6	Si-NPN	AF, 60V, 100mA, 150mW, B=200 400, 250MHz	SOT323	161a	-	Nec
L6	BAR17	PIN-Diode	RF, 100V, 140mA, Vf(I=100mA)<1V, Ir<0.05µA, Cd<0.37pF	SOT23	16dc	-	Sie
L6	BSS47	Si-NPN	Nix, 120V, 0,1A	SOT323	161e	-	Fer
L6	BSS69R	Si-PNP	Sw, 40V, 100mA, 200MHz, <75/225ns, B>50	SOT23	161e	-	Ztx
L6	KST1623-L6	Si-NPN	GP, 50V, 100mA, 350mW, B=200 400, >200MHz	SOT23	161a	-	Sam
L6	KTC4075-6	Si-NPN	AF, 60V, 150mA, 100mW, B=200 400, >80MHz	SOT323	161a	-	Kec
L6	MMBC1623L6	Si-NPN	DP AF, 50V, 100mA, 350mW, B=200 400, >200MHz	SOT23	161a	-	Sam
L6	R3111N362C	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT23	16vc	VD6	Ric
L6	R3130N27AC	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 50ms	SOT23	16vdc	VD6	Ric
L6	XC61CN1602M	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT23	16vc	VD6	Tor
L61	FA1L4Z-K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=135 270	SC-59	161a	-	Nec
L61	GA1L4Z-Q	Si-NPN-Digi	Switching, 60V 100mA, 200mW, R1=47k, B=300 600	SC-70	161a	-	Nec
L62	FA1L4Z-P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=200 400	SC-59	161a	-	Nec
L62	GA1L4Z-P	Si-NPN-Digi	Switching 60V, 100mA 200mW, R1=47k, B=200 400	SC-70	161a	-	Nec
L63	FA1L4Z-Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=300 600	SC-59	161a	-	Nec
L63	GA1L4Z-K	Si-NPN-Digi	Switching, 60V, 100mA 200mW, R1=47k, B=135 270	SC-70	161a	-	Nec
L64	FA1F4Z-K	Si-NPN-Digi	Switching 60V, 100mA, 200mW, R1=22k, B=135 270	SC-59	161a	-	Nec
L64	GA1F4Z-Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=300 600	SC-70	161a	-	Nec
L65	FA1F4Z-P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=200 400	SC-59	161a	-	Nec
L65	GA1F4Z-P	Si-NPN-Digi	Switching, 60V 100mA, 200mW, R1=22k, B=200 400	SC-70	161a	-	Nec
L65	XC61FN1612M	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
L66	FA1F4Z-Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=300 600	SC-59	161a	-	Nec
L66	GA1F4Z-K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=135 270	SC-70	161a	-	Nec
L66	XC61FN1642M	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
L67	FA1A4Z-K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=135 270	SC-59	161a	-	Nec
L67	GA1A4Z-Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=300 600	SC-70	161a	-	Nec
L67	XC61FN1652M	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
L68	FA1A4Z-P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=200 400	SC-59	161a	-	Nec
L68	GA1A4Z-P	Si-NPN-Digi	Switching, 60V 100mA, 200mW, R1=10k, B=200 400	SC-70	161a	-	Nec
L69	FA1A4Z-Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=300 600	SC-59	161a	-	Nec
L69	GA1A4Z-K	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=135 270	SC-70	161a	-	Nec
L6p	BAT720	Si-Diode	Schottky Sw, U-Fast, 40V, 500mA, Vf<0.55V(0.5A), <0.3ns	SOT23	16dc	-	PhH
L6r	BAT720	Si-Diode	Schottky Sw, U-Fast, 40V, 500mA, Vf<0.55V(0.5A), <0.3ns	SOT23	16dc	-	PhM
L7	2SC1623-L7	Si-NPN	GP, 50V, 100mA, 200mW, 250MHz, B=300 600	SOT23	161a	-	Nec,Trs
L7	2SC2812-L7	Si-NPN	GP, AF, 55V 150mA, 200mW B=175 350, 100MHz	CPA	161a	-	Say
L7	2SC4177-L7	Si-NPN	AF, 60V, 100mA, 150mW, B=300 600, 250MHz	SOT323	161a	-	Nec
L7	BSS56	Si-NPN	Switching, Driver, 100V, 0,5A, >80MHz	SOT323	161e	-	Fer
L7	BSS70R	Si-PNP	Switching, 40V, 100mA, 330mW, B=100 300, >250MHz	SOT23	161a	-	Ztx
L7	KST1623-L7	Si-NPN	GP, 50V 100mA, 350mW, B=300 600, >200MHz	SOT23	161a	-	Sam
L7	MMBC1623L7	Si-NPN	DP, AF, 50V, 100mA, 350mW, B=300 600, >200MHz	SOT23	161a	-	Sam
L7	R3111N372C	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SOT23	16vc	VD6	Ric
L7	XC61CN1702M	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output	SOT23	16vc	VD6	Tor
L75	XC61FN1712M	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
L76	XC61FN1742M	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
L77	XC61FN1752M	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
L7p	BAT721	Si-Diode	Schottky, Sw, U-Fast, 40V, 200mA, Vf<0.55V(0.2A), <0.3ns	SOT23	16dc	-	PhH
L7s	BAR14-1	PIN-Diode	2x RF, 100V, 140mA, 250mW, Vf<1.25V (100mA), <0.5pF	SOT23	16dl	-	Inf
L7t	BAT721	Si-Diode	Schottky, Sw, U-Fast, 40V, 200mA, Vf<0.55V(0.2A), <0.3ns	SOT23	16dc	-	PhM
L7W	BAT721	Si-Diode	Schottky, Sw, U-Fast, 40V, 200mA, Vf<0.55V(0.2A), <0.3ns	SOT23	16dc	-	PhC
L8	KTC4075-8	Si-NPN	AF, 60V, 150mA, 100mW, B=350 700, >80MHz	SOT323	161a	-	Kec
L8	R3111N382C	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT23	16vc	VD6	Ric
L8	XC61CN1802M	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT23	16vc	VD6	Tor
L81	FA1L3M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/4k7	SC-59	161a	-	Nec
L81	GA1L3M	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/4k7	SC-70	161a	-	Nec
L82	FA1L3N	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/10k	SC-59	161a	-	Nec
L82	GA1L3N	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/10k	SC-70	161a	-	Nec
L83	FA1A3Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-59	161a	-	Nec
L83	GA1A3Q	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-70	161a	-	Nec
L85	XC61FN1812M	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
L86	XC61FN1842M	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
L87	XC61FN1852M	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
L8p	BA1721A	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16df	-	PhH
L8s	BAR15-1	PIN-Diode	2x RF, 100V, 140mA, 250mW, Vf<1.25V (100mA), <0.5pF	SOT23	16dg	-	Inf
L8t	BA1721A	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16df	-	PhM
L8W	BA1721A	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16df	-	PhC
L9	15S349	Si-Diode	Dual, Schottky, 2x20V, 1.0A	SC-59	16dc	-	Tos
L9	R3111N392C	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT23	16vc	VD6	Ric
L9	XC61CN1902M	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT23	16vc	VD6	Tor
L9s	XC61FN1912M	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
L9s	XC61FN1942M	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
L97	XC61FN1952M	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
L9p	BA1721C	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16dg	-	PhH
L9s	BAR16-1	PIN-Diode	2x RF, 100V, 140mA, 250mW, Vf<1.25V (100mA), <0.5pF	SOT23	16df	-	Inf
L9t	BA1721C	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16dg	-	PhM
L9W	BA1721C	Si-Diode	2x Schottky, Sw, U-Fst, 40V, 0.2A, Vf<0.55V(0.2A), <0.3ns	SOT23	16dg	-	PhC
LA	RN1442A	SI-NPN-Digi	Muting, 50V, 300mA, 300mW, R1=10k, B=200..700	S-MINI	16ta	-	Tos
LA	SI1303DL	MOS-P-FET-e	V-MOS, LogL, 20V, $\pm 0.67A_{\text{A}}$, <0.7Q	SOT323	16fh	-	Six
LAp	BF550	SI-PNP	HF/AF, 40V, 25mA, 200mW, B=50..125, 350MHz	SOT23	16ta	-	PhH
LAs	BF550	SI-PNP	HF/AF, 40V, 25mA, 200mW, B=50..125, 350MHz	SOT23	16ta	-	Sie
Lat	BF550	SI-PNP	HF/AF, 40V, 25mA, 200mW, B=50..125, 350MHz	SOT23	16ta	-	PhM
LB	2SC5850-B	SI-NPN	GP, AF, 50V, 100mA, 150mW, >100MHz, B=100..200	CMPAK	16ta	-	Ren
LB	RN1442B	SI-NPN-Digi	Muting, 50V, 300mA, 300mW, R1=10k, B=350..1200	S-MINI	16ta	-	Tos
LB	SI1305DL	MOS-P-FET-e	V-MOS, LogL, 8V, $\pm 0.86A_{\text{A}}$, <0.53Q	SOT323	16fh	-	Six
LBL	KTC4075-L	SI-NPN	AF, 60V, 150mA, 100mW, B=350..700, >80MHz	SOT323	16ta	-	Kec
LC	2SC5850-C	SI-NPN	GP, AF, 50V, 100mA, 150mW, >100MHz, B=160..320	CMPAK	16ta	-	Ren
LC	SI1307DL	MOS-P-FET-e	V-MOS, LogL, 12V, $\pm 0.85A_{\text{A}}$, <0.58Q	SOT323	16fh	-	Six
LD	2SC5850-D	SI-NPN	GP, AF, 50V, 100mA, 150mW, >100MHz, B=250..500	CMPAK	16ta	-	Ren
LD	BF543	MOS-N-FET-d'	HF, 20V, 30mA, 200mW, Idss>1.5mA, Up<1.5V, 300MHz	SOT23	16fi	-	Tem
LD3	BAT54SLT1	Si-Diode	2x Schottky Rectifier, 30V, 200mA, Vf<0.52V(100mA), <5ns	SOT23	16dl	-	Ons
Lds	BF543	MOS-N-FET-d'	HF, 20V, 30mA, 200mW, Idss>1.5mA, Up<1.5V, 300MHz	SOT23	16fi	-	Sie
LE	2SC2412K-LNE	SI-NPN	AF, 50V, 150mA, 200mW, B=390..820, >180MHz	SOT346	16ta	-	Rhm
LE	2SC3052-E	SI-NPN	AF, 50V, 200mA, 150mW, B=150..300, 200MHz	SOT23	16ta	-	Mit
LE	BF680W	SI-PNP	VHF-Osc, 40V, 25mA, 800MHz	SOT323	16ta	-	Inf
LEp	BF660	SI-PNP	VHF-Osc, 40V, 25mA, 650MHz	SOT23	16ta	-	Phi
LEs	BF680W	SI-PNP	VHF-Osc, 40V, 25mA, 800MHz	SOT323	16ta	-	Sie
LF	2SC3052-F	SI-NPN	AF, 50V, 200mA, 150mW, B=250..500, 200MHz	SOT23	16ta	-	Mit
LG	2SC2712-GR	SI-NPN	GP, AF, 50V, 150mA, 150mW, B=200..400, >80MHz	SOT23	16ta	-	Tos
LG	2SC3052-G	SI-NPN	AF, 50V, 200mA, 150mW, B=400..800, 200MHz	SOT23	16ta	-	Mit
LG	2SC4116-G	SI-NPN	AF, 60V, 150mA, 100mW, B=200..400, >80MHz	SOT323	16ta	-	Tos
LG	2SC4116-GR	SI-NPN	GP, AF, 50V, 150mA, 100mW, B=200..400, >80MHz	SC-70	16ta	-	Tos
LG	BF767	SI-PNP	VHF/UHF-LN, 950MHz	SOT23	16ta	-	Sie
LGR	KTC4075-R	SI-NPN	AF, 60V, 150mA, 100mW, B=200..400, >80MHz	SOT323	16ta	-	Kec
LGs	BF775A	SI-NPN	VHF/UHF, 25V, 30mA, 280mW, B=50..250, 5.8GHz	SOT23	16ta	-	Sie
LH	BF569	SI-PNP	UHF-Mix/Osc, 40V, 30mA, 850MHz	SOT23	16ta	-	Tem
LHp	BF569	SI-PNP	UHF-Mix/Osc, 40V, 30mA, 850MHz	SOT23	16ta	-	Phi
LHs	BF569	SI-PNP	UHF-Mix/Osc, 40V, 30mA, 850MHz	SOT23	16ta	-	Sie
LHs	BF569W	SI-PNP	HF, 40V, 30mA, 280mW, B>20, 950MHz	SOT323	16ta	-	Sie
LJ	2SK1848	MOS-N-FET-e'	V-MOS, LogL, 60V, 0.4A, <1.6Q	SOT23	16fg	-	Say
Ljp	BF579	SI-PNP	VHF/UHF, 20V, 30mA, 1600MHz	SOT23	16ta	-	Phi
LK	BF799	SI-NPN	TV-IF-Out, (SAW-Filter), 20V 35mA, 800..1100MHz	SOT23	16ta	-	Sie
LK	BF799W	SI-NPN	TV-IF-Out, (SAW-Filter), 20V 35mA, 800..1100MHz	SOT323	16ta	-	Inf
Lks	BF799	SI-NPN	TV-IF-Out, (SAW-Filter), 20V 35mA, 800..1100MHz	SOT23	16ta	-	Sie
Lks	BF799W	SI-NPN	TV-IF-Out, (SAW-Filter), 20V 35mA, 800..1100MHz	SOT323	16ta	-	Sie
LL	2SA1518	SI-PNP-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=10k/10k	SOT23	16ta	-	Say
LL	2SC2712-BL	SI-NPN	GP, AF, 50V, 150mA, 150mW, B=350..700, >80MHz	SOT23	16ta	-	Tos
LL	2SC4116	SI-NPN	AF, 60V, 150mA, 100mW, B>350..700, >80MHz	SOT323	16ta	-	Tos
LL	2SC4116-BL	SI-NPN	GP, AF, 50V, 150mA, 100mW, B=350..700, >80MHz	SC-70	16ta	-	Tos
LM	BF569R	SI-PNP	UHF-Mix/Osc, 40V, 30mA, 850MHz	SOT23	16ta	-	Tem
LN	2SC5488	SI-NPN	VHF/UHF LN, 20V, 70mA, 100mW, B=90..200, 7GHz	SSFP	16ta	-	Say
LO	2SC2712-O	SI-NPN	GP, AF, 50V, 150mA, 150mW, B=70..140, >80MHz	SOT23	16ta	-	Tos
LO	2SC4116-O	SI-NPN	GP, AF, 50V, 150mA, 100mW, B=70..140, >80MHz	SC-70	16ta	-	Tos
LO	HSPM-3860	PIN-Diode	RF, 50V, 1A(1ms), <0.2pF, <3Q(100mA)	SOT23	16dc	-	Agj
LOs	BF775	SI-NPN	VHF/UHF, 20V, 30mA, 280mW, B=40..250, 4.5GHz	SOT23	16ta	-	Sie
LOs	BF775W	SI-NPN	VHF/UHF, 20V, 30mA, 280mW, B>40..200, 5GHz	SOT323	16ta	-	Sie
LQ	2SD1821A-Q	SI-NPN	AF, LN, 185V, 100mA, 150mW, B=85..170, 150MHz	SC-70	16ta	-	Pan
LQ	2SD2240A-Q	SI-NPN	AF, LN, 185V, 100mA, 125mW, B=90..180, 150MHz	SC-75	16ta	-	Pan
LQ	2SD814A-Q	SI-NPN	AF, LN, 185V, 50mA, 200mW, B=90..155, 150MHz	SC-59	16ta	-	Pan
LR	2SC2412K-LNR	SI-NPN	AF, 50V, 150mA, 200mW, B=180..390, >180MHz	SOT346	16ta	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
LR	2SD1821A-R	Si-NPN	AF, LN, 185V, 100mA, 150mW, B=130..220, 150MHz	SC-70	161a	-	Pan
LR	2SD2240A-R	Si-NPN	AF, LN, 185V, 100mA, 125mW, B=130..200, 150MHz	SC-75	161a	-	Pan
LR	2SD814A-R	Si-NPN	AF, LN, 185V, 50mA, 200mW, B=130..220, 150MHz	SC-59	161a	-	Pan
LRs	BF517	Si-NPN	UHF-A/Osc, 20V, 25mA, 2.5GHz	SOT23	161a	-	Sie
LS	2SA1838	Si-PNP	Muting, 15V, 100mA, 200mW, B=200..600, 600MHz	SOT323	161a	-	Say
LS	2SA1839	Si-PNP	Muting, 15V, 100mA, 200mW, B=200..600, 600MHz	SOT23	161a	-	Say
LS	2SC2412K-LNS	Si-NPN	AF, 50V, 150mA, 200mW, B=270..560, >180MHz	SOT346	161a	-	Rhm
LS	2SD1821A-S	Si-NPN	AF, LN, 185V, 100mA, 150mW, B=185..330, 150MHz	SC-70	161a	-	Pan
LS	2SD2240A-S	Si-NPN	AF, LN, 185V, 100mA, 125mW, B=185..330, 150MHz	SC-75	161a	-	Pan
LS	2SD814A-S	Si-NPN	AF, LN, 185V, 50mA, 200mW, B=185..330, 150MHz	SC-59	161a	-	Pan
LSs	BF770A	Si-NPN	SATV-IF, 20V, 0.05A, 6GHz	SOT23	161a	-	Sie
LT	2SD1821A-T	Si-NPN	AF, LN, 185V, 100mA, 150mW, B=220..400, 150MHz	SC-70	161a	-	Pan
LT	2SD2240A-T	Si-NPN	AF, LN, 185V, 100mA, 125mW, B=220..440, 150MHz	SC-75	161a	-	Pan
LT	2SD814A-T	Si-NPN	AF, LN, 185V, 50mA, 200mW, B=220..400, 150MHz	SC-59	161a	-	Pan
LT6	2SD2028-6	Si-NPN	AF, 8V, 600mA, 200mW, B=200..400, 200MHz, Z-D(B > C)	CP	161a	-	Say
LT7	2SD2028-7	Si-NPN	AF, 8V, 600mA, 200mW, B=300..600, 200MHz, Z-D(B > C)	CP	161a	-	Say
LT8	2SD2028-8	Si-NPN	AF, 8V, 600mA, 200mW, B=450..900, 200MHz, Z-D(B > C)	CP	161a	-	Say
LY	2SC2712-Y	Si-NPN	GP, AF, 50V, 150mA, 150mW, B=120..240, >80MHz	SOT23	161a	-	Tos
LY	2SC4116-Y	Si-NPN	GP, AF, 50V, 150mA, 100mW, B=120..240, >80MHz	SC-70	161a	-	Tos
LY	KTC4075-Y	Si-NPN	AF, 60V, 150mA, 100mW, B>120..240, >80MHz	SOT323	161a	-	Kec
LY2	2SC4403-2	Si-NPN	UHF, Osc, 25V, 70mA, 150mW, B=40..80, 3GHz	SOT23	161a	-	Say
LY3	2SC4403-3	Si-NPN	UHF, Osc, 25V, 70mA, 150mW, B=60..120, 3GHz	SOT23	161a	-	Say
LY4	2SC4403-4	Si-NPN	UHF, Osc, 25V, 70mA, 150mW, B=100..200, 3GHz	SOT23	161a	-	Say
M0	R3111N402C	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT23	16vc	VD6	Ric
M0	R3130N40BC	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
M0	XC61CN2002M	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT23	16vc	VD6	Tor
M05	XC61FN2012M	CMOS-IC	Voltage Detector 2V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M06	XC61FN2042M	CMOS-IC	Voltage Detector 2V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M07	XC61FN2052M	CMOS-IC	Voltage Detector 2V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M1	BFR30LT1	N-FET	GP, 25V, 10mA, 225mW, Up<5V	SOT23	16fj	-	Ons
M1	MMBZ5256B	Z-Diode	30V±5%, 410mW	SOT23	16dc	-	Pjt
M1	MMBZ5256BW	Z-Diode	30V±5%, 200mW, Zzt=49Ω	SOT323	16dc	-	Pjt
M1	R3111N412C	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SOT23	16vc	VD6	Ric
M1	R3130N44BC	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
M1	TC54VN2101ECB	CMOS-IC	Voltage Detector 2.1V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M1	TC54VN2102ECB	CMOS-IC	Voltage Detector 2.1V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M1	XC61CN2102M	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT23	16vc	VD6	Tor
M15	XC61FN2112M	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M16	XC61FN2142M	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M17	XC61FN2152M	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M1B	MMBT2222L	Si-NPN	GP, 60V, 800mA, 200mW, B=100..300, >200MHz	SOT23	161a	-	Mot
M1E	MMBT43LT1	Si-NPN	Vid, 200V, 500mA, 300mW, B>40, >50MHz	SOT23	161a	-	Mot
M1F	MMBT5550LT1	Si-NPN	HV, 140V, 600mA, 225mW, B=80..250, >300MHz	SOT23	161a	-	Mot
M1J	MMBT2369	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SOT23	161a	-	Mot
M1J	MMBT2369L	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SOT23	161a	-	Mot
M1J	MMBT2369LT1	Si-NPN	AF, 40V, 200mA, 300mW, B=40..120	SOT23	161a	-	Mot
M1p	BFR30	N-FET	GP, 25V, 10mA, 250mW, Up<5V	SOT23	16fj	-	Phi
M1T	ADM1811-10AKS	CMOS-IC	Voltage Detector 4.35V, -Reset Open drain output	SC-70	16vd	-	And
M1T	ADM1811-10ART	CMOS-IC	Voltage Detector 4.35V, -Reset Open drain output	SOT23	16vd	-	And
M1V	ADM1811-5AKS	CMOS-IC	Voltage Detector 4.62V, -Reset Open drain output	SC-70	16vd	-	And
M1V	ADM1811-5ART	CMOS-IC	Voltage Detector 4.62V, -Reset Open drain output	SOT23	16vd	-	And
M2	BFR31LT1	N-FET	GP, 25V, 5mA, 225mW, Up<5V	SOT23	16fj	-	Ons
M2	MMBZ5257B	Z-Diode	33V±5%, 410mW	SOT23	16dc	-	Pjt
M2	MMBZ5257BW	Z-Diode	33V±5%, 200mW, Zzt=58Ω	SOT323	16dc	-	Pjt
M2	R3111N422C	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SOT23	16vc	VD6	Ric
M2	R3130N26BC3	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
M2	TC54VN2201ECB	CMOS-IC	Voltage Detector 2.2V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M2	TC54VN2202ECB	CMOS-IC	Voltage Detector 2.2V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M2	XC61CN2202M	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output	SOT23	16vc	VD6	Tor
M25	XC61FN2212M	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M26	XC61FN2242M	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M27	XC61FN2252M	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M2B	MMBT2907ALT1	Si-PNP	GP, 60V, 500mA, 310mW, B=100..300, >200MHz	SOT23	161a	-	Mot
M2B	MMBT2907L	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SOT23	161a	-	Mot
M2C	MMBT470LT1	Si-PNP	GP, 40V, 100mA, 225mW, B=40..400, >125MHz	SOT23	161a	-	Mot
M2p	BFR31	N-FET	GP, 25V, 5mA, 250mW, Up<5V	SOT23	16fj	-	Phi
M3	2SA812-M3	Si-PNP	GP, AF, 60V, 100mA, 200mW, B=70..140, >180MHz	SOT23	161a	-	Nec,Trs
M3	KST812-M3	Si-PNP	GP, 50V, 100mA, 350mW, B=60..120	SOT23	161a	-	Sam

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
M3	MMBA812M3	Si-PNP	GP, 50V, 100mA, 350mW, B=60..120	SOT23	16ta	-	Sam
M3	MMBZ5258B	Z-Diode	36V±5%, 410mW	SOT23	16dc	-	Pjt
M3	MMBZ5258BW	Z-Diode	36V±5%, 200mW, Zzt=70Ω	SOT323	16dc	-	Pjt
M3	R3111N432C	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT23	16vc	VD6	Ric
M3	R3130N29BC3	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
M3	TC54VN2301ECB	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M3	TC54VN2302ECB	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M3	XC61CN2302M	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SOT23	16vc	VD6	Tor
M30	FN1L4L	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/22k	SC-59	16ta	-	Nec
M30	GN1L4L	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/22k	SC-70	16ta	-	Nec
M31	FN1L4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-59	16ta	-	Nec
M31	GN1L4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-70	16ta	-	Nec
M32	FN1F4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-59	16ta	-	Nec
M32	GN1F4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-70	16ta	-	Nec
M33	FN1A4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-59	16ta	-	Nec
M33	GN1A4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-70	16ta	-	Nec
M34	FN1A4P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-59	16ta	-	Nec
M34	GN1A4P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-70	16ta	-	Nec
M35	FN1F4N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-59	16ta	-	Nec
M35	GN1F4N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-70	16ta	-	Nec
M35	XC61FN2312M	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M36	FN1L3Z-Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=135..270	SC-59	16ta	-	Nec
M36	GN1L3Z-Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=135..270	SC-70	16ta	-	Nec
M36	XC61FN2342M	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M37	FN1L3Z-P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=200..400	SC-59	16ta	-	Nec
M37	GN1L3Z-P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=200..400	SC-70	16ta	-	Nec
M37	XC61FN2352M	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M36	FN1L3Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=135..270	SC-59	16ta	-	Nec
M38	GN1L3Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7, B=135..270	SC-70	16ja	-	Nec
M3A	MMBTH24LT1	Si-NPN	40V, 50mA, 300mW, B>30, >400MHz	SOT23	16ta	-	Mot
M3AY	ILC5061AIC23X	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M3AY	ILC5061AM23X	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M3B	MMBT91BLT1	Si-NPN	VHF/UHF, 30V, 50mA, 225mW, B>20, 60MHz	SOT23	16ta	-	Mot
M3J	MMBTH69LT1	Si-PNP	UHF/VHF, 15V, 50mA, 225mW, B=30..300, >2GHz	SOT23	16ta	-	Mot
M3p	BFT46	N-FET	AF/HF, 25V, 250mW, Idss>0.2mA, Up<1.2V, 0.5ms	SOT23	16jf	-	Phi
M3T	ADM1813-10AKS	CMOS-IC	Voltage Detector 4.35V, -Reset Open drain output	SC-70	16vd	-	And
M3T	ADM1813-10ART	CMOS-IC	Voltage Detector 4.35V, -Reset Open drain output	SOT23	16vd	-	And
M3V	ADM1813-5AKS	CMOS-IC	Voltage Detector 4.62V, -Reset Open drain output	SC-70	16vd	-	And
M3V	ADM1813-5ART	CMOS-IC	Voltage Detector 4.62V, -Reset Open drain output	SOT23	16vd	-	And
M3Y	ILC5061IC23X	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M3Y	ILC5061M23X	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M4	2SA1179-M4	Si-PNP	GP, AF, 55V, 150mA, 200mW, B=90..180, 180MHz	CPA	16ta	-	Say
M4	2SA1611-M4	Si-PNP	AF, 60V, 100mA, 150mW, B=90..180, 180MHz	SOT323	16ta	-	Nec
M4	2SA1836-M4	Si-PNP	AF, 60V, 100mA, 200mW, B=90..180, >50MHz	SOT23	16ta	-	Nec
M4	2SA812-M4	Si-PNP	GP, AF, 60V, 100mA, 200mW, B=90..180, >180MHz	SOT23	16ta	-	Nec,Trs
M4	BSR56	N-FET	Switching, 40V, 250mW, Idss>50mA, Up<10V	SOT23	16jf	-	Nsc,Sle
M4	KST812-M4	Si-PNP	GP, 50V, 100mA, 350mW, B=90..180	SOT23	16ta	-	Sam
M4	MMBA812M4	Si-PNP	GP, 50V, 100mA, 350mW, B=90..180	SOT23	16ta	-	Sam
M4	MMBZ5259B	Z-Diode	39V±5%, 410mW	SOT23	16dc	-	Pjt
M4	MMBZ5259BW	Z-Diode	39V±5%, 200mW, Zzt=80Ω	SOT323	16dc	-	Pjt
M4	R3111N442C	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT23	16vc	VD6	Ric
M4	R3130N30BC8	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
M4	TC54VN2401ECB	CMOS-IC	Voltage Detector 2.4V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M4	TC54VN2402ECB	CMOS-IC	Voltage Detector 2.4V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M4	XC61CN2402M	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT23	16vc	VD6	Tor
M45	XC61FN2412M	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M46	XC61FN2442M	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M47	XC61FN2452M	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M4B	MMBV432	C-Diode	Dual, FM-Tuning, 43..48.1pF(2V)	SOT23	16dg	-	Mot
M4F	MMBD353LT1	Si-Diode	Dual, UHF-Mix, 7V, 10mA, Vf<0.6V(10mA), <1pF	SOT23	16ea	-	Ons
M4P	BSR56	N-FET	Switching, 40V, 250mW, Idss>50mA, Up<10V	SOT23	16jf	-	Phi
M5	2SA1179-M5	Si-PNP	GP, AF, 55V, 150mA, 200mW, B=135..270, 180MHz	CPA	16ta	-	Say
M5	2SA1611-M5	Si-PNP	AF, 60V, 100mA, 150mW, B=135..270, 180MHz	SOT323	16ta	-	Nec
M5	2SA1836-M5	Si-PNP	AF, 60V, 100mA, 200mW, B=135..270, >50MHz	SOT23	16ta	-	Nec
M5	2SA812-M5	Si-PNP	GP, AF, 60V, 100mA, 200mW, B=135..270, >180MHz	SOT23	16ta	-	Nec,Trs
M5	KST812-M5	Si-PNP	GP, 50V, 100mA, 350mW, B=135..270	SOT23	16ta	-	Sam
M5	MMBA812M5	Si-PNP	GP, 50V, 100mA, 350mW, B=135..270	SOT23	16ta	-	Sam
M5	MMBD352WT1	Si-Diode	Dual, UHF-Mix, 7V, 10mA, Vf<0.6V(10mA), <1pF	SOT323	16di	-	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
M5	R3111N452C	CMOS-IC	Voltage Detector 4,5V, Reset Open drain output	SOT23	16vc	VD6	Ric
M5	R3130N46BC5	CMOS-IC	Voltage Detector 4,6V, -Reset Open drain output, 100ms	SOT23	16vdc	VD6	Ric
M5	TC54VN2501ECB	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M5	TC54VN2502ECB	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M5	XC61CN2502M	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT23	16vc	VD6	Tor
M55	XC61FN2512M	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M56	XC61FN2542M	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M57	XC61FN2552M	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M5A	ADM1815-20AKS	CMOS-IC	Voltage Detector 2,55V, -Reset Push-pull output	SC-70	16vd	-	And
M5A	ADM1815-20ART	CMOS-IC	Voltage Detector 2,55V, -Reset Push-pull output	SOT23	16vd	-	And
MSAY	ILC5061AIC25X	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
MSAY	ILC5061AM25X	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
MSB	ADM1815-R22AKS	CMOS-IC	Voltage Detector 2,18V, -Reset Push-pull output	SC-70	16vd	-	And
MSB	ADM1815-R22ART	CMOS-IC	Voltage Detector 2,18V, -Reset Push-pull output	SOT23	16vd	-	And
M5C	ADM1815-R23AKS	CMOS-IC	Voltage Detector 2,31V, -Reset Push-pull output	SC-70	16vd	-	And
M5C	ADM1815-R23ART	CMOS-IC	Voltage Detector 2,31V, -Reset Push-pull output	SOT23	16vd	-	And
M5C	MMBD7000LT1	Si-Diode	Dual Switching, 100V, 200mA, Vf<1.1V(100mA) <1.5pF	SOT23	16dl	-	Ons
M5E	ADM1815-10AKS	CMOS-IC	Voltage Detector 2,88V, -Reset Push-pull output	SC-70	16vd	-	And
M5E	ADM1815-10ART	CMOS-IC	Voltage Detector 2,88V, -Reset Push-pull output	SOT23	16vd	-	And
M5G	MMBD352LT1	Si-Diode	Dual, UHF-Mix, TV, 10mA, Vf<0.6V(10mA), <1pF	SOT23	16dl	-	Ons
M5K	ADM1815-5AKS	CMOS-IC	Voltage Detector 3,06V, -Reset Push-pull output	SC-70	16vd	-	And
M5K	ADM1815-5ART	CMOS-IC	Voltage Detector 3,06V, -Reset Push-pull output	SOT23	16vd	-	And
M5M	MA3X200F	Si-Diode	Dual, Switching, 80V, 100mA, <100ns	SOT23	16ea	-	Pan
M5P	BSR57	N-FET	Switching, 40V, 250mW, Idss>20mA, Up<6V	SOT23	16fj	-	Phi
M5Y	ILC5061IC25X	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M5Y	ILC5061M25X	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M6	2SA1179-M6	Si-PNP	GP, AF, 55V, 150mA, 200mW, B=150 300, 180MHz	CPA	16ta	-	Say
M6	2SA1611-M6	Si-PNP	AF, 60V, 100mA, 150mW, B=200 400, 180MHz	SOT323	16ta	-	Nec
M6	2SA1836-M6	Si-PNP	AF, 60V, 100mA, 200mW, B=200 400, >50MHz	SOT23	16ta	-	Nec
M6	2SA812-M6	Si-PNP	GP, AF, 60V, 100mA, 200mW, B=200 400, >180MHz	SOT23	16ta	-	Nec,Trs
M6	BSS66	Si-NPN	Sw, 60V, 0,1A, 250MHz, <70/250ns, B>50	SOT23	16ta	-	Fer
M6	KST812-M6	Si-PNP	GP, 50V, 100mA, 350mW, B=200 400	SOT23	16ta	-	Sam
M6	MMBA812M6	Si-PNP	GP, 50V, 100mA, 350mW, B=200 400	SOT23	16ta	-	Sam
M6	R3111N462C	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output	SOT23	16vc	VD6	Ric
M6	TC54VN2601ECB	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M6	TC54VN2602ECB	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M6	XC61CN2602M	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT23	16vc	VD6	Tor
M61	FN1L4Z-Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=300 600	SC-59	16ta	-	Nec
M61	GN1L4Z-Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=300 600	SC-70	16ta	-	Nec
M62	FN1L4Z-P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=200 400	SC-59	16ta	-	Nec
M62	GN1L4Z-P	Si-PNP-Digi	Switching, 60V, 100mA 200mW, R1=47k, B=200 400	SC-70	16ta	-	Nec
M63	FN1L4Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=135 270	SC-59	16ta	-	Nec
M63	GN1L4Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=47k, B=135 270	SC-70	16ta	-	Nec
M64	FN1F4Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=135 270	SC-59	16ta	-	Nec
M64	GN1F4Z-Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=300 600	SC-70	16ta	-	Nec
M65	BF545A	N-FET	VHF Amp, osc, mix, 30V, 6.5mA, 250mW, Up<8V, 1GHz	SOT23	16ta	-	Phi
M65	FN1F4Z-P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=200 400	SC-59	16ta	-	Nec
M65	GN1F4Z-P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=200 400	SC-70	16ta	-	Nec
M65	XC61FN2612M	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M66	BF545B	N-FET	VHF Amp, osc, mix, 30V, 15mA, 250mW, Up<8V, 1GHz	SOT23	16ta	-	Phi
M66	FN1F4Z-1	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=300 600	SC-59	16ta	-	Nec
M66	GN1F4Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k, B=135 270	SC-70	16ta	-	Nec
M66	XC61FN2642M	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M67	BF545C	N-FET	VHF Amp, osc, mix, 30V, 25mA, 250mW, Up<8V, 1GHz	SOT23	16ta	-	Phi
M67	FN1A4Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=135 270	SC-59	16ta	-	Nec
M67	GN1A4Z-Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=300 600	SC-70	16ta	-	Nec
M67	XC61FN2652M	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M68	FN1A4Z-P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=200 400	SC-59	16ta	-	Nec
M66	GN1A4Z-P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=200 400	SC-70	16ta	-	Nec
M69	FN1A4Z-Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=300 600	SC-59	16ta	-	Nec
M69	GN1A4Z-K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k, B=135 270	SC-70	16ta	-	Nec
M6A	ADM1816-20AKS	CMOS-IC	Voltage Detector 2,55V, -Reset Open drain output	SC-70	16vd	-	And
M6A	ADM1816-20ART	CMOS-IC	Voltage Detector 2,55V, -Reset Open drain output	SOT23	16vd	-	And
M6A	MMBF4416LT1	N-FET	VHF-UHF-Amp, 30V, 10mA, 225mW, Up<6V	SOT23	16fj	-	Ons
MSAY	ILC5061AIC26X	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
MSAY	ILC5061AM26X	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M6B	ADM1816-R22AKS	CMOS-IC	Voltage Detector 2,18V, -Reset Open drain output	SC-70	16vd	-	And
M6B	ADM1816-R22ART	CMOS-IC	Voltage Detector 2,18V, -Reset Open drain output	SOT23	16vd	-	And

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
M6C	ADM1816-R23AKS	CMOS-IC	Voltage Detector 2,31V, -Reset Open drain output	SC-70	16vd	-	And
M6C	ADM1816-R23ART	CMOS-IC	Voltage Detector 2,31V, -Reset Open drain output	SOT23	16vd	-	And
M6E	ADM1816-10AKS	CMOS-IC	Voltage Detector 2,88V, -Reset Open drain output	SC-70	16vd	-	And
M6E	ADM1816-10ART	CMOS-IC	Voltage Detector 2,88V, -Reset Open drain output	SOT23	16vd	-	And
M6H	MMBD354L T1	Si-Diode	Dual, UHF-Mix, 7V, 10mA, Vf<0,6V(10mA), <1pF	SOT23	16dg	-	Ons
M6K	ADM1816-5AKS	CMOS-IC	Voltage Detector 3,06V, -Reset Open drain output	SC-70	16vd	-	And
M6K	ADM1816-5ART	CMOS-IC	Voltage Detector 3,06V, -Reset Open drain output	SOT23	16vd	-	And
M6P	BSR58	N-FET	Switching, 40V, 250mW, Idss>8mA, Up<4V	SOT23	16fj	-	Phi
M6Y	ILC5061IC26X	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M6Y	ILC5061M26X	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M7	2SA1179-M7	Si-PNP	GP, AF, 55V, 150mA, 200mW, B=175..350, 180MHz	CPA	16ta	-	Say
M7	2SA1611-M7	Si-PNP	AF, 60V, 100mA, 150mW, B=300..600, 180MHz	SOT323	16ta	-	Nec
M7	2SA1836-M7	Si-PNP	AF, 60V, 100mA, 200mW, B=300..600, >50MHz	SOT23	16ta	-	Nec
M7	2SA812-M7	Si-PNP	GP, AF, 60V, 100mA, 200mW, B=300..600, >180MHz	SOT23	16ta	-	Nec,Trs
M7	BSS67	Si-PNP	Switching, 60V, 100mA, 330mW, B=100..300, >300MHz	SOT23	16ta	-	Ztx
M7	KST812-M7	Si-PNP	GP, 50V, 100mA, 350mW, B=300..600	SOT23	16ta	-	Sam
M7	MMA812M7	Si-PNP	GP, 50V, 100mA, 350mW, B=300..600	SOT23	16ta	-	Sam
M7	R3111N472C	CMOS-IC	Voltage Detector 4,7V, Reset Open drain output	SOT23	16vc	VD6	Ric
M7	TC54VN2701ECB	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M7	TC54VN2702ECB	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M7	XC61CN2702M	CMOS-IC	Voltage Detector 2,7V, Reset Open drain output	SOT23	16vc	VD6	Tor
M75	XC61FN2712M	CMOS-IC	Voltage Detector 2,7V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M76	XC61FN2742M	CMOS-IC	Voltage Detector 2,7V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M77	XC61FN2752M	CMOS-IC	Voltage Detector 2,7V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M7A	ADM1817-20AKS	CMOS-IC	Voltage Detector 2,55V, Reset Push-pull output	SC-70	16vd	-	And
M7A	ADM1817-20ART	CMOS-IC	Voltage Detector 2,55V, Reset Push-pull output	SOT23	16vd	-	And
M7AY	ILC5061AIC27X	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M7AY	ILC5061AM27X	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M7B	ADM1817-R22AKS	CMOS-IC	Voltage Detector 2,18V, Reset Push-pull output	SC-70	16vd	-	And
M7B	ADM1817-R22ART	CMOS-IC	Voltage Detector 2,18V, Reset Push-pull output	SOT23	16vd	-	And
M7C	ADM1817-R23AKS	CMOS-IC	Voltage Detector 2,31V, Reset Push-pull output	SC-70	16vd	-	And
M7C	ADM1817-R23ART	CMOS-IC	Voltage Detector 2,31V, Reset Push-pull output	SOT23	16vd	-	And
M7E	ADM1817-10AKS	CMOS-IC	Voltage Detector 2,88V, Reset Push-pull output	SC-70	16vd	-	And
M7E	ADM1817-10ART	CMOS-IC	Voltage Detector 2,88V, Reset Push-pull output	SOT23	16vd	-	And
M7K	ADM1817-5AKS	CMOS-IC	Voltage Detector 3,06V, Reset Push-pull output	SC-70	16vd	-	And
M7K	ADM1817-5ART	CMOS-IC	Voltage Detector 3,06V, Reset Push-pull output	SOT23	16vd	-	And
M7Y	ILC5061IC27X	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M7Y	ILC5061M27X	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M8	B5H103	MOS-N-FET-ø	V-MOS, LogL, 30V, 0,85A, <0,5Ω	SOT23	16fg	-	Phi
M8	B5S66R	Si-PNP	Switching, 60V, 100mA, 330mW, B=50..150, >250MHz	SOT23	16ta	-	Ztx
M8	R3111N482C	CMOS-IC	Voltage Detector 4,8V, Reset Open drain output	SOT23	16vc	VD6	Ric
M8	TC54VN2801ECB	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M8	TC54VN2802ECB	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M8	XC61CN2802M	CMOS-IC	Voltage Detector 2,8V, Reset Open drain output	SOT23	16vc	VD6	Tor
M81	FN1L3M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/4k7	SC-59	16ta	-	Nec
M81	GN1L3M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/4k7	SC-70	16ta	-	Nec
M82	FN1L3N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/10k	SC-59	16ta	-	Nec
M82	GN1L3N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/10k	SC-70	16ta	-	Nec
M83	FN1A3Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-59	16ta	-	Nec
M83	GN1A3Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-70	16ta	-	Nec
M84	BF556A	N-FET	VHF Amp, osc, mix, 30V, 7mA, 250mW, Up<7,5V, 1GHz	SOT23	16fa	-	Phi
M85	BF556B	N-FET	VHF Amp, osc, mix, 30V, 13mA, 250mW, Up<7,5V, 1GHz	SOT23	16fa	-	Phi
M85	XC61FN2812M	CMOS-IC	Voltage Detector 2,8V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M86	BF556C	N-FET	VHF Amp, osc, mix, 30V, 18mA, 250mW, Up<7,5V, 1GHz	SOT23	16fa	-	Phi
M86	XC61FN2842M	CMOS-IC	Voltage Detector 2,8V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M87	XC61FN2852M	CMOS-IC	Voltage Detector 2,8V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M8A	ADM1818-20AKS	CMOS-IC	Voltage Detector 2,55V, -Reset Open drain output	SC-70	16vd	-	And
M8A	ADM1818-20ART	CMOS-IC	Voltage Detector 2,55V, -Reset Open drain output	SOT23	16vd	-	And
M8AY	ILC5061AIC28X	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M8AY	ILC5061AM28X	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M8B	ADM1818-R22AKS	CMOS-IC	Voltage Detector 2,18V, -Reset Open drain output	SC-70	16vd	-	And
M8B	ADM1818-R22ART	CMOS-IC	Voltage Detector 2,18V, -Reset Open drain output	SOT23	16vd	-	And
M8C	ADM1818-R23AKS	CMOS-IC	Voltage Detector 2,31V, -Reset Open drain output	SC-70	16vd	-	And
M8C	ADM1818-R23ART	CMOS-IC	Voltage Detector 2,31V, -Reset Open drain output	SOT23	16vc	-	And
M8E	ADM1818-10AKS	CMOS-IC	Voltage Detector 2,88V, -Reset Open drain output	SC-70	16vd	-	And
M8E	ADM1818-10ART	CMOS-IC	Voltage Detector 2,88V, -Reset Open drain output	SOT23	16vd	-	And
M8K	ADM1818-5AKS	CMOS-IC	Voltage Detector 3,06V, -Reset Open drain output	SC-70	16vd	-	And
M8K	ADM1818-5ART	CMOS-IC	Voltage Detector 3,06V, -Reset Open drain output	SOT23	16vd	-	And

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
M8p	BSN20	MOS-N-FET-e*	Sw, LogL, 50V, 173mA, 830mW, 8/15ns, 15Q(100mA)	SOT23	16fh	-	Phi
M8t	BSN20W	MOS-N-FET-e*	Sw, LogL, 50V, 100mA, 830mW, 8/15ns, 15Q(100mA)	SOT323	16fh	-	Phi
M8Y	ILC5061IC28X	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M8Y	ILC5061M28X	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M9	BSS67R	Si-NPN	Switching, 60V, 100mA, 330mW, B=100..300, >300MHz	SOT23	16ta	-	Ztx
M9	R311N492C	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT23	16vc	VD6	Ric
M9	TC54VN2901ECB	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M9	TC54VN2902ECB	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
M9	XC61CN2902M	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT23	16vc	VD6	Tor
M95	XC61FN2912M	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
M96	XC61FN2942M	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
M97	XC61FN2952M	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
M9AY	ILC5061AIC29X	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M9AY	ILC5061AM29X	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
M9Y	ILC5061IC29X	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
M9Y	ILC5061M29X	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
MA	2SC3011	Si-NPN	UHF, C-Band, 20V, 30mA, 150mW, B=120, 6.5GHz	SC-59	16ta	-	Tos
MA	2SC5536	Si-NPN	VHF/LN, 20V, 50mA, 100mW, B=80..200, 1.7GHz	S8FP	18ta	-	Say
MA	FMMTA06R	Si-NPN	AF, 80V, 500mA, 330mW, B>50, >100MHz	SOT23	16ta	-	Ztx
MA	M1MA151AT1	Si-Diode	Switching, 40V, 100mA, 200mW, Vf<1.2V(100mA), <2pF	SC-59	16eb	-	Ons
MA6	MMBD2838LT1	Si-Diode	Dual, Sw, 50V, 150mA, 225mW, Vf<1.2V(100mA), <4ns	SOT23	16dg	-	Ons
MB	2SA1052-B	Si-PNP	GP, AF, 30V, 100mA, 150mW, B=100..200	SOT23	16ta	-	Hit
MB	2SC3098	Si-NPN	UHF, C-Band, 30V, 50mA, 150mW, B=30..300, 3.5GHz	SC-59	16ta	-	Tos
MB	FMMTA56R	Si-PNP	AF-Driver, 80V, 500mA, 330mW, B>50, >100MHz	SOT23	16ta	-	Ztx
MB	M1MA152AT1	Si-Diode	Switching, 80V, 100mA, 200mW, Vf<1.2V(100mA), <2pF	SC-59	16eb	-	Ons
MB	M8T3904DW9	Si-NPN	GP, 60V, 200mA, 250mW, B=100..300, >300MHz	SOT23	16ta	-	Mot
MC	2SA1052-C	Si-PNP	GP, AF, 30V, 100mA, 150mW, B=160..320	SOT23	16ta	-	Hit
MC	2SC3099	Si-NPN	VHF/UHF, LN, 20V, 30mA, 150mW, B=30..250, 4GHz	SOT23	16ta	-	Tos
MC	MA3J143	Si-Diode	Fast, Switching, 40V, 100mA, Vf<1.2V(100mA), <9ns	S-Mini3	18df	-	Pan
MCs	BFS17P	Si-NPN	VHF/UHF, 25V, 25mA, 280mW, B=20..150, 2.5GHz	SOT23	16ta	-	Sie
MD	2SA1052-D	Si-PNP	GP, AF, 30V, 100mA, 150mW, B=240..500	SOT23	16ta	-	Hit
MD	2SA1245	Si-PNP	UHF, 15V, 30mA, 150mW, B>20, 4GHz	SC-59	16ta	-	Tos
MD	DDZX9707	Z-Diode	20V±5%, 500mW	SOT23	16dc	-	Dil
MD	DDZX9707W	Z-Diode	20V±5%, 200mW	SOT323	16dc	-	Dil
ME	2SA1235-E	Si-PNP	GP, 60V, 100mA, 200mW, B=150..300, >180MHz	SOT23	16ta	-	Hit
ME	2SC4393	Si-NPN	VHF/UHF, 17V, 70mA, 100mW, B>25, 5GHz	SOT323	16ta	-	Tos
ME	DDZX9708	Z-Diode	22V±5%, 500mW	SOT23	16dc	-	Dil
ME	DDZX9708W	Z-Diode	22V±5%, 200mW	SOT323	16dc	-	Dil
MF	2SA1235-F	Si-PNP	GP, 60V, 100mA, 200mW, B=250..500, >180MHz	SOT23	16ta	-	Hit
MF	DDZX9709	Z-Diode	24V±5%, 500mW	SOT23	16dc	-	Dil
MF	DDZX9709W	Z-Diode	24V±5%, 200mW	SOT323	16dc	-	Dil
MH	2SC4394	Si-NPN	VHF/UHF, 20V, 80mA, 100mW, B=30..250, 7GHz	SOT323	16ta	-	Tos
MH	DDZX9711	Z-Diode	27V±5%, 500mW	SOT23	16dc	-	Dil
MH	DDZX9711W	Z-Diode	27V±5%, 200mW	SOT323	16dc	-	Dil
MH	M1MA141KT1	Si-Diode	Switching, 40V, 100mA, 150mW, Vf<1.2V(100mA), <2pF	SOT323	16dc	-	Ons
MH	M1MA151KT1	Si-Diode	Switching, 40V, 100mA, 200mW, Vf<1.2V(100mA), <2pF	SC-59	16dc	-	Ons
MI	M1MA142KT1	Si-Diode	Switching, 80V, 100mA, 150mW, Vf<1.2V(100mA), <2pF	SOT323	16dc	-	Ons
MI	M1MA152KT1	Si-Diode	Switching, 80V, 100mA, 200mW, Vf<1.2V(100mA), <2pF	SC-59	16dc	-	Ons
MJ	2SK1849	MOS-N-FET-e	V-MOS, LogL, 100V, 0.25A, <4,2Q(0,1(A)	SOT23	16fg	-	Say
MJ	DDZX9712	Z-Diode	28V±5%, 500mW	SOT23	16dc	-	Dil
MJ	DDZX9712W	Z-Diode	28V±5%, 200mW	SOT323	16dc	-	Dil
MJ1	MMBD355LT1	Si-Diode	Dual, UHF-Mix, 7V, 10mA, Vf<0.6V(10mA), <1pF	SOT23	16df	-	Ons
MK	DDZX9713	Z-Diode	30V±5%, 500mW	SOT23	16dc	-	Dil
MK	DDZX9713W	Z-Diode	30V±5%, 200mW	SOT323	16dc	-	Dil
ML	2SA1519	Si-PNP-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=4k7/4k7	SOT23	16ta	-	Say
ML	DDZX9714	Z-Diode	33V±5%, 500mW	SOT23	16dc	-	Dil
ML	DDZX9714W	Z-Diode	33V±5%, 200mW	SOT323	16dc	-	Dil
ML	ZVP3306F	MOS-P-FET-e	V-MOS, 60V, 0.09A, 0.625W, <14Q(0,5A)	SOT23	16fg	-	Ztx
MM	DDZX9715	Z-Diode	36V±5%, 500mW	SOT23	16dc	-	Dil
MM	DDZX9715W	Z-Diode	36V±5%, 200mW	SOT323	16dc	-	Dil
MN	2SC5490	Si-NPN	UHF-S-band, LN, 20V, 30mA, 100mW, B=90..200, 11GHz	S8FP	18ta	-	Say
MN	DDZX9716	Z-Diode	39V±5%, 500mW	SOT23	16dc	-	Dil
MN	DDZX9716W	Z-Diode	39V±5%, 200mW	SOT323	16dc	-	Dil
MN	M1MA141WAT1	Si-Diode	Dual, Sw, 40V, 100mA, 150mW, Vf<1.2V(100mA), <15pF	SOT323	16df	-	Ons
MN	M1MA151WAT1	Si-Diode	Dual, Sw, 40V, 100mA, 200mW, Vf<1.2V(100mA), <15pF	SC-59	16df	-	Ons
MO	M1MA142WAT1	Si-Diode	Dual, Swi, 80V, 100mA, 150mW, Vf<1.2V(100mA), <15pF	SOT323	16df	-	Ons
MO	M1MA152WAT1	Si-Diode	Dual, Sw, 80V, 100mA, 200mW, Vf<1.2V(100mA), <15pF	SC-59	16df	-	Ons
MO	MA3X152D	Si-Diode	Dual, Switching, 80V, 100mA, <10ns, 15pF	SOT23	16df	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
MP	MA3J143A	Si-Diode	Fast, Switching, 80V, 100mA, Vf<1,2V(100mA), <9ns	S-Mm3	18dl	-	Pan
MR	MT3S03AS	Si-NPN	VHF/UHF, 10V, 40mA, 10GHz	SOT23	18ta	-	Tos
MR	ZVP3310F	MOS-P-FET-e	V-MOS, 100V, 0,14A, 0,175W <20Ω(0.15A)	SOT23	16fg	-	Ztx
MS1	2SA1963-1	Si-PNP	HF, LN, U-Sp, Sw, 12V, 50mA, 200mW, B=20 50, 5GHz	SOT23	18ta	-	Say
MS2	2SA1963-2	Si-PNP	HF, LN, U-Sp, Sw, 12V, 50mA, 200mW, B=40 80 5GHz	SOT23	18ta	-	Say
MS3	2SA1963-3	Si-PNP	HF, LN, U-Sp, Sw, 12V, 50mA, 200mW B=60 120 5GHz	SOT23	18ta	-	Say
MT	M1MA141WKT1	Si-Diode	Dual, Sw, 40V, 100mA, 150mW, Vf<1,2V(100mA), <15pF	SOT323	16dg	-	Ons
MT	M1MA151WKT1	Si-Diode	Dual, Sw, 40V, 100mA, 200mW, Vf<1,2V(100mA), <15pF	SC-59	16dg	-	Ons
MT	ZVP1320F	MOS-P-FET-e	V-MOS, 200V, 35mA, 0,625W, <80Ω(50mA)	SOT23	16fg	-	Ztx
MTT	ADM1812-10AKS	CMOS-IC	Voltage Detector 4,35V, Reset Push-pull output	SC-70	16vd	-	And
MTT	ADM1812-10ART	CMOS-IC	Voltage Detector 4,35V, Reset Push-pull output	SOT23	16vd	-	And
MTV	ADM1812-5AKS	CMOS-IC	Voltage Detector 4,62V, Reset Push-pull output	SC-70	16vd	-	And
MTV	ADM1812-5ART	CMOS-IC	Voltage Detector 4,62V Reset Push-pull output	SOT23	16vd	-	And
MU	M1MA142WKT1	Si-Diode	Dual, Sw, 80V, 100mA, 150mW, Vf<1,2V(100mA), <15pF	SOT323	16dg	-	Ons
MU	M1MA152WKT1	Si-Diode	Dual, Sw, 80V, 100mA, 200mW, Vf<1,2V(100mA), <15pF	SC-59	16dg	-	Ons
MV	1SV272	PIN-Diode	VHF/UHF, 50V, 100mA, 0,6pF, 0,5Ω(470MHz)	SOT23	17dc	-	Say
MZ	ZVN4106F	MOS-N-FET-e	V-MOS, 60V, 0,2A, <5Ω(0,5A)	SOT23	16fg	-	Ztx
MZT	ADM1810-10AKS	CMOS-IC	Voltage Detector 4,35V, -Reset Push-pull output	SC-70	16vd	-	And
MZT	ADM1810-10ART	CMOS-IC	Voltage Detector 4,35V, -Reset Push-pull output	SOT23	16vd	-	And
MZV	ADM1810-5AKS	CMOS-IC	Voltage Detector 4,62V, -Reset Push-pull output	SC-70	16vd	-	And
MZV	ADM1810-5ART	CMOS-IC	Voltage Detector 4,62V, -Reset Push-pull output	SOT23	16vd	-	And
N	DAN202K	Si-Diode	Dual, Switching, 80V, 300mA, 200mW, <1,5ns	SC-59	17dg	-	Rhm
N	DAN222	Si-Diode	Dual, Switching, 80V, 300mA, 150mW, <1,5ns	SC-75	17dg	-	Rhm
N	DAP202K	Si-Diode	Dual, Switching 80V, 300mA, 200mW, <1,5ns	SC-59	17df	-	Rhm
N0	BFR505T	Si-NPN	SATV, 20V, 18mA, 150mW, B=60 250, 9GHz	SOT416	18ta	-	Phi
N0	R3111N502C	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT23	16vc	VD6	Ric
N0	R3130N40DC	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 200ms	SOT23	16vdc	VD6	Ric
N0	TC54VN3001ECB	CMOS-IC	Voltage Detector 3.0V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N0	TC54VN3002ECB	CMOS-IC	Voltage Detector 3.0V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N0	TN0200T	MOS-N-FET-e	V-MOS, LogL, 20V, 0,73A, <0,4Ω	SOT23	16fg	-	Six
N0	XC61CN3002M	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT23	16vc	VD6	Tor
N01	DDTC113TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=1k	SOT23	18ta	-	Dil
N01	DDTC113TE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=1k	SOT523	18ta	-	Dil
N01	DDTC113TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=1k	SC-59	18ta	-	Dil
N01	DDTC113TUA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=1k	SOT323	18ta	-	Dil
N02	DDTC113KA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=1k/10k	SC-59	18ta	-	Dil
N02	DDTC113ZCA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=1k/10k	SOT23	18ta	-	Dil
N02	DDTC113ZE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=1k/10k	SOT523	18ta	-	Dil
N02	DDTC113ZKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=1k/10k	SC-59	18ta	-	Dil
N02	DDTC113ZUA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W 250MHz, R1/R2=1k/10k	SOT323	18ta	-	Dil
N02	ZXM61N02F	MOS-N-FET-e	V-MOS, LogL, 20V, 1,7A, <0,18Ω	SOT23	16fg	-	Ztx
N03	DDTC123TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=2k2	SOT23	18ta	-	Dil
N03	DDTC123TE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=2k2	SOT523	18ta	-	Dil
N03	DDTC123TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=2k2	SC-59	18ta	-	Dil
N03	DDTC123TUA	Si-NPN-Digi	Switching 50V 0 1A, 0,2W, 250MHz R1=2k2	SOT323	18ta	-	Dil
N03	ZXM61N03F	MOS-N-FET-e	V-MOS, LogL, 30V, 1,4A, <0,3Ω	SOT23	16fg	-	Ztx
N04	DDTC123ECA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/2k2	SOT23	18ta	-	Dil
N04	DDTC123EE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=2k2/2k2	SOT523	18ta	-	Dil
N04	DDTC123EKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/2k2	SC-59	18ta	-	Dil
N04	DDTC123EUA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/2k2	SOT323	18ta	-	Dil
N05	DDTC123YCA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/10k	SOT23	18ta	-	Dil
N05	DDTC123YE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=2k2/10k	SOT523	18ta	-	Dil
N05	DDTC123YKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/10k	SC-59	18ta	-	Dil
N05	DDTC123YUA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/10k	SOT323	18ta	-	Dil
N05	XC61FN3012M	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N06	DDTC123JCA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/47k	SOT23	18ta	-	Dil
N06	DDTC123JE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=2k2/47k	SOT523	18ta	-	Dil
N06	DDTC123JKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/47k	SC-59	18ta	-	Dil
N06	DDTC123JUA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/47k	SOT323	18ta	-	Dil
N06	XC61FN3042M	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N07	DDTC143TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=4k7	SOT23	18ta	-	Dil
N07	DDTC143TE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=4k7	SOT523	18ta	-	Dil
N07	DDTC143TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=4k7	SC-59	18ta	-	Dil
N07	DDTC143TUA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=4k7	SOT323	18ta	-	Dil
N07	XC61FN3052M	CMOS-IC	Voltage Detector 3V, Reset Open drain output 50ms	SOT23	16vc	VD6	Tor
N08	DDTC143ECA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/4k7	SOT23	18ta	-	Dil
N08	DDTC143EE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=4k7/4k7	SOT523	18ta	-	Dil
N08	DDTC143EKA	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/4k7	SC-59	18ta	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
N08	DDTC143EUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/4k7	SOT323	16ta -	Dil
N09	DDTC123XCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/10k	SOT23	16ta -	Dil
N09	DDTC123XE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=4k7/10k	SOT523	16ta -	Dil
N09	DDTC123XKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/10k	SC-59	16ta -	Dil
N09	DDTC123XUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/10k	SOT323	16ta -	Dil
N09	DDTC143XCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/10k	SOT23	16ta -	Dil
N09	DDTC143XE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=4k7/10k	SOT523	16ta -	Dil
N09	DDTC143XKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/10k	SC-59	16ta -	Dil
N09	DDTC143XUA	Si-NPN-Digi	Switching 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/10k	SOT323	16ta -	Dil
N1	BFR53	Si-NPN	UHF-A, 18V, 50mA, 2GHz	SOT23	16ta -	Ste
N1	R311N1N512C	CMOS-IC	Voltage Detector 5,1V, Reset Open drain output	SOT23	16vc VD6	Ric
N1	R3130N44DC	CMOS-IC	Voltage Detector 4,4V, -Reset Open drain output, 200ms	SOT23	16vdc VD6	Ric
N1	TC54VN3101ECB	CMOS-IC	Voltage Detector 3 1V±1%, -Reset Open drain output	SOT23	16vc VD6	Tcs
N1	TC54VN3102ECB	CMOS-IC	Voltage Detector 3 1V±2%, -Reset Open drain output	SOT23	16vc VD6	Tcs
N1	TN0201T	MOS-N-FET-e	V-MOS, 20V, 0,39A, <1Q(0,5A)	SOT23	16fg -	Sux
N1	XC61CN3102M	CMOS-IC	Voltage Detector 3,1V, Reset Open drain output	SOT23	16vc VD6	Tor
N1-	BFS20W	Si-NPN	RF 30V, 25mA, 200mW, B=85, 470MHz	SOT323	16ta -	Phi
N10	DDTC143FCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/22k	SOT23	16ta -	Dil
N10	DDTC143FE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=4k7/22k	SOT523	16ta -	Dil
N10	DDTC143FKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/22k	SC-59	16ta -	Dil
N10	DDTC143FUA	Si-NPN-Digi	Switching, 50V 0 1A 0 2W, 250MHz, R1/R2=4k7/22k	SOT323	16ta -	Dil
N11	DDTC143ZCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/47k	SOT23	16ta -	Dil
N11	DDTC143ZE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=4k7/47k	SOT523	16ta -	Dil
N11	DDTC143ZKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/47k	SC-59	16ta -	Dil
N11	DDTC143ZUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=4k7/47k	SOT323	16ta -	Dil
N11	SO2369	Si-NPN	Switching, 40V 200mA, 330mW, B=40 120	SOT23	16ta -	Ste
N12	DDTC114TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=10k	SOT23	16ta -	Dil
N12	DDTC114TE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1=10k	SOT523	16ta -	Dil
N12	DDTC114TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=10k	SC-59	16ta -	Dil
N12	DDTC114TUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=10k	SOT323	16ta -	Dil
N13	DDTC114ECA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=10/10k	SOT23	16ta -	Dil
N13	DDTC114EE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=10k/10k	SOT523	16ta -	Dil
N13	DDTC114EKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=10/10k	SC-59	16ta -	Dil
N13	DDTC114EUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=10/10k	SOT323	16ta -	Dil
N13	SO2222	Si-NPN	GP, 60V, 800mA, 350mW, B=100 300, >250MHz	SOT23	16ta -	Ste
N14	DDTC114YCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=10/47k	SOT23	16ta -	Dil
N14	DDTC114YE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=10k/47k	SOT523	16ta -	Dil
N14	DDTC114YKA	Si-NPN-Digi	Switching 50V 0 1A, 0 2W, 250MHz, R1/R2=10/47k	SC-59	16ta -	Dil
N14	DDTC114YUA	Si-NPN-Digi	Switching 50V 0 1A, 0 2W, 250MHz, R1/R2=10/47k	SOT323	16ta -	Dil
N15	DDTC114WCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=10/47k	SOT23	16ta -	Dil
N15	DDTC114WE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=10k/47k	SOT523	16ta -	Dil
N15	DDTC114WKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=10/47k	SC-59	16ta -	Dil
N15	DDTC114WUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=10/47k	SOT323	16ta -	Dil
N15	XC61FN3112M	CMOS-IC	Voltage Detector 3,1V, Reset Open drain output, 200ms	SOT23	16vc VD6	Tor
N16	DDTC124TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=22k	SOT23	16ta -	Dil
N16	DDTC124TE	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=22k	SOT523	16ta -	Dil
N16	DDTC124TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=22k	SC-59	16ta -	Dil
N16	DDTC124TUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=22k	SOT323	16ta -	Dil
N16	XC61FN3142M	CMOS-IC	Voltage Detector 3,1V, Reset Open drain output, 400ms	SOT23	16vc VD6	Tor
N17	DDTC124ECA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=22k/22k	SOT23	16ta -	Dil
N17	DDTC124EE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=22k/22k	SOT523	16ta -	Dil
N17	DDTC124EKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=22k/22k	SC-59	16ta -	Dil
N17	DDTC124EUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=22k/22k	SOT323	16ta -	Dil
N17	XC61FN3152M	CMOS-IC	Voltage Detector 3,1V, Reset Open drain output, 50ms	SOT23	16vc VD6	Tor
N18	DDTC124XCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=22/47k	SOT23	16ta -	Dil
N18	DDTC124XE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1/R2=22k/47k	SOT523	16ta -	Dil
N18	DDTC124XKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=22/47k	SC-59	16ta -	Dil
N18	DDTC124XUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1/R2=22/47k	SOT323	16ta -	Dil
N19	DDTC144TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=47k	SOT23	16ta -	Dil
N19	DDTC144TE	Si-NPN-Digi	Switching, 50V 0 1A, 0 15W, 250MHz, R1=47k	SOT523	16ta -	Dil
N19	DDTC144TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1=47k	SC-59	16ta -	Dil
N19	DDTC144TUA	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, 250MHz, R1= 47k	SOT323	16ta -	Dil
N1A	LM431CIN3	Vref-IC	Adjust Precision Shunt, 2,44, 2,55V, 0,5%, -40 +85°C	SOT23	16ra -	Nsc
N1AY	ILC5061AIC31X	CMOS-IC	Voltage Detector 3 1V±1%, -Reset Open-Drain Output	SC-70	16vc VD6	Imp
N1AY	ILC5061AM31X	CMOS-IC	Voltage Detector 3 1V±1%, -Reset Open-Drain Output	SOT23	16vc VD6	Imp
N1B	LM431CCM3	Vref-IC	Adjust Precision Shunt, 2,44, 2,55V, 0,5%, 0 +70°C	SOT23	16ra -	Nsc
N1C	LM431BINM3	Vref-IC	Adjust Precision Shunt, 2,44, 2,55V, 1%, -40 +85°C	SOT23	16ra -	Nsc
N1C	TN2124K1	MOS-N-FET-e	V-MOS, LogL, 240V, 134mA, <15Q(0,12A), <12/22ns	SOT23	16fg -	Stx

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
N1D	LM431BCM3	Vref-IC	Adjust Precision Shunt, 2.44, 2.55V, 1%, 0 +70°C	SOT23	16ra	-	Nsc
N1E	LM431AIM3	Vref-IC	Adjust Precision Shunt, 2.44, 2.55V, 2%, -40 +85°C	SOT23	16ra	-	Nsc
N1F	LM431ACM3	Vref-IC	Adjust Precision Shunt, 2.44, 2.55V, 2%, 0 +70°C	SOT23	16ra	-	Nsc
N1L	TN2106K1	MOS-N-FET-e	V-MOS, LogL, 60V, 0.28A, <5Q(0.5A)	SOT23	16fg	-	Stx
N1p	BFR53	Si-NPN	UHF-A, 18V, 50mA, 2GHz	SOT23	16ta	-	Phi
N1t	BFS20W	Si-NPN	RF, 30V, 25mA, 200mW, B=85, 470MHz	SOT323	16ta	-	Phi
N1T	TN2130K1	MOS-N-FET-e	V-MOS, LogL, 300V, 85mA, <25Q(0.12A), <17/27ns	SOT23	16fg	-	Stx
N1U	TN2101K1	MOS-N-FET-e	V-MOS, LogL, 15V, 0.17A, <7Q(50A)	SOT23	16fg	-	Stx
N1Y	ILCS061IC31X	CMOS-IC	Voltage Detector 3 1V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
N1Y	ILCS061M31X	CMOS-IC	Voltage Detector 3 1V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
N2	2SC1653-N2	Si-NPN	Sw, HV drive, 150V, 50mA, 150mW, B=90 180 120MHz	SOT23	17ta	-	Nec
N2	BFR520T	Si-NPN	RF, SATV, 20V, 70mA, 150mW, B=60 250, 9GHz	SOT416	16ta	-	Phi
N2	KRC116S	Si-NPN-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=1k/10k	SOT23	16ta	-	Kec
N2	KRC416	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=1k/10k	USM	17ta	-	Kec
N2	KRC416E	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=1k/10k	ESM	16ta	-	Kec
N2	KRC416V	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=1k/10k	VSM	16ta	-	Kec
N2	MMBC1653N2	Si-NPN	Sw, HV drive, 150V, 50mA, 150mW, B=50-130, 120MHz	SOT23	16ta	-	Sam
N2	R3111N522C	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	SOT23	16vc	VD6	Ric
N2	R3130N26DC3	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 200ms	SOT23	16vdc	VD6	Ric
N2	TC54VN3201ECB	CMOS-IC	Voltage Detector 3 2V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N2	TC54VN3202ECB	CMOS-IC	Voltage Detector 3 2V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N2	XC61CN3202M	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SOT23	16vc	VD6	Tor
N20	DDTC124ECA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=22/22k	SOT23	16ta	-	Dil
N20	DDTC124EE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R1/R2=22k/22k	SOT523	16ta	-	Dil
N20	DDTC124EKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=22/22k	SC-59	16ta	-	Dil
N20	DDTC124EUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=22/22k	SOT323	16ta	-	Dil
N20	DDTC144ECA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47/47k	SOT23	16ta	-	Dil
N20	DDTC144EE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R1/R2=47/47k	SOT523	16ta	-	Dil
N20	DDTC144EKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47/47k	SC-59	16ta	-	Dil
N20	DDTC144EUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47/47k	SOT323	16ta	-	Dil
N20	SO2222A	Si-NPN	GP, 75V, 800mA, 350mW, B=100 300, >300MHz	SOT23	16ta	-	Ste
N21	DDTC144VCA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47/10k	SOT23	16ta	-	Dil
N21	DDTC144VE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R1/R2=47k/10k	SOT523	16ta	-	Dil
N21	DDTC144VKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47/10k	SC-59	16ta	-	Dil
N21	DDTC144VUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W 250MHz, R1/R2=47/10k	SOT323	16ta	-	Dil
N22	DDTC144WCA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47k/22k	SOT23	16ta	-	Dil
N22	DDTC144WE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R1/R2=47k/22k	SOT523	16ta	-	Dil
N22	DDTC144WKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47k/22k	SC-59	16ta	-	Dil
N22	DDTC144WUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=47k/22k	SOT323	16ta	-	Dil
N23	DDTC115TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1=100k	SOT23	16ta	-	Dil
N23	DDTC115TE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R1=100k	SOT523	16ta	-	Dil
N23	DDTC115TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1=100k	SC-59	16ta	-	Dil
N23	DDTC115TUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1=100k	SOT323	16ta	-	Dil
N23	S72N23SF	Lin/Dig-IC	Voltage Detector 2.3V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N23	S72N23UF	Lin/Dig-IC	Voltage Detector 2.3V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N24	DDTC115ECA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=100/100k	SOT23	16ta	-	Dil
N24	DDTC115EE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R1/R2=100k/100k	SOT523	16ta	-	Dil
N24	DDTC115EKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=100/100k	SC-59	16ta	-	Dil
N24	DDTC115EUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1/R2=100/100k	SOT323	16ta	-	Dil
N25	DDTC125TCA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1=200k	SOT23	16ta	-	Dil
N25	DDTC125TE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R1=200k	SOT523	16ta	-	Dil
N25	DDTC125TKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1=200k	SC-59	16ta	-	Dil
N25	DDTC125TUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, 250MHz, R1=200k	SOT323	16ta	-	Dil
N25	S72N25SF	Lin/Dig-IC	Voltage Detector 2.5V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N25	S72N25UF	Lin/Dig-IC	Voltage Detector 2.5V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N25	XC61FN3212M	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N26	DDTC114GCA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, B=100 600, 250MHz, R2=10k	SOT23	16ta	-	Dil
N26	DDTC114GE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R2=10k	SOT523	16ta	-	Dil
N26	DDTC114GKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, B=100 600, 250MHz, R2=10k	SC-59	16ta	-	Dil
N26	DDTC114GUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, B=100 600, 250MHz, R2=10k	SOT323	16ta	-	Dil
N26	XC61FN3242M	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N27	DDTC124GCA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, B=100 600, 250MHz, R2=22k	SOT23	16ta	-	Dil
N27	DDTC124GE	Si-NPN-Digi	Switching, 50V 0 1A, 0.15W, 250MHz, R2=22k	SOT523	16ta	-	Dil
N27	DDTC124GKA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, B=100 600, 250MHz, R2=22k	SC-59	16ta	-	Dil
N27	DDTC124GUA	Si-NPN-Digi	Switching, 50V 0 1A, 0.2W, B=100 600, 250MHz, R2=22k	SOT323	16ta	-	Dil
N27	S72N27SF	Lin/Dig-IC	Voltage Detector 2.7V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N27	S72N27UF	Lin/Dig-IC	Voltage Detector 2.7V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N27	XC61FN3252M	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
N28	BFR520	Si-NPN	RF, SATV, 20V, 70mA, 300mW, B=60..250, 9GHz	SOT23	16ta	-	Phi
N28	DDTC144GCA	Si-NPN-Digi	Switching, 50V 0.1A, 0.2W, B=100..600, 250MHz, R2=47k	SOT23	16ta	-	Dil
N28	DDTC144GE	Si-NPN-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R2=47k	SOT523	16ta	-	Dil
N28	DDTC144GKA	Si-NPN-Digi	Switching, 50V 0.1A, 0.2W, B=100..600, 250MHz, R2=47k	SC-59	16ta	-	Dil
N28	DDTC144GUA	Si-NPN-Digi	Switching, 50V 0.1A, 0.2W, B=100..600, 250MHz, R2=47k	SOT323	16ta	-	Dil
N29	BFR540	Si-NPN	RF, SATV, 20V, 120mA, 250mW, B=100..250, 9GHz	SOT23	16ta	-	Phi
N29	DDTC115GCA	Si-NPN-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R2=100k	SOT23	16ta	-	Dil
N29	DDTC115GE	Si-NPN-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R2=100k	SOT523	16ta	-	Dil
N29	DDTC115GKA	Si-NPN-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R2=100k	SC-59	16ta	-	Dil
N29	DDTC115GUA	Si-NPN-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R2=100k	SOT323	16ta	-	Dil
N29	S72N29SF	Lin/Dig-IC	Voltage Detector 2.9V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N29	S72N29UF	Lin/Dig-IC	Voltage Detector 2.9V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N2AY	ILC5061AIC32X	CMOS-IC	Voltage Detector 3.2V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
N2AY	ILC5061AM32X	CMOS-IC	Voltage Detector 3.2V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
N2Y	ILC5061IC32X	CMOS-IC	Voltage Detector 3.2V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
N2Y	ILC5061M32X	CMOS-IC	Voltage Detector 3.2V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
N3	25C1653-N3	Si-NPN	Sw, HV drive, 150V, 50mA, 150mW, B=135..270, 120MHz	SOT23	17ta	-	Nec
N3	MMBC1653N3	Si-NPN	Sw, HV drive, 150V, 50mA, 150mW, B=100-220, 120MHz	SOT23	16ta	-	Sam
N3	R311N532C	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SOT23	16vc	VD6	Ric
N3	R3130N29DC3	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 200ms	SOT23	16vdc	VD6	Ric
N3	TC54VN3301ECB	CMOS-IC	Voltage Detector 3.3V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N3	TC54VN3302ECB	CMOS-IC	Voltage Detector 3.3V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N3	XC61CN3302M	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT23	16vc	VD6	Tor
N30	BFR505	Si-NPN	SATV, 20V, 18mA, 150mW, B=60..250, 9GHz	SOT23	16ta	-	Phi
N31	S72N31SF	Lin/Dig-IC	Voltage Detector 3.1V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N31	S72N31UF	Lin/Dig-IC	Voltage Detector 3.1V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N33	S72N33SF	Lin/Dig-IC	Voltage Detector 3.3V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N33	S72N33UF	Lin/Dig-IC	Voltage Detector 3.3V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N35	XC61FN3312M	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N36	S72N36SF	Lin/Dig-IC	Voltage Detector 3.6V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N36	S72N36UF	Lin/Dig-IC	Voltage Detector 3.6V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N36	XC61FN3342M	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N37	XC61FN3352M	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
N39	S72N39SF	Lin/Dig-IC	Voltage Detector 3.9V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N39	S72N39UF	Lin/Dig-IC	Voltage Detector 3.9V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N4	25C1653-N4	Si-NPN	Sw, HV drive, 150V, 50mA, 150mW, B=200..400, 120MHz	SOT23	17ta	-	Nec
N4	BFR53R	Si-NPN	UHF-A, 18V, 50mA, 2GHz	SOT23	16ta	-	Phi
N4	KA4L2	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=47k	SC-75	16ta	-	Nec
N4	KRC117S	Si-NPN-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=2k2/2k2	SOT23	16ta	-	Kec
N4	KRC417	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/2k2	USM	17ta	-	Kec
N4	KRC417E	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/2k2	ESM	18ta	-	Kec
N4	KRC417V	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/2k2	VSM	18ta	-	Kec
N4	MMBC1653N4	Si-NPN	Sw, HV drive, 150V, 50mA, 150mW, B=150-330, 120MHz	SOT23	16ta	-	Sam
N4	R311N542C	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SOT23	16vc	VD6	Ric
N4	R3130N30DC8	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 200ms	SOT23	16vdc	VD6	Ric
N4	TC54VN3401ECB	CMOS-IC	Voltage Detector 3.4V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N4	TC54VN3402ECB	CMOS-IC	Voltage Detector 3.4V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N4	XC61CN3402M	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT23	16vc	VD6	Tor
N42	S72N42SF	Lin/Dig-IC	Voltage Detector 4.2V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N42	S72N42UF	Lin/Dig-IC	Voltage Detector 4.2V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N45	S72N45SF	Lin/Dig-IC	Voltage Detector 4.5V, Reset Open collector output	SOT23F	18vdc	VD6	Auk
N45	S72N45UF	Lin/Dig-IC	Voltage Detector 4.5V, Reset Open collector output	SOT323F	18vdc	VD6	Auk
N45	XC61FN3412M	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N46	XC61FN3442M	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N47	XC61FN3452M	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
N4AY	ILC5061AIC34X	CMOS-IC	Voltage Detector 3.4V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
N4AY	ILC5061AM34X	CMOS-IC	Voltage Detector 3.4V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
N4Y	ILC5061IC34X	CMOS-IC	Voltage Detector 3.4V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
N4Y	ILC5061M34X	CMOS-IC	Voltage Detector 3.4V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
N5	25C1654-N5	Si-NPN	Sw, HV drive, 180V, 50mA, 150mW, B=90..180, 120MHz	SOT23	17ta	-	Nec
N5	KRC118S	Si-NPN-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=2k2/10k	SOT23	16ta	-	Kec
N5	KRC418	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/10k	USM	17ta	-	Kec
N5	KRC418E	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/10k	ESM	18ta	-	Kec
N5	KRC418V	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/10k	VSM	18ta	-	Kec
N5	MMBC1654N5	Si-NPN	Switch, HV drive, 180V, 50mA, 150mW, B=50-130, 120MHz	SOT23	16ta	-	Sam
N5	R311N552C	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SOT23	16vc	VD6	Ric
N5	R3130N46DC5	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 200ms	SOT23	16vdc	VD6	Ric
N5	TC54VN3501ECB	CMOS-IC	Voltage Detector 3.5V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
N5	TC54VN3502ECB	CMOS-IC	Voltage Detector 3.5V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N5	XC61CN3502M	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT23	16vc	VD6	Tor
N55	XC61FN3512M	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N56	XC61FN3542M	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N57	XC61FN3552M	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
N6	25C1654-N6	Si-NPN	Sw, HV drive, 180V, 50mA, 150mW, B=135 270, 120MHz	SOT23	17ta	-	Nec
N6	BFS25A	Si-NPN	UHF, 8V, 6.5mA, 32mW, 5GHz	SOT323	16ta	-	Phi
N6	KRC119S	Si-NPN-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=4k7k/10k	SOT23	16ta	-	Kec
N6	KRC419	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=4k7k/10k	USM	17ta	-	Kec
N6	KRC419E	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=4k7k/10k	ESM	18ta	-	Kec
N6	KRC419V	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=4k7k/10k	VSM	18ta	-	Kec
N6	MMBC1654N6	Si-NPN	Switch, HV drive, 180V, 50mA, 150mW, B=50-130, 120MHz	SOT23	16ta	-	Sam
N6	R3111N562C	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SOT23	16vc	VD6	Ric
N6	TC54VN3601ECB	CMOS-IC	Voltage Detector 3.6V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N6	TC54VN3602ECB	CMOS-IC	Voltage Detector 3.6V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N6	XC61CN3602M	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT23	16vc	VD6	Tor
N60	DDTD113EC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=1k/1k	SOT23	16ta	-	Dil
N60	DDTD113EU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=1k/1k	SOT323	16ta	-	Dil
N61	DDTD123EC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=2.2k/2.2k	SOT23	16ta	-	Dil
N61	DDTD123EU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=2.2k/2.2k	SOT323	16ta	-	Dil
N62	DDTD143EC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=4.7k/4.7k	SOT23	16ta	-	Dil
N62	DDTD143EU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=4.7k/4.7k	SOT323	16ta	-	Dil
N63	DDTD114EC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=10k/10k	SOT23	16ta	-	Dil
N63	DDTD114EU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=10k/10k	SOT323	16ta	-	Dil
N64	DDTD122JC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=0.22k/4.7k	SOT23	16ta	-	Dil
N64	DDTD122JU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=0.22k/4.7k	SOT323	16ta	-	Dil
N65	DDTD113ZC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=1k/10k	SOT23	16ta	-	Dil
N65	DDTD113ZU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=1k/10k	SOT323	16ta	-	Dil
N65	XC61FN3612M	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N66	DDTD123YC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=2.2k/10k	SOT23	16ta	-	Dil
N66	DDTD123YU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=2.2k/10k	SOT323	16ta	-	Dil
N66	XC61FN3652M	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N67	DDTD133HC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=3.3k/10k	SOT23	16ta	-	Dil
N67	DDTD133HU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=3.3k/10k	SOT323	16ta	-	Dil
N67	XC61FN3652M	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
N69	DDTD123TC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=2.2k	SOT23	16ta	-	Dil
N69	DDTD123TU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=2.2k	SOT323	16ta	-	Dil
N7	25C1654-N7	Si-NPN	Sw, HV drive, 180V, 50mA 150mW, B=200 400, 120MHz	SOT23	17ta	-	Nec
N7	KN41.4Z	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1=47k	SC-75	16ta	-	Nec
N7	KRC120S	Si-NPN-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=10k/4k7	SOT23	16ta	-	Kec
N7	KRC420	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=10k/4k7	USM	17ta	-	Kec
N7	KRC420E	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=10k/4k7	ESM	18ta	-	Kec
N7	KRC420V	Si-NPN-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=10k/4k7	VSM	18ta	-	Kec
N7	MMBC1654N7	Si-NPN	Sw, HV drive, 180V, 50mA, 150mW, B=100-220, 120MHz	SOT23	16ta	-	Sam
N7	R3111N572C	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	SOT23	16vc	VD6	Ric
N7	TC54VN3701ECB	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N7	TC54VN3702ECB	CMOS-IC	Voltage Detector 3.7V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N7	XC61CN3702M	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SOT23	16vc	VD6	Tor
N70	DDTD143TC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=4.7k	SOT23	16ta	-	Dil
N70	DDTD143TU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=4.7k	SOT323	16ta	-	Dil
N71	DDTD114TC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=10k	SOT23	16ta	-	Dil
N71	DDTD114TU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=4.7k	SOT323	16ta	-	Dil
N72	DDTD114GC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R2=10k	SOT23	16ta	-	Dil
N72	DDTD114GU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R2=10k	SOT323	16ta	-	Dil
N72	SO3903	Si-NPN	GP, 60V, 200mA, 250mW, B=50 150, >300MHz	SOT23	16ta	-	Ste
N75	DDTD122LC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=0.22k/10k	SOT23	16ta	-	Dil
N75	DDTD122LU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=0.22k/10k	SOT323	16ta	-	Dil
N75	XC61FN3712M	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N76	DDTD142JC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=0.47k/10k	SOT23	16ta	-	Dil
N76	DDTD142JU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1/R2=0.47k/10k	SOT323	16ta	-	Dil
N76	XC61FN3742M	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N77	DDTD122TC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=0.22k	SOT23	16ta	-	Dil
N77	DDTD122TU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=0.22k	SOT323	16ta	-	Dil
N77	XC61FN3752M	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
N78	DDTD142TC	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=0.47k	SOT23	16ta	-	Dil
N78	DDTD142TU	Si-NPN-Digi	Switching, 50V 0.5A, 0.2W, 200MHz, R1=0.22k	SOT323	16ta	-	Dil
N7AY	ILCS061AIC37X	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
N7AY	ILCS061AM37X	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
N7Y	ILC5061IC37X	CMOS-IC	Voltage Detector 3 7V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
N7Y	ILC5061M37X	CMOS-IC	Voltage Detector 3 7V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
N8	DAP202U	Si-Diode	Dual, Switching, 80V, 100mA, 200mW, <10ns	SC-70	16df	-	Ons
N8	KRC121S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=47k/10k	SOT23	16ta	-	Kec
N8	KRC421	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/10k	USM	17ta	-	Kec
N8	KRC421E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/10k	ESM	18ta	-	Kec
N8	KRC421V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/10k	VSM	18ta	-	Kec
N8	R3111N582C	CMOS-IC	Voltage Detector 5,8V, Reset Open drain output	SOT23	16vc	VD6	Ric
N8	TC54VN3801ECB	CMOS-IC	Voltage Detector 3 8V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N8	TC54VN3802ECB	CMOS-IC	Voltage Detector 3 8V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N8	XC61CN3802M	CMOS-IC	Voltage Detector 3,8V, Reset Open drain output	SOT23	16vc	VD6	Tor
N80	S05551	Si-NPN	GP, 180V, 200mA, 200mW, B=80 250, <300MHz	SOT23	16ta	-	Ste
N81	DDTC122LE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=0,22k/10k	SOT523	16ta	-	Dil
N81	DDTC122LU	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=0,22k/10k	SOT23	16ta	-	Dil
N81	S02368A	Si-NPN	Switching 40V, 200mA, 330mW, B=40 120	SOT23	16ta	-	Ste
N82	DDTC142JE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=0,47k/10k	SOT523	16ta	-	Dil
N82	DDTC142JU	Si-NPN-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=0,47k/10k	SOT323	16ta	-	Dil
N83	DDTC122TE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=2,2k	SOT523	16ta	-	Dil
N83	DDTC122TU	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=2,2k	SOT323	16ta	-	Dil
N84	DDTC142TE	Si-NPN-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=0,47k	SOT523	16ta	-	Dil
N84	DDTC142TU	Si-NPN-Digi	Switching 50V 0 1A 0,2W, 250MHz, R1=0,47k	SOT323	16ta	-	Dil
N85	XC61FN3812M	CMOS-IC	Voltage Detector 3,8V, Reset Open drain output 200ms	SOT23	16vc	VD6	Tor
N86	XC61FN3842M	CMOS-IC	Voltage Detector 3,8V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N87	XC61FN3852M	CMOS-IC	Voltage Detector 3,8V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
N9	1SS372	Si-Diode	Dual, Schottky, 10V, 100mA	SC-70	16di	-	Tos
N9	1SS374	Si-Diode	Dual, Schottky, 10V, 100mA	SC-59	16di	-	Tos
N9	DAN222	Si-Diode	Dual, Switching, 80V, 100mA, 150mW, <4ns	SOT416	17dg	-	Ons
N9	KRC122S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=100k/100k	SOT23	16ta	-	Kec
N9	KRC422	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=100k/100k	USM	17ta	-	Kec
N9	KRC422E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=100k/100k	ESM	18ta	-	Kec
N9	KRC422V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=100k/100k	VSM	18ta	-	Kec
N9	R3111N592C	CMOS-IC	Voltage Detector 5,9V, Reset Open drain output	SOT23	16vc	VD6	Ric
N9	TC54VN3901ECB	CMOS-IC	Voltage Detector 3 9V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N9	TC54VN3902ECB	CMOS-IC	Voltage Detector 3 9V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
N9	XC61CN3902M	CMOS-IC	Voltage Detector 3,9V, Reset Open drain output	SOT23	16vc	VD6	Tor
N95	XC61FN3912M	CMOS-IC	Voltage Detector 3,9V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
N96	XC61FN3942M	CMOS-IC	Voltage Detector 3,9V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
N97	XC61FN3952M	CMOS-IC	Voltage Detector 3,9V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
NA	28C5374	Si-NPN	VHF/UHF Osc/Amp, 20V, 100mA, 100mW, B>110, 5,2GHz	SMCP	16ta	-	Say
NA	28C5375	Si-NPN	VHF/UHF Osc/Amp, 20V, 100mA, 150mW, B>110, 5,2GHz	MCP	16ta	-	Say
NA	28C5538	Si-NPN	VHF/UHF, 20V, 100mA, 100mW, B=110 200, 5,2GHz	SSFP	18ta	-	Say
NA	BFS20	Si-NPN	RF, 30V, 25mA, 250mW, B=85, 450MHz	SOT23	16ta	-	Tem
NA	ETC1810-5U	CMOS-IC	Voltage Detector 4 62V, -Reset Push-pull output	SOT23	16vd	-	Etc
NA	FMMTA05R	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	16ta	-	Ztx
NA	KRC101S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=4k7/4k7	SOT23	16ta	-	Kec
NA	KRC401	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/4k7	USM	17ta	-	Kec
NA	KRC401E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/4k7	ESM	18ta	-	Kec
NA	KRC401V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/4k7	VSM	18ta	-	Kec
NA	MIC1810-5U	CMOS-IC	Voltage Detector 4 62V, -Reset Push-pull output	SOT23	16vd	-	Mcr
NA	RN1443A	Si-NPN-Digi	Muting, 50V 300mA, 300mW, R1=22k B=200 700	S-MINI	16ta	-	Tos
NA1	FN4A4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-59	16ta	-	Nec
NA1	GN4A4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/10k	SC-70	16ta	-	Nec
NB	BF599	Si-NPN	VHF, IF, 40V, 25mA, 200mW, B>40, 550MHz	SOT23	16ta	-	Sje
NB	ETC1810-10U	CMOS-IC	Voltage Detector 4,37V, -Reset Push-pull output	SOT23	16vd	-	Etc
NB	FMMTA55R	Si-PNP	AF-Driver, 60V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta	-	Ztx
NB	KRC102S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=10k/10k	SOT23	16ta	-	Kec
NB	KRC402	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/10k	USM	17ta	-	Kec
NB	KRC402E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/10k	ESM	18ta	-	Kec
NB	KRC402V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/10k	VSM	18ta	-	Kec
NB	MIC1810-10U	CMOS-IC	Voltage Detector 4,37V, -Reset Push-pull output	SOT23	16vd	-	Mcr
NB	RN1443B	Si-NPN-Digi	Muting, 50V, 300mA, 300mW, R1=22k, B=350 1200	S-MINI	16ta	-	Tos
NB1	FN4F4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-59	16ta	-	Nec
NB1	GN4F4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/22k	SC-70	16ta	-	Nec
NC	ETC1810-15U	CMOS-IC	Voltage Detector 4 12V, -Reset Push-pull output	SOT23	16vd	-	Etc
NC	KRC103S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=22k/22k	SOT23	16ta	-	Kec
NC	KRC403	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/22k	USM	17ta	-	Kec
NC	KRC403E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/22k	ESM	18ta	-	Kec
NC	KRC403V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/22k	VSM	18ta	-	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
NC	MIC1810-15U	CMOS-IC	Voltage Detector 4 12V, -Reset Push-pull output	SOT23	16vd	-	Mcr
NC1	FN4L4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-59	16ta	-	Nec
NC1	GN4L4M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/47k	SC-70	16ta	-	Nec
NCp	BF840	Si-NPN	AM/FM RF, 40V, 25mA, 250mW, B=67 222, 380MHz	SOT23	16ta	-	PhH
NCa	BF840	Si-NPN	AM/FM RF, 40V, 25mA, 250mW, B=67 222, 380MHz	SOT23	16ta	-	Sle
NCt	BF840	Si-NPN	AM/FM RF, 40V, 25mA, 250mW, B=67 222, 380MHz	SOT23	16ta	-	PhM
ND	2SC5539	Si-NPN	VHF/UHF, 20V, 100mA, 100mW, B=90 200, 7.5Hz	SSFP	18ta	-	Say
ND	BF841	Si-NPN	AF, 40V, 25mA, 280mW, B=35 125, >380MHz	SOT23	16ta	-	Cdi,Sie
ND	KRC104S	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/47k	SOT23	16ta	-	Kec
ND	KRC404	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/47k	USM	17ta	-	Kec
ND	KRC404E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/47k	ESM	18ta	-	Kec
ND	KRC404V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/47k	VSM	18ta	-	Kec
ND1	FN4L3M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/4k7	SC-59	16ta	-	Nec
ND1	GN4L3M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/4k7	SC-70	16ta	-	Nec
NDp	BF841	Si-NPN	AF, 40V, 25mA, 280mW, B=35 125, >380MHz	SOT23	16ta	-	Phi
NE	KRC105S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=2K2/47k	SOT23	16ta	-	Kec
NE	KRC405	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=2K2/47k	USM	17ta	-	Kec
NE	KRC405E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=2K2/47k	ESM	18ta	-	Kec
NE	KRC405V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=2K2/47k	VSM	18ta	-	Kec
NE1	FN4L3N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/10k	SC-59	16ta	-	Nec
NE1	GN4L3N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=4k7/10k	SC-70	16ta	-	Nec
NF	2SC564S	Si-NPN	UHF-S-band LN, 9V, 30mA, 100mW, B=100 160, 10GHz	SMCP	18ta	-	Say
NF	2SC564E	Si-NPN	UHF-S-band LN, 9V, 30mA, 100mW, B=100 160, 10GHz	SSFP	18ta	-	Say
NF	KRC106S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=4k7/47k	SOT23	16ta	-	Kec
NF	KRC406	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/47k	USM	17ta	-	Kec
NF	KRC406E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/47k	ESM	18ta	-	Kec
NF	KRC406V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/47k	VSM	18ta	-	Kec
NF1	FN4L3Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7	SC-59	16ta	-	Nec
NF1	GN4L3Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=4k7	SC-70	16ta	-	Nec
NG1	FN4A3Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-59	16ta	-	Nec
NG1	GN4A3Q	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=1k/10k	SC-70	16ta	-	Nec
NH	KRC107S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=10k/47k	SOT23	16ta	-	Kec
NH	KRC407	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/47k	USM	17ta	-	Kec
NH	KRC407E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/47k	ESM	18ta	-	Kec
NH	KRC407V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/47k	VSM	18ta	-	Kec
NH1	FN4A4P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-59	16ta	-	Nec
NH1	GN4A4P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/47k	SC-70	16ta	-	Nec
NI	KRC108S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=22k/47k	SOT23	16ta	-	Kec
NI	KRC408	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/47k	USM	17ta	-	Kec
NI	KRC408E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/47k	ESM	18ta	-	Kec
NI	KRC408V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/47k	VSM	18ta	-	Kec
NJ	KRC109S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=47k/22k	SOT23	16ta	-	Kec
NJ	KRC409	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/22k	USM	17ta	-	Kec
NJ	KRC409E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/22k	ESM	18ta	-	Kec
NJ	KRC409V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/22k	VSM	18ta	-	Kec
NJ1	FN4F4N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-59	16ta	-	Nec
NJ1	GN4F4N	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-70	16ta	-	Nec
NK	KRC110S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=4k7	SOT23	16ta	-	Kec
NK	KRC410	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=4k7	USM	17ta	-	Kec
NK	KRC410E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=4k7	ESM	18ta	-	Kec
NK	KRC410V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=4k7	VSM	18ta	-	Kec
NK1	FN4L4L	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/22k	SC-59	16ta	-	Nec
NK1	GN4L4L	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/22k	SC-70	16ta	-	Nec
NL	2SA1520	Si-PNP-Digi	Sw, 50V, 500mA, 200mW, 250MHz, R1/R2=2k2/10k	SOT23	16ta	-	Say
NL1	FN4A4Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k	SC-59	16ta	-	Nec
NL1	GN4A4Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=10k	SC-70	16ta	-	Nec
NM	KRC111S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=10k	SOT23	16ta	-	Kec
NM	KRC411	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=10k	USM	17ta	-	Kec
NM	KRC411E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=10k	ESM	18ta	-	Kec
NM	KRC411V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=10k	VSM	18ta	-	Kec
NM1	FN4F4Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k	SC-59	16ta	-	Nec
NM1	GN4F4Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=22k	SC-70	16ta	-	Nec
NN	KRC112S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=100k	SOT23	16ta	-	Kec
NN	KRC412	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=100k	USM	17ta	-	Kec
NN	KRC412E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=100k	ESM	18ta	-	Kec
NN	KRC412V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=100k	VSM	18ta	-	Kec
NN1	FN4L4Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=47k	SC-59	16ta	-	Nec
NN1	GN4L4Z	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1=47k	SC-70	16ta	-	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
NN5	2SC5310-5	Si-NPN	DC/DC-Conv, 30V, 1A, 250mW, B=135 270, 150MHz	CP	161a -	Say
NN6	2SC5310-6	Si-NPN	DC/DC-Conv, 30V, 1A, 250mW, B=200 400, 150MHz	CP	161a -	Say
NO	KRC113S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=22k	SOT23	161a -	Kec
NO	KRC413	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=22k	USM	171a -	Kec
NO	KRC413E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=22k	ESM	181a -	Kec
NO	KRC413V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=22k	VSM	181a -	Kec
NP	KRC114S	Si-NPN-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=47k	SOT23	161a -	Kec
NP	KRC414	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=47k	USM	171a -	Kec
NP	KRC414E	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=47k	ESM	181a -	Kec
NP	KRC414V	Si-NPN-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=47k	VSM	181a -	Kec
NP1	FN4F3M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/2k2	SC-59	161a -	Nec
NP1	GN4F3M	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/2k2	SC-70	161a -	Nec
NP1	FN4F3P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/10k	SC-59	161a -	Nec
NP1	GN4F3P	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/10k	SC-70	161a -	Nec
NR1	FN4F3R	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/47k	SC-59	161a -	Nec
NR1	GN4F3R	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/47k	SC-70	161a -	Nec
NS	TN0200TS	MOS-N-FET-e	V-MOS, LogL, 20V, 1,2A, <0,4Ω	SOT23	161g -	Six
NS1	FN4A4L	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/4k7	SC-59	161a -	Nec
NS1	GN4A4L	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/4k7	SC-70	161a -	Nec
NS5	2SA1973-5	Si-PNP	DC/DC-Conv, 30V, 1A, 250mW, B=135 240, 150MHz	CP	161a -	Say
NS6	2SA1973-6	Si-PNP	DC/DC-Conv, 30V, 1A, 250mW, B=200 400, 150MHz	CP	161a -	Say
NT1	FN4L4K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/10k	SC-59	161a -	Nec
NT1	GN4L4K	Si-PNP-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/10k	SC-70	161a -	Nec
NY2	2SC4404-2	Si-NPN	UHF, Osc, 25V, 70mA, 150mW, B=40 80, 5GHz	SOT23	161a -	Say
NY3	2SC4404-3	Si-NPN	UHF, Osc, 25V, 70mA, 150mW, B=60 120, 5GHz	SOT23	161a -	Say
NY4	2SC4404-4	Si-NPN	UHF, Osc, 25V, 70mA, 150mW, B=100 200, 5GHz	SOT23	161a -	Say
NZ	BFS20R	Si-NPN	RF, 30V, 25mA, 250mW, B=85, 450MHz	SOT23	161e -	Sie
O13	SO2222R	Si-NPN	GP, 60V, 800mA, 350mW, B=100 300, >300MHz	SOT23R	161e -	Sie
O20	SO2222AR	Si-NPN	GP, 75V, 600mA, 330mW, B=120 360, >300MHz	SOT23	161a -	Sta
O72	SO3903R	Si-NPN	GP, 60V, 200mA, 250mW, B=50 150, >300MHz	SOT23	161a -	Sta
O9	1SS377	Si-Diode	Dual, Schottky, 10V, 100mA	SC-59	16dg -	Tos
O9	1SS378	Si-Diode	Dual, Schottky, 10V, 100mA	SC-70	16dg -	Tos
O9	1SS385	Si-Diode	Dual, Schottky, 10V, 100mA	SSM	16dg -	Tos
O9	1SS385F	Si-Diode	Dual, Schottky, 10V, 100mA	ESM	18dg -	Tos
OCs	BAR50-05	Pn-Diode	2x RF-Ant, 50V, 100mA, 250mW, Vf<1,1V(50mA), <0,5pF	SOT23	16dg -	Inf
OL	2SA1521	Si-PNP-Digi	Sw, 50V, 500mA, 200mW, 250MHz, R1/R2=2k2/2k2	SOT23	161a -	Say
OO	2SA1255-0	Si-PNP	HV, 200V, 50mA, 150mW, B=70 140, 100MHz	SC-59	161a -	Tos
OT2	2SC4401-2	Si-NPN	UHF, Mix, Osc, 25V, 30mA, 150mW, B=40 80, 3GHz	SOT23	161a -	Say
OT3	2SC4364-3	Si-NPN	UHF, Mix, Osc, 25V, 30mA, 250mW, B=40 80, 3GHz	CP	161a -	Say
OT3	2SC4401-3	Si-NPN	UHF, Mix, Osc, 25V, 30mA, 150mW, B=60 120, 3GHz	SOT23	161a -	Say
OT4	2SC4364-4	Si-NPN	UHF, Mix, Osc, 25V, 30mA, 250mW, B=60 120, 3GHz	CP	161a -	Say
OT4	2SC4401-4	Si-NPN	UHF, Mix, Osc, 25V, 30mA, 150mW, B=100 200, 3GHz	SOT23	161a -	Say
OT5	2SC4364-5	Si-NPN	UHF, Mix, Osc, 25V, 30mA, 250mW, B=100 200, 3GHz	CP	161a -	Say
OY	2SA1255-Y	Si-PNP	HV, 200V, 50mA, 150mW, B=120 240, 100MHz	SC-59	161a -	Tos
OY2	2SC4405-2	Si-NPN	UHF, LN, 20V, 100mA, 150mW, B=40 80, 5GHz	SOT23	161a -	Say
OY3	2SC4405-3	Si-NPN	UHF, LN, 20V, 100mA, 150mW, B=60 120, 5GHz	SOT23	161a -	Say
OY4	2SC4405-4	Si-NPN	UHF, LN, 20V, 100mA, 150mW, B=100 200, 5GHz	SOT23	161a -	Say
P	DAN202U	Si-Diode	Dual, Switching, 80V, 300mA, 200mW, <1,5ns	SOT323	16dg -	Rhm
P	DAP202U	Si-Diode	Dual, Switching, 80V, 300mA, 200mW, <1,5ns	SOT323	16df -	Rhm
P	DAP222	Si-Diode	Dual, Switching, 80V, 300mA, 150mW, <1,5ns	SC-75	17df -	Rhm
P0	R311N602C	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT23	16vc VD6	Ric
P0	R3130N40HC	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 400ms	SOT23	16vdc VD6	Tcs
P0	TC54VN4001ECB	CMOS-IC	Voltage Detector 4 0V±1%, -Reset Open drain output	SOT23	16vc VD8	Tcs
P0	TC54VN4002ECB	CMOS-IC	Voltage Detector 4 0V±2%, -Reset Open drain output	SOT23	16vc VD8	Tcs
P0	TP0101T	MOS-P-FET-e	V-MOS, LogL, 12V, 3A, 1W, <0,85Ω	SOT23	161g -	Six
P0	XC61CN4002M	CMOS-IC	Voltage Detector 4V, Reset Open drem output	SOT23	16vc VD6	Tor
P01	DDTA113TCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=1k	SOT23	161a -	Dil
P01	DDTA113TE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=1k	SOT523	161a -	Dil
P01	DDTA113TKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=1k	SC-59	161a -	Dil
P01	DDTA113TUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=1k	SOT323	161a -	Dil
p01	PDTA143ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k	SOT23	181a -	PhH
p01	PDTA143EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4 7k/4 7k	SOT323	181a -	PhH
P02	DDTA113ZCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=1k/10k	SOT23	161a -	Dil
P02	DDTA113ZE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=1k/10k	SOT523	161a -	Dil
P02	DDTA113ZKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=1k/10k	SC-59	161a -	Dil
P02	DDTA113ZUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=1k/10k	SOT323	161a -	Dil
p02	PDTC143ET	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k	SOT23	181a -	PhH
p02	PDTC143EU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4 7k/4 7k	SOT323	161a -	PhH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
P02	ZXM61P02F	MOS-P-FET-e	V-MOS, LogL, 20V, 0,9A, <0,60	SOT23	16fg	-	Ztx
P03	DDTA123TCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=2k2	SOT23	16ta	-	Dil
P03	DDTA123TE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=2k2	SOT523	16ta	-	Dil
P03	DDTA123TKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=2k2	SC-59	16ta	-	Dil
P03	DDTA123TUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=2k2	SOT323	16ta	-	Dil
p03	PDTA114ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SOT23	16ta	-	PhH
P03	SO2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100 300, >200MHz	SOT23	16ta	-	Ste
P03	ZXM61P03F	MOS-P-FET-e	V-MOS, LogL, 30V, 1,1A, <0,55Q	SOT23	16fg	-	Ztx
p04	BZX84-A11	Z-Diode	11V±1%, 300mW	SOT23	16dc	-	PhH
P04	DDTA123ECA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2 k2/2 k	SOT23	16ta	-	Dil
P04	DDTA123EE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=2k2/2k2	SOT523	16ta	-	Dil
P04	DDTA123EKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/2k2	SC-59	16ta	-	Dil
P04	DDTA123EUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/2k2	SOT323	16ta	-	Dil
P05	DDTA123YCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/10k	SOT23	16ta	-	Dil
P05	DDTA123YE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=2k2/10k	SOT523	16ta	-	Dil
P05	DDTA123YKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/10k	SC-59	16ta	-	Dil
P05	DDTA123YUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/10k	SOT323	16ta	-	Dil
p05	PDTA124ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k	SOT23	16ta	-	PhH
p05	PDTA124EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT323	16ta	-	PhH
P05	SO2907	Si-PNP	GP, 40V, 600mA, 330mW, B=100 300, >200MHz	SOT23	16ta	-	Ste
P05	XC61FN4012M	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
P06	DDTA123JCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/47k	SOT23	16ta	-	Dil
P06	DDTA123JE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=2k2/47k	SOT523	16ta	-	Dil
P06	DDTA123JKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/47k	SC-59	16ta	-	Dil
P06	DDTA123JUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=2k2/47k	SOT323	16ta	-	Dil
p06	PDT124ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k	SOT23	16ta	-	PhH
p06	PDT124EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT323	16ta	-	PhH
P06	XC61FN4042M	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P07	DDTA143TCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=4k7	SOT23	16ta	-	Dil
P07	DDTA143TE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=4k7	SOT523	16ta	-	Dil
P07	DDTA143TKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=4k7	SC-59	16ta	-	Dil
P07	DDTA143TUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=4k7	SOT323	16ta	-	Dil
p07	PDTA144ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SOT23	16ta	-	PhH
p07	PDTA144EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT323	16ta	-	PhH
P07	XC61FN4052M	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
P06	DDTA143ECA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/4k7	SOT23	16ta	-	Dil
P06	DDTA143EE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=4k7/4k7	SOT523	16ta	-	Dil
P06	DDTA143EKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/4k7	SC-59	16ta	-	Dil
P06	DDTA143EUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/4k7	SOT323	16ta	-	Dil
p08	PDT144ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SOT23	16ta	-	PhH
p08	PDT144EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT323	16ta	-	PhH
P09	DDTA123XCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/10k	SOT23	16ta	-	Dil
P09	DDTA123XE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=4k7/10k	SOT523	16ta	-	Dil
P09	DDTA123XKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/10k	SC-59	16ta	-	Dil
P09	DDTA123XUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/10k	SOT323	16ta	-	Dil
P09	DDTA143XCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/47k	SOT23	16ta	-	Dil
P09	DDTA143XE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=22k/47k	SOT523	16ta	-	Dil
P09	DDTA143XKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/47k	SC-59	16ta	-	Dil
P09	DDTA143XUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/47k	SOT323	16ta	-	Dil
p09	PDT144ET	Si-PNP-Digi	Switching, 50V, 500mA, 250mW, R1/R2=10k/10k	SOT23	16ta	-	Ph
P1	BFS42	Si-NPN	AF/HF, 60/30V, 1A, >60MHz	SOT323	16te	-	Fer
P1	BZX84-C11T	Z-Diode	11V, 5%, 150mW	SOT523	16dc	-	Dil
P1	R3130N44HC	CMOS-IC	Voltage Detector 4,4V, -Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
P1	SST201	N-FET	AF, 40V, 350mW, Idss=0 2 1mA, Up<1,5V	SOT23	16ta	-	Sil
P1	TC54VN4101ECB	CMOS-IC	Voltage Detector 4 1V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P1	TC54VN4102ECB	CMOS-IC	Voltage Detector 4 1V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P1	XC61CN4102M	CMOS-IC	Voltage Detector 4,1V, Reset Open drain output	SOT23	16vc	VD6	Tor
P10	DDTA143FCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/22k	SOT23	16ta	-	Dil
P10	DDTA143FE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=4k7/22k	SOT523	16ta	-	Dil
P10	DDTA143FKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/22k	SC-59	16ta	-	Dil
P10	DDTA143FUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/22k	SOT323	16ta	-	Dil
p10	PDT144ET	Si-PNP-Digi	Switching, 50V, 500mA, 250mW, R1/R2=10k/10k	SOT23	16ta	-	PhH
P11	DDTA143ZCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/47k	SOT23	16ta	-	Dil
P11	DDTA143ZE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=4k7/47k	SOT523	16ta	-	Dil
P11	DDTA143ZKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/47k	SC-59	16ta	-	Dil
P11	DDTA143ZUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=4k7/47k	SOT323	16ta	-	Dil
p11	PDTA114TT	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT23	16ta	-	PhH
P12	DDTA114TCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=10k	SOT23	16ta	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
P12	DDTA114TE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=10k	SOT523	16ta	-	Dil
P12	DDTA114TKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=10k	SC-59	16ta	-	Dil
P12	DDTA114TUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=10k	SOT323	16ta	-	Dil
p12	PDTCT114TT	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=10k	SOT723	16ta	-	PhH
P13	DDTA114ECA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/10k	SOT23	16ta	-	Dil
P13	DDTA114EE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=10k/10k	SOT523	16ta	-	Dil
P13	DDTA114EKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/10k	SC-59	16ta	-	Dil
P13	DDTA114EUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/10k	SOT323	16ta	-	Dil
P14	DDTA114YCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/47k	SOT23	16ta	-	Dil
P14	DDTA114YE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=10k/47k	SOT523	16ta	-	Dil
P14	DDTA114YKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/47k	SC-59	16ta	-	Dil
P14	DDTA114YUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/47k	SOT323	16ta	-	Dil
P15	DDTA114WCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/47k	SOT23	16ta	-	Dil
P15	DDTA114WE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=10k/47k	SOT523	16ta	-	Dil
P15	DDTA114WKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/47k	SC-59	16ta	-	Dil
P15	DDTA114WUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=10k/47k	SOT323	16ta	-	Dil
P15	XC61FN4112M	CMOS-IC	Voltage Detector 4,1V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
P16	DDTA124TCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=22k	SOT23	16ta	-	Dil
P16	DDTA124TE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=22k	SOT523	16ta	-	Dil
P16	DDTA124TKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=22k	SC-59	16ta	-	Dil
P16	DDTA124TUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=22k	SOT323	16ta	-	Dil
p16	PDTCT114ET	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SOT23	16ta	-	PhH
P16	XC61FN4142M	CMOS-IC	Voltage Detector 4,1V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P17	DDTA124ECA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/22k	SOT23	16ta	-	Dil
P17	DDTA124EE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=22k/22k	SOT523	16ta	-	Dil
P17	DDTA124EKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/22k	SC-59	16ta	-	Dil
P17	DDTA124EUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/22k	SOT323	16ta	-	Dil
P17	XC61FN4152M	CMOS-IC	Voltage Detector 4,1V, Reset Open drain output, 50ms	SOT23	16vc	VD8	Tor
P18	DDTA124XCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/47k	SOT23	16ta	-	Dil
P18	DDTA124XE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1/R2=22k/47k	SOT523	16ta	-	Dil
P18	DDTA124XKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/47k	SC-59	16ta	-	Dil
P18	DDTA124XUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1/R2=22k/47k	SOT323	16ta	-	Dil
p18	PDTCT143ZT	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/47k	SOT23	16ta	-	PhH
P19	DDTA144TCA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=47k	SOT23	16ta	-	Dil
P19	DDTA144TE	Si-PNP-Digi	Switching, 50V 0 1A, 0,15W, 250MHz, R1=47k	SOT523	16ta	-	Dil
P19	DDTA144TKA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=47k	SC-59	16ta	-	Dil
P19	DDTA144TUA	Si-PNP-Digi	Switching, 50V 0 1A, 0,2W, 250MHz, R1=47k	SOT323	16ta	-	Dil
p19	PDTA143ZT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/47k	SOT23	16ta	-	PhH
p1A	PMBT3904	Si-NPN	Switching, 60V, 100mA, 250mW, B=100 300, >300MHz	SOT23	16ta	-	PhH
P1A	VP2110K1	MOS-F-FET-e	V-MOS, 100V, 0,12A, <12Q(0,5A)	SOT23	16fg	-	Stx
p1B	PMBT2222	Si-NPN	Switching, 60V, 600mA, 330mW, B=120 360, >300MHz	SOT23	16ta	-	PhM
p1D	PMBTA42	Si-NPN	Vid, 300/300V, 100mA, 250mW, B>25, >50MHz	SOT23	16ta	-	PhM
p1E	PMBTA43	Si-NPN	Vid, 200/200V, 100mA, 250mW, B>25, >50MHz	SOT23	16ta	-	PhM
p1F	PMBT5550	Si-NPN	HV, 160V, 300mA, 250mW, B=60 250, 100 300MHz	SOT23	16ta	-	PhM
p1G	PMBTA06	Si-NPN	GP, 80V, 500mA, 250mW, B>100, >100MHz	SOT23	16ta	-	PhM
p1H	PMBTA05	Si-NPN	GP, 60V, 500mA, 250mW, B>100, >100MHz	SOT23	16ta	-	PhM
p1J	PMBT2369	Si-NPN	Switching, 40V, 200mA, 330mW, B=40 120, >500MHz	SOT23	16ta	-	PhM
p1K	PMBT6428	Si-NPN	GP, AF, 60V, 100mA, 250mW, B>250 650, 100 700MHz	SOT23	16ta	-	PhM
p1L	PMBT6429	Si-NPN	GP, AF, 55V, 100mA, 250mW, B>500 1250, 100 700MHz	SOT23	16ta	-	PhM
p1M	PMBTA13	Si-NPN-Darl	GP, 30V, 500mA, 250mW, B>5000, >125MHz	SOT23	16ta	-	PhM
p1N	PMBTA12	Si-NPN-Darl	GP, 30V, 300mA, 250mW, B>10000, >125MHz	SOT23	16ta	-	Phi
p1N	PMBTA14	Si-NPN-Darl	GP, 30V, 500mA, 250mW, B>10000, >125MHz	SOT23	16ta	-	PhM
P1p	BFR92	Si-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Phi
p1P	PMBT2222A	Si-NPN	Switching, 75V, 600mA, 330mW, B=120 360, >300MHz	SOT23	16ta	-	PhM
p1Q	PMBT5088	Si-NPN	GP, AF, 30V, 200mA, 325mW, B>500, 160MHz	SOT23	16ta	-	PhM
P1s	BFR92AW	Si-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT323	16ta	-	Inf
P1s	BFR92W	Si-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT323	16ta	-	Sю
P1Y	PMBT3903	Si-NPN	GP, 60V, 200mA, 250mW, B=50 150, >300MHz	SOT23	16ta	-	Phi
P2	BFR92AL11	Si-NPN	VHF UHF, 20V, 25mA, 273mW, B>40, 4 5GHz	SOT23	16ta	-	Mot
P2	BFR92AT	Si-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT416	16ta	-	Phi
P2	BZX84-C12T	Z-Diode	12V, 5%, 150mW	SOT523	16dc	-	Dil
P2	KRA116S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=1k/10k	SOT23	16ta	-	Kec
P2	KRA316	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=1k/10k	USM	17ta	-	Kec
P2	KRA316E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=1k/10k	ESM	18ta	-	Kec
P2	KRA316V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=1k/10k	VSM	18ta	-	Kec
P2	R3130N26HC3	CMOS-IC	Voltage Detector 2,6V, -Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
P2	SST202	N-FET	AF, 40V, 350mW, Idss=0 9 4 mA, Up<4V	SOT23	16fj	-	Sil
P2	TC54VN4201ECB	CMOS-IC	Voltage Detector 4 2V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
P2	TC54VN4202ECB	CMOS-IC	Voltage Detector 4.2V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P20	XC61CN4202M	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SOT23	16vc	VD6	Tor
P20	DDTA124ECA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=22k/22k	SOT23	16ta	-	Dii
P20	DDTA124EE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=22k/22k	SOT523	16ta	-	Dii
P20	DDTA124EKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=22k/22k	SC-59	16ta	-	Dii
P20	DDTA124EUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=22k/22k	SOT323	16ta	-	Dii
P20	DDTA144ECA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=47/47k	SOT23	16ta	-	Dii
P20	DDTA144EE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=47/47k	SOT523	16ta	-	Dii
P20	DDTA144EKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=47/47k	SC-59	16ta	-	Dii
P20	DDTA144EUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=47/47k	SOT323	16ta	-	Dii
p20	PDTCl44WT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/22k	SOT23	16ta	-	PhH
p20	PDTCl44WU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SOT323	16ta	-	PhH
P21	DDTA144VCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=47k/10k	SOT23	16ta	-	Dii
P21	DDTA144VE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=47k/10k	SOT523	16ta	-	Dii
P21	DDTA144VKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=47k/10k	SC-59	16ta	-	Dii
P21	DDTA144VUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=47k/10k	SOT323	16ta	-	Dii
p21	PDTA123ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/2k2	SOT23	16ta	-	PhH
P22	DDTA144WCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=47k/22k	SOT23	16ta	-	Dii
P22	DDTA144WE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=47k/22k	SOT523	16ta	-	Dii
P22	DDTA144WKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=47k/22k	SC-59	16ta	-	Dii
P22	DDTA144WUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=47k/22k	SOT323	16ta	-	Dii
P23	DDTA115TCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=100k	SOT23	16ta	-	Dii
P23	DDTA115TE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1=100k	SOT523	16ta	-	Dii
P23	DDTA115TKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=100k	SC-59	16ta	-	Dii
P23	DDTA115TUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=100k	SOT323	16ta	-	Dii
p23	PDTA123JT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/47k	SOT23	16ta	-	PhH
P24	DDTA115ECA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=100k/100k	SOT23	16ta	-	Dii
P24	DDTA115EE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=100k/100k	SOT523	16ta	-	Dii
P24	DDTA115EKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=100k/100k	SC-59	16ta	-	Dii
P24	DDTA115EUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=100k/100k	SOT323	16ta	-	Dii
P25	DDTA125TCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=200k	SOT23	16ta	-	Dii
P25	DDTA125TE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1=200k	SOT523	16ta	-	Dii
P25	DDTA125TKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=200k	SC-59	16ta	-	Dii
P25	DDTA125TUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=200k	SOT323	16ta	-	Dii
p25	PDTCl23JT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/47k	SOT23	16ta	-	PhH
P25	XC61FN4212M	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
P26	DDTA114GCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=10k	SOT23	16ta	-	Dii
P26	DDTA114GE	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=10k	SOT523	16ta	-	Dii
P26	DDTA114GKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=10k	SC-59	16ta	-	Dii
P26	DDTA114GUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=10k	SOT323	16ta	-	Dii
P26	DDTA114KA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=10k	SC-59	16ta	-	Dii
p26	PDTCl23ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/2k2	SOT23	16ta	-	PhH
P26	XC61FN4242M	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P27	DDTA124GCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=22k	SOT23	16ta	-	Dii
P27	DDTA124GE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R2=22k	SOT523	16ta	-	Dii
P27	DDTA124GKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=22k	SC-59	16ta	-	Dii
P27	DDTA124GUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=22k	SOT323	16ta	-	Dii
P27	DDTA124KA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=22k	SC-59	16ta	-	Dii
p27	PDTCl14YT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k	SOT23	16ta	-	PhH
P27	XC61FN4252M	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
P28	DDTA144GCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=47k	SOT23	16ta	-	Dii
P28	DDTA144GE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R2=47k	SOT523	16ta	-	Dii
P26	DDTA144GKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=47k	SC-59	16ta	-	Dii
P28	DDTA144GUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=47k	SOT323	16ta	-	Dii
P28	DDTA144KA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100...600, 250MHz, R2=47k	SC-59	16ta	-	Dii
p26	PDTA144WU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SOT323	16ta	-	PhH
P29	DDTA115GCA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R2=100k	SOT23	16ta	-	Dii
P29	DDTA115GE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R2=100k	SOT523	16ta	-	Dii
P29	DDTA115GKA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R2=100k	SC-59	16ta	-	Dii
P29	DDTA115GUA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R2=100k	SOT323	16ta	-	Dii
P29	DDTA115KA	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R2=100k	SC-59	16ta	-	Dii
p29	PDTA114YT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k	SOT23	16ta	-	PhH
p2A	PMBT3906	Si-PNP	Switching, 40V, 100mA, 250mW, B=100...300, >250MHz	SOT23	16ta	-	PhH
p2B	PMBT2907	Si-PNP	GP, 40V, 600mA, 330mW, B=100...300, >200MHz	SOT23	16ta	-	PhM
p2D	PMBTA92	Si-PNP	Vid, 300/300V, 500mA, 250mW, B=25, >50MHz	SOT23	16ta	-	PhM
p2E	PMBTA93	Si-PNP	Vid, 200/200V, 500mA, 250mW, B=25, >50MHz	SOT23	16ta	-	PhM
p2F	PMBT2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100...300, >200MHz	SOT23	16ta	-	PhM
p2G	PMBTA56	Si-PNP	AF-Driver, 60V, 500mA, 250mW, B>100, >50MHz	SOT23	16ta	-	PhM

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
p2H	PMBTA55	SI-PNP	AF-Driver, 60V, 500mA, 250mW, B>100, >50MHz	SOT23	16ta	-	PhM
p2L	PMBT5401	SI-PNP	HV, 160V, 300mA, 250mW, B=60..240, 100..300MHz	SOT23	16ta	-	PhM
P2p	BFR92A	SI-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Phi
P2p	BFR92AW	SI-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT323	16ta	-	Phi
p2T	PMBT4403	SI-PNP	Switching, 40V, 600mA, 250mW, B=100..300, >250MHz	SOT23	16ta	-	PhH
p2U	PMBTA63	SI-PNP-Darl	GP, 30V, 500mA, 250mW, B>5000, >125MHz	SOT23	16ta	-	PhM
p2V	PMBTA64	SI-PNP-Darl	GP, 30V, 500mA, 250mW, B>10000, >125MHz	SOT23	16te	-	PhM
p2X	PMBT4401	SI-NPN	Switching, 60V, 600mA, 250mW, B=100..300, >250MHz	SOT23	16ta	-	PhH
P3	BFS44	SI-PNP	AF/HF, 60/30V, 1A, >60MHz	SOT323	16te	-	Fer
P3	BZX84-C13T	Z-Diode	13V, 5%, 150mW	SOT523	16dc	-	Dil
P3	R3130N29HC3	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
P3	TC54VN4301ECB	CMOS-IC	Voltage Detector 4.3V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P3	TC54VN4302ECB	CMOS-IC	Voltage Detector 4.3V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P3	TP0202T	MOS-P-FET-a	V-MOS, 20V, 0.31A, <1.4Ω(0.2A)	SOT23	16fg	-	Stx
P3	XC61CN4302M	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT23	16vc	VD6	Tor
P30	FB1A4A	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R2=10k	SC-59	17ta	-	Nec
p30	PDTC114YU	SI-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/47k	SOT323	16ta	-	PhH
P31	FB1L2Q	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R2/R2=0k47/4k7	SC-59	17ta	-	Nec
P32	FB1A3M	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R2/R2=1k/1k	SC-59	17te	-	Nec
p32	PDTC143XT	SI-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/10k	SOT23	16ta	-	PhH
P33	FB1F3P	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R2/R2=2k2/10k	SC-59	17ta	-	Nec
p33	PDTC143TT	SI-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=4.7k	SOT323	16ta	-	PhH
P34	FB1L3N	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R2/R2=4k7/10k	SC-59	17ta	-	Nec
P35	FB1A4M	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R1/R2=10k/10k	SC-59	16ta	-	Nec
P35	FB1L3N	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R2/R2=10k/10k	SC-59	17ta	-	Nec
p35	PDTA143XT	SI-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/10k	SOT23	16ta	-	PhH
P35	XC61FN4312M	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
P36	FB1J3P	SI-NPN-Digi	Switching, 30V, 700mA, 200mW, R2/R2=3k3/10k	SC-59	17ta	-	Nec
P36	XC61FN4342M	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P37	XC61FN4352M	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
P38	SST4338	N-FET	GP, Low-Noise, 50V, Idss=0.2mA, Up<1V	SOT23	16fa	-	Lin
P39	SST4339	N-FET	GP, Low-Noise, 50V, Idss=0.5mA, Up<1.8V	SOT23	16fa	-	Lin
P4	BFR92R	SI-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Mot,Tam,Ste
P4	BZX84-C15T	Z-Diode	15V, 5%, 150mW	SOT523	16dc	-	Dil
P4	KA4F3M	SI-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/2k2	SC-75	16ta	-	Nec
P4	KRA117S	SI-PNP-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=2k2/2k2	SOT23	16ta	-	Kec
P4	KRA317	SI-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/2k2	USM	17ta	-	Kec
P4	KRA317E	SI-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/2k2	ESM	18ta	-	Kec
P4	KRA317V	SI-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/2k2	VSM	18ta	-	Kec
P4	R3130N30HC8	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
P4	SST204	N-FET	AF, 25V, 350mW, Idss=0.2..3mA, Up<2V	SOT23	16fj	-	Sil
P4	TC54VN4401ECB	CMOS-IC	Voltage Detector 4.4V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P4	TC54VN4402ECB	CMOS-IC	Voltage Detector 4.4V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P4	XC61CN4402M	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT23	16vc	VD6	Tor
P40	SST4340	N-FET	GP, Low-Noise, 50V, Idss=1.2mA, Up<3V	SOT23	16fa	-	Lin
P41	SST4341	N-FET	GP, Low-Noise, 50V, Idss=3mA, Up<6V	SOT23	16fa	-	Lin
P45	XC61FN4412M	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
P46	XC61FN4442M	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P47	XC61FN4452M	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
P4AY	ILC5061AIC44X	CMOS-IC	Voltage Detector 4.4V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
P4AY	ILC5061AM44X	CMOS-IC	Voltage Detector 4.4V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
p4F	PMBD353	Si-Diode	Dual, Schottky Barrier, 4V, 30mA, Vf<600mV(10mA), <1pF	SOT23	16aa	-	PhH
P4Y	ILC5061IC44X	CMOS-IC	Voltage Detector 4.4V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
P4Y	ILC5061M44X	CMOS-IC	Voltage Detector 4.4V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
P5	BFR92AR	SI-NPN	UHF-A-Band, 20V, 25mA, 300mW, B>40, >5GHz	SOT23R	16te	-	Phi
P5	BZX84-C16T	Z-Diode	16V, 5%, 150mW	SOT523	16dc	-	Dil
P5	FMMT2369A	SI-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SOT23	16ta	-	Ztx
P5	KRA118S	SI-PNP-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=2k2/10k	SOT23	16te	-	Kec
P5	KRA318	SI-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/10k	USM	17ta	-	Kec
P5	KRA318E	SI-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/10k	ESM	18ta	-	Kec
P5	KRA318V	SI-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=2k2/10k	VSM	18ta	-	Kec
P5	R3130N46HC5	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 400ms	SOT23	16vdc	VD6	Ric
P5	TC54VN4501ECB	CMOS-IC	Voltage Detector 4.5V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P5	TC54VN4502ECB	CMOS-IC	Voltage Detector 4.5V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P5	XC61CN4502M	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT23	16vc	VD6	Tor
p50	BZX84-A2V4	Z-Diode	2.4V±1%, 300mW	SOT23	16dc	-	PhH
p51	BZX84-A2V7	Z-Diode	2.7V±1%, 300mW	SOT23	16dc	-	PhH
p52	BZX84-A3V0	Z-Diode	3V±1%, 300mW	SOT23	16dc	-	PhH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
p55	BZX84-A3V9	Z-Diode	3.9V±1%, 300mW	SOT23	16dc	-	PHH
P55	XC61FN4512M	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
p56	BZX84-A4V3	Z-Diode	4.3V±1%, 300mW	SOT23	16dc	-	PHH
P56	XC61FN4542M	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
p57	BZX84-A4V7	Z-Diode	4.7V±1%, 300mW	SOT23	16dc	-	PHH
P57	XC61FN4552M	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
p58	BZX84-A5V1	Z-Diode	5.1V±1%, 300mW	SOT23	16dc	-	PHH
p59	BZX84-A5V6	Z-Diode	5.6V±1%, 300mW	SOT23	16dc	-	PHH
p5A	PMBD6050	Si-Diode	Sw, Hi-sp, 75V, 215mA, Vf<1.25V(150mA), <4ns	SOT23	16dc	-	PHH
p5B	PMBD6100	Si-Diode	Dual, Sw, Hi-sp, 70V, 215mA, Vf<1.1V(100mA), <4ns	SOT23	16dg	-	PHH
p5C	PMBD7000	Si-Diode	Dual, Sw, Hi-sp, 100V, 215mA, Vf<1.25V(150mA), <4ns	SOT23	16dl	-	PHH
p5D	PMBD914	Si-Diode	Switching, Fast, 70V, 215mA, 250mW, <4ns	SOT23	16dc	-	PHH
p5G	PMBD352	Si-Diode	Dual, Switching, Fast, 4V, 30mA, Vf<0.6V(10mA), <1pF	SOT23	16dl	-	Phi
P6	BZX84-C18T	Z-Diode	18V, 5%, 150mW	SOT523	16dc	-	Dil
P6	KRA119S	Si-PNP-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=4k7k/10k	SOT23	16ta	-	Kec
P6	KRA319	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=4k7k/10k	USM	17ta	-	Kec
P6	KRA319E	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=4k7k/10k	ESM	18ta	-	Kec
P6	KRA319V	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=4k7k/10k	VSM	18ta	-	Kec
P6	TC54VN4601ECB	CMOS-IC	Voltage Detector 4.6V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P6	TC54VN4602ECB	CMOS-IC	Voltage Detector 4.6V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P6	XC61CN4602M	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SOT23	16vc	VD6	Tor
p60	BZX84-A6V2	Z-Diode	6.2V±1%, 300mW	SOT23	16dc	-	PHH
P60	DDTB113EC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=1k/1k	SOT23	16ta	-	Dil
P60	DDTB113EU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=1k/1k	SOT323	16ta	-	Dil
p61	BZX84-A6V8	Z-Diode	6.8V±1%, 300mW	SOT23	16dc	-	PHH
P61	DDTB123EC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=2.2k/2.2k	SOT23	16ta	-	Dil
P61	DDTB123EU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=2.2k/2.2k	SOT323	16ta	-	Dil
p62	BZX84-A7V5	Z-Diode	7.5V±1%, 300mW	SOT23	16dc	-	PHH
P62	DDTB143EC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=4.7k/4.7k	SOT23	16ta	-	Dil
P62	DDTB143EU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=4.7k/4.7k	SOT323	16ta	-	Dil
p63	BZX84-A8V2	Z-Diode	8.2V±1%, 300mW	SOT23	16dc	-	PHH
P63	DDTB114EC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=10k/10k	SOT23	16ta	-	Dil
P63	DDTB114EU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=10k/10k	SOT323	16ta	-	Dil
p64	BZX84-A8V1	Z-Diode	9.1V±1%, 300mW	SOT23	16dc	-	PHH
P64	DDTB122JC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.22k/4.7k	SOT23	16ta	-	Dil
P64	DDTB122JU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.22k/4.7k	SOT323	16ta	-	Dil
p65	BZX84-A10	Z-Diode	10V±1%, 300mW	SOT23	16dc	-	PHH
P65	DDTB1132C	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=1k/10k	SOT23	16ta	-	Dil
P65	DDTB1132U	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=1k/10k	SOT323	16ta	-	Dil
P65	XC61FN4612M	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
p66	BZX84-B10	Z-Diode	10V±2%, 300mW	SOT23	16dc	-	PHH
P66	DDTB123YC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=2.2k/10k	SOT23	16ta	-	Dil
P66	DDTB123YU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=2.2k/10k	SOT323	16ta	-	Dil
P66	XC61FN4642M	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
p67	BZX84-A12	Z-Diode	12V±1%, 300mW	SOT23	16dc	-	PHH
P67	DDTB133HC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=3.3k/10k	SOT23	16ta	-	Dil
P67	DDTB133HU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=3.3k/10k	SOT323	16ta	-	Dil
P67	XC61FN4652M	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
p69	BZX84-A15	Z-Diode	15V±1%, 300mW	SOT23	16dc	-	PHH
P69	DDTB123TC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=2.2k	SOT23	16ta	-	Dil
P69	DDTB123TU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=2.2k	SOT323	16ta	-	Dil
P6AY	ILC5061AIC46X	CMOS-IC	Voltage Detector 4.6V±1%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
P6AY	ILC5061AM46X	CMOS-IC	Voltage Detector 4.6V±1%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
p5G	PMBF4393	N-FET	Switching, 30V, 50mA, 225mA, Rds=300 (1mA)	SOT23	16fj	-	Phi
p6J	PMBF4391	N-FET	Switching, 30V, 50mA, 225mA, Rds=300 (1mA)	SOT23	16fj	-	Phi
p6K	PMBF4392	N-FET	Switching, 30V, 50mA, 225mA, Rds=600 (1mA)	SOT23	16fj	-	Phi
P6Y	ILC5061IC46X	CMOS-IC	Voltage Detector 4.6V±2%, -Reset Open-Drain Output	SC-70	16vc	VD6	Imp
P6Y	ILC5061M46X	CMOS-IC	Voltage Detector 4.6V±2%, -Reset Open-Drain Output	SOT23	16vc	VD6	Imp
P7	BZX84-C20T	Z-Diode	20V, 5%, 150mW	SOT523	16dc	-	Dil
P7	KN4F3M	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=2k2/2k2	SC-75	16ta	-	Nec
P7	KRA120S	Si-PNP-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=10k/4k7	SOT23	16ta	-	Kec
P7	KRA320	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=10k/4k7	USM	17ta	-	Kec
P7	KRA320E	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=10k/4k7	ESM	18ta	-	Kec
P7	KRA320V	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=10k/4k7	VSM	18ta	-	Kec
P7	TC54VN4701ECB	CMOS-IC	Voltage Detector 4.7V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P7	TC54VN4702ECB	CMOS-IC	Voltage Detector 4.7V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P7	XC61CN4702M	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	SOT23	16vc	VD6	Tor
p70	BZX84-B16	Z-Diode	16V±2%, 300mW	SOT23	16dc	-	PHH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
P70	DDTB143TC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=4.7k	SOT23	161a	-	Dil
P70	DDTB143TU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=4.7k	SOT323	161a	-	Dil
p71	BZX84-B18	Z-Diode	18V±2%, 300mW	SOT23	16dc	-	PhH
P71	DDTB114TC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=10k	SOT23	161a	-	Dil
P71	DDTB114TU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=10k	SOT323	161a	-	Dil
p72	BZX84-B20	Z-Diode	20V±2%, 300mW	SOT23	16dc	-	PhH
P72	DDTB114GC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100..600, 250MHz, R2=10k	SOT23	161a	-	Dil
P72	DDTB114GU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, B=100..600, 250MHz, R2=10k	SOT323	161a	-	Dil
p73	BZX84-B22	Z-Diode	22V±2%, 300mW	SOT23	16dc	-	PhH
p74	BZX84-B24	Z-Diode	24V±2%, 300mW	SOT23	16dc	-	PhH
p75	BZX84-A27	Z-Diode	27V±1%, 300mW	SOT23	16dc	-	PhH
P75	DDTB122LC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.22k/10k	SOT23	161a	-	Dil
P75	DDTB122LU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.22k/10k	SOT323	161a	-	Dil
P75	XC61FN4712M	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
P76	DDTB142JC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.47k/10k	SOT23	161a	-	Dil
P76	DDTB142JU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.47k/10k	SOT323	161a	-	Dil
P76	XC61FN4742M	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P77	DDTB122TC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=0.22k	SOT23	161a	-	Dil
P77	DDTB122TU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=0.22k	SOT323	161a	-	Dil
P77	XC61FN4752M	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
P78	DDTB142TC	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=0.47k	SOT23	161a	-	Dil
P78	DDTB142TU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=0.47k	SOT323	161a	-	Dil
P8	BZX84-C22T	Z-Diode	22V, 5%, 150mW	SOT523	16dc	-	Dil
P8	KRA121S	Si-PNP-Digi	Switching, 50V, 0.1A, 200mW, 200MHz, R1/R2=47k/10k	SOT23	161a	-	Kec
P8	KRA321	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=47k/10k	USM	171a	-	Kec
P8	KRA321E	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=47k/10k	ESM	181a	-	Kec
P8	KRA321V	Si-PNP-Digi	Switching, 50V, 0.1A, 100mW, 200MHz, R1/R2=47k/10k	VSM	181a	-	Kec
P8	TC54VN4801ECB	CMOS-IC	Voltage Detector 4.8V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P8	TC54VN4802ECB	CMOS-IC	Voltage Detector 4.8V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P8	XC61CN4802M	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SOT23	16vc	VD6	Tor
P81	DDTA122LE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=0.22k/100k	SOT523	161a	-	Dil
P81	DDTA122LU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.22k/100k	SOT23	161a	-	Dil
P82	DDTA142JE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1/R2=0.47k/10k	SOT523	161a	-	Dil
P82	DDTA142JU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1/R2=0.47k/10k	SOT23	161a	-	Dil
P83	DDTA122TE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1=0.22k	SOT523	161a	-	Dil
P83	DDTA122TU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=0.22k	SOT323	161a	-	Dil
P84	DDTA142TE	Si-PNP-Digi	Switching, 50V 0.1A, 0.15W, 250MHz, R1=0.47k	SOT523	161a	-	Dil
P84	DDTA142TU	Si-PNP-Digi	Switching, 50V 0.1A, 0.2W, 250MHz, R1=0.47k	SOT323	161a	-	Dil
P85	XC61FN4812M	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
p86	BZX84-A75	Z-Diode	75V±1%, 300mW	SOT23	16dc	-	PhH
P86	XC61FN4842M	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P87	XC61FN4852M	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
p8A	PMBZ5226B	Z-Diode	3.3V±5%, 250mW	SOT23	16dc	-	PhH
p8B	PMBZ5227B	Z-Diode	3.6V±5%, 250mW	SOT23	16dc	-	PhH
p8C	PMBZ5228B	Z-Diode	3.9V±5%, 250mW	SOT23	16dc	-	PhH
p8D	PMBZ5229B	Z-Diode	4.3V±5%, 250mW	SOT23	16dc	-	PhH
p8E	PMBZ5230B	Z-Diode	4.7V±5%, 250mW	SOT23	16dc	-	PhH
p8F	PMBZ5231B	Z-Diode	5.1V±5%, 250mW	SOT23	16dc	-	PhH
p8G	PMBZ5232B	Z-Diode	5.6V±5%, 250mW	SOT23	16dc	-	PhH
p8H	PMBZ5233B	Z-Diode	6V±5%, 250mW	SOT23	16dc	-	PhH
p8J	PMBZ5234B	Z-Diode	6.2V±5%, 250mW	SOT23	16dc	-	PhH
p8K	PMBZ5235B	Z-Diode	6.8V±5%, 250mW	SOT23	16dc	-	PhH
p8L	PMBZ5236B	Z-Diode	7.5V±5%, 250mW	SOT23	16dc	-	PhH
p8M	PMBZ5237B	Z-Diode	8.2V±5%, 250mW	SOT23	16dc	-	PhH
p8N	PMBZ5238B	Z-Diode	8.7V±5%, 250mW	SOT23	16dc	-	PhH
p8P	PMBZ5239B	Z-Diode	9.1V±5%, 250mW	SOT23	16dc	-	PhH
p8Q	PMBZ5240B	Z-Diode	10V±5%, 250mW	SOT23	16dc	-	PhH
p8R	PMBZ5241B	Z-Diode	11V±5%, 250mW	SOT23	16dc	-	PhH
p8S	PMBZ5242B	Z-Diode	12V±5%, 250mW	SOT23	16dc	-	PhH
p8T	PMBZ5243B	Z-Diode	13V±5%, 250mW	SOT23	16dc	-	PhH
P8U	LP801K1	MOS-P-FET-e	V-Mos, LogL, 16.5V, 0.1A, <12Q	SOT23	16fg	-	Stx
p8U	PMBZ5244B	Z-Diode	14V±5%, 250mW	SOT23	16dc	-	PhH
p8V	PMBZ5245B	Z-Diode	15V±5%, 250mW	SOT23	16dc	-	PhH
p8W	PMBZ5246B	Z-Diode	16V±5%, 250mW	SOT23	16dc	-	PhH
p8X	PMBZ5247B	Z-Diode	17V±5%, 250mW	SOT23	16dc	-	PhH
p8Y	PMBZ5248B	Z-Diode	18V±5%, 250mW	SOT23	16dc	-	PhH
p8Z	PMBZ5249B	Z-Diode	19V±5%, 250mW	SOT23	16dc	-	PhH
P9	BCX70KR	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=380..630, >100MHz	BO223R	161e	-	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
P9	BCX70RK	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=380..630, >100MHz	SOT23	161a	-	Zlx
P9	BZX84-C24T	Z-Diode	24V, 5%, 150mW	SOT523	16dc	-	Dil
P9	DAP222	Si-Diode	Dual, Switching, 80V, 100mA, 150mW, <4ns	SC-75	16df	-	Ons
P9	KRA122S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=100k/100k	SOT23	161a	-	Kec
P9	KRA322	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=100k/100k	USM	171a	-	Kec
P9	KRA322E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=100k/100k	ESM	181a	-	Kec
P9	KRA322V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=100k/100k	VSM	181a	-	Kec
P9	TC54VN5901ECB	CMOS-IC	Voltage Detector 4.9V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P9	TC54VN5902ECB	CMOS-IC	Voltage Detector 4.9V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
P9	XC61CN4902M	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT23	16vc	VD6	Tor
P95	XC61FN4912M	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
P96	XC61FN4942M	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
P97	XC61FN4952M	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
p9A	PLVA850A	Z-Diode	Dual, Avalanshe regulator, 5V, 250mA, 250mW	SOT23	16dc	-	PhH
p9B	PLVA853A	Z-Diode	Dual, Avalanshe regulator, 5.3V, 250mA, 250mW	SOT23	16dc	-	PhH
p9C	PLVA856A	Z-Diode	Dual, Avalanshe regulator, 5.6V, 250mA, 250mW	SOT23	16dc	-	PhH
p9D	PLVA859A	Z-Diode	Dual, Avalanshe regulator, 5.9V, 250mA, 250mW	SOT23	16dc	-	PhH
p9E	PLVA862A	Z-Diode	Dual, Avalanshe regulator, 6.2V, 250mA, 250mW	SOT23	16dc	-	PhH
p9F	PLVA865A	Z-Diode	Dual, Avalanshe regulator, 6.5V, 250mA, 250mW	SOT23	16dc	-	PhH
p9G	PLVA868A	Z-Diode	Dual, Avalanshe regulator, 6.8V, 250mA, 250mW	SOT23	16dc	-	PhH
p9J	PLVA2650A	Z-Diode	Dual, Avalanshe regulator, 5V, 250mA, 250mW	SOT23	16df	-	PhH
p9K	PLVA2653A	Z-Diode	Dual, Avalanshe regulator, 5.3V, 250mA, 250mW	SOT23	16df	-	PhH
p9L	PLVA2656A	Z-Diode	Dual, Avalanshe regulator, 5.6V, 250mA, 250mW	SOT23	16df	-	PhH
p9M	PLVA2659A	Z-Diode	Dual, Avalanshe regulator, 5.9V, 250mA, 250mW	SOT23	16df	-	PhH
p9N	PLVA2662A	Z-Diode	Dual, Avalanshe regulator, 6.2V, 250mA, 250mW	SOT23	16df	-	PhH
p9O	PLVA2665A	Z-Diode	Dual, Avalanshe regulator, 6.5V, 250mA, 250mW	SOT23	16df	-	PhH
p9P	PLVA2668A	Z-Diode	Dual, Avalanshe regulator, 6.8V, 250mA, 250mW	SOT23	16df	-	PhH
PA	2SC4666A	Si-NPN	AF, 50V, 150mA, 100mW, B>600..1800, 250MHz	SOT323	161a	-	Tos
PA	BA885	PIN-Diode	RF, 50V, 50mA, V _f (I _f =10mA)<1.1V, C _d <0.4pF	SOT23	16dc	-	Sie
PA	BZX84-C27T	Z-Diode	27V±5%, 150mW	SOT523	16dc	-	Dil
PA	KRA101S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=4k7/4k7	SOT23	161a	-	Kec
PA	KRA301	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/4k7	USM	171a	-	Kec
PA	KRA301E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/4k7	ESM	181a	-	Kec
PA	KRA301V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/4k7	VSM	181a	-	Kec
PA	TC1278-5ENB	CMOS-IC	Voltage Detector 4.62V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
pA1	BZX84-C75	Z-Diode	75V±5%, 300mW	SOT23	16dc	-	PhH
pA2	PMBD2836	Si-Diode	Dual, Sw, Hi-sp, 75V, 215mA, V _f <1.25V(150mA), <4ns	SOT23	16df	-	Phi
pA3	PMBD2835	Si-Diode	Dual, Sw, Hi-sp, 35V, 215mA, V _f <1.25V(150mA), <4ns	SOT23	16df	-	Phi
pA5	PMBD2837	Si-Diode	Dual, Sw, Hi-sp, 35V, 215mA, V _f <1.25V(150mA), <4ns	SOT23	16dg	-	Phi
pA6	PMBD2838	Si-Diode	Dual, Sw, Hi-sp, 75V, 215mA, V _f <1.25V(150mA), <4ns	SOT23	16dg	-	Phi
PB	2SC4666B	Si-NPN	AF, 50V, 150mA, 100mW, B>1200..3600, 250MHz	SOT323	161a	-	Tos
PB	BZX84-C30T	Z-Diode	30V±5%, 150mW	SOT523	16dc	-	Dil
PB	KRA102S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=10k/10k	SOT23	161a	-	Kec
PB	KRA302	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/10k	USM	171a	-	Kec
PB	KRA302E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/10k	ESM	181a	-	Kec
PB	KRA302V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/10k	VSM	181a	-	Kec
PB	TC1278-10ENB	CMOS-IC	Voltage Detector 4.37V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
pB0	BZX84-C68	Z-Diode	68V±5%, 300mW	SOT23	16dc	-	PhH
pB1	BZX84-C3V3	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	PhH
pB2	BZX84-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	PhH
pB3	BZX84-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	PhH
pB4	BZX84-C43	Z-Diode	43V±5%, 300mW	SOT23	16dc	-	PhH
pB5	BZX84-C47	Z-Diode	47V±5%, 300mW	SOT23	16dc	-	PhH
pB6	BZX84-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	PhH
pB7	BZX84-C51	Z-Diode	51V±5%, 300mW	SOT23	16dc	-	PhH
pB8	BZX84-C56	Z-Diode	56V±5%, 300mW	SOT23	16dc	-	PhH
pB9	BZX84-C62	Z-Diode	62V±5%, 300mW	SOT23	16dc	-	PhH
PC	BA886	PIN-Diode	RF, 50V, 50mA, V _f (I _f =10mA)<1.15V, C _d <0.2pF	SOT23	16dc	-	Sie
PC	BZX84-C33T	Z-Diode	33V±5%, 150mW	SOT523	16dc	-	Dil
PC	KRA103S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=22k/22k	SOT23	161a	-	Kec
PC	KRA303	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/22k	USM	171a	-	Kec
PC	KRA303E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/22k	ESM	181a	-	Kec
PC	KRA303V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/22k	VSM	181a	-	Kec
PC	TC1278-15ENB	CMOS-IC	Voltage Detector 4.12V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
pC0	BZX84-A13	Z-Diode	13V±1%, 300mW	SOT23	16dc	-	PhH
pC1	BZX84-A3V6	Z-Diode	3.6V±1%, 300mW	SOT23	16dc	-	PhH
pC2	BZX84-A20	Z-Diode	20V±1%, 300mW	SOT23	16dc	-	PhH
pC3	BZX84-A36	Z-Diode	36V±1%, 300mW	SOT23	16dc	-	PhH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
pC4	BZX84-A39	Z-Diode	39V±1%, 300mW	SOT23	16dc -	PhH
pC5	BZX84-A43	Z-Diode	43V±1%, 300mW	SOT23	16dc -	PhH
pC6	BZX84-A51	Z-Diode	51V±1%, 300mW	SOT23	16dc -	PhH
PD	2SA1171-D	Si-PNP	AF, 90V, 50mA, 150mW, B=250..500, 200MHz	SOT23	16la -	Hit
PD	BZX84-C36T	Z-Diode	36V±5%, 150mW	SOT523	16dc -,	Dil
PD	KRA104S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=47k/47k	SOT23	16la -	Kec
PD	KRA304	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/47k	USM	17la -	Kec
PD	KRA304E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/47k	ESM	18la -	Kec
PD	KRA304V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/47k	VSM	18la -	Kec
PDs	BA887	PIN-Diode	RF, 50V, 100mA, Ir<0.02µA, Cd<0.27pF	SOT23	16dc -	Sie
PE	2SA1171-E	Si-PNP	AF, 90V, 50mA, 150mW, B=400..800, 200MHz	SOT23	16la -	Hit
PE	BZX84-C39T	Z-Diode	39V±5%, 150mW	SOT523	16dc -	Dil
PE	KRA105S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=2K2/47k	SOT23	16la -	Kec
PE	KRA305	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=2K2/47k	USM	17la -	Kec
PE	KRA305E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=2K2/47k	ESM	18la -	Kec
PE	KRA305V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=2K2/47k	VSM	18la -	Kec
PF	KRA106S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=4k7/47k	SOT23	16la -	Kec
PF	KRA306	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/47k	USM	17la -	Kec
PF	KRA306E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/47k	ESM	18la -	Kec
PF	KRA306V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=4k7/47k	VSM	18la -	Kec
pG1	PMB7551	Si-NPN	GP, 180V, 300mA, 250mW, B=80..250, 100..300MHz	SOT23	16la -	PhM
PH	KRA107S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=10k/47k	SOT23	16la -	Kec
PH	KRA307	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/47k	USM	17la -	Kec
PH	KRA307E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/47k	ESM	18la -	Kec
PH	KRA307V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=10k/47k	VSM	18la -	Kec
PH2	SST4302	N-FET	GP, Low-Noise, 30V, Idss=0.5mA, Up<5V	SOT23	16fa -	Lin
PH3	SST4303	N-FET	GP, Low-Noise, 30V, Idss=4mA, Up<6V	SOT23	16fa -	Lin
PH4	SST4304	N-FET	GP, Low-Noise, 30V, Idss=0.5mA, Up<10V	SOT23	16fa -	Lin
PI	KRA108S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=22k/47k	SOT23	16la -	Kec
PI	KRA308	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/47k	USM	17la -	Kec
PI	KRA308E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/47k	ESM	18la -	Kec
PI	KRA308V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=22k/47k	VSM	18la -	Kec
PIB	2SK1070-B	N-FET	AF/HF, 22V, 50mA, 150mW, Idss=6..14mA, Up<2.5V	MPAK	16fa -	Hit
PIc	2SK1070-C	N-FET	AF/HF, 22V, 50mA, 150mW, Idss=12..22mA, Up<2.5V	MPAK	16fa -	Hit
PID	2SK1070-D	N-FET	AF/HF, 22V, 50mA, 150mW, Idss=18..30mA, Up<2.5V	MPAK	16fa -	Hit
PIE	2SK1070-E	N-FET	AF/HF, 22V, 50mA, 150mW, Idss=27..40mA, Up<2.5V	MPAK	16fa -	Hit
PJ	DDZX20C	Z-Diode	20V±2.5%, 500mW	SOT23	16dc -	Dil
PJ	DDZX20CW	Z-Diode	20V±2.5%, 200mW	SOT323	16dc -	Dil
PJ	KRA109S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1/R2=47k/22k	SOT23	16la -	Kec
PJ	KRA309	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/22k	USM	17la -	Kec
PJ	KRA309E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/22k	ESM	18la -	Kec
PJ	KRA309V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1/R2=47k/22k	VSM	18la -	Kec
PJ	MCP130-270I	CMOS-IC	Voltage Detector 2,62V, -Reset Open drain output	SOT23	16vd VD6	Mcc
PJ	MCP130T-270I	CMOS-IC	Voltage Detector 2,62V, -Reset Open drain output	SOT23	16vd VD6	Mcc
pJ1	BSH101	MOS-N-FET-e	V-MOS, LogL, 60V, 0,7A, <0,9Q	SOT23	16fg -	Phi
pJ2	BSH102	MOS-N-FET-e	V-MOS, LogL, 30V, 0,85A, <0,6Q	SOT23	16fg -	Phi
pJ3	BSH103	MOS-N-FET-e	V-MOS, LogL, 30V, 0,85A, <0,5Q	SOT23	16fg -	Phi
PK	KRA110S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=4k7	SOT23	16la -	Kec
PK	KRA310	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=4k7	USM	17la -	Kec
PK	KRA310E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=4k7	ESM	18la -	Kec
PK	KRA310V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=4k7	VSM	18la -	Kec
PK	MCP130-300I	CMOS-IC	Voltage Detector 2,92V, -Reset Open drain output	SOT23	16vd VD6	Mcc
PK	MCP130T-300I	CMOS-IC	Voltage Detector 2,92V, -Reset Open drain output	SOT23	16vd VD6	Mcc
pKX	PMBF170	MOS-N-FET-e	T-MOS, LogL, 60V, 300mA, 830mW, <25Q(500mA)	SOT23	16fh -	Phi
pKZ	PMBF107	MOS-N-FET-e	V-MOS, LogL, 200V, 100mA, 250mW, <28Q(20mA)	SOT23	16fh -	Phi
PL	DDZX24C	Z-Diode	24V±2.5%, 500mW	SOT23	16dc -	Dil
PL	DDZX24CW	Z-Diode	24V±2.5%, 200mW	SOT323	16dc -	Dil
PL	MCP130-315I	CMOS-IC	Voltage Detector 3,07V, -Reset Open drain output	SOT23	16vd VD6	Mcc
PL	MCP130T-315I	CMOS-IC	Voltage Detector 3,07V, -Reset Open drain output	SOT23	16vd VD6	Mcc
PM	KRA111S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=10k	SOT23	16la -	Kec
PM	KRA311	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=10k	USM	17la -	Kec
PM	KRA311E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=10k	ESM	18la -	Kec
PM	KRA311V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=10k	VSM	18la -	Kec
PM	MCP130-450I	CMOS-IC	Voltage Detector 4,37V, -Reset Open drain output	SOT23	16vd VD6	Mcc
PM	MCP130T-450I	CMOS-IC	Voltage Detector 4,37V, -Reset Open drain output	SOT23	16vd VD6	Mcc
PMs	BAR66	PIN-Diode	Dual, 150V, 200mA, 250mW, Vf<1,2V(50mA), <0,9pF	SOT23	16di -	Inf
PN	BA779	PIN-Diode	HF-Ant, 30V, 50mA, 0,5pF, Rf<50Q, 1GHz	SOT23	16dc -	Tem
PN	KRA112S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=100k	SOT23	16la -	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
PN	KRA312	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=100k	USM	171a	-	Kec
PN	KRA312E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=100k	ESM	181a	-	Kec
PN	KRA312V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=100k	VSM	181a	-	Kec
PN	MCP130-460I	CMOS-IC	Voltage Detector 4,47V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
PN	MCP130T-460I	CMOS-IC	Voltage Detector 4,47V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
PO	KRA113S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=22k	SOT23	161a	-	Kec
PO	KRA313	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=22k	USM	171a	-	Kec
PO	KRA313E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=22k	ESM	181a	-	Kec
PO	KRA313V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=22k	VSM	181a	-	Kec
PO	MCP130-475I	CMOS-IC	Voltage Detector 4,62V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
PO	MCP130T-475I	CMOS-IC	Voltage Detector 4,62V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
pO4	PMBS3904	Si-NPN	Switching, 40V, 100mA, 250mW, B=100...300, >180MHz	SOT23	161a	-	PhH
pO6	PMBS3906	Si-PNP	Switching, 40V, 100mA, 250mW, B=100...300, >150MHz	SOT23	161a	-	PhH
POs	BAR64	PIN-Diode	GP, Sw, 200V, 100mA, Vf<1,1V(50mA), 0,35pF, .3GHz	SOT23	16dc	-	Inf
PP	KRA114S	Si-PNP-Digi	Switching, 50V, 0,1A, 200mW, 200MHz, R1=47k	SOT23	161a	-	Kec
PP	KRA314	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=47k	USM	171a	-	Kec
PP	KRA314E	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=47k	ESM	181a	-	Kec
PP	KRA314V	Si-PNP-Digi	Switching, 50V, 0,1A, 100mW, 200MHz, R1=47k	VSM	181a	-	Kec
PP	MCP130-485I	CMOS-IC	Voltage Detector 4,72V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
PP	MCP130T-485I	CMOS-IC	Voltage Detector 4,72V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
PPs	BAR64-04	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SOT23	16di	-	Inf
PPs	BAR64-04T	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SC-75	16di	-	Inf
PPs	BAR64-04W	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SOT323	16di	-	Inf
PQ	2SD1821-Q	Si-NPN	AF, LN, 150V, 100mA, 150mW, B=85...170, 150MHz	SC-70	161a	-	Pan
PQ	2SD2240-Q	Si-NPN	AF, LN, 150V, 100mA, 125mW, B=90...180, 150MHz	SC-75	161a	-	Pan
PQ	2SD814-Q	Si-NPN	AF, LN, 150V, 50mA, 200mW, B=90...155, 150MHz	SC-59	161a	-	Pan
PR	2SD1621-R	Si-NPN	AF, LN, 150V, 100mA, 150mW, B=130...220, 150MHz	SC-70	161a	-	Pan
PR	2SD2240-R	Si-NPN	AF, LN, 150V, 100mA, 125mW, B=130...200, 150MHz	SC-75	161a	-	Pan
PR	2SD814-R	Si-NPN	AF, LN, 150V, 50mA, 200mW, B=130...220, 150MHz	SC-59	161a	-	Pan
pR0	BZX84-B56	Z-Diode	56V±2%, 300mW	SOT23	16dc	-	PhH
pR1	BZX84-B5V1	Z-Diode	5,1V±2%, 300mW	SOT23	16dc	-	PhH
pR2	BZX84-B5V6	Z-Diode	5,6V±2%, 300mW	SOT23	16dc	-	PhH
pR3	BZX84-B62	Z-Diode	62V±2%, 300mW	SOT23	16dc	-	PhH
pR4	BZX84-B68	Z-Diode	68V±2%, 300mW	SOT23	16dc	-	PhH
pR5	BZX64-B6V2	Z-Diode	6,2V±2%, 300mW	SOT23	16dc	-	PhH
pR6	BZX84-B6V8	Z-Diode	6,8V±2%, 300mW	SOT23	16dc	-	PhH
pR7	BZX84-B75	Z-Diode	75V±2%, 300mW	SOT23	16dc	-	PhH
pR8	BZX84-B7V5	Z-Diode	7,5V±2%, 300mW	SOT23	16dc	-	PhH
pR9	BZX84-B8V2	Z-Diode	8,2V±2%, 300mW	SOT23	16dc	-	PhH
PRs	BAR64-05	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SOT23	16dg	-	Inf
PRs	BAR64-05W	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SOT323	16dg	-	Inf
PS	2SD1821-S	Si-NPN	AF, LN, 150V, 100mA, 150mW, B=185...330, 150MHz	SC-70	161a	-	Pan
PS	2SD2240-S	Si-NPN	AF, LN, 150V, 100mA, 125mW, B=165...330, 150MHz	SC-75	161a	-	Pan
PS	2SD814-S	Si-NPN	AF, LN, 150V, 50mA, 200mW, B=185...330, 150MHz	SC-59	161a	-	Pan
PS	TP0101TS	MOS-P-FET-e	V-MOS, LogL, 20V, 1A, 1W, <0,65Q	SOT23	16fh	-	Six
pS0	BZX84-B39	Z-Diode	39V±2%, 300mW	SOT23	16dc	-	PhH
pS1	BZX84-B3V0	Z-Diode	3V±2%, 300mW	SOT23	16dc	-	PhH
pS2	BZX84-B3V3	Z-Diode	3,3V±2%, 300mW	SOT23	16dc	-	PhH
pS2	BZX84-B3V6	Z-Diode	3,6V±2%, 300mW	SOT23	16dc	-	PhH
pS4	BZX84-B3V9	Z-Diode	3,9V±2%, 300mW	SOT23	16dc	-	PhH
pS5	BZX84-B43	Z-Diode	43V±2%, 300mW	SOT23	16dc	-	PhH
pS6	BZX84-B47	Z-Diode	47V±2%, 300mW	SOT23	16dc	-	PhH
pS7	BZX84-B4V3	Z-Diode	4,3V±2%, 300mW	SOT23	16dc	-	PhH
pS8	BZX84-B4V7	Z-Diode	4,7V±2%, 300mW	SOT23	16dc	-	PhH
pS9	BZX84-B51	Z-Diode	51V±2%, 300mW	SOT23	16dc	-	PhH
PSs	BAR64-06	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SOT23	16df	-	Inf
PSs	BAR64-06W	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1,1V(50mA), < 0,35pF	SOT323	16df	-	Inf
PT	2SD1821-T	Si-NPN	AF, LN, 150V, 100mA, 150mW, B=220...400, 150MHz	SC-70	161a	-	Pan
PT	2SD2240-T	Si-NPN	AF, LN, 150V, 100mA, 125mW, B=220...440, 150MHz	SC-75	161a	-	Pan
PT	2SD814-T	Si-NPN	AF, LN, 150V, 50mA, 200mW, B=220...400, 150MHz	SC-59	161a	-	Pan
pT1	BZX64-B9V1	Z-Diode	9,1V±2%, 300mW	SOT23	16dc	-	PhH
PT2	2SC4402-2	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 150mW, B=40...80, 3GHz	SOT23	161a	-	Say
pT2	BZX84-C27	Z-Diode	27V±5%, 300mW	SOT23	16dc	-	PhH
PT3	2SC4365-3	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 250mW, B=40...80, 3GHz	CP	161a	-	Say
PT3	2SC4402-3	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 150mW, B=60...120, 3GHz	SOT23	161a	-	Say
pT3	BZX84-C2V4	Z-Diode	2,4V±5%, 300mW	SOT23	16dc	-	PhH
PT4	2SC4365-4	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 250mW, B=60/120, 3GHz	CP	161a	-	Say
PT4	2SC4402-4	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 150mW, B=100...200, 3GHz	SOT23	161a	-	Say

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
pT4	BZX84-C2V7	Z-Diode	2.7V±5%, 300mW	SOT23	16dc -	PhH
PT5	25CA365-5	Si-NPN	UHF, Mix, Osc, 25V, 50mA, 250mW, B=100 200, 3GHz	CP	16ta -	Say
pT5	BZX84-C30	Z-Diode	30V±5%, 300mW	SOT23	16dc -	PhH
pT6	BZX84-C33	Z-Diode	33V±5%, 300mW	SOT23	16dc -	PhH
pT7	BZX84-C36	Z-Diode	36V±5%, 300mW	SOT23	16dc -	PhH
pT8	BZX84-C39	Z-Diode	39V±5%, 300mW	SOT23	16dc -	PhH
pT9	BZX84-C3V0	Z-Diode	3.0V±5%, 300mW	SOT23	16dc -	PhH
PV	15V294	PIN-Diode	VHF/UHF Var, Res Att, 50V, 0.05A, 0.23pF, 7Ω(100MHz)	CP	16dc -	Say
pV1	BAS31	Si-Diode	Dual GP, Contr Aval, 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16dl -	PhH
pV2	BAS35	Si-Diode	Dual, GP, Contr Aval, 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16df -	PhH
pV3	BAT54A	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16df -	PhH
pV4	BAT54S	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dl -	PhH
pV5	BAV23S	Si-Diode	Dual, GP, 200V, 225mA, Vs<1.25V(200mA), <50ns	SOT23	16dl -	PhH
pY1	BZX84-B33	Z-Diode	33V±2%, 300mW	SOT23	16dc -	PhH
pY2	BZX84-B36	Z-Diode	36V±2%, 300mW	SOT23	16dc -	PhH
pZ0	BZX84-B2V4	Z-Diode	2.4V±2%, 300mW	SOT23	16dc -	PhH
pZ1	BZX84-B2V7	Z-Diode	2.7V±2%, 300mW	SOT23	16dc -	PhH
pZ4	BZX84-B30	Z-Diode	30V±2%, 300mW	SOT23	16dc -	PhH
pZ5	BZX84-B27	Z-Diode	27V±2%, 300mW	SOT23	16dc -	PhH
pZ6	BZX84-B11	Z-Diode	11V±2%, 300mW	SOT23	16dc -	PhH
pZ7	BZX84-B12	Z-Diode	12V±2%, 300mW	SOT23	16dc -	PhH
pZ8	BZX84-B13	Z-Diode	13V±2%, 300mW	SOT23	16dc -	PhH
pZ9	BZX84-B15	Z-Diode	15V±2%, 300mW	SOT23	16dc -	PhH
Q0	R3130N40AA	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
Q1	R3130N44AA	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
Q2	R3130N26AA3	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
Q21	GS810C21EUD	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q24	GS810C24EUD	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q26	GS810CREUD	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q27	GS810C27SEUD	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q29	GS810CSEUD	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q3	R3130N29AA3	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
Q30	GS810CTEUD	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q4	KA4F3P	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/10k	SC-75	16ta -	Nec
Q4	R3130N30AA8	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
Q40	GS810CJEUD	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q43	GS810CMEUD	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q46	GS810CLEUD	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output, 30ms	SOT23	16vdc VD7	Vis
Q5	R3130N46AA5	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
Q6	R3130N23AA	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
Q7	KN4F3P	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=2k2/10k	SC-75	16ta -	Nec
Q7	R3130N28AA	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 50ms	SOT23	16vdc VD7	Ric
QA	25C2620-A	Si-NPN	VHF Mix, Osc, 30V, 20mA, 100mW, B=35 70, 940MHz	SOT23	16ta -	Ren
QA	RN1321A	Si-NPN-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=1k/1k	USM	16ta -	Tos
QA	RN1421	Si-NPN-Digi	Mutng, 50V, 800mA, 300mW, R1/R2=1k/1k	S-MINI	16ta -	Tos
QAA	BC846A	Si-NPN	GP, 80V, 100mA, 200mW, B=110 220, >300MHz	SOT23	16ta -	Auk
QAA	BC846AF	Si-NPN	GP, 80V, 100mA, 200mW, B=110 220, 250MHz	SOT23F	18ta -	Auk
QAB	BC846B	Si-NPN	GP, 80V, 100mA, 200mW, B=200 450, >300MHz	SOT23	16ta -	Auk
QAB	BC846BF	Si-NPN	GP, 80V, 100mA, 200mW, B=200 450, 250MHz	SOT23F	18ta -	Auk
QAC	BC846C	Si-NPN	GP, 80V, 100mA, 200mW, B=420 800, >300MHz	SOT23	16ta -	Auk
QAC	BC846CF	Si-NPN	GP, 80V, 100mA, 200mW, B=420 800, 250MHz	SOT23F	18ta -	Auk
QB	25C2620-B	Si-NPN	VHF Mix, Osc, 30V, 20mA, 100mW, B=60 120, 940MHz	SOT23	16ta -	Ren
QB	RN1322A	Si-NPN-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=2k2/2k2	USM	16ta -	Tos
QB	RN1422	Si-NPN-Digi	Mutng, 50V, 800mA, 300mW, R1/R2=2.2k2/2k	S-MINI	16ta -	Tos
QC	25C2620-C	Si-NPN	VHF Mix, Osc, 30V, 20mA, 100mW, B=100 200, 940MHz	SOT23	16ta -	Ren
QC	RN1323A	Si-NPN-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=4k7/4k7	USM	16ta -	Tos
QC	RN1423	Si-NPN-Digi	Mutng, 50V, 800mA, 300mW, R1/R2=4 7k/4 7k	S-MINI	16ta -	Tos
QD	RN1324A	Si-NPN-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=10k/10k	USM	16ta -	Tos
QD	RN1424	Si-NPN-Digi	Mutng, 50V, 800mA, 300mW, R1/R2=10k/10k	S-MINI	16ta -	Tos
QE	RN1325A	Si-NPN-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=0k47/10k	USM	16ta -	Tos
QE	RN1425	Si-NPN-Digi	Mutng, 50V, 800mA, 300mW, R1/R2=0k47/10k	S-MINI	16ta -	Tos
QF	RN1326A	Si-NPN-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=1k/10k	USM	16ta -	Tos
QF	RN1426	Si-NPN-Digi	Mutng, 50V, 800mA, 300mW, R1/R2=1k/10k	S-MINI	16ta -	Tos
QG	RN1327A	Si-NPN-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=2k2/10k	USM	16ta -	Tos
QG	RN1427	Si-NPN-Digi	Mutng, 50V, 800mA, 300mW, R1/R2=2 2k/10k	S-MINI	16ta -	Tos
QI	25CA196	Si-NPN	UHF-Osc, 25V, 50mA, 150mW, B=50 180, 2,4GHz	MPAK	16ta -	Hil
QI	25CA261	Si-NPN	VHF/UHF, 25V, 50mA, 100mW, B=50 180, >1 8GHz	SOT323	16ta -	Hil
QJ	MCP100T-270I	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23	16vdc VD7	Mcc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
QK	MCP100T-300I	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
QL	MCP100T-315I	CMOS-IC	Voltage Detector 3,15V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
QL3	2SA1580-3	Si-PNP	Vid, 70V, 50mA, 200mW, B=60 120, 700MHz	SOT23	16ta	-	Say
QL4	2SA1580-4	Si-PNP	Vid, 70V, 50mA, 200mW, B=90 180, 700MHz	SOT23	16ta	-	Say
QL5	2SA1580-5	Si-PNP	Vid, 70V, 50mA, 200mW, B=60 120, 700MHz	SOT23	16ta	-	Say
QM	MCP100T-450I	CMOS-IC	Voltage Detector 4,5V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
QN	MCP100T-460I	CMOS-IC	Voltage Detector 4,6V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
QO	2SC2714-O	Si-NPN	VHF Mix, Osc, 40V, 20mA, 100mW, B=40 80, 550MHz	SC-59	16ta	-	Tos
QO	KTC4080-O	Si-NPN	GP, 50V, 20mA, 100mW, B=70 140, >550MHz	SOT323	16ta	-	Kec
QO	MCP100T-475I	CMOS-IC	Voltage Detector 4,75V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
QP	MCP100T-485I	CMOS-IC	Voltage Detector 4,85V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
QR	2SC2714-R	Si-NPN	VHF Mix, Osc, 40V, 20mA, 100mW, B=70 140, 550MHz	SC-59	16ta	-	Tos
QR	KTC4080-R	Si-NPN	GP, 50V, 20mA, 100mW, B=40 80, >550MHz	SOT323	16ta	-	Kec
QT4	2SC4412-4	Si-NPN	CTV-Vid, 300V, 50mA, 250mW, B=100 200, 70MHz	SOT23	16ta	-	Say
QT5	2SC4412-5	Si-NPN	CTV-Vid, 300V, 50mA, 250mW, B=160 320, 70MHz	SOT23	16ta	-	Say
QY	2SC2714-Y	Si-NPN	VHF Mix, Osc, 40V, 20mA, 100mW, B=120 240, 550MHz	SC-59	16ta	-	Tos
QY	KTC4080-Y	Si-NPN	GP, 50V, 20mA, 100mW, B=100 200, >550MHz	SOT323	16ta	-	Kec
R	2SC2480	Si-NPN	VHF/UHF, 30V, 50mA, 150mW, B=800 1600, 1,3GHz	SC-59	16ta	-	Pan
R	2SC3932	Si-NPN	HF, Amp, Osc, 30V, 50mA, 150mW, B=800 1600, >800MHz	SC-70	16ta	-	Pan
R0	R3130N40BA	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
R0	TC54VN5001ECB	CMOS-IC	Voltage Detector 5 0V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R0	TC54VN5002ECB	CMOS-IC	Voltage Detector 5 0V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R0	XC61CN5002M	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT23	16vc	VD6	Tor
R01	KSR1101	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=4k7/4k7	SOT23	16ta	-	Sam
R02	KSR1102	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=10k/10k	SOT23	16ta	-	Sam
R03	KSR1103	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=22k/22k	SOT23	16ta	-	Sam
R04	KSR1104	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=47k/47k	SOT23	16ta	-	Sam
R05	KSR1105	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=4k7/10k	SOT23	16ta	-	Sam
R05	XC61FN5012M	CMOS-IC	Voltage Detector 5V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
R06	KSR1106	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=10k/47k	SOT23	16ta	-	Sam
R06	XC61FN5042M	CMOS-IC	Voltage Detector 5V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
R07	KSR1107	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=22k/47k	SOT23	16ta	-	Sam
R07	XC61FN5052M	CMOS-IC	Voltage Detector 5V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
R06	KSR1108	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=47k/22k	SOT23	16ta	-	Sam
R09	KSR1109	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=4k7	SOT23	16ta	-	Sam
R0A	LM4040AIM3-10 0	Vref-IC	Precision, Shunt, 10 00V, 0 1%	SOT23	16dk	-	Nsc
R0A	LM4040AIM3X-10 0	Vref-IC	Precision, Shunt, 10 00V, 0 1%	SOT23	16dk	-	Nsc
R0B	LM4040BIM3-10 0	Vref-IC	Precision, Shunt, 10 00V, 0 2%	SOT23	16dk	-	Nsc
R0B	LM4040BIM3X-10 0	Vref-IC	Precision, Shunt, 10 00V, 0 2%	SOT23	16dk	-	Nsc
R0C	LM4040CIM3-10 0	Vref-IC	Precision, Shunt, 10 00V, 0 5%	SOT23	16dk	-	Nsc
R0C	LM4040CIM3X-10 0	Vref-IC	Precision, Shunt, 10 00V, 0 5%	SOT23	16dk	-	Nsc
R0D	LM4040DIM3-10 0	Vref-IC	Precision, Shunt, 10 00V, 1%	SOT23	16dk	-	Nsc
R0D	LM4040DIM3X-10 0	Vref-IC	Precision, Shunt, 10 00V, 1%	SOT23	16dk	-	Nsc
R1	BFR93	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	16te	-	Ste
R1	BZX84-C4V7T	Z-Diode	4 7V, 5%, 150mW	SOT523	16dc	-	Dil
R1	R3130N44BA	CMOS-IC	Voltage Detector 4,4V, -Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
R1	SRC1201E	Si-NPN-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=4 7/4 7k	SOT523	16ta	-	Auk
R1	SRC1201EF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT523F	16ta	-	Auk
R1	SRC1201U	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/4 7k	SOT323	16ta	-	Auk
R1	SRC1201UF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/4 7k	SOT323F	16ta	-	Auk
R1	TC54VN5101ECB	CMOS-IC	Voltage Detector 5 1V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R1	TC54VN5102ECB	CMOS-IC	Voltage Detector 5 1V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R1	TN2010T	MOS-N-FET-e	V-MOS, 200V, 120mA, 360mW, <9,5Ω(0,5A)	SOT23	16fg	-	Six
R1	XC61CN5102M	CMOS-IC	Voltage Detector 5,1V, Reset Open drain output	SOT23	16vc	VD6	Tor
R10	KSR1110	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=10k	SOT23	16ta	-	Sam
R11	KSR1111	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=22k	SOT23	16ta	-	Sam
R11	LM385M3-1 2	Vref-IC	Micropower, 1,2V	SOT23	16dk	-	Nsc
R11A	REF1112A	Vref-IC	Prec, Shunt, 1,25V, 0,2%, <10ppm/°C	SOT23	16dk	-	Bub
R12	KSR1112	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=47k	SOT23	16ta	-	Sam
R12	LM385M3-2 5	Vref-IC	Micropower, 2,5V	SOT23	16dk	-	Nsc
R13	KSR1113	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=2k2/47k	SOT23	16ta	-	Sam
R14	KSR1114	Si-NPN-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=4k7/47k	SOT23	16ta	-	Sam
R15	XC61FN5112M	CMOS-IC	Voltage Detector 5,1V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
R16	XC61FN5142M	CMOS-IC	Voltage Detector 5,1V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
R17	XC61FN5152M	CMOS-IC	Voltage Detector 5,1V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
R1A	LM4041AIM3-1 2	Vref-IC	Precision, Shunt, 1 225V, 0 1%	SOT23	16dk	-	Nsc
R1A	MMST3904	Si-NPN	GP, 60V, 200mA, 250mW, B=100 300, >300MHz	SC-59	16ta	-	Rhm
R1A	SST3904	Si-NPN	GP, 60V, 0 1A, 0 2W, B= 100 300, >300MHz	SOT23	16te	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
R1B	LM4041BIM3-1.2	Vref-IC	Precision, Shunt, 1.225V, 0.2%	SOT23	16dk	-	Nsc
R1b	MMST2222	Si-NPN	GP, 60V, 600mA, 330mW, B=120..360, >300MHz	SOT23	16ta	-	Rhm
R1B	SST2222	Si-NPN	GP, 60V, 600mA, 330mW, B=100..300, >250MHz	SOT23	16ta	-	Rhm
R1C	LM4041CEM3-1.2	Vref-IC	Precision, Shunt, 1.20V	SOT23	16dk	-	Nsc
R1C	MMSTA20	Si-NPN	GP, 40V, 100mA, 600mW, B=40..400, >125MHz	SC-59	16ta	-	Rhm
R1C	SSTA20	Si-NPN	AF, 40V, 200mA, B>120, >125MHz	SOT23	16ta	-	Rhm
R1D	LM4041DEM3-1.2	Vref-IC	Precision, Shunt, 1.20V	SOT23	16dk	-	Nsc
R1E	LM4041EEM3-1.2	Vref-IC	Precision, Shunt, 1.20V, 1.5%	SOT23	16dk	-	Nsc
R1E	LM4041EIM3-1.2	Vref-IC	Precision, Shunt, 1.20V, 1.5%	SOT23	16dk	-	Nsc
R1G	MMSTA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SC-59	16ta	-	Rhm
R1G	SSTA06	Si-NPN	AF, 80V, 500mA, B>100, >100MHz	SOT23	16ta	-	Rhm
R1H	SSTA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	16ta	-	Rhm
R1J	SST6427	Si-NPN-Darl	AF, 40V, 500mA, 360mW, B=10k..100k, >130MHz	SOT23	16ta	-	Rhm
R1K	SST6428	Si-NPN	AF, 60V, 200mA, B=250..650, >100MHz	SOT23	16ta	-	Rhm
R1M	MMSTA13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>5000, >125MHz	SC-59	16ta	-	Rhm
R1M	SSTA13	Si-NPN-Darl	AF, 30V, 500mA, B>10000, >125MHz	SOT23	16ta	-	Rhm
R1N	MMSTA14	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>10000, >125MHz	SC-59	16ta	-	Rhm
R1N	SSTA14	Si-NPN-Darl	AF, 30V, 500mA, B>20000, >125MHz	SOT23	16ta	-	Rhm
R1p	BFR93	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Phi
R1P	MMST2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SC-59	16ta	-	Rhm
R1P	SST2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT23	16ta	-	Rhm
R1P	UMT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SC-70	16ta	-	Rhm
R1Q	SST5088	Si-NPN	AF, 35V, 200mA, B=300..900, >50MHz	SOT23	16ta	-	Rhm
R1R	SST5089	Si-NPN	AF, 30V, 200mA, B=400..1200, >50MHz	SOT23	16ta	-	Rhm
R2	2SC2351-P	Si-NPN	Sw, Hi-speed, 20V, 70mA, 200mW, B=40..120, 4.5Hz	SOT23	16ta	-	Nec
R2	2SC2351-R2	Si-NPN	Sw, Hi-speed, 20V, 70mA, 200mW, B=40..120, 4.5Hz	SOT23	16ta	-	Nec
R2	2SC4225-2	Si-NPN	VHF/UHF, 25V, 70mA, 160mW, B=40..120, 4GHz	SOT323	16ta	-	Nec
R2	BFR93ALT1	Si-NPN	VHF/UHF, 15V, 35mA, 306mW, B>40, >3GHz	SOT23	16ta	-	Mot
R2	BFR93AT	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT416	16ta	-	Phi
R2	BFR93AW	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT323	16ta	-	Phi
R2	BZX84-C5V1T	Z-Diode	5.1V, 5%, 150mW	SOT523	16dc	-	Dil
R2	R3130N26BA3	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
R2	SRC1202E	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1/R2=10/10k	SOT523	16ta	-	Auk
R2	SRC1202EF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1/R2=10/10k	SOT523F	18ta	-	Auk
R2	SRC1202U	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1/R2=10/10k	BO7323	16ta	-	Auk
R2	SRC1202UF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1/R2=10/10k	SOT323F	18ta	-	Auk
R2	TC54VN5201ECB	CMOS-IC	Voltage Detector 5.2V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R2	TC54VN5202ECB	CMOS-IC	Voltage Detector 5.2V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R2	XC61CN5202M	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	SOT23	16vc	VD6	Tor
R21	GS810C21EUE	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
R22	2SC4226-22	Si-NPN	VHF/UHF, 20V, 100mA, 150mW, B=30..60, 4.5GHz	SOT323	16ta	-	Nec
R23	2SC3356-Q	Si-NPN	UHF, CATV, 20V, 100mA, 200mW, B=50..100, 7GHz	SOT23	16ta	-	Nec
R23	2SC3356-R23	Si-NPN	UHF, CATV, 20V, 100mA, 200mW, B=50..100, 7GHz	SOT23	16ta	-	Nec
R23	2SC4226-23	Si-NPN	VHF/UHF, 20V, 100mA, 150mW, B=40..80, 4.5GHz	SOT323	16ta	-	Nec
R24	2SC3356-R	Si-NPN	UHF, CATV, 20V, 100mA, 200mW, B=80..160, 7GHz	SOT23	16ta	-	Nec
R24	2SC3356-R24	Si-NPN	UHF, CATV, 20V, 100mA, 200mW, B=80..160, 7GHz	SOT23	16ta	-	Nec
R24	2SC4226-24	Si-NPN	VHF/UHF, 20V, 100mA, 150mW, B=70..140, 4.5GHz	SOT323	16ta	-	Nec
R24	GS810C24EUE	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
R24	SST5424	Si-NPN	VHF/UHF, 30V, 50mA, >600MHz	SOT23	16ta	-	Rhm
R25	2SC3356-R25	Si-NPN	UHF, CATV, 20V, 100mA, 200mW, B=125..250, 7GHz	SOT23	16ta	-	Nec
R25	2SC3356-S	Si-NPN	UHF, CATV, 20V, 100mA, 200mW, B=125..250, 7GHz	SOT23	16ta	-	Nec
R25	2SC4226-25	Si-NPN	VHF/UHF, 20V, 100mA, 150mW, B=125..250, 4.5GHz	SOT323	16ta	-	Nec
R25	XC61FN5212M	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
R26	GS810CREUE	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
R26	XC61FN5242M	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
R27	GS810C27SEUE	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
R27	XC61FN5252M	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output, 50ms	BO7323	16vc	VD6	Tor
R29	GS810CSEUE	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
R2A	LM4040AIM3X-2.5	Vref-IC	Precision, Shunt, 2.50V, 0.1%	SOT23	16dk	-	Nsc
R2A	MMST3906	Si-PNP	GP, 40V, 200mA, 250mW, B=60..300, >250MHz	SC-59	16ta	-	Rhm
R2A	SST3906	Si-PNP	GP, 40V, 200mA, 330mW, B=100..300, >250MHz	SOT23	16ta	-	Rhm
R2B	LM4040BIM3X-2.5	Vref-IC	Precision, Shunt, 2.50V, 0.2%	BO723	16dk	-	Nsc
R2B	MMST2907	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SC-59	16ta	-	Rhm
R2B	SST2907	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SOT23	16ta	-	Rhm
R2C	LM4040CIM3X-2.5	Vref-IC	Precision, Shunt, 2.50V, 0.5%	SOT23	16dk	-	Nsc
R2C	MMSTA70	Si-PNP	GP, 40V, 100mA, 350mW, B=40..100, >125MHz	SC-59	16ta	-	Rhm
R2D	LM4040DEM3-2.5	Vref-IC	Precision, Shunt, 2.50V, 1.0%	BO723	16dk	-	Nsc
R2D	LM4040DIM3X-2.5	Vref-IC	Precision, Shunt, 2.50V, 1%	SOT23	16dk	-	Nsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
R2E	LM4040EEM3-2.5	Vref-IC	Precision, Shunt, 2.50V	SOT23	16dk	-	Nsc
R2E	LM4040EIM3-2.5	Vref-IC	Precision, Shunt, 2.50V, 2%	SOT23	16dk	-	Nsc
R2E	LM4040EIM3X-2.5	Vref-IC	Precision, Shunt, 2.50V, 2%	SOT23	16dk	-	Nsc
R2F	MMST2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100...300, >200MHz	SC-59	16ta	-	Rhm
R2F	SST2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100...300, >200MHz	SOT23	16ta	-	Rhm
R2F	UMT2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100...300, >200MHz	SOT323	16ta	-	Rhm
R2G	MMSTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SC-59	16ta	-	Rhm
R2G	SSTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta	-	Rhm
R2H	SSTA55	Si-PNP	AF, 60V, 500mA, B>100, >50MHz	SOT23	16ta	-	Rhm
R2K	MMST8598	Si-PNP	AF, 60V, 200mA, B=100...300, >150MHz	SOT23	16ta	-	Rhm
R2p	BFR93A	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Phi
R2P	MMST5086	Si-PNP	AF, 50V, 200mA, B=150...500, >40MHz	SOT23	16ta	-	Rhm
R2Q	MMST5087	Si-PNP	AF, 50V, 200mA, B=250...800, >40MHz	SOT23	16ta	-	Rhm
R2Q	SST7157	Si-PNP	GP, 60V, 0.2A	SOT23	16ta	-	Rhm
R2s	BFR93W	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT323	16ta	-	Sis
R2T	SST4403	Si-PNP	AF, 40V, 600mA, B=100...300, >200MHz	SOT23	16ta	-	Rhm
R2U	MMSTA63	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SC-59	16ta	-	Rhm
R2U	SSTA63	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SOT23	16ta	-	Rhm
R2V	MMSTA64	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>10000, >125MHz	SC-59	16ta	-	Rhm
R2V	SSTA64	Si-PNP-Digi	GP, 30V, 500mA, 300mW, B>10000, >125MHz	SOT23	16ta	-	Rhm
R2X	SST4401	Si-NPN	AF, 60V, 600mA, B=100...300, >250MHz	SOT23	16ta	-	Rhm
R2Z	SST4400	Si-NPN	AF, 60V, 600mA, B=50...150, >200MHz	SOT23	16ta	-	Rhm
R3	25C2351-Q	Si-NPN	Sw, Hi-speed, 20V, 70mA, 200mW, B=100...200, 4.5Hz	SOT23	16ta	-	Nec
R3	25C2351-R3	Si-NPN	Sw, Hi-speed, 20V, 70mA, 200mW, B=40...120, 4.5Hz	SOT23	16ta	-	Nec
R3	25C4225-3	Si-NPN	VHF/UHF, 25V, 70mA, 160mW, B=100...200, 4GHz	SOT323	16ta	-	Nec
R3	BZX84-C5V6T	Z-Diode	5.6V, 5%, 150mW	SOT523	16dc	-	Dil
R3	R3130N29BA3	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
R3	SRC1203E	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30...55, 200MHz, R1/R2=22/22k	SOT523	16ta	-	Auk
R3	SRC1203EF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30...55, 200MHz, R1/R2=22/22k	SOT523F	16ta	-	Auk
R3	SRC1203U	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30...55, 200MHz, R1/R2=22/22k	SOT323	16ta	-	Auk
R3	SRC1203UF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30...55, 200MHz, R1/R2=22/22k	SOT323F	16ta	-	Auk
R3	TC54VN5301ECB	CMOS-IC	Voltage Detector 5.3V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R3	TC54VN5302ECB	CMOS-IC	Voltage Detector 5.3V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R3	XC61CN5302M	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SOT23	16vc	VD6	Tor
R30	GS810CTEUE	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output, 150ms	SOT23	16vdc	VD7	Vis
R31A	REF3112A	Vref-IC	Prec, LDO, Series, 1.25V, 0.2%, <15ppm/°C	SOT23	16vra	VR1	Bub
R31B	REF3120A	Vref-IC	Prec, LDO, Series, 2.048V, 0.2%, <15ppm/°C	SOT23	16vra	VR1	Bub
R31C	REF3125A	Vref-IC	Prec, LDO, Series, 2.5V, 0.2%, <15ppm/°C	SOT23	16vra	VR1	Bub
R31D	REF3140A	Vref-IC	Prec, LDO, Series, 4.096V, 0.2%, <15ppm/°C	SOT23	16vra	VR1	Bub
R31E	REF3130A	Vref-IC	Prec, LDO, Series, 3V, 0.2%, <15ppm/°C	SOT23	16vra	VR1	Bub
R31F	REF3133A	Vref-IC	Prec, LDO, Series, 3.3V, 0.2%, <15ppm/°C	SOT23	16vra	VR1	Bub
R32	25C3583-P	Si-NPN	Sw, Hi-speed, 20V, 65mA, 200mW, B=40...80, 9GHz	SOT23	16ta	-	Nec
R32	25C4227-32	Si-NPN	VHF/UHF, 20V, 65mA, 150mW, B=30...80, 7GHz	SOT323	16ta	-	Nec
R33	25C3583-Q	Si-NPN	VHF/UHF, LN, 20V, 35mA, 200mW, B=50...100, 9GHz	SOT23	16ta	-	Nec
R33	25C3583-R33	Si-NPN	VHF/UHF, LN, 20V, 35mA, 200mW, B=50...100, 9GHz	SOT23	16ta	-	Nec
R33	25C4227-33	Si-NPN	VHF/UHF, 20V, 65mA, 150mW, B=40...80, 7GHz	SOT323	16ta	-	Nec
R34	25C3583-R	Si-NPN	VHF/UHF, LN, 20V, 35mA, 200mW, B=80...160, 9GHz	SOT23	16ta	-	Nec
R34	25C3583-R34	Si-NPN	VHF/UHF, LN, 20V, 35mA, 200mW, B=80...160, 9GHz	SOT23	16ta	-	Nec
R34	25C4227-34	Si-NPN	VHF/UHF, 20V, 65mA, 150mW, B=70...140, 7GHz	SOT323	16ta	-	Nec
R35	25C3583-R35	Si-NPN	VHF/UHF, LN, 20V, 35mA, 200mW, B=125...250, 9GHz	SOT23	16ta	-	Nec
R35	25C3583-S	Si-NPN	VHF/UHF, LN, 20V, 35mA, 200mW, B=125...250, 9GHz	SOT23	16ta	-	Nec
R35	25C4227-35	Si-NPN	VHF/UHF, 20V, 65mA, 150mW, B=125...250, 7GHz	SOT323	16ta	-	Nec
R35	XC61FN5312M	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
R36	XC61FN5342M	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
R37	XC61FN5352M	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
R39	SST1139	Si-NPN	VHF/UHF, 30V, 30mA, >850MHz	SOT23	16ta	-	Rhm
R3B	SST8245	Si-NPN	VHF/UHF, 30V, 50mA, >600MHz	SOT23	16ta	-	Rhm
R4	BFR93R	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	16ta	-	Mot,Tem,Sta
R4	BZX84-C6V2T	Z-Diode	6.2V, 5%, 150mW	SOT523	16dc	-	Dil
R4	KA4F3R	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=2k2/47k	SC-75	16ta	-	Nec
R4	R3130N30BA8	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 100ms	SOT23	16vdc	VD7	Ric
R4	SRC1204E	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30...55, 200MHz, R1/R2=47/47k	SOT523	16ta	-	Auk
R4	SRC1204EF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30...55, 200MHz, R1/R2=47/47k	SOT523F	16ta	-	Auk
R4	SRC1204U	Si-NPN-Digi	Bw, 50V, 0.1A, 0.2W, B=30...55, 200MHz, R1/R2=47/47k	SOT323	16ta	-	Auk
R4	SRC1204UF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30...55, 200MHz, R1/R2=47/47k	SOT323F	16ta	-	Auk
R4	TC54VN5401ECB	CMOS-IC	Voltage Detector 5.4V±1%, -Reset Open drain output	BO23	16vc	VD6	Tcs
R4	TC54VN5402ECB	CMOS-IC	Voltage Detector 5.4V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R4	XC61CN5402M	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SOT23	16vc	VD6	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
R40	GS810CJEU	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 150ms	SOT23	16vdc VD7	Vis
R42	25C4228-42	Si-NPN	VHF/UHF, 20V, 35mA, 150mW, B=30 80, 8.5GHz,	SOT323	16ta -	Nec
R43	25C4228-43	Si-NPN	VHF/UHF, 20V, 35mA, 150mW, B=50 100, 8.5GHz,	SOT323	16ta -	Nec
R43	GS810CMEU	CMOS-IC	Voltage Detector 4.38V, Reset Push-pull output, 150ms	SOT23	16vdc VD7	Vis
R44	25C4228-44	Si-NPN	VHF/UHF, 20V, 35mA, 150mW, B=80 160, 8.5GHz,	SOT323	16ta -	Nec
R45	25C4228-45	Si-NPN	VHF/UHF, 20V, 35mA, 150mW, B=125 250, 8.5GHz,	SOT323	16ta -	Nec
R45	XC61FN5412M	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output, 200ms	SOT23	16vc VD6	Tor
R46	GS810CLEU	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output, 150ms	SOT23	16vdc VD7	Vis
R46	XC61FN5442M	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output, 400ms	SOT23	16vc VD6	Tor
R47	XC61FN5452M	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output, 50ms	SOT23	16vc VD6	Tor
R4A	LM4040AIM3X-4 1	Vref-IC	Precision, Shunt, 4.10V, 0.1%	SOT23	16dk -	Nsc
R4B	LM4040BIM3X-4 1	Vref-IC	Precision, Shunt, 4.10V, 0.2%	SOT23	16dk -	Nsc
R4C	LM4040CIM3X-4 1	Vref-IC	Precision, Shunt, 4.10V, 0.5%	SOT23	16dk -	Nsc
R4D	LM4040DIM3X-4 1	Vref-IC	Precision, Shunt, 4.10V, 1%	SOT23	16dk -	Nsc
R5	BFR93AR	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23R	16ta -	Ste
R5	BZX84-C6V8T	Z-Diode	6.8V, 5%, 150mW	SOT523	16dc -	Dil
R5	R3130N46BA5	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 100ms	SOT23	16vdc VD7	Ric
R5	SRC1205E	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30 55, 200MHz, R1/R2=22/47k	SOT523	16ta -	Auk
R5	SRC1205EF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30 55, 200MHz, R1/R2=22/47k	SOT523F	16ta -	Auk
R5	SRC1205U	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30 55, 200MHz, R1/R2=22/47k	SOT323	16ta -	Auk
R5	SRC1205UF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30 55, 200MHz, R1/R2=22/47k	SOT323F	16ta -	Auk
R5	TC54VN501ECB	CMOS-IC	Voltage Detector 5.5V±1%, -Reset Open drain output	SOT23	16vc VD6	Tcs
R5	TC54VN5502ECB	CMOS-IC	Voltage Detector 5.5V±2%, -Reset Open drain output	SOT23	16vc VD6	Tcs
R5	XC61CN5502M	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SOT23	16vc VD6	Tor
R51	KSR2101	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=4k7/4k7	SOT23	16ta -	Sam
R52	KSR2102	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=10k/10k	SOT23	16ta -	Sam
R53	KSR2103	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=22k/22k	SOT23	16ta -	Sam
R54	KSR2104	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=47k/47k	SOT23	16ta -	Sam
R55	KSR2105	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=10k/47k	SOT23	16ta -	Sam
R55	XC61FN5512M	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output, 200ms	SOT23	16vc VD6	Tor
R56	KSR2106	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=22k/47k	SOT23	16ta -	Sam
R56	XC61FN5542M	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output, 400ms	SOT23	16vc VD6	Tor
R57	KSR2107	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=22k/47k	SOT23	16ta -	Sam
R57	XC61FN5552M	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output, 50ms	SOT23	16vc VD6	Tor
R56	KSR2108	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=47k/22k	SOT23	16ta -	Sam
R59	KSR2109	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=4k7	SOT23	16ta -	Sam
R5A	LM4040AIM3X-5 0	Vref-IC	Precision, Shunt, 5.00V, 0.1%	SOT23	16dk -	Nsc
R5B	LM4040BIM3X-5 0	Vref-IC	Precision, Shunt, 5.00V, 0.2%	SOT23	16dk -	Nsc
R5C	LM4040CIM3X-5 0	Vref-IC	Precision, Shunt, 5.00V, 0.5%	SOT23	16dk -	Nsc
R5D	LM4040DEM3-5 0	Vref-IC	Precision, Shunt, 5.00V, 1.0%	SOT23	16dk -	Nsc
R5D	LM4040DIM3X-5 0	Vref-IC	Precision, Shunt, 5.00V, 1%	SOT23	16dk -	Nsc
R6	BZX84-C7V5T	Z-Diode	7.5V, 5%, 150mW	SOT523	16dc -	Dil
R6	SRC1206E	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT523	16ta -	Auk
R6	SRC1206EF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.15W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT523F	16ta -	Auk
R6	SRC1206U	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT323	16ta -	Auk
R6	SRC1206UF	Si-NPN-Digi	Sw, 50V, 0.1A, 0.2W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT323F	16ta -	Auk
R6	TC54VN5601ECB	CMOS-IC	Voltage Detector 5.6V±1%, -Reset Open drain output	SOT23	16vc VD6	Tcs
R6	TC54VN5602ECB	CMOS-IC	Voltage Detector 5.6V±2%, -Reset Open drain output	SOT23	16vc VD6	Tcs
R6	XC61CN5602M	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SOT23	16vc VD6	Tor
R60	KSR2110	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=10k	SOT23	16ta -	Sam
R61	KSR2111	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=22k	SOT23	16ta -	Sam
R62	25C3663	Si-NPN	UHF, LN, 15V, 5mA, 50mW, B=50. 250, 4GHz	SOT23	16ta -	Nec
R62	KSR2112	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1=47k	SOT23	16ta -	Sam
R63	KSR2113	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=2k2/47k	SOT23	16ta -	Sam
R64	KSR2114	Si-PNP-Digi	Switching, 50V, 100mA, 20mW, 250MHz, R1/R2=4k7/47k	SOT23	16ta -	Sam
R65	SSTA65	Si-NPN-Darl	AF, 30V, 300mA, B>50000, >100MHz	SOT23	16ta -	Rhm
R65	XC61FN5612M	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output, 200ms	SOT23	16vc VD6	Tor
R66	XC61FN5642M	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output, 400ms	SOT23	16vc VD6	Tor
R67	XC61FN5652M	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output, 50ms	SOT23	16vc VD6	Tor
R6A	25C4187-6A	Si-NPN	UHF, 15V, 5mA, 150mW, B=50. 100, 4GHz	BO7323	16ta -	Nec
R6A	25C4187-R6A	Si-NPN	UHF, 15V, 5mA, 150mW, B=50 100, 4GHz	SOT323	16ta -	Nec
R6B	25C4187-6B	Si-NPN	UHF, 15V, 5mA, 150mW, B=80 160, 4GHz	BO7323	16ta -	Nec
R6B	25C4187-R6B	Si-NPN	UHF, 15V, 5mA, 150mW, B=80 180, 4GHz	SOT323	16ta -	Nec
R6C	25C4187-6C	Si-NPN	UHF, 15V, 5mA, 150mW, B=125. 250, 4GHz	SOT323	16ta -	Nec
R6C	25C4187-R6C	Si-NPN	UHF, 15V, 5mA, 150mW, B=125 250, 4GHz	SOT323	16ta -	Nec
R6D	LM4040DIM3-6 0	Vref-IC	Precision, Shunt, 6.00V, 1%	SOT23	16dk -	Nsc
R7	BZX84-C8V2T	Z-Diode	8.2V, 5%, 150mW	SOT523	16dc -	Dil
R7	KN4F3R	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=2k2/47k	SC-75	18ta -	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
R7	SRC1207E	Si-NPN-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=10/47k	SOT523	16ta	-	Auk
R7	SRC1207EF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=10/47k	SOT523F	18ta	-	Auk
R7	SRC1207U	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W B=30 55, 200MHz, R1/R2=10/47k	SOT323	16ta	-	Auk
R7	SRC1207UF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=10/47k	SOT323F	18ta	-	Auk
R7	TC54VN5701ECB	CMOS-IC	Voltage Detector 5 7V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R7	TC54VN5702ECB	CMOS-IC	Voltage Detector 5 7V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R7	XC61CN5702M	CMOS-IC	Voltage Detector 5,7V, Reset Open drain output	SOT23	16vc	VD6	Tor
R75	XC61FN5712M	CMOS-IC	Voltage Detector 5,7V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
R76	XC61FN5742M	CMOS-IC	Voltage Detector 5,7V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
R77	XC61FN5752M	CMOS-IC	Voltage Detector 5,7V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
R7p	BFR106	Si-NPN	VHF/UHF-A-Band, 20V, 100mA, 500mW B=80, 5GHz	SOT23	16ta	-	Phi
R7s	BFR106	Si-NPN	VHF/UHF-A-Band, 20V, 100mA, 500mW, B=80, 5GHz	SOT23	16ta	-	Sse
R8	BZX84-C9V1T	Z-Diode	9 1V, 5%, 150mW	SOT523	16dc	-	Dil
R8	TC54VN5801ECB	CMOS-IC	Voltage Detector 5 8V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R8	TC54VN5802ECB	CMOS-IC	Voltage Detector 5 8V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R8	XC61CN5802M	CMOS-IC	Voltage Detector 5 8V Reset Open drain output	SOT23	16vc	VD6	Tor
R85	XC61FN5812M	CMOS-IC	Voltage Detector 5 8V, Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
R86	XC61FN5842M	CMOS-IC	Voltage Detector 5,8V, Reset Open drain output 400ms	SOT23	16vc	VD6	Tor
R87	XC61FN5852M	CMOS-IC	Voltage Detector 5,8V, Reset Open drain output, 50ms	SOT23	16vc	VD6	Tor
R8A	LM4040AIM3-8 2	Vref-IC	Precision, Shunt, 8,192V, 0 1%	SOT23	16dk	-	Nsc
R8A	LM4040AIM3X-8 2	Vref-IC	Precision, Shunt, 8,192V 0 1%	SOT23	16dk	-	Nsc
R8B	LM4040BIM3-8 2	Vref-IC	Precision, Shunt, 8,192V, 0 2%	SOT23	16dk	-	Nsc
R8B	LM4040BIM3X-8 2	Vref-IC	Precision, Shunt, 8 192V, 0 2%	SOT23	16dk	-	Nsc
R8C	LM4040CIM3-8 2	Vref-IC	Precision, Shunt, 8,192V, 0 5%	SOT23	16dk	-	Nsc
R8C	LM4040CIM3X-8 2	Vref-IC	Precision, Shunt, 8,192V, 0 5%	SOT23	16dk	-	Nsc
R8D	LM4040DIM3-8 2	Vref-IC	Precision, Shunt, 8,192V, 1%	SOT23	16dk	-	Nsc
R8D	LM4040DIM3X-8 2	Vref-IC	Precision, Shunt, 8,192V, 1%	SOT23	16dk	-	Nsc
R9	1SS392	Si-Diode	Dual, Schottky, 40V, 100mA	SC-59	16dg	-	Tos
R9	1SS393	Si-Diode	Dual, Schottky, 40V, 100mA	SC-70	16dg	-	Tos
R9	BZX84-C10T	Z-Diode	10V 5%, 150mW	SOT523	16dc	-	Dil
R9	TC54VN5901ECB	CMOS-IC	Voltage Detector 5 9V±1%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R9	TC54VN5902ECB	CMOS-IC	Voltage Detector 5 9V±2%, -Reset Open drain output	SOT23	16vc	VD6	Tcs
R9	XC61CN5902M	CMOS-IC	Voltage Detector 5,9V, Reset Open drain output	SOT23	16vc	VD6	Tor
R95	XC61FN5912M	CMOS-IC	Voltage Detector 5 9V Reset Open drain output, 200ms	SOT23	16vc	VD6	Tor
R96	XC61FN5942M	CMOS-IC	Voltage Detector 5,9V, Reset Open drain output, 400ms	SOT23	16vc	VD6	Tor
R97	SSTT197	Si-NPN	AF, 60V, 200mA, B=250 700	SOT23	16ta	-	Rhm
R97	XC61FN5952M	CMOS-IC	Voltage Detector 5 9V, Reset Open drain output 50ms	SOT23	16vc	VD6	Tor
RA	ASM1810R-5	CMOS-IC	Voltage Detector 4,62V, -Reset Push-pull output	SOT23	16vda	VD6	Ali
RA	BFQ81	Si-NPN	UHF-A, LN, 25V, 0,03A, 4,2GHz	SOT23	16ta	-	Tem
RA	RN2321A	Si-PNP-Digi	Muting, 15V, 500mA, 300mW, R1/R2=1k/1k	USM	16ta	-	Tos
RA	RN2421	Si-PNP-Digi	Muting, 50V, 800mA, 200mW, R1/R2=1k/1k	SC-59	16ta	-	Tos
RA	SRC1210E	Si-NPN-Digi	Switching, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1=4 7k	SOT523	16ta	-	Auk
RA	SRC1210EF	Si-NPN-Digi	Switching, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1=4 7k	SOT523F	18ta	-	Auk
RA	SRC1210U	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=4 7k	SOT323	16ta	-	Auk
RA	SRC1210UF	Si-NPN-Digi	Switching, 50V 0 1A, 0 2W, B=30 55 200MHz, R1=4 7k	SOT323F	18ta	-	Auk
RA	TC1279-5ENB	CMOS-IC	Voltage Detector 4,62V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
RA1	SRA2201S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/4 7k	SOT23	16ta	-	Auk
RA1	SRA2201SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/4 7k	SOT23F	18ta	-	Auk
RA2	SRA2202S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55 200MHz, R1/R2=10/10k	SOT23	16ta	-	Auk
RA2	SRA2202SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz R1/R2=10/10k	SOT23F	18ta	-	Auk
RA3	SRA2203S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/22k	SOT23	16ta	-	Auk
RA3	SRA2203SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/22k	SOT23F	18ta	-	Auk
RA4	BAV70	Si-Diode	Dual, Switching, 75V, 215mA V _{fk} 1,25V, <4ns	SOT23	16dg	-	Rhm,Sse
RA4	SRA2204S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=47/47k	SOT23	16ta	-	Auk
RA4	SRA2204SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=47/47k	SOT23F	18ta	-	Auk
RA5	SRA2205S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/47k	SOT23	16ta	-	Auk
RA5	SRA2205SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/47k	SOT23F	18ta	-	Auk
RA6	SRA2206S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT23	16ta	-	Auk
RA6	SRA2206SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT23F	18ta	-	Auk
RA7	SRA2207S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=10/47k	SOT23	16ta	-	Auk
RA7	SRA2207SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=10/47k	SOT23F	18ta	-	Auk
RAA	SRA2210S	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=4 7k	SOT23	16ta	-	Auk
RAA	SRA2210SF	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=4 7k	SOT23F	18ta	-	Auk
RAB	MMBD4448	Si-Diode	Switching, Fast, 80V, 500mA, V _{fk} 1V(100mA), <4ns	SOT23	16dc	-	Vis
RAB	SRA2212S	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=100k	SOT23	16ta	-	Auk
RAB	SRA2212SF	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=100k	SOT23F	16ta	-	Auk
RAC	LM4041CEM3-ADJ	Vref-IC	Precision, Shunt, Adjustable	SOT23	16du	-	Nsc
RAC	LM4041CIM3-ADJ	Vref-IC	Precision, Shunt, Adjustable	SOT23	16du	-	Nsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
RAC	SRA2219S	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT23	161a -	Auk
RAC	SRA2219SF	Si-PNP-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT23F	181a -	Auk
RAD	LM4041DEM3-ADJ	Vref-IC	Precision, Shunt, Adjustable	SOT23	16du -	Nsc
RAD	LM4041DIM3-ADJ	Vref-IC	Precision, Shunt, Adjustable	SOT23	16du -	Mcr,Nsc
RAD	SRA2211S	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=10k	SOT23	161a -	Auk
RAD	SRA2211SF	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=10k	SOT23F	181a -	Auk
RAF	SSTA29	Si-NPN-Darl	AF, 100V, 500mA, B>10000, >125MHz	SOT23	161a -	Rhm
RAa	BFQ81	Si-NPN	UHF-A, LN, 25V, 0.03A, 4 GHz	SOT23	161a -	Sse
RAT	MMSTA28	Si-NPN-Darl	GP, 80V, 500mA, 500mW, B>10000, >100MHz	SC-59	161a -	Rhm
RAT	SSTA28	Si-NPN-Darl	GP, 80V, 500mA, 500mW, B>10000, >100MHz	SOT23	161a -	Rhm
RB	25C2618-B	Si-NPN	GP, AF, 35V, 500mA, 150mW, B=60 120	SOT23	161a -	Hil
RB	ASM1810R-10	CMOS-IC	Voltage Detector 4,37V, -Reset Push-pull output	SOT23	16vda VD6	All
RB	BZX84-C2V4T	Z-Diode	2 4V, 5%, 150mW	SOT523	16dc -	Dil
RB	RN2322A	Si-PNP-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=2k2/2k2	USM	161a -	Tos
RB	RN2422	Si-PNP-Digi	Mutng, 50V, 800mA, 200mW, R1/R2=2k2/2k2	SC-59	161a -	Tos
RB	SRC1212E	Si-NPN-Digi	Switching, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1=100k	SOT523	161a -	Auk
RB	SRC1212EF	Si-NPN-Digi	Switching, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1=100k	SOT523F	181a -	Auk
RB	SRC1212U	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=100k	SOT323	161a -	Auk
RB	SRC1212UF	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=100k	SOT323F	181a -	Auk
RB	TC1279-10ENB	CMOS-IC	Voltage Detector 4,37V, -Reset Push-pull output	SOT23	16vd VD7	Mcc
RBQ	SST7208	Si-NPN	GP, 60V, 0,1A 180MHz	SOT23	161a -	Rhm
RBR	SST6838	Si-NPN	GP, H-beta, 50V, 0,2A, 0,2W, 180MHz, B=100 1000	SST	161a -	Rhm
RBa	BF771	Si-NPN	SATV/VTR-Tuner, 20V, 80mA, 8GHz	SOT23	161a -	Sse
RBa	BF771W	Si-NPN	SATV/VTR-Tuner, 20V, 80mA, 8GHz	SOT323	161a -	Sse
RC	25C2618-C	Si-NPN	GP, AF, 35V, 500mA, 150mW, B=100 200	SOT23	161a -	Hil
RC	ASM1810R-15	CMOS-IC	Voltage Detector 4,12V, -Reset Push-pull output	SOT23	16vda VD6	All
RC	BFR193T	Si-NPN	UHF, 20V, 80mA, 400mW, 8GHz	SC75	161a -	Tem
RC	BZX84-C2V7T	Z-Diode	2 7V, 5%, 150mW	SOT523	16dc -	Dil
RC	RN2323A	Si-PNP-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=4K7/4K7	USM	161a -	Tos
RC	RN2423	Si-PNP-Digi	Mutng, 50V, 800mA, 200mW, R1/R2=4 7k/4 7k	SC-59	161a -	Tos
RC	SRC1219E	Si-NPN-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT523	161a -	Auk
RC	SRC1219EF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT523F	181a -	Auk
RC	SRC1219U	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT323	161a -	Auk
RC	SRC1219UF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT323F	181a -	Auk
RC	TC1279-15ENB	CMOS-IC	Voltage Detector 4,12V, -Reset Push-pull output	SOT23	16vd VD7	Mcc
RC1	SRC1201S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/4 7k	SOT23	161a -	Auk
RC1	SRC1201SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/4 7k	SOT23F	181a -	Auk
RC2	SRC1202S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=10/10k	SOT23	161a -	Auk
RC2	SRC1202SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=10/10k	SOT23F	181a -	Auk
RC3	SRC1203S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/22k	SOT23	161a -	Auk
RC3	SRC1203SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/22k	SOT23F	181a -	Auk
RC4	SRC1204S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=47/47k	SOT23	161a -	Auk
RC4	SRC1204SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=47k, R2=47k	SOT23F	181a -	Auk
RC5	SRC1205S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/47k	SOT23	161a -	Auk
RC5	SRC1205SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=22/47k	SOT23F	181a -	Auk
RC6	SRC1206S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT23	161a -	Auk
RC6	SRC1206SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/47k	SOT23F	181a -	Auk
RC7	SRC1207S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=10/47k	SOT23	161a -	Auk
RC7	SRC1207SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=10/47k	SOT23F	181a -	Auk
RCA	LM4050AIM3-2 5	Vref-IC	Precision, Shunt, 2,50V, 0,1%	SOT23	16dk -	Nsc
RCA	SRC1210S	Si-PNP-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=4 7k	SOT23	161a -	Auk
RCA	SRC1210SF	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=4 7k	SOT23F	181a -	Auk
RCB	LM4050BIM3-2 5	Vref-IC	Precision, Shunt, 2,50V, 0,2%	SOT23	16dk -	Nsc
RCB	SRC1212S	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=100k	SOT23	161a -	Auk
RCB	SRC1212SF	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=100k	SOT23F	181a -	Auk
RCC	LM4050CIM3-2 5	Vref-IC	Precision, Shunt, 2,50V, 0,5%	SOT23	16dk -	Nsc
RCC	SRC1219S	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT23	161a -	Auk
RCC	SRC1219SF	Si-NPN-Digi	Sw, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1/R2=4 7/10k	SOT23F	181a -	Auk
RCD	SRC1211S	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=10k	SOT23	161a -	Auk
RCD	SRC1211SF	Si-NPN-Digi	Switching, 50V, 0 1A, 0 2W, B=30 55, 200MHz, R1=10k	SOT23F	181a -	Auk
RCa	BFR193	Si-NPN	UHF, 20V, 80mA, 0,4W, 8GHz	SOT23	161a -	Sse
RCa	BFR193T	Si-NPN	UHF, 20V, 80mA, 400mW, 8GHz	SC75	161a -	Sse
RCa	BFR193W	Si-NPN	UHF, 20V, 80mA, 400mW, 8GHz	SOT323	161a -	Sse
RD	25C2618-D	Si-NPN	GP, AF, 35V, 500mA, 150mW, B=60 120	SOT23	161a -	Hil
RD	BZX84-C3V0T	Z-Diode	3 0V, 5%, 150mW	SOT523	16dc -	Dil
RD	RN2324A	Si-PNP-Digi	Mutng, 15V, 500mA, 300mW, R1/R2=10k/10k	USM	161a -	Tos
RD	RN2424	Si-PNP-Digi	Mutng, 50V, 800mA, 200mW, R1/R2=10k/10k	SC-59	161a -	Tos
RD	SRC1211E	Si-NPN-Digi	Switching, 50V, 0 1A, 0 15W, B=30 55, 200MHz, R1=10k	SOT523	161a -	Auk

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
RD	SRC1211EF	Si-NPN-Digi	Switching, 50V, 0.1A, 0.15W, B=30..55, 200MHz, R1=10k	SOT523F	181a	-	Auk
RD	SRC1211U	Si-NPN-Digi	Switching, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1=10k	SOT323	161a	-	Auk
RD	SRC1211UF	Si-NPN-Digi	Switching, 50V, 0.1A, 0.2W, B=30..55, 200MHz, R1=10k	SOT323F	181a	-	Auk
RDA	LM4050AIM3-4.1	Vref-IC	Precision, Shunt, 4.10V, 0.1%	SOT23	16dk	-	Nsc
RDB	LM4050BIM3-4.1	Vref-IC	Precision, Shunt, 4.10V, 0.2%	SOT23	16dk	-	Nsc
RDC	LM4050CIM3-4.1	Vref-IC	Precision, Shunt, 4.10V, 0.5%	SOT23	16dk	-	Nsc
RDe	BFR180	Si-NPN	VHF.UHF, 10V, 4mA, 30mW, B=30..200, 6.2GHz	SOT23	161a	-	Sie
RDe	BFR180W	Si-NPN	VHF.UHF, 10V, 4mA, 30mW, B=30..200, 7GHz	SOT323	161a	-	Sie
RE	2SA1514K-E	Si-PNP	GP, 120V, 50mA, 200mW, B=120..270, 140MHz	SOT346	161a	-	Rhm
RE	2SA1579-E	Si-PNP	GP, 120V, 50mA, 200mW, B=120..270, 140MHz	SOT323	161a	-	Rhm
RE	BZX84-C2V4T	Z-Diode	3.3V, 5%, 150mW	SOT523	16dc	-	Dil
RE	BZX84-C3V3T	Z-Diode	3.3V±5%, 150mW	SOT523	16dc	-	Dil
RE	RN2325A	Si-PNP-Digi	Muting, 15V, 500mA, 300mW, R1/R2=0k47/10k	USM	161a	-	Tos
RE	RN2425	Si-PNP-Digi	Muting, 50V, 800mA, 200mW, R1/R2=0k47/10k	SC-59	161a	-	Tos
REA	LM4050AIM3-5.0	Vref-IC	Precision, Shunt, 5.00V, 0.1%	SOT23	16dk	-	Nsc
REB	LM4050BIM3-5.0	Vref-IC	Precision, Shunt, 5.00V, 0.2%	SOT23	16dk	-	Nsc
REC	LM4050CIM3-5.0	Vref-IC	Precision, Shunt, 5V, 0.5%	SOT23	16dk	-	Nsc
RF	BZX84-C3V6T	Z-Diode	3.6V, 5%, 150mW	SOT523	16dc	-	Dil
RF	RN2326A	Si-PNP-Digi	Muting, 15V, 500mA, 300mW, R1/R2=1k/10k	USM	161a	-	Tos
RF	RN2426	Si-PNP-Digi	Muting, 50V, 800mA, 200mW, R1/R2=1k/10k	SC-59	161a	-	Tos
RFA	LM4050AIM3-8.2	Vref-IC	Precision, Shunt, 8.20V, 0.1%	SOT23	16dk	-	Nsc
RFB	LM4050BIM3-8.2	Vref-IC	Precision, Shunt, 8.20V, 0.2%	SOT23	16dk	-	Nsc
RFC	LM4050CIM3-8.2	Vref-IC	Precision, Shunt, 8.20V, 0.5%	SOT23	16dk	-	Nsc
RFQ	SST6839	Si-PNP	GP, Hi-beta, 50V, 0.2A, 0.2W, 140MHz, B=100..1000	SST	181a	-	Rhm
RFs	BFR181	Si-NPN	VHF.UHF, 20V, 20mA, 175mW, B=50..200, 8GHz	SOT23	161a	-	Sie
RFs	BFR181W	Si-NPN	VHF.UHF, 20V, 20mA, 175mW, B=50..200, 8GHz	SOT323	161a	-	Sie
RG	BZX84-C3V9T	Z-Diode	3.9V, 5%, 150mW	SOT523	16dc	-	Dil
RG	RN2327A	Si-PNP-Digi	Muting, 15V, 500mA, 300mW, R1/R2=2k2/10k	USM	161a	-	Tos
RG	RN2427	Si-PNP-Digi	Muting, 50V, 800mA, 200mW, R1/R2=2.2k/10k	SC-59	161a	-	Tos
RGA	LM4050AIM3-10	Vref-IC	Precision, Shunt, 10.0V, 0.1%	SOT23	16dk	-	Nsc
RGB	LM4050BIM3-10	Vref-IC	Precision, Shunt, 10.0V, 0.2%	SOT23	16dk	-	Nsc
RGc	LM4050CIM3-10	Vref-IC	Precision, Shunt, 10V, 0.5%	SOT23	16dk	-	Nsc
RGs	BFR182	Si-NPN	VHF.UHF, 20V, 35mA, 250mW, B=50..200, 8GHz	SOT23	161a	-	Sie
RGs	BFR182W	Si-NPN	VHF.UHF, 20V, 35mA, 250mW, B=50..200, 8GHz	SOT323	161a	-	Sie
RH	BZX84-CAV3T	Z-Diode	4.3V, 5%, 150mW	SOT523	16dc	-	Dil
RHs	BFR183	Si-NPN	VHF.UHF, 20V, 65mA, 450mW, B=50..200, 8GHz	SOT23	161a	-	Sie
RHs	BFR183W	Si-NPN	VHF.UHF, 20V, 65mA, 450mW, B=50..200, 8GHz	SOT323	161a	-	Sie
RJ	MCP101T-270I	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
RJA	LM4040AIM3-2.0	Vref-IC	Precision, Shunt, 2.048V, 0.1%	SOT23	16dk	-	Nsc
RJA	LM4040AIM3X-2.0	Vref-IC	Precision, Shunt, 2.048V, 0.1%	SOT23	16dk	-	Nsc
RJB	LM4040BIM3-2.0	Vref-IC	Precision, Shunt, 2.048V, 0.2%	SOT23	16dk	-	Nsc
RJB	LM4040BIM3X-2.0	Vref-IC	Precision, Shunt, 2.048V, 0.2%	SOT23	16dk	-	Nsc
RJC	LM4040CIM3-2.0	Vref-IC	Precision, Shunt, 2.048V, 0.5%	SOT23	16dk	-	Nsc
RJC	LM4040CIM3X-2.0	Vref-IC	Precision, Shunt, 2.048V, 0.5%	SOT23	16dk	-	Nsc
RJD	LM4040DIM3-2.0	Vref-IC	Precision, Shunt, 2.048V, 1%	SOT23	16dk	-	Nsc
RJD	LM4040DIM3X-2.0	Vref-IC	Precision, Shunt, 2.048V, 1%	SOT23	16dk	-	Nsc
RJE	LM4040EIM3-2.0	Vref-IC	Precision, Shunt, 2.048V, 2%	SOT23	16dk	-	Nsc
RJE	LM4040EIM3X-2.0	Vref-IC	Precision, Shunt, 2.048V, 2%	SOT23	16dk	-	Nsc
RK	MCP101T-300I	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
RKA	LM4040AIM3X-3.0	Vref-IC	Precision, Shunt, 3.000V, 0.1%	SOT23	16dk	-	Nsc
RKB	LM4040BIM3X-3.0	Vref-IC	Precision, Shunt, 3.00V, 0.2%	SOT23	16dk	-	Nsc
RKC	LM4040CIM3X-3.0	Vref-IC	Precision, Shunt, 3V, 0.5%	SOT23	16dk	-	Nsc
RKD	LM4040DIM3X-3.0	Vref-IC	Precision, Shunt, 3.00V, 1%	SOT23	16dk	-	Nsc
RKE	LM4040EIM3-3.0	Vref-IC	Precision, Shunt, 3.00V, 2%	SOT23	16dk	-	Nsc
RKE	LM4040EIM3X-3.0	Vref-IC	Precision, Shunt, 3.00V, 2%	SOT23	16dk	-	Nsc
RKM	RK7002	MOS-N-FET-e'	V-MOS, LogL, 60V, 0.115A, <7.5Q	SOT23	16fg	-	Rhm
RKs	BFR194	Si-PNP	UHF-A, ..., 1.5GHz, 20V, 0.1A, 5GHz	SOT23	161a	-	Sie
RL	MCP101T-315I	CMOS-IC	Voltage Detector 3.15V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
RM	MCP101T-450I	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT23	18vd	VD7	Mcc
RN	MCP101T-460I	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
RO	2SC2715-0	Si-NPN	VHF Mix, Osc, 35V, 50mA, 150mW, B=40..80, 400MHz	SC-59	161a	-	Tos
RO	MCP101T-475I	CMOS-IC	Voltage Detector 4.75V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
RP	DDZ333	Z-Diode	33V±2.5%, 500mW	SOT23	16dc	-	Dil
RP	DDZ333W	Z-Diode	33V±2.5%, 200mW	SOT323	16dc	-	Dil
RP	MCP101T-485I	CMOS-IC	Voltage Detector 4.85V, Reset Push-pull output	SOT23	16vd	VD7	Mcc
RR	2SA1514K-R	Si-PNP	GP, 120V, 50mA, 200mW, B=180..390, 140MHz	SOT346	161a	-	Rhm
RR	2SA1579-R	Si-PNP	GP, 120V, 50mA, 200mW, B=180..390, 140MHz	SOT323	161a	-	Rhm
RR	2SC2715-R	Si-NPN	VHF Mix, Osc, 35V, 50mA, 150mW, B=70..140, 400MHz	SC-59	161a	-	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
RR	BFR93P	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT23	161a	- Sie
RRA	BC847A	Si-NPN	GP, 50V, 100mA, 200mW, B=110..220, 250MHz	SOT23	161a	- Auk
RRA	BC847AF	Si-NPN	GP, 50V, 100mA, 200mW, B=110..220, 250MHz	SOT23F	161a	- Auk
RRB	BC847B	Si-NPN	GP, 50V, 100mA, 200mW, B=200..450, 250MHz	SOT23	161a	- Auk
RRB	BC847BF	Si-NPN	GP, 50V, 100mA, 200mW, B=200..450, 250MHz	SOT23F	161a	- Auk
RRC	BC847C	Si-NPN	GP, 50V, 100mA, 200mW, B=420..800, 250MHz	SOT23	161a	- Auk
RRC	BC847CF	Si-NPN	GP, 50V, 100mA, 200mW, B=420..800, 250MHz	SOT23F	161a	- Auk
RS	2SA1514K-S	Si-PNP	GP, 120V, 50mA, 200mW, B=270..560, 140MHz	SOT346	161a	- Rhm
RS	2SA1579-S	Si-PNP	GP, 120V, 50mA, 200mW, B=270..560, 140MHz	SOT323	161a	- Rhm
RS	2SC2480-S	Si-NPN	VHF/UHF, 30V, 50mA, 150mW, B=1000..1600, 1,3GHz	SC-59	161a	- Pan
RS	2SC3932-S	Si-NPN	HF, Amp, Osc, 30V, 50mA, 150mW, B>800, >800MHz	SC-70	161a	- Pan
RSR	SST5210	Si-NPN	AF, 50V, 200mA, B=200..600, >30MHz	SOT23	161a	- Rhm
RT	2SC2480-T	Si-NPN	VHF/UHF, 30V, 50mA, 150mW, B=800..1400, 1,3GHz	SC-59	161a	- Pan
RT	2SC3932-T	Si-NPN	HF, Amp/Osc, 30V, 50mA, 150mW, B>1000, >800MHz	SC-70	161a	- Pen
RT3	2SC4400-3	Si-NPN	VHF, FP, 40V, 50mA, 150mW, B=60..120, 750MHz	SOT23	161a	- Say
RT3	2SC4432-3	Si-NPN	FM/VHF, 40V, 50mA, 250mW, B=60..120, 750MHz	SOT23	161a	- Sey
RT4	2SC4400-4	Si-NPN	VHF, GP, 40V, 50mA, 150mW, B=90..180, 750MHz	SOT23	161a	- Sey
RT4	2SC4432-4	Si-NPN	FM/VHF, 40V, 50mA, 250mW, B=90..180, 750MHz	SOT23	161a	- Say
RT5	2SC4400-5	Si-NPN	VHF, GP, 40V, 50mA, 150mW, B=135..270, 750MHz	SOT23	161a	- Say
RT5	2SC4432-5	Si-NPN	FM/VHF, 40V, 50mA, 250mW, B=135..270, 750MHz	SOT23	161a	- Say
RVZ	MMST4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120..360, >250MHz	SC-59	161e	- Rhm
RVZ	SST4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120..360, >250MHz	SOT23	161a	- Rhm
RW	BFR194	Si-PNP	UHF-A..1,5GHz, 20V, 0,1A, 5GHz	SOT23	161a	- Sie
RX7	SST6426	Si-NPN-Darl	AF, 40V, 500mA, B=300..300000	SOT23	161a	- Rhm
RY	2SC2715-Y	Si-NPN	VHF Mix/Osc, 35V, 50mA, 150mW, B>120, 100..400MHz	SC-59	161a	- Tos
RY	2SC5541	Si-NPN	UHF-S-Band, LN, 9V, 30mA, 100mW, B=90..200, 13GHz	SSFP	161a	- Say
RZC	MMST4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SC-59	161a	- Rhm
RZC	SST4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SOT23	161a	- Rhm
RZQ	MMST7157	Si-PNP	AF, 60V, 200mA, B>100	SOT23	161a	- Rhm
S0	HSPM-3880	PIN-Diode	RF, 100V, 1A, 250mW, Rs<6.5Ω, Cd<0.4pF	SOT23	16dc	- Agi
S0	R3130N40DA	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 200ms	SOT23	16vdc	VD7 Ric
S0	SST270	N-FET	AF, 30V, 350mW, Idss=2..15mA, Up<2V	SOT23	161f	- Sil
S0	TC54VN6001ECB	CMOS-IC	Voltage Detector 6.0V±1%, -Reset Open drain output	SOT23	16vc	VD6 Tcs
S0	TC54VN6002ECB	CMOS-IC	Voltage Detector 6.0V±2%, -Reset Open drain output	SOT23	16vc	VD6 Tcs
S0	XC61CN6002M	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT23	16vc	VD6 Tor
S05	XC61FN6012M	CMOS-IC	Voltage Detector 6V, Reset Open drain output, 200ms	SOT23	16vc	VD6 Tor
S06	XC61FN6042M	CMOS-IC	Voltage Detector 6V, Reset Open drain output, 400ms	SOT23	16vc	VD6 Tor
S07	XC61FN6052M	CMOS-IC	Voltage Detector 6V, Reset Open drain output, 50ms	SOT23	16vc	VD6 Tor
S09	BS809	MOS-N-FET-e	D-MOS, Sw, 400V, 100mA, 310mW, <18Ω(100mA), 10/50ns	SOT23	161h	- Itt
S1	BBY31	Si-Diode	VCO, 30V, 20mA, 1,6..16,5pF(28/1V, 1MHz), <1,2Ω	SOT23	16dc	- Phi
S1	R3130N44DA	CMOS-IC	Voltage Detector 4,4V, -Reset Push-pull output, 200ms	SOT23	16vdc	VD7 Ric
S1	SST271	N-FET	AF, 30V, 350mW, Idss=6..50mA, Up<4,5V	SOT23	161f	- Sil
S12	BBY39	C-Diode	Dual, Satellite-TV-Tuning	SOT23	16dg	- Phi
S16	ZHCS1006	Si-Diode	Schottky, 60V, 300mA, Uf<0,6V	SOT23	16dc	- Ztx
s1A	SMBT3904	Si-NPN	GP, 60V, 0,1A, 0,2W, B= 100..300, >300MHz	SOT23	161a	- Sie
s1A	SMBT3904S	Si-NPN	GP, 60V, 0,1A, 0,2W, B= 100..300, >300MHz	SOT363	161a	- Sie
s1B	SMBT2222	Si-NPN	GP, 60V, 600mA, 330mW, B=120..360, >300MHz	SOT23	161a	- Sie
s1D	SMBTA42	Si-NPN	Vid, 300V, 500mA, 1W, B>40, >50MHz	SOT23	161a	- Sie
s1D	SMBTA42M	Si-NPN	Vid, 300/300V, 200mA, 350mW, B>25, >50MHz	BO23	161a	- Sie
s1E	SMBTA43	Si-NPN	Vid, 200/200V, 200mA, 350mW, B>25, >50MHz	SOT23	161a	- Sie
s1G	SMBTA06	Si-NPN	GP, 80V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	- Sie
s1H	SMBTA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT23	161a	- Sie
s1K	SMBT6428	Si-NPN	GP, 60V, 200mA, 330mW, B=250..650, 200MHz	SOT23	161a	- Sie
s1L	SMBT6429	Si-NPN	GP, 55V, 200mA, 330mW, B=500..1250, 200MHz	SOT23	161a	- Sie
s1M	SMBTA13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>5000, >125MHz	SOT23	161a	- Sie
s1N	SMBTA14	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>10000, >125MHz	SOT23	161a	- Sie
s1P	MMBT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=100..300, >200MHz	SOT23	161a	- inf
s1P	SMBT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT23	161a	- inf
s1V	SMBT6427	Si-NPN-Darl	AF, 40V, 500mA, 360mW, B=10k..100k, >130MHz	SOT23	161a	- Sie
S2	B8Q31	Si-NPN	HF, 30V, 100mA, 330mW, B>20, >600MHz	SOT23	161a	- Ztx
S2	BFQ31	Si-NPN	VHF, 30V, 100mA, 200mW, B>20, >600MHz	SOT23	161a	- Ztx
S2	BSV35	Si-NPN	Fast-Sw, 40V, 0,5A, <12/18ns	SOT323	161a	- Fsr
S2	KTA2014-2	Si-PNP	GP, 50V, 150mA, 100mW, B=70..140, >80MHz	SOT323	161a	- Ric
S2	R3130N26DA3	CMOS-IC	Voltage Detector 2,6V, -Reset Push-pull output, 200ms	SOT23	16vdc	VD7 Ric
S21	GS810C21EU	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7 Vis
S24	GS810C24EU	CMOS-IC	Voltage Detector 2,4V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7 Vis
S26	GS810C26EU	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7 Vis
S27	GS810C27SEU	CMOS-IC	Voltage Detector 2,7V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7 Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
S28	BS828	MOS-N-FET-e	D-MOS, Sw, 240V, 230mA, 310mW, <5,5Q(100mA), 5/50ns	SOT23	16th	-	lIt
S29	BS829	MOS-P-FET-e	D-MOS, Sw, 400V, 70mA, 350mW, <40Q(100mA), 10/50ns	SOT23	16th	-	lIt
S29	GS810CSEU	CMOS-IC	Voltage Detector 2,93V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
a2A	SMBT3906	Si-PNP	GP, 40V, 200mA 250MHz, B=100..300	SOT23	16ta	-	Sie
a2A	SMBT3906S	Si-PNP	GP, 40V, 200mA, 330mW, B=100..300, >250MHz	SOT363	16ta	-	Sie
a2C	SMBTA70	Si-PNP	GP, 40V, 100mA, 350mW, B=40..100, >125MHz	SOT23	16ta	-	Sie
a2D	SMBTA92	Si-PNP	Vid, 300/300V, 500mA, 330mW, B=25, >50MHz	SOT23	16ta	-	6ie
a2D	SMBTA92M	Si-PNP	Vid, 300/300V, 500mA, 330mW, B=25, >50MHz	SOT23	16ta	-	Sis
a2E	SMBTA93	Si-PNP	Vid, 200/200V, 500mA, 330mW, B=25, >50MHz	SOT23	16ta	-	Sie
a2F	SMBT2907A	Si-PNP	GP, 60V, 500mA, 310mW, B=100..300, >200MHz	SOT23	16ta	-	Sis
a2G	SMBTA56	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta	-	Sis
a2G	SMBTA56M	Si-PNP	AF-Driver, 80V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta	-	Sis
a2H	SMBTA55	Si-PNP	AF-Driver, 60V, 500mA, 300mW, B>100, >50MHz	SOT23	16ta	-	Sie
a2P	SMBT5086	Si-PNP	GP, 50V, 50mA, 330mW, B=150..500, >40MHz	SOT23	16ta	-	Sie
a2Q	SMBT5087	Si-PNP	GP, 50V, 50mA, 330mW, B=250..800, >40MHz	SOT23	16ta	-	Sis
a2U	SMBTA63	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SOT23	16ta	-	Sis
a2V	SMBTA64	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>10000, >125MHz	SOT23	16ta	-	Sis
S3	BBQ31R	Si-NPN	HF, 30V, 100mA, 330mW, B>20, >600MHz	SOT23	16ta	-	Ztx
S3	BBY51	C-Diode	Dual, Tuning, VCO, 7V, 2.5..3.7/4.5..6.1pF(4/1V)	SOT23	16dg	-	Sie
S3	BSV36	Si-NPN	Switching, 15V, 0.5A, <20/15ns	SOT323	16te	-	Fer
S3	R3130N29DA3	CMOS-IC	Voltage Detector 2,9V, -Reset Push-pull output, 200ms	SOT23	16vdc	VD7	Ric
S30	FP1A4A	Si-PNP-Digi	Switching, 25V, 700mA, 200mW, R2=10k	SC-59	17ta	-	Nec
S30	GS810CTEU	CMOS-IC	Voltage Detector 3,08V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
S31	FP1L2Q	Si-PNP-Digi	Switching, 25V, 700mA, 200mW, R2/R2=4k7/4k7	SC-59	17ta	-	Nec
S32	FP1A3M	Si-PNP-Digi	Switching, 25V, 700mA, 200mW, R2/R2=1k/1k	SC-59	17ta	-	Nec
S33	FP1F3P	Si-PNP-Digi	Switching, 25V, 700mA, 200mW, R2/R2=2k2/10k	SC-59	17ta	-	Nec
S34	FP1L3N	Si-PNP-Digi	Switching, 25V, 700mA, 200mW, R2/R2=4k7/10k	SC-59	17ta	-	Nec
S35	FP1A4M	Si-PNP-Digi	Switching, 30V, 700mA, 200mW, R1/R2=10k/10k	SC-59	16ta	-	Nec
S35	FP1L3N	Si-PNP-Digi	Switching, 25V, 700mA, 200mW, R2/R2=10k/10k	SC-59	17ta	-	Nec
S36	FP1J3P	Si-PNP-Digi	Switching, 25V, 700mA, 200mW, R2/R2=3k3/10k	SC-59	17ta	-	Nec
S4	1PS89SS04	Si-Diode	Dual, Schottky Barrier, U-Speed, 85V, 200mA, <1,5pF	SOT490	18dl	-	Phi
S4	BBQ31A	Si-NPN	HF, 30V, 100mA, 330mW, B>100, >600MHz	SOT23	16ta	-	Ztx
S4	BFQ31A	Si-NPN	VHF, 30V, 100mA, 200mW, B>20, >600MHz	SOT23	16ta	-	Ztx
S4	BSV37	Si-PNP	Switching, 12V, 0.5A, <60/90ns	SOT323	16ta	-	Fer
S4	KA4A4L	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=10k/4k7	SC-75	16ta	-	Nec
S4	KTA2014-4	Si-PNP	GP, 50V, 150mA, 100mW, B=120..240, >80MHz	SOT323	16ta	-	Kec
S4	R3130N30DA8	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 200ms	SOT23	16vdc	VD7	Ric
S4	SST174	N-FET	Sym, 30V, 350mW, Idss=20..135mA, Up<15V, 7/15ns	SOT23	16fj	-	Sil
S40	GS810CJEU	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
S43	GS810CMEU	CMOS-IC	Voltage Detector 4,38V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
S46	BAR46	Si-Diode	Schottky, 100V, 150mA, 230mW, Vf<1V(250mA), 10pF	SOT23	16dc	-	Sie
S46	GS810CLEU	CMOS-IC	Voltage Detector 4,63V, Reset Push-pull output, 210ms	SOT23	16vdc	VD7	Vis
S5	1PS89SS05	Si-Diode	Dual, Schottky Barrier, U-Speed, 85V, 200mA, <1,5pF	SOT490	18dg	-	Phi
S5	BBQ31AR	Si-NPN	HF, 30V, 100mA, 330mW, B>100, >600MHz	SOT23	16ta	-	Ztx
S5	BFQ31AR	Si-NPN	VHF, 30V, 100mA, 200mW, B>20, >600MHz	SOT23	16te	-	Ztx
S5	R3130N46DA5	CMOS-IC	Voltage Detector 4,6V, -Reset Push-pull output, 200ms	SOT23	16vdc	VD7	Ric
S5	SST175	N-FET	Sym, 30V, 350mW, Idss=7..70mA, Up<6V, 15/30ns	SOT23	16fj	-	Sil
S50	BS850	MOS-P-FET-e	D-MOS, Sw, 60V, 250mA, 310mW, <3,5Q(100mA), 5/25ns	SOT23	16th	-	lIt
S56	ZHCSS06	Si-Diode	Schottky, 60V, 500mA, Uf<0,63V	SOT23	16dc	-	Ztx
a5A	SMBD6050	Si-Diode	Switching, 70V, 250mA, 370mW, Vf<1,1V(100mA), <10ns	SOT23	16dc	-	Sis
a5B	SMBD6100	Si-Diode	Dual, Sw, 70V, 200mA, 250mW, Vf<1,1V(0,1A), <10ns	SOT23	16dg	-	Sie
a5C	SMBD7000	Si-Diode	Dual, Sw, 100V, 200mA, 330mW, Vf<1,1V(0,1A), <15ns	SOT23	16dl	-	Sis
a5D	MMBD914	Si-Diode	Switching, 100V, 250mA, 370mW, Vf<1,25V(150mA), <4ns	SOT23	16dc	-	Sis
a5D	SMBD914	Si-Diode	Switching, 100V, 250mA, 370mW, Vf<1,25V(150mA), <4ns	SOT23	16dc	-	Sis
S5a	BAT15-05W	Si-Diode	Dual, Schottky, DBS-mix, 4V, 100mA, <12GHz, <0,35pF	SOT323	16dg	-	Inf
S5a	BBY52	C-Diode	Dual, Tuning, VCO, 7V, 0.85..1.45/1.4..2.2pF(4/1V)	SOT23	16dg	-	Sie
S6	1PS89SS06	Si-Diode	Dual, Schottky Barrier, U-Speed, 85V, 200mA, <2pF	SOT490	18dl	-	Phi
S6	KTA2014-6	Si-PNP	GP, 50V, 150mA, 100mW, B=200..400, >80MHz	SOT323	16ta	-	Kec
S7	1PS89SB74	Si-Diode	Dual, Schottky Barrier, U-Speed, 70V, 70mA, <2pF	SOT490	18dl	-	Phi
S7	KN4A4L	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=10k/4k7	SC-75	16ta	-	Nec
S70	BS870	MOS-N-FET-e	D-MOS, Sw, 60V, 250mA, 310mW, <3,5Q(100mA), 5/25ns	SOT23	16th	-	lIt
S72	2N7002	MOS-N-FET-e	D-MOS, 60V, 250mA, 310mW, <7,5Q(0,5A), 5/25ns	SOT23	16fi	-	lIt
S76	ZHCS756	Si-Diode	Schottky, 60V, 750mA, Uf<0,61V	SOT23	16dc	-	Ztx
S7a	BBY53	C-Diode	Dual, Tuning, VCO, 6V, 1.85..3.1/4.8..5.8pF(6/1V)	SOT23	16dg	-	Sie
S8a	BAT15-04W	Si-Diode	Dual, Schottky, DBS-mix, 4V, 100mA, <12GHz, <0,35pF	SOT323	16dl	-	Inf
S9	1SS394	Si-Diode	Schottky, 10V, 100mA	SC-59	16dc	-	Tos
S9	1SS395	Si-Diode	Schottky, 10V, 100mA	SC-70	16dc	-	Tos
SA	BSS123	MOS-N-FET-e	V-MOS, LogL, 100V, 0,17A, 200mW, <6Q, 10/22ns	SOT23	16th	-	Ons,Sie

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
SA	BSS123	MOS-N-FET-e	V-MOS, LogL, 100V, 0,17A, 200mW, <6Q, 10/22ns	SOT23	16fh -	Ztx
SA2	SMBD2836	Si-Diode	Dual, Sw, 50V, 200mA, 250mW, Vf<1,2V(100mA), <6ns	SOT23	16df -	Sie
SA3	SMBD2835	Si-Diode	Dual, Sw, 30V, 200mA, 250mW, Vf<1,2V(100mA), <6ns	SOT23	16df -	Sie
SA4	SMBD2838	Si-Diode	Dual, Sw, 50V, 200mA, 250mW, Vf<1,2V(100mA), <6ns	SOT23	16dg -	Sie
SA5	SMBD2837	Si-Diode	Dual, Sw, 30V, 200mA, 250mW, Vf<1,2V(100mA), <6ns	SOT23	16dg -	Sie
SAA	BC848A	Si-NPN	GP, 30V, 100mA, 200mW, B=110..220, >300MHz	SOT23	16ta -	Auk
SAA	BC848AF	Si-NPN	GP, 30V, 100mA, 200mW, B=110..220, 150MHz	SOT23F	16ta -	Auk
SAA	MAX809SN160T1	CMOS-IC	Voltage Detector 1,6V, -Reset Push-pull output	SOT23	16vdc VD7	Ons
SAA	BSS123A	MOS-N-FET-e	V-MOS, LogL, 100V, 0,17A, 360mW, <6Q, 10/15ns	SOT23	16fh -	Ztx
SAB	BC848B	Si-NPN	GP, 30V, 100mA, 200mW, B=200..450, 250MHz	SOT23	16ta -	Auk
SAB	BC848BF	Si-NPN	GP, 30V, 100mA, 200mW, B=200..450, 150MHz	SOT23F	16ta -	Auk
SAC	BC848C	Si-NPN	GP, 30V, 100mA, 200mW, B=420..800, 250MHz	SOT23	16ta -	Auk
SAC	BC848CF	Si-NPN	GP, 30V, 100mA, 200mW, B=420..800, 150MHz	SOT23F	16ta -	Auk
SAR	KTA1531T-R	Si-PNP	AF, 20V, 1A, 900mW, B=120..240 >180MHz	TSM	16ta -	Kec
SAS	KTA1531T-S	Si-PNP	AF, 20V, 1A, 900mW, B=150..300 >180MHz	TSM	16ta -	Kec
SAT	KTA1531T-T	Si-PNP	AF, 20V, 1A, 900mW, B=120..240 >180MHz	TSM	16ta -	Kec
SB	2SA1121-B	Si-PNP	GP, AF, 35V, 500mA, 150mW, B=60..120	SOT23	16ta -	Hil
SB	KTA1532T	Si-PNP	AF, 20V, 1A, 900mW, B=200..560 >210MHz	TSM	16ta -	Pan
SB	SMGT2222	Si-NPN	GP, 60V, 600mA, 330mW, B=120..360, >300MHz	SOT23	16ta -	Sie
SBC	BC847C	Si-NPN	GP, 50V, 100mA, 300mW, B=420..800, >300MHz	SOT23	16ta -	Sam
SBH	MAX809SN490T1	CMOS-IC	Voltage Detector 4,9V, -Reset Push-pull output	SOT23	16vdc VD7	Ons
SBe	BSS145	MOS-N-FET-e*	V-MOS, 65V, 0,22A, <3,5Q, 11/27ns	SOT23	16fg -	Sie
SC	2SA1121-C	Si-PNP	GP, AF, 35V, 500mA, 150mW, B=100..200	SOT23	16ta -	Hil
SC	SMBT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT23	16ta -	Sie
SC3	SMBT4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120..360, >250MHz	SOT23	16ta -	Inf
SD	2SA1121-D	Si-PNP	GP, AF, 35V, 500mA, 150mW, B=160..320	SOT23	16ta -	Hil
SD	BSS145	MOS-N-FET-e*	V-MOS, 65V, 0,22A, <3,5Q, 11/27ns	SOT23	16fg -	Sie
SD	BSS284	MOS-P-FET-e	V-MOS, LogL, 50V, 0,13A, 19/30ns	SOT23	16fg -	Sie
SD	SMBT2907	Si-PNP	GP, 40V, 500mA, 310mW, B=100..300, >200MHz	SOT23	16ta -	Sie
SDs	BSS284	MOS-P-FET-e	V-MOS, LogL, 50V, 0,13A, 19/30ns	SOT23	16fg -	Sie
SE	SMBT2907A	Si-PNP	GP, 60V, 500mA, 310mW, B=100..300, >200MHz	SOT23	16ta -	Sie
SEs	BSS159	MOS-N-FET-d	V-MOS, 50V, 0,16A, <8Q(70mA)	SOT23	16fg -	Sie
SF	SMBTA13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>5000, >125MHz	SOT23	16ta -	Sie
SF0	BB804-0	C-Diode	Dual, VHF, 18V, 50mA, 42/43,5pF	SOT23	16dg -	Sie
SF0	BB804F0	C-Diode	Dual, 18V, <50mA, Rs<0,2Q, 42..43.pF, C2V/C8V>1.65	SOT23	16dg -	Sie
SF1	BB804-1	C-Diode	Dual, VHF, 18V, 50mA, 43/44,5pF	SOT23	16dg -	Sie
SF1	BB804F1	C-Diode	Dual, 18V, <50mA, 43..44.5pF, C2V/C8V>1.65	SOT23	16dg -	Sie
SF2	BB804-2	C-Diode	Dual, VHF, 18V, 50mA, 44/45,5pF	SOT23	16dg -	Sie
SF2	BB804F2	C-Diode	Dual, 18V, <50mA, 44..45.5pF, C2V/C8V>1.65	SOT23	16dg -	Sie
SF2	BB804W	C-Diode	Dual, VHF, 18V, 50mA, 45-26pF	SOT23	16dg -	Phi
SF3	BB804-3	C-Diode	Dual, VHF, 18V, 50mA, 45/46,5pF	SOT23	16dg -	Sie
SF3	BB804F3	C-Diode	Dual, 18V, <50mA, 45..46.5pF, C2V/C8V>1.65	SOT23	16dg -	Sie
SF4	BB804-4	C-Diode	Dual, VHF, 18V, 50mA, 46/47,5pF	SOT23	16dg -	Sie
SF4	BB804F4	C-Diode	Dual, 18V, <50mA, 46..47.5pF, C2V/C8V>1.65	SOT23	16dg -	Sie
SF5	BB804	C-Diode	Dual, VHF, 18V, 50mA, 45..26pF	SOT23	16dg -	Phi
SF6	BB804	C-Diode	Dual, VHF, 18V, 50mA, 42/43,5pF	SOT23	16dg -	Sie
SFs	BSS169	MOS-N-FET-d	V-MOS, 100V, 0,12A, <12Q(0,5A)	SOT23	16fg -	Sie
SG	2SA1162-GR	Si-PNP	GP, AF, 50V, 150mA, 150mW, B=200..400, >80MHz	SOT23	16ta -	Tos
SG	2SA1586-G	Si-PNP	AF, 50V, 150mA, 100mW, B=200..400, >80MHz	SOT323	16ta -	Tos
SG	2SA1586-GR	Si-PNP	GP, AF, 50V, 150mA, 100mW, B=200..400, >70MHz	SC-70	16ta -	Tos
SG	2SA1832-GR	Si-PNP	GP, 50V, 150mA, 100mW, B=200..400, 80MHz	SOT523	16ta -	Tos
SG	SMBTA14	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>10000, >125MHz	SOT23	16ta -	Sie
SGR	KTA2014-R	Si-PNP	AF, 50V, 150mA, 100mW, B=200..400, >80MHz	SOT323	16ta -	Kec
SH	BSS119	MOS-N-FET-e	V-MOS, 100V, 0,17A, <6Q, 9/24ns	SOT23	16fg -	Sie
SH1	BB814	C-Diode	Dual, FM/VHF, 18V, 50mA, 21,9..43pF(8V..2V, 1MHz)	SOT23	16dg -	Inf
SH1	BB814H1	C-Diode	Dual, 18V, <50mA, 43..45pF, C2V/C8V>2.05..2.25	SOT23	16dg -	Sie
SH2	BB814	C-Diode	Dual, FM/VHF, 18V, 50mA, 22,7..44,5pF(8V..2V, 1MHz)	SOT23	16dg -	Inf
SH2	BB814H2	C-Diode	Dual, 18V, <50mA, 44,5..46,5pF, C2V/C8V>2.05..2.25	SOT23	16dg -	Sie
SJ	1N5817	Si-Diode	Schottky Rectifier, 20V, 1A, Vf<0,45V(1A), 120pF	SOT23	16dc -	Trs
SJ	MCP120-270I	CMOS-IC	Voltage Detector 2,62V, -Reset Open drain output	SOT23	16vd VD6	Mcc
SJ	MCP120T-270I	CMOS-IC	Voltage Detector 2,62V, -Reset Open drain output	SOT23	16vd VD6	Mcc
SJ	SMBTA92	Si-PNP	Vid, 300/300V, 500mA, 330mW, B=25, >50MHz	SOT23	16ta -	Sie
SK	MCP120-300I	CMOS-IC	Voltage Detector 2,92V, -Reset Open drain output	SOT23	16vd VD6	Mcc
SK	MCP120T-300I	CMOS-IC	Voltage Detector 2,92V, -Reset Open drain output	SOT23	16vd VD6	Mcc
SK	SMBTA93	Si-PNP	Vid, 200/200V, 500mA, 330mW, B=25, >50MHz	SOT23	16ta -	Sie
SL	1N5819	Si-Diode	Schottky Rectifier, 40V, 1A, Vf<0,6V(1A), 120pF	SOT23	16dc -	Trs
SL	MCP120-315I	CMOS-IC	Voltage Detector 3,07V, -Reset Open drain output	SOT23	16vd VD6	Mcc
SL	MCP120T-315I	CMOS-IC	Voltage Detector 3,07V, -Reset Open drain output	SOT23	16vd VD6	Mcc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
SL	SMBTA42	Si-NPN	Vid, 300V, 500mA, 1W, B>40, >50MHz	SOT23	161a	-	Св
SM	2SC3082K-M	Si-NPN	AF, 30V, 50mA, 200mW, B=39 82 >110MHz	SOT346	161a	-	Rhm
SM	2SC4100-M	Si-NPN	AF, 30V, 50mA, 200mW, B=39 82, >110MHz	SOT323	161a	-	Rhm
SM	2SC4619-M	Si-NPN	HF, Amp, 30V, 50mA, 150mW, B=39 82, 110MHz	SOT416	161a	-	Rhm
SM	BB914	C-Diode	Dual, FM-Tuning (Car), 20V, 17,6 19,8/42,5 45pF(8/2V)	SOT23	16dg	-	Св
SM	MCP120-450I	CMOS-IC	Voltage Detector 4,37V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SM	MCP120T-450I	CMOS-IC	Voltage Detector 4,37V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SM	SMBTA43	Si-NPN	Vid, 200/200V, 200mA, 350mW, B>25, >50MHz	SOT23	161a	-	Св
SMs	BB914	C-Diode	Dual FM-Tuning (Car), 20V, 17,6 19,8/42,5 45pF(8/2V)	SOT23	16dg	-	Св
SN	2SC3082K-N	Si-NPN	AF, 30V, 50mA, 200mW, B=56 120, >110MHz	SOT346	161a	-	Rhm
SN	2SC4100-N	Si-NPN	AF, 30V, 50mA, 200mW, B=56 120, >110MHz	SOT323	161a	-	Rhm
SN	2SC4619-N	Si-NPN	GP, 30V, 50mA, 150mW, B=56 120, 110MHz	SOT416	161a	-	Rhm
SN	MCP120-460I	CMOS-IC	Voltage Detector 4,47V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SN	MCP120T-460I	CMOS-IC	Voltage Detector 4,47V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SN	SMBT3904	Si-NPN	GP, 60V, 0,1A, 0,2W, B= 100 300 >300MHz	SOT23	161a	-	Св
SO	2SA1162-O	Si-PNP	GP, AF, 50V, 150mA, 150mW, B=70 140, >80MHz	SOT23	161a	-	Tos
SO	2SA1586-O	Si-PNP	GP, AF, 50V, 150mA, 100mW, B=70 140, >70MHz	SC-70	161a	-	Tos
SO	KTA2014-O	Si-PNP	GP, 50V, 150mA, 100mW, B=70 140, >80MHz	SOT323	161a	-	Kec
SO	MCP120-475I	CMOS-IC	Voltage Detector 4,62V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SO	MCP120T-475I	CMOS-IC	Voltage Detector 4,62V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SO	SMBT3906	Si-PNP	GP, 40V, 200mA 250MHz, B=100 300	SOT23	161a	-	Св
SP	2SC3082K-P	Si-NPN	AF, 30V, 50mA, 200mW, B=82 180, >110MHz	SOT346	161a	-	Rhm
SP	2SC4100-P	Si-NPN	AF, 30V, 50mA, 200mW, B=82 180, >110MHz	SOT323	161a	-	Rhm
SP	2SC4619-P	Si-NPN	GP, 30V, 50mA, 150mW, B=82 180, 110MHz	SOT416	161a	-	Rhm
SP	BSS84	MOS-P-FET-e	V-MOS, LogL, 50V, 0,13A, 19/30ns	SOT23	16fg	-	Nsc,Phi,Св
SP	MCP120-485I	CMOS-IC	Voltage Detector 4,72V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SP	MCP120T-485I	CMOS-IC	Voltage Detector 4,72V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
SPs	BSS84	MOS-P-FET-e*	V-MOS, LogL, 50V 0 13A, 19/30ns	SOT23	16fg	-	Св
SPT	MAX809STR	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SOT23	16vdc	VD7	Ons
SPW	MAX809LTR	CMOS-IC	Voltage Detector 4 63V, -Reset Push-pull output	SOT23	16vdc	VD7	Ons
SQ	2SC3082K-Q	Si-NPN	AF, 30V, 50mA, 200mW, B=120 270, >110MHz	SOT346	161a	-	Rhm
SQ	2SC4100-Q	Si-NPN	AF, 30V, 50mA, 200mW, B=120 270, >110MHz	SOT323	161a	-	Rhm
SQ	2SC4619-Q	Si-NPN	GP, 30V, 50mA, 150mW B=120 270, 110MHz	SOT416	161a	-	Rhm
SQC	NCP803SN263T1	CMOS-IC	Voltage Detector 2,63V -Reset Open drain output	SOT23	16vdc	VD7	Ons
SQE	NCP803SN308T1	CMOS-IC	Voltage Detector 3 08V -Reset Open drain output	SOT23	16vdc	VD7	Ons
SQP	MAX809SN232T1	CMOS-IC	Voltage Detector 2 32V -Reset Push-pull output	SOT23	16vdc	VD7	Ons
SR	2SC2405-R	Si-NPN	AF, LN, 55V, 10mA, 200mW, B=180 360, 200MHz	SOT23	161a	-	Pan
SR	2SC3929-R	Si-NPN	AF, LN, 55V, 50mA, 150mW, B=180 360, 80MHz	SOT323	161a	-	Pan
SR	BSS131	MOS-N-FET-e	V-MOS, 240V, 0,1A, <16Q(0,5A)	SOT23	16fg	-	Phi,Св
SRs	BSS131	MOS-N-FET-e*	V-MOS, 240V, 0,1A, <16Q(0,5A)	SOT23	16fg	-	Св
SS	2SC2405-S	Si-NPN	AF, LN 55V, 10mA, 200mW, B=260 520 200MHz	SOT23	161a	-	Pan
SS	2SC3929-S	Si-NPN	AF, LN, 55V, 50mA, 150mW, B=260 520, 80MHz	SOT323	161a	-	Pan
SS	BSS138	MOS-N-FET-e*	V-MOS, LogL, 50V 0,22A 3 5Q, 11/27ns	SOT23	16fg	-	Phi,Св
sSH	BSS119	MOS-N-FET-e*	V-MOS, 100V 0,17A, <6Q, 9/24ns	SOT23	16fg	-	Св
sSJ	BSS7728	MOS-N-FET-e	V-MOS, 60V, 0,15A, 11/27ns	SOT23	16fg	-	Св
SSs	BSS138	MOS-N-FET-e*	V-MOS, LogL 50V, 0,22A 3,5Q 11/27ns	SOT23	16fg	-	Св
ST	2SC2405-T	Si-NPN	AF, LN, 55V, 10mA, 200mW, B=360 700, 200MHz	SOT23	161a	-	Pan
ST	2SC3929-T	Si-NPN	AF, LN, 55V, 50mA, 150mW, B=360 700, 80MHz	SOT323	161a	-	Pan-
ST	BSS139	MOS-N-FET-d	V-MOS, 250V, 0 04A <100Q, 14/25ns	SOT23	16fg	-	Св
STs	BSS139	MOS-N-FET-d	V-MOS, 250V, 0 04A, <100Q, 14/25ns	SOT23	16fg	-	Св
SY	2SA1162-Y	Si-PNP	GP, AF, 50V, 150mA, 150mW, B=120 240, >80MHz	SOT23	161a	-	Tos
SY	2SA1586-Y	Si-PNP	GP, AF, 50V, 150mA, 100mW, B=120 240, >70MHz	SC-70	161a	-	Tos
SY	2SA1832-Y	Si-PNP	GP, 50V, 150mA, 100mW, B=120 240, 80MHz	SOT523	161a	-	Tos
SY	KTA2014-Y	Si-PNP	GP, 50V, 150mA, 100mW, B=120 240, >80MHz	SOT323	161a	-	Kec
zC	MMBT4124	Si-NPN	Switching, 30V 200mA, 330mW, B=120 360 >300MHz	SOT23	161a	-	Св
zC	SMBT4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120 360 >300MHz	SOT23	161a	-	Св
T0	R3130N40HA	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 400ms	SOT23	16vdc	VD7	Ric
t01	PDTA143ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k	SOT23	161a	-	PhM
t01	PDTA143EU	Si-PNP-Digi	Switching 50V, 100mA, 200mW, R1/R2=4 7k/4 7k	SOT323	161a	-	PhM
t02	PDTCT143ET	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k	SOT23	161a	-	PhM
t02	PDTCT143EU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4 7k/4 7k	SOT323	161a	-	PhM
t03	PDTA114ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SOT23	161a	-	PhM
t03	PDTA114EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT323	161a	-	PhM
t04	BZX84-A11	Z-Diode	11V±1%, 300mW	SOT23	16dc	-	PhM
t04	PMSS3904	Si-NPN	GP, 60V, 100mA 200mW, B=100 300, >180MHz	SC-70	161a	-	PhM
t05	PDTA124ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k	SOT23	161a	-	PhM
t05	PDTA124EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT323	161a	-	PhM
t06	PDTCT124ET	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k	SOT23	161a	-	PhM

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
106	PDTC124EU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT323	161a -	PhM
106	PMSS3906	Si-PNP	GP, 60V, 100mA, 200mW, B=100 300, >150MHz	SC-70	161a -	PhM
107	PDTA144ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SOT23	161a -	PhM
107	PDTA144EU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT323	161a -	PhM
108	PDTC144ET	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/47k	SOT23	161a -	PhM
108	PDTC144EU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT323	161a -	PhM
109	PDTC114EU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT323	161a -	PhM
T1	BSS63LT1	Si-PNP	GP, 110V, 100mA, 250mW, B>30, >50MHz	SOT23	161a -	Ons
T1	HSMS-2862	Si-Diode	Dual, Schottky, 5V, V(I _f =30mA)<0.6V, C _i <0.3pF, R _d =10Ω	SOT23	16dl -	Ag
T1	R3130N44HA	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 400ms	SOT23	16vdc VD7	Ric
T106	DTD113ZU	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=1k/10k	UMT3	161a -	Rhm
t11	PDTA114TT	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT23	161a -	PhM
t12	PDTC114TT	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=10k	SOT23	161a -	PhM
T146	DTD113ZK	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 200MHz, R1/R2=1k/10k	SMT3	161a -	Rhm
t16	PDTC114ET	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k	SOT23	161a -	PhM
t18	PDTC143ZT	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/47k	SOT23	161a -	PhM
t19	PDTA143ZT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/47k	SOT23	161a -	PhM
T19	TK71519S	VR-IC	LDO, 1.9V±1.5%, 155mA	SOT23	16cj VR1	Tok
t1A	PMBT3904	Si-NPN	Switching, 60V, 100mA, 250mW, B=100 300, >300MHz	SOT23	161a -	PhM
t1A	PMST3904	Si-NPN	GP, 60V, 200mA, 200mW, B=60 300, >300MHz	SOT323	161a -	PhM
t1B	PMBT2222	Si-NPN	Switching, 60V, 600mA, 330mW, B=120 360, >300MHz	SOT23	161a -	PhH
t1B	PMST2222	Si-NPN	Switching, 60V, 600mA, 200mW, B=120 300, >300MHz	SOT23	161a -	PhM
t1D	PMBTA42	Si-NPN	V _{id} , 300/300V, 100mA, 250mW, B>25, >50MHz	SOT23	161a -	PhH
t1D	PMSTA42	Si-NPN	V _{id} , 300/300V, 100mA, 200mW, B>25, >50MHz	SOT323	161a -	PhM
t1E	PMBTA43	Si-NPN	V _{id} , 200/200V, 100mA, 250mW, B>25, >50MHz	SOT23	161a -	PhH
t1E	PMSTA43	Si-NPN	V _{id} , 200/200V, 100mA, 200mW, B>25, >50MHz	SOT323	161a -	PhM
t1F	PMBT5550	Si-NPN	HV, 160V, 300mA, 250mW, B=60 250, 100 300MHz	SOT23	161a -	PhH
t1F	PMST5550	Si-NPN	HV, 160V, 300mA, 200mW, B=60 250, 100 300MHz	SOT323	161a -	PhM
t1G	PMBTA06	Si-NPN	GP, 80V, 500mA, 250mW, B>100, >100MHz	SOT23	161a -	PhH
t1G	PMSTA06	Si-NPN	GP, 80V, 500mA, 200mW, B>50, >100MHz	SOT323	161a -	PhM
t1H	MMBTA05	Si-NPN	GP, 60V, 500mA, 350mW, B>100, >100MHz	SOT323	161a -	Ph
t1H	PMBTA05	Si-NPN	GP, 60V, 500mA, 250mW, B>100, >100MHz	SOT23	161a -	PhH
t1H	PMSTA05	Si-NPN	GP, 60V, 500mA, 200mW, B>50, >100MHz	SOT323	161a -	PhM
t1J	PMBT2369	Si-NPN	Switching, 40V, 200mA, 330mW, B=40 120, >500MHz	SOT23	161a -	PhH
t1J	PMST2369	Si-NPN	Switching, 40V, 200mA, 200mW, B=40 120, >500MHz	SOT323	161a -	PhM
t1K	PMBT6428	Si-NPN	GP, AF, 60V, 100mA, 250mW, B>250 650, 100 700MHz	SOT23	161a -	PhH
t1K	PMST6428	Si-NPN	GP, H-β, 60V, 100mA, 200mW, B=250 650, 100 700MHz	SOT323	161a -	PhM
t1L	PMBT6429	Si-NPN	GP, AF, 55V, 100mA, 250mW, B>500 1250, 100 700MHz	SOT23	161a -	PhH
t1L	PMST6429	Si-NPN	GP, H-β, 55V, 100mA, 200mW, B=250 850, 100 700MHz	SOT323	161a -	PhM
t1M	PMBTA13	Si-NPN-Darl	GP, 30V, 500mA, 250mW, B>5000, >125MHz	SOT23	161a -	PhH
t1N	PMBTA14	Si-NPN-Darl	GP, 30V, 500mA, 250mW, B>10000, >125MHz	SOT23	161a -	PhH
T1p	BCX17	Si-PNP	AF-Driver, 50V, 500mA, 250mW, B=100 600, >80MHz	SOT23	161a -	PhH
t1P	PMBT2222A	Si-NPN	Switching, 75V, 600mA, 330mW, B=120 360, >300MHz	SOT23	161a -	PhH
t1P	PMST2222A	Si-NPN	Switching, 75V, 600mA, 200mW, B=120 300, >300MHz	SOT323	161a -	PhM
t1Q	PMBT5088	Si-NPN	GP, AF, 30V, 200mA, 325mW, B>500, 160MHz	SOT23	161a -	PhH
t1Q	PMST5088	Si-NPN	GP, 35V, 100mA, 200mW, B=300 900, >100MHz	SOT323	161a -	PhM
t1R	PMST5089	Si-NPN	GP, 30V, 100mA, 200mW, B=400 1200, >100MHz	SOT323	161a -	PhM
T1t	BCX17	Si-PNP	AF-Driver, 50V, 500mA, 250mW, B=100 600, >80MHz	SOT23	161a -	PhM
T2	R3130N26HA3	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 400ms	SOT23	16vdc VD7	Ric
t20	PDTC144WT	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=47k/22k	SOT23	161a -	PhM
t20	PDTC144WU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SOT323	161a -	PhM
T20	TK71520S	VR-IC	LDO, 2V±1.5%, 155mA	SOT23	16cj VR1	Tok
t21	PDTA123ET	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/2k2	SOT23	161a -	PhM
T21	TK71521S	VR-IC	LDO, 2.1V±1.5%, 155mA	SOT23	16cj VR1	Tok
T22	TK71522S	VR-IC	LDO, 2.2V±1.5%, 155mA	SOT23	16cj VR1	Tok
t23	PDTA114TU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT323	161a -	PhM
t23	PDTA123JT	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/47k	SOT23	161a -	PhM
T23	TK71523S	VR-IC	LDO, 2.3V±1.5%, 155mA	SOT23	16cj VR1	Tok
t24	PDTC114TU	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=10k	SOT323	161a -	PhM
T24	TK71524S	VR-IC	LDO, 2.4V±1.5%, 155mA	SOT23	16cj VR1	Tok
t25	PDTC123JT	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/47k	SOT23	161a -	PhM
T25	TK71525S	VR-IC	LDO, 2.5V±1.5%, 155mA	SOT23	16cj VR1	Tok
t26	PDTC123ET	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2k2/2k2	SOT23	161a -	PhM
T26	TK71526S	VR-IC	LDO, 2.6V±1.5%, 155mA	SOT23	16cj VR1	Tok
t27	PDTC114YT	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k	SOT23	161a -	PhM
T27	TK71527S	VR-IC	LDO, 2.7V±1.5%, 155mA	SOT23	16cj VR1	Tok
t28	PDTA144WU	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=47k/22k	SOT323	161a -	PhM
T28	TK71528S	VR-IC	LDO, 2.8V±1.5%, 155mA	SOT23	16cj VR1	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
I29	PDTA114YT	SI-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k	SOT23	16ta	-	PhM
T29	TK71529S	VR-IC	LDO, 2.9V±1.5%, 155mA	SOT23	16cj	VR1	Tok
I2A	PMBT3906	SI-PNP	Switching, 40V, 100mA, 250mW, B=100..300, >250MHz	SOT23	16ta	-	PhM
I2A	PMST3906	SI-PNP	GP, 60V, 100mA, 200mW, B=60..300, >250MHz	SOT323	16ta	-	PhM
I2B	PMBT2907	SI-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SOT23	16ta	-	PhH
I2D	PMBTA92	SI-PNP	Vid, 300/300V, 500mA, 250mW, B=25..600, >50MHz	SOT23	16ta	-	PhH
I2D	PMSTA92	SI-PNP	Vid, 300/300V, 100mA, 200mW, B=40..>50MHz	SOT323	16ta	-	PhM
I2E	PMBTA93	SI-PNP	Vid, 200/200V, 500mA, 250mW, B=25..>50MHz	SOT23	16ta	-	PhH
I2E	PMSTA93	SI-PNP	Vid, 200/200V, 500mA, 330mW, B=25..>50MHz	SOT323	16ta	-	PhM
I2F	PMBT2907A	SI-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SOT23	16ta	-	PhH
I2F	PMST2907A	SI-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SOT323	16ta	-	PhM
I2G	PMBTA56	SI-PNP	AF-Driver, 80V, 500mA, 250mW, B>100, >50MHz	SOT23	16ta	-	PhH
I2G	PMSTA56	SI-PNP	AF-Driver, 80V, 500mA, 200mW, B>100, >50MHz	SOT323	16ta	-	PhM
I2H	PMBTA55	SI-PNP	AF-Driver, 60V, 500mA, 250mW, B>100, >50MHz	SOT23	16ta	-	PhH
I2H	PMSTA55	SI-PNP	AF-Driver, 60V, 500mA, 200mW, B>100, >50MHz	SOT323	16ta	-	PhM
I2L	PMBT5401	SI-PNP	HV, 160V, 300mA, 250mW, B=60..240, 100..300MHz	SOT23	16ta	-	PhH
I2L	PMST5401	SI-PNP	HV, 160V, 300mA, 200mW, B=60..240, 100..300MHz	SOT323	16ta	-	PhM
T2p	BCX18	SI-PNP	AF-Driver, 30V, 500mA, 250mW, B=100..600, >80MHz	SOT23	16ta	-	PhH
T2t	BCX18	SI-PNP	AF-Driver, 30V, 500mA, 250mW, B=100..600, >80MHz	SOT23	16ta	-	PhM
I2T	PMBT4403	SI-PNP	Switching, 40V, 600mA, 250mW, B=100..300, >250MHz	SOT23	16ta	-	PhM
I2T	PMST4403	SI-PNP	GP, 40V, 600mA, 200mW, B=100..300, >200MHz	SOT323	16ta	-	PhM
I2U	PMBTA63	SI-PNP-Darl	GP, 30V, 500mA, 250mW, B>5000, >125MHz	SOT23	16ta	-	PhH
I2V	PMBTA64	SI-PNP-Darl	GP, 30V, 500mA, 250mW, B>10000, >125MHz	SOT23	16te	-	PhH
I2X	PMBT4401	SI-NPN	Switching, 60V, 600mA, 250mW, B=100..300, >250MHz	SOT23	16ta	-	PhM
I2X	PMST4401	SI-NPN	Switching, 60V, 600mA, 200mW, B=100..300, >250MHz	SOT323	16ta	-	PhM
T3	25K1065-3	N-FET	GP, 20V, 20mA, 100mW, Idss=1.2..3mA, Up<2.5V	MCP	16fa	-	Say
T3	BAS21T	Si-Diode	Switching, Fast, 250V, 250mA, 250mW, <50ns	SOT416	16dc	-	Dil
T3	HSMS-2863	Si-Diode	Dual, Schottky, 5V, V _f (I _f =30mA)<0.6V, C _t <0.3pF, R _d =10Ω	SOT23	16df	-	Agi
T3	HVM16	C-Diode	Dual, FM-Tuning, 43..48pF(2V)	SOT23	16dg	-	Ren
T3	R3130N29HA3	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 400ms	SOT23	16vdc	VD7	Ric
I30	PDTCT114YU	SI-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/47k	SOT323	16ta	-	PhM
T30	TK71530S	VR-IC	LDO, 3V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T31	TK71531S	VR-IC	LDO, 3.1V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T32	25C4182-T32	SI-NPN	UHF/VHF-Osc/Mix, 30V, 50mA, 160mW, B=60..105, 1,1GHz	SOT323	16ta	-	Nec
I32	PDTCT143XT	SI-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/10k	SOT23	16ta	-	PhM
T32	TK71532S	VR-IC	LDO, 3.2V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T33	25C4182-T33	SI-NPN	UHF/VHF-Osc/Mix, 30V, 50mA, 160mW, B=85..150, 1,1GHz	SOT323	16ta	-	Nec
I33	PDTCT143TT	SI-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=4.7k	SOT323	16ta	-	PhM
T33	TK71533S	VR-IC	LDO, 3.3V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T34	25C4182-T34	SI-NPN	UHF/VHF-Osc/Mix, 30V, 50mA, 160mW, B>120, 1,1GHz	SOT323	16ta	-	Nec
T34	TK71534S	VR-IC	LDO, 3.4V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T35	BSR20	SI-PNP	HF/Sw, 130V, 0.6A, >100MHz	SOT23	16ta	-	Phi
I35	PDTA143XT	SI-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/10k	SOT23	16ta	-	PhM
T35	TK71535S	VR-IC	LDO, 3.5V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T36	BSR20A	SI-PNP	Switching, 160V, 600mA, 250mW, B>60, 300MHz	SOT23	16ta	-	Cdi-Phi
T36	TK71536S	VR-IC	LDO, 3.6V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T37	TK71537S	VR-IC	LDO, 3.7V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T38	TK71538S	VR-IC	LDO, 3.8V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T39	TK71539S	VR-IC	LDO, 3.9V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T4	25K1065-4	N-FET	GP, 20V, 20mA, 100mW, Idss=2.5..6mA, Up<2.5V	MCP	16fa	-	Say
T4	BCX17R	SI-PNP	AF-Driver, 50V, 500mA, 250mW, B=100..600, >80MHz	SOT23R	16ta	-	Phi
T4	HSMS-2864	Si-Diode	Dual, Schottky, 5V, V _f (I _f =30mA)<0.6V, C _t <0.3pF, R _d =10Ω	SOT23	16dg	-	Agi
T4	KA414K	SI-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=47k/10k	SC-75	16ta	-	Nec
T4	R3130N30HA8	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 400ms	SOT23	16vdc	VD7	Ric
T40	TK71540S	VR-IC	LDO, 4V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T41	TK71541S	VR-IC	LDO, 4.1V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T42	25C4184-T42	SI-NPN	UHF/VHF-Osc, Mix, 30V, 50mA, 160mW, B=40..80, 1,8GHz	SOT323	16ta	-	Nec
T42	TK71542S	VR-IC	LDO, 4.2V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T43	25C4184-T43	SI-NPN	UHF/VHF-Osc, Mix, 30V, 50mA, 160mW, B=60..120, 1,8GHz	SOT323	16ta	-	Nec
T43	TK71543S	VR-IC	LDO, 4.3V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T44	25C4184-T44	SI-NPN	UHF/VHF-Osc/Mix, 30V, 50mA, 160mW, B>100, 1,8GHz	SOT323	16ta	-	Nec
T44	TK71544S	VR-IC	LDO, 4.4V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T45	TK71545S	VR-IC	LDO, 4.5V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T46	TK71546S	VR-IC	LDO, 4.6V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T47	TK71547S	VR-IC	LDO, 4.7V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T48	TK71548S	VR-IC	LDO, 4.8V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T49	TK71549S	VR-IC	LDO, 4.9V±1.5%, 155mA	SOT23	16cj	VR1	Tok
I4F	PMBD353	Si-Diode	Dual, Schottky Barrier, 4V, 30mA, V _f <600mV(10mA), <1pF	SOT23	16ea	-	PhM

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
T5	2SK1065-5	N-FET	GP, 20V, 20mA, 100mW, $I_{dss}=5..12mA$, $U_p<2.5V$	MCP	16fa -	Say
T5	BCX18R	Si-PNP	AF-Driver, 30V, 500mA, 250mW, $B=100..600$, $>80MHz$	SOT23R	16te -	Phi
T5	HVM27WK	C-Diode	Dual, FM-Tuning, 52..62pF(1V)	SOT23	16dg -	Ren
T5	R3130N46HA5	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 400ms	SOT23	16vdc VD7	Ric
t50	BZX84-A2V4	Z-Diode	$2.4V\pm1\%$, 300mW	SOT23	16dc -	PhM
T50	TK71550S	VR-IC	LDO, $5V\pm1.5\%$, 155mA	SOT23	16cj VR1	Tok
t51	BZX84-A2V7	Z-Diode	$2.7V\pm1\%$, 300mW	SOT23	16dc -	PhM
t52	BZX84-A3V0	Z-Diode	$3V\pm1\%$, 300mW	SOT23	16dc -	PhM
t55	BZX84-A3V9	Z-Diode	$3.9V\pm1\%$, 300mW	SOT23	16dc -	PhM
t56	BZX84-A4V3	Z-Diode	$4.3V\pm1\%$, 300mW	SOT23	16dc -	PhM
t57	BZX84-A4V7	Z-Diode	$4.7V\pm1\%$, 300mW	SOT23	16dc -	PhM
t58	BZX84-A5V1	Z-Diode	$5.1V\pm1\%$, 300mW	SOT23	16dc -	PhM
t59	BZX84-A5V6	Z-Diode	$5.6V\pm1\%$, 300mW	SOT23	16dc -	PhM
t5A	PMBD6050	Si-Diode	Sw, Hi-sp, 75V, 215mA, $V_f<1.25V(150mA)$, $<4ns$	SOT23	16dc -	PhM
t5B	PMBD6100	Si-Diode	Dual, Sw, Hi-sp, 70V, 215mA, $V_f<1.1V(100mA)$, $<4ns$	SOT23	16dg -	PhM
t5C	PMBD7000	Si-Diode	Dual, Sw, Hi-sp, 100V, 215mA, $V_f<1.25V(150mA)$, $<4ns$	SOT23	16dl -	PhM
t5D	PMBD914	Si-Diode	Switching, Fast, 70V, 215mA, 250mW, $<4ns$	SOT23	16dc -	PhM
T6	BSS63	Si-PNP	GP, 100V, 100mA, 200mW, $B>30$, $>60MHz$	SOT23	16ta -	Kec
T6	HVM17	C-Diode	Dual, FM-Tuning, 50..85pF(1V)	SOT23	16dg -	Ren
t60	BZX84-A6V2	Z-Diode	$6.2V\pm1\%$, 300mW	SOT23	16dc -	PhM
T60	TK71560S	VR-IC	LDO, $6V\pm1.5\%$, 155mA	SOT23	16cj VR1	Tok
t61	BZX84-A6V8	Z-Diode	$6.8V\pm1\%$, 300mW	SOT23	16dc -	PhM
T61	ZUMT617	Si-NPN	Switching, Lo-sat, 15V, 1.5A, 180MHz	SOT323	16ta -	Ztx
T62	2SC3841-P	Si-NPN	UHF-Mix, Osc, 25V, 30mA, 200mW, $B=40..80$, 4GHz	SOT23	16ta -	Nec
T62	2SC3841-T62	Si-NPN	UHF-Mix, Osc, 25V, 30mA, 200mW, $B=40..80$, 4GHz	SOT23	16ta -	Nec
T62	2SC4186-62	Si-NPN	UHF-Mix, 25V, 30mA, 150mW, $B=40..80$, 4GHz	SOT323	16ta -	Nec
T62	2SC4186-T62	Si-NPN	UHF-Mix, 25V, 30mA, 150mW, $B=40..80$, 4GHz	SOT323	16ta -	Nec
t62	BZX84-A7V5	Z-Diode	$7.5V\pm1\%$, 300mW	SOT23	16dc -	PhM
T62	ZUMT618	Si-NPN	Switching, Lo-sat, 20V, 1.25A, 210MHz	SOT323	16ta -	Ztx
T63	2SC3841-Q	Si-NPN	UHF-Mix, Osc, 25V, 30mA, 200mW, $B=60..120$, 4GHz	SOT23	16ta -	Nec
T63	2SC3841-T63	Si-NPN	UHF-Mix, Osc, 25V, 30mA, 200mW, $B=60..120$, 4GHz	SOT23	16ta -	Nec
T63	2SC4186-63	Si-NPN	UHF-Mix, 25V, 30mA, 150mW, $B=60..120$, 4GHz	SOT323	16ta -	Nec
T63	2SC4186-T63	Si-NPN	UHF-Mix, 25V, 30mA, 150mW, $B=60..120$, 4GHz	SOT323	16ta -	Nec
t63	BZX84-A8V2	Z-Diode	$8.2V\pm1\%$, 300mW	SOT23	16dc -	PhM
T63	ZUMT619	Si-NPN	Switching, Lo-sat, 50V, 1A, 215MHz	SOT323	16ta -	Ztx
T64	2SC3841-R	Si-NPN	UHF-Mix, Osc, 25V, 30mA, 200mW, $B=100..200$, 4GHz	SOT23	16ta -	Nec
T64	2SC3841-T64	Si-NPN	UHF-Mix, Osc, 25V, 30mA, 200mW, $B=100..200$, 4GHz	SOT23	16ta -	Nec
T64	2SC4186-64	Si-NPN	UHF-Mix, 25V, 30mA, 150mW, $B=100..200$, 4GHz	SOT323	16ta -	Nec
T64	2SC4186-T64	Si-NPN	UHF-Mix, 25V, 30mA, 150mW, $B=100..200$, 4GHz	SOT323	16ta -	Nec
t64	BZX84-A9V1	Z-Diode	$9.1V\pm1\%$, 300mW	SOT23	16dc -	PhM
t65	BZX84-A10	Z-Diode	$10V\pm1\%$, 300mW	SOT23	16dc -	PhM
t66	BZX84-B10	Z-Diode	$10V\pm2\%$, 300mW	SOT23	16dc -	PhM
t67	BZX84-A12	Z-Diode	$12V\pm1\%$, 300mW	SOT23	16dc -	PhM
t69	BZX84-A15	Z-Diode	$15V\pm1\%$, 300mW	SOT23	16dc -	PhM
T7	BSR15	Si-PNP	HF/Sw, 60/40V, 0.8A, $<50/110ns$	SOT23	16ta -	Sle
T7	KN4L4K	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, $R_1/R_2=47k/10k$	SC-75	16ta -	Nec
T7	SST4117	N-FET	AF, 40V, 350mW, $I_{dss}=0.03..0.09mA$, $U_p<1.8V$	SOT23	16fj -	Sil
t70	BZX84-B16	Z-Diode	$16V\pm2\%$, 300mW	SOT23	16dc -	PhM
T70	TK71570S	VR-IC	LDO, $7V\pm1.5\%$, 155mA	SOT23	16cj VR1	Tok
T71	BSR15R	Si-NPN	HF/Sw, 75V, 0.8A, $<35/285ns$	SOT23R	16te -	Sle
t71	BZX84-B18	Z-Diode	$18V\pm2\%$, 300mW	SOT23	16dc -	PhM
T71	ZUMT717	Si-PNP	Switching, Lo-sat, 12V, 1.25A, 220MHz	SOT323	16ta -	Ztx
T72	2SC4568-72	Si-NPN	UHF-Mix/Osc, 20V, 30mA, $B=40..80$, 5.5GHz	SOT23	16ta -	Nec
T72	2SC4570-T72	Si-NPN	VHF/UHF, 20V, 30mA, 120mW, $B=40..80$, 5.5GHz	SC-70	16ta -	Nec
t72	BZX84-B20	Z-Diode	$20V\pm2\%$, 300mW	SOT23	16dc -	PhM
T72	ZUMT718	Si-PNP	Switching, Lo-sat, 20V, 1A, 0.5W, 210MHz	SOT323	16ta -	Ztx
T73	2SC4568-73	Si-NPN	UHF-Mix/Osc, 20V, 30mA, $B=60..120$, 5.5GHz	SOT23	16ta -	Nec
T73	2SC4570-T73	Si-NPN	VHF/UHF, 20V, 30mA, 120mW, $B=60..120$, 5.5GHz	SC-70	16ta -	Nec
t73	BZX84-B22	Z-Diode	$22V\pm2\%$, 300mW	SOT23	16dc -	PhM
T73	ZUMT720	Si-PNP	Switching, Lo-sat, 40V, 0.75A, 220MHz	SOT323	16ta -	Ztx
T74	2SC4568-74	Si-NPN	UHF-Mix/Osc, 20V, 30mA, $B=100..200$, 5.5GHz	SOT23	16ta -	Nec
T74	2SC4570-T74	Si-NPN	VHF/UHF, 20V, 30mA, 120mW, $B=100..200$, 5.5GHz	SC-70	16ta -	Nec
t74	BZX84-B24	Z-Diode	$24V\pm2\%$, 300mW	SOT23	16dc -	PhM
T75	2SC4569-75	Si-NPN	UHF-Mix/Osc, 20V, 60mA, $B=40..80$, 5GHz	SOT23	16ta -	Nec
T75	2SC4571-75	Si-NPN	UHF-Mix/Osc, 20V, 60mA, $B=40..80$, 5GHz	SOT323	16ta -	Nec
t75	BZX84-A27	Z-Diode	$27V\pm1\%$, 300mW	SOT23	16dc -	PhM
T76	2SC4569-76	Si-NPN	UHF-Mix/Osc, 20V, 60mA, $B=60..120$, 5GHz	SOT23	16ta -	Nec
T76	2SC4571-76	Si-NPN	UHF-Mix/Osc, 20V, 60mA, $B=60..120$, 5GHz	SOT323	16ta -	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
T77	2SC4569-77	Si-NPN	UHF-Mix/Osc, 20V, 60mA, B=100..200, 5GHz	SOT23	16ta	-	Nec
T7p	BSR15	Si-PNP	HF/Sw, 60/40V, 0.6A, <50/110ns	SOT23	16ta	-	Phi
T8	BSR16	Si-PNP	Switching, 60V, 600mA, 250mW, B>50, >200MHz	SOT23	16ta	-	CDIL
T8	HVM25	C-Diode	Dual, FM-Tuning, 36..45pF(3V)	SOT23	16dg	-	Ren
T8	SST4118	N-FET	AF, 40V, 350mW, Idss=0.08..0.24mA, Up<3V	SOT23	16fj	-	Sil
T80	TK71580S	VR-IC	LDO, 8V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T84	2SC5177	Si-NPN	UHF, LN, 5V, 10mA, 30mW, B=70..140, 13GHz	SC-59	16ta	-	Nec
t86	BZX84-A75	Z-Diode	75V±1%, 300mW	SOT23	16dc	-	PhM
t8A	PMBZ5226B	Z-Diode	3.3V±5%, 250mW	SOT23	16dc	-	PhM
t8B	PMBZ5227B	Z-Diode	3.6V±5%, 250mW	SOT23	16dc	-	PhM
t8C	PMBZ5228B	Z-Diode	3.9V±5%, 250mW	SOT23	16dc	-	PhM
t8D	PMBZ5229B	Z-Diode	4.3V±5%, 250mW	SOT23	16dc	-	PhM
t8E	PMBZ5230B	Z-Diode	4.7V±5%, 250mW	SOT23	16dc	-	PhM
t8F	PMBZ5231B	Z-Diode	5.1V±5%, 250mW	SOT23	16dc	-	PhM
t8G	PMBZ5232B	Z-Diode	5.6V±5%, 250mW	SOT23	16dc	-	PhM
t8H	PMBZ5233B	Z-Diode	6V±5%, 250mW	SOT23	16dc	-	PhM
t8J	PMBZ5234B	Z-Diode	6.2V±5%, 250mW	SOT23	16dc	-	PhM
t8K	PMBZ5235B	Z-Diode	6.8V±5%, 250mW	SOT23	16dc	-	PhM
t8L	PMBZ5236B	Z-Diode	7.5V±5%, 250mW	SOT23	16dc	-	PhM
t8M	PMBZ5237B	Z-Diode	8.2V±5%, 250mW	SOT23	16dc	-	PhM
t8N	PMBZ5238B	Z-Diode	8.7V±5%, 250mW	SOT23	16dc	-	PhM
T8p	BSR16	Si-PNP	Switching, 60V, 600mA, 250mW, B>50, >200MHz	SOT23	16ta	-	Phi
t8P	PMBZ5239B	Z-Diode	9.1V±5%, 250mW	SOT23	16dc	-	PhM
t8Q	PMBZ5240B	Z-Diode	10V±5%, 250mW	SOT23	16dc	-	PhM
t8R	PMBZ5241B	Z-Diode	11V±5%, 250mW	SOT23	16dc	-	PhM
t8S	PMBZ5242B	Z-Diode	12V±5%, 250mW	SOT23	16dc	-	PhM
t8T	PMBZ5243B	Z-Diode	13V±5%, 250mW	SOT23	16dc	-	PhM
t8U	PMBZ5244B	Z-Diode	14V±5%, 250mW	SOT23	16dc	-	PhM
t6V	PMBZ5245B	Z-Diode	15V±5%, 250mW	SOT23	16dc	-	PhM
t8W	PMBZ5246B	Z-Diode	16V±5%, 250mW	SOT23	16dc	-	PhM
t8X	PMBZ5247B	Z-Diode	17V±5%, 250mW	SOT23	16dc	-	PhM
t8Y	PMBZ5248B	Z-Diode	18V±5%, 250mW	SOT23	16dc	-	PhM
t8Z	PMBZ5249B	Z-Diode	19V±5%, 250mW	SOT23	16dc	-	PhM
T9	1SS396	Si-Diode	Dual, Schottky, 40V, 100mA	SC-59	16dg	-	Tos
T9	HVM306	C-Diode	Dual, Filter, Tuning, 32pF(2V)	SOT23	16dg	-	Ren
T9	SST4119	N-FET	AF, 40V, 350mW, Idss=0.2..0.6mA, Up<6V	SOT23	16fj	-	Sil
T90	TK71590S	VR-IC	LDO, 9V±1.5%, 155mA	SOT23	16cj	VR1	Tok
T92	2SA1977	Si-PNP	Sw, Hi-speed, 20V, 50mA, 200mW, B=20..100, 8.5GHz	SOT23	16ta	-	Nec
T92	BSR18A	Si-PNP	Switching, 40V, 200mA, 250mW, B=100..300, >250MHz	SOT23	16ta	-	Cdi-Phi
T93	2SA1978	Si-PNP	Sw, Hi-speed, 20V, 50mA, 200mW, B=20..100, 5.5Hz	SOT23	16ta	-	Nec
T93	NE97833	Si-PNP	Fast-Switching, UHF, 20V, 0.05A, >4GHz	SOT23	16ta	-	Cel
t9A	PLVA650A	Z-Diode	Dual, Avalanshe regulator, 5V, 250mA, 250mW	SOT23	16dc	-	PhM
t9B	PLVA653A	Z-Diode	Dual, Avalanshe regulator, 5.3V, 250mA, 250mW	SOT23	16dc	-	PhM
t9C	PLVA656A	Z-Diode	Dual, Avalanshe regulator, 5.6V, 250mA, 250mW	SOT23	16dc	-	PhM
t9D	PLVA659A	Z-Diode	Dual, Avalanshe regulator, 5.9V, 250mA, 250mW	SOT23	16dc	-	PhM
t9E	PLVA662A	Z-Diode	Dual, Avalanshe regulator, 6.2V, 250mA, 250mW	SOT23	16dc	-	PhM
t9F	PLVA665A	Z-Diode	Dual, Avalanshe regulator, 6.5V, 250mA, 250mW	SOT23	16dc	-	PhM
t9G	PLVA668A	Z-Diode	Dual, Avalanshe regulator, 6.8V, 250mA, 250mW	SOT23	16dc	-	PhM
t9J	PLVA2650A	Z-Diode	Dual, Avalanshe regulator, 5V, 250mA, 250mW	SOT23	16df	-	PhM
t9K	PLVA2653A	Z-Diode	Dual, Avalanshe regulator, 5.3V, 250mA, 250mW	SOT23	16df	-	PhH
t9L	PLVA2656A	Z-Diode	Dual, Avalanshe regulator, 5.6V, 250mA, 250mW	SOT23	16df	-	PhM
t9M	PLVA2659A	Z-Diode	Dual, Avalanshe regulator, 5.9V, 250mA, 250mW	SOT23	16df	-	PhM
t9N	PLVA2662A	Z-Diode	Dual, Avalanshe regulator, 6.2V, 250mA, 250mW	SOT23	16df	-	PhM
t9O	PLVA2665A	Z-Diode	Dual, Avalanshe regulator, 6.5V, 250mA, 250mW	SOT23	16df	-	PhM
t9P	PLVA2668A	Z-Diode	Dual, Avalanshe regulator, 6.8V, 250mA, 250mW	SOT23	16df	-	PhM
TA	KTC3295A	Si-NPN	AF, 60V, 150mA, 150mW, B=600..1800, >250MHz	SOT23	16ta	-	Kec
IA1	BZX84-C75	Z-Diode	75V±5%, 300mW	SOT23	16dc	-	PhM
TB	KTC3295B	Si-NPN	AF, 60V, 150mA, 150mW, B=1200..3600, >250MHz	SOT23	16ta	-	Kec
tB0	BZX84-C68	Z-Diode	68V±5%, 300mW	SOT23	16dc	-	PhM
tB1	BZX84-C3V3	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	PhM
tB2	BZX84-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	PhM
tB3	BZX84-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	PhM
tB4	BZX84-C43	Z-Diode	43V±5%, 300mW	SOT23	16dc	-	PhM
tB5	BZX84-C47	Z-Diode	47V±5%, 300mW	SOT23	16dc	-	PhM
tB6	BZX84-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	PhM
tB7	BZX84-C51	Z-Diode	51V±5%, 300mW	SOT23	16dc	-	PhM
tB8	BZX84-C56	Z-Diode	56V±5%, 300mW	SOT23	16dc	-	PhM
tB9	BZX84-C62	Z-Diode	62V±5%, 300mW	SOT23	16dc	-	PhM

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
TC	25C2736	Si-NPN	VHF/UHF-Osc, 30V, 50mA, 150mW, B=30 200, 2.2GHz	SOT23	16ta -	Hil
tC0	BZX84-A13	Z-Diode	13V±1%, 300mW	SOT23	16dc -	PhM
tC2	BZX84-A20	Z-Diode	20V±1%, 300mW	SOT23	16dc -	PhM
tC3	BZX84-A36	Z-Diode	36V±1%, 300mW	SOT23	16dc -	PhM
tC4	BZX84-A39	Z-Diode	39V±1%, 300mW	SOT23	16dc -	PhM
tC5	BZX84-A43	Z-Diode	43V±1%, 300mW	SOT23	16dc -	PhM
tC6	BZX84-A51	Z-Diode	51V±1%, 300mW	SOT23	16dc -	PhM
tCq	BZX84-A3V6	Z-Diode	3,6V±1%, 300mW	SOT23	16dc -	PhM
TE	25C3906K-E	Si-NPN	AF-Driver, 120V, 50mA, 200mW, B=390 820, >140MHz	SOT346	16ta -	Rhm
TE	25C4102-TE	Si-NPN	AF, 120V, 50mA, 200mW, B=390 820, >140MHz	SOT323	16ta -	Rhm
TF	BAL99	Si-Diode	Switching, Fast, 75V, 0,25A, 250mW, <4ns	SOT23	16dr -	Trs
tG1	PMBT5551	Si-NPN	GP, 180V, 300mA, 250mW, B=80 250, 100 300MHz	SOT23	16ta -	PhH
tG3	PMT5551	Si-NPN	HV, 180V, 300mA, 200mW, B=80 250, 100 300MHz	SOT323	16ta -	PhM
TI-	25C4197	Si-NPN	UHF-F-Conv, 25V, 50mA, 150mW, B=50 180, 3,8GHz	SOT23	16ta -	Hil
TI-	25C4260	Si-NPN	VHF/UHF, 25V, 50mA, 100mW, B=50 180, >3GHz	SOT323	16ta -	Hil
tO4	PMB53904	Si-NPN	Switching, 60V, 200mA, 250mW, B=100 300, >180MHz	SOT23	16ta -	PhM
tO6	PMB53906	Si-PNP	Switching, 40V, 100mA, 250mW, B=100 300, >150MHz	SOT23	16ta -	PhM
TQ	25A1530A-Q	Si-PNP	AF, 60V, 150mA, 200mW, B=120 270, 200MHz	SOT23	16ta -	Pan
TR	25A1530A-R	Si-PNP	AF, 60V, 150mA, 200mW, B=180 390, 200MHz	SOT23	16ta -	Pan
TR	25C2406-R	Si-NPN	AF, LN, 55V, 10mA, 200mW, B=180 360, 200MHz	SOT23	16ta -	Pan
TR	25C3906K-R	Si-NPN	AF-Driver, 120V, 50mA, 200mW, B=390 820, >140MHz	SOT346	16ta -	Rhm
TR	25C3929A-R	Si-NPN	AF, LN, 55V, 50mA, 150mW, B=180 360, 80MHz	SOT323	16ta -	Pan
TR	25C4102-TR	Si-NPN	AF, 120V, 50mA, 200mW, B=180 390, >140MHz	SOT323	16ta -	Rhm
tR0	BZX84-B56	Z-Diode	56V±2% 300mW	SOT23	16dc -	PhM
tR1	BZX84-B5V1	Z-Diode	5,1V±2%, 300mW	SOT23	16dc -	PhM
tR2	BZX84-B5V6	Z-Diode	5,6V±2%, 300mW	SOT23	16dc -	PhM
tR3	BZX84-B62	Z-Diode	62V±2%, 300mW	SOT23	16dc -	PhM
tR4	BZX84-B68	Z-Diode	68V±2%, 300mW	SOT23	16dc -	PhM
tR5	BZX84-B6V2	Z-Diode	6,2V±2%, 300mW	SOT23	16dc -	PhM
tR6	BZX84-B6V8	Z-Diode	6,8V±2%, 300mW	SOT23	16dc -	PhM
tR7	BZX84-B75	Z-Diode	75V±2%, 300mW	SOT23	16dc -	PhM
tR8	BZX84-B7V5	Z-Diode	7,5V±2%, 300mW	SOT23	16dc -	PhM
tR9	BZX84-B8V2	Z-Diode	8,2V±2%, 300mW	SOT23	16dc -	PhM
TS	25A1530A-S	Si-PNP	AF, 60V, 150mA, 200mW, B=270 560, 200MHz	SOT23	16ta -	Pan
TS	25C2406-S	Si-NPN	AF, LN, 55V, 10mA, 200mW, B=260 520, 200MHz	SOT23	16ta -	Pan
TS	25C3906K-S	Si-NPN	AF-Driver, 120V, 50mA, 200mW, B=50 180, >140MHz	SOT346	16ta -	Rhm
TS	25C3929A-S	Si-NPN	AF, LN, 55V, 50mA, 150mW, B=260 520, 80MHz	SOT323	16ta -	Pan
TS	25C4102-TS	Si-NPN	AF, 120V, 50mA, 200mW, B=270 560, >140MHz	SOT323	16ta -	Rhm
tS0	BZX84-B39	Z-Diode	39V±2%, 300mW	SOT23	16dc -	PhM
tS1	BZX84-B3V0	Z-Diode	3V±2%, 300mW	SOT23	16dc -	PhM
tS2	BZX84-B3V3	Z-Diode	3,3V±2%, 300mW	SOT23	16dc -	PhM
tS2	BZX84-B3V6	Z-Diode	3,6V±2%, 300mW	SOT23	16dc -	PhM
tS4	BZX84-B3V9	Z-Diode	3,9V±2%, 300mW	SOT23	16dc -	PhM
tS5	BZX84-B43	Z-Diode	43V±2%, 300mW	SOT23	16dc -	PhM
tS6	BZX84-B47	Z-Diode	47V±2%, 300mW	SOT23	16dc -	PhM
tS7	BZX84-B4V3	Z-Diode	4,3V±2%, 300mW	SOT23	16dc -	PhM
tS8	BZX84-B4V7	Z-Diode	4,7V±2%, 300mW	SOT23	16dc -	PhM
tS9	BZX84-B51	Z-Diode	51V±2%, 300mW	SOT23	16dc -	PhM
TT	25A1530A-T	Si-PNP	AF, 60V, 150mA, 200mW, B=360 700, 200MHz	SOT23	16ta -	Pan
TT	25C2406-T	Si-NPN	AF, LN, 55V, 10mA, 200mW, B=360 700, 200MHz	SOT23	16ta -	Pan
TT	25C3929A-T	Si-NPN	AF, LN, 55V, 50mA, 150mW, B=360 700, 80MHz	SOT323	16ta -	Pan
tT1	BZX84-B9V1	Z-Diode	9,1V±2%, 300mW	SOT23	16dc -	PhM
tT2	BZX84-C27	Z-Diode	27V±5%, 300mW	SOT23	16dc -	PhM
tT3	BZX84-C2V4	Z-Diode	2,4V±5%, 300mW	SOT23	16dc -	PhM
tT4	BZX84-C2V7	Z-Diode	2,7V±5%, 300mW	SOT23	16dc -	PhM
tT5	BZX84-C30	Z-Diode	30V±5%, 300mW	SOT23	16dc -	PhM
tT6	BZX84-C33	Z-Diode	33V±5%, 300mW	SOT23	16dc -	PhM
tT7	BZX84-C36	Z-Diode	36V±5%, 300mW	SOT23	16dc -	PhM
tT8	BZX84-C39	Z-Diode	39V±5%, 300mW	SOT23	16dc -	PhM
tT9	BZX84-C3V0	Z-Diode	3,0V±5%, 300mW	SOT23	16dc -	PhM
tV1	BAS31	Si-Diode	Dual, GP, Contr Aval, 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16dl -	PhM
tV2	BAS35	Si-Diode	Dual, GP, Contr Aval, 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16df -	PhM
tV3	BAT54A	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16df -	PhM
tV4	BAT54S	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vf<1V(100mA), <5ns	SOT23	16dl -	PhM
tV5	BAV23S	Si-Diode	Dual, GP, 200V, 225mA, Vs<1,25V(200mA), <50ns	SOT23	16dl -	PhM
TY	25C3912	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=10k/10k	SOT23	16ta -	Say
TY	25K862	MOS-N-FET-d*	VHF, 20V, Idss=3 14mA, Up<2,5V	SOT323	16fk -	Tos
tY1	BZX84-B33	Z-Diode	33V±2%, 300mW	SOT23	16dc -	PhM

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
1Y2	BZX84-B36	Z-Diode	36V±2%, 300mW	SOT23	16dc	-	PhM
1Z0	BZX84-B2V4	Z-Diode	2.4V±2%, 300mW	SOT23	16dc	-	PhM
1Z1	BZX84-B2V7	Z-Diode	2.7V±2%, 300mW	SOT23	16dc	-	PhM
1Z4	BZX84-B30	Z-Diode	30V±2%, 300mW	SOT23	16dc	-	PhM
1Z5	BZX84-B27	Z-Diode	27V±2%, 300mW	SOT23	16dc	-	PhM
1Z6	BZX84-B11	Z-Diode	11V±2%, 300mW	SOT23	16dc	-	PhM
1Z7	BZX84-B12	Z-Diode	12V±2%, 300mW	SOT23	16dc	-	PhM
1Z8	BZX84-B13	Z-Diode	13V±2%, 300mW	SOT23	16dc	-	PhM
1Z9	BZX84-B15	Z-Diode	15V±2%, 300mW	SOT23	16dc	-	PhM
U1	BCX19	Si-NPN	AF-Driver, 50V, 0.5A, 200MHz	SOT23	16ta	-	Mot
U16	25C4183-U16	Si-NPN	UHF TV-Tuner, 30V, 20mA, 150mW, B=60..120, 1GHz	SOT323	16ta	-	Nec
U17	25C4183-U17	Si-NPN	UHF TV-Tuner, 30V, 20mA, 150mW, B=90..180, 1GHz	SOT323	16ta	-	Nec
U18	25C4183-U18	Si-NPN	UHF TV-Tuner, 30V, 20mA, 150mW, B=120..240, 1GHz	SOT323	16ta	-	Nec
U1p	BCX19	Si-NPN	AF-Driver, 50V, 0.5A, 200MHz	SOT23	16ta	-	PhM
U1t	BCX19	Si-NPN	AF-Driver, 50V, 0.5A, 200MHz	SOT23	16ta	-	PhM
U2	BCX20	Si-NPN	AF, 30V, 500mA, 250mW, B=100..600, >100MHz	SOT23	16ta	-	All,Cdi,Ztx
U21	25C4185-21	Si-NPN	UHF-Mix, Osc, 30V, 50mA, 160mW, B=40..80, 2GHz	SOT323	16ta	-	Nec
U21	25C4185-U21	Si-NPN	UHF-Mix, Osc, 30V, 50mA, 160mW, B=40..80, 2GHz	SOT323	16ta	-	Nec
U22	25C4185-22	Si-NPN	UHF-Mix, Osc, 30V, 50mA, 160mW, B=60..120, 2GHz	SOT323	16ta	-	Nec
U22	25C4185-U22	Si-NPN	UHF-Mix, Osc, 30V, 50mA, 160mW, B=60..120, 2GHz	SOT323	16ta	-	Nec
U23	25C4185-23	Si-NPN	UHF-Mix, Osc, 30V, 50mA, 160mW, B=90..80, 2GHz	SOT323	16ta	-	Nec
U23	25C4185-U23	Si-NPN	UHF-Mix, Osc, 30V, 50mA, 160mW, B=90..80, 2GHz	SOT323	16ta	-	Nec
U2p	BCX20	Si-PNP	AF, 30V, 500mA, 250mW, B=100..600, >100MHz	SOT23	16ta	-	Phi
U35	BSR19	Si-NPN	Switching, 160V, 600mA, 250mW, B=60..300	SOT23	16ta	-	Cdi,Phi
U36	BSR19A	Si-NPN	Switching, 180V, 600mA, 250mW, B=80..300	SOT23	16ta	-	Cdi,Phi
U4	BCR114L3	Si-NPN-Digi	Sw, 50V, 100mA, 250mW, R1/R2=4.7k/10k, 160MHz	TSLP-3	22ta	-	Inf
U4	BCX19R	Si-NPN	AF-Driver, 50V, 0.5A, 200MHz	SOT23R	16ta	-	Phi
U4e	BCR114F	Si-NPN-Digi	Sw, 50V, 100mA, 250mW, R1/R2=4.7k/10k, 160MHz	TSFP-3	18ta	-	Inf
U4e	BCR114T	Si-NPN-Digi	Sw, 50V, 100mA, 250mW, R1/R2=4.7k/10k, 160MHz	SC-75	18ta	-	Inf
U5	BCX20R	Si-NPN	AF, 30V, 500mA, 330mW, B=100..600, >200MHz	SOT23	16ta	-	Ztx
U6	BCR164L3	Si-PNP-Digi	Sw, 50V, 100mA, 250mW, R1/R2=4.7k/10k, 160MHz	TSLP-3	22ta	-	Inf
U6	BSS64	Si-NPN	GP, 80V, 100mA, 200mW, B=20..80, 100MHz	SOT23	16ta	-	Kec
U6e	BCR164F	Si-PNP-Digi	Sw, 50V, 100mA, 250mW, R1/R2=4.7k/10k, 160MHz	TSFP-3	18ta	-	Inf
U6e	BCR164T	Si-PNP-Digi	Sw, 50V, 100mA, 250mW, R1/R2=4.7k/10k, 160MHz	SC-75	18ta	-	Inf
U7	BSR13	Si-NPN	HF/Sw, 60V, 0.8A, <35/285ns	SOT23	16ta	-	Ste
U71	BSR13R	Si-NPN	HF/Sw, 60V, 0.8A, <35/285ns	SOT23R	16ta	-	Ste
U7p	BSR13	Si-NPN	HF/Sw, 60V, 0.8A, <35/285ns	SOT23	16ta	-	Phi
U7t	BSR13	Si-NPN	HF/Sw, 60V, 0.8A, <35/285ns	SOT23	16ta	-	Phi
U8	BSR14	Si-NPN	HF/Sw, 75V, 0.8A, <35/285ns	SOT23	16ta	-	Ste
U81	BSR14R	Si-NPN	HF/Sw, 75V, 0.8A, <35/285ns	SOT23R	16ta	-	Ste
U8p	BSR14	Si-NPN	HF/Sw, 75V, 0.8A, <35/285ns	SOT23	16ta	-	Phi
U8t	BSR14	Si-NPN	HF/Sw, 75V, 0.8A, <35/285ns	SOT23	16ta	-	Phi
U92	BSR17R	Si-NPN	Switching, 60V, 200mA, 250mW, B=100..600, >300MHz	SOT23	16ta	-	Cdi,Phi
U9p	BSR17	Si-PNP	Switching, 40V, 200mA, 425mW, B=40, >300MHz	SOT23	16ta	-	Phi
UA	25B852K-A	Si-PNP	AF, 40V, 300mA, 200mW, B>1000, >200MHz	SOT346	16ta	-	Rhm
UA	BCR149L3	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1=47k, 150MHz	TSLP-3	22ta	-	Inf
UALL	MIC809L-LBM3	CMOS-IC	Voltage Detector 5V±5%, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UALM	MIC809L-MBM3	CMOS-IC	Voltage Detector 5V±10%, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UALR	MIC809L-RBM3	CMOS-IC	Voltage Detector 2.85V±5%, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UALS	MIC809L-SBM3	CMOS-IC	Voltage Detector 3.3V±10%, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UALT	MIC809L-TBM3	CMOS-IC	Voltage Detector 3.3V±5%, Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UANL	MIC809N-LBM3	CMOS-IC	Voltage Detector 5V±5%, -Reset Open drain output	SOT23	16vdc	VD6	Mcr
UANM	MIC809N-MBM3	CMOS-IC	Voltage Detector 5V±10%, -Reset Open drain output	SOT23	16vdc	VD6	Mcr
UANR	MIC809N-RBM3	CMOS-IC	Voltage Detector 2.85V±5%, -Reset Open drain output	SOT23	16vdc	VD6	Mcr
UANS	MIC809N-SBM3	CMOS-IC	Voltage Detector 3.3V±10%, -Reset Open drain output	SOT23	16vdc	VD6	Mcr
UANT	MIC809N-TBM3	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Open drain output	SOT23	16vdc	VD6	Mcr
UAs	BCR149F	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1=47k, 150MHz	TSFP-3	18ta	-	Inf
UAs	BCR149T	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1=47k, 150MHz	SC-75	16ta	-	Inf
UB	25B852K-B	Si-PNP	AF, 40V, 300mA, 200mW, B=5000, >200MHz	SOT346	16ta	-	Rhm
UB	25C3931-B	Si-NPN	RF, FM/AM, 30V, 15mA, 150mW, B=50..100, 650MHz	SC-70	16ta	-	Pan
UB	BCR199L3	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1=47k, 150MHz	TSLP-3	22ta	-	Inf
UBHL	MIC810H-LBM3	CMOS-IC	Voltage Detector 5V±5%, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UBHM	MIC810H-MBM3	CMOS-IC	Voltage Detector 5V±10%, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UBHR	MIC810H-RBM3	CMOS-IC	Voltage Detector 2.85V±5%, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UBHS	MIC810H-SBM3	CMOS-IC	Voltage Detector 3.3V±10%, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UBHT	MIC810H-TBM3	CMOS-IC	Voltage Detector 3.3V±5%, -Reset Push-pull output	SOT23	16vdc	VD7	Mcr
UBPL	MIC810P-LBM3	CMOS-IC	Voltage Detector 5V±5%, Reset Open drain output	SOT23	16vdc	VD6	Mcr
UBPM	MIC810P-MBM3	CMOS-IC	Voltage Detector 5V±10%, Reset Open drain output	SOT23	16vdc	VD6	Mcr

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
UBPR	MIC810P-RBM3	CMOS-IC	Voltage Detector 2,85V±5%, Reset Open drain output	SOT23	16vdc	VD6	Mcr
UBPS	MIC810P-SBM3	CMOS-IC	Voltage Detector 3.3V±10%, Reset Open drain output	SOT23	16vdc	VD6	Mcr
UBPT	MIC810P-TBM3	CMOS-IC	Voltage Detector 3.3V±5%, Reset Open drain output	SOT23	16vdc	VD6	Mcr
UBs	BCR199F	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1=47k, 150MHz	TSFP-3	181a	-	Inf
UBs	BCR199T	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1=47k, 150MHz	SC-75	181a	-	Inf
UC	25C3931-C	Si-NPN	RF, FM/AM, 30V, 15mA, 150mW, B=65..160, 650MHz	SC-70	161a	-	Pan
UC	BCR101L3	Si-NPN-Digi	Sw, 50V, 100mA, 250mW, R1/R2=100k/100k, 100MHz	TSFP-3	221a	-	Inf
UCs	BCR101F	Si-NPN-Digi	Sw, 50V, 100mA, 250mW, R1/R2=100k/100k, 100MHz	TSFP-3	181a	-	Inf
UCs	BCR101T	Si-NPN-Digi	Sw, 50V, 100mA, 250mW, R1/R2=100k/100k, 100MHz	SC-75	181a	-	Inf
UD	25C3931-D	Si-NPN	RF, FM/AM, 30V, 15mA, 150mW, B=100..260, 650MHz	SC-70	161a	-	Pan
UD	BCR151L3	Si-PNP-Digi	Sw, 50V, 100mA, 250mW, R1/R2=100k/100k, 120MHz	TSFP-3	221a	-	Inf
UDs	BCR151F	Si-PNP-Digi	Sw, 50V, 100mA, 250mW, R1/R2=100k/100k, 120MHz	TSFP-3	181a	-	Inf
UDs	BCR151T	Si-PNP-Digi	Sw, 50V, 100mA, 250mW, R1/R2=100k/100k, 120MHz	SC-75	181a	-	Inf
UI-	25C4229	Si-NPN	HF, 30V, 20mA, 150mW, B=50..180, >700MHz	SOT346	161a	-	Hit
UI-	25C4259	Si-NPN	HF, 30V, 20mA, 100mW, B=50..180, >700MHz	SOT323	161a	-	Hit
UT5	25C4555-5	Si-NPN	AF, Lo-sat, 20V, 500mA, 150mW, B=135..270, 400MHz	SOT323	161a	-	Say
UT6	25C4555-6	Si-NPN	AF, Lo-sat, 20V, 500mA, 150mW, B=200..400, 400MHz	SOT323	161a	-	Say
UT7	25C4555-7	Si-NPN	AF, Lo-sat, 20V, 500mA, 150mW, B=300..600, 400MHz	SOT323	161a	-	Say
UV	1SV315	Si-Diode	Dual, Var. Res. Alt, 50V, 0,05A, 0,1W, 0,23pF, 6Q(100MHz)	MCP	16dl	-	Say
UV	1SV316	Si-Diode	Dual, Var. Res. Alt, 50V, 0,05A, 0,1W, 0,23pF, 6Q(100MHz)	CP	16dl	-	Say
UY	25C3913	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=4k7/4k7	SOT23	161a	-	Say
V0	HBA7-5400	Si-Diode	Schottky, TVS, 30V, 220mA(1A..1µs), 250mW, <3pF	SOT23	16dc	-	Ag
V0	HBA7-540B	Si-Diode	Schottky, TVS, 30V, 430mA(1A..1µs), 825mW, <3pF	SOT323	16dc	-	Ag
V0	PRF947	Si-NPN	UHF, LN, 20V, 50mA, 250mW, B=50..200, 8,5GHz	SOT323	161a	-	Phi
V0	PRF949	Si-NPN	UHF, LN, 20V, 50mA, 150mW, B=100..200, 9GHz	SOT416	161a	-	Phi
V02	VN0605T	MOS-N-FET-e	V-MOS, 60V, 0,18A, <5Q, <20/20ns	SOT23	16fg	-	Vis
V1	1SV160	C-Diode	FM-AFC, 15V, 7,14pF(4V), <1,2Q	SC-59	16dg	-	Tos
V1	2SD596-V1	Si-NPN	AF, 30V, 700mA, 200mW, B=110..180, 170MHz	SOT23	161a	-	Nec
V1	2SD780-V1	Si-NPN	AF, 60V, 300mA, 200mW, B=110..180, 100MHz	SOT23	161a	-	Nec
V1	D223-C2V7	Z-Diode	Dual, 2x2,7V 5%, 0,3W	SOT23	16dg	-	Dil
V10	BFT25A	Si-NPN	UHF-A, 8V, 6,5mA, 30mW, B=50..200, >3,5GHz	SOT23	161a	-	Phi
V10	D223-C6V2	Z-Diode	Dual, 2x6,2V 5%, 0,3W	SOT23	16dg	-	Dil
V11	D223-C6V8	Z-Diode	Dual, 2x6,8V 5%, 0,3W	SOT23	16dg	-	Dil
V12	D223-C7V5	Z-Diode	Dual, 2x7,5V 5%, 0,3W	SOT23	16dg	-	Dil
V13	D223-C8V2	Z-Diode	Dual, 2x8,2V 5%, 0,3W	SOT23	16dg	-	Dil
V13	ZC932TA	C-Diode	VHF-Tuning, 12V, 8,5..10,5pF(2,5V)	SOT23	16dc	-	Ztx
V14	D223-C9V1	Z-Diode	Dual, 2x9,1V 5%, 0,3W	SOT23	16dg	-	Dil
V14	ZC931TA	C-Diode	VHF-Tuning, 12V, 6,5/7,8pF(2,5V)	SOT23	16dc	-	Ztx
V15	D223-C10	Z-Diode	Dual, 2x10V 5%, 0,3W	SOT23	16dg	-	Dil
V15	ZC930TA	C-Diode	VHF-Tuning, 12V, 4,3..5,5pF(2,5V)	SOT23	16dc	-	Ztx
V16	D223-C11	Z-Diode	Dual, 2x11V 5%, 0,3W	SOT23	16dg	-	Dil
V16	ZC934TA	C-Diode	VHF-Tuning, 12V, 40..65pF(2,5V)	SOT23	16dc	-	Ztx
V17	D223-C12	Z-Diode	Dual, 2x12V 5%, 0,3W	SOT23	16dg	-	Dil
V17	ZC933TA	C-Diode	VHF-Tuning, 12V, 18..27pF(2,5V)	SOT23	16dc	-	Ztx
V18	D223-C13	Z-Diode	Dual, 2x13V 5%, 0,3W	SOT23	16dg	-	Dil
V19	D223-C15	Z-Diode	Dual, 2x15V 5%, 0,3W	SOT23	16dg	-	Dil
V1p	BFT25	Si-NPN	UHF-A, 8V, 6,5mA, 30mW, B>20, >2,3GHz	SOT23	161a	-	Phi
V2	2SD596-V2	Si-NPN	AF, 30V, 700mA, 200mW, B=135..220, 170MHz	SOT23	161a	-	Nec
V2	2SD780-V2	Si-NPN	AF, 60V, 300mA, 200mW, B=135..220, 100MHz	SOT23	161a	-	Nec
V2	BFQ67	Si-NPN	UHF-A, LN, 20V, 50mA, 200mW, B=65..150, 7,5GHz	SOT23	161a	-	Tem
V2	BFQ67F	Si-NPN	UHF-A, LN, 20V, 50mA, 200mW, B=65..150, 7,5GHz	SOT490	161a	-	Vis
V2	BFQ67W	Si-NPN	UHF-A, LN, 20V, 50mA, 200mW, B=65..150, 7,5GHz	SOT323	161a	-	Tem
V2	D223-C3V0	Z-Diode	Dual, 2x3,0V 5%, 0,3W	SOT23	16dg	-	Dil
V2	HBA7-5402	Si-Diode	Dual, Schottky, TVS, 30V, 220mA(1A..1µs), 250mW, <3pF	SOT23	16dl	-	Ag
V2	HBA7-540C	Si-Diode	Dual, Schottky, TVS, 30V, 430mA(1A..1µs), 825mW, <3pF	SOT323	16dl	-	Ag
V2	VN0605T	MOS-N-FET-e	V-MOS, 60V, 0,18A, <5Q, <20/20ns	SOT23	16fg	-	Six
V20	D223-C16	Z-Diode	Dual, 2x16V 5%, 0,3W	SOT23	16dg	-	Dil
V21	D223-C18	Z-Diode	Dual, 2x18V 5%, 0,3W	SOT23	16dg	-	Dil
V22	D223-C22	Z-Diode	Dual, 2x22V 5%, 0,3W	SOT23	16dg	-	Dil
V23	D223-C22	Z-Diode	Dual, 2x22V 5%, 0,3W	SOT23	16dg	-	Dil
V24	D223-C24	Z-Diode	Dual, 2x24V 5%, 0,3W	SOT23	16dg	-	Dil
V25	D223-C27	Z-Diode	Dual, 2x27V 5%, 0,3W	SOT23	16dg	-	Dil
V25	PM8T3640	Si-PNP	HF, Switching, 12V, 80mA, 350mW, B=30..120, >500MHz	SOT23	161a	-	Phi
V26	D223-C30	Z-Diode	Dual, 2x30V 5%, 0,3W	SOT23	16dg	-	Dil
V27	D223-C33	Z-Diode	Dual, 2x33V 5%, 0,3W	SOT23	16dg	-	Dil
V28	D223-C36	Z-Diode	Dual, 2x36V 5%, 0,3W	SOT23	16dg	-	Dil
V29	D223-C39	Z-Diode	Dual, 2x39V 5%, 0,3W	SOT23	16dg	-	Dil
V2p	BFQ67	Si-NPN	UHF-A, LN, 20V, 50mA, 200mW, B=65..150, 7,5GHz	SOT23	161a	-	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
V3	15V225	C-Diode	Dual, FM-Tuning, 32V, 6,6/7,7pF(30V)	S-MINI	16dg	-	Tos
V3	25D596-V3	Si-NPN	AF, 30V, 700mA, 200mW, B=170 270, 170MHz	SOT23	16ta	-	Nec
V3	25D780-V3	Si-NPN	AF, 60V, 300mA, 200mW, B=170 270, 100MHz	SOT23	16ta	-	Nec
V3	DZ23-C3V3	Z-Diode	Dual, 2x3 3V 5%, 0 3W	SOT23	16dg	-	Dil
V3	HBA7-540E	Si-Diode	Dual, Schottky, TVS, 30V, 430mA(1A 1µs) 825mW, <3pF	SOT323	16df	-	Ag
V30	DZ23-C43	Z-Diode	Dual, 2x43V 5%, 0 3W	SOT23	16dg	-	Dil
V30	PMBTH10	Si-NPN	UHF, Switching, 20V, 40mA, 400mW, B>60, 1GHz, <0,7pF	SOT23	16ta	-	Phi
V31	DZ23-C47	Z-Diode	Dual, 2x47V 5%, 0 3W	SOT23	16dg	-	Dil
V31	PMBTH81	Si-PNP	UHF, Switching, 30V, 40mA 400mW, B>60, 1GHz, <0,7pF	SOT23	16ta	-	Phi
V32	DZ23-C51	Z-Diode	Dual, 2x51V 5%, 0 3W	SOT23	16dg	-	Dil
V4	15V228	C-Diode	Dual, FM-Tuning, 15V, 12,7pF(8V)	S-MINI	16dg	-	Tos
V4	25D596-V3	Si-NPN	AF, 30V, 700mA, 200mW, B=200 320, 170MHz	SOT23	16ta	-	Nec
V4	25D780-V4	Si-NPN	AF, 60V, 300mA, 200mW, B=200 320, 100MHz	SOT23	16ta	-	Nec
V4	BFT25R	Si-NPN	UHF-A, 8V, 6,5mA, 30mW, B>20, >2,3GHz	SOT23	16ta	-	Phi
V4	DZ23-C3V6	Z-Diode	Dual, 2x3 6V 5%, 0 3W	SOT23	16dg	-	Dil
V4	HBA7-540F	Si-Diode	Dual, Schottky, TVS, 30V, 430mA(1A 1µs) 825mW, <3pF	SOT323	16dg	-	Ag
V4-	BAP64-06W	PIN-Diode	2x RF, 100V, 100mA, 250mW, 0,35pF, 3,8Ω(10mA/100MHz)	SOT323	16df	-	Phi
V5	15V242	C-Diode	Dual, VHF/UHF-Tuning, 35V, 2,43/3pF(28V)	S-MINI	16dg	-	Tos
V5	25D596-V3	Si-NPN	AF, 30V, 700mA, 200mW, B=250 400, 170MHz	SOT23	16ta	-	Nec
V5	25D780-V5	Si-NPN	AF, 60V, 300mA, 200mW, B=250 400, 100MHz	SOT23	16ta	-	Nec
V5	DZ23-C3V9	Z-Diode	Dual, 2x3 9V 5%, 0 3W	SOT23	16dg	-	Dil
V6	DZ23-C4V3	Z-Diode	Dual, 2x4 3V 5%, 0 3W	SOT23	16dg	-	Dil
V6-	BAP65-05W	PIN-Diode	2x RF, 30V, 100mA, 0,61pF, 0,3Ω(0,1A/100MHz), 240mW	SOT323	16dg	-	Phi
V7	DZ23-C4V7	Z-Diode	Dual, 2x4 7V 5%, 0 3W	SOT23	16dg	-	Dil
V8	DZ23-C5V1	Z-Diode	Dual, 2x5 1V 5%, 0 3W	SOT23	16dg	-	Dil
V9	DZ23-C5V6	Z-Diode	Dual 2x5 6V 5%, 0 3W	SOT23	16dg	-	Dil
VA	25C2776-A	Si-NPN	VHF Mix, Osc, 30V, 30mA, 100mW, B=35 70, 320MHz	SOT23	16ta	-	Ren
VA	25C3930-A	Si-NPN	RF, FM/AM, 30V, 30mA, 150mW, B=50 100, 250MHz	SC-70	16ta	-	Pan
VB	25C2295-B	Si-NPN	HF, 30V, 30mA, 200mW, B=70 140, 300MHz	SOT23	16ta	-	Pan
VB	25C2776-B	Si-NPN	VHF Mix, Osc, 30V, 30mA, 100mW, B=60 120, 320MHz	SOT23	16ta	-	Ren
VB	25C3930-B	Si-NPN	RF, FM/AM, 30V, 30mA, 150mW, B=70 140, 250MHz	SC-70	16ta	-	Pan
VB	MSC2295-BT1	Si-NPN	GP, 30V, 30mA, 200mW, B=70 140, >150MHz	SC-59	16ta	-	Mot
VC	25C2295-C	Si-NPN	HF, 30V, 30mA, 200mW, B=110 220, 300MHz	SOT23	16ta	-	Pan
VC	25C2776-C	Si-NPN	VHF Mix, Osc, 30V, 30mA, 100mW, B=100 200, 320MHz	SOT23	16ta	-	Ren
VC	25C3930-C	Si-NPN	RF, FM/AM, 30V, 30mA, 150mW, B=110 220, 250MHz	SC-70	16ta	-	Pan
VC	MSC2295-CT1	Si-NPN	GP, 30V, 30mA, 200mW, B=110 220, >150MHz	SC-59	16ta	-	Mot
VJY	FM809JP3X	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SC-70	16vdc	-	Fch
VLY	FM809LP3X	CMOS-IC	Voltage Detector 4 63V, -Reset Push-pull output	SC-70	16vdc	-	Fch
VMY	FM809MP3X	CMOS-IC	Voltage Detector 4 38V, -Reset Push-pull output	SC-70	16vdc	-	Fch
VRY	FM809RP3X	CMOS-IC	Voltage Detector 2 63V, -Reset Push-pull output	SC-70	16vdc	-	Fch
VSY	FM809SP3X	CMOS-IC	Voltage Detector 2 93V, -Reset Push-pull output	SC-70	16vdc	-	Fch
VTY	FM809TP3X	CMOS-IC	Voltage Detector 3 08V, -Reset Push-pull output	SC-70	16vdc	-	Fch
VW	SP6332R18D2	CMOS-IC	Voltage Detector 1,8V, -Reset Push-pull output 30ms	SOT23	16vdc	VD7	Vis
VY	25C3914	Si-NPN-Digi	Sw, 50V, 500mA 200mW, 250MHz, R1/R2=2k2/10k	SOT23	16ta	-	Say
W04	BZX84-A11	Z-Diode	11V±1%, 300mW	SOT23	16dc	-	PhC
W1	BFT92W	Si-PNP	UHF-A, 20V, 25mA, 5GHz	SOT323	16ta	-	Phi
W1	BZX84-C2V4	Z-Diode	2,4V±5%, 300mW	SOT23	16dc	-	Wte
W1	BZX84-C2V4W	Z-Diode	2,4V±5%, 200mW	SOT323	16dc	-	Mco
W10	CMPZDA27V	Z-Diode	Dual, 27V, 2,5%, 350mW	SOT23	16df	-	Cen
W11	CMPZDA30V	Z-Diode	Dual, 30V, 2,5%, 350mW	SOT23	16df	-	Cen
W12	CMPZDA33V	Z-Diode	Dual, 33V, 2,5%, 350mW	SOT23	16df	-	Cen
W13	CMPZDA36V	Z-Diode	Dual, 36V, 2,5%, 350mW	SOT23	16df	-	Cen
W14	CMPZDA39V	Z-Diode	Dual, 39V, 2,5%, 350mW	SOT23	16df	-	Cen
W15	CMPZDA43V	Z-Diode	Dual, 43V, 2,5%, 350mW	SOT23	16df	-	Cen
W16	CMPZDA47V	Z-Diode	Dual, 47V, 2,5%, 350mW	SOT23	16df	-	Cen
W1p	BFT92	Si-PNP	UHF-A, 20V, 25mA, 5GHz	SOT23	16ta	-	Phi
W1s	BFT92W	Si-PNP	UHF-A, 20V, 25mA, 5GHz	SOT323	16ta	-	Sie
W2	BCR189L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=22k, 150MHz	TSLP-3	22ta	-	Inf
W2	BZX84-C2V7	Z-Diode	2,7V±5%, 300mW	SOT23	16dc	-	Wte
W2	BZX84-C2V7W	Z-Diode	2,7V±5%, 200mW	SOT323	16dc	-	Mco
W2	PRF957	Si-NPN	UHF, LN, 20V, 100mA, 270mW, B=50 200, 8,5GHz	SOT323	16ta	-	Phi
W2s	BCR189	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=22k, 200MHz	SOT23	16ta	-	Inf
W2s	BCR189F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=22k, 150MHz	TSFP-3	18ta	-	Inf
W2s	BCR189T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k, 150MHz	SC-75	16ta	-	Inf
W3	BZX84-C2V4	Z-Diode	2,4V±5%, 300mW	SOT23	16dc	-	Cen,Sie
W3	BZX84-C3	Z-Diode	3V±5%, 300mW	SOT23	16dc	-	Wte
W3	BZX84-C3W	Z-Diode	3V±5%, 200mW	SOT323	16dc	-	Mco
W3	KDV1471	C-Diode	FM-Tuning, 16V, 32 37pF(1V)	SOT23	16dg	-	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
W4	BZX84-C2V7	Z-Diode	2.7V±5%, 300mW	SOT23	16dc	-	Cen,Sie
W4	BZX84-C3V3	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	Wte
W4	BZX84-C3V3W	Z-Diode	3.3V±5%, 200mW	SOT323	16dc	-	Mco
W4	BZX88-C2V7	Z-Diode	2.7V±5%, 200mW	SOT323	16dc	-	Ztx
W4-	BAP50-05W	PIN-Diode	Dual, RF, 50V, 50mA, 0.3pF, 3Ω(10mA/100MHz), 500mW	SOT23	16dg	-	Phi
W4F	PMBD353	Si-Diode	Dual, Schottky Barrier, 4V, 30mA, Vf<600mV(10mA), <1pF	SOT23	16ea	-	PhC
W5	BZX84-C3V0	Z-Diode	3V±5%, 300mW	SOT23	16dc	-	Cen,Sie
W5	BZX84-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	Wte
W5	BZX84-C3V6W	Z-Diode	3.6V±5%, 200mW	SOT323	16dc	-	Mco
W5	BZX88-C3V0	Z-Diode	3V±5%, 200mW	SOT323	16dc	-	Ztx
W50	BZX84-A2V4	Z-Diode	2.4V±1%, 300mW	SOT23	16dc	-	PhC
W51	BZX84-A2V7	Z-Diode	2.7V±1%, 300mW	SOT23	16dc	-	PhC
W52	BZX84-A3V0	Z-Diode	3V±1%, 300mW	SOT23	16dc	-	PhC
W55	BZX84-A3V9	Z-Diode	3.9V±1%, 300mW	SOT23	16dc	-	PhC
W56	BZX84-A4V3	Z-Diode	4.3V±1%, 300mW	SOT23	16dc	-	PhC
W57	BZX84-A4V7	Z-Diode	4.7V±1%, 300mW	SOT23	16dc	-	PhC
W56	BZX84-A5V1	Z-Diode	5.1V±1%, 300mW	SOT23	16dc	-	PhC
W59	BZX84-A5V6	Z-Diode	5.6V±1%, 300mW	SOT23	16dc	-	PhC
W6	BZX84-C3V3	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	Cen,Sie
W6	BZX84-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	Wte
W6	BZX84-C3V9W	Z-Diode	3.9V±5%, 200mW	SOT23	16dc	-	Mco
W6	BZX88-C3V3	Z-Diode	3.3V±5%, 200mW	SOT323	16dc	-	Ztx
W6	ECG505SM	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	Ecq
W6	NTE505SM	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	Nte
W60	BZX84-A6V2	Z-Diode	6.2V±1%, 300mW	SOT23	16dc	-	PhC
W61	BZX84-A6V8	Z-Diode	6.8V±1%, 300mW	SOT23	16dc	-	PhC
W62	BZX84-A7V5	Z-Diode	7.5V±1%, 300mW	SOT23	16dc	-	PhC
W63	BZX84-A8V2	Z-Diode	8.2V±1%, 300mW	SOT23	16dc	-	PhC
W64	BZX84-A9V1	Z-Diode	9.1V±1%, 300mW	SOT23	16dc	-	PhC
W65	BZX84-A10	Z-Diode	10V±1%, 300mW	SOT23	16dc	-	PhC
W66	BZX84-B10	Z-Diode	10V±2%, 300mW	SOT23	16dc	-	PhC
W67	BZX84-A12	Z-Diode	12V±1%, 300mW	SOT23	16dc	-	PhC
W69	BZX84-A15	Z-Diode	15V±1%, 300mW	SOT23	16dc	-	PhC
W7	BZX84-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	Cen,Sie
W7	BZX84-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	Wte
W7	BZX88-C3V6	Z-Diode	3.6V±5%, 200mW	SOT323	16dc	-	Ztx
W7	ECG506SM	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	Ecq
W7	NTE506SM	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	Nte
W70	BZX84-B16	Z-Diode	16V±2%, 300mW	SOT23	16dc	-	PhC
W71	BZX84-B18	Z-Diode	18V±2%, 300mW	SOT23	16dc	-	PhC
W72	BZX84-B20	Z-Diode	20V±2%, 300mW	SOT23	16dc	-	PhC
W73	BZX84-B22	Z-Diode	22V±2%, 300mW	SOT23	16dc	-	PhC
W74	BZX84-B24	Z-Diode	24V±2%, 300mW	SOT23	16dc	-	PhC
W75	BZX84-A27	Z-Diode	27V±1%, 300mW	SOT23	16dc	-	PhC
W8	BZX84-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	Cen,Sie
W8	BZX84-C4V7	Z-Diode	4.7V±5%, 300mW	SOT23	16dc	-	Wte
W8	BZX84-C4V7W	Z-Diode	4.7V±5%, 200mW	SOT323	16dc	-	Mco
W8	BZX88-C3V9	Z-Diode	3.9V±5%, 200mW	SOT323	16dc	-	Ztx
W8	ECG507SM	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	Ecq
W8	NTE507SM	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	Nte
W86	BZX84-A75	Z-Diode	75V±1%, 300mW	SOT23	16dc	-	PhC
W9	BZX84-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	Cen,Sie
W9	BZX84-C4V3LT1	Z-Diode	3.4V±5%, 225mW, Zzt=90Ω	SOT23	16dc	-	Ons
W9	BZX84-C5V1	Z-Diode	5.1V±5%, 300mW	SOT23	16dc	-	Wte
W9	BZX84-C5V1W	Z-Diode	5.1V±5%, 200mW	SOT323	16dc	-	Mco
W9	BZX88-C4V3	Z-Diode	4.3V±5%, 200mW	SOT323	16dc	-	Ztx
W9	ECG508SM	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	Ecq
W9	NTE508SM	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	Nte
W9-	BAP63-05W	PIN-Diode	2x RF, 50V, 100mA, 240mW, 0.35pF, 1.8Ω(10mA/100MHz)	SOT323	16dg	-	Phi
WA	2SD1383K-A	Si-NPN-Darl	AF, 40V, 300mA, 300mW, B>1000, >250MHz	SOT346	16ta	-	Rhm
WA	BCR103L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 2k/2 2k, 140MHz	TSLP-3	22ta	-	Inf
WA	BZX84-C5V6	Z-Diode	5.6V±5%, 300mW	SOT23	16dc	-	Wte
WA	BZX84-C5V6W	Z-Diode	5.6V±5%, 200mW	SOT323	16dc	-	Mco
WA1	BZX84-C75	Z-Diode	75V±5%, 300mW	SOT23	16dc	-	PhC
WAs	BCR103	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 2k/2 2k, 140MHz	SOT23	16ta	-	Inf
WAs	BCR103F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 2k/2 2k, 140MHz	TSFP-3	18ta	-	Inf
WAs	BCR103T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 2k/2 2k, 140MHz	SC-75	16ta	-	Inf
WB	2SD1383K-B	Si-NPN-Darl	AF, 40V, 300mA, 200mW, B>5000, >250MHz	SOT346	16ta	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
WB	BCR153L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2.2k/2.2k, 200MHz	TSLP-3	22ta	-	Inf
WB	BZX84-C6V2	Z-Diode	6.2V±5%, 300mW	SOT23	16dc	-	Wte
WB	BZX84-C6V2W	Z-Diode	6.2V±5%, 200mW	SOT323	16dc	-	Mco
WB0	BZX84-C68	Z-Diode	68V±5%, 300mW	SOT23	16dc	-	PhC
WB1	BZX84-C3V3	Z-Diode	3.3V±5%, 300mW	SOT23	16dc	-	PhC
WB2	BZX84-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	PhC
WB3	BZX84-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	PhC
WB4	BZX84-C43	Z-Diode	43V±5%, 300mW	SOT23	16dc	-	PhC
WB5	BZX84-C47	Z-Diode	47V±5%, 300mW	SOT23	16dc	-	PhC
WB6	BZX84-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	PhC
WB7	BZX84-C51	Z-Diode	51V±5%, 300mW	SOT23	16dc	-	PhC
WB6	BZX84-C56	Z-Diode	56V±5%, 300mW	SOT23	16dc	-	PhC
WB9	BZX84-C62	Z-Diode	62V±5%, 300mW	SOT23	16dc	-	PhC
WBa	BCR153	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=2.2k/2.2k, 200MHz	SOT23	16ta	-	Inf
WBa	BCR153F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2.2k/2.2k, 200MHz	TSFP-3	18ta	-	Inf
WBa	BCR153T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2.2k/2.2k, 200MHz	SC-75	16ta	-	Inf
WC	BCR133L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k, 130MHz	TSLP-3	22ta	-	Inf
WC	BZX84-C6V8	Z-Diode	6.8V±5%, 300mW	SOT23	16dc	-	Wte
WC	BZX84-C6V8W	Z-Diode	6.8V±5%, 200mW	SOT323	16dc	-	Mco
WC0	BZX84-A13	Z-Diode	13V±1%, 300mW	SOT23	16dc	-	PhC
WC1	BZX84-A3V6	Z-Diode	3.6V±1%, 300mW	SOT23	16dc	-	PhC
WC2	BZX84-A20	Z-Diode	20V±1%, 300mW	SOT23	16dc	-	PhC
WC3	BZX84-A36	Z-Diode	36V±1%, 300mW	SOT23	16dc	-	PhC
WC4	BZX84-A39	Z-Diode	39V±1%, 300mW	SOT23	16dc	-	PhC
WC5	BZX84-A43	Z-Diode	43V±1%, 300mW	SOT23	16dc	-	PhC
WC6	BZX84-A51	Z-Diode	51V±1%, 300mW	SOT23	16dc	-	PhC
WCa	BCR133	Si-NPN-Digi	Switching, 50V, 100mA, 330mW, R1/R2=10k/10k, 130MHz	SOT23	16ta	-	Inf
WCa	BCR133F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k, 130MHz	TSFP-3	18ta	-	Inf
WCa	BCR133T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k, 130MHz	SC-75	16ta	-	Inf
WCa	BCR133W	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k, 130MHz	SOT323	16ta	-	Inf
WD	BCR141L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k, 130MHz	TSLP-3	22ta	-	Inf
WD	BZX84-C7V5	Z-Diode	7.5V±5%, 300mW	SOT23	16dc	-	Wte
WD	BZX84-C7V5W	Z-Diode	7.5V±5%, 200mW	SOT323	16dc	-	Mco
WDa	BCR141	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/22k, 130MHz	SOT23	16ta	-	Inf
WDa	BCR141F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k, 130MHz	TSFP-3	18ta	-	Inf
WDa	BCR141T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k, 130MHz	SC-75	16ta	-	Inf
WDa	BCR141W	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k, 130MHz	SOT323	16ta	-	Inf
WE	BCR148L3	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 100MHz	TSLP-3	22ta	-	Inf
WE	BZX84-C8V2	Z-Diode	8.2V±5%, 300mW	SOT23	16dc	-	Wte
WE	BZX84-C8V2W	Z-Diode	8.2V±5%, 200mW	SOT323	16dc	-	Mco
WE1	BFS17W	Si-NPN	VHF/UHF, Mix/Osc, 25V, 25mA, 250mW, B=90, 1.6GHz	SOT23	16ta	-	Tem
WE2	BFS17AW	Si-NPN	VHF/UHF, Mix/Osc, 25V, 25mA, 250mW, B=90, 2.8GHz	SOT323	16ta	-	Tem
WEa	BCR148	Si-NPN-Digi	Switching, 50V, 70mA, 200mW, R1/R2=47k/47k, 100MHz	SOT23	16ta	-	Inf
WEa	BCR148F	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 100MHz	TSFP-3	18ta	-	Inf
WEa	BCR148T	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 100MHz	SC-75	16ta	-	Inf
WEa	BCR148W	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 100MHz	SOT323	16ta	-	Inf
WF	BCR112L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/4.7k, 140MHz	TSLP-3	22ta	-	Inf
WF	BZX84-C9V1	Z-Diode	9.1V±5%, 300mW	SOT23	16dc	-	Wte
WF	BZX84-C9V1W	Z-Diode	9.1V±5%, 200mW	SOT323	16dc	-	Mco
WFa	BCR112	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4.7k/4.7k, 140MHz	SOT23	16ta	-	Inf
WFa	BCR112F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/4.7k, 140MHz	TSFP-3	18ta	-	Inf
WFa	BCR112T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/4.7k, 140MHz	SC-75	16ta	-	Inf
WFa	BCR112W	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4.7k/4.7k, 140MHz	SOT323	16ta	-	Inf
WG	BCR116L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/47k, 150MHz	TSLP-3	22ta	-	Inf
WG	BZX84-C10	Z-Diode	10V±5%, 300mW	SOT23	16dc	-	Wte
WG	BZX84-C10W	Z-Diode	10V±5%, 200mW	SOT323	16dc	-	Mco
WG	KTC3876S-GR	Si-NPN	GP, 35V, 500mA, 150mW, B=200..400, 200MHz	SOT23	16ta	-	Kec
WGa	BCR116	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4.7k/47k, 160MHz	SOT23	16ta	-	Inf
WGa	BCR116F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/47k, 150MHz	TSFP-3	18ta	-	Inf
WGa	BCR116T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/47k, 150MHz	SC-75	16ta	-	Inf
WGa	BCR116W	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4.7k/47k, 160MHz	SOT323	16ta	-	Inf
WH	BCR108L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2.2k/47k, 170MHz	TSLP-3	22ta	-	Inf
WH	BZX84-C11	Z-Diode	11V±5%, 300mW	SOT23	16dc	-	Wte
WH	BZX84-C11W	Z-Diode	11V, 5%, 200mW	SOT323	16dc	-	Mco
WHa	BCR108	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=2.2k/47k, 170MHz	SOT23	16ta	-	Inf
WHa	BCR108F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2.2k/47k, 170MHz	TSFP-3	18ta	-	Inf
WHa	BCR108T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2.2k/47k, 170MHz	SC-75	16ta	-	Inf
WHa	BCR108W	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2.2k/47k, 170MHz	SOT323	16ta	-	Inf

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Произв.
WI	BCR158L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 k/47k, 170MHz	TSLP-3	221a -	Inf
WI	BZX84-C12	Z-Diode	12V±5%, 300mW	SOT23	16dc -	Wte
WI	BZX84-C12W	Z-Diode	12V±5%, 200mW	SOT323	16dc -	Mco
WIs	BCR158	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=2 k/47k, 200MHz	SOT23	161a -	Inf
WIs	BCR158F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 k/47k, 170MHz	TSFP-3	181a -	Inf
WIs	BCR158T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 k/47k, 170MHz	SC-75	161a -	Inf
WIs	BCR158W	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=2 k/47k, 200MHz	SOT323	161a -	Inf
WJ	BCR135L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 150MHz	TSLP-3	221a -	Inf
WJs	BCR135	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/47k, 150MHz	SOT23	161a -	Inf
WJs	BCR135F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 150MHz	TSFP-3	181a -	Inf
WJs	BCR135T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 150MHz	SC-75	161a -	Inf
WJs	BCR135W	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 150MHz	SOT323	161a -	Inf
WK	BCR119L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=4 7k, 150MHz	TSLP-3	221a -	Inf
WK	BZX84-C13	Z-Diode	13 6V±5%, 300mW	SOT23	16dc -	Wte
WK	BZX84-C13W	Z-Diode	13V±5%, 200mW	SOT323	16dc -	Mco
WKS	BCR119	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=4 7k, 150MHz	SOT23	161a -	Inf
WKS	BCR119F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=4 7k, 150MHz	TSFP-3	181a -	Inf
WKS	BCR119T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=4 7k, 150MHz	SC-75	161a -	Inf
WKS	BCR119W	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=4 7k, 150MHz	SOT323	161a -	Inf
WL	BCR146L3	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/22k, 150MHz	TSLP-3	221a -	Inf
WL	BZX84-C15	Z-Diode	15V±5%, 300mW	SOT23	16dc -	Wte
WL	BZX84-C15W	Z-Diode	15V±5%, 200mW	SOT323	16dc -	Mco
WLS	BCR146	Si-NPN-Digi	Switching, 50V, 70mA, 200mW, R1/R2=47k/22k, 150MHz	SOT23	161a -	Inf
WLS	BCR146F	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/22k, 150MHz	TSFP-3	181a -	Inf
WLS	BCR146T	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/22k, 150MHz	SC-75	161a -	Inf
WLS	BCR146W	Si-NPN-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/22k, 150MHz	SOT323	161a -	Inf
WM	BCR183L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k, 130MHz	TSLP-3	221a -	Inf
WM	BZX84-C16	Z-Diode	16V±5%, 300mW	SOT23	16dc -	Wte
WM	BZX84-C16W	Z-Diode	16V±5%, 200mW	SOT323	16dc -	Mco
WMS	BCR183	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/10k, 200MHz	SOT23	161a -	Inf
WMS	BCR183F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k, 130MHz	TSFP-3	181a -	Inf
WMS	BCR183T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/10k, 130MHz	SC-75	161a -	Inf
WMS	BCR183W	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/10k, 200MHz	SOT323	161a -	Inf
WN	BCR185L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 150MHz	TSLP-3	221a -	Inf
WN	BZX84-C18	Z-Diode	18V±5%, 300mW	SOT23	16dc -	Wte
WN	BZX84-C18W	Z-Diode	18V±5%, 200mW	SOT323	16dc -	Mco
WNs	BCR185	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=10k/47k, 200MHz	SOT23	161a -	Inf
WNs	BCR185F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 150MHz	TSFP-3	181a -	Inf
WNs	BCR185T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 150MHz	SC-75	161a -	Inf
WNs	BCR185W	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=10k/47k, 200MHz	SOT323	161a -	Inf
WO	25C2859-O	Si-NPN	AF, 35V, 500mA, 150mW, B=70 140, 200MHz	SOT23	161a -	Tos
WO	25C4118-O	Si-NPN	AF-Driver, Sw, 35V, 500mA, 100mW, B=70 140, 200MHz	SOT323	161a -	Tos
WO	BCR191L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k, 130MHz	TSLP-3	221a -	Inf
WO	BZX84-C20	Z-Diode	20V±5%, 300mW	SOT23	16dc -	Wte
WO	BZX84-C20W	Z-Diode	20V±5%, 200mW	SOT323	16dc -	Mco
WO	KTC3876S-O	Si-NPN	GP, 35V, 500mA, 150mW, B=70 140, 200MHz	SOT23	161a -	Kec
WOS	BCR191	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/22k, 200MHz	SOT23	161a -	Inf
WOS	BCR191F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k, 130MHz	TSFP-3	181a -	Inf
WOS	BCR191T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/22k, 130MHz	SC-75	161a -	Inf
WOS	BCR191W	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/22k, 200MHz	SOT323	161a -	Inf
WP	BCR192L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 150MHz	TSLP-3	221a -	Inf
WP	BZX84-C22	Z-Diode	22V±5%, 300mW	SOT23	16dc -	Wte
WP	BZX84-C22W	Z-Diode	22V±5%, 200mW	SOT323	16dc -	Mco
WPs	BCR192	Si-PNP-Digi	Switching, 50V, 100mA, 330mW, R1/R2=22k/47k, 200MHz	SOT23	161a -	Inf
WPs	BCR192F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 150MHz	TSFP-3	181a -	Inf
WPs	BCR192T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 150MHz	SC-75	161a -	Inf
WPs	BCR192W	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 200MHz	SOT323	161a -	Inf
WQ	2PD602Q	Si-NPN	GP, Sw, 60V, 500mA, 250mW, B=85 170, >140MHz	SOT23	161a -	Phi
WQ	2SD1820-Q	Si-NPN	GP, 30V, 500mA, 150mW, B=85 170, 20MHz	SC-70	161a -	Pan
WQ	2SD602-Q	Si-NPN	GP, AF, 50V, 500mA, 200mW, B=85 170, 200MHz	SC-59	161a -	Pan
WR	2PD602R	Si-NPN	GP, Sw, 60V, 500mA, 250mW, B=120 240, >140MHz	SOT23	161a -	Phi
WR	2SD1820-R	Si-NPN	GP, 30V, 500mA, 150mW, B=120 240, 20MHz	SC-70	161a -	Pan
WR	2SD602-R	Si-NPN	GP, AF, 50V, 500mA, 200mW, B=120 240, 200MHz	SC-59	161a -	Pan
WR	BCR198L3	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 100MHz	TSLP-3	221a -	Inf
WR	BZX84-C24	Z-Diode	24V±5%, 300mW	SOT23	16dc -	Wte
WR	BZX84-C24W	Z-Diode	24V±5%, 200mW	SOT323	16dc -	Mco
WR	MSD602-RT1	Si-NPN	GP, 60V, 500mA, 200mW, B=120 240	SOT323	161a -	Mot
WR0	BZX84-B56	Z-Diode	56V±2%, 300mW	SOT23	16dc -	PhC

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
WR1	BZX84-B5V1	Z-Diode	5,1V±2%, 300mW	SOT23	16dc	-	PhC
WR2	BFR93AW	Si-NPN	UHF-A-Band, 15V, 30mA, 300mW, B>40, >5GHz	SOT323	16la	-	Tem
WR2	BZX84-B5V6	Z-Diode	5,6V±2%, 300mW	SOT23	16dc	-	PhC
WR3	BZX84-B62	Z-Diode	62V±2%, 300mW	SOT23	16dc	-	PhC
WR4	BZX84-B68	Z-Diode	68V±2%, 300mW	SOT23	16dc	-	PhC
WR5	BZX84-B6V2	Z-Diode	6,2V±2%, 300mW	SOT23	16dc	-	PhC
WR6	BZX84-B6V8	Z-Diode	6,8V±2%, 300mW	SOT23	16dc	-	PhC
WR7	BZX84-B75	Z-Diode	75V±2%, 300mW	SOT23	16dc	-	PhC
WR8	BZX84-B7V5	Z-Diode	7,5V±2%, 300mW	SOT23	16dc	-	PhC
WR9	BZX84-B8V2	Z-Diode	8,2V±2%, 300mW	SOT23	16dc	-	PhC
WRC	BFR193TRW	Si-NPN	UHF, 20V, 80mA, 400mW, 8GHz	SOT323	16la	-	Tem
WRs	BCR198	Si-PNP-Digi	Switching, 50V, 70mA, 200mW, R1/R2=47k/47k, 190MHz	SOT23	16la	-	Inf
WRs	BCR198F	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 100MHz	TSFP-3	18la	-	Inf
WRs	BCR198T	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 100MHz	SC-75	16la	-	Inf
WRs	BCR198W	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/47k, 190MHz	SOT323	16la	-	Inf
WS	2PD602S	Si-NPN	GP, Sw, 60V, 500mA, 250mW, B=85 170, >140MHz	SOT23	16la	-	Phi
WS	2SD1820-S	Si-NPN	GP, 30V, 500mA, 150mW, B=170 340, 20MHz	SC-70	16la	-	Pan
WS	2SD602-S	Si-NPN	GP, AF, 50V, 500mA, 200mW, B=170 340, 200MHz	SC-59	16la	-	Pan
WS	BCR169L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=4 7k, 150MHz	TSLP-3	22la	-	Inf
WS	BZX84-C27	Z-Diode	27V±5%, 300mW	SOT23	16dc	-	Wle
WS	BZX84-C27W	Z-Diode	27V±5%, 200mW	SOT323	16dc	-	Mco
WS0	BZX84-B39	Z-Diode	39V±2%, 300mW	SOT23	16dc	-	PhC
WS1	BZX84-B3V0	Z-Diode	3V±2%, 300mW	SOT23	16dc	-	PhC
WS2	BZX84-B3V3	Z-Diode	3,3V±2%, 300mW	SOT23	16dc	-	PhC
WS2	BZX84-B3V6	Z-Diode	3,6V±2%, 300mW	SOT23	16dc	-	PhC
WS4	BZX84-B3V9	Z-Diode	3,9V±2%, 300mW	SOT23	16dc	-	PhC
WS5	BZX84-B43	Z-Diode	43V±2%, 300mW	SOT23	16dc	-	PhC
WS6	BZX84-B47	Z-Diode	47V±2%, 300mW	SOT23	16dc	-	PhC
WS7	BZX84-B4V3	Z-Diode	4,3V±2%, 300mW	SOT23	16dc	-	PhC
WS8	BZX84-B4V7	Z-Diode	4,7V±2%, 300mW	SOT23	16dc	-	PhC
WS9	BZX84-B51	Z-Diode	51V±2%, 300mW	SOT23	16dc	-	PhC
WSs	BCR169	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=4 7k, 200MHz	SOT23	16la	-	Inf
WSs	BCR169F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=4 7k, 150MHz	TSFP-3	18la	-	Inf
WSs	BCR169T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=4 7k, 150MHz	SC-75	16la	-	Inf
WSs	BCR169W	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1=4 7k, 200MHz	SOT323	16la	-	Inf
WT	BCR166L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/47k, 150MHz	TSLP-3	22la	-	Inf
WT	BZX84-C30	Z-Diode	30V±5%, 300mW	SOT23	16dc	-	Wle
WT	BZX84-C30W	Z-Diode	30V±5%, 200mW	SOT323	16dc	-	Mco
WT1	BZX84-B9V1	Z-Diode	9,1V±2%, 300mW	SOT23	16dc	-	PhC
WT2	BZX84-C27	Z-Diode	27V±5%, 300mW	SOT23	16dc	-	PhC
WT3	BZX84-C2V4	Z-Diode	2,4V±5%, 300mW	SOT23	16dc	-	PhC
WT4	BZX84-C2V7	Z-Diode	2,7V±5%, 300mW	SOT23	16dc	-	PhC
WT5	BZX84-C30	Z-Diode	30V±5%, 300mW	SOT23	16dc	-	PhC
WT6	BZX84-C33	Z-Diode	33V±5%, 300mW	SOT23	16dc	-	PhC
WT7	BZX84-C36	Z-Diode	36V±5%, 300mW	SOT23	16dc	-	PhC
WT8	BZX84-C39	Z-Diode	39V±5%, 300mW	SOT23	16dc	-	PhC
WT9	BZX84-C3V0	Z-Diode	3,0V±5%, 300mW	SOT23	16dc	-	PhC
WTs	BCR166	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4 7k/47k, 160MHz	SOT23	16la	-	Inf
WTs	BCR166F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/47k, 150MHz	TSFP-3	18la	-	Inf
WTs	BCR166T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/47k, 150MHz	SC-75	16la	-	Inf
WTs	BCR166W	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/47k, 160MHz	SOT323	16la	-	Inf
WU	BCR162L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k, 140MHz	TSLP-3	22la	-	Inf
WU	BZX84-C33	Z-Diode	33V±5%, 300mW	SOT23	16dc	-	Wle
WU	BZX84-C33W	Z-Diode	33V±5%, 200mW	SOT323	16dc	-	Mco
WUs	BCR162	Si-PNP-Digi	Switching, 50V, 100mA, 200mW, R1/R2=4 7k/4 7k, 200MHz	SOT23	16la	-	Inf
WUs	BCR162F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k, 140MHz	TSFP-3	18la	-	Inf
WUs	BCR162T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1/R2=4 7k/4 7k, 140MHz	SC-75	16la	-	Inf
WV	BCR129L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=10k, 150MHz	TSLP-3	22la	-	Inf
WV1	BAS31	Si-Diode	Dual, GP, Contr. Aval, 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16df	-	PhC
WV2	BAS35	Si-Diode	Dual, GP, Contr. Aval, 90V, 250mA, 250mW, 35pF, <50ns	SOT23	16df	-	PhC
WV2	BQ677W	Si-NPN	UHF-A, LN, 20V, 50mA, 200mW, B=65 150, 7,5GHz	SOT323	16la	-	Tem
WV3	BAT54A	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vt<1V(100mA), <5ns	SOT23	16df	-	PhC
WV4	BAT54S	Si-Diode	Dual Schottky Rectifier, 30V, 200mA, Vt<1V(100mA), <5ns	SOT23	16df	-	PhC
WV5	BAV23S	Si-Diode	Dual, GP, 200V, 225mA, Vs<1,25V(200mA), <50ns	SOT23	16df	-	PhC
WVs	BCR129	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=10k, 150MHz	SOT23	16la	-	Inf
WVs	BCR129F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=10k, 150MHz	TSFP-3	18la	-	Inf
WVs	BCR129T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=10k, 150MHz	SC-75	16la	-	Inf
WV	BCR179L3	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=10k, 150MHz	TSLP-3	22la	-	Inf

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
WW	BZX84-C36	Z-Diode	36V±5%, 300mW	SOT23	16dc	-	Wle
WW	BZX84-C36W	Z-Diode	36V±5%, 200mW	SOT323	16dc	-	Mco
WW3	CMPZDA2V4	Z-Diode	Dual, 2 4V, 2.5%, 350mW	SOT23	16df	-	Cen
WW4	CMPZDA2V7	Z-Diode	Dual, 2 7V, 2.5%, 350mW	SOT23	16df	-	Cen
WW5	CMPZDA3V0	Z-Diode	Dual, 3V, 2.5%, 350mW	SOT23	16df	-	Cen
WW6	CMPZDA3V3	Z-Diode	Dual, 3 3V, 2.5%, 350mW	SOT23	16df	-	Cen
WW7	CMPZDA3V6	Z-Diode	Dual, 3 6V, 2.5%, 350mW	SOT23	16df	-	Cen
WW8	CMPZDA3V9	Z-Diode	Dual, 3 9V, 2.5%, 350mW	SOT23	16df	-	Cen
WW9	CMPZDA4V3	Z-Diode	Dual, 4 3V, 2.5%, 350mW	SOT23	16df	-	Cen
WWs	BCR179F	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=10k, 150MHz	TSFP-3	181a	-	Inf
WWs	BCR179T	Si-PNP-Digi	Switching, 50V, 100mA, 250mW, R1=10k, 150MHz	SC-75	161a	-	Inf
WX	BCR196L3	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/22k, 150MHz	TSLP-3	221a	-	Inf
WX	BZX84-C39	Z-Diode	39V±5%, 300mW	SOT23	16dc	-	Wle
WX	BZX84-C39W	Z-Diode	39V±5%, 200mW	SOT323	16dc	-	Mco
WXs	BCR196	Si-PNP-Digi	Switching, 50V, 70mA, 200mW, R1/R2=47k/22k, 150MHz	SOT23	161a	-	Inf
WXs	BCR196F	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/22k, 150MHz	TSFP-3	181a	-	Inf
WXs	BCR196T	Si-PNP-Digi	Switching, 50V, 70mA, 250mW, R1/R2=47k/22k, 150MHz	SC-75	161a	-	Inf
WXs	BCR196W	Si-PNP-Digi	Switching, 50V, 70mA, 200mW, R1/R2=47k/22k, 150MHz	SOT323	161a	-	Inf
WY	2SC2859-Y	Si-NPN	AF, 35V, 500mA, 150mW, B=120 240, 200MHz	SOT23	161a	-	Tos
WY	2SC3915	Si-NPN-Digi	Switching, 50V, 500mA, 200mW, 250MHz, R1/R2=2k2/2k2	SOT23	161a	-	Say
WY	2SC4118-Y	Si-NPN	AF-Driver, Sw, 35V, 500mA, 100mW, B=120 240, 200MHz	SOT323	161a	-	Tos
WY	BCR139L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=22k, 150MHz	TSLP-3	221a	-	Inf
WY	KTC3876S-Y	Si-NPN	GP, 35V, 500mA, 150mW, B=120 240, 200MHz	SOT23	161a	-	Kec
WY1	BZX84-B33	Z-Diode	33V±2%, 300mW	SOT23	16dc	-	PhC
WY2	BZX84-B36	Z-Diode	36V±2%, 300mW	SOT23	16dc	-	PhC
WYs	BCR139	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1=22k, 150MHz	SOT23	161a	-	Inf
WYs	BCR139F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=22k, 150MHz	TSFP-3	181a	-	Inf
WYs	BCR139T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1=22k, 150MHz	SC-75	161a	-	Inf
WZ	BCR142L3	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 150MHz	TSLP-3	221a	-	Inf
WZ0	BZX84-B2V4	Z-Diode	2.4V±2%, 300mW	SOT23	16dc	-	PhC
WZ1	BZX84-B2V7	Z-Diode	2.7V±2%, 300mW	SOT23	16dc	-	PhC
WZ4	BZX84-B30	Z-Diode	30V±2%, 300mW	SOT23	16dc	-	PhC
WZ5	BZX84-B27	Z-Diode	27V±2%, 300mW	SOT23	16dc	-	PhC
WZ6	BZX84-B11	Z-Diode	11V±2%, 300mW	SOT23	16dc	-	PhC
WZ7	BZX84-B12	Z-Diode	12V±2%, 300mW	SOT23	16dc	-	PhC
WZ8	BZX84-B13	Z-Diode	13V±2%, 300mW	SOT23	16dc	-	PhC
WZ9	BZX84-B15	Z-Diode	15V±2%, 300mW	SOT23	16dc	-	PhC
WZs	BCR142	Si-NPN-Digi	Switching, 50V, 100mA, 200mW, R1/R2=22k/47k, 150MHz	SOT23	161a	-	Inf
WZs	BCR142F	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 150MHz	TSFP-3	181a	-	Inf
WZs	BCR142T	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 150MHz	SC-75	161a	-	Inf
WZs	BCR142W	Si-NPN-Digi	Switching, 50V, 100mA, 250mW, R1/R2=22k/47k, 150MHz	SOT323	161a	-	Inf
X	2SB1051K	Si-PNP	AF-Driver, 32V, 1A, 200mW, B=390, 150MHz	SOT346	161a	-	Rhm
X1	BFT93	Si-PNP	UHF-A, 15V, 35mA, 5GHz	SOT23	161a	-	Sie
X1	BZX84-C27	Z-Diode	27V±5%, 300mW	SOT23	16dc	-	Sie
X1	BZX88-C27	Z-Diode	27V±5%, 200mW	SOT323	16dc	-	Ztx
X1	TC1272-10ENB	CMOS-IC	Voltage Detector 4.37V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
X1p	BFT93	Si-PNP	UHF-A, 15V, 35mA, 5GHz	SOT23	161a	-	Phi
X2	BZX84-C30	Z-Diode	30V±5%, 300mW	SOT23	16dc	-	Sie
X2	BZX88-C30	Z-Diode	30V±5%, 200mW	SOT323	16dc	-	Ztx
X2	BZX99-C13	Z-Diode	13V±5%, 300mW	SOT23	16dc	-	Phi
X2	TC1272-5ENB	CMOS-IC	Voltage Detector 4.12V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
X3	BZX84-C33	Z-Diode	33V±5%, 300mW	SOT23	16dc	-	Sie
X3	BZX88-C33	Z-Diode	33V±5%, 200mW	SOT323	16dc	-	Ztx
X3	BZX99-C15	Z-Diode	15V±5%, 300mW	SOT23	16dc	-	Phi
X3	RN1131F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=100k	ESM	181a	-	Tos
X3	RN1131FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1=100k	VESM	181a	-	Tos
X3	TC1272-5ENB	CMOS-IC	Voltage Detector 4.62V, -Reset Push-pull output	SOT23	16vd	VD7	Mcc
X4	BZX84-C36	Z-Diode	36V±5%, 300mW	SOT23	16dc	-	Sie
X4	BZX88-C36	Z-Diode	36V±5%, 200mW	SOT323	16dc	-	Ztx
X4	KA4F4N	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1/R2=22k/47k	SC-75	161a	-	Nec
X4	RN1132F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=200k	ESM	181a	-	Tos
X4	RN1132FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1=200k	VESM	181a	-	Tos
X5	BZX84-C39	Z-Diode	39V±5%, 300mW	SOT23	16dc	-	Sie
X5	BZX88-C39	Z-Diode	39V±5%, 200mW	SOT323	16dc	-	Ztx
X6	BZX84-C43	Z-Diode	43V±5%, 300mW	SOT23	16dc	-	Sie
X6	BZX88-C43	Z-Diode	43V±5%, 200mW	SOT323	16dc	-	Ztx
X7	BZX84-C47	Z-Diode	47V±5%, 300mW	SOT23	16dc	-	Sie
X7	BZX88-C47	Z-Diode	47V±5%, 200mW	SOT323	16dc	-	Ztx

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
X7	KN4F4N	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1/R2=22k/47k	SC-75	161a	-	Nec
XA	25K3105	MOS-N-FET-e*	V-MOS, LogL, 30V, ±2.5A, <0,15Q	SOT23	161g	-	Nec
XA	25K3408	MOS-N-FET-e*	V-MOS, LogL, 43±5V, ±1A, <0,26Q(0,5A), 32/153ns	SOT23	161g	-	Nec
XA	BZX99-C4V7	Z-Diode	4,7V±5%, 300mW	SOT23	16dc	-	Phi
XA	RN1101	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/4.7k	SSM	161a	-	Tos
XA	RN1101F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/4.7k	ESM	181a	-	Tos
XA	RN1101FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/4.7k	TESM	181a	-	Tos
XA	RN1101FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4.7k/4.7k	VESM	181a	-	Tos
XA	RN1301	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	USM	161a	-	Tos
XA	RN1401	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	S-MINI	161a	-	Tos
XAs	BCR503	Si-NPN-Digi	Sw, 50V, 500mA, 330mW, R1/R2=2.2k/2.2k, 100MHz	SOT23	161a	-	Inf
XB	25J557	MOS-P-FET-e*	V-MOS, LogL, 30V, ±2.5A, <0,29Q	SOT23	161g	-	Nec
XB	5LP01C	MOS-P-FET	Switching, UltraHi-Speed, 50V, 70mA, 250mW, 20/250ns	CP	161h	-	Say
XB	5LP01M	MOS-P-FET	Switching, UltraHi-Speed, 50V, 70mA, 150mW, 20/250ns	MCP3	161h	-	Say
XB	5LP01S	MOS-P-FET	Switching, UltraHi-Speed, 50V, 70mA, 150mW, 20/250ns	SMCP	161h	-	Say
XB	5LP01SS	MOS-P-FET	Switching, UltraHi-Speed, 50V, 70mA, 150mW, 20/250ns	SSFP	181h	-	Say
XB	BZX99-C5V1	Z-Diode	5,1V±5%, 300mW	SOT23	16dc	-	Phi
XB	RN1102	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/10k	SSM	161a	-	Tos
XB	RN1102F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/10k	ESM	181a	-	Tos
XB	RN1102FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/10k	TESM	181a	-	Tos
XB	RN1102FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/10k	VESM	181a	-	Tos
XB	RN1302	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	USM	161a	-	Tos
XB	RN1402	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	S-MINI	161a	-	Tos
XB	25C4416	Si-NPN	UHF/VHF, 25V, 50mA, 150mW, B=50...180...>3GHz	SOT346	161e	-	Hit
XBs	BCR553	Si-PNP-Digi	Sw, 50V, 500mA, 330mW, R1/R2=2.2k/2.2k, 150MHz	SOT23	161a	-	Inf
XC	BZX99-C5V6	Z-Diode	5,6V±5%, 300mW	SOT23	16dc	-	Phi
XC	RN1103	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/22k	SSM	161a	-	Tos
XC	RN1103F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/22k	ESM	181a	-	Tos
XC	RN1103FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/22k	TESM	181a	-	Tos
XC	RN1103FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=22k/22k	VESM	181a	-	Tos
XC	RN1303	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/22k	USM	161a	-	Tos
XC	RN1403	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/22k	S-MINI	161a	-	Tos
XCs	BCR533	Si-NPN-Digi	Sw, 50V, 500mA, 330mW, R1/R2=10k/10k, 100MHz	SOT23	161a	-	Inf
XD	BZX99-C6V2	Z-Diode	6,2V±5%, 300mW	SOT23	16dc	-	Phi
XD	RN1104	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/47k	SSM	161a	-	Tos
XD	RN1104F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/47k	ESM	181a	-	Tos
XD	RN1104FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/47k	TESM	181a	-	Tos
XD	RN1104FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/47k	VESM	181a	-	Tos
XD	RN1304	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/47k	USM	161a	-	Tos
XD	RN1404	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/47k	S-MINI	161a	-	Tos
XDs	BCR555	Si-PNP-Digi	Sw, 50V, 500mA, 330mW, R1/R2=2.2k/10k, 100MHz	SOT23	161a	-	Inf
XE	5LP02C	MOS-P-FET	Sw, UltraHi-Speed, 50V, 140mA, 250mW, 20/250ns	CP	161h	-	Say
XE	5LP02M	MOS-P-FET	Sw, UltraHi-Speed, 50V, 140mA, 150mW, 20/250ns	MCP	161h	-	Say
XE	BZX99-C6V8	Z-Diode	6,8V±5%, 300mW	SOT23	16dc	-	Phi
XE	RN1105	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2.2k/47k	SSM	161a	-	Tos
XE	RN1105F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2.2k/47k	ESM	181a	-	Tos
XE	RN1105FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2.2k/47k	TESM	181a	-	Tos
XE	RN1105FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=2.2k/47k	VESM	181a	-	Tos
XE	RN1305	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2.2k/47k	USM	161a	-	Tos
XE	RN1405	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2.2k/47k	S-MINI	161a	-	Tos
XF	RN1106	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/47k	SSM	161a	-	Tos
XF	RN1106F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/47k	ESM	181a	-	Tos
XF	RN1106FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/47k	TESM	181a	-	Tos
XF	RN1106FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4.7k/47k	VESM	181a	-	Tos
XF	RN1306	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/47k	USM	161a	-	Tos
XF	RN1406	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/47k	S-MINI	161a	-	Tos
XF-	25C4464	Si-NPN	VHF/UHF, 15V, 5mA, 50mW, B=40...250...>2.5GHz	SOT323	161a	-	Hit
XFs	BCR512	Si-NPN-Digi	Sw, 50V, 500mA, 330mW, R1/R2=4.7k/4.7k, 100MHz	SOT23	161a	-	Inf
XGs	BCR523	Si-NPN-Digi	Switching, 50V, 500mA, 330mW, R1/R2=1k/10k, 100MHz	SOT23	161a	-	Inf
XH	RN1107	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/47k	SSM	161a	-	Tos
XH	RN1107F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/47k	ESM	181a	-	Tos
XH	RN1107FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/47k	TESM	181a	-	Tos
XH	RN1107FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/47k	VESM	181a	-	Tos
XH	RN1307	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	USM	161a	-	Tos
XH	RN1407	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	S-MINI	161a	-	Tos
XH	RN2107FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/47k	TESM	181a	-	Tos
XH	RN2107FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/47k	VESM	181a	-	Tos
XHs	BCR573	Si-PNP-Digi	Sw, 50V, 500mA, 330mW, R1/R2=1k/10k, 100MHz	SOT23	161a	-	Inf

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
XI	RN1108	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/47k	SSM	161a -	Tos
XI	RN1108F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/47k	ESM	181a -	Tos
XI	RN1108FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/47k	TESM	181a -	Tos
XI	RN1108FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=22k/47k	VESM	181a -	Tos
XI	RN1308	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	USM	161a -	Tos
XI	RN1408	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	S-MINI	161a -	Tos
XI	RN2108F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/47k	ESM	181a -	Tos
XI	RN2108FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/47k	TESM	181a -	Tos
XI	RN2108FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=22k/47k	VESM	181a -	Tos
XJ	2SK2273	MOS-N-FET-e*	V-MOS, LogL, 20V, 0,5A, <0,75Q	SOT23	16fg -	Say
XJ	RN1109	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/22k	SSM	161a -	Tos
XJ	RN1109F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/22k	ESM	181a -	Tos
XJ	RN1109FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/22k	TESM	181a -	Tos
XJ	RN1109FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/22k	VESM	181a -	Tos
XJ	RN1309	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	USM	161a -	Tos
XJ	RN1409	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	S-MINI	161a -	Tos
XJ	RN2109F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/22k	ESM	181a -	Tos
XJ	RN2109FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/22k	TESM	181a -	Tos
XJ	RN2109FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/22k	VESM	181a -	Tos
XK	RN1110	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=4 7k	SSM	161a -	Tos
XK	RN1110F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=4 7k	ESM	181a -	Tos
XK	RN1110FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=4 7k	TESM	181a -	Tos
XK	RN1110FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1=4 7k	VESM	181a -	Tos
XK	RN1310	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=4 7k	USM	161a -	Tos
XK	RN1410	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=4 7k	S-MINI	161a -	Tos
XK	RN2110F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=4 7k	ESM	181a -	Tos
XK	RN2110FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1=4 7k	VESM	181a -	Tos
XKs	BCR519	Si-NPN-Digi	Switching, 50V, 500mA, 330mW, R1=4 7k, 100MHz	SOT23	161a -	Inf
XL	BZX99-C2V4	Z-Diode	2,4V±5%, 300mW	SOT23	16dc -	Phi
XLs	BCR569	Si-PNP-Digi	Sw, 50V, 500mA, 330mWmW, R1=4 7k, 150MHz	SOT23	161a -	Inf
XM	BZX99-C2V7	Z-Diode	2,7V±5%, 300mW	SOT23	16dc -	Phi
XM	RN1111	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=10k	SSM	161a -	Tos
XM	RN1111F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=10k	ESM	181a -	Tos
XM	RN1111FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=10k	TESM	181a -	Tos
XM	RN1111FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1=10k	VESM	181a -	Tos
XM	RN1311	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=10k	USM	161a -	Tos
XM	RN1411	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=10k	S-MINI	161a -	Tos
XM	RN2111F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=10k	ESM	181a -	Tos
XM	RN2111FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1=10k	VESM	181a -	Tos
XM-	2SC4593	Si-NPN	VHF/UHF, 15V, 50mA, 100mW, B=40 250, >6 5GHz	SOT323	161a -	Hil
XM-	2SC4591	Si-NPN	UHF/VHF, 15V, 50mA, 150mW, B=40 250, >6 5GHz	SOT346	161a -	Hil
XMs	BCR583	Si-PNP-Digi	Sw, 50V, 500mA, 330mW, R1/R2=10k/10k, 150MHz	SOT23	161a -	inf
XN	BZX99-C3V0	Z-Diode	3V±5%, 300mW	SOT23	16dc -	Phi
XN	RN1112	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=22k	SSM	161a -	Tos
XN	RN1112F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=22k	ESM	181a -	Tos
XN	RN1112FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=22k	TESM	181a -	Tos
XN	RN1112FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1=22k	VESM	181a -	Tos
XN	RN1312	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=22k	USM	161a -	Tos
XN	RN1412	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=22k	S-MINI	161a -	Tos
XN	RN2112F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=22k	ESM	181a -	Tos
XN	RN2112FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1=22k	VESM	181a -	Tos
XN	RN2412	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=22k	S-MINI	161a -	Tos
XP	BZX99-C3V3	Z-Diode	3,3V±5%, 300mW	SOT23	16dc -	Phi
XP	MMBD3000T1	Si-Diode	Switching, 30V, 200mA, 225mW, Vf<0,95V(10mA), <2pF	SOT346	16dc -	Mot
XP	RN1113	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=47k	SSM	161a -	Tos
XP	RN1113F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=47k	ESM	181a -	Tos
XP	RN1113FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1=47k	TESM	181a -	Tos
XP	RN1113FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1=47k	VESM	181a -	Tos
XP	RN1313	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=47k	USM	161a -	Tos
XP	RN1413	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1=47k	S-MINI	161a -	Tos
XP	RN2113F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=47k	ESM	181a -	Tos
XP	RN2113FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1=47k	VESM	181a -	Tos
XP	RN2413	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=47k	S-MINI	161a -	Tos
XQ	2PD602AQ	Si-NPN	GP, Sw, 60V, 500mA, 250mW, B=85 170, >140MHz	SC-59	161a -	Phi
XQ	2SD1820A-Q	Si-NPN	GP, 60V, 500mA, 150mW, B=85 170, 200MHz	SC-70	161a -	Pan
XQ	2SD602A-Q	Si-NPN	GP, AF, 60V, 500mA, 200mW, B=85 170, 200MHz	SC-59	161a -	Pan
XQ	MMBD3005	Si-Diode	2x Switching, 30V, 200mA, 225mW, Vf<0,95V(10mA), <2pF	SOT346	16df -	Mot
XQ	RN1114	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=1k/10k	SSM	161a -	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
XQ	RN1114F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=1k/10k	ESM	181a	-	Tos
XQ	RN1114FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=1k/10k	TESM	181a	-	Tos
XQ	RN1114FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=1k/10k	VESM	181a	-	Tos
XQ	RN1314	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=1k/10k	USM	161a	-	Tos
XQ	RN1414	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=1k/10k	S-MINI	161a	-	Tos
XQ	RN2114F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=1k/10k	ESM	181a	-	Tos
XQ	RN2114FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=1k/10k	TESM	181a	-	Tos
XR	2PD602AR	Si-NPN	GP, Sw, 60V, 500mA, 250mW, B=120 240, >160MHz	SC-59	161a	-	Phi
XR	2SD1820A-R	Si-NPN	GP, 60V, 500mA, 150mW, B=120 240, 20MHz	SC-70	161a	-	Pan
XR	2SD602A-R	Si-NPN	GP, AF, 60V, 500mA, 200mW, B=120 240, 200MHz	SC-59	161a	-	Pan
XR	BZX99-C3V6	Z-Diode	3.6V±5%, 300mW	SOT23	16dc	-	Phi
XS	2PD602AS	Si-NPN	GP, Sw, 60V, 500mA, 250mW, B=170 340, >180MHz	SC-59	161a	-	Phi
XS	2SD1820A-S	Si-NPN	GP, 60V, 500mA, 150mW, B=170 340, 20MHz	SC-70	161a	-	Pan
XS	2SD602A-S	Si-NPN	GP, AF, 60V, 500mA, 200mW, B=170 340, 200MHz	SC-59	161a	-	Pan
XS	BZX99-C3V9	Z-Diode	3.9V±5%, 300mW	SOT23	16dc	-	Phi
XS	RN1115	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/10k	SSM	161a	-	Tos
XS	RN1115F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/10k	ESM	181a	-	Tos
XS	RN1115FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/10k	TESM	181a	-	Tos
XS	RN1115FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=2 2k/10k	VESM	181a	-	Tos
XS	RN1315	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2 2k/10k	USM	161a	-	Tos
XS	RN1415	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2 2k/10k	S-MINI	161a	-	Tos
XS	RN2115F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/10k	ESM	181a	-	Tos
XS	RN2115FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/10k	TESM	181a	-	Tos
XT	BZX99-C4V3	Z-Diode	4.3V±5%, 300mW	SOT23	16dc	-	Phi
XT	RN1116	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/10k	SSM	161a	-	Tos
XT	RN1116F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/10k	ESM	181a	-	Tos
XT	RN1116FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/10k	TESM	181a	-	Tos
XT	RN1116FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/10k	VESM	181a	-	Tos
XT	RN1316	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4 7k/10k	USM	161a	-	Tos
XT	RN1416	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4 7k/10k	S-MINI	161a	-	Tos
XT	RN2116F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/10k	ESM	181a	-	Tos
XT	RN2116FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/10k	TESM	181a	-	Tos
XT	RN2116FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/10k	VESM	181a	-	Tos
XT	2SC4674	Si-NPN	VHF/UHF, 12V, 8mA, 50mW, B=50 250, >4GHz	SOT323	161a	-	Hit
XU	BZX99-C7V5	Z-Diode	7.5V±5%, 300mW	SOT23	16dc	-	Phi
XU	RN1117	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/4 7k	SSM	161a	-	Tos
XU	RN1117F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/4 7k	ESM	181a	-	Tos
XU	RN1117FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/4 7k	TESM	181a	-	Tos
XU	RN1117FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/4 7k	VESM	181a	-	Tos
XU	RN1317	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/4 7k	USM	161a	-	Tos
XU	RN1417	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/4 7k	S-MINI	161a	-	Tos
XU	RN2117F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/4 7k	ESM	181a	-	Tos
XU	RN2117FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/4 7k	TESM	181a	-	Tos
XU	2SC4680	Si-NPN	UHF/VHF, 12V, 50mA, 150mW, B>100	SOT346	161a	-	Hit
XUs	BCR562	Si-PNP-Digi	Sw, 50V, 500mA, 330mW, R1/R2=4 7k/4 7k, 150MHz	SOT23	161a	-	Inf
XV	BZX99-C8V2	Z-Diode	8.2V±5%, 300mW	SOT23	16dc	-	Phi
XVs	BCR521	Si-NPN-Digi	Switching, 50V, 500mA, 330mW, R1/R2=1k/1k, 100MHz	SOT23	161a	-	inf
XW	BZX99-C9V1	Z-Diode	9.1V±5%, 300mW	SOT23	16dc	-	Phi
XW	RN1118	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/10k	SSM	161a	-	Tos
XW	RN1118F	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/10k	ESM	181a	-	Tos
XW	RN1118FT	Si-NPN-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/10k	TESM	181a	-	Tos
XW	RN1118FV	Si-NPN-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/10k	VESM	181a	-	Tos
XW	RN1318	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/10k	USM	161a	-	Tos
XW	RN1418	Si-NPN-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/10k	S-MINI	161a	-	Tos
XW	RN2118F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/10k	ESM	181a	-	Tos
XW	RN2118FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/10k	TESM	181a	-	Tos
XWs	BCR505	Si-NPN-Digi	Sw, 50V, 500mA, 330mW, R1/R2=2 2k/10k, 100MHz	SOT23	161a	-	Inf
XX	BZX99-C10	Z-Diode	10V±5%, 300mW	SOT23	16dc	-	Phi
XXs	BCR571	Si-PNP-Digi	Sw, 50V, 500mA, 330mW, R1/R2=1k/1k, 150MHz	SOT23	161a	-	Inf
XY	BZX99-C11	Z-Diode	11V±5%, 300mW	SOT23	16dc	-	Phi
XZ	BZX99-C12	Z-Diode	12V±5%, 300mW	SOT23	16dc	-	Phi
Y1	BZX84-C11	Z-Diode	11V±5%, 300mW	SOT23	16dc	-	Can,Fch,Vs
Y1	BZX84-C11LT1	Z-Diode	11V±5%, 225mW	SOT23	16dc	-	Ons
Y1	TC1273-10ENB	CMOS-IC	Voltage Detector 4,37V, -Reset Open dram output	SOT23	16vd	VD6	Mcc
Y1	TC1273-15ENB	CMOS-IC	Voltage Detector 4,12V, -Reset Open dram output	SOT23	16vd	VD6	Mcc
Y10	BZX84-C27	Z-Diode	27V±5%, 300mW	SOT23	16dc	-	Can,Fch,Vs
Y10	BZX84-C27LT1	Z-Diode	27V±5%, 225mW, Zz=80Ω	SOT23	16dc	-	Ons
Y11	BZX84-C30	Z-Diode	30V±5%, 300mW	SOT23	16dc	-	Can,Fch,Vs

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
Y11	BZX84-C30LT1	Z-Diode	30V±5%, 225mW, Zzt=80Ω	SOT23	16dc	-	Ons
Y12	BZX84-C33	Z-Diode	33V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Vis
Y12	BZX84-C33LT1	Z-Diode	33V±5%, 225mW, Zzt=80Ω	SOT23	16dc	-	Ons
Y13	BZX84-C36	Z-Diode	36V±5%, 300mW	SOT23	16dc	-	Cen,Phi,Vis
Y13	BZX84-C36LT1	Z-Diode	36V±5%, 225mW, Zzt=90Ω	SOT23	16dc	-	Ons
Y14	BZX84-C39	Z-Diode	39V±5%, 300mW	SOT23	16dc	-	Cen,Phi,Vis
Y14	BZX84-C39LT1	Z-Diode	39V±5%, 225mW, Zzt=130Ω	SOT23	16dc	-	Ons
Y15	BZX84-C43	Z-Diode	43V±5%, 300mW	SOT23	16dc	-	Cen,Dil,Vis
Y15	BZX84-C43LT1	Z-Diode	43V±5%, 225mW, Zzt=150Ω	SOT23	16dc	-	Ons
Y16	BZX84-C47	Z-Diode	47V±5%, 300mW	SOT23	16dc	-	Cen,Dil,Vis
Y16	BZX84-C47LT1	Z-Diode	47V±5%, 225mW, Zzt=170Ω	SOT23	16dc	-	Ons
Y17	BZX84-C51	Z-Diode	51V±5%, 300mW	SOT23	16dc	-	Dil,Phi,Vis
Y17	BZX84-C51LT1	Z-Diode	51V±5%, 225mW	SOT23	16dc	-	Ons
Y18	BZX84-C56	Z-Diode	56V±5%, 300mW	SOT23	16dc	-	Phi,Vis
Y18	BZX84-C56LT1	Z-Diode	56V±5%, 225mW	SOT23	16dc	-	Ons
Y19	BZX84-C62	Z-Diode	62V±5%, 300mW	SOT23	16dc	-	Phi,Vis
Y19	BZX84-C62LT1	Z-Diode	62V±5%, 225mW, Zzt=215Ω	SOT23	16dc	-	Ons
Y1p	BZX84-C11	Z-Diode	11V±5%, 300mW	SOT23	16dc	-	PhH
Y1t	BZX84-C11	Z-Diode	11V±5%, 300mW	SOT23	16dc	-	PhM
Y1W	BZX84-C11	Z-Diode	11V±5%, 300mW	SOT23	16dc	-	PhC
Y2	BZX84-C12	Z-Diode	12V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Vis
Y2	BZX84-C12LT1	Z-Diode	12V±5%, 225mW	SOT23	16dc	-	Ons
Y2	ECG5021SM	Z-Diode	12V±5%, 300mW	SOT23	16dc	-	Ecg
Y2	NTE5021SM	Z-Diode	12V±5%, 300mW	SOT23	16dc	-	Nte
Y2	RN2130F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=100k/100k	ESM	18ta	-	Tos
Y20	BZX84-C68	Z-Diode	68V±5%, 300mW	SOT23	16dc	-	Phi,Vis
Y20	BZX84-C68LT1	Z-Diode	68V±5%, 225mW, Zzt=240Ω	SOT23	16dc	-	Ons
Y21	BZX84-C75	Z-Diode	75V±5%, 300mW	SOT23	16dc	-	Phi,Sie,Vis
Y21	BZX84-C75LT1	Z-Diode	75V±5%, 225mW, Zzt=255Ω	SOT23	16dc	-	Ons
Y22	2SA1461-Y22	Si-PNP	Switching, 40V, 200mA, 200mW, B=75 150, >200MHz	SOT23	16ta	-	Nec
Y23	2SA1461-Y23	Si-PNP	Switching, 40V, 200mA, 200mW, B=100 200, >200MHz	SOT23	16ta	-	Nec
Y24	2SA1461-Y24	Si-PNP	Switching, 40V, 200mA, 200mW, B=150 300, >200MHz	SOT23	16ta	-	Nec
Y2p	BZX84-C12	Z-Diode	12V±5%, 300mW	SOT23	16dc	-	PhH
Y2t	BZX84-C12	Z-Diode	12V±5%, 300mW	SOT23	16dc	-	PhM
Y2W	BZX84-C12	Z-Diode	12V±5%, 300mW	SOT23	16dc	-	PhC
Y3	BZX84-C13	Z-Diode	13V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Sie
Y3	BZX84-C13LT1	Z-Diode	14V±5%, 225mW, Zzt=30Ω	SOT23	16dc	-	Ons
Y3	BZX88-C13	Z-Diode	13V±5%, 200mW	SOT323	16dc	-	Ztx
Y3	RN2131F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=100k	ESM	18ta	-	Tos
Y3	TC1273-5ENB	CMOS-IC	Voltage Detector 4.62V, -Reset Open drain output	SOT23	16vd	VD6	Mcc
Y33	2SA1462-Y33	Si-PNP	Switching, 15V, 50mA, 200mW, B=50 100, >800MHz	SOT23	16ta	-	Nec
Y34	2SA1462-Y34	Si-PNP	Switching, 15V, 50mA, 200mW, B=75 150, >800MHz	SOT23	16ta	-	Nec
Y3p	BZX84-C13	Z-Diode	13V±5%, 300mW	SOT23	16dc	-	PhH
Y3t	BZX84-C13	Z-Diode	13.6V±5%, 300mW	SOT23	16dc	-	PhM
Y3W	BZX84-C13	Z-Diode	13.6V±5%, 300mW	SOT23	16dc	-	PhC
Y4	BZX84-C15	Z-Diode	15V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Sie
Y4	BZX84-C15LT1	Z-Diode	15V±5%, 225mW, Zzt=30Ω	SOT23	16dc	-	Ons
Y4	BZX88-C15	Z-Diode	15V±5%, 200mW	SOT323	16dc	-	Ztx
Y4	ECG5024SM	Z-Diode	15V±5%, 300mW	SOT23	16dc	-	Ecg
Y4	KA4A4Z	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=10k	SC-75	16ta	-	Nec
Y4	NTE5024SM	Z-Diode	15V±5%, 300mW	SOT23	16dc	-	Nte
Y4	RN2132F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=200k	ESM	18ta	-	Tos
Y4p	BZX84-C15	Z-Diode	15V±5%, 300mW	SOT23	16dc	-	PhH
Y4t	BZX84-C15	Z-Diode	15V±5%, 300mW	SOT23	16dc	-	PhM
Y4W	BZX84-C15	Z-Diode	15V±5%, 300mW	SOT23	16dc	-	PhC
Y5	BZX84-C16	Z-Diode	16V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Sie
Y5	BZX84-C16LT1	Z-Diode	17V±5%, 225mW, Zzt=40Ω	SOT23	16dc	-	Ons
Y5	BZX88-C16	Z-Diode	16V±5%, 200mW	SOT323	16dc	-	Ztx
Y50	BZX84-A2V4	Z-Diode	2.4V±1%, 300mW	SOT23	16dc	-	Phi
Y51	BZX84-A2V7	Z-Diode	2.7V±1%, 300mW	SOT23	16dc	-	Phi
Y52	BZX84-A3V0	Z-Diode	3V±1%, 300mW	SOT23	16dc	-	Phi
Y53	BZX84-A3V3	Z-Diode	3.3V±1%, 300mW	SOT23	16dc	-	Phi
Y54	BZX84-A3V6	Z-Diode	3.6V±1%, 300mW	SOT23	16dc	-	Phi
Y55	BZX84-A3V9	Z-Diode	3.9V±1%, 300mW	SOT23	16dc	-	Phi
Y56	BZX84-A4V3	Z-Diode	4.3V±1%, 300mW	SOT23	16dc	-	Phi
Y57	BZX84-A4V7	Z-Diode	4.7V±1%, 300mW	SOT23	16dc	-	Phi
Y58	BZX84-A5V1	Z-Diode	5.1V±1%, 300mW	SOT23	16dc	-	Phi
Y59	BZX84-A5V6	Z-Diode	5.6V±1%, 300mW	SOT23	16dc	-	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
Y5p	BZX84-C16	Z-Diode	16V±5%, 300mW	SOT23	16dc	-	PhH
Y5t	BZX84-C16	Z-Diode	18V±5%, 300mW	SOT23	16dc	-	PhM
Y5W	BZX84-C16	Z-Diode	16V±5%, 300mW	SOT23	16dc	-	PhC
Y6	BZX84-C18	Z-Diode	18V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Sie
Y6	BZX84-C18LT1	Z-Diode	19V±5%, 225mW, Zzt=45Ω	SOT23	16dc	-	Ons
Y6	BZX88-C18	Z-Diode	18V±5%, 200mW	SOT323	16dc	-	Ztx
Y6	ECG5027SM	Z-Diode	18V±5%, 300mW	SOT23	16dc	-	Ecg
Y6	NTE5027SM	Z-Diode	18V±5%, 300mW	SOT23	16dc	-	Nte
Y60	BZX84-A6V2	Z-Diode	6.2V±1%, 300mW	SOT23	16dc	-	Phi
Y61	BZX84-A8V8	Z-Diode	6.8V±1%, 300mW	SOT23	16dc	-	Phi
Y62	BZX84-A7V5	Z-Diode	7.5V±1%, 300mW	SOT23	16dc	-	Phi
Y63	BZX84-A8V2	Z-Diode	8.2V±1%, 300mW	SOT23	16dc	-	Phi
Y64	BZX84-A9V1	Z-Diode	9.1V±1%, 300mW	SOT23	16dc	-	Phi
Y65	BZX84-A10	Z-Diode	10V±1%, 300mW	SOT23	16dc	-	Phi
Y66	BZX84-A11	Z-Diode	11V±1%, 300mW	SOT23	16dc	-	Phi
Y67	BZX84-A12	Z-Diode	12V±1%, 300mW	SOT23	16dc	-	Phi
Y68	BZX84-A13	Z-Diode	13V±1%, 300mW	SOT23	16dc	-	Phi
Y69	BZX84-A15	Z-Diode	15V±1%, 300mW	SOT23	16dc	-	Phi
Y6p	BZX84-C18	Z-Diode	18V±5%, 300mW	SOT23	16dc	-	PhH
Y6t	BZX84-C18	Z-Diode	18V±5%, 300mW	SOT23	16dc	-	PhM
Y6W	BZX84-C18	Z-Diode	18V±5%, 300mW	SOT23	16dc	-	PhC
Y7	BZX84-C20	Z-Diode	20V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Sie
Y7	BZX84-C20LT1	Z-Diode	21V±5%, 225mW, Zzt=55Ω	SOT23	16dc	-	Ons
Y7	BZX88-C20	Z-Diode	20V±5%, 200mW	SOT323	16dc	-	Ztx
Y7	KN4A4Z	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1=10k	SC-75	16ta	-	Nec
Y70	BZX84-A16	Z-Diode	16V±1%, 300mW	SOT23	16dc	-	Phi
Y71	BZX84-A18	Z-Diode	18V±1%, 300mW	SOT23	16dc	-	Phi
Y72	BZX84-A20	Z-Diode	20V±1%, 300mW	SOT23	16dc	-	Phi
Y73	BZX84-A22	Z-Diode	22V±1%, 300mW	SOT23	16dc	-	Phi
Y74	BZX84-A24	Z-Diode	24V±1%, 300mW	SOT23	16dc	-	Phi
Y75	BZX84-A27	Z-Diode	27V±1%, 300mW	SOT23	16dc	-	Phi
Y76	BZX84-A30	Z-Diode	30V±1%, 300mW	SOT23	16dc	-	Phi
Y77	BZX84-A33	Z-Diode	33V±1%, 300mW	SOT23	16dc	-	Phi
Y78	BZX84-A36	Z-Diode	36V±1%, 300mW	SOT23	16dc	-	Phi
Y79	BZX84-A39	Z-Diode	39V±1%, 300mW	SOT23	16dc	-	Phi
Y7p	BZX84-C20	Z-Diode	20V±5%, 300mW	SOT23	16dc	-	PhH
Y7t	BZX84-C20	Z-Diode	20V±5%, 300mW	SOT23	16dc	-	PhM
Y7W	BZX84-C20	Z-Diode	20V±5%, 300mW	SOT23	16dc	-	PhC
Y8	BZX84-C22	Z-Diode	22V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Sie
Y8	BZX84-C22LT1	Z-Diode	23V±5%, 225mW, Zzt=50Ω	SOT23	16dc	-	Ons
Y8	BZX88-C22	Z-Diode	22V±5%, 200mW	SOT323	16dc	-	Ztx
Y80	BZX84-A43	Z-Diode	43V±1%, 300mW	SOT23	16dc	-	Phi
Y81	BZX84-A47	Z-Diode	47V±1%, 300mW	SOT23	16dc	-	Phi
Y82	BZX84-A51	Z-Diode	51V±1%, 300mW	SOT23	16dc	-	Phi
Y83	BZX84-A56	Z-Diode	56V±1%, 300mW	SOT23	16dc	-	Phi
Y84	BZX84-A62	Z-Diode	62V±1%, 300mW	SOT23	16dc	-	Phi
Y85	BZX84-A68	Z-Diode	68V±1%, 300mW	SOT23	16dc	-	Phi
Y85	BZX84-A75	Z-Diode	75V±1%, 300mW	SOT23	16dc	-	Phi
Y8p	BZX84-C22	Z-Diode	22V±5%, 300mW	SOT23	16dc	-	PhH
Y8t	BZX84-C22	Z-Diode	22V±5%, 300mW	SOT23	16dc	-	PhM
Y8W	BZX84-C22	Z-Diode	22V±5%, 300mW	SOT23	16dc	-	PhC
Y9	BZX84-C24	Z-Diode	24V±5%, 300mW	SOT23	16dc	-	Cen,Fch,Sie
Y9	BZX84-C24LT1	Z-Diode	24V±5%, 225mW, Zzt=25Ω	SOT23	16dc	-	Ons
Y9	BZX88-C24	Z-Diode	24V±5%, 200mW	SOT323	16dc	-	Ztx
Y9	ECG5031SM	Z-Diode	24V±5%, 300mW	SOT23	16dc	-	Ecg
Y9	NTE5031SM	Z-Diode	24V±5%, 300mW	SOT23	16dc	-	Nte
Y9p	BZX84-C24	Z-Diode	24V±5%, 300mW	SOT23	16dc	-	PhH
Y9t	BZX84-C24	Z-Diode	24V±5%, 300mW	SOT23	16dc	-	PhM
Y9W	BZX84-C24	Z-Diode	24V±5%, 300mW	SOT23	16dc	-	PhC
YA	RN1119FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1=1k	VESM	18ta	-	Tos
YA	RN2101	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/4.7k	SIM	16ta	-	Tos
YA	RN2101F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/4.7k	ESM	18ta	-	Tos
YA	RN2101FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/4.7k	TESM	18ta	-	Tos
YA	RN2101FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4.7k/4.7k	VESM	18ta	-	Tos
YA	RN2119FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1=1k	VESM	18ta	-	Tos
YA	RN2301	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	S-MINI	16ta	-	Tos
YA	RN2401	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	S-MINI	16ta	-	Tos
YAs	BSS83P	MOS-P-FET-e	V-MOS, LogL, 60V, 0.33A, <3Ω	SOT23	16fq	-	Sie

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
YB	5LN01C	MOS-N-FET	Sw, Ultra-Hi-Speed, 50V, 100mA, 250mW, 25/350ns	CP	16th	-	Say
YB	5LN01M	MOS-N-FET	Sw, Ultra-Hi-Speed, 50V, 100mA, 150mW, 25/350ns	MCP	16th	-	Say
YB	5LN01S	MOS-N-FET	Sw, Ultra-Hi-Speed, 50V, 100mA, 150mW, 25/350ns	SMCP	16th	-	Say
YB	5LN01SS	MOS-N-FET	Sw, Ultra-Hi-Speed, 50V, 100mA, 150mW, 25/350ns	SSFP	18th	-	Say
YB	CZMK13	Z-Diode	Dual, 13V±5%, 300mW	SOT23	16dg	-	Cdi
YB	RN2102	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/10k	SSM	16ta	-	Tos
YB	RN2102F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/10k	ESM	18ta	-	Tos
YB	RN2102FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/10k	TESM	18ta	-	Tos
YB	RN2102FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/10k	VESM	18ta	-	Tos
YB	RN2302	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	S-MINI	16ta	-	Tos
YB	RN2402	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	S-MINI	16ta	-	Tos
YB	BSS84	MOS-P-FET-e	V-MOS, LogL, 50V, 0,13A, 19/30ns	SOT23	16fg	-	Inf
YC	CZMK15	Z-Diode	Dual, 15V±5%, 300mW	SOT23	16dg	-	Cdi
YC	RN2103	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/22k	SSM	16ta	-	Tos
YC	RN2103F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/22k	ESM	18ta	-	Tos
YC	RN2103FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/22k	TESM	18ta	-	Tos
YC	RN2103FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=22k/22k	VESM	18ta	-	Tos
YC	RN2303	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/22k	S-MINI	16ta	-	Tos
YC	RN2403	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/22k	S-MINI	16ta	-	Tos
YD	CZMK16	Z-Diode	Dual, 16V±5%, 300mW	SOT23	16dg	-	Cdi
YD	RN2104	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/47k	SSM	16ta	-	Tos
YD	RN2104F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/47k	ESM	18ta	-	Tos
YD	RN2104FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/47k	TESM	18ta	-	Tos
YD	RN2104FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/47k	VESM	18ta	-	Tos
YD	RN2304	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/47k	S-MINI	16ta	-	Tos
YD	RN2404	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/47k	S-MINI	16ta	-	Tos
YE	5LN02C	MOS-N-FET	Sw, Ultra-Hi-Speed, 50V, 200mA, 250mW, 25/350ns	CP	16th	-	Say
YE	5LN02M	MOS-N-FET	Sw, Ultra-Hi-Speed, 50V, 200mA, 150mW, 25/350ns	MCP	16th	-	Say
YE	CZMK18	Z-Diode	Dual, 18V±5%, 300mW	SOT23	16dg	-	Cdi
YE	RN2105	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/47k	SSM	16ta	-	Tos
YE	RN2105F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/47k	ESM	18ta	-	Tos
YE	RN2105FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2 2k/47k	TESM	18ta	-	Tos
YE	RN2105FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=2 2k/47k	VESM	18ta	-	Tos
YE	RN2305	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2 2k/47k	S-MINI	16ta	-	Tos
YE	RN2405	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2 2k/47k	S-MINI	16ta	-	Tos
YF	CZMK20	Z-Diode	Dual, 20V±5%, 300mW	SOT23	16dg	-	Cdi
YF	RN2106	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/47k	SSM	16ta	-	Tos
YF	RN2106F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/47k	ESM	18ta	-	Tos
YF	RN2106FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4 7k/47k	TESM	18ta	-	Tos
YF	RN2106FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=4 7k/47k	VESM	18ta	-	Tos
YF	RN2306	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4 7k/47k	S-MINI	16ta	-	Tos
YF	RN2406	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4 7k/47k	S-MINI	16ta	-	Tos
YG	BCX71RG	Si-PNP	GP, 45V, 100mA, 330mW, B= 120 220, 250MHz	SOT23	16ta	-	Tem
YG	CZMK22	Z-Diode	Dual, 22V±5%, 300mW	SOT23	16dg	-	Cdi
YH	BCX71RH	Si-PNP	GP, 45V, 200mA, 250mW, B=180 310, >100MHz	SOT23	16ta	-	Tem
YH	CZMK24	Z-Diode	Dual, 24V±5%, 300mW	SOT23	16dg	-	Cdi
YH	RN2107	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/47k	SSM	16ta	-	Tos
YH	RN2107F	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/47k	ESM	18ta	-	Tos
YH	RN2307	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	S-MINI	16ta	-	Tos
YH	RN2407	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	S-MINI	16ta	-	Tos
YI	RN2108	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=22k/47k	SSM	16ta	-	Tos
YI	RN2308	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	S-MINI	16ta	-	Tos
YI	RN2408	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	S-MINI	16ta	-	Tos
YJ	BCX71RJ	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=250 460, >100MHz	SOT23	16ta	-	Tem
YJ	CZMK27	Z-Diode	Dual, 27V±5%, 300mW	SOT23	16dg	-	Cdi
YJ	RN2109	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/22k	SSM	16ta	-	Tos
YJ	RN2309	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	S-MINI	16ta	-	Tos
YJ	RN2409	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	S-MINI	16ta	-	Tos
YK	BCX71RK	Si-PNP	GP, Sw, 45V, 100mA, 250mW, B=380 630, >100MHz	SOT23	16ta	-	Tem
YK	CZMK30	Z-Diode	Dual, 30V±5%, 300mW	SOT23	16dg	-	Cdi
YK	RN2110	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=4 7k	SSM	16ta	-	Tos
YK	RN2110FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=4 7k	TESM	18ta	-	Tos
YK	RN2310	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=4 7k	S-MINI	16ta	-	Tos
YK	RN2410	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=4 7k	S-MINI	16ta	-	Tos
YL	CZMK33	Z-Diode	Dual, 33V±5%, 300mW	SOT23	16dg	-	Cdi
YL3	2SA1607-3	Si-PNP	Switching, 40V, 150mA, 200mA, B=60 120, 700MHz	SOT23	16ta	-	Say
YL3	2SA1685-3	Si-PNP	Switching, 20V, 150mA, 150mW, B=60 120, 700MHz	SOT323	16ta	-	Say
YL4	2SA1607-4	Si-PNP	Switching, 40V, 150mA, 200mA, B=80 180, 700MHz	SOT23	16ta	-	Say


SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
YL4	2SA1685-4	Si-PNP	Switching, 20V, 150mA, 150mW, B=90 180, 700MHz	SOT323	16ta	-	Say
YM	CZMK36	Z-Diode	Dual, 36V±5%, 300mW	SOT23	16dg	-	Cdi
YM	RN2111	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=10k	SSM	16ta	-	Tos
YM	RN2111FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=10k	TESM	18ta	-	Tos
YM	RN2311	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=10k	S-MINI	16ta	-	Tos
YM	RN2411	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=10k	S-MINI	16ta	-	Tos
YN	CZMK39	Z-Diode	Dual, 39V±5%, 300mW	SOT23	16dg	-	Cdi
YN	RN2112	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=22k	SSM	16ta	-	Tos
YN	RN2112FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=22k	TESM	18ta	-	Tos
YN	RN2312	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=22k	S-MINI	16ta	-	Tos
YP	2SD1484K-P	Si-NPN	AF-Driver, 50V, 500mA, 200mW, B=82 180, >250MHz	SOT346	16ta	-	Rhm
YP	2SD1949K-P	Si-NPN	AF-Driver, 50V, 500mA, 200mW, B=82 180, >250MHz	SOT323	16ta	-	Rhm
YP	2SD1949-P	Si-NPN	AF, 50V, 500mA, 200mW, B=82 180, >250MHz	SOT323	16ta	-	Rhm
YP	DDZX6V8C	Z-Diode	6.8V±2.5%, 500mW	SOT23	16dc	-	Dil
YP	DDZX6V8CW	Z-Diode	6.8V±2.5%, 200mW	SOT323	16dc	-	Dil
YP	RN2113	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=47k	SSM	16ta	-	Tos
YP	RN2113FT	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1=47k	TESM	18ta	-	Tos
YP	RN2313	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1=47k	S-MINI	16ta	-	Tos
YQ	2PA1774QJ	Si-PNP	LN, 50V, 100mA, 150mW, >100MHz, B=120 270	SOT490	18ta	-	Phi
YQ	2PA1774R	Si-PNP	LN, 50V, 100mA, 150mW, >100MHz, B=180 390	SC-75	16ta	-	Phi
YQ	2PD601Q	Si-NPN	GP, Sw, 60V, 100mA, 250mW, B=160 260, >100MHz	SOT23	16ta	-	Phi
YQ	2SD1484K-Q	Si-NPN	AF-Driver, 50V, 500mA, 200mW, B=120 270, >250MHz	SOT346	16ta	-	Rhm
YQ	2SD1949K-Q	Si-NPN	AF-Driver, 50V, 500mA, 200mW, B=120 270, >250MHz	SOT323	16ta	-	Rhm
YQ	2SD1949-Q	Si-NPN	AF, 50V, 500mA, 200mW, B=120 270, >250MHz	SOT323	16ta	-	Rhm
YQ	2SO601-Q	Si-NPN	GP, AF, 50V, 600mA, B=160 260, 150MHz	SC-59	16ta	-	Pan
YQ	DDZX7V5C	Z-Diode	7.5V±2.5%, 500mW	SOT23	16dc	-	Dil
YQ	DDZX7V5CW	Z-Diode	7.5V±2.5%, 200mW	SOT323	16dc	-	Dil
YQ	RN2114	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=1k/10k	SSM	16ta	-	Tos
YQ	RN2114FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=1k/10k	VESM	18ta	-	Tos
YQ	RN2314	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=1k/10k	S-MINI	16ta	-	Tos
YQ	RN2414	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=1k/10k	S-MINI	16ta	-	Tos
YR	2PA1774RJ	Si-PNP	LN, 50V, 100mA, 150mW, >100MHz, B=180 390	SOT490	18ta	-	Phi
YR	2PA1774S	Si-PNP	LN, 50V, 100mA, 150mW, >100MHz, B=270 560	SC-75	16ta	-	Phi
YR	2PD601R	Si-NPN	GP, Sw, 60V, 100mA, 250mW, B=210 340, >120MHz	SOT23	16ta	-	Phi
YR	2SD1484K-R	Si-NPN	AF-Driver, 50V, 500mA, 200mW, B=180 390, >250MHz	SOT346	16ta	-	Tos
YR	2SD1949K-R	Si-NPN	AF-Driver, 50V, 500mA, 200mW, B=180 390, >250MHz	SOT323	16ta	-	Rhm
YR	2SD1949-R	Si-NPN	AF, 50V, 500mA, 200mW, B=180 390, >250MHz	SOT323	16ta	-	Rhm
YR	2SD601-R	Si-NPN	GP AF, 50V, 600mA, B=210 340, 150MHz	SC-59	16ta	-	Pan
YR	DDZX8V2C	Z-Diode	8.2V±2.5%, 500mW	SOT23	16dc	-	Dil
YR	DDZX8V2CW	Z-Diode	8.2V±2.5%, 200mW	SOT323	16dc	-	Dil
YR	MSD601-RT1	Si-NPN	GP, 60V, 100mA, 200mW, B=210 340	SOT323	16ta	-	Mot
YS	2PA1774QJ	Si-PNP	LN, 50V, 100mA, 150mW, >100MHz, B=120 270	SC-75	16ta	-	Phi
YS	2PA1774SJ	Si-PNP	LN, 50V, 100mA, 150mW, >100MHz, B=270 560	SOT490	18ta	-	Phi
YS	2PD601S	Si-NPN	GP, Sw, 60V, 100mA, 250mW, B=290 460, >140MHz	SOT23	16ta	-	Phi
YS	2SO601-S	Si-NPN	GP, AF, 50V, 600mA, B=290 460, 150MHz	SC-59	16ta	-	Pan
YS	DDZX9V1C	Z-Diode	9.1V±2.5%, 500mW	SOT23	16dc	-	Dil
YS	DDZX9V1CW	Z-Diode	9.1V±2.5%, 200mW	SOT323	16dc	-	Dil
YS	MSD601-ST1	Si-NPN	GP 60V, 100mA, 200mW, B=290 460	SOT323	16ta	-	Mot
YS	RN2115	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=2.2k/10k	SSM	16ta	-	Tos
YS	RN2115FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=2.2k/10k	VESM	18ta	-	Tos
YS	RN2315	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2.2k/10k	S-MINI	16ta	-	Tos
YS	RN2415	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=2.2k/10k	S-MINI	16ta	-	Tos
YT	2SC4851	Si-NPN	Muting, 25V, 0.1A, 0.2W, B>800, >240MHz, Ron<0.9Ω	MCP	16ta	-	Say
YT	2SC4852	Si-NPN	Muting, 25V, 0.1A, 0.25W, B>800, >240MHz, Ron=0.9Ω	CP	16ta	-	Say
YT	DDZX10C	Z-Diode	10V±2.5%, 500mW	SOT23	16dc	-	Dil
YT	DDZX10CW	Z-Diode	10V±2.5%, 200mW	SOT323	16dc	-	Dil
YT	RN2116	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=4.7k/10k	SSM	16ta	-	Tos
YT	RN2316	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/10k	S-MINI	16ta	-	Tos
YT	RN2416	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=4.7k/10k	S-MINI	16ta	-	Tos
YU	DDZX11C	Z-Diode	11V±2.5%, 500mW	SOT23	16dc	-	Dil
YU	DDZX11CW	Z-Diode	11V±2.5%, 200mW	SOT23	16dc	-	Dil
YU	RN2117	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=10k/4.7k	SSM	16ta	-	Tos
YU	RN2117FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=10k/4.7k	VESM	18ta	-	Tos
YU	RN2317	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/4.7k	S-MINI	16ta	-	Tos
YU	RN2417	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=10k/4.7k	S-MINI	16ta	-	Tos
YV	DDZX12C	Z-Diode	12V±2.5%, 500mW	SOT23	16dc	-	Dil
YV	DDZX12CW	Z-Diode	12V±2.5%, 200mW	SOT323	16dc	-	Dil
YW	RN2118	Si-PNP-Digi	Switching, 50V, 100mA, 100mW, R1/R2=47k/10k	SSM	16ta	-	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прозв.
YW	RN2118FV	Si-PNP-Digi	Switching, 50V, 100mA, 150mW, R1/R2=47k/10k	VESM	181a -	Tos
YW	RN2318	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/10k	S-MINI	161a -	Tos
YW	RN2418	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/10k	S-MINI	161a -	Tos
YY	DDZX16	Z-Diode	16V±2,5%, 500mW	SDT23	16dc -	Dil
YY	DDZX16W	Z-Diode	16V±2,5%, 200mW	SDT323	16dc -	Dil
YY1	CMPZDA11V	Z-Diode	Dual, 11V, 2,5%, 350mW	SDT23	16df -	Can
YY2	CMPZDA12V	Z-Diode	Dual, 12V, 2,5%, 350mW	SDT23	16df -	Can
YY3	2SC4104-3	Si-NPN	Vid, 70V, 50mA, 200mW, B=60 120, 700MHz	SDT23	161a -	Say
YY3	CMPZDA13V	Z-Diode	Dual 13V, 2,5%, 350mW	SDT23	16df -	Can
YY4	2SC4104-4	Si-NPN	Vid, 70V, 50mA, 200mW, B=90 180, 700MHz	SDT23	161a -	Say
YY4	CMPZDA15V	Z-Diode	Dual, 15V, 2,5%, 350mW	SDT23	16df -	Can
YY5	2SC4104-5	Si-NPN	Vid, 70V, 50mA, 200mW, B=135 270, 700MHz	SDT23	161a -	Say
YY5	CMPZDA16V	Z-Diode	Dual, 16V, 2,5%, 350mW	SDT23	16df -	Can
YY6	CMPZDA18V	Z-Diode	Dual, 18V, 2,5%, 350mW	SDT23	16df -	Can
YY7	CMPZDA20V	Z-Diode	Dual, 20V, 2,5%, 350mW	SDT23	16df -	Can
YY8	CMPZDA22V	Z-Diode	Dual, 22V, 2,5%, 350mW	SDT23	16df -	Can
YY9	CMPZDA24V	Z-Diode	Dual, 24V, 2,5%, 350mW	SDT23	16df -	Can
YZ	DDZX18C	Z-Diode	18V±2,5%, 500mW	SDT23	16dc -	Dil
YZ	DDZX18CW	Z-Diode	18V±2,5%, 200mW	SDT323	16dc -	Dil
Z1	BZX84-C4V7	Z-Diode	4,7V±5%, 300mW	SDT23	16dc -	Can,Fch,Sie
Z1	BZX84-C4V7LT1	Z-Diode	4,7V±5%, 225mW	SDT23	16dc -	Dns
Z1	BZX88-C4V7	Z-Diode	4,7V±5%, 200mW	SDT323	16dc -	Ztx
Z1	TC1274-10ENB	CMDS-IC	Voltage Detector 4,37V, Reset Push-pull output	SDT23	16vd VD7	Mcc
Z11	BZX84-C2V4	Z-Diode	2,4V±5%, 300mW	SDT23	16dc -	Phi,Vis
Z11	BZX84-C2V4LT1	Z-Diode	2,4V±5%, 225mW, Zzt=100Ω	SDT23	16dc -	Dns
Z12	BZX84-C2V7	Z-Diode	2,7V±5%, 300mW	SDT23	16dc -	Phi,Vis
Z12	BZX84-C2V7LT1	Z-Diode	2,7V±5%, 225mW, Zzt=100Ω	SDT23	16dc -	Dns
Z13	BZX84-C3	Z-Diode	3V±5%, 300mW	SDT23	16dc -	CE
Z13	BZX84-C3V0	Z-Diode	3,0V±5%, 300mW	SDT23	16dc -	Phi,Vis
Z13	BZX84-C3V0LT1	Z-Diode	3,3V±5%, 225mW, Zzt=95Ω	SDT23	16dc -	Dns
Z14	BZX84-C3V3	Z-Diode	3,3V±5%, 300mW	SDT23	16dc -	Fch Phi
Z14	BZX84-C3V3LT1	Z-Diode	3,3V±5%, 225mW, Zzt=95Ω	SDT23	16dc -	Dns
Z15	BZX84-C3V6	Z-Diode	3,6V±5%, 300mW	SDT23	16dc -	Fch Phi
Z15	BZX84-C3V6LT1	Z-Diode	3,6V±5%, 225mW, Zzt=90Ω	SDT23	16dc -	Dns
Z16	BZX84-C3V9	Z-Diode	3,9V±5%, 300mW	SDT23	16dc -	Fch
Z16	BZX84-C3V9LT1	Z-Diode	3,9V±5%, 225mW, Zzt=90Ω	SDT23	16dc -	Dns
Z17	BZX84-C4V3	Z-Diode	4,3V±5%, 300mW	SDT23	16dc -	Fch
Z1p	BZX84-C4V7	Z-Diode	4,7V±5%, 300mW	SDT23	16dc -	PhH
Z1t	BZX84-C4V7	Z-Diode	4,7V±5%, 300mW	SDT23	16dc -	PhM
Z1W	BZX84-C4V7	Z-Diode	4,7V±5%, 300mW	SDT23	16dc -	PhC
Z2	BZX84-C5V1	Z-Diode	5,1V±5%, 300mW	SDT23	16dc -	Fch
Z2	BZX84-C5V1LT1	Z-Diode	5,1V±5%, 225mW, Zzt=60Ω	SDT23	16dc -	Dns
Z2	BZX88-C5V1	Z-Diode	5,1V±5%, 200mW	SDT323	16dc -	Ztx
Z2	ECG5010SM	Z-Diode	5,1V±5%, 300mW	SDT23	16dc -	Ecq
Z2	NTE5010SM	Z-Diode	5,1V±5%, 300mW	SDT23	16dc -	Nte
Z2	TC1274-15ENB	CMDS-IC	Voltage Detector 4,12V, Reset Push-pull output	SDT23	16vd VD7	Mcc
Z21	DTC113ZKA	Si-NPN-Digi	Sw, 50V, 100mA, 200mW, 250MHz, R1/R2=1k/10k	SMT3	161a -	Rhm
Z2p	BZX84-C5V1	Z-Diode	5,1V±5%, 300mW	SDT23	16dc -	PhH
Z2t	BZX84-C5V1	Z-Diode	5,1V±5%, 300mW	SDT23	16dc -	PhM
Z2U	FMMTA63	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>5000, >125MHz	SDT23	161a -	Ztx
Z2V	FMMTA64	Si-PNP-Darl	GP, 30V, 500mA, 300mW, B>10000, >125MHz	SDT23	161a -	Ztx
Z2W	BZX84-C5V1	Z-Diode	5,1V±5%, 300mW	SDT23	16dc -	PhC
Z3	BZX84-C5V6	Z-Diode	5,6V±5%, 300mW	SDT23	16dc -	Can,Fch,Sie
Z3	BZX84-C5V6LT1	Z-Diode	5,6V±5%, 225mW	SDT23	16dc -	Dns
Z3	BZX88-C5V6	Z-Diode	5,6V±5%, 200mW	SDT323	16dc -	Ztx
Z3	ECG5011SM	Z-Diode	5,6V±5%, 300mW	SDT23	16dc -	Ecq
Z3	NTE5011SM	Z-Diode	5,6V±5%, 300mW	SDT23	16dc -	Nte
Z3	TC1274-5ENB	CMDS-IC	Voltage Detector 4,82V, Reset Push-pull output	SDT23	16vd VD7	Mcc
Z3p	BZX84-C5V6	Z-Diode	5,6V±5%, 300mW	SDT23	16dc -	PhH
Z3t	BZX84-C5V6	Z-Diode	5,6V±5%, 300mW	SDT23	16dc -	PhM
Z3W	BZX84-C5V6	Z-Diode	5,6V±5%, 300mW	SDT23	16dc -	PhC
Z4	BZX84-C6V2	Z-Diode	6,2V±5%, 300mW	SDT23	16dc -	Can,Fch,Sie
Z4	BZX84-C6V2LT1	Z-Diode	6,2V±5%, 225mW, Zzt=10Ω	SDT23	16dc -	Dns
Z4	BZX88-C6V2	Z-Diode	6,2V±5%, 200mW	SDT323	16dc -	Ztx
Z4	ECG5013SM	Z-Diode	6,2V±5%, 300mW	SDT23	16dc -	Ecq
Z4	KA4F4Z	Si-NPN-Digi	Switching, 60V, 100mA, 200mW, R1=22k	SC-75	161a -	Nec
Z4	NTE5013SM	Z-Diode	6,2V±5%, 300mW	SDT23	16dc -	Nte
Z4p	BZX84-C6V2	Z-Diode	6,2V±5%, 300mW	SDT23	16dc -	PhH

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
Z4r	BZX84-C6V2	Z-Diode	6,2V±5%, 300mW	SOT23	16dc	-	PhM
Z4W	BZX84-C8V2	Z-Diode	6,2V±5%, 300mW	SOT23	16dc	-	PhC
Z5	BZX84-C6V8	Z-Diode	6,8V±5%, 300mW	SOT23	16dc	-	Gen,Fch,Sie
Z5	BZX84-C6V8LT1	Z-Diode	6,8V±5%, 225mW, Zzt=15Ω	SOT23	16dc	-	Ons
Z5	BZX88-C6V8	Z-Diode	6,8V±5%, 200mW	SOT323	16dc	-	Ztx
Z5	ECG5014SM	Z-Diode	6,8V±5%, 300mW	SOT23	16dc	-	Ecq
Z5	NTE5014SM	Z-Diode	6,8V±5%, 300mW	SOT23	16dc	-	Nte
Z50	BZX84-B2V4	Z-Diode	2,4V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z51	BZX84-B2V7	Z-Diode	2,7V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z52	BZX84-B3V0	Z-Diode	3V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z53	BZX84-B3V3	Z-Diode	3,3V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z54	BZX84-B3V6	Z-Diode	3,6V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z55	BZX84-B3V9	Z-Diode	3,9V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z56	BZX84-B4V3	Z-Diode	4,3V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z57	BZX84-B4V7	Z-Diode	4,7V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z58	BZX84-B5V1	Z-Diode	5,1V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z59	BZX84-B5V6	Z-Diode	5,6V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z5p	BZX84-C6V8	Z-Diode	6,8V±5%, 300mW	SOT23	16dc	-	PhH
Z9t	BZX84-C6V8	Z-Diode	6,8V±5%, 300mW	SOT23	16dc	-	PhM
Z9W	BZX84-C6V8	Z-Diode	6,8V±5%, 300mW	SOT23	16dc	-	PhC
Z6	BZX84-C7V5	Z-Diode	7,5V±5%, 300mW	SOT23	16dc	-	Gen,Fch,Sie
Z6	BZX84-C7V5LT1	Z-Diode	7,5V±5%, 225mW, Zzt=15Ω	SOT23	16dc	-	Ons
Z6	BZX88-C7V5	Z-Diode	7,5V±5%, 200mW	SOT323	16dc	-	Ztx
Z6	ECG5015SM	Z-Diode	7,5V±5%, 300mW	SOT23	16dc	-	Ecq
Z6	NTE5015SM	Z-Diode	7,5V±5%, 300mW	SOT23	16dc	-	Nte
Z60	BZX84-B6V2	Z-Diode	6,2V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z61	BZX84-B6V8	Z-Diode	6,8V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z62	BZX84-B7V5	Z-Diode	7,5V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z63	BZX84-B8V2	Z-Diode	8,2V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z64	BZX84-B9V1	Z-Diode	9,1V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z65	BZX84-B10	Z-Diode	10V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z66	BZX84-B11	Z-Diode	11V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z67	BZX84-B12	Z-Diode	12V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z68	BZX84-B13	Z-Diode	13V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z69	BZX84-B15	Z-Diode	15V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z6p	BZX84-C7V5	Z-Diode	7,5V±5%, 300mW	SOT23	16dc	-	PhH
Z6t	BZX84-C7V5	Z-Diode	7,5V±5%, 300mW	SOT23	16dc	-	PhM
Z6W	BZX84-C7V5	Z-Diode	7,5V±5%, 300mW	SOT23	16dc	-	PhC
Z7	BZX84-C8V2	Z-Diode	8,2V±5%, 300mW	SOT23	16dc	-	Gen,Fch,Sie
Z7	BZX84-C8V2LT1	Z-Diode	8,2V±5%, 225mW, Zzt=15Ω	SOT23	16dc	-	Ons
Z7	BZX88-C8V2	Z-Diode	8,2V±5%, 200mW	SOT323	16dc	-	Ztx
Z7	KN4F4Z	Si-PNP-Digi	Switching, 60V, 100mA, 150mW, R1=22k	SC-75	16ta	-	Nec
Z70	BZX84-B16	Z-Diode	16V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z71	BZX84-B18	Z-Diode	18V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z72	BZX84-B20	Z-Diode	20V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z73	BZX84-B22	Z-Diode	22V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z74	BZX84-B24	Z-Diode	24V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z75	BZX84-B27	Z-Diode	27V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z76	BZX84-B30	Z-Diode	30V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z77	BZX84-B33	Z-Diode	33V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z78	BZX84-B36	Z-Diode	36V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z79	BZX84-B39	Z-Diode	39V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z7p	BZX84-C8V2	Z-Diode	8,2V±5%, 300mW	SOT23	16dc	-	PhH
Z7t	BZX84-C8V2	Z-Diode	8,2V±5%, 300mW	SOT23	16dc	-	PhM
Z7W	BZX84-C8V2	Z-Diode	8,2V±5%, 300mW	SOT23	16dc	-	PhC
Z8	BZX84-C9V1	Z-Diode	9,1V±5%, 300mW	SOT23	16dc	-	Gen,Fch,Sie
Z8	BZX84-C9V1LT1	Z-Diode	9,1V±5%, 225mW, Zzt=15Ω	SOT23	16dc	-	Ons
Z8	BZX88-C9V1	Z-Diode	9,1V±5%, 200mW	SOT323	16dc	-	Ztx
Z8	ECG5018SM	Z-Diode	9,1V±5%, 300mW	SOT23	16dc	-	Ecq
Z8	NTE5018SM	Z-Diode	9,1V±5%, 300mW	SOT23	16dc	-	Nte
Z8	SST308	N-FET	UHF/AM, 25V, 350mW, Idss=12..60mA, Up<6,5V	SOT23	16ff	-	Sil
Z80	BZX84-B43	Z-Diode	43V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z81	BZX84-B47	Z-Diode	47V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z82	BZX84-B51	Z-Diode	51V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z83	BZX84-B56	Z-Diode	56V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z84	BZX84-B62	Z-Diode	62V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z85	BZX84-B68	Z-Diode	68V±2%, 300mW	SOT23	16dc	-	Phi,Vis
Z86	BZX84-B75	Z-Diode	75V±2%, 300mW	SOT23	16dc	-	Phi,Vis

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Против.
ZBp	BZX84-C9V1	Z-Diode	9.1V±5%, 300mW	SDT23	16dc	-	PhH
ZBt	BZX84-C9V1	Z-Diode	9.1V±5%, 300mW	SDT23	16dc	-	PhM
ZBW	BZX84-C9V1	Z-Diode	9.1V±5%, 300mW	SDT23	16dc	-	PhC
Z9	BZX84-C10	Z-Diode	10V±5%, 300mW	SDT23	16dc	-	Can,Fch,Sie
Z9	BZX84-C10LT1	Z-Diode	10V±5%, 225mW, Zzt=20Ω	SDT23	16dc	-	Ons
Z9	BZX88-C10	Z-Diode	10V±5%, 200mW	SOT323	16dc	-	Ztx
Z9	SST309	N-FET	UHF/AM, 350mW, Idss=12..30mA, Up=1.4V	SDT23	16ff	-	Si
Z9p	BZX84-C10	Z-Diode	10V±5%, 300mW	SDT23	16dc	-	PhH
Z9t	BZX84-C10	Z-Diode	10V±5%, 300mW	SDT23	16dc	-	PhM
Z9W	BZX84-C10	Z-Diode	10V±5%, 300mW	SOT23	16dc	-	PhC
ZA	2N3904S	Si-NPN	GP, 60V, 200mA, 250mW, B=100..300, >300MHz	SDT23	16ta	-	Kec
ZA	2N3904U	Si-NPN	GP, 60V, 200mA, 250mW, B=100..300, >300MHz	USM	16ta	-	Kec
ZAA	KN3906S	Si-PNP	GP, 40V, 200mA, 250mW, B=60..300, >250MHz	SDT23	16ta	-	Kec
ZB	FMMT4123	Si-NPN	GP, 40V, 200mA, 350mW B=50..150, >250MHz	SOT23	16ta	-	Ztx
ZB	KTN2222S	Si-NPN	GP, 60V, 600mA, 330mW, B=120..360, >300MHz	SDT23	16ta	-	Kec
ZB	KTN2222U	Si-NPN	GP, 60V, 600mA, 330mW, B=120..360, >300MHz	SDT323	16ta	-	Kec
ZBA	KN2222S	Si-NPN	GP, 60V, 600mA, 330mW, B=120..360, >300MHz	SDT23	16ta	-	Kec
ZC	2N3906S	Si-PNP	GP, 40V, 200mA, 250mW, B=60..300, >250MHz	SDT23	16ta	-	Kec
ZC	2N3906U	Si-PNP	GP, 40V, 200mA, 250mW, B=60..300, >250MHz	USM	16ta	-	Kec
ZC	FMMT4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SDT23	16ta	-	Ztx
ZC	KST4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SDT23	16ta	-	Sem
ZC	MMBT4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SDT23	16ta	-	Nsc,Sam
ZC	YTS4124	Si-NPN	Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SOT23	16ta	-	Tos
ZCA	KN3904S	Si-NPN	GP, 60V, 200mA, 250mW, B=100..300, >300MHz	SOT23	16ta	-	Kec
ZD	KST4125	Si-PNP	AF, 30V, 200mA, 350mW, B=50..150, >200MHz	SDT23	16ta	-	Sam
ZD	KTN2907S	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SDT23	16ta	-	Kec
ZD	KTN2907U	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SDT323	16ta	-	Kec
ZDA	KN2907S	Si-PNP	GP, 40V, 600mA, 330mW, B=100..300, >200MHz	SDT23	16ta	-	Kec
ZE	2N5401S	Si-PNP	GP, 150V, 600mA, 350mW, B=60..240, >100MHz	SDT23	16ta	-	Kec
ZE	FMMT4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120..360, >250MHz	SDT23	16ta	-	Ztx
ZE	MMBT4123	Si-NPN	GP, 40V, 200mA, 350mW B=50..150, >250MHz	SDT23	16ta	-	Nsc
ZE-	2SK2373	MDS-N-FET-e*	V-MDS, LogL, 30V, 0.2A, <1.4Ω(10mA), integr. Rgate	SDT23	16fg	-	Hil
ZF	2N5551S	Si-NPN	GP, 160V, 600mA, 350mW, B=80..250, >100MHz	SDT23	16ta	-	Kec
ZF	CZMK3.3	Z-Diode	Dual, 4.3V±5%, 300mW	SDT23	16dg	-	Cdi
ZF	MMBT4126	Si-PNP	GP, 25V, 200mA, 350mW, B=120..360, >250MHz	SDT23	16ta	-	Nsc
ZF-	2SJ399	MDS-P-FET-e*	V-MDS, LogL, 30V, 0.2A, <7Ω(100mA), integr. Rgate	SDT23	16fg	-	Hil
ZG	BCX70RG	Si-NPN	GP, 45V, 100mA, 330mW, B=120..220, 250MHz	SOT23	16ta	-	Tem
ZG	CZMK3.6	Z-Diode	Dual, 4.3V±5%, 300mW	SDT23	16dg	-	Cdi
ZG	KTN2222AS	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SDT23	16ta	-	Kec
ZG	KTN2222AU	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SDT323	16ta	-	Kec
ZGA	KN2222AS	Si-NPN	GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SDT23	16ta	-	Kec
ZH	BCX70RH	Si-NPN	GP, 45V, 200mA, 250mW, B=180..310, >100MHz	SDT23	16ta	-	Tem
ZH	CZMK3.9	Z-Diode	Dual, 4.3V±5%, 300mW	SDT23	16dg	-	Cdi
ZH	KTN2907AS	Si-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SDT23	16ta	-	Kec
ZH	KTN2907AU	Si-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SDT323	16ta	-	Kec
ZHA	KN2907AS	Si-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SDT23	16ta	-	Kec
ZI	KTN2369S	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SDT23	16ta	-	Kec
ZI	KTN2369U	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SDT323	16ta	-	Kec
ZJ	BCX70RJ	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=250..460, >100MHz	SDT23	16ta	-	Tem
ZJ	CZMK4.3	Z-Diode	Dual, 4.3V±5%, 300mW	SDT23	16dg	-	Cdi
ZJY	FM810JP3X	CMDS-IC	Voltage Detector 4V, Reset Push-pull output	SC-70	16vdc	-	Fch
ZK	BCX70RK	Si-NPN	GP, Sw, 45V, 100mA, 250mW, B=380..630, >100MHz	SDT23	16ta	-	Sie
ZK	CZMK4.7	Z-Diode	Dual, 4.7V±5%, 300mW	SDT23	16dg	-	Cdi
ZK	KTN2369AS	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SDT23	16ta	-	Kec
ZK	KTN2369AU	Si-NPN	Switching, 40V, 200mA, 330mW, B=40..120	SDT323	16ta	-	Kec
ZK-	2SJ451	MDS-P-FET-e*	V-MDS, LogL, 20V, 0.2A, <3.5Ω(0.1A), integr. Rgate	SDT23	16fg	-	Hil
ZL	CZMK5.1	Z-Diode	Dual, 5.1V±5%, 300mW	SDT23	16dg	-	Cdi
ZL-	2SK2570	MDS-N-FET-e*	V-MDS, LogL, 20V, 0.2A, <1.1Ω, integr. Rgate	SDT23	16fg	-	Hil
ZLY	FM810LP3X	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SC-70	16vdc	-	Fch
ZM	CZMK5.6	Z-Diode	Dual, 5.6V±5%, 300mW	SDT23	16dg	-	Cdi
ZM-	2SJ452	MDS-P-FET-e*	V-MOS, LogL, 50V, 0.2A, <7Ω(0.1A), integr. Rgate	SOT23	16fg	-	Hil
ZMY	FM810MP3X	CMDS-IC	Voltage Detector 4.38V, Reset Push-pull output	SC-70	16vdc	-	Fch
ZN	2N5400S	Si-PNP	GP, 120V, 600mA, 350mW, B=40..180, >100MHz	SDT23	16ta	-	Kec
ZN	CZMK6.2	Z-Diode	Dual, 6.2V±5%, 300mW	SDT23	16dg	-	Cdi
ZN-	2SK2569	MDS-N-FET-e*	V-MDS, LogL, 50V, 0.2A, <2.6Ω(0.1A), integr. Rgate	SDT23	16fg	-	Hil
ZO	2SA1182-O	Si-PNP	AF, 35V, 500mA, 150mW, B=70..140, 200MHz	SOT23	16ta	-	Tos
ZO	2SA1588-D	Si-PNP	AF-Driver, Sw, 35V, 500mA, 100mW, B=70..140, 200MHz	SOT323	16ta	-	Tos
ZO	SST310	N-FET	UHF/AM, 350mW, Idss=24..60mA, Up=2..6.5V	SDT23	16ff	-	Si

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произв.
ZOP	STZ6.8T	Z-Diode	Dual, 6,47..7,14V, 100mW, Zzt<400(5mA)	SOT346	17df	-	Rhm
ZP	2N5550S	Si-NPN	GP, 140V, 600mA, 350mW, B=60..250, >100MHz	SOT723	16ta	-	Kec
ZP	CZMK6.8	Z-Diode	Dual, 6,8V±5%, 300mW	SOT23	16dg	-	Cdi
ZQ	2PC4617JQ	Si-NPN	GP, 50/50V, 0,1A, 0,25W, >100MHz, B=120..270	SOT490	16ta	-	Phi
ZQ	2PC4617Q	Si-NPN	GP, 50/50V, 0,1A, 0,15W, >100MHz, B=120..270	SC-75	16ta	-	Phi
ZQ	2PD601AQ	Si-NPN	GP, Sw, 60V, 100mA, 250mW, B=160..260, >100MHz	SC-59	16ta	-	Phi
ZQ	2SD601A-Q	Si-NPN	GP, AF, 60V, 600mA, B=160..260, 150MHz	SC-59	16ta	-	Pan
ZQ	DDZX36	Z-Diode	36V±2,5%, 500mW	SOT23	16dc	-	Dil
ZQ	DDZX36W	Z-Diode	36V±2,5%, 200mW	SOT323	16dc	-	Dil
Z-Q	2PC4081Q	Si-NPN	GP, 50V, 100mA, 200mW, B=120..270, >100MHz	SOT323	16ta	-	PhH
ZR	2PC4617JR	Si-NPN	GP, 50/50V, 0,1A, 0,25W, >100MHz, B=180..390	SOT490	16ta	-	Phi
ZR	2PC4617R	Si-NPN	GP, 50/50V, 0,1A, 0,15W, >100MHz, B=180..390	SC-75	16ta	-	Phi
ZR	2PD601AR	Si-NPN	GP, Sw, 60V, 100mA, 250mW, B=210..340, >120MHz	SC-59	16ta	-	Phi
ZR	2SD601A-R	Si-NPN	GP, AF, 60V, 600mA, B=210..340, 150MHz	SC-59	16ta	-	Pan
ZR	DDZX43	Z-Diode	43V±2,5%, 500mW	SOT23	16dc	-	Dil
ZR	DDZX43W	Z-Diode	43V±2,5%, 500mW	SOT323	16dc	-	Dil
ZR	MSD1819A-RT1	Si-NPN	GP, 60V, 100mA, 150mW, B=210..340	SOT323	16ta	-	Mot
Z-R	2PC4081R	Si-NPN	GP, 50V, 100mA, 200mW, B=180..390, >100MHz	SOT323	16ta	-	PhH
ZRA	KN3903S	Si-NPN	GP, 60V, 200mA, 250mW, B=50..150, >300MHz	SOT23	16ta	-	Kec
ZRY	FM810RP3X	CMOS-IC	Voltage Detector 2.63V, Reset Push-pull output	SC-70	16vdc	-	Fch
ZS	2PC4617JS	Si-NPN	GP, 50/50V, 0,1A, 0,25W, >100MHz, B=270..560	SOT490	16ta	-	Phi
ZS	2PC4617S	Si-NPN	GP, 50/50V, 0,1A, 0,15W, >100MHz, B=270..560	SC-75	16ta	-	Phi
ZS	2PD601AS	Si-NPN	GP, Sw, 60V, 100mA, 250mW, B=290..460, >140MHz	SC-59	16ta	-	Phi
ZS	2SD601A-S	Si-NPN	GP, AF, 60V, 600mA, B=290..460, 150MHz	SC-59	16ta	-	Pan
ZS	DDZX47W	Z-Diode	47V±2,5%, 200mW	SOT323	16dc	-	Dil
ZS	MSD1819A-ST1	Si-NPN	GP, 60V, 100mA, 150mW, B=290..460	SOT323	16ta	-	Mot
Z-S	2PC4081S	Si-NPN	GP, 50V, 100mA, 200mW, B=270..560, >100MHz	SOT323	16ta	-	PhH
ZS1	ZHCS1000	Si-Diode	Schottky, 30V, 1A, Uf<0,5V	SOT23	16dc	-	Ztx
ZS2	ZHCS2000	Si-Diode	Schottky, 40V, 2A	SOT23	16dc	-	Ztx
ZS5	ZHCS500	Si-Diode	Schottky, 40V, 500mA, Uf<0,55V	SOT23	16dc	-	Ztx
ZS7	ZHCS750	Si-Diode	Schottky, 30V, 750mA, Uf<0,54V	SOT23	16dc	-	Ztx
ZSY	FM810SP3X	CMOS-IC	Voltage Detector 2.93V, Reset Push-pull output	SC-70	16vdc	-	Fch
ZT	CZMK7.5	Z-Diode	Dual, 7,5V±5%, 300mW	SOT23	16dg	-	Cdi
ZtQ	2PC4081Q	Si-NPN	GP, 50V, 100mA, 200mW, B=120..270, >100MHz	SOT323	16ta	-	PhM
ZtR	2PC4081R	Si-NPN	GP, 50V, 100mA, 200mW, B=180..390, >100MHz	SOT323	16ta	-	PhM
ZtS	2PC4081S	Si-NPN	GP, 50V, 100mA, 200mW, B=270..560, >100MHz	SOT323	16ta	-	PhM
ZTY	FM810TP3X	CMOS-IC	Voltage Detector 3.08V, Reset Push-pull output	SC-70	16vdc	-	Fch
ZU-	2SJ486	MOS-P-FET-e*	V-MOS, LogL, 30V, 0,3A, <0,65Ω, integr. Rgate	SOT23	16fg	-	Hit
ZV	CZMK8.2	Z-Diode	Dual, 8,2V±5%, 300mW	SOT23	16dg	-	Cdi
ZV-	2SK2802	MOS-N-FET-e*	V-MOS, LogL, 30V, 0,5A, <0,28Ω, integr. Rgate	SOT23	16fg	-	Hit
ZW	CZMK9.1	Z-Diode	Dual, 9,1V±5%, 300mW	SOT23	16dg	-	Cdi
ZX	CZMK10	Z-Diode	Dual, 10V±5%, 300mW	SOT23	16dg	-	Cdi
ZY	2SA1182-Y	Si-PNP	AF, 35V, 500mA, 150mW, B=120..240, 200MHz	SOT23	16ta	-	Tos
ZY	2SA1588-Y	Si-PNP	AF-Drv, Sw, 35V, 500mA, 100mW, B=120..240, 200MHz	SOT323	16ta	-	Tos
ZY	CZMK11	Z-Diode	Dual, 11V±5%, 300mW	SOT23	16dg	-	Cdi
ZY-	2SK3000	MOS-N-FET-e*	V-MOS, LogL, 40V, 1A, <0,5Ω(0,45A), In. Rgate	SOT23	16fg	-	Hit
ZZ	CZMK12	Z-Diode	Dual, 12V±5%, 300mW	SOT23	16dg	-	Cdi
ZZ1	CMPZDA4V7	Z-Diode	Dual, 4,7V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ2	CMPZDA5V1	Z-Diode	Dual, 5,1V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ3	CMPZDA5V6	Z-Diode	Dual, 5,6V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ4	CMPZDA6V2	Z-Diode	Dual, 6,2V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ5	CMPZDA6V8	Z-Diode	Dual, 6,8V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ6	CMPZDA7V5	Z-Diode	Dual, 7,5V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ7	CMPZDA8V2	Z-Diode	Dual, 8,2V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ8	CMPZDA9V1	Z-Diode	Dual, 9,1V, 2,5%, 350mW	SOT23	16df	-	Cen
ZZ9	CMPZDA10V	Z-Diode	Dual, 10V, 2,5%, 350mW	SOT23	16df	-	Cen



SMD-компоненты в корпусах SOT-89

**SMD-коды электронных
компонентов в корпусах SOT-89**

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
-	BCX68	Si-NPN	AF, 25/20V, 1A, 1W, B=85...375, >100MHz	SOT89	20tb	-	Sie
-	BCX69	Si-PNP	AF, 25/20V, 1A, 1W, B=85...375, >100MHz	SOT89	20tb	-	Sie
01	Gali-1	Lin-IC	RF amplifier, DC..8GHz, 11dB (50Q)	SOT89	20aa	A1	Mc
02	Gali-2	Lin-IC	RF amplifier, DC..8GHz, 15,1dB (50Q)	SOT89	20aa	A1	Mc
03	Gali-3	Lin-IC	RF amplifier, DC..3GHz, 15,8dB (50Q)	SOT89	20aa	A1	Mc
04	Gali-4	Lin-IC	RF amplifier, DC..4GHz, 13,1dB (50Q)	SOT89	20aa	A1	Mc
047	FCX1047A	Si-NPN	Hi-beta, Lo-sat, 35V, 4A, 150MHz	SOT89	20tb	-	Ztx
04F	Gali-4F	Lin-IC	RF amplifier, DC..4GHz, 13,2dB (50Q)	SOT89	20aa	A1	Mc
05	Gali-5	Lin-IC	RF amplifier, DC..4GHz, 15,1dB (50Q)	SOT89	20aa	A1	Mc
051	FCX1051A	Si-NPN	Hi-beta, Lo-sat, 150V, 3A, 155MHz	SOT89	20tb	-	Ztx
05F	Gali-5F	Lin-IC	RF amplifier, DC..4GHz, 15,1dB (50Q)	SOT89	20aa	A1	Mc
06	Gali-6	Lin-IC	RF amplifier, DC..4GHz, 12,3dB (50Q)	SOT89	20aa	A1	Mc
06F	Gali-6F	Lin-IC	RF amplifier, DC..4GHz, 12,3dB (50Q)	SOT89	20aa	A1	Mc
0B	RH5RL20AA	VR-IC	2V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
0C	MC78LC30HT1	VR-IC	Low Iq, 3V±2,5%, 80mA	SOT89	20vrb	VR1	Ons
0C	RH5RL30AA	VR-IC	3V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
0D	RH5RL40AA	VR-IC	4V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
0E	RH5RL50AA	VR-IC	5V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
0F	RH5RL60AA	VR-IC	6V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
0J	RH5RE20AA	VR-IC	Ultra-LDO, 2V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
0K	RH5RE30AA	VR-IC	Ultra-LDO, 3V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
0L	RH5RE40AA	VR-IC	Ultra-LDO, 4V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
0M	RH5RE50AA	VR-IC	Ultra-LDO, 5V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
0N	RH5RE60AA	VR-IC	Ultra-LDO, 6V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
1019	EC1019B	Lin-IC	RF amplifier, DC..4GHz, 20dB (50Q)	SOT89	20aa	A1	Wjc
1019G	EC1019B-G	Lin-IC	RF amplifier, DC..4GHz, 20dB (50Q)	SOT89	20aa	A1	Wjc
10Y	BZV49-C10	Z-Diode	10V±5%, 1W	SOT89	20dm	-	Phi
11Y	BZV49-C11	Z-Diode	11V±5%, 1W	SOT89	20dm	-	Phi
12Y	BZV49-C12	Z-Diode	12V±5%, 1W	SOT89	20dm	-	Phi
13Y	BZV49-C13	Z-Diode	13V±5%, 1W	SOT89	20dm	-	Phi
147	FCX1147A	Si-PNP	Lo-sat, 15V, 3A, 115MHz	SOT89	20tb	-	Ztx
151	FCX1151A	Si-PNP	Lo-sat, 45V, 3A, 145MHz	SOT89	20tb	-	Ztx
15Y	BZV49-C15	Z-Diode	15V±5%, 1W	SOT89	20dm	-	Phi
16Y	BZV49-C16	Z-Diode	16V±5%, 1W	SOT89	20dm	-	Phi
18	UTC8118	Lin/Dig-IC	Voltage Detector 1.8V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
18Y	BZV49-C18	Z-Diode	18V±5%, 1W	SOT89	20dm	-	Phi
19	Gali-19	Lin-IC	RF amplifier, DC..7GHz, 11dB (50Q)	SOT89	20aa	A1	Mc
19	UTC8119	Lin/Dig-IC	Voltage Detector 1.9V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
1A	SXT3904	Si-NPN	GP, 60V, 0,1A, 0,2W, B= 100...300, >300MHz	SOT89	20tb	-	Sie
1B	RH5RL21AA	VR-IC	2,1V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
1C	RH5RL31AA	VR-IC	3,1V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
1D	RH5RL41AA	VR-IC	4,1V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
1D	SXTA42	Si-NPN	Vid, 300V, 500mA, 1W, B>40, >50MHz	SOT89	20tb	-	Sie
1E	RH5RL51AA	VR-IC	5,1V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
1E	SXTA43	Si-NPN	Vid, 200V, 500mA, 1W, B>40, >50MHz	SOT89	20tb	-	Sie
1J	RH5RE21AA	VR-IC	Ultra-LDO, 2,1V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
1K	RH5RE31AA	VR-IC	Ultra-LDO, 3,1V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
1L	25B1537	Si-PNP	AF, Lo-sat, 10V, 1A, 1W, B=200...800, 120MHz	SC-62	20tb	-	Pan
1L	RH5RE41AA	VR-IC	Ultra-LDO, 4,1V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
1M	25D2357	Si-NPN	AF, Lo-sat, 10V, 1A, 1W, B=200...800, 100MHz	SC-62	20tb	-	Pan
1M	RH5RE51AA	VR-IC	Ultra-LDO, 5,1V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
1N	25B1539	Si-PNP	AF, Lo-sat, 20V, 1A, 1W, B=200...800, 120MHz	SC-62	20tb	-	Pan
1O	25D2359	Si-NPN	AF, Lo-sat, 20V, 1A, 1W, B=200...800, 100MHz	SC-62	20tb	-	Pan
1XP	25B1599-P	Si-PNP	AF, 50V, 1,5A, 1W, B=50...100, 150MHz	SC-62	20tb	-	Pan
1XQ	25B1599-Q	Si-PNP	AF, 50V, 1,5A, 1W, B=80...160, 150MHz	SC-62	20tb	-	Pan
1XR	25B1599-R	Si-PNP	AF, 50V, 1,5A, 1W, B=100...220, 150MHz	SC-62	20tb	-	Pan
1YP	25D2457-P	Si-NPN	AF, 50V, 1,5A, 1W, B=60...120, 150MHz	SC-62	20tb	-	Pan
1YQ	25D2457-Q	Si-NPN	AF, 50V, 1,5A, 1W, B=80...160, 150MHz	SC-62	20tb	-	Pan
1YR	25D2457-R	Si-NPN	AF, 50V, 1,5A, 1W, B=120...2240, 150MHz	SC-62	20tb	-	Pan
1ZQ	25A1890-Q	Si-PNP	AF-Driver, 80V, 1A, 1W, B=120...240, 120MHz	SC-62	20tb	-	Pan
1ZR	25A1890-R	Si-PNP	AF-Driver, 80V, 1A, 1W, B=270...340, 120MHz	SC-62	20tb	-	Pan
20	UTC8120	Lin/Dig-IC	Voltage Detector 2V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
20Y	BZV49-C20	Z-Diode	20V±5%, 1W	SOT89	20dm	-	Phi
21	Gali-21	Lin-IC	RF amplifier, DC..8GHz, 12,4dB (50Q)	SOT89	20aa	A1	Mc
21	UTC8121	Lin/Dig-IC	Voltage Detector 2.1V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
22	UTC8122	Lin/Dig-IC	Voltage Detector 2.2V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
22Y	BZV49-C22	Z-Diode	22V±5%, 1W	SOT89	20dm	-	Phi
23	UTC8123	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
24	UTC8124	Lin/Dig-IC	Voltage Detector 2 4V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
24Y	BZV49-C24	Z-Diode	24V±5%, 1W	SOT89	20dm	-	Phi
25	UTC8125	Lin/Dig-IC	Voltage Detector 2 5V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
26	UTC8126	Lin/Dig-IC	Voltage Detector 2 6V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
27	UTC8127	Lin/Dig-IC	Voltage Detector 2 7V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
27Y	BZV49-C27	Z-Diode	27V±5%, 1W	SOT89	20dm	-	Phi
28	UTC8126	Lin/Dig-IC	Voltage Detector 2 8V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
29	Gali-29	Lin-IC	RF amplifier, DC 7GHz, 14,2dB (50Ω)	SOT89	20aa	A1	Mc
29	UTC8129	Lin/Dig-IC	Voltage Detector 3 9V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
2A	SXT3906	Si-PNP	Switching, 40V, 200mA, 1W, B=100 300, >250MHz	SOT69	20tb	-	Sie
2AR	2SC5026-R	Si-NPN	AF-Driver, 60V, 1A, 1W, B=120 240, 120MHz	SC-62	20tb	-	Pan
2AS	2SC5026-S	Si-NPN	AF-Driver, 80V, 1A, 1W, B=270 340, 120MHz	SC-62	20tb	-	Pan
2B	RH5RL22AA	VR-IC	2,2V±2,5%, 150mA	SOT69	20vrb	VR1	Ric
2C	RH5RL32AA	VR-IC	3,2V±2,5%, 150mA	SOT69	20vrb	VR1	Ric
2D	RH5RL42AA	VR-IC	4,2V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
2D	SXTA92	Si-PNP	Vid, 300V, 500mA, 1W, B>25, >50MHz	SOT69	20tb	-	Sie
2E	RH5RL52AA	VR-IC	5,2V±2,5%, 150mA	SOT69	20vrb	VR1	Ric
2E	SXTA93	Si-PNP	Vid, 200V, 500mA, 1W, B>25, >50MHz	SOT89	20tb	-	Sie
2F	2SB1612	Si-PNP	AF, Lo-sat, 10V, 2A, 1W, B=200 600, 60MHz	SC-62	20tb	-	Pan
2F	SXT2907A	Si-PNP	GP, 60V, 600mA, 1W, B=100 300 >200MHz	SOT89	20tb	-	Sie
2J	RH5RE22AA	VR-IC	Ultra-LDO, 2,2V±2,5%, 300mA	SOT69	20vrb	VR1	Ric
2K	RH5RE32AA	VR-IC	Ultra-LDO, 3,2V±2,5%, 300mA	SOT69	20vrb	VR1	Ric
2L	RH5RE42AA	VR-IC	Ultra-LDO, 4,2V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
2M	2SK2211	MOS-N-FET-e*	V-MOS, LogL, 30V, ±1A, <0,6Ω(0,5A), 12/220ns, int Rgate	SOT69	20fa	-	Pan
2M	RH5RE52AA	VR-IC	Ultra-LDO, 5,2V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
2P	SXT2222A	Si-NPN	GP, 40V, 600mA, 1W, B=100 300, >300MHz	SOT69	20tb	-	Sie
2Y4	BZV49-C2V4	Z-Diode	2 4V±5%, 1W	SOT69	20dm	-	Phi
2Y7	BZV49-C2V7	Z-Diode	2 7V±5%, 1W	SOT69	20dm	-	Phi
30	UTC6130	Lin/Dig-IC	Voltage Detector 3V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
301	MC33463H-30KT1	VR-IC	Variable-Frequency DC-DC Conv, 3V±2,5%, 60 120KHz	SOT-69	20bq	-	Ons
301	MC33463H-30LT1	VR-IC	Variable-Frequency DC-DC Conv, 3V±2,5%, 60 120KHz	SOT-69	20br	-	Ons
301A	MC33466H-30JT1	VR-IC	Fixed-Frequency DC-DC Conv, 3V±2,5%, 50KHz	SOT-69	20bq	-	Ons
302B	MC33466H-30LT1	VR-IC	Fixed-Frequency DC-DC Conv, 3V±2,5%, 100KHz	SOT-69	20br	-	Ons
30Y	BZV49-C30	Z-Diode	30V±5%, 1W	SOT69	20dm	-	Phi
31	UTC6131	Lin/Dig-IC	Voltage Detector 3 1V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
32	UTC8132	Lin/Dig-IC	Voltage Detector 3 2V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
33	Gali-33	Lin-IC	RF amplifier, DC 4GHz, 15,6dB (50Ω)	SOT69	20aa	A1	Mc
33	UTC6133	Lin/Dig-IC	Voltage Detector 3 3V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
33Y	BZV49-C33	Z-Diode	33V±5%, 1W	SOT69	20dm	-	Phi
34	UTC6134	Lin/Dig-IC	Voltage Detector 3 4V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
35	UTC6135	Lin/Dig-IC	Voltage Detector 3 5V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
351	MC33463H-35KT1	VR-IC	Variable-Frequency DC-DC Conv, 3,5V±2,5%, 80 120KHz	SOT-69	20bq	-	Ons
351	MC33463H-35LT1	VR-IC	Variable-Frequency DC-DC Conv, 3,5V±2,5%, 80 120KHz	SOT-69	20br	-	Ons
351A	MC33466H-35JT1	VR-IC	Fixed-Frequency DC-DC Conv, 3,5V±2,5%, 50KHz	SOT-69	20bq	-	Ons
352B	MC33466H-35LT1	VR-IC	Fixed-Frequency DC-DC Conv, 3,5V±2,5%, 100KHz	SOT-69	20br	-	Ons
36	UTC6136	Lin/Dig-IC	Voltage Detector 3 6V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
36Y	BZV49-C36	Z-Diode	36V±5%, 1W	SOT69	20dm	-	Phi
37	UTC6137	Lin/Dig-IC	Voltage Detector 3 7V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
38	UTC6136	Lin/Dig-IC	Voltage Detector 3 6V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
39	Gali-39	Lin-IC	RF amplifier, DC 7GHz, 17,6dB (50Ω)	SOT69	20aa	A1	Mc
39	UTC6139	Lin/Dig-IC	Voltage Detector 3 9V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
39Y	BZV49-C39	Z-Diode	39V±5%, 1W	SOT69	20dm	-	Phi
3B	RH5RL23AA	VR-IC	2,3V±2,5%, 150mA	SOT69	20vrb	VR1	Ric
3C	MC761C33HT1	VR-IC	Low Iq, 3,3V±2,5%, 60mA	SOT69	20vrb	VR1	Ons
3C	RH5RL33AA	VR-IC	3,3V±2,5%, 150mA	SOT69	20vrb	VR1	Ric
3D	RH5RL43AA	VR-IC	4,3V±2,5%, 150mA	SOT69	20vrb	VR1	Ric
3E	RH5RL53AA	VR-IC	5,3V±2,5%, 150mA	SOT69	20vrb	VR1	Ric
3J	RH5RE23AA	VR-IC	Ultra-LDO, 2,3V±2,5%, 300mA	SOT69	20vrb	VR1	Ric
3K	RH5RE33AA	VR-IC	Ultra-LDO, 3,3V±2,5%, 300mA	SOT69	20vrb	VR1	Ric
3L	RH5RE43AA	VR-IC	Ultra-LDO, 4,3V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
3M	RH5RE53AA	VR-IC	Ultra-LDO, 5,3V±2,5%, 300mA	SOT69	20vrb	VR1	Ric
3Y0	BZV49-C3V0	Z-Diode	3V±5%, 1W	SOT69	20dm	-	Phi
3Y3	BZV49-C3V3	Z-Diode	3 3V±5%, 1W	SOT89	20dm	-	Phi
3Y6	BZV49-C3V6	Z-Diode	3 6V±5%, 1W	SOT69	20dm	-	Phi
3Y9	BZV49-C3V9	Z-Diode	3 9V±5%, 1W	SOT69	20dm	-	Phi
40	UTC6140	Lin/Dig-IC	Voltage Detector 4V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
41	UTC6141	Lin/Dig-IC	Voltage Detector 4 1V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc
42	UTC8142	Lin/Dig-IC	Voltage Detector 4 2V, -Reset Open collector output	SOT69	20vdd	VD6	Ulc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
43	UTC8143	Lin/Dig-IC	Voltage Detector 4 3V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
43Y	BZV49-C43	Z-Diode	43V±5%, 1W	SOT89	20dm	-	Phi
44	UTC8144	Lin/Dig-IC	Voltage Detector 4 4V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
45	UTC8145	Lin/Dig-IC	Voltage Detector 4 5V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
46	UTC8146	Lin/Dig-IC	Voltage Detector 4 6V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
47Y	BZV49-C47	Z-Diode	47V±5%, 1W	SOT89	20dm	-	Phi
49	Gali-49	Lin-IC	RF amplifier, DC 5GHz, 10,7dB (50Ω)	SOT89	20aa	A1	Mc
4A	KIA7419F	Lin/Dig-IC	Voltage Detector 1 9V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4B	KIA7421F	Lin/Dig-IC	Voltage Detector 2 1V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4B	RH5RL24AA	VR-IC	2,4V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
4C	KIA7423F	Lin/Dig-IC	Voltage Detector 2 3V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4C	RH5RL34AA	VR-IC	3,4V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
4D	KIA7425F	Lin/Dig-IC	Voltage Detector 2 5V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4D	RH5RL44AA	VR-IC	4,4V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
4E	KIA7427F	Lin/Dig-IC	Voltage Detector 2 7V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4E	RH5RL54AA	VR-IC	5,4V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
4F	KIA7429F	Lin/Dig-IC	Voltage Detector 2 9V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4G	KIA7431F	Lin/Dig-IC	Voltage Detector 3 1V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4H	KIA7432F	Lin/Dig-IC	Voltage Detector 3 2V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4J	KIA7433F	Lin/Dig-IC	Voltage Detector 3 3V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4J	RH5RE24AA	VR-IC	Ultra-LDO 2,4V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
4K	KIA7434F	Lin/Dig-IC	Voltage Detector 3 4V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4K	RH5RE34AA	VR-IC	Ultra-LDO 3,4V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
4L	KIA7435F	Lin/Dig-IC	Voltage Detector 3 5V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4L	RH5RE44AA	VR-IC	Ultra-LDO 4,4V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
4M	KIA7436F	Lin/Dig-IC	Voltage Detector 3 6V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4M	RH5RE54AA	VR-IC	Ultra-LDO 5,4V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
4N	KIA7439F	Lin/Dig-IC	Voltage Detector 3 9V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4P	KIA7442F	Lin/Dig-IC	Voltage Detector 4 2V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4R	KIA7445F	Lin/Dig-IC	Voltage Detector 4 5V, Reset Open collector output	SOT89	20vdd	VD6	Kec
4Y3	BZV49-C4V3	Z-Diode	4 3V±5%, 1W	SOT89	20dm	-	Phi
4Y7	BZV49-C4V7	Z-Diode	4 7V±5%, 1W	SOT89	20dm	-	Phi
50	UTC8150	Lin/Dig-IC	Voltage Detector 5V, -Reset Open collector output	SOT89	20vdd	VD6	Ulc
501	MC33463H-50KT1	VR-IC	Variable-Frequency DC-DC Conv., 5V±2,5%, 80 120KHz	SOT-89	20bq	-	Ons
501	MC33463H-50LT1	VR-IC	Variable-Frequency DC-DC Conv., 5V±2,5%, 80 120KHz	SOT-89	20br	-	Ons
501A	MC33466H-50JT1	VR-IC	Fixed-Frequency DC-DC Conv., 5V±2,5%, 50KHz	SOT-89	20bq	-	Ons
502B	MC33466H-50LT1	VR-IC	Fixed-Frequency DC-DC Conv., 5V±2,5%, 100KHz	SOT-89	20br	-	Ons
51	Gali-51	Lin-IC	RF amplifier, DC 4GHz, 13,4dB (50Ω)	SOT89	20aa	A1	Mc
51F	Gali-51F	Lin-IC	RF amplifier, DC 4GHz, 13,3dB (50Ω)	SOT89	20aa	A1	Mc
51Y	BZV49-C51	Z-Diode	51V±5%, 1W	SOT89	20dm	-	Phi
52	Gali-52	Lin-IC	RF amplifier, DC 2GHz, 14,4dB (50Ω)	SOT89	20aa	A1	Mc
55	Gali-55	Lin-IC	RF amplifier, DC 4GHz, 15,7dB (50Ω)	SOT89	20aa	A1	Mc
56Y	BZV49-C56	Z-Diode	56V±5%, 1W	SOT89	20dm	-	Phi
59	Gali-59	Lin-IC	RF amplifier, DC 5GHz, 10,2dB (50Ω)	SOT89	20aa	A1	Mc
5B	RH5RL25AA	VR-IC	2,5V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
5C	RH5RL35AA	VR-IC	3,5V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
5D	RH5RL45AA	VR-IC	4,5V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
5E	RH5RL55AA	VR-IC	5,5V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
5J	RH5RE25AA	VR-IC	Ultra-LDO 2,5V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
5K	RH5RE35AA	VR-IC	Ultra-LDO 3,5V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
5L	RH5RE45AA	VR-IC	Ultra-LDO 4,5V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
5M	RH5RE55AA	VR-IC	Ultra-LDO 5,5V±2,5%, 300mA	SOT89	20vrb	VR1	Ric
5Y1	BZV49-C5V1	Z-Diode	5 1V±5%, 1W	SOT89	20dm	-	Phi
5Y6	BZV49-C5V6	Z-Diode	5 6V±5%, 1W	SOT89	20dm	-	Phi
62Y	BZV49-C62	Z-Diode	62V±5% 1W	SOT89	20dm	-	Phi
66	Gali-S66	Lin-IC	RF amplifier, DC 3GHz, 15,5dB (50Ω)	SOT89	20aa	A1	Mc
66Y	BZV49-C66	Z-Diode	66V±5%, 1W	SOT89	20dm	-	Phi
6A	KIA7019AF	Lin/Dig-IC	Voltage Detector 1 9V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6B	KIA7021AF	Lin/Dig-IC	Voltage Detector 2 1V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6B	RH5RL26AA	VR-IC	2,6V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
6C	KIA7023AF	Lin/Dig-IC	Voltage Detector 2 3V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6C	RH5RL36AA	VR-IC	3,6V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
6D	KIA7025AF	Lin/Dig-IC	Voltage Detector 2 5V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6D	RH5RL46AA	VR-IC	4,6V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
6E	KIA7027AF	Lin/Dig-IC	Voltage Detector 2 7V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6E	RH5RL56AA	VR-IC	5,6V±2,5%, 150mA	SOT89	20vrb	VR1	Ric
6F	KIA7029AF	Lin/Dig-IC	Voltage Detector 2 9V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6G	KIA7031AF	Lin/Dig-IC	Voltage Detector 3 1V, -Reset Open collector output	SOT89	20vdd	VD6	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
6H	KIA7032AF	Lin/Dig-IC	Voltage Detector 3.2V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6J	KIA7033AF	Lin/Dig-IC	Voltage Detector 3.3V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6J	RH5RE26AA	VR-IC	Ultra-LDO, 2.6V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
6K	KIA7034AF	Lin/Dig-IC	Voltage Detector 3.4V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6K	RH5RE36AA	VR-IC	Ultra-LDO, 3.6V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
6L	KIA7035AF	Lin/Dig-IC	Voltage Detector 3.5V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6L	RH5RE46AA	VR-IC	Ultra-LDO, 4.8V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
6M	KIA7036AF	Lin/Dig-IC	Voltage Detector 3.6V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6M	RH5RE56AA	VR-IC	Ultra-LDO, 5.6V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
6N	KIA7039AF	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6P	KIA7042AF	Lin/Dig-IC	Voltage Detector 4.2V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6R	KIA7045AF	Lin/Dig-IC	Voltage Detector 4.5V, -Reset Open collector output	SOT89	20vdd	VD6	Kec
6Y2	BZV49-C6V2	Z-Diode	6.2V±5%, 1W	SOT89	20dm	-	Phi
6Y8	BZV49-C6V8	Z-Diode	6.8V±5%, 1W	SOT89	20dm	-	Phi
7024A-1	HT7024A-1	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT89	20vd	VD6	Htk
7027A-1	HT7027A-1	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT89	20vd	VD6	Htk
7033A-1	HT7033A-1	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT89	20vd	VD6	Htk
7039A-1	HT7039A-1	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SOT89	20vd	VD6	Htk
7044A-1	HT7044A-1	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT89	20vd	VD6	Htk
7050A-1	HT7050A-1	CMOS-IC	Voltage Detector 5V, -Reset Open drain output	SOT89	20vd	VD6	Htk
7130-1	HT7130-1	VR-IC	LDO, 3V±3%, 30mA	SOT89	20vrb	VR1	Htk
7133-1	HT7133-1	VR-IC	LDO, 3.3V±3%, 30mA	SOT89	20vrb	VR1	Htk
7136-1	HT7136-1	VR-IC	LDO, 3.6V±3%, 30mA	SOT89	20vrb	VR1	Htk
7144-1	HT7144-1	VR-IC	LDO, 4.4V±3%, 30mA	SOT89	20vrb	VR1	Htk
7150-1	HT7150-1	VR-IC	LDO, 5V±3%, 30mA	SOT89	20vrb	VR1	Htk
75Y	BZV49-C75	Z-Diode	75V±5%, 1W	SOT89	20dm	-	Phi
7B	RH5RL27AA	VR-IC	2.7V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
7C	RH5RL37AA	VR-IC	3.7V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
7D	RH5RL47AA	VR-IC	4.7V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
7E	RH5RL57AA	VR-IC	5.7V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
7J	RH5RE27AA	VR-IC	Ultra-LDO, 2.7V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
7K	RH5RE37AA	VR-IC	Ultra-LDO, 3.7V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
7L	RH5RE47AA	VR-IC	Ultra-LDO, 4.7V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
7M	RH5RE57AA	VR-IC	Ultra-LDO, 5.7V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
7Y5	BZV49-C7V5	Z-Diode	7.5V±5%, 1W	SOT89	20dm	-	Phi
8A	HA178L02UA	VR-IC	+2V±2%, 150mA	SOT-89	20ch	VR1	Htk
8A	NJM78L02UA	VR-IC	+2.6V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8B	HA178L05UA	VR-IC	+5V±2%, 150mA	SOT-89	20ch	VR1	Htk
8B	NJM78L03UA	VR-IC	+3V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8B	RH5RL28AA	VR-IC	2.8V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
8C	HA178L58UA	VR-IC	+5.6V±2%, 150mA	SOT89	20ch	VR1	Htk
8C	NJM78L05UA	VR-IC	+5V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8C	RH5RL38AA	VR-IC	3.8V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
8D	HA178L08UA	VR-IC	+8V±2%, 150mA	SOT-89	20ch	VR1	Htk
8D	RH5RL48AA	VR-IC	4.8V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
8E	HA178L08UA	VR-IC	+8V±2%, 150mA	SOT89	20ch	VR1	Htk
8E	NJM78L06UA	VR-IC	+6V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8E	RH5RL58AA	VR-IC	5.8V±2.5%, 150mA	SOT89	20vrb	VR1	Ric
8F	HA178L09UA	VR-IC	+9V±2%, 150mA	SOT89	20ch	VR1	Htk
8F	NJM78L07UA	VR-IC	+7V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8G	HA178L10UA	VR-IC	+10V±2%, 150mA	SOT89	20ch	VR1	Htk
8G	NJM78L08UA	VR-IC	+8V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8H	HA178L12UA	VR-IC	+12V±2%, 150mA	SOT89	20ch	VR1	Htk
8H	NJM78L09UA	VR-IC	+9V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8J	HA178L15UA	VR-IC	+15V±2%, 150mA	SOT89	20ch	VR1	Htk
8J	NJM78L10UA	VR-IC	+10V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8J	RH5RE28AA	VR-IC	Ultra-LDO, 2.8V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
8K	NJM78L12UA	VR-IC	+12V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8K	RH5RE38AA	VR-IC	Ultra-LDO, 3.8V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
8L	NJM78L15UA	VR-IC	+15V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8L	RH5RE48AA	VR-IC	Ultra-LDO, 4.8V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
8M	NJM78L18UA	VR-IC	+18V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8M	RH5RE58AA	VR-IC	Ultra-LDO, 5.8V±2.5%, 300mA	SOT89	20vrb	VR1	Ric
8N	NJM78L20UA	VR-IC	+20V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8P	NJM78L24UA	VR-IC	+24V, 5%, 0.1A	SOT89	20ch	VR1	Njr
8Y2	BZV49-C8V2	Z-Diode	8.2V±5%, 1W	SOT89	20dm	-	Phi
8Z	NJM78L62UA	VR-IC	+6.2V, 5%, 0.1A	SOT89	20ch	VR1	Njr
9B	NJM79L03UA	VR-IC	-3V, 5%, 0.1A	SOT89	20vrb	VR2	Njr

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Проз.
9B	RH5RL29AA	VR-IC	2,9V±2,5%, 150mA	SOT89	20vrb	VR1 Ric
9C	NJM79L05UA	VR-IC	-5V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9C	RH5RL39AA	VR-IC	3,9V±2,5%, 150mA	SOT89	20vrb	VR1 Ric
9D	RH5RL49AA	VR-IC	4,9V±2,5%, 150mA	SOT89	20vrb	VR1 Ric
9E	NJM79L06UA	VR-IC	-6V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9E	RH5RL59AA	VR-IC	5,9V±2,5%, 150mA	SOT89	20vrb	VR1 Ric
9G	NJM79L08UA	VR-IC	-8V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9H	NJM79L09UA	VR-IC	-9V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9J	RH5RE29AA	VR-IC	Ultra-LDO, 2,9V±2,5%, 300mA	SOT89	20vrb	VR1 Ric
9K	NJM79L12UA	VR-IC	-12V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9K	RH5RE39AA	VR-IC	Ultra-LDO, 3,9V±2,5%, 300mA	SOT89	20vrb	VR1 Ric
9L	NJM79L15UA	VR-IC	-15V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9L	RH5RE49AA	VR-IC	Ultra-LDO, 4,9V±2,5%, 300mA	SOT89	20vrb	VR1 Ric
9M	NJM79L18UA	VR-IC	-18V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9M	RH5RE59AA	VR-IC	Ultra-LDO, 5,9V±2,5%, 300mA	SOT89	20vrb	VR1 Ric
9P	NJM79L24UA	VR-IC	-24V, 5%, 0,1A	SOT89	20vrb	VR2 Njr
9Y1	BZV49-C9V1	Z-Diode	9,1V±5%, 1W	SOT89	20dm	- Phi
A09A	R3111H091A	CMOS-IC	Voltage Detector 0,9V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A09C	R3111H091C	CMOS-IC	Voltage Detector 0,9V, Reset Open drain output	SOT89	20vd	VD6 Ric
A1	D70G.05T1	SI-NPN	Switching, 200/150V, 50mA	SOT89	20tb	- Gen
A10A	R3111H101A	CMOS-IC	Voltage Detector 1V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A10C	R3111H101C	CMOS-IC	Voltage Detector 1V, Reset Open drain output	SOT89	20vd	VD6 Ric
A11A	R3111H111A	CMOS-IC	Voltage Detector 1,1V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A11C	R3111H111C	CMOS-IC	Voltage Detector 1,1V, Reset Open drain output	SOT89	20vd	VD6 Ric
A12A	R3111H121A	CMOS-IC	Voltage Detector 1,2V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A12C	R3111H121C	CMOS-IC	Voltage Detector 1,2V, Reset Open drain output	SOT89	20vd	VD6 Ric
A13A	R3111H131A	CMOS-IC	Voltage Detector 1,3V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A13C	R3111H131C	CMOS-IC	Voltage Detector 1,3V, Reset Open drain output	SOT89	20vd	VD6 Ric
A14A	R3111H141A	CMOS-IC	Voltage Detector 1,4V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A14C	R3111H141C	CMOS-IC	Voltage Detector 1,4V, Reset Open drain output	SOT89	20vd	VD6 Ric
A15	XC31PPS0015AP	VR-IC	Temperature Sensitive, +T*coefficient, 1,5V±5%, 50mA	SOT89	20vrb	VR1 Tor
A15A	R3111H151A	CMOS-IC	Voltage Detector 1,5V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A15C	R3111H151C	CMOS-IC	Voltage Detector 1,5V, Reset Open drain output	SOT89	20vd	VD6 Ric
A16	XC31PNS0016AP	VR-IC	Temperature Sensitive, -T*coefficient, 1,6V±5%, 50mA	SOT89	20vrb	VR1 Tor
A16	XC31PPS0016AP	VR-IC	Temperature Sensitive, +T*coefficient, 1,6V±5%, 50mA	SOT89	20vrb	VR1 Tor
A16A	R3111H161A	CMOS-IC	Voltage Detector 1,6V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A16C	R3111H161C	CMOS-IC	Voltage Detector 1,6V, Reset Open drain output	SOT89	20vd	VD6 Ric
A17	XC31PNS0017AP	VR-IC	Temperature Sensitive, -T*coefficient, 1,7V±5%, 50mA	SOT89	20vrb	VR1 Tor
A17	XC31PPS0017AP	VR-IC	Temperature Sensitive, +T*coefficient, 1,7V±5%, 50mA	SOT89	20vrb	VR1 Tor
A17A	R3111H171A	CMOS-IC	Voltage Detector 1,7V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A17C	R3111H171C	CMOS-IC	Voltage Detector 1,7V, Reset Open drain output	SOT89	20vd	VD6 Ric
A18	XC31PNS0018AP	VR-IC	Temperature Sensitive, -T*coefficient, 1,8V±5%, 50mA	SOT89	20vrb	VR1 Tor
A18	XC31PPS0018AP	VR-IC	Temperature Sensitive, +T*coefficient, 1,8V±5%, 50mA	SOT89	20vrb	VR1 Tor
A18A	R3111H181A	CMOS-IC	Voltage Detector 1,8V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A18C	R3111H181C	CMOS-IC	Voltage Detector 1,8V, Reset Open drain output	SOT89	20vd	VD6 Ric
A19	XC31PNS0019AP	VR-IC	Temperature Sensitive, -T*coefficient, 1,9V±5%, 50mA	SOT89	20vrb	VR1 Tor
A19	XC31PPS0019AP	VR-IC	Temperature Sensitive, +T*coefficient, 1,9V±5%, 50mA	SOT89	20vrb	VR1 Tor
A19A	R3111H191A	CMOS-IC	Voltage Detector 1,9V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A19C	R3111H191C	CMOS-IC	Voltage Detector 1,9V, Reset Open drain output	SOT89	20vd	VD6 Ric
A10	STB1132-O	Si-PNP	AF, 40V, 1A, 500mW, B=100...200, 150MHz	SOT89	20tb	- Auk
A1Y	STB1132-Y	Si-PNP	AF, 40V, 1A, 500mW, B=180...320, 150MHz	SOT89	20tb	- Auk
A20	XC31PNS0020AP	VR-IC	Temperature Sensitive, -T*coefficient, 2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A20	XC31PPS0020AP	VR-IC	Temperature Sensitive, +T*coefficient, 2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A20A	R3111H201A	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A20C	R3111H201C	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT89	20vd	VD6 Ric
A21	XC31PNS0021AP	VR-IC	Temperature Sensitive, -T*coefficient, 2,1V±5%, 50mA	SOT89	20vrb	VR1 Tor
A21	XC31PPS0021AP	VR-IC	Temperature Sensitive, +T*coefficient, 2,1V±5%, 50mA	SOT89	20vrb	VR1 Tor
A21A	R3111H211A	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A21C	R3111H211C	CMOS-IC	Voltage Detector 2,1V, Reset Open drain output	SOT89	20vd	VD6 Ric
A22	XC31PNS0022AP	VR-IC	Temperature Sensitive, -T*coefficient, 2,2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A22	XC31PPS0022AP	VR-IC	Temperature Sensitive, +T*coefficient, 2,2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A22A	R3111H221A	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A22C	R3111H221C	CMOS-IC	Voltage Detector 2,2V, Reset Open drain output	SOT89	20vd	VD6 Ric
A23	XC31PNS0023AP	VR-IC	Temperature Sensitive, -T*coefficient, 2,3V±5%, 50mA	SOT89	20vrb	VR1 Tor
A23	XC31PPS0023AP	VR-IC	Temperature Sensitive, +T*coefficient, 2,3V±5%, 50mA	SOT89	20vrb	VR1 Tor
A23A	R3111H231A	CMOS-IC	Voltage Detector 2,3V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A23C	R3111H231C	CMOS-IC	Voltage Detector 2,3V, Reset Open drain output	SOT89	20vd	VD6 Ric
A24	XC31PNS0024AP	VR-IC	Temperature Sensitive, -T*coefficient, 2,4V±5%, 50mA	SOT89	20vrb	VR1 Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
A24	XC31PPS0024AP	VR-IC	Temperature Sensitive, +T*coefficient, 2.4V±5%, 50mA	SOT89	20vrb	VR1	Tor
A24A	R3111H241A	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A24C	R3111H241C	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT89	20vd	VD6	Ric
A25	XC31PNS0025AP	VR-IC	Temperature Sensitive, -T*coefficient, 2.5V±5%, 50mA	SOT89	20vrb	VR1	Tor
A25	XC31PPS0025AP	VR-IC	Temperature Sensitive, +T*coefficient, 2.5V±5%, 50mA	SOT89	20vrb	VR1	Tor
A25A	R3111H251A	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A25C	R3111H251C	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT89	20vd	VD6	Ric
A26	XC31PNS0026AP	VR-IC	Temperature Sensitive, -T*coefficient, 2.6V±5%, 50mA	SOT89	20vrb	VR1	Tor
A26	XC31PPS0026AP	VR-IC	Temperature Sensitive, +T*coefficient, 2.6V±5%, 50mA	SOT89	20vrb	VR1	Tor
A26A	R3111H261A	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A26C	R3111H261C	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT89	20vd	VD6	Ric
A27	PXTA27	Si-NPN-Darl	GP, 60V, 500mA, 1.2W, B>10000, >125MHz	SOT89	20lb	-	Phi
A27	XC31PNS0027AP	VR-IC	Temperature Sensitive, -T*coefficient, 2.7V±5%, 50mA	SOT89	20vrb	VR1	Tor
A27	XC31PPS0027AP	VR-IC	Temperature Sensitive, +T*coefficient, 2.7V±5%, 50mA	SOT89	20vrb	VR1	Tor
A27A	R3111H271A	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A27C	R3111H271C	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SOT89	20vd	VD6	Ric
A28	XC31PNS0028AP	VR-IC	Temperature Sensitive, -T*coefficient, 2.8V±5%, 50mA	SOT89	20vrb	VR1	Tor
A28	XC31PPS0028AP	VR-IC	Temperature Sensitive, +T*coefficient, 2.8V±5%, 50mA	SOT89	20vrb	VR1	Tor
A28A	R3111H281A	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A28C	R3111H281C	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT89	20vd	VD6	Ric
A29	XC31PNS0029AP	VR-IC	Temperature Sensitive, -T*coefficient, 2.9V±5%, 50mA	SOT89	20vrb	VR1	Tor
A29	XC31PPS0029AP	VR-IC	Temperature Sensitive, +T*coefficient, 2.9V±5%, 50mA	SOT89	20vrb	VR1	Tor
A29A	R3111H291A	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A29C	R3111H291C	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT89	20vd	VD6	Ric
A30	XC31PNS0030AP	VR-IC	Temperature Sensitive, -T*coefficient, 3V±5%, 50mA	SOT89	20vrb	VR1	Tor
A30	XC31PPS0030AP	VR-IC	Temperature Sensitive, +T*coefficient, 3V±5%, 50mA	SOT89	20vrb	VR1	Tor
A30A	R3111H301A	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A30C	R3111H301C	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT89	20vd	VD6	Ric
A31	XC31PNS0031AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.1V±5%, 50mA	SOT89	20vrb	VR1	Tor
A31	XC31PPS0031AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.1V±5%, 50mA	SOT89	20vrb	VR1	Tor
A31A	R3111H311A	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A31C	R3111H311C	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT89	20vd	VD6	Ric
A32	XC31PNS0032AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.2V±5%, 50mA	SOT89	20vrb	VR1	Tor
A32	XC31PPS0032AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.2V±5%, 50mA	SOT89	20vrb	VR1	Tor
A32A	R3111H321A	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A32C	R3111H321C	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SOT89	20vd	VD6	Ric
A33	XC31PNS0033AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.3V±5%, 50mA	SOT89	20vrb	VR1	Tor
A33	XC31PPS0033AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.3V±5%, 50mA	SOT89	20vrb	VR1	Tor
A33A	R3111H331A	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A33C	R3111H331C	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT89	20vd	VD6	Ric
A34	XC31PNS0034AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.4V±5%, 50mA	SOT89	20vrb	VR1	Tor
A34	XC31PPS0034AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.4V±5%, 50mA	SOT89	20vrb	VR1	Tor
A34A	R3111H341A	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A34C	R3111H341C	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT89	20vd	VD6	Ric
A35	XC31PNS0035AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.5V±5%, 50mA	SOT89	20vrb	VR1	Tor
A35	XC31PPS0035AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.5V±5%, 50mA	SOT89	20vrb	VR1	Tor
A35A	R3111H351A	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A35C	R3111H351C	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT89	20vd	VD6	Ric
A36	XC31PNS0036AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.6V±5%, 50mA	SOT89	20vrb	VR1	Tor
A36	XC31PPS0036AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.6V±5%, 50mA	SOT89	20vrb	VR1	Tor
A36A	R3111H361A	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A36C	R3111H361C	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT89	20vd	VD6	Ric
A37	XC31PNS0037AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.7V±5%, 50mA	SOT89	20vrb	VR1	Tor
A37	XC31PPS0037AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.7V±5%, 50mA	SOT89	20vrb	VR1	Tor
A37A	R3111H371A	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A37C	R3111H371C	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SOT89	20vd	VD6	Ric
A38	XC31PNS0038AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.8V±5%, 50mA	SOT89	20vrb	VR1	Tor
A38	XC31PPS0038AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.8V±5%, 50mA	SOT89	20vrb	VR1	Tor
A38A	R3111H381A	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A38C	R3111H381C	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT89	20vd	VD6	Ric
A39	XC31PNS0039AP	VR-IC	Temperature Sensitive, -T*coefficient, 3.9V±5%, 50mA	SOT89	20vrb	VR1	Tor
A39	XC31PPS0039AP	VR-IC	Temperature Sensitive, +T*coefficient, 3.9V±5%, 50mA	SOT89	20vrb	VR1	Tor
A39A	R3111H391A	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A39C	R3111H391C	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT89	20vd	VD6	Ric
A4	AP431Y	Vref-IC	Adjustable, Precision, Shunt, 2.495V±1%	SOT89-3L	20rb	RF1	Ana
A40	XC31PNS0040AP	VR-IC	Temperature Sensitive, -T*coefficient, 4V±5%, 50mA	SOT89	20vrb	VR1	Tor
A40	XC31PPS0040AP	VR-IC	Temperature Sensitive, +T*coefficient, 4V±5%, 50mA	SOT89	20vrb	VR1	Tor
A40A	R3111H401A	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT89	20vd	VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прои.
A40C	R3111H401C	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT89	20vd	VD6 Ric
A41	XC31PNS0041AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,1V±5%, 50mA	SOT89	20vrb	VR1 Tor
A41	XC31PPS0041AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,1V±5%, 50mA	SOT89	20vrb	VR1 Tor
A41A	R3111H411A	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A41C	R3111H411C	CMOS-IC	Voltage Detector 4,1V, Reset Open drain output	SOT89	20vd	VD6 Ric
A42	XC31PNS0042AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A42	XC31PPS0042AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A42A	R3111H421A	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A42C	R3111H421C	CMOS-IC	Voltage Detector 4,2V, Reset Open drain output	SOT89	20vd	VD6 Ric
A43	XC31PNS0043AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,3V±5%, 50mA	SOT89	20vrb	VR1 Tor
A43	XC31PPS0043AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,3V±5%, 50mA	SOT89	20vrb	VR1 Tor
A43A	R3111H431A	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A43C	R3111H431C	CMOS-IC	Voltage Detector 4,3V, Reset Open drain output	SOT89	20vd	VD6 Ric
A44	XC31PNS0044AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,4V±5%, 50mA	SOT89	20vrb	VR1 Tor
A44	XC31PPS0044AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,4V±5%, 50mA	SOT89	20vrb	VR1 Tor
A44A	R3111H441A	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A44C	R3111H441C	CMOS-IC	Voltage Detector 4,4V, Reset Open drain output	SOT89	20vd	VD6 Ric
A45	XC31PNS0045AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,5V±5%, 50mA	SOT89	20vrb	VR1 Tor
A45	XC31PPS0045AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,5V±5%, 50mA	SOT89	20vrb	VR1 Tor
A45A	R3111H451A	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A45C	R3111H451C	CMOS-IC	Voltage Detector 4,5V, Reset Open drain output	SOT89	20vd	VD6 Ric
A46	XC31PNS0046AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,6V±5%, 50mA	SOT89	20vrb	VR1 Tor
A46	XC31PPS0046AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,6V±5%, 50mA	SOT89	20vrb	VR1 Tor
A46A	R3111H461A	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A46C	R3111H461C	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output	SOT89	20vd	VD6 Ric
A47	XC31PNS0047AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,7V±5%, 50mA	SOT89	20vrb	VR1 Tor
A47	XC31PPS0047AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,7V±5%, 50mA	SOT89	20vrb	VR1 Tor
A47A	R3111H471A	CMOS-IC	Voltage Detector 4,7V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A47C	R3111H471C	CMOS-IC	Voltage Detector 4,7V, Reset Open drain output	SOT89	20vd	VD6 Ric
A48	XC31PNS0048AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,8V±5%, 50mA	SOT89	20vrb	VR1 Tor
A48	XC31PPS0048AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,8V±5%, 50mA	SOT89	20vrb	VR1 Tor
A48A	R3111H481A	CMOS-IC	Voltage Detector 4,8V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A48C	R3111H481C	CMOS-IC	Voltage Detector 4,8V, Reset Open drain output	SOT89	20vd	VD6 Ric
A49	XC31PNS0049AP	VR-IC	Temperature Sensitive, -T°coefficient, 4,9V±5%, 50mA	SOT89	20vrb	VR1 Tor
A49	XC31PPS0049AP	VR-IC	Temperature Sensitive, +T°coefficient, 4,9V±5%, 50mA	SOT89	20vrb	VR1 Tor
A49A	R3111H491A	CMOS-IC	Voltage Detector 4,9V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A49C	R3111H491C	CMOS-IC	Voltage Detector 4,9V, Reset Open drain output	SOT89	20vd	VD6 Ric
A5	AP431AY	Vref-IC	Adjustable, Peicision, Shunt, 2,495V±0,5%	SOT89-3L	20rb	RF1 Ana
A50	XC31PNS0050AP	VR-IC	Temperature Sensitive, -T°coefficient, 5V±5%, 50mA	SOT89	20vrb	VR1 Tor
A50	XC31PPS0050AP	VR-IC	Temperature Sensitive, +T°coefficient, 5V±5%, 50mA	SOT89	20vrb	VR1 Tor
A50A	R3111H501A	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A50C	R3111H501C	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT89	20vd	VD6 Ric
A51	XC31PNS0051AP	VR-IC	Temperature Sensitive, -T°coefficient, 5,1V±5%, 50mA	SOT89	20vrb	VR1 Tor
A51	XC31PPS0051AP	VR-IC	Temperature Sensitive, +T°coefficient, 5,1V±5%, 50mA	SOT89	20vrb	VR1 Tor
A51A	R3111H511A	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A51C	R3111H511C	CMOS-IC	Voltage Detector 5,1V, Reset Open drain output	SOT89	20vd	VD6 Ric
A52	XC31PNS0052AP	VR-IC	Temperature Sensitive, -T°coefficient, 5,2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A52	XC31PPS0052AP	VR-IC	Temperature Sensitive, +T°coefficient, 5,2V±5%, 50mA	SOT89	20vrb	VR1 Tor
A52A	R3111H521A	CMOS-IC	Voltage Detector 5,2V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A52C	R3111H521C	CMOS-IC	Voltage Detector 5,2V, Reset Open drain output	SOT89	20vd	VD6 Ric
A53	XC31PNS0053AP	VR-IC	Temperature Sensitive, -T°coefficient, 5,3V±5%, 50mA	SOT89	20vrb	VR1 Tor
A53	XC31PPS0053AP	VR-IC	Temperature Sensitive, +T°coefficient, 5,3V±5%, 50mA	SOT89	20vrb	VR1 Tor
A53A	R3111H531A	CMOS-IC	Voltage Detector 5,3V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A53C	R3111H531C	CMOS-IC	Voltage Detector 5,3V, Reset Open drain output	SOT89	20vd	VD6 Ric
A54	XC31PNS0054AP	VR-IC	Temperature Sensitive, -T°coefficient, 5,4V±5%, 50mA	SOT89	20vrb	VR1 Tor
A54	XC31PPS0054AP	VR-IC	Temperature Sensitive, +T°coefficient, 5,4V±5%, 50mA	SOT89	20vrb	VR1 Tor
A54A	R3111H541A	CMOS-IC	Voltage Detector 5,4V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A54C	R3111H541C	CMOS-IC	Voltage Detector 5,4V, Reset Open drain output	SOT89	20vd	VD6 Ric
A55	XC31PNS0055AP	VR-IC	Temperature Sensitive, -T°coefficient, 5,5V±5%, 50mA	SOT89	20vrb	VR1 Tor
A55	XC31PPS0055AP	VR-IC	Temperature Sensitive, +T°coefficient, 5,5V±5%, 50mA	SOT89	20vrb	VR1 Tor
A55A	R3111H551A	CMOS-IC	Voltage Detector 5,5V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A55C	R3111H551C	CMOS-IC	Voltage Detector 5,5V, Reset Open drain output	SOT89	20vd	VD6 Ric
A56A	R3111H561A	CMOS-IC	Voltage Detector 5,6V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A56C	R3111H561C	CMOS-IC	Voltage Detector 5,6V, Reset Open drain output	SOT89	20vd	VD6 Ric
A57A	R3111H571A	CMOS-IC	Voltage Detector 5,7V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A57C	R3111H571C	CMOS-IC	Voltage Detector 5,7V, Reset Open drain output	SOT89	20vd	VD6 Ric
A58A	R3111H581A	CMOS-IC	Voltage Detector 5,8V, Reset Push-pull output	SOT89	20vd	VD7 Ric
A58C	R3111H581C	CMOS-IC	Voltage Detector 5,8V, Reset Open drain output	SOT89	20vd	VD6 Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
A59A	R3111H591A	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A59C	R3111H591C	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SOT89	20vd	VD6	Ric
A60A	R3111H601A	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT89	20vd	VD7	Ric
A60C	R3111H601C	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT89	20vd	VD6	Ric
A8500BAA21	AME8500BEFTAA21	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
A8500BAA27	AME8500BEFTAA27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
A8500BAF27	AME8500BEFTAF27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
A8500BAF40	AME8500BEFTAF40	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
A8500BBA23	AME8500BEFTBA23	CMOS-IC	Voltage Detector 2.32V, -Reset Open drain output	SOT89	20vd	VD7	Ame
A8500CBA27	AME8500CEFTBA27	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT89	20vd	-	Ame
A8500CBA29	AME8500CEFTBA29	CMOS-IC	Voltage Detector 2.93V, -Reset Open drain output	SOT89	20vd	-	Ame
A8500CBA42	AME8500CEFTBA42	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT89	20vd	-	Ame
A8500CCD28	AME8500CEFTCD28	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT89	20vd	-	Ame
A8500CCD46	AME8500CEFTCD46	CMOS-IC	Voltage Detector 4.63V, Reset Push-pull output	SOT89	20vd	-	Ame
A8501AAA21	AME8501AEFTAA21	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT89	20vde	-	Ame
A8501AAF27	AME8501AEFTAF27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT89	20vde	-	Ame
A8501ACA21	AME8501AEFTCA21	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT89	20vde	-	Ame
A8501ADA21	AME8501AEFTDA21	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT89	20vde	-	Ame
AA	2SD1366-AA	Si-NPN	AF, 25V, 1A, 1W, B=85..170, 240MHz	SOT89	20tb	-	Hil
AA	AP431IY	Vref-IC	Adjustable, Precision, Shunt, 2,495V±1%	SOT89-3L	20rb	RF1	Ana
AA	BCX51	Si-PNP	AF, 45V, 1A, 1W, B=40..250, >100MHz	SOT89	20tb	-	Phi,Sie
AA21	AME8500AEFTAA21	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT89	20vde	-	Ame
AAF27	AME8500AEFTAF27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT89	20vde	-	Ame
AAR	2SA1415-R	Si-PNP	Switching, 180V, 200mA, 500mW, B=100..200, >150MHz	SOT89	20tb	-	Say
AAS	2SA1415-S	Si-PNP	Switching, 180V, 200mA, 500mW, B=140..280, >150MHz	SOT89	20tb	-	Say
AAT	2SA1415-T	Si-PNP	Switching, 180V, 200mA, 500mW, B=200..400, >150MHz	SOT89	20tb	-	Say
AB	2SD1366-AB	Si-NPN	AF, 25V, 1A, 1W, B=120..240, 240MHz	SOT89	20tb	-	Hil
AB	AP431IAY	Vref-IC	Adjustable, Precision, Shunt, 2,495V±0,5%	SOT89-3L	20rb	RF1	Ana
AB	BCX51-6	Si-PNP	AF, 45V, 1A, 1W, B=40..100, >100MHz	SOT89	20tb	-	Inf
ABR	2SA1416-R	Si-PNP	HV, Sw, 120V, 1A, 500mW, B=100..200, 120MHz	SOT89	20tb	-	Say
ABS	2SA1416-S	Si-PNP	HV, Sw, 120V, 1A, 500mW, B=140..280, 120MHz	SOT89	20tb	-	Say
ABT	2SA1416-T	Si-PNP	HV, Sw, 120V, 1A, 500mW, B=200..400, 120MHz	SOT89	20tb	-	Say
AC	2SA1690	Si-PNP	Switching, 400V, 100mA, 2W, B=56..270	SOT89	20tb	-	Rhm
AC	2SD1366A-AC	Si-NPN	AF, 30V, 1A, 1W, B=85..170, 240MHz	SOT89	20tb	-	Hil
AC	BCX51-10	Si-PNP	AF, 45V, 1A, 1W, B=63..160, >100MHz	SOT89	20tb	-	Phi,Sie
AC	RXT2907A	Si-PNP	GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SOT89	20tb	-	Rhm
ACA21	AME8500AEFTCA21	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT89	20vde	-	Ame
ACR	2SA1417-R	Si-PNP	HV, Sw, 120V, 2A, 500mW, B=100..200, 120MHz	SOT89	20tb	-	Say
ACS	2SA1417-S	Si-PNP	HV, Sw, 120V, 2A, 500mW, B=140..280, 120MHz	SOT89	20tb	-	Say
ACT	2SA1417-T	Si-PNP	HV, Sw, 120V, 2A, 500mW, B=200..400, 120MHz	SOT89	20tb	-	Say
AD	2SD1366A-AD	Si-NPN	AF, 30V, 1A, 1W, B=120..240, 240MHz	SOT89	20tb	-	Hil
AD	BCX51-16	Si-PNP	AF, 45V, 1A, 1W, B=100..250, >100MHz	SOT89	20tb	-	Phi,Sie
ADA21	AME8500AEFTDA21	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT89	20vde	-	Ame
ADR	2SA1418-R	Si-PNP	HV, Pre-Drive, 180V, 0.7A, 0.5W, B=100..200, 120MHz	SOT89	20tb	-	Say
ADS	2SA1418-S	Si-PNP	HV, Pre-Drive, 180V, 0.7A, 0.5W, B=140..280, 120MHz	SOT89	20tb	-	Say
ADT	2SA1418-T	Si-PNP	HV, Pre-Drive, 180V, 0.7A, 0.5W, B=200..400, 120MHz	SOT89	20tb	-	Say
AE	2SA1363-E	Si-PNP	Relay-Drv, 20V, 2A, 500mW, B=150..300, 80MHz	SOT89	20tb	-	Mit
AE	BCX52	Si-PNP	AF, 60V, 1A, 1W, B=40..250, >100MHz	SOT89	20tb	-	Phi,Sie
AEP	2SB1424-P	Si-PNP	AF, Lo-sat, 20V, 3A, 0.5W, B=82..180, >240MHz	SOT89	20tb	-	Rhm
AEQ	2SB1424-Q	Si-PNP	AF, Lo-sat, 20V, 2A, 0.5W, B=120..270, >240MHz	SOT89	20tb	-	Rhm
AER	2SA1419-R	Si-PNP	HV, Switching, 180V, 1.5A, 500mW, B=200..200, 120MHz	SOT89	20tb	-	Say
AER	2SB1424-R	Si-PNP	AF, Lo-sat, 20V, 2A, 0.5W, B=390..820, >240MHz	SOT89	20tb	-	Rhm
AES	2SA1419-S	Si-PNP	HV, Switching, 180V, 1.5A, 0.5W, B=1540..280, 120MHz	SOT89	20tb	-	Say
AET	2SA1419-T	Si-PNP	HV, Switching, 180V, 1.5A, 0.5W, B=200..400, 120MHz	SOT89	20tb	-	Say
AF	2SA1363-F	Si-PNP	Relay-Drv, 20V, 2A, 500mW, B=250..500, 80MHz	SOT89	20tb	-	Mit
AF	BCX52-06	Si-PNP	AF-Driver, 60V, 1A, 1W, B=40..100, 125MHz	SOT89	20tb	-	Phi
AF	BCX52-6	Si-PNP	AF, 60V, 1A, 1W, B=40..100, >100MHz	SOT89	20tb	-	Inf
AFC	2SA1575-C	Si-PNP	Vid, HF, 200V, 100mA, 500mW, B=40..80, 400MHz	SOT89	20tb	-	Say
AFD	2SA1575-D	Si-PNP	Vid, HF, 200V, 100mA, 500mW, B=60..120, 400MHz	SOT89	20tb	-	Say
AFE	2SA1575-E	Si-PNP	Vid, HF, 200V, 100mA, 500mW, B=100..200, 400MHz	SOT89	20tb	-	Say
AFF	2SA1575-F	Si-PNP	Vid, HF, 200V, 100mA, 500mW, B=160..320, 400MHz	SOT89	20tb	-	Say
AG	2SA1363-G	Si-PNP	Relay-Drv, 20V, 2A, 500mW, B=400..800, 80MHz	SOT89	20tb	-	Mit
AG	BCX52-10	Si-PNP	AF, 60V, 1A, 1W, B=63..160, >100MHz	SOT89	20tb	-	Phi,Sie
AGQ	2SA1729-Q	Si-PNP	Sw, 50V, 1.5A, 1.3W, B=70..140, 300MHz, 50/150ns	SOT89	20tb	-	Say
AGQ	2SA1797-P	Si-PNP	AF, Lo-sat, 50V, 2A, 500mW, B=82..180, >200MHz	SOT89	20tb	-	Rhm
AGQ	2SA1797-Q	Si-PNP	AF, Lo-sat, 50V, 2A, 500mW, B=120..270, >200MHz	SOT89	20tb	-	Rhm
AGR	2SA1729-R	Si-PNP	Sw, 50V, 1.5A, 1.3W, B=100..200, 300MHz, 50/150ns	SOT89	20tb	-	Say
AGS	2SA1729-S	Si-PNP	Sw, 50V, 1.5A, 1.3W, B=140..280, 300MHz, 50/150ns	SOT89	20tb	-	Say

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
AH	BCX53	Si-PNP	AF, 80V, 1A, 1W, B=40..250, >100MHz	SOT89	20b	-	Phi,Sie
AHN	2SA1759-N	Si-PNP	Switching, 400/400V, 100mA, 0.5W, B=82..120, 12MHz	SOT89	20b	-	Rhm
AHP	2SA1759-P	Si-PNP	Switching, 400/400V, 100mA, 0.5W, B=100..160, 12MHz	SOT89	20b	-	Rhm
AHQ	2SA1730-Q	Si-PNP	Sw, 50V, 3A, 1.5W, B=70..140, 300MHz, 50/150ns	SOT89	20b	-	Say
AHQ	2SA1759-Q	Si-PNP	Switching, 400/400V, 100mA, 0.5W, B=140..180, 12MHz	SOT89	20b	-	Rhm
AHQ	2SD2098-Q	Si-NPN	AF-Driver, 50V, 5A, 500mW, B=120..270, >150MHz	SOT89	20b	-	Rhm
AHR	2SA1730-R	Si-PNP	Sw, 50V, 3A, 1.5W, B=100..200, 300MHz, 50/150ns	SOT89	20b	-	Say
AHR	2SD2098-R	Si-NPN	AF-Driver, 50V, 5A, 500mW, B=180..390, >150MHz	SOT89	20b	-	Rhm
AHS	2SA1730-S	Si-PNP	Sw, 50V, 3A, 1.5W, B=140..280, 300MHz, 50/150ns	SOT89	20b	-	Say
AHS	2SD2098-S	Si-NPN	AF-Driver, 50V, 5A, 500mW, B=270..560, >150MHz	SOT89	20b	-	Rhm
AJ	2SA1724	Si-PNP	Vid, Hi-def, 30V, 300mA, 500mW, B=155..100, 1.5GHz	SOT89	20b	-	Say
AJ	BCX53-6	Si-PNP	AF, 80V, 1A, 1W, B=40..100, >100MHz	SOT89	20b	-	Inf
AJN	2SA1812-N	Si-PNP	Switching, 400V, 100mA, 500mW, B=56..120, >12MHz	SOT89	20b	-	Rhm
AJP	2SA1812-P	Si-PNP	Switching, 400V, 100mA, 500mW, B=82..180, >12MHz	SOT89	20b	-	Rhm
AJQ	2SA1812-Q	Si-PNP	Switching, 400V, 100mA, 500mW, B=120..270, >12MHz	SOT89	20b	-	Rhm
AJK	BCX53-10	Si-PNP	AF, 80V, 1A, 1W, B=63..160, >100MHz	SOT89	20b	-	Phi,Sie
AL	2SA1766	Si-PNP	Hi-Ueb, Hi-beta, Lo-sat, 30V, 300mA, 1.3W, B=500..1200	SOT89	20b	-	Say
AL	BCX53-16	Si-PNP	AF, 80V, 1A, 1W, B=100..250, >100MHz	SOT89	20b	-	Phi,Sie
ALP	2SA1900-P	Si-PNP	Lo-sat, 60V, 1A, 500mW, B=82..180, >150MHz	SOT89	20b	-	Rhm
ALQ	2SA1900-Q	Si-PNP	Lo-sat, 60V, 1A, 500mW, B=120..270, >150MHz	SOT89	20b	-	Rhm
ALR	2SA1900-R	Si-PNP	Lo-sat, 60V, 1A, 500mW, B=180..390, >150MHz	SOT89	20b	-	Rhm
AM	BCX52-16	Si-PNP	AF, 60V, 1A, 1W, B=100..250, >100MHz	SOT89	20b	-	Phi,Sie
AMS	2SA1896-S	Si-PNP	DC/DC-Conv, 25V, 2.5A, 1.3W, B=140..280, 400MHz	SOT89	20b	-	Say
AMT	2SA1896-T	Si-PNP	DC/DC-Conv, 25V, 2.5A, 1.3W, B=200..400, 400MHz	SOT89	20b	-	Say
ANR	2SA1898-R	Si-PNP	DC/DC-Conv, 15V, 3A, 1.3W, B=100..200, 400MHz	SOT89	20b	-	Say
ANS	2SA1898-S	Si-PNP	DC/DC-Conv, 15V, 3A, 1.3W, B=140..280, 400MHz	SOT89	20b	-	Say
AO	2KC2880-O	Si-NPN	HV, 150V, 50mA, 500mW, B=70..140, 120MHz	SC-62	20b	-	Tos
AO	KTC4372-O	Si-NPN	HV, Sw, 150V, 50mA, 500mW, B=70..140, 120MHz	SOT89	20b	-	Kec
AQ	2SA1969	Si-PNP	HF, Fast-Sw, 10/10V, 400mA, 1.3W, B=20..120, 1.7GHz	SOT89	20b	-	Say
AQ	2SB766-Q	Si-PNP	AF, 50V, 1A, 1W, B=120..240, 200MHz	SC-62	20b	-	Pan
AR	2SA2011	Si-PNP	Lo-sat, 15V, 6A, 1.3W, B=200..560, 380MHz, 35/1105ns	SOT89	20b	-	Say
AR	2SB766-R	Si-PNP	AF, 50V, 1A, 1W, B=170..340, 200MHz	SC-62	20b	-	Pan
AR	2SC3338	Si-NPN	UHF, 20V, 50mA, 400mW, >3.5GHz	SOT89	20b	-	Hit
AR1	BSR40	Si-NPN	AF, Sw, 70V, 1A, <250/1000ns, B=40..120	SOT89	20b	-	Phi,Ztx
AR2	BSR41	Si-NPN	AF, Switching, 70V, 1A, 1W, B=100..300, >100MHz	SOT89	20b	-	Phi
AR3	BSR42	Si-NPN	AF, Switching, 90V, 1A, 1W, B=40..120, >100MHz	SOT89	20b	-	Phi
AR4	BSR43	Si-NPN	AF, Switching, 90V, 1A, 1W, B=100..300, >100MHz	SOT89	20b	-	Phi
AS	2SA2012	Si-PNP	Lo-sat, 30V, 5A, 1.3W, B=200..560, 420MHz, 50/270ns	SOT89	20b	-	Say
AS	2SB766-S	Si-PNP	AF, 50V, 1A, 1W, B=120..240, 200MHz	SC-62	20b	-	Pan
AS	2SC3380	Si-NPN	Vid, 300V, 100mA, 1W, B=30..200, 80MHz	SOT89	20b	-	Hit
AS1	BST50	Si-NPN-Darl+Di	60V, 0.5/1.5A, 350MHz, B>2000	SOT89	20b	-	Phi
AS2	BST51	Si-NPN-Darl	AF, 80V, 500mA, 1W, B>2000, 350MHz	SOT89	20b	-	Phi
AS3	BST52	Si-NPN-Darl	AF, 90V, 500mA, 1W, B>2000, 350MHz	SOT89	20b	-	Phi
AT	2SA2013	Si-PNP	Lo-sat, 50V, 4A, 1.3W, B=200..560, 400MHz, 30/230ns	SOT89	20b	-	Say
AT1	BST39	Si-PNP	AF, Sw-Vid, 450V, 1A, >70MHz	SOT89	20b	-	Phi,Ztx
AT2	BST40	Si-NPN	AF, Switching, Vid, 300V, 1A, 1W, B>40, >70MHz	SOT89	20b	-	Phi
ATN	2SA1812T-N	Si-PNP	Switching, 400V, 500mA, 500mW, B=56..120, >12MHz	SOT89	20b	-	Rhm
ATP	2SA1812T-P	Si-PNP	Switching, 400V, 500mA, 500mW, B=82..180, >12MHz	SOT89	20b	-	Rhm
ATQ	2SA1812T-Q	Si-PNP	Switching, 400V, 500mA, 500mW, B=120..270, >12MHz	SOT89	20b	-	Rhm
AU	2SA2014	Si-PNP	Relay-Drv, 15V, 9A, 1.3W, B=200..560, 220MHz	SOT89	20b	-	Say
AV	2SA2015	Si-PNP	Lo-sat, 30V, 8A, 1.3W, B=200..560, 320MHz, 30/190ns	SOT89	20b	-	Say
AW	2SA2016	Si-PNP	Lo-sat, 50V, 7A, 1.3W, B=200..560, 330MHz, 40/225ns	SOT89	20b	-	Say
AY	2SC2880-Y	Si-NPN	HV, 150V, 50mA, 500mW, B=120..240, 120MHz	SC-62	20b	-	Tos
AY	KTC4372-Y	Si-NPN	HV, Sw, 150V, 50mA, 500mW, B=120..240, 120MHz	SOT89	20b	-	Kec
AZ	2SJ518	MOS-P-FET-e*	V-MOS, LogL, 60V, 2A, <0.63Q(5A)	SOT89	20fa	-	Hit
B1	AP432Y	Vref-IC	Adjustable, Precision, Shunt, 1.24V±1%	SOT89-3L	20b	RF1	Ana
B1	D71G.05T1	Si-PNP	Sw, 150/150V, 50mA	SOT89	20b	-	Gen
B2	AP432AY	Vref-IC	Adjustable, Precision, Shunt, 1.24V±0.5%	SOT89-3L	20b	RF1	Ana
B6	XC61CC1602P	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT89	20vd	VD7	Tor
B62	S-80841CLUA-B62-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B63	S-80842CLUA-B63-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B64	S-80843CLUA-B64-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B65	S-80844CLUA-B65-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B65	XC61FC1612P	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
B66	S-80845CLUA-B66-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B66	XC61FC1642P	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
B67	S-80846CLUA-B67-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B67	XC61FC1652P	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
B68	S-80847CLUA-B68-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B69	S-80848CLUA-B69-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6A	S-80815CLUA-B6A-T2	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6B	S-80816CLUA-B6B-T2	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6C	S-80817CLUA-B6C-T2	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6D	S-80818CLUA-B6D-T2	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6E	S-80819CLUA-B6E-T2	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6F	S-80820CLUA-B6F-T2	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6G	S-80821CLUA-B6G-T2	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6H	S-80822CLUA-B6H-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6I	S-80823CLUA-B6I-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6J	S-80824CLUA-B6J-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6K	S-80825CLUA-B6K-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6L	S-80826CLUA-B6L-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6M	S-80827CLUA-B6M-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6N	S-80828CLUA-B6N-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6O	S-80829CLUA-B6O-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6P	S-80830CLUA-B6P-T2	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6Q	S-80831CLUA-B6Q-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6R	S-80832CLUA-B6R-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6S	S-80833CLUA-B6S-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6T	S-80834CLUA-B6T-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6U	S-80835CLUA-B6U-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6V	S-80836CLUA-B6V-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6W	S-80837CLUA-B6W-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6X	S-80838CLUA-B6X-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6Y	S-80839CLUA-B6Y-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B6Z	S-80840CLUA-B6Z-T2	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7	ASB0240BD	Si-Diode	Schottky Barrier Rectifier, 40V, 200mA, Vf<0.45V(200mA)	0603	20d	-	Ana
B7	XC61CC1702P	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output	SOT89	20vd	VD7	Tor
B75	XC61FC1712P	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
B76	XC61FC1742P	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
B77	XC61FC1752P	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
B7A	S-80849CLUA-B7A-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7B	S-80850CLUA-B7B-T2	CMOS-IC	Voltage Detector 5.0V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7C	S-80851CLUA-B7C-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7D	S-80852CLUA-B7D-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7E	S-80853CLUA-B7E-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7F	S-80854CLUA-B7F-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7G	S-80855CLUA-B7G-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7H	S-80856CLUA-B7H-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7I	S-80857CLUA-B7I-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7J	S-80858CLUA-B7J-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7K	S-80859CLUA-B7K-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B7L	S-80860CLUA-B7L-T2	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
B8	XC61CC1802P	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT89	20vd	VD7	Tor
B82	S-80841CNUA-B82-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B83	S-80842CNUA-B83-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B84	S-80843CNUA-B84-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B85	S-80844CNUA-B85-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B85	XC61FC1812P	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
B86	S-80845CNUA-B86-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B86	XC61FC1842P	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
B87	S-80846CNUA-B87-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B87	XC61FC1852P	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
B88	S-80847CNUA-B88-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B89	S-80848CNUA-B89-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8A	S-80815CNUA-B8A-T2	CMOS-IC	Voltage Detector 1.5V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8B	S-80816CNUA-B8B-T2	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8C	S-80817CNUA-B8C-T2	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8D	S-80818CNUA-B8D-T2	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8E	S-80819CNUA-B8E-T2	CMOS-IC	Voltage Detector 1.9V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8F	S-80820CNUA-B8F-T2	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8G	S-80821CNUA-B8G-T2	CMOS-IC	Voltage Detector 2.1V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8H	S-80822CNUA-B8H-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8I	S-80823CNUA-B8I-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8J	S-80824CNUA-B8J-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8K	S-80825CNUA-B8K-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SOT89	20vd	VD6	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
B8L	S-80826CNUA-B8L-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8M	S-80827CNUA-B8M-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8N	S-80828CNUA-B8N-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8O	S-80829CNUA-B8O-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8P	S-80830CNUA-B8P-T2	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8Q	S-80831CNUA-B8Q-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8R	S-80832CNUA-B8R-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8S	S-80833CNUA-B8S-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8T	S-80834CNUA-B8T-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8U	S-80835CNUA-B8U-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8V	S-80836CNUA-B8V-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8W	S-80837CNUA-B8W-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8X	S-80838CNUA-B8X-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8Y	S-80839CNUA-B8Y-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B8Z	S-80840CNUA-B8Z-T2	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9	XC61CC1902P	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output	SOT89	20vd	VD7	Tor
B95	XC61FC1912P	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
B96	XC61FC1942P	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
B97	XC61FC1952P	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
B9A	S-80849CNUA-B9A-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9B	S-80850CNUA-B9B-T2	CMOS-IC	Voltage Detector 5V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9C	S-80851CNUA-B9C-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9D	S-80852CNUA-B9D-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9E	S-80853CNUA-B9E-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9F	S-80854CNUA-B9F-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9G	S-80855CNUA-B9G-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9H	S-80856CNUA-B9H-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9I	S-80857CNUA-B9I-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9J	S-80858CNUA-B9J-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9K	S-80859CNUA-B9K-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Open drain output	SOT89	20vd	VD6	Sei
B9L	S-80860CNUA-B9L-T2	CMOS-IC	Voltage Detector 6V, -Reset Open drain output	SOT89	20vd	VD6	Sei
BA	25D1367-BA	Si-NPN	AF, 20V, 2A, 1W, B=100..200, >100MHz	SOT89	20b	-	Hil
BA	AP4321Y	Vref-IC	Adjustable, Precision, Shunt, 1.24V±1%	SOT89-3L	20b	RF1	Ana
BA	BCX54	Si-NPN	AF, 45V, 1A, 1W, B=40..250, >100MHz	SOT89	20b	-	Phi,Sie
BAA21	AME8501BEFTAA21	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
BAA27	AME8501BEFTAA27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
BAF27	AME8501BEFTAF27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
BAF40	AME8501BEFTAF40	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT89	20vd	VD7	Ame
BAP	25B1132-P	Si-PNP	AF, 40V, 2A, 500mW, B=82..180, >150MHz	SOT89	20b	-	Rhm
BAQ	25B1132-Q	Si-PNP	AF, 40V, 2A, 500mW, B=120..270, >150MHz	SOT89	20b	-	Rhm
BAR	25B1132-R	Si-PNP	AF, 40V, 2A, 500mW, B=180..390, >150MHz	SOT89	20b	-	Rhm
BB	25D1367-BB	Si-NPN	AF, 20V, 2A, 1W, B=160..320, >100MHz	SOT89	20b	-	Hil
BB	AP4321AY	Vref-IC	Adjustable, Precision, Shunt, 1.24V±0.5%	SOT89-3L	20b	RF1	Ana
BB	BCX54-6	Si-NPN	AF, 45V, 1A, 1W, B=40..100, >100MHz	SOT89	20b	-	Inf
BBA23	AME8501BEFTBA23	CMOS-IC	Voltage Detector 2.32V, -Reset Open drain output	SOT89	20vd	VD7	Ame
BC	25D1367-BC	Si-NPN	AF, 20V, 2A, 1W, B=250..500, >100MHz	SOT89	20b	-	Hil
BC	BCX54-10	Si-NPN	AF, 45V, 1A, 1W, B=63..180, >100MHz	SOT89	20b	-	Phi,Sie
BCE	25B1120-E	Si-PNP	Relay-Drv, 20V, 2.5A, 1.3W, B=100..200, 250MHz	PCP	20b	-	Say
BCF	25B1120-F	Si-PNP	Relay-Drv, 20V, 2.5A, 1.3W, B=160..320, 250MHz	PCP	20b	-	Say
BCG	25B1120-G	Si-PNP	Relay-Drv, 20V, 2.5A, 1.3W, B=280..560, 250MHz	PCP	20b	-	Say
BCP	25B1188-P	Si-PNP	AF, 40V, 1A, 500mW, B=82..180, >100MHz	SOT89	20b	-	Rhm
BCQ	25B1188-Q	Si-PNP	AF, 40V, 2A, 500mW, B=120..270, >100MHz	SOT89	20b	-	Rhm
BCR	25B1188-R	Si-PNP	AF, 40V, 2A, 500mW, B=180..390, >100MHz	SOT89	20b	-	Rhm
BD	BCX54-16	Si-NPN	AF, 45V, 1A, 1W, B=100..250, >100MHz	SOT89	20b	-	Phi,Sie
BDP	25B1189-P	Si-PNP	AF, 80V, 800mA, 500mW, B=82..180, >100MHz	SOT89	20b	-	Rhm
BDQ	25B1189-Q	Si-PNP	AF, 80V, 800mA, 500mW, B=120..270, >100MHz	SOT89	20b	-	Rhm
BDR	25B1189-R	Si-PNP	AF, 80V, 800mA, 500mW, B=180..390, >100MHz	SOT89	20b	-	Rhm
BE	25C3443-E	Si-NPN	Relay-Drv, 20V, 2A, 500mW, B=150..300, 80MHz	SOT89	20b	-	Mil
BE	BCX55	Si-NPN	AF, 60V, 1A, 1W, B=40..250, >100MHz	SOT89	20b	-	Phi,Sie
BE_	25B1260	Si-PNP	AF, 80V, 1A, 2W, B=82..390, >100MHz	SOT89	20b	-	Rhm
BEP	25B1260-P	Si-PNP	AF, 80V, 1A, 500mW, B=82..180, >80MHz	SOT89	20b	-	Rhm
BEQ	25B1260-Q	Si-PNP	AF, 80V, 1A, 500mW, B=120..270, >80MHz	SOT89	20b	-	Rhm
BER	25B1260-R	Si-PNP	AF, 80V, 1A, 500mW, B=180..390, >80MHz	SOT89	20b	-	Rhm
BF	25C3443-F	Si-NPN	Relay-Drv, 20V, 2A, 500mW, B=250..500, 80MHz	SOT89	20b	-	Mil
BF	BCX55-06	Si-NPN	AF-Driver, 60V, 1A, 1W, B=40..100, 100MHz	SOT89	20b	-	Sie
BF	BCX55-6	Si-NPN	AF, 60V, 1A, 1W, B=40..100, >100MHz	SOT89	20b	-	Inf
BFP	25B1308-P	Si-PNP	Lo-sat, 30V, 3A, 0.5W, B=82..180, >120MHz	SOT89	20b	-	Rhm
BFQ	25B1308-Q	Si-PNP	Lo-sat, 30V, 3A, 0.5W, B=120..270, >120MHz	SOT89	20b	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
BFR	2SB1308-R	Si-PNP	Lo-sat, 30V, 3A, 0.5W, B=180..390, >120MHz	SOT89	20tb	-	Rhm
BG	2SC3443-G	Si-NPN	Relay-Drv, 20V, 2A, 500mW, B=400..800, 80MHz	SOT89	20tb	-	Mit
BG	BCX55-10	Si-NPN	AF, 60V, 1A, 1W, B=63..160, >100MHz	SOT89	20tb	-	Phi,Sie
BH	2SB1001-BH	Si-PNP	AF, 20V, 2A, 1W, B=100..200, 150MHz	SOT89	20tb	-	Hlt
BH	BCX56	Si-NPN	AF, 100V, 1A, 1W, B=40..250, >100MHz	SOT89	20tb	-	Phi,Sie
BHP	2SB1366-P	Si-PNP	AF, 30V, 5A, 500mW, B=82..180, >120MHz	SOT89	20tb	-	Rhm
BHQ	2SB1386-Q	Si-PNP	AF, 30V, 5A, 500mW, B=120..270, >120MHz	SOT89	20tb	-	Rhm
BHR	2SB1366-R	Si-PNP	AF, 30V, 5A, 500mW, B=180..390, >120MHz	SOT89	20tb	-	Rhm
BJ	2SB1001-BJ	Si-PNP	AF, 20V, 2A, 1W, B=160..320, 150MHz	SOT89	20tb	-	Hlt
BJ	BCX56-06	Si-NPN	AF-Driver, 80V, 1A, 1W, B=40..100, 100MHz	SOT89	20tb	-	Sie
BJ	BCX56-6	Si-NPN	AF, 100V, 1A, 1W, B=40..100, >100MHz	SOT89	20tb	-	Inf
BJE	2SB1427-E	Si-PNP	Hi-beta, 20V, 2A, 0.5W, B=390..820, >90MHz	SOT89	20tb	-	Rhm
BJR	2SB1302-R	Si-PNP	DC/DC-Conv, 25V, 5A, 1.3W, B=100..200, 320MHz	PCP	20tb	-	Say
BJS	2SB1302-S	Si-PNP	DC/DC-Conv, 25V, 5A, 1.3W, B=140..280, 320MHz	PCP	20tb	-	Say
BJS	2SB1427-S	Si-PNP	Hi-beta, 20V, 2A, 0.5W, B=270..560, >90MHz	SOT89	20tb	-	Rhm
BJT	2SB1302-T	Si-PNP	DC/DC-Conv, 25V, 5A, 1.3W, B=200..400, 320MHz	PCP	20tb	-	Say
BJU	2SB1427-U	Si-PNP	Hi-beta, 20V, 2A, 0.5W, B=180..390, >90MHz	SOT89	20tb	-	Rhm
BK	2SB1323	Si-PNP-Digi+Di	Mtr-Drv, 40V, 3A, 1.5W, B>70, 100MHz, R1=160Q, R2=0,8k	PCP	20tb	-	Say
BK	BCX56-10	Si-NPN	AF, 100V, 1A, 1W, B=63..160, >100MHz	SOT89	20tb	-	Phi,Sie
BK	BCX56-10R1	Si-NPN	AF, 100V, 1A, 1.5W, B=63..160, >100MHz	SOT89	20tb	-	Ons
BL	2SB1324	Si-PNP-Digi+Di	Motor Drv, 40V, 3A, 1.5W, B>70, 100MHz, R2=800Q	PCP	20tb	-	Say
BL	BCX56-16	Si-NPN	AF, 100V, 1A, 1W, B=100..250, >100MHz	SOT89	20tb	-	Phi,Sie
BLP	2SB1561-P	Si-PNP	Lo-sat, 60V, 2A, 0.5W, B=82..180, >200MHz	SOT89	20tb	-	Rhm
BLQ	2SB1561-Q	Si-PNP	Lo-sat, 60V, 2A, 0.5W, B=120..270, >200MHz	SOT89	20tb	-	Rhm
BM	2SB1325	Si-PNP-Digi+Di	Motor Drv, 25V, 4A, 1.5W, B>70, 300MHz, R2=1.5kQ	PCP	20tb	-	Say
BM	BCX55-16	Si-NPN	AF, 60V, 1A, 1W, B=100..250, >100MHz	SOT89	20tb	-	Phi,Sie
BN	2SB1394	Si-PNP-Digi+Di	Mtr-Drv, 40V, 3A, 1.5W, B>70, 100kHz, R1=90Q, R2=600Q	PCP	20tb	-	Say
BO	2SA1200-O	Si-PNP	HV, 150V, 50mA, 500mW, B=70..140, 120MHz	SC-62	20tb	-	Tos
BO	KTA1660-O	Si-PNP	HV, Sw, 150V, 50mA, 500mW, B=70..140, 120MHz	SOT89	20tb	-	Kec
BOS	2SB1396-S	Si-PNP	DC/DC-Conv, 15V, 3A, 1.3W, B=140..280, 400MHz	PCP	20tb	-	Say
BOU	2SB1396-T	Si-PNP	DC/DC-Conv, 15V, 3A, 1.3W, B=200..400, 400MHz	PCP	20tb	-	Say
BOU	2SB1396-U	Si-PNP	DC/DC-Conv, 15V, 3A, 1.3W, B=280..560, 400MHz	PCP	20tb	-	Say
BP	2SB1397	Si-PNP-Digi+Di	Motor Drv, 25V, 2A, 1.3W, B>70, 300MHz, R2=1.6kQ	PCP	20tb	-	Say
BQ	2SB766A-Q	Si-PNP	AF, 60V, 1A, 1W, B=85..170, 200MHz	SC-62	20tb	-	Pan
BR	2SB766A-R	Si-PNP	AF, 60V, 1A, 1W, B=120..240, 200MHz	SC-62	20tb	-	Pan
BR1	BSR30	Si-PNP	AF, Sw, 70V, 1A, <500/650ns, B>40	SOT89	20tb	-	Phi,Ztx
BR2	BSR31	Si-PNP	AF, Switching, 70V, 1A, 1W, B=100..300, >100MHz	SOT89	20tb	-	Phi
BR3	BSR32	Si-PNP	AF, Switching, 90V, 1A, 1W, B=40..120, >100MHz	SOT89	20tb	-	Phi
BR4	BSR33	Si-PNP	AF, Switching, 90V, 1A, 1W, B=100..300, >100MHz	SOT89	20tb	-	Phi
BS	2SB766A-S	Si-PNP	AF, 60V, 1A, 1W, B=170..340, 200MHz	SC-62	20tb	-	Pan
BS1	BST60	Si-PNP-Darl+Di	60V, 0,5/1,5A, 350MHz, B>2000	SOT89	20tb	-	Phi
BS2	BST61	Si-PNP-Darl	AF, 80V, 500mA, 1W, B>2000, 350MHz	SOT89	20tb	-	Phi
BS3	BST62	Si-PNP-Darl	AF, 90V, 500mA, 1W, B>2000, 350MHz	SOT89	20tb	-	Phi
BT	2SB1048	Si-PNP-Darl	GP, 60V, 1A, 1W, B=2000..100000	UPAK	20tb	-	Hlt
BT1	BST15	Si-PNP	AF/Sw-Vid, 200V, 1A, >15MHz	SOT89	20tb	-	Phi,Ztx
BT2	BST16	Si-PNP	AF, Switching, Vid, 350V, 1A, 1W, B=30..120, >15MHz	SOT89	20tb	-	Phi
BY	2SA1200-Y	Si-PNP	HV, 150V, 50mA, 500mW, B=120..240, 120MHz	SC-62	20tb	-	Tos
BY	2SK1334	MOS-N-FET-e*	V-MOS, 200V, 1A, <3,8Q(0,5A), 13/17ns	SOT89	20fa	-	Hlt
BY	KTA1660-Y	Si-PNP	HV, Sw, 150V, 50mA, 500mW, B=120..240, 120MHz	SOT89	20tb	-	Kec
C0	AP130-41Y	VR-IC	LDO, 4,1V±2%, 300mA	SOT89	20ch	VR1	Ana
C0	XC61CC2002P	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT89	20vd	VDT	Tor
C05	XC61FC2012P	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 200ms	SOT89	20vd	VDT	Tor
C06	XC61FC2042P	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 400ms	SOT89	20vd	VDT	Tor
C07	XC61FC2052P	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 50ms	SOT89	20vd	VDT	Tor
C1	AP130-42Y	VR-IC	LDO, 4,2V±2%, 300mA	SOT89	20ch	VR1	Ana
C1	TC54VC2101MB	CMOS-IC	Voltage Detector 2.1V±1%, -Reset Push-pull output	SOT89	20vd	VDT	Tcs
C1	TC54VC2102MB	CMOS-IC	Voltage Detector 2.1V±2%, -Reset Push-pull output	SOT89	20vd	VDT	Tcs
C1	XC61CC2102P	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT89	20vd	VDT	Tor
C15	XC61FC2112P	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 200ms	SOT89	20vd	VDT	Tor
C16	XC61FC2142P	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 400ms	SOT89	20vd	VDT	Tor
C17	XC61FC2152P	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output, 50ms	SOT89	20vd	VDT	Tor
C2	AP130-43Y	VR-IC	LDO, 4,3V±2%, 300mA	SOT89	20ch	VR1	Ana
C2	TC54VC2201MB	CMOS-IC	Voltage Detector 2.2V±1%, -Reset Push-pull output	SOT89	20vd	VDT	Tcs
C2	TC54VC2202MB	CMOS-IC	Voltage Detector 2.2V±2%, -Reset Push-pull output	SOT89	20vd	VDT	Tcs
C2	XC61CC2202P	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SOT89	20vd	VDT	Tor
C25	XC61FC2212P	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output, 200ms	SOT89	20vd	VDT	Tor
C26	XC61FC2242P	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output, 400ms	SOT89	20vd	VDT	Tor
C27	XC61FC2252P	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output, 50ms	SOT89	20vd	VDT	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
C3	AP130-44Y	VR-IC	LDO, 4.4V±2%, 300mA	SOT89	20ch	VR1	Ana
C3	TC54VC2301MB	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C3	TC54VC2302MB	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C3	XC61CC2302P	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT89	20vd	VD7	Tor
C35	XC61FC2312P	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
C36	XC61FC2342P	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
C37	XC61FC2352P	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
C4	AP130-45Y	VR-IC	LDO, 4.5V±2%, 300mA	SOT89	20ch	VR1	Ana
C4	TC54VC2401MB	CMOS-IC	Voltage Detector 2.4V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C4	TC54VC2402MB	CMOS-IC	Voltage Detector 2.4V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C4	XC61CC2402P	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT89	20vd	VD7	Tor
C45	XC61FC2412P	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
C46	XC61FC2442P	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
C47	XC61FC2452P	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
C5	AP130-46Y	VR-IC	LDO, 4.6V±2%, 300mA	SOT89	20ch	VR1	Ana
C5	TC54VC2501MB	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C5	TC54VC2502MB	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C5	XC61CC2502P	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT89	20vd	VD7	Tor
C55	XC61FC2512P	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
C56	XC61FC2542P	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
C57	XC61FC2552P	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
C6	AP130-47Y	VR-IC	LDO, 4.7V±2%, 300mA	SOT89	20ch	VR1	Ana
C6	TC54VC2601MB	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C6	TC54VC2602MB	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C6	XC61CC2602P	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT89	20vd	VD7	Tor
C65	XC61FC2612P	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
C66	XC61FC2642P	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
C67	XC61FC2652P	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
C7	AP130-48Y	VR-IC	LDO, 4.8V±2%, 300mA	SOT89	20ch	VR1	Ana
C7	TC54VC2701MB	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C7	TC54VC2702MB	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C7	XC61CC2702P	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT89	20vd	VD7	Tor
C75	XC61FC2712P	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
C76	XC61FC2742P	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
C77	XC61FC2752P	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
C8	AP130-49Y	VR-IC	LDO, 4.9V±2%, 300mA	SOT89	20ch	VR1	Ana
C8	TC54VC2801MB	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C8	TC54VC2802MB	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C8	XC61CC2802P	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT89	20vd	VD7	Tor
C85	XC61FC2812P	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
C86	XC61FC2842P	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
C67	XC61FC2852P	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
C9	AP130-50Y	VR-IC	LDO, 5.0V±2%, 300mA	SOT89	20ch	VR1	Ana
C9	TC54VC2901MB	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C9	TC54VC2902MB	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
C9	XC61CC2902P	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT89	20vd	VD7	Tor
C95	XC61FC2912P	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
C96	XC61FC2942P	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
C97	XC61FC2952P	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
CA	25D1368-CA	Si-NPN	AF, 100V, 1A, 1W, B=100...200, 100MHz	SOT89	20b	-	Ren
CA	AP130-15Y	VR-IC	LDO, 1.5V±2%, 300mA	SOT89	20ch	VR1	Ana
CAC	BC868	Si-NPN	GP, 32V, 1A, 1.35W, B=50...375, >40MHz	SOT89	20b	-	Phi
CAR	25C3645-R	Si-NPN	Switching, 180V, 200mA, 500mW, B=100...200, >150MHz	SOT89	20b	-	Say
CAS	25C3645-S	Si-NPN	Switching, 180V, 200mA, 500mW, B=140...280, >150MHz	SOT89	20b	-	Say
CAT	25C3645-T	Si-NPN	Switching, 180V, 200mA, 500mW, B=200...400, >150MHz	SOT89	20b	-	Say
CB	25D1368-CB	Si-NPN	AF, 100V, 1A, 1W, B=160...300, 100MHz	SOT89	20b	-	Ren
CB	AP130-16Y	VR-IC	LDO, 1.6V±2%, 300mA	SOT89	20ch	VR1	Ana
CB	BCX68-10	Si-NPN	AF, 25/20V, 1A, 1W, B=85...160, >100MHz	SOT89	20b	-	Sie
CB	RXT2222A	Si-NPN	GP, 75V, 600mA, 330mW, B=120...360, >300MHz	SOT89	20b	-	Rhm
CBA27	AME8501CEFTBA27	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT89	20vd	VD7	Ame
CBA29	AME8501CEFTBA29	CMOS-IC	Voltage Detector 2.93V, -Reset Open drain output	SOT89	20vd	VD7	Ame
CBA42	AME8501CEFTBA42	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT89	20vd	VD7	Ame
CBG	BC868-10	Si-NPN	GP, 32V, 1A, 1.35W, B=75...150, >40MHz	SOT89	20b	-	Phi
CBN	25C4132-N	Si-NPN	Switching, 120V, 2A, 0.5W, B=56...120, >80MHz	SOT89	20b	-	Rhm
CBP	25C4132-P	Si-NPN	Switching, 120V, 2A, 0.5W, B=82...180, >80MHz	SOT89	20b	-	Rhm
CBQ	25C4132-Q	Si-NPN	Switching, 120V, 2A, 0.5W, B=120...270, >80MHz	SOT89	20b	-	Rhm
CBR	25C3646-R	Si-NPN	HV, Sw, 120V, 1A, 500mW, B=100...200, 120MHz	SOT89	20b	-	Say
CBR	25C4132-R	Si-NPN	Switching, 120V, 2A, 0.5W, B=180...390, >80MHz	SOT89	20b	-	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
CBS	2SC3646-S	Si-NPN	HV, Sw, 120V, 1A, 500mW, B=140 280, 120MHz	SOT89	20tb	-	Say
CBT	2SC3646-T	Si-NPN	HV, Sw, 120V, 1A, 500mW, B=200 400, 120MHz	SOT89	20tb	-	Say
CC	2SA1364-C	Si-PNP	Relay-Drv, 60V, 1A, 500mW, B=55 110, 80MHz	SOT89	20tb	-	Mit
CC	2SD1368-CC'	Si-NPN	AF, 100V, 1A, 1W, B=250 300, 100MHz	SOT89	20tb	-	Ren
CC	AP130-17Y	VR-IC	LDO, 1,7V±2%, 300mA	SOT89	20ch	VR1	Ana
CC	BCX68-16	Si-NPN	AF, 25/20V, 1A, 1W, B=100 250, >100MHz	SOT89	20tb	-	Sie
-CC	BCX68-16	Si-NPN	AF, 25/20V, 1A, 1W, B=100 250, >100MHz	SOT89	20tb	-	Ztx
CCC	BC688-16	Si-NPN	GP, 32V, 1A, 1,35W, B=100 250, >40MHz	SOT89	20tb	-	Phi
CCD28	AME8501CEFTCD28	CMOS-IC	Voltage Detector 2 8V, Reset Push-pull output	SOT89	20vd	-	Ame
CCD46	AME8501CEFTCD46	CMOS-IC	Voltage Detector 4 63V, Reset Push-pull output	SOT89	20vd	-	Ame
CCR	2SC3647-R	Si-NPN	HV, Sw, 120V, 2A, 500mW, B=100 200, 120MHz	SOT89	20tb	-	Say
CCS	2SC3647-S	Si-NPN	HV, Sw, 120V, 2A, 500mW, B=140 280, 120MHz	SOT89	20tb	-	Say
CCT	2SC3647-T	Si-NPN	HV, Sw, 120V, 2A, 500mW, B=200 400, 120MHz	SOT89	20tb	-	Say
CD	2SA1364-D	Si-PNP	Relay-Drv, 60V, 1A, 500mW, B=90 180, 80MHz	SOT89	20tb	-	Mit
CD	AP130-18Y	VR-IC	LDO, 1,8V±2%, 300mA	SOT89	20ch	VR1	Ana
CD	BCX68-25	Si-NPN	AF, 25/20V, 1A, 1W, B=160 375, >100MHz	SOT89	20tb	-	Sie
-CD	BCX68-25	Si-NPN	AF, 25/20V, 1A, 1W, B=160 375, >100MHz	SOT89	20tb	-	Ztx
CDC	BC688-25	Si-NPN	GP, 32V, 1A, 1,35W, B=160 375, >40MHz	SOT89	20tb	-	Phi
CDR	2SC3648-R	Si-NPN	HV, Pre-Drv, 180V, 700mA, 0,5W, B=100 200, 120MHz	SOT89	20tb	-	Say
CDS	2SC3648-S	Si-NPN	HV, Pre-Drv, 180V, 700mA, 0,5W, B=140 280, 120MHz	SOT89	20tb	-	Say
CDT	2SC3648-T	Si-NPN	HV, Pre-Drv, 180V, 700mA, 0,5W, B=200 400, 120MHz	SOT89	20tb	-	Say
CE	2SA1364-E	Si-PNP	Relay-Drv, 60V, 1A, 500mW, B=150 300, 80MHz	SOT89	20tb	-	Mit
CE	AP130-19Y	VR-IC	LDO, 1,9V±2%, 300mA	SOT89	20ch	VR1	Ana
-CE	BCX68	Si-NPN	AF, 25/20V, 1A, 1W, B=85 375, >100MHz	SOT89	20tb	-	Ztx
CEC	BC869	Si-PNP	GP, 32V, 1A, 1,35W, B=50 375, >40MHz	SOT89	20tb	-	Phi
CEN	2SC4504-N	Si-NPN	Vid, 400V, 100mA, 500mW, B=56 120, >20MHz	SOT89	20tb	-	Rhm
CEP	2SC4504-P	Si-NPN	Vid, 400V, 100mA, 500mW, B=82 180, >20MHz	SOT89	20tb	-	Rhm
CEQ	2SC4504-Q	Si-NPN	Vid, 400V, 100mA, 500mW, B=120 270, >20MHz	SOT89	20tb	-	Rhm
CER	2SC3649	Si-NPN	HV, Sw, 180V, 1,5A, 500mW, B=200 200, 120MHz	SOT89	20tb	-	Say
CES	2SC3649	Si-NPN	HV, Sw, 180V, 1,5A, 500mW, B=140 280, 120MHz	SOT89	20tb	-	Say
CET	2SC3649	Si-NPN	HV, Sw, 180V, 1,5A, 500mW, B=200 400, 120MHz	SOT89	20tb	-	Say
CF	AP130-20Y	VR-IC	LDO, 2V±2%, 300mA	SOT89	20ch	VR1	Ana
CF	BCX69-10	Si-PNP	AF, 25/20V, 1A, 1W, B=85 160, >100MHz	SOT89	20tb	-	Sie
CFC	BC869-10	Si-PNP	AF-Driver, 25V, 1A, 1W, B>160, >40MHz	SOT89	20tb	-	Phi
CFQ	2SD2150-Q	Si-NPN	AF-Driver, 40V, 3A, 0,5W, B=120 270, >290MHz	SOT89	20tb	-	Rhm
CFR	2SD2150-R	Si-NPN	AF-Driver, 40V, 3A, 0,5W, B=180 390, >290MHz	SOT89	20tb	-	Rhm
CFS	2SD2150-S	Si-NPN	AF-Driver, 40V, 3A, 0,5W, B=270 560, >290MHz	SOT89	20tb	-	Rhm
CG	AP130-21Y	VR-IC	LDO, 2,1V±2%, 300mA	SOT89	20ch	VR1	Ana
CG	BCX69-16	Si-PNP	AF, 25/20V, 1A, 1W, B=100 250, >100MHz	SOT89	20tb	-	Sie
-CG	BCX69-16	Si-PNP	AF, 25/20V, 1A, 1W, B=100 250, >100MHz	SOT89	20tb	-	Ztx
CGC	BC869-16	Si-PNP	GP, 32V, 1A, 1,35W, B=100 250 >40MHz	SOT89	20tb	-	Phi
CGP	2SC5053-P	Si-NPN	Switching, 60V, 1A, 500mW, B=82 180, >150MHz	SOT89	20tb	-	Rhm
CGQ	2SC5053-Q	Si-NPN	Switching, 60V, 1A, 500mW, B=120 270, >150MHz	SOT89	20tb	-	Rhm
CGR	2SC5053-R	Si-NPN	Switching, 60V, 1A, 500mW, B=180 390, >150MHz	SOT89	20tb	-	Rhm
CH	2SB1002-CH	Si-PNP	AF, 70V, 1A, 1W, B=100 200, 150MHz	SOT89	20tb	-	Hit
CH	AP130-22Y	VR-IC	LDO, 2,2V±2%, 300mA	SOT89	20ch	VR1	Ana
CH	BCX69-25	Si-PNP	AF, 25/20V, 1A, 1W, B=180 375, >100MHz	SOT89	20tb	-	Sie
-CH	BCX69-25	Si-PNP	AF, 25/20V, 1A, 1W, B=180 375, >100MHz	SOT89	20tb	-	Ztx
CHC	BC869-25	Si-PNP	GP, 32V, 1A, 1,35W, B=160 375, >40MHz	SOT89	20tb	-	Phi
CHD	2SC4272-D	Si-NPN	27MHz-CB, 75V, 1A, Pq=1,8W(27MHz), B>80, 250MHz	PCP	20tb	-	Say
CHE	2SC4272-E	Si-NPN	27MHz-CB, 75V, 1A, Pq=1,8W(27MHz), B>100, 250MHz	PCP	20tb	-	Say
CHF	2SC4272-F	Si-NPN	27MHz-CB, 75V, 1A, Pq=1,8W(27MHz), B>160, 250MHz	PCP	20tb	-	Say
CI	AP130-23Y	VR-IC	LDO, 2,3V±2%, 300mA	SOT89	20ch	VR1	Ana
CIC	2SC4080-C	Si-NPN	Vid, HF, 200V, 100mA, 500mW, B=40 80, 400MHz	SOT89	20tb	-	Say
CID	2SC4080-D	Si-NPN	Vid, HF, 200V, 100mA, 500mW, B=60 120, 400MHz	SOT89	20tb	-	Say
CIE	2SC4080-E	Si-NPN	Vid, HF, 200V, 100mA, 500mW, B=100 200, 400MHz	SOT89	20tb	-	Say
CIF	2SC4080-F	Si-NPN	Vid, HF, 200V, 100mA, 500mW, B=160 320, 400MHz	SOT89	20tb	-	Say
CJ	2SB1002-CJ	Si-PNP	AF, 70V, 1A, 1W, B=160 320, 150MHz	SOT89	20tb	-	Hit
CJ	2SC4390	Si-NPN	Hi-beta, Io-sat, 20V, 2A, 500mW, B=800 3200, 260MHz	PCP	20tb	-	Say
CJ	AP130-24Y	VR-IC	LDO, 2,4V±2%, 300mA	SOT89	20ch	VR1	Ana
-CJ	BCX69	Si-PNP	AF, 25/20V, 1A, 1W, B=85 375, >100MHz	SOT89	20tb	-	Ztx
CK	2SD999-CK	Si-NPN	AF-Driver, 30V, 1A, 2W, B=200 400, 130MHz	SOT89	20tb	-	Nec
CK	AP130-25Y	VR-IC	LDO, 2,5V±2%, 300mA	SOT89	20ch	VR1	Ana
CL	2SD999-CL	Si-NPN	AF-Driver, 30V, 1A, 2W, B=135 270, 130MHz	SOT89	20tb	-	Nec
CL	AP130-26Y	VR-IC	LDO, 2,6V±2%, 300mA	SOT89	20ch	VR1	Ana
CM	2SD999-CM	Si-NPN	AF-Driver, 30V, 1A, 2W, B=90 180, 130MHz	SOT89	20tb	-	Nec
CM	AP130-27Y	VR-IC	LDO, 2,7V±2%, 300mA	SOT89	20ch	VR1	Ana
CN	AP130-28Y	VR-IC	LDO, 2,8V±2%, 300mA	SOT89	20ch	VR1	Ana

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
CO	25C2881-O	Si-NPN	HV, 120V, 80mA, 500mW, B=70..140, 120MHz	SC-62	20lb	-	Tos
CO	AP130-29Y	VR-IC	LDO, 2.9V±2%, 300mA	SOT89	20ch	VR1	Ana
CP	25B767-P	Si-PNP	AF, 80V, 1A, 1W, B=70..130, 120MHz	SC-62	20lb	-	Pan
CP	AP130-30Y	VR-IC	LDO, 3V±2%, 300mA	SOT89	20ch	VR1	Ana
CQ	25B767-Q	Si-PNP	AF, 80V, 1A, 1W, B=90..155, 120MHz	SC-62	20lb	-	Pan
CQ	AP130-31Y	VR-IC	LDO, 3.1V±2%, 300mA	SOT89	20ch	VR1	Ana
CR	25B767-R	Si-PNP	AF, 80V, 1A, 1W, B=130..200, 120MHz	SC-62	20lb	-	Pan
CR	25C4422	Si-NPN	UHF, 15V, 50mA, 400mW, B=50..250, >4.5GHz	SOT89	20lb	-	Hil
CR	AP130-32Y	VR-IC	LDO, 3.2V±2%, 300mA	SOT89	20ch	VR1	Ana
CS	25B767-S	Si-PNP	AF, 80V, 1A, 1W, B=90..155, 120MHz	SC-62	20lb	-	Pan
CS	AP130-33Y	VR-IC	LDO, 3.3V±2%, 300mA	SOT89	20ch	VR1	Ana
CT	AP130-34Y	VR-IC	LDO, 3.4V±2%, 300mA	SOT89	20ch	VR1	Ana
CU	AP130-35Y	VR-IC	LDO, 3.5V±2%, 300mA	SOT89	20ch	VR1	Ana
CV	AP130-36Y	VR-IC	LDO, 3.6V±2%, 300mA	SOT89	20ch	VR1	Ana
CW	AP130-37Y	VR-IC	LDO, 3.7V±2%, 300mA	SOT89	20ch	VR1	Ana
CX	AP130-38Y	VR-IC	LDO, 3.8V±2%, 300mA	SOT89	20ch	VR1	Ana
CY	25C2881-Y	Si-NPN	HV, 120V, 80mA, 500mW, B=120..240, 120MHz	SC-62	20lb	-	Tos
CY	25J186	MOS-P-FET-e*	V-MOS, 200V, 500mA, <12Q(0,25A),12/32ns	SOT89	20fi	-	Hil
CY	AP130-39Y	VR-IC	LDO, 3.9V±2%, 300mA	SOT89	20ch	VR1	Ana
CZ	AP130-40Y	VR-IC	LDO, 4V±2%, 300mA	SOT89	20ch	VR1	Ana
CZD	25C5347-D	Si-NPN	UHF-Amp, 20V, 150mA, 1.3W, B=60..120, 4.7GHz	SOT89	20lb	-	Say
CZE	25C5347-E	Si-NPN	UHF-Amp, 20V, 150mA, 1.3W, B=90..180, 4.7GHz	SOT89	20lb	-	Say
CZF	25C5347-F	Si-NPN	UHF-Amp, 20V, 150mA, 1.3W, B=130..270, 4.7GHz	SOT89	20lb	-	Say
D0	TC54VC3001MB	CMOS-IC	Voltage Detector 3.0V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D0	TC54VC3002MB	CMOS-IC	Voltage Detector 3.0V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D0	XC61CC3002P	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D05	XC61FC3012P	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D06	XC61FC3042P	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D07	XC61FC3052P	CMOS-IC	Voltage Detector 3V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D1	TC54VC3101MB	CMOS-IC	Voltage Detector 3.1V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D1	TC54VC3102MB	CMOS-IC	Voltage Detector 3.1V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D1	XC61CC3102P	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D15	XC61FC3112P	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D16	XC61FC3142P	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D17	XC61FC3152P	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D2	TC54VC3201MB	CMOS-IC	Voltage Detector 3.2V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D2	TC54VC3202MB	CMOS-IC	Voltage Detector 3.2V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D2	XC61CC3202P	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D25	XC61FC3212P	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D26	XC61FC3242P	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D27	XC61FC3252P	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D2A	S-80844KLU-A-D2A-T2	CMOS-IC	Voltage Detector 4.45V, -Reset Push-pull output	SOT89	20vd	VD7	Sei
D2B	S-80824KNUA-D2B-T2	CMOS-IC	Voltage Detector 2.45V, -Reset Open drain output	SOT89	20vd	VD6	Sei
D2C	S-80846KNUA-D2C-T2	CMOS-IC	Voltage Detector 4.65V, -Reset Open drain output	SOT89	20vd	VD6	Sei
D3	TC54VC3301MB	CMOS-IC	Voltage Detector 3.3V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D3	TC54VC3302MB	CMOS-IC	Voltage Detector 3.3V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D3	XC61CC3302P	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D35	XC61FC3312P	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D36	XC61FC3342P	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D37	XC61FC3352P	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D4	TC54VC3401MB	CMOS-IC	Voltage Detector 3.4V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D4	TC54VC3402MB	CMOS-IC	Voltage Detector 3.4V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D4	XC61CC3402P	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D45	XC61FC3412P	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D46	XC61FC3442P	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D47	XC61FC3452P	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D5	TC54VC3501MB	CMOS-IC	Voltage Detector 3.5V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D5	TC54VC3502MB	CMOS-IC	Voltage Detector 3.5V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D5	XC61CC3502P	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D55	XC61FC3512P	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D56	XC61FC3542P	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D57	XC61FC3552P	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D6	TC54VC3601MB	CMOS-IC	Voltage Detector 3.6V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D6	TC54VC3602MB	CMOS-IC	Voltage Detector 3.6V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D6	XC61CC3602P	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D65	XC61FC3612P	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D65	XC61FC3642P	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D67	XC61FC3652P	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
D7	TC54VC3701MB	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D7	TC54VC3702MB	CMOS-IC	Voltage Detector 3.7V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D7	XC61CC3702P	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D75	XC61FC3712P	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D76	XC61FC3742P	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D77	XC61FC3752P	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D8	TC54VC3801MB	CMOS-IC	Voltage Detector 3.8V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D8	TC54VC3802MB	CMOS-IC	Voltage Detector 3.8V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D8	XC61CC3802P	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D85	XC61FC3812P	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D86	XC61FC3842P	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D87	XC61FC3852P	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
D9	TC54VC3901MB	CMOS-IC	Voltage Detector 3.9V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D9	TC54VC3902MB	CMOS-IC	Voltage Detector 3.9V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
D9	XC61CC3902P	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT89	20vd	VD7	Tor
D95	XC61FC3912P	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
D96	XC61FC3942P	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
D97	XC61FC3952P	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
DA	2SD1418-DA	Si-NPN	AF, 120V, 1A, 1W, B=60..120, >100MHz	SOT89	20tb	-	Hit
DA	BF622	Si-NPN	Vid, 250V, 50mA, 1.25W, B>50, >60MHz	SOT89	20tb	-	Phi,Sie
DAP	2SD1664-P	Si-NPN	AF-Driver, 40V, 1A, 500mW, B=82..180, >150MHz	SOT89	20tb	-	Rhm
DAQ	2SD1664-Q	Si-NPN	AF-Driver, 40V, 1A, 500mW, B=120..270, >150MHz	SOT89	20tb	-	Rhm
DAR	2SD1664-R	Si-NPN	AF-Driver, 40V, 1A, 500mW, B=180..390, >150MHz	SOT89	20tb	-	Rhm
DB	2SD1418-DB	Si-NPN	AF, 120V, 1A, 1W, B=100..200, >100MHz	SOT89	20tb	-	Hit
DB	BF623	Si-PNP	Vid, 250V, 50mA, 1.25W, B>50, >60MHz	SOT89	20tb	-	Phi,Sie
DBP	2SD1766B-P	Si-NPN	AF-Driver, 2A, 500mW, B=82..180, >100MHz	SOT89	20tb	-	Rhm
DBQ	2SD1766B-Q	Si-NPN	AF-Driver, 2A, 500mW, B=120..270, >100MHz	SOT89	20tb	-	Rhm
DBR	2SD1766B-R	Si-NPN	AF-Driver, 2A, 500mW, B=180..390, >100MHz	SOT89	20tb	-	Rhm
DC	2SC3444-C	Si-NPN	Relay-Drv, 60V, 1A, 500mW, B=55..110, 80MHz	SOT89	20tb	-	Mit
DC	2SD1418-DC	Si-NPN	AF, 120V, 1A, 1W, B=160..320, >100MHz	SOT89	20tb	-	Hit
DC	BF620	Si-NPN	Vid, 300V, 50mA, 1.25W, B>50, >60MHz	SOT89	20tb	-	Phi
DC	BFN20	Si-NPN	Vid, 300V, 20..50mA, >60MHz	SOT89	20tb	-	Sie
DCP	2SD1767-P	Si-NPN	GP, AF, 80V, 700mA, 500mW, B=82..180, >120MHz	SOT89	20tb	-	Rhm
DCQ	2SD1767-Q	Si-NPN	GP, AF, 80V, 700mA, 500mW, B=120..270, >120MHz	SOT89	20tb	-	Rhm
DCR	2SD1767-R	Si-NPN	GP, AF, 80V, 700mA, 500mW, B=180..390, >120MHz	SOT89	20tb	-	Rhm
DD	2SC3444-D	Si-NPN	Relay-Drv, 60V, 1A, 500mW, B=90..180, 80MHz	SOT89	20tb	-	Mit
DD	2SD1419-DD	Si-NPN	AF, 120V, 1A, 1W, B=60..120, >100MHz	SOT89	20tb	-	Hit
DD	BFN16	Si-NPN	Vid, 250V, 0.2A, >60MHz	SOT89	20tb	-	Sie,Ztx
DDP	2SD1766D-P	Si-NPN	AF-Driver, 2A, 500mW, B=82..180, >100MHz	SOT89	20tb	-	Rhm
DDQ	2SD1766D-Q	Si-NPN	AF-Driver, 2A, 500mW, B=120..270, >100MHz	SOT89	20tb	-	Rhm
DDR	2SD1766D-R	Si-NPN	AF-Driver, 2A, 500mW, B=180..390, >100MHz	SOT89	20tb	-	Rhm
DE	2SC3444-E	Si-NPN	Relay-Drv, 60V, 1A, 500mW, B=150..300, 80MHz	SOT89	20tb	-	Mit
DE	2SD1419-DE	Si-NPN	AF, 120V, 1A, 1W, B=100..200, >100MHz	SOT89	20tb	-	Hit
DE	2SD1834	Si-NPN-Darl	AF-Driver, 60V, 1A, 500mW, B>2000	SOT89	20tb	-	Rhm
DE	BFN18	Si-NPN	Vid, 300V, 200mA, 1W, B>30, >70MHz	SOT89	20tb	-	Sie
DF	BF621	Si-PNP	Vid, 300V, 50mA, 1.25W, B>50, >60MHz	SOT89	20tb	-	Phi
DF	BFN21	Si-PNP	Vid, 300V, 20..50mA, >60MHz	SOT89	20tb	-	Sie
DF	2SD1898	Si-NPN	AF-Driver, 80V, 1A, 2W, B=82..390, >100MHz	SOT89	20tb	-	Rhm
DG	BFN17	Si-PNP	Vid, 250V, 200mA, 1W, B>40, >100MHz	SOT89	20tb	-	Sie,Ztx
DGQ	2SD1963-Q	Si-NPN	AF-Driver, 50V, 3A, 500mW, B=120..270, >150MHz	SOT89	20tb	-	Rhm
DGR	2SD1963-R	Si-NPN	AF-Driver, 50V, 3A, 500mW, B=180..390, >150MHz	SOT89	20tb	-	Rhm
DGS	2SD1963-S	Si-NPN	AF-Driver, 50V, 3A, 500mW, B=270..560, >150MHz	SOT89	20tb	-	Rhm
DH	2SB1025-DH	Si-PNP	AF, 120V, 1A, 1W, B=60..120, >100MHz	SOT89	20tb	-	Hit
DH	BFN19	Si-PNP	Vid, 300V, 200mA, 1W, B>30, >100MHz	SOT89	20tb	-	Sie
DJ	2SB1025-DJ	Si-PNP	AF, 120V, 1A, 1W, B=100..200, >100MHz	SOT89	20tb	-	Hit
DJQ	2SD2098-Q	Si-NPN	AF-Driver, 50V, 5A, 500mW, B=120..270, >150MHz	SOT89	20tb	-	Rhm
DJR	2SD2098-R	Si-NPN	AF-Driver, 50V, 5A, 500mW, B=180..390, >150MHz	SOT89	20tb	-	Rhm
DJS	2SD2098-S	Si-NPN	AF-Driver, 50V, 5A, 500mW, B=270..560, >150MHz	SOT89	20tb	-	Rhm
DK	2SB1025-DK	Si-PNP	AF, 120V, 1A, 1W, B=160..320, >100MHz	SOT89	20tb	-	Hit
DKP	2SC4672-P	Si-NPN	AF-Driver, 60V, 2A, 500mW, B=82..180, >210MHz	SOT89	20tb	-	Rhm
DKQ	2SC4672-Q	Si-NPN	AF-Driver, 60V, 2A, 500mW, B=120..270, >210MHz	SOT89	20tb	-	Rhm
DL	2SB1026-DL	Si-PNP	AF, 120V, 1A, 1W, B=60..120, >100MHz	SOT89	20tb	-	Hit
DL	2SD2099	Si-NPN-Digi+Di	Mtr-Drv, 40V, 3A, 1.5W, B>70, 100kHz, R1=900, R2=800Ω	PCP	20tb	-	Say
DLN	2SD2167-N	Si-NPN	Rel-Drv, 31V, 2A, 500mW, B=56..120, >100MHz, Z-DI	SOT89	20tb	-	Rhm
DLP	2SD2167-P	Si-NPN	Rel-Drv, 31V, 2A, 500mW, B=82..180, >100MHz, Z-DI	SOT89	20tb	-	Rhm
DLQ	2SD2167-Q	Si-NPN	Rel-Drv, 31V, 2A, 500mW, B>120, >100MHz, Z-DI	SOT89	20tb	-	Rhm
DM	2SB1026-DM	Si-PNP	AF, 120V, 1A, 1W, B=100..200, >100MHz	SOT89	20tb	-	Hit
DM	2SD1998	Si-NPN-Digi+Di	Motor Drv, 40V, 3A, 1.5W, B>70, 100MHz, R2=800Ω	PCP	20tb	-	Say

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
DM	2SD2170	SI-NPN-Darl	AF, 90V, 2A, 500mW, B=1000..10000, >80MHz	SOT89	201b	-	Rhm
DN	2SD1999	SI-NPN-Digi+Di	Motor-Dr, 25V, 4A, 1.5W, B>70, 200MHz, R2=1.5kΩ	PCP	201b	-	Say
DO	2SA1201-O	SI-PNP	HV, 120V, 80mA, 500mW, B=70..140, 120MHz	SC-62	201b	-	Tos
DO	2SD1997	SI-NPN-Digi+Di	Mtr-Dr, 40V, 3A, 1.5W, B>70, 100MHz, R1=160Ω, R2=0.8k	PCP	201b	-	Say
DP	2SB789-P	SI-PNP	AF-Driver, 100V, 1A, 1W, B=60..120, 120MHz	SC-62	201b	-	Pan
DP	2SD2100	SI-NPN-Digi+Di	Motor Drv, 25V, 2A, 1.3W, B>70, 200MHz, R2=1.6kΩ	PCP	201b	-	Say
DP	2SD2195	SI-NPN-Darl+Di	GP, 100/100V, 2A, B=1000..10000	SOT89	201b	-	Rhm
DP	HQ1L2N	SI-PNP-Digi	Switching, 20V, 2A, 2W, R1/R2=0k47/47k7	SDT89	201b	-	Nec
DQ	2SB789-Q	SI-PNP	AF-Driver, 100V, 1A, 1W, B=90.155, 120MHz	SC-62	201b	-	Pan
DQ	2SD2176	SI-NPN-Darl+Di	Motor-Drv, 50V, 1.2A, 1.3W, B=1000..2000, Z-DI(B > C)	PCP	201b	-	Say
DQ	HQ1A3M	SI-PNP-Digi	Switching, 20V, 2A, 2W, R1/R2=1k1/1k	SOT89	201b	-	Nec
DQN	2SD2211-N	SI-NPN	AF, Switching, 180V, 1.5A, 500mW, B=56..120, >80MHz	SOT89	201b	-	Rhm
DQP	2SD2211-P	SI-NPN	AF, Switching, 160V, 1.5A, 500mW, B=82..180, >80MHz	SOT89	201b	-	Rhm
DQQ	2SD2211-Q	SI-NPN	AF, Switching, 160V, 1.5A, 500mW, B=120..270, >80MHz	SOT89	201b	-	Rhm
DR	2SB789-S	SI-PNP	AF-Driver, 100V, 1A, 1W, B=130..220, 120MHz	SC-62	201b	-	Pan
DR	2SC4643	SI-NPN	UHF, 15V, 50mA, 400mW, B=40..250, >5.5GHz	SOT89	201b	-	Hit
DR	2SD2212	SI-NPN-Darl+Di	60V, 2/3A, 80MHz, B>1000, Z-DI(B > C)	SOT89	201b	-	Rhm
DR	2SD2261	SI-NPN-Darl+Di	Motor Drv, 80V, 2.5A, 1.5W, B=2000..30000	PCP	201b	-	Say
DR	HQ1F3M	SI-PNP-Digi	Switching, 20V, 2A, 2W, R1/R2=0k22/2k2	SOT89	201b	-	Nec
DS	2SB789-S	SI-PNP	AF-Driver, 100V, 1A, 1W, B=170..340, 120MHz	SC-62	201b	-	Pan
DS	HQ1F3P	SI-PNP-Digi	Switching, 20V, 2A, 2W, R1/R2=2k2/10k	SOT89	201b	-	Nec
DT	HQ1L2Q	SI-PNP-Digi	Switching, 20V, 2A, 2W, R1/R2=4k7/10k	SOT89	201b	-	Nec
DTP	2SD2391-P	SI-NPN	AF, 60V, 2A, 500mW, B=82..180, >210MHz	SOT89	201b	-	Rhm
DTQ	2SD2391-Q	SI-NPN	AF, 60V, 2A, 500mW, B=120..270, >210MHz	SOT89	201b	-	Rhm
DU	HQ1F2Q	SI-PNP-Digi	Switching, 20V, 2A, 2W, R1/R2=10k/10k	SOT89	201b	-	Nec
DX	HQ1A4A	SI-PNP-Digi	Switching, 20V, 2A, 2W, R2=10k	SOT89	201b	-	Nec
DY	2SA1201-Y	SI-PNP	HV, 120V, 80mA, 500mW, B=120..240, 120MHz	SC-62	201b	-	Tos
DY	2SK1579	MOS-N-FET-e*	V-MOS, Rgate, 12V, ±2A, 500/1500ns	SOT89	201a	-	Hit
E0	TC54VC4001MB	CMOS-IC	Voltage Detector 4.0V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E0	TC54VC4002MB	CMOS-IC	Voltage Detector 4.0V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E0	XC61CC4002P	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E01	DTDG14GP	SI-NPN-Digi	Switching, 60V, 1A, 500mW, B>300, >80MHz, R2=10k	SOT89	201b	-	Rhm
E02	DTDG23YP	SI-NPN-Digi	Sw, 50V, 1A, 1.5mW, 250MHz, R1/R2=4k7/4k7+ Z-DI	MPT3	201b	-	Rhm
E05	XC61FC4012P	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E06	XC61FC4042P	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E07	XC61FC4052P	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E1	TC54VC4101MB	CMOS-IC	Voltage Detector 4.1V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E1	TC54VC4102MB	CMOS-IC	Voltage Detector 4.1V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E1	XC61CC4102P	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E15	XC61FC4112P	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E16	XC61FC4142P	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E17	XC61FC4152P	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E2	TC54VC4201MB	CMOS-IC	Voltage Detector 4.2V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E2	TC54VC4202MB	CMOS-IC	Voltage Detector 4.2V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E2	XC61CC4202P	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E25	XC61FC4212P	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E26	XC61FC4242P	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E27	XC61FC4252P	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E3	TC54VC4301MB	CMOS-IC	Voltage Detector 4.3V±1%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E3	TC54VC4302MB	CMOS-IC	Voltage Detector 4.3V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E3	XC61CC4302P	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E35	XC61FC4312P	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E36	XC61FC4342P	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E37	XC61FC4352P	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E4	TC54VC4401MB	CMOS-IC	Voltage Detector 4.4V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
E4	TC54VC4402MB	CMOS-IC	Voltage Detector 4.4V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E4	XC61CC4402P	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E45	XC61FC4412P	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E46	XC61FC4442P	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E47	XC61FC4452P	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E5	TC54VC4501MB	CMOS-IC	Voltage Detector 4.5V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
E5	TC54VC4502MB	CMOS-IC	Voltage Detector 4.5V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E5	XC61CC4502P	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E55	XC61FC4512P	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E56	XC61FC4542P	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E57	XC61FC4552P	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E6	TC54VC4601MB	CMOS-IC	Voltage Detector 4.6V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
E6	TC54VC4602MB	CMOS-IC	Voltage Detector 4.6V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
E6	XC61CC4602P	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E65	XC61FC4612P	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E66	XC61FC4642P	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E67	XC61FC4652P	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E7	TC54VC4701MB	CMOS-IC	Voltage Detector 4.7V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
E7	TC54VC4702MB	CMOS-IC	Voltage Detector 4.7V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E7	XC61CC4702P	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E75	XC61FC4712P	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E76	XC61FC4742P	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E77	XC61FC4752P	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E8	TC54VC4801MB	CMOS-IC	Voltage Detector 4.8V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
E8	TC54VC4802MB	CMOS-IC	Voltage Detector 4.8V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E8	XC61CC4802P	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E85	XC61FC4812P	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E86	XC61FC4842P	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E87	XC61FC4852P	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
E9	TC54VC5901MB	CMOS-IC	Voltage Detector 4.9V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
E9	TC54VC5902MB	CMOS-IC	Voltage Detector 4.9V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
E9	XC61CC4902P	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT89	20vd	VD7	Tor
E95	XC61FC4912P	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
E96	XC61FC4942P	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
E97	XC61FC4952P	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
EA	2SD1420-EA	Si-NPN	AF, 180V, 1.5A, 1W, B=60..120	SOT89	20tb	-	Hlt
EB	2SD1420-EB	Si-NPN	AF, 180V, 1.5A, 1W, B=60..120	SOT89	20tb	-	Hlt
EBE	2SC5551-E	Si-NPN	HF, 40V, 300mA, 1.3W, B=90..180, 3.5GHz	SOT89	20tb	-	Say
EBF	2SC5551-F	Si-NPN	HF, 40V, 300mA, 1.3W, B=135..270, 3.5GHz	SOT89	20tb	-	Say
EC	2SA1368-C	Si-PNP	AF, 100V, 500mA, 500mW, B=55..110, 130MHz	SOT89	20tb	-	Mit
EC	2SD1420-EC	Si-NPN	AF, 180V, 1.5A, 1W, B=160..320	SOT89	20tb	-	Hlt
ED	2SA1368-D	Si-PNP	AF, 100V, 500mA, 500mW, B=90..180, 130MHz	SOT89	20tb	-	Mit
ED	2SD1421-ED	Si-NPN	AF, 180V, 1.5A, 1W, B=60..120	SOT89	20tb	-	Hlt
ED	BCV28	Si-PNP-Darl	AF, 40V, 500mA, 1.3W, 220MHz, B>4000	SOT89	20tb	-	Phi,Sie
EE	2SA1368-E	Si-PNP	AF, 100V, 500mA, 500mW, B=150..300, 130MHz	SOT89	20tb	-	Mit
EE	2SD1421-EE	Si-NPN	AF, 180V, 1.5A, 1W, B=100..200	SOT89	20tb	-	Hlt
EE	BCV48	Si-PNP-Darl	AF, 80V, 500mA, 1.3W, 220MHz, B>2000	SOT89	20tb	-	Phi,Sie
EF	BCV29	Si-NPN-Darl	AF, 40V, 500mA, 1.3W, 220MHz, B>4000	SOT89	20tb	-	Phi,Sie
EG	BCV49	Si-NPN-Darl	AF, 80V, 500mA, 1.3W, 220MHz, B>2000	SOT89	20tb	-	Phi,Sie
EH	2SB1027-EH	Si-PNP	AF, 180V, 1.5A, 1W, B=60..120, >100MHz	SOT89	20tb	-	Hlt
EJ	2SB1027-EJ	Si-PNP	AF, 180V, 1.5A, 1W, B=100..200, >100MHz	SOT89	20tb	-	Hlt
EK	2SB1027-EK	Si-PNP	AF, 180V, 1.5A, 1W, B=160..320, >100MHz	SOT89	20tb	-	Hlt
EL	2SB1028-EL	Si-PNP	AF, 180V, 1.5A, 1W, B=60..120, >100MHz	SOT89	20tb	-	Hlt
EM	2SB1028-EM	Si-PNP	AF, 180V, 1.5A, 1W, B=100..200, >100MHz	SOT89	20tb	-	Hlt
EO	2SC2882-O	Si-NPN	GP, 80V, 400mA, 500mW, B=70..140, 120MHz	SC-62	20tb	-	Tos
EO	KTC4374-O	Si-NPN	GP, AF, 80V, 400mA, 500mW, B=70..140, 120MHz	SOT89	20tb	-	Kec
EP	2SB789A-P	Si-PNP	AF-Driver, 120V, 1A, 1W, B=60..120, 120MHz	SC-62	20tb	-	Pan
EQ	2SB789A-Q	Si-PNP	AF-Driver, 120V, 1A, 1W, B=90..155, 120MHz	SC-62	20tb	-	Pan
ER	2SB789A-R	Si-PNP	AF-Driver, 120V, 1A, 1W, B=130..220, 120MHz	SC-62	20tb	-	Pan
ES	2SB789A-S	Si-PNP	AF-Driver, 120V, 1A, 1W, B=170..340, 120MHz	SC-62	20tb	-	Pan
EY	2SC2882-Y	Si-NPN	GP, 80V, 400mA, 500mW, B=120..240, 120MHz	SC-62	20tb	-	Tos
EY	2SK1697	MOS-N-FET-e*	V-MOS, LogL, 60V, 0.5A, <1.7Q(0.5A)	SOT89	20fa	-	Hlt
EY	KTC4374-Y	Si-NPN	GP, AF, 80V, 400mA, 500mW, B=120..240, 120MHz	SOT89	20tb	-	Kec
F0	TC54VC5001MB	CMOS-IC	Voltage Detector 5.0V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F0	TC54VC5002MB	CMOS-IC	Voltage Detector 5.0V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F0	XC61CC5002P	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F05	XC61FC5012P	CMOS-IC	Voltage Detector 5V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F06	XC61FC5042P	CMOS-IC	Voltage Detector 5V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F07	XC61FC5052P	CMOS-IC	Voltage Detector 5V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F1	TC54VC5101MB	CMOS-IC	Voltage Detector 5.1V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F1	TC54VC5102MB	CMOS-IC	Voltage Detector 5.1V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F1	XC61CC5102P	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F15	XC61FC5112P	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F16	XC61FC5142P	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F17	XC61FC5152P	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F2	TC54VC5201MB	CMOS-IC	Voltage Detector 5.2V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F2	TC54VC5202MB	CMOS-IC	Voltage Detector 5.2V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F2	XC61CC5202P	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F25	XC61FC5212P	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F26	XC61FC5242P	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F27	XC61FC5252P	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
F3	TC54VC5301MB	CMOS-IC	Voltage Detector 5.3V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F3	TC54VC5302MB	CMOS-IC	Voltage Detector 5.3V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F3	XC61CC5302P	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F35	XC61FC5312P	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F36	XC61FC5342P	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F37	XC61FC5352P	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F4	TC54VC5401MB	CMOS-IC	Voltage Detector 5.4V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F4	TC54VC5402MB	CMOS-IC	Voltage Detector 5.4V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F4	XC61CC5402P	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F45	XC61FC5412P	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F46	XC61FC5442P	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F47	XC61FC5452P	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F5	TC54VC5501MB	CMOS-IC	Voltage Detector 5.5V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F5	TC54VC5502MB	CMOS-IC	Voltage Detector 5.5V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F5	XC61CC5502P	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F55	XC61FC5512P	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F56	XC61FC5542P	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F57	XC61FC5552P	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F6	TC54VC5601MB	CMOS-IC	Voltage Detector 5.6V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F6	TC54VC5602MB	CMOS-IC	Voltage Detector 5.6V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F6	XC61CC5602P	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F65	XC61FC5612P	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F66	XC61FC5642P	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F67	XC61FC5652P	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F7	TC54VC5701MB	CMOS-IC	Voltage Detector 5.7V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F7	TC54VC5702MB	CMOS-IC	Voltage Detector 5.7V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F7	XC61CC5702P	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F75	XC61FC5712P	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F76	XC61FC5742P	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F77	XC61FC5752P	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F8	TC54VC5801MB	CMOS-IC	Voltage Detector 5.8V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F8	TC54VC5802MB	CMOS-IC	Voltage Detector 5.8V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F8	XC61CC5802P	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F85	XC61FC5812P	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F86	XC61FC5842P	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F87	XC61FC5852P	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
F9	TC54VC5901MB	CMOS-IC	Voltage Detector 5.9V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
F9	TC54VC5902MB	CMOS-IC	Voltage Detector 5.9V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
F9	XC61CC5902P	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT89	20vd	VD7	Tor
F95	XC61FC5912P	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
F96	XC61FC5942P	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
F97	XC61FC5952P	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
FA	25C5564	Si-NPN	Lo-sat, 15V, 6A, 1.3W, B=200..560, 380MHz, 30/110ns	SOT89	20ib	-	Say
FB	25C5565	Si-NPN	Lo-sat, 40V, 5A, 1.3W, B=200..560, 420MHz, 30/270ns	SOT89	20ib	-	Say
FC	25C3438-C	Si-NPN	AF, 100V, 500mA, 500mW, B=55..110, 130MHz	SOT89	20ib	-	Mit
FC	25C5566	Si-NPN	Lo-sat, 80V, 4A, 1.3W, B=200..560, 400MHz, 30/230ns	SOT89	20ib	-	Say
FC	BFQ64	Si-NPN	UHF-A, 30V, 200mA, 3GHz	SOT89	20ib	-	Sie
FD	25C3438-D	Si-NPN	AF, 100V, 500mA, 500mW, B=90..180, 130MHz	SOT89	20ib	-	Mit
FD	25C5567	Si-NPN	Relay-Drv, 15V, 9A, 1.3W, B=200..560, 280MHz	SOT89	20ib	-	Say
FE	25C3438-E	Si-NPN	AF, 100V, 500mA, 500mW, B=150..300, 130MHz	SOT89	20ib	-	Mit
FE	25C5568	Si-NPN	Lo-sat, 40V, 8A, 1.3W, B=200..560, 320MHz, 30/190ns	SOT89	20ib	-	Say
FF	25C5569	Si-NPN	Lo-sat, 80V, 7A, 1.3W, B=200..560, 330MHz, 30/225ns	SOT89	20ib	-	Say
FG	BFQ19S	Si-NPN	RF, LN, 20V, 75mA, 1W, B=40..200, >4GHz	SOT89	20ib	-	Sie
FO	25A1202-O	Si-PNP	GP, 80V, 400mA, 500mW, B=70..140, 120MHz	SC-62	20ib	-	Tos
FO	KTA1662-O	Si-PNP	GP, AF, 80V, 400mA, 500mW, B=70..140, 120MHz	SOT89	20ib	-	Kac
FY	25A1202-Y	Si-PNP	GP, 80V, 400mA, 500mW, B=120..240, 120MHz	SC-62	20ib	-	Tos
FY	25K1698	MOS-N-FET-e*	V-MOS, LogL, 100V, 0.3A, <4.5Ω(0.5A)	SOT89	20fa	-	Hit
FY	KTA1662-Y	Si-PNP	GP, AF, 80V, 400mA, 500mW, B=120..240, 120MHz	SOT89	20ib	-	Kac
G1	D70Y1.5T1	Si-NPN	AF, 30V, 1.5A	SOT89	20ib	-	Gen
GA	BAW78A	Si-Diode	Switching, 50V, 1A, <1000ns	SOT89	20di	-	Sie
GB	BAW78B	Si-Diode	Switching, 100V, 1A, <1000ns	SOT89	20di	-	Sie
GC	BAW78C	Si-Diode	Switching, 200V, 1A, <1000ns	SOT89	20di	-	Sie
GD	BAW78D	Si-Diode	Switching, 400V, 1A, <1000ns	SOT89	20di	-	Sie
GE	BAW79A	Si-Diode	Dual, Switching, 2x50V, 1A, <1000ns	SOT89	20dj	-	Sie
GF	BAW79B	Si-Diode	Dual, Switching, 2x100V, 1A, <1000ns	SOT89	20dj	-	Sie
GG	25A1369-G	Si-PNP	Drive, 30V, 1.5A, 500mW, B=400..800, 90MHz	SOT89	20ib	-	Mit
GG	BAW79C	Si-Diode	Dual, Switching, 2x200V, 1A, <1000ns	SOT89	20dj	-	Sie
GH	25A1369-H	Si-PNP	Drive, 30V, 1.5A, 500mW, B=600..1200, 90MHz	SOT89	20ib	-	Mit

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
GH	BAW79D	Si-Diode	Dual, Switching, 2x400V, 1A, <1000ns	SOT89	20dj	-	Sie
GO	2SC2883-O	Si-NPN	GP, 30V, 1.5A, 500mW, B=70..140, 120MHz	SC-62	20tb	-	Tos
GO	AP130-15YR	VR-IC	LDO, 1.5V±2%, 300mA	SOT89	20vrb	VR1	Ana
GO	KTC4375-O	Si-NPN	AF-Driver, 30V, 1.5A, 500mW, B=100..200, >120MHz	SOT89	20tb	-	Kec
GP	AP130-16YR	VR-IC	LDO, 1.6V±2%, 300mA	SOT89	20vrb	VR1	Ana
GQ	AP130-17YR	VR-IC	LDO, 1.7V±2%, 300mA	SOT89	20vrb	VR1	Ana
GR	AP130-18YR	VR-IC	LDO, 1.8V±2%, 300mA	SOT89	20vrb	VR1	Ana
GS	AP130-19YR	VR-IC	LDO, 1.9V±2%, 300mA	SOT89	20vrb	VR1	Ana
GT	AP130-20YR	VR-IC	LDO, 2.0V±2%, 300mA	SOT89	20vrb	VR1	Ana
GU	AP130-21YR	VR-IC	LDO, 2.1V±2%, 300mA	SOT89	20vrb	VR1	Ana
GV	AP130-22YR	VR-IC	LDO, 2.2V±2%, 300mA	SOT89	20vrb	VR1	Ana
GW	AP130-23YR	VR-IC	LDO, 2.3V±2%, 300mA	SOT89	20vrb	VR1	Ana
GX	AP130-24YR	VR-IC	LDO, 2.4V±2%, 300mA	SOT89	20vrb	VR1	Ana
GY	2SC2883-Y	Si-NPN	GP, 30V, 1.5A, 500mW, B=120..240, 120MHz	SC-62	20tb	-	Tos
GY	AP130-25YR	VR-IC	LDO, 2.5V±2%, 300mA	SOT89	20vrb	VR1	Ana
GY	KTC4375-Y	Si-NPN	AF-Driver, 30V, 1.5A, 500mW, B=160..320, >120MHz	SOT89	20tb	-	Kec
GZ	AP130-26YR	VR-IC	LDO, 2.6V±2%, 300mA	SOT89	20vrb	VR1	Ana
H0	AP130-27YR	VR-IC	LDO, 2.7V±2%, 300mA	SOT89	20vrb	VR1	Ana
H0	TC54VC6001MB	CMOS-IC	Voltage Detector 6.0V±1%, -Reset Push-pull output	SOT89	20vd	VD6	Tcs
H0	TC54VC6002MB	CMOS-IC	Voltage Detector 6.0V±2%, -Reset Push-pull output	SOT89	20vd	VD7	Tcs
H0	XC61CC6002P	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT89	20vd	VD7	Tor
H05	XC61FC6012P	CMOS-IC	Voltage Detector 6V, Reset Push-pull output, 200ms	SOT89	20vd	VD7	Tor
H06	XC61FC6042P	CMOS-IC	Voltage Detector 6V, Reset Push-pull output, 400ms	SOT89	20vd	VD7	Tor
H07	XC61FC6052P	CMOS-IC	Voltage Detector 6V, Reset Push-pull output, 50ms	SOT89	20vd	VD7	Tor
H1	AP130-28YR	VR-IC	LDO, 2.8V±2%, 300mA	SOT89	20vrb	VR1	Ana
H1	D71Y1.5T1	Si-PNP	AF, 30V, 1.5A	SOT89	20tb	-	Gen
H2	AP130-29YR	VR-IC	LDO, 2.9V±2%, 300mA	SOT89	20vrb	VR1	Ana
H3	AP130-30YR	VR-IC	LDO, 3.0V±2%, 300mA	SOT89	20vrb	VR1	Ana
H4	AP130-31YR	VR-IC	LDO, 3.1V±2%, 300mA	SOT89	20vrb	VR1	Ana
H5	AP130-32YR	VR-IC	LDO, 3.2V±2%, 300mA	SOT89	20vrb	VR1	Ana
H9	AP130-33YR	VR-IC	LDO, 3.3V±2%, 300mA	SOT89	20vrb	VR1	Ana
HA	AP130-34YR	VR-IC	LDO, 3.4V±2%, 300mA	SOT89	20vrb	VR1	Ana
HB	AP130-35YR	VR-IC	LDO, 3.5V±2%, 300mA	SOT89	20vrb	VR1	Ana
HB	BFN22	Si-NPN	Vid, 250V, 20..50mA, >60MHz	SOT89	20ta	-	Ste
HC	AP130-36YR	VR-IC	LDO, 3.6V±2%, 300mA	SOT89	20vrb	VR1	Ana
HD	AP130-37YR	VR-IC	LDO, 3.7V±2%, 300mA	SOT89	20vrb	VR1	Ana
HE	AP130-38YR	VR-IC	LDO, 3.8V±2%, 300mA	SOT89	20vrb	VR1	Ana
HF	AP130-39YR	VR-IC	LDO, 3.9V±2%, 300mA	SOT89	20vrb	VR1	Ana
HG	2SC3439-G	Si-NPN	Drive, 30V, 1.5A, 500mW, B=400..800, 90MHz	SOT89	20tb	-	Mit
HG	AP130-40YR	VR-IC	LDO, 4.0V±2%, 300mA	SOT89	20vrb	VR1	Ana
HH	2SC3439-H	Si-NPN	Drive, 30V, 1.5A, 500mW, B=600..1200, 90MHz	SOT89	20tb	-	Mit
HH	AP130-41YR	VR-IC	LDO, 4.1V±2%, 300mA	SOT89	20vrb	VR1	Ana
HI	AP130-42YR	VR-IC	LDO, 4.2V±2%, 300mA	SOT89	20vrb	VR1	Ana
HJ	2SC3439-J	Si-NPN	Drive, 30V, 1.5A, 500mW, B=800..1600, 90MHz	SOT89	20tb	-	Mit
HJ	AP130-43YR	VR-IC	LDO, 4.3V±2%, 300mA	SOT89	20vrb	VR1	Ana
HK	AP130-44YR	VR-IC	LDO, 4.4V±2%, 300mA	SOT89	20vrb	VR1	Ana
HL	AP130-45YR	VR-IC	LDO, 4.5V±2%, 300mA	SOT89	20vrb	VR1	Ana
HM	AP130-46YR	VR-IC	LDO, 4.6V±2%, 300mA	SOT89	20vrb	VR1	Ana
HN	AP130-47YR	VR-IC	LDO, 4.7V±2%, 300mA	SOT89	20vrb	VR1	Ana
HO	2SA1203-O	Si-PNP	GP, 30V, 1.5A, 500mW, B=70..140, 120MHz	SC-62	20tb	-	Tos
HO	AP130-48YR	VR-IC	LDO, 4.8V±2%, 300mA	SOT89	20vrb	VR1	Ana
HO	KTA1663-O	Si-PNP	AF-Driver, 30V, 1.5A, 500mW, B=100..200, >120MHz	SOT89	20tb	-	Kec
HP	AP130-49YR	VR-IC	LDO, 4.9V±2%, 300mA	SOT89	20vrb	VR1	Ana
HQ	AP130-50YR	VR-IC	LDO, 5.0V±2%, 300mA	SOT89	20vrb	VR1	Ana
HR	2SB956-R	Si-PNP	GP, AF, 20V, 1A, 1W, B=130..210, 200MHz	SC-62	20tb	-	Pan
HS	2SB956-S	Si-PNP	GP, AF, 20V, 1A, 1W, B=180..280, 200MHz	SC-62	20tb	-	Pan
HX	2SK2922	MOS-N-FET-e*	V-MOS, 10V, 0.7A, Pq>31dBm(836.5MHz)	SOT89	20fa	-	Hil
HY	2SA1203-Y	Si-PNP	GP, 30V, 1.5A, 500mW, B=120..240, 120MHz	SC-62	20tb	-	Tos
HY	2SK1772	MOS-N-FET-e*	V-MOS, LogL, 30V, 1A, <0.6Q(0.5A)	SOT89	20fa	-	Hil
HY	KTA1663-Y	Si-PNP	AF-Driver, 30V, 1.5A, 500mW, B=160..320, >120MHz	SOT89	20tb	-	Kec
IC	UN7231	Si-NPN-Digi	Switching, 20V, 700mA, 1W, 55MHz, R1/R2=1k/47k	SOT89	20tb	-	Pan
IC	UNR7231	Si-NPN-Digi	Switching, 20V, 700mA, 1W, 55MHz, R1/R2=1k/47k	SOT89	20tb	-	Pan
IK	2SA1463-IK	Si-PNP	Switching, 60V, 1A, 2W, B=60..120, >300MHz	SOT89	20tb	-	Nec
IL	2SA1463-IL	Si-PNP	Switching, 60V, 1A, 2W, B=100..200, >300MHz	SOT89	20tb	-	Nec
IQ	2SB1073-Q	Si-PNP	AF, Lo-sat, 30V, 4A, 1W, B=120..205, 120MHz	SC-62	20tb	-	Pan
IR	2SB1073-R	Si-PNP	AF, Lo-sat, 30V, 4A, 1W, B=180..315, 120MHz	SC-62	20tb	-	Pan
IU	2SB1569	Si-PNP	AF-Driver, 10V, 1.5A, 1W, B=200..700, 190MHz	SC-62	20tb	-	Pan
JA	2SJ187	MOS-P-FET-e*	Sw, U-Spd, LogL, 30V, 1A, 1.5W, <0.75Q(0.5A), 10/70ns	SOT89	20fi	-	Say

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
JC	AP1115AY-18	VR-IC	LDO, 2.8V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JC	AP1115BY-28	VR-IC	LDO, 2.8V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JD	25J287	MOS-P-FET-e*	V-MOS, LogL, 30V, 0.5A, <2,20(0,25A)	SOT89	20fa	-	Say
JE	AP1116Y	VR-IC	LDO, Adjustable, 500mA	SOT89	20cn	VR20	Ana
JF	AP1116Y-15	VR-IC	LDO, 1.5V \pm 2%, 500mA	SOT89	20cg	VR1	Ana
JG	25J316	MOS-P-FET-e*	V-MOS, LogL, 12V, 1A, <0,420(0,5A)	SOT89	20fa	-	Tos
JG	AP1116Y-18	VR-IC	LDO, 1.8V \pm 2%, 500mA	SOT89	20cg	VR1	Ana
JH	AP1116Y-25	VR-IC	LDO, 2.5V \pm 2%, 500mA	SOT89	20cg	VR1	Ana
JI	AP1116Y-33	VR-IC	LDO, 3.3V \pm 2%, 500mA	SOT89	20cg	VR1	Ana
JJ	AP1116Y-50	VR-IC	LDO, 5V \pm 2%, 500mA	SOT89	20cg	VR1	Ana
JK	AP1115AY-35	VR-IC	LDO, 3.5V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JK	AP1115BY-35	VR-IC	LDO, 3.5V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JL	25J560	MOS-P-FET-e*	V-MOS, LogL, 20V, 1.5A, <1Q	SOT89	20fa	-	Say
JM	25J561	MOS-P-FET-e*	V-MOS, LogL, 30V, 1.5A, <0,97Q	SOT89	20fa	-	Say
JM	AP1115AY-30	VR-IC	LDO, 3V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JM	AP1115BY-30	VR-IC	LDO, 3V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JN	25J562	MOS-P-FET-e*	V-MOS, LogL, 20V, 2A, <0,48Q	SOT89	20fa	-	Say
JO	25A1384-O	Si-NPN	Vid, 300V, 100mA, 500mW, B=50..150, >50MHz	SOT89	20b	-	Tos
JO	25J563	MOS-P-FET-e*	V-MOS, LogL, 30V, 2A, <0,55Q	SOT89	20fa	-	Say
JO	AP1115AY	VR-IC	LDO, Adjustable, 600mA	SOT89	20ck	VR20	Ana
JO	AP1115BY	VR-IC	LDO, Adjustable, 600mA	SOT89	20cm	VR20	Ana
JP	25J578	MOS-P-FET-e*	V-MOS, LogL, 60V, 1A, <1,8Q(0,5A)	SOT89	20fa	-	Say
JP	AP1115AY-15	VR-IC	LDO, 1.5V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JP	AP1115BY-15	VR-IC	LDO, 1.5V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JQ	25J579	MOS-P-FET-e*	V-MOS, LogL, 60V, 1.2A, <1,15Q(0,5A)	SOT89	20fa	-	Say
JQ	AP1115AY-18	VR-IC	LDO, 1.8V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JQ	AP1115BY-18	VR-IC	LDO, 1.8V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JR	25A1384-R	Si-NPN	Vid, 300V, 100mA, 500mW, B=30..90, >50MHz	SOT89	20b	-	Tos
JR	AP1115AY-15	VR-IC	LDO, 2.5V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JR	AP1115BY-25	VR-IC	LDO, 2.5V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JS	AP1115AY-33	VR-IC	LDO, 3.3V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JS	AP1115BY-33	VR-IC	LDO, 3.3V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JT	AP1115AY-50	VR-IC	LDO, 5V \pm 2%, 600mA	SOT89	20ch	VR1	Ana
JT	AP1115BY-50	VR-IC	LDO, 5V \pm 2%, 600mA	SOT89	20vrb	VR1	Ana
JY	25J244	MOS-P-FET-e*	V-MOS, LogL, 12V, 2A, <0,9Q(0,5A), integr. Rgate	SOT89	20fa	-	Hil
K1	25K2741	MOS-N-FET-e*	V-MOS, LogL, 60V, 5A, <0,3Q(1,5A)	SOT89	20fa	-	Tos
K2	25K2742	MOS-N-FET-e*	V-MOS, LogL, 100V, 3A, <0,45Q(5A)	SOT89	20fa	-	Tos
K3	25K2839	MOS-N-FET-e*	V-MOS, LogL, 30V, 10A, <0,06Q(5A)	SOT89	20fa	-	Tos
K4	25K2836	MOS-N-FET-e*	V-MOS, 600V, 1A, <9Q(0,5A)	SOT89	20fa	-	Tos
KA	25C4409	Si-NPN	AF, 80V, 2A, 500mW, B=120..240, 100MHz	SOT89	20b	-	Tos
KA	25K2103	MOS-N-FET-e	V-MOS, LogL, 30V, 2A, <0,4Q(5A)	SOT89	20fa	-	Rhm
KA	BSS87	MOS-N-FET-e	V-MOS, LogL, 240V, 0.29A, 18/55ns	SOT89	20fa	-	Phi.Sia
KB	25C4539	Si-NPN	Sw, Lo-sat, 40V, 1.2A, 500mW, B=120..400, 100MHz	SOT89	20b	-	Tos
KB	25K1311	MOS-N-FET-e	V-MOS, LogL, 60V, 2A, <0,45Q(5A)	SOT89	20fa	-	Pan
KB	BSS192	MOS-P-FET-e	VMOS, LogL, 240V, 150mA, 1W, <3.5Q	SOT89	20fi	-	Sie
KC	25C4540	Si-NPN	Sw, Lo-sat, 60V, 1A, 500mW, B=120..400, 100MHz	SOT89	20b	-	Tos
KC	25K1467	MOS-N-FET-e*	V-MOS, LogL, Sw, 30V, 2A, <0,3Q(5A)	SOT89	20fa	-	Say
KC	25K2463	MOS-N-FET-e	V-MOS, LogL, 60V, 2A, <0,38Q(5A)	SOT89	20fa	-	Rhm
KD	25C4541	Si-NPN	Sw, Lo-sat, 60V, 3A, 500mW, B=120..400, 100MHz	SOT89	20b	-	Tos
KD	25K1470	MOS-N-FET-e*	V-MOS, LogL, 60V, 2A, <0,45Q(5A)	SOT89	20fa	-	Say
KE	25K1473	MOS-N-FET-e*	V-MOS, LogL, 100V, 2A, <0,95Q(5A)	SOT89	20fa	-	Say
KE	25K3065	MOS-N-FET+Di	Switching, LogL, 30V, 2A, 500mW, 20/120ns, 0,25Q	SOT89	20fi	-	Rhm
KJ	25K2151	MOS-N-FET-e*	V-MOS, LogL, 20V, 1A, <0,75Q(0,5A)	SOT89	20fa	-	Say
KJ	25K2152	MOS-N-FET-e*	V-MOS, LogL, 20V, 2A, <0,18Q(5A)	SOT89	20fa	-	Say
KM	25K2171	N-FET	40V, 100mA, Idss>40mA, Up<5V	SOT89	20fa	-	Say
KN	25K2218	N-FET	15V, 100mA, Idss>40mA, Up<4,5V	SOT89	20fa	-	Say
KO	25K2260	MOS-N-FET-e*	V-MOS, 150V, 1.2A, <2,2Q(0,5A)	SOT89	20fa	-	Say
KP	25K2316	MOS-N-FET-e*	V-MOS, LogL, 20V, 2A, <0,2Q(5A)	SOT89	20fa	-	Say
KS	25K3119	MOS-N-FET-e*	V-MOS, LogL, 20V, 2A, <0,48Q(0,5A)	SOT89	20fa	-	Say
KT	25K3120	MOS-N-FET-e*	V-MOS, LogL, 30V, 2A, <0,48Q(0,5A)	SOT89	20fa	-	Say
KU	25K3121	MOS-N-FET-e*	V-MOS, LogL, 20V, 3A, <0,22Q(0,5A)	SOT89	20fa	-	Say
KW	25K3122	MOS-N-FET-e*	V-MOS, LogL, 30V, 3A, <0,32Q(0,5A)	SOT89	20fa	-	Say
KX	25K3291	MOS-N-FET-e*	V-MOS, LogL, 60V, 1.8A, <0,68Q	SOT89	20fa	-	Say
KY	25K1764	MOS-N-FET-e*	V-MOS, LogL, 60V, 2A, <0,45Q(5A)	SOT89	20fa	-	Hil
KY	25K3292	MOS-N-FET-e*	V-MOS, LogL, 60V, 2A, <0,44Q	SOT89	20fa	-	Say
KZ	25K3293	MOS-N-FET-e*	V-MOS, LogL, 60V, 3A, <0,21Q	SOT89	20fa	-	Say
L6	XC61CN1602P	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT89	20vd	VD6	Tor
L65	XC61FN1612P	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
L66	XC61FN1642P	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
L67	XC61FN1652P	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
L7	XC61CN1702P	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output	SOT89	20vd	VD6	Tor
L75	XC61FN1712P	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
L76	XC61FN1742P	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
L77	XC61FN1752P	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
L8	XC61CN1802P	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT89	20vd	VD6	Tor
L85	XC61FN1812P	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
L86	XC61FN1842P	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
L87	XC61FN1852P	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
L9	XC61CN1902P	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT89	20vd	VD6	Tor
L95	XC61FN1912P	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
L96	XC61FN1942P	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
L97	XC61FN1952P	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
LA	2SC1681	Si-PNP	AF, 60V, 2A, 500mW, B=120..400, 100MHz	SOT89	20tb	-	Tos
LA	HD2A3M	Si-NPN-Digi	Switching, 60V, 1A, 2W, R1/R2=1k/1k	SOT89	20tb	-	Nec
LA	KTD1003-A	Si-NPN	AF-Driver, 60V, 1A, 500mW, B=800..1600, >250MHz	SOT89	20tb	-	Kec
LB	2SA1734	Si-PNP	Sw, Lo-sat, 40V, 1.2A, 500mW, B=120..400, 100MHz	SOT89	20tb	-	Tos
LB	2SC1734	Si-PNP	AF, 40V, 1.2A, 500mW, B=120..400, 100MHz	SOT89	20tb	-	Tos
LB	HD2F3P	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=0k22/2k2	SOT89	20tb	-	Nec
LB	KTD1003-B	Si-NPN	AF-Driver, 60V, 1A, 500mW, B=1200..2400, >250MHz	SOT89	20tb	-	Kec
LC	2SA1735	Si-PNP	Sw, Lo-sat, 60V, 1A, 500mW, B=120..400, 100MHz	SOT89	20tb	-	Tos
LC	2SC1735	Si-PNP	AF, 60V, 1A, 500mW, B=120..400, 100MHz	SOT89	20tb	-	Tos
LC	HD2L3N	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=4k7/10k	SOT89	20tb	-	Nec
LC	KTD1003-C	Si-NPN	AF-Driver, 60V, 1A, 500mW, B=2000..3200, >250MHz	SOT89	20tb	-	Kec
LD	2SA1736	Si-PNP	Sw, Lo-sat, 60V, 3A, 500mW, B=120..400, 100MHz	SOT89	20tb	-	Tos
LD	2SC1736	Si-PNP	AF, 60V, 3A, 500mW, B=120..400, 100MHz	SOT89	20tb	-	Tos
LD	HD2A4M	Si-NPN-Digi	Switching, 60V, 1A, 2W, R2=10k	SOT89	20tb	-	Nec
LE	HD2L2Q	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=0k47/4k7	SOT89	20tb	-	Nec
LF	HD2F2Q	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=10k/10k	SOT89	20tb	-	Nec
LP	HD1A3M	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=1k/1k	SOT89	20tb	-	Nec
LQ	HD1F3P	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=2k2/10k	SOT89	20tb	-	Nec
LR	HD1L3N	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=4k7/10k	SOT89	20tb	-	Nec
LS	HD1A4M	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=10k/10k	SOT89	20tb	-	Nec
LT	HD1L2Q	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=0k47/4k7	SOT89	20tb	-	Nec
LU	HD1F2Q	Si-NPN-Digi	Switching, 80V, 1A, 2W, R1/R2=0k22/2k2	SOT89	20tb	-	Nec
LX	HD1A4A	Si-NPN-Digi	Switching, 80V, 1A, 2W, R2=10k	SOT89	20tb	-	Nec
M	2SK690	GaAs-N-FET	UHF, 2x Z-Di, 10V, 0.6A, 1GHz	SOT89	20fa	-	Pan
M0	XC61CN2002P	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT89	20vd	VD6	Tor
M05	XC61FN2012P	CMOS-IC	Voltage Detector 2V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M06	XC61FN2042P	CMOS-IC	Voltage Detector 2V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M07	XC61FN2052P	CMOS-IC	Voltage Detector 2V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M1	D70F2T1	Si-NPN	Switching, Lo-sat, 50V, 2A, 100/1100ns	SOT89	20tb	-	Gen
M1	TC54VN2101MB	CMOS-IC	Voltage Detector 2.1V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M1	TC54VN2102MB	CMOS-IC	Voltage Detector 2.1V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M1	XC61CN2102P	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT89	20vd	VD6	Tor
M15	XC61FN2112P	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M16	XC61FN2142P	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M17	XC61FN2152P	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M2	TC54VN2201MB	CMOS-IC	Voltage Detector 2.2V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M2	TC54VN2202MB	CMOS-IC	Voltage Detector 2.2V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M2	XC61CN2202P	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output	SOT89	20vd	VD6	Tor
M25	XC61FN2212P	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M26	XC61FN2242P	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M27	XC61FN2252P	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M3	TC54VN2301MB	CMOS-IC	Voltage Detector 2.3V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M3	TC54VN2302MB	CMOS-IC	Voltage Detector 2.3V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M3	XC61CN2302P	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SOT89	20vd	VD6	Tor
M3	XC61FN2312P	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M36	XC61FN2342P	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M37	XC61FN2352P	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output, 50ms	SOT89	20vd	VO6	Tor
M4	TC54VN2401MB	CMOS-IC	Voltage Detector 2.4V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M4	TC54VN2402MB	CMOS-IC	Voltage Detector 2.4V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M4	XC61CN2402P	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT89	20vd	VD6	Tor
M45	XC61FN2412P	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M46	XC61FN2442P	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M47	XC61FN2452P	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M5	TC54VN2501MB	CMOS-IC	Voltage Detector 2.5V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
M5	TC54VN2502MB	CMOS-IC	Voltage Detector 2.5V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M5	XC61CN2502P	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT89	20vd	VD6	Tor
M55	XC61FN2512P	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M56	XC61FN2542P	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M57	XC61FN2552P	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M6	TC54VN2601MB	CMOS-IC	Voltage Detector 2.6V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M6	TC54VN2602MB	CMOS-IC	Voltage Detector 2.6V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M6	XC61CN2602P	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT89	20vd	VD6	Tor
M65	XC61FN2612P	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M66	XC61FN2642P	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M67	XC61FN2652P	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M7	TC54VN2701MB	CMOS-IC	Voltage Detector 2.7V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M7	TC54VN2702MB	CMOS-IC	Voltage Detector 2.7V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M7	XC61CN2702P	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SOT89	20vd	VD6	Tor
M75	XC61FN2712P	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M76	XC61FN2742P	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M77	XC61FN2752P	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M8	TC54VN2801MB	CMOS-IC	Voltage Detector 2.8V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M8	TC54VN2802MB	CMOS-IC	Voltage Detector 2.8V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M8	XC61CN2802P	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT89	20vd	VD6	Tor
M85	XC61FN2812P	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M86	XC61FN2842P	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M87	XC61FN2852P	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
M9	TC54VN2901MB	CMOS-IC	Voltage Detector 2.9V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M9	TC54VN2902MB	CMOS-IC	Voltage Detector 2.9V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
M9	XC61CN2902P	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT89	20vd	VD6	Tor
M95	XC61FN2912P	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
M96	XC61FN2942P	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
M97	XC61FN2952P	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
MG	25C2873-O	Si-NPN	GP, 30V, 1.5A, 500mW, B=50..100, 120MHz	SC-62	20lb	-	Tos
MP	HR1A3M	Si-PNP-Digi	Switching, 80V, 1A, 2W, R1/R2=1k/1k	SOT89	20lb	-	Nec
MQ	HR1F3P	Si-PNP-Digi	Switching, 80V, 1A, 2W, R1/R2=2k2/10k	SOT89	20lb	-	Nec
MR	HR1L3N	Si-PNP-Digi	Switching, 80V, 1A, 2W, R1/R2=4k7/10k	SOT89	20lb	-	Nec
MS	HR1A4M	Si-PNP-Digi	Switching, 80V, 1A, 2W, R1/R2=10k/10k	SOT89	20lb	-	Nec
MT	HR1L2Q	Si-PNP-Digi	Switching, 80V, 1A, 2W, R1/R2=0k47/4k7	SOT89	20lb	-	Nec
MU	HR1F2Q	Si-PNP-Digi	Switching, 80V, 1A, 2W, R1/R2=0k22/2k2	SOT89	20lb	-	Nec
MX	HR1A4A	Si-PNP-Digi	Switching, 80V, 1A, 2W, R2=10k	SOT89	20lb	-	Nec
MY	25C2873-Y	Si-NPN	GP, 30V, 1.5A, 500mW, B=90..180, 120MHz	SC-62	20lb	-	Tos
MY	25J278	MON-P-FET-e*	V-MOS, LogL, 60V, 1A, <0.83Q(0.5A)	SOT89	20fa	-	Hit
N0	TC54VN3001MB	CMOS-IC	Voltage Detector 3.0V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N0	TC54VN3002MB	CMOS-IC	Voltage Detector 3.0V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N0	XC61CN3002P	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT89	20vd	VD6	Tor
N05	XC61FN3012P	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N06	XC61FN3042P	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N07	XC61FN3052P	CMOS-IC	Voltage Detector 3V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N1	D71F2T1	Si-PNP	Switching, Lo-sat, 50V, 2A, 100/1100ns	SOT89	20lb	-	Gen
N1	FCX491	Si-NPN	Dr/Out, 80V, 1A, >150MHz	SOT89	20lb	-	Zlx
N1	TC54VN3101MB	CMOS-IC	Voltage Detector 3.1V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N1	TC54VN3102MB	CMOS-IC	Voltage Detector 3.1V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N1	XC61CN3102P	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT89	20vd	VD6	Tor
N15	XC61FN3112P	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N16	XC61FN3142P	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N17	XC61FN3152P	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N2	TC54VN3201MB	CMOS-IC	Voltage Detector 3.2V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N2	TC54VN3202MB	CMOS-IC	Voltage Detector 3.2V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N2	XC61CN3202P	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SOT89	20vd	VD6	Tor
N25	XC61FN3212P	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N26	XC61FN3242P	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N27	XC61FN3252P	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N3	TC54VN3301MB	CMOS-IC	Voltage Detector 3.3V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N3	TC54VN3302MB	CMOS-IC	Voltage Detector 3.3V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N3	XC61CN3302P	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT89	20vd	VD6	Tor
N35	XC61FN3312P	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N36	XC61FN3342P	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N37	XC61FN3352P	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N4	TC54VN3401MB	CMOS-IC	Voltage Detector 3.4V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N4	TC54VN3402MB	CMOS-IC	Voltage Detector 3.4V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N4	XC61CN3402P	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT89	20vd	VD6	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
N45	XC61FN3412P	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N46	XC61FN3442P	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N47	XC61FN3452P	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N4A	S-1131B15UA-N4A-TF	VR-IC	LDO, 1.5V±1%, 300mA	SOT89	20ch	VR1	Sei
N4B	S-1131B16UA-N4B-TF	VR-IC	LDO, 1.6V±1%, 300mA	SOT89	20ch	VR1	Sei
N4C	S-1131B17UA-N4C-TF	VR-IC	LDO, 1.7V±1%, 300mA	SOT89	20ch	VR1	Sei
N4D	S-1131B18UA-N4D-TF	VR-IC	LDO, 1.8V±1%, 300mA	SOT89	20ch	VR1	Sei
N4E	S-1131B19UA-N4E-TF	VR-IC	LDO, 1.9V±1%, 300mA	SOT89	20ch	VR1	Sei
N4F	S-1131B20UA-N4F-TF	VR-IC	LDO, 2.0V±1%, 300mA	SOT89	20ch	VR1	Sei
N4G	S-1131B21UA-N4G-TF	VR-IC	LDO, 2.1V±1%, 300mA	SOT89	20ch	VR1	Sei
N4H	S-1131B22UA-N4H-TF	VR-IC	LDO, 2.2V±1%, 300mA	SOT89	20ch	VR1	Sei
N4I	S-1131B23UA-N4I-TF	VR-IC	LDO, 2.3V±1%, 300mA	SOT89	20ch	VR1	Sei
N4J	S-1131B24UA-N4J-TF	VR-IC	LDO, 2.4V±1%, 300mA	SOT89	20ch	VR1	Sei
N4K	S-1131B25UA-N4K-TF	VR-IC	LDO, 2.5V±1%, 300mA	SOT89	20ch	VR1	Sei
N4L	S-1131B26UA-N4L-TF	VR-IC	LDO, 2.6V±1%, 300mA	SOT89	20ch	VR1	Sei
N4M	S-1131B27UA-N4M-TF	VR-IC	LDO, 2.7V±1%, 300mA	SOT89	20ch	VR1	Sei
N4N	S-1131B28UA-N4N-TF	VR-IC	LDO, 2.8V±1%, 300mA	SOT89	20ch	VR1	Sei
N4O	S-1131B29UA-N4O-TF	VR-IC	LDO, 2.9V±1%, 300mA	SOT89	20ch	VR1	Sei
N4P	S-1131B30UA-N4P-TF	VR-IC	LDO, 3.0V±1%, 300mA	SOT89	20ch	VR1	Sei
N4Q	S-1131B31UA-N4Q-TF	VR-IC	LDO, 3.1V±1%, 300mA	SOT89	20ch	VR1	Sei
N4R	S-1131B32UA-N4R-TF	VR-IC	LDO, 3.2V±1%, 300mA	SOT89	20ch	VR1	Sei
N4S	S-1131B33UA-N4S-TF	VR-IC	LDO, 3.3V±1%, 300mA	SOT89	20ch	VR1	Sei
N4T	S-1131B34UA-N4T-TF	VR-IC	LDO, 3.4V±1%, 300mA	SOT89	20ch	VR1	Sei
N4U	S-1131B35UA-N4U-TF	VR-IC	LDO, 3.5V±1%, 300mA	SOT89	20ch	VR1	Sei
N4V	S-1131B36UA-N4V-TF	VR-IC	LDO, 3.6V±1%, 300mA	SOT89	20ch	VR1	Sei
N4W	S-1131B37UA-N4W-TF	VR-IC	LDO, 3.7V±1%, 300mA	SOT89	20ch	VR1	Sei
N4X	S-1131B38UA-N4X-TF	VR-IC	LDO, 3.8V±1%, 300mA	SOT89	20ch	VR1	Sei
N4Y	S-1131B39UA-N4Y-TF	VR-IC	LDO, 3.9V±1%, 300mA	SOT89	20ch	VR1	Sei
N4Z	S-1131B40UA-N4Z-TF	VR-IC	LDO, 4.0V±1%, 300mA	SOT89	20ch	VR1	Sei
N5	TC54VN3501MB	CMOS-IC	Voltage Detector 3.5V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N5	TC54VN3502MB	CMOS-IC	Voltage Detector 3.5V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N5	XC61CN3502P	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT89	20vd	VD6	Tor
N55	XC61FN3512P	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N56	XC61FN3542P	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N57	XC61FN3552P	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N58	FCX458	Si-NPN	Switching, 400/400V, 225mA, >50MHz	SOT89	20ib	-	Ztx
N5A	S-1131B41UA-N5A-TF	VR-IC	LDO, 4.1V±1%, 300mA	SOT89	20ch	VR1	Sei
N5B	S-1131B42UA-N5B-TF	VR-IC	LDO, 4.2V±1%, 300mA	SOT89	20ch	VR1	Sei
N5C	S-1131B43UA-N5C-TF	VR-IC	LDO, 4.3V±1%, 300mA	SOT89	20ch	VR1	Sei
N5D	S-1131B44UA-N5D-TF	VR-IC	LDO, 4.4V±1%, 300mA	SOT89	20ch	VR1	Sei
N5E	S-1131B45UA-N5E-TF	VR-IC	LDO, 4.5V±1%, 300mA	SOT89	20ch	VR1	Sei
N5F	S-1131B46UA-N5F-TF	VR-IC	LDO, 4.6V±1%, 300mA	SOT89	20ch	VR1	Sei
N5G	S-1131B47UA-N5G-TF	VR-IC	LDO, 4.7V±1%, 300mA	SOT89	20ch	VR1	Sei
N5H	S-1131B48UA-N5H-TF	VR-IC	LDO, 4.8V±1%, 300mA	SOT89	20ch	VR1	Sei
N5I	S-1131B49UA-N5I-TF	VR-IC	LDO, 4.9V±1%, 300mA	SOT89	20ch	VR1	Sei
N5J	S-1131B50UA-N5J-TF	VR-IC	LDO, 5.0V±1%, 300mA	SOT89	20ch	VR1	Sei
N5K	S-1131B51UA-N5K-TF	VR-IC	LDO, 5.1V±1%, 300mA	SOT89	20ch	VR1	Sei
N5L	S-1131B52UA-N5L-TF	VR-IC	LDO, 5.2V±1%, 300mA	SOT89	20ch	VR1	Sei
N5M	S-1131B53UA-N5M-TF	VR-IC	LDO, 5.3V±1%, 300mA	SOT89	20ch	VR1	Sei
N5N	S-1131B54UA-N5N-TF	VR-IC	LDO, 5.4V±1%, 300mA	SOT89	20ch	VR1	Sei
N5O	S-1131B55UA-N5O-TF	VR-IC	LDO, 5.5V±1%, 300mA	SOT89	20ch	VR1	Sei
N6	TC54VN3601MB	CMOS-IC	Voltage Detector 3.6V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N6	TC54VN3602MB	CMOS-IC	Voltage Detector 3.6V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N6	XC61CN3602P	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT89	20vd	VD6	Tor
N65	XC61FN3612P	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N66	XC61FN3642P	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N67	XC61FN3652P	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N7	TC54VN3701MB	CMOS-IC	Voltage Detector 3.7V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N7	TC54VN3702MB	CMOS-IC	Voltage Detector 3.7V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N7	XC61CN3702P	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SOT89	20vd	VD6	Tor
N75	XC61FN3712P	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N76	XC61FN3742P	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
N77	XC61FN3752P	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N8	TC54VN3801MB	CMOS-IC	Voltage Detector 3.8V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N8	TC54VN3802MB	CMOS-IC	Voltage Detector 3.8V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N8	XC61CN3802P	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT89	20vd	VD6	Tor
N85	XC61FN3812P	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
N86	XC61FN3842P	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
N87	XC61FN3852P	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
N9	TC54VN3901MB	CMOS-IC	Voltage Detector 3.9V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N9	TC54VN3902MB	CMOS-IC	Voltage Detector 3.9V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
N9	XC61CN3902P	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT89	20vd	VD6	Tor
N93	FCX493	Si-NPN	Dr/Out, 120/100V, 1A, >150MHz	SOT89	20tb	-	Zlx
N95	FCX495	Si-NPN	Dr/Out, 170/150V, 1A, >100MHz	SOT89	20tb	-	Zlx
N95	XC61FN3912P	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output, 200ms	SOT89	20vd	VD8	Tor
N96	XC61FN3942P	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output, 400ms	SOT89	20vd	VD8	Tor
N97	XC61FN3952P	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
NA1	2SK2053	MOS-N-FET-e*	V-MOS, LogL, 16V, ±5A, <0.12Q(2.5A)	SOT89	20fa	-	Nec
NA2	2SK2054	MOS-N-FET-e*	V-MOS, LogL, 60V, ±3A, <0.2Q(1.5A)	SOT89	20fa	-	Nec
NA3	2SK2055	MOS-N-FET-e*	V-MOS, LogL, 100V, ±2A, <0.35Q(5A)	SOT89	20fa	-	Nec
NA4	2SK2157	MOS-N-FET-e*	V-MOS, LogL, 30V, ±5A, <0.1Q(2.5A)	SOT89	20fa	-	Nec
ND	2SK1583	MOS-N-FET-e*	V-MOS, LogL, 18V, ±0.5A, <1.5Q	SOT89	20fa	-	Nec
NE	2SK1585	MOS-N-FET-e*	V-MOS, LogL, 16V, ±1A <1Q(0.5A)	SOT89	20fa	-	Nec
NF	2SK1587	MOS-N-FET-e*	V-MOS, LogL, 18V, ±2A, <0.5Q(5A)	SOT89	20fa	-	Nec
NG	2SK1588	MOS-N-FET-e*	V-MOS, LogL, 16V, ±3A, <0.3Q(5A)	SOT89	20fa	-	Nec
NH	2SK1584	MOS-N-FET-e*	V-MOS, LogL, 30V, ±0.5A, <1.5Q	SOT89	20fa	-	Nec
NI	2SK1586	MOS-N-FET-e*	V-MOS, LogL, 30V, ±1A <0.8Q(0.5A)	SOT89	20fa	-	Nec
NO	2SA1213-O	Si-PNP	GP, 30V, 1.5A, 500mW, B=50..100, 120MHz	SC-62	20tb	-	Tos
NO	2SK1592	MOS-N-FET-e*	V-MOS, LogL, 60V, ±0.5A, <2Q(0.5A)	SOT89	20fa	-	Nec
NP	2SK1593	MOS-N-FET-e*	V-MOS, LogL, 100V, ±0.5A, <5Q(0.5A)	SOT89	20fa	-	Nec
NQ	2SK1959	MOS-N-FET-e*	V-MOS, LogL, 16V, ±2A, <0.5Q(5A)	SOT89	20fa	-	Nec
NR	2SK1960	MOS-N-FET-e*	V-MOS, LogL, 18V, ±3A, <0.2Q(1.5A)	SOT89	20fa	-	Nec
NS	2SK2109	MOS-N-FET-e*	V-MOS, LogL, 80V, ±0.5A, <0.8Q(0.5A)	SOT89	20fa	-	Nec
NT	2SK2110	MOS-N-FET-e*	V-MOS, LogL, 100V, ±0.5A, ±1.2Q(0.5A)	SOT89	20fa	-	Nec
NU	2SK2111	MOS-N-FET-e*	V-MOS, LogL, 60V, ±1A <0.45Q(0.5A)	SOT89	20fa	-	Nec
NV	2SK2112	MOS-N-FET-e*	V-MOS, LogL, 100V, ±1A <0.8Q(0.5A)	SOT89	20fa	-	Nec
NW	2SK2159	MOS-N-FET-e*	V-MOS, LogL, 60V, ±2A, <0.3Q(2.5A)	SOT89	20fa	-	Nec
NX	2SK2857	MOS-N-FET-e*	V-MOS, LogL, 60V, ±4A, <0.22Q	SOT89	20fa	-	Nec
NY	2SA1213-Y	Si-PNP	GP, 30V, 1.5A, 500mW, B=90..180, 120MHz	SC-62	20tb	-	Tos
NY	2SJ317	MOS-P-FET-e*	V-MOS, LogL, 12V, ±2A, <0.7Q(0.5A), integr. Rgate	SOT89	20fa	-	Hil
O	2SK601	MOS-N-FET-e	V-MOS, Sw, 80V, ±0.5A, 1W, <4Q, 15/20ns	SOT89	20fa	-	Pan
OD	MC78LC40HT1	VR-IC	Low Iq, 4V±2.5%, 80mA	SOT89	20vrb	VR1	Ons
OE	MC78LC50HT1	VR-IC	Low Iq, 5V±2.5%, 80mA	SOT89	20vrb	VR1	Ons
OK	2SC3736-OK	Si-NPN	Switching, 80V, 1A, 2W, B=60..120, >300MHz	SOT89	20tb	-	Nec
OL	2SC3736-OL	Si-NPN	Switching, 80V, 1A, 2W, B=100..200, >300MHz	SOT89	20tb	-	Nec
P0	TC54VN4001MB	CMOS-IC	Voltage Detector 4.0V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P0	TC54VN4002MB	CMOS-IC	Voltage Detector 4.0V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P0	XC61CN4002P	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT89	20vd	VD6	Tor
P05	XC61FN4012P	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P06	XC61FN4042P	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 400ms	SOT89	20vd	VD8	Tor
P07	XC61FN4052P	CMOS-IC	Voltage Detector 4V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
P1	D70Y.8T1	Si-NPN	AF, 35V, 800mA	SOT89	20tb	-	Gen
P1	FCX591	Si-NPN	Dr/Out, 80V, 1A, >150MHz	SOT89	20tb	-	Zlx
P1	SGA-9189	Ln-IC	Si/Ge RF amplifier, DC..3GHz, 13,2dB (50Q)	SOT89	20aa	A1	Sir
P1	TC54VN4101MB	CMOS-IC	Voltage Detector 4.1V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P1	TC54VN4102MB	CMOS-IC	Voltage Detector 4.1V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P1	XC61CN4102P	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SOT89	20vd	VD6	Tor
P15	XC61FN4112P	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P16	XC61FN4142P	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P17	XC61FN4152P	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
p1A	PXT3904	Si-NPN	Switching, 80V, 100mA, 1.2W, B=100..300, >300MHz	SOT89	20tb	-	Phi
p1B	PXT2222	Si-NPN	GP, 60V, 600mA, 1.25W, B=100..300, >300MHz	SOT89	20tb	-	Phi
p1D	PXTA42	Si-NPN	Vid, 300/300V, 200mA, 350mW, B>25, >50MHz	SOT89	20tb	-	Phi
p1E	PXTA43	Si-NPN	Vid, 200/200V, 200mA, 350mW, B>25, >50MHz	SOT89	20tb	-	Phi
p1M	PXTA13	Si-NPN-Darl	GP, 30V, 300mA, 300mW, B>5000, >125MHz	SOT89	20tb	-	Phi
p1N	PXTA14	Si-NPN-Darl	GP, 30V, 500mA, 1.3W, B>10000, >125MHz	SOT89	20tb	-	Phi
p1P	PXT2222A	Si-NPN	GP, 75V, 600mA, 1.25W, B=100..300, >300MHz	SOT89	20tb	-	Phi
P2	TC54VN4201MB	CMOS-IC	Voltage Detector 4.2V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P2	TC54VN4202MB	CMOS-IC	Voltage Detector 4.2V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P2	XC61CN4202P	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SOT89	20vd	VD6	Tor
P25	XC61FN4212P	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P26	XC61FN4242P	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output, 400ms	SOT89	20vd	VD8	Tor
P27	XC61FN4252P	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output, 50ms	SOT89	20vd	VD8	Tor
p2A	PXT3906	Si-PNP	Switching, 40V, 100mA, 1.2W, B=100..300, >250MHz	SOT89	20tb	-	Phi
p2B	PXT2907	Si-PNP	GP, 40V, 600mA, 1.3W, B=100..300, >200MHz	SOT89	20tb	-	Phi
p2D	PXTA92	Si-PNP	Vid, 300/300V, 500mA, 330mW, B=25, >50MHz	SOT89	20tb	-	Phi


SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
p2E	PXTA93	Si-PNP	Vid, 200/200V, 500mA, 330mW, B=25, >50MHz	SOT89	20tb	-	Phi
p2F	PXT2907A	Si-PNP	GP, 60V, 600mA, 1.3W, B=100..300, >200MHz	SOT89	20tb	-	Phi
p2T	PXT4403	Si-PNP	Switching, 40V, 600mA, 1.3W, B=30..30, >200MHz	SOT89	20tb	-	Phi
p2V	PXTA64	Si-PNP-Dari	GP, AF, 30V, 500mA, 1.5W, B>10k, >125MHz	SOT89	20tb	-	Phi
p2X	PXT4401	Si-NPN	Switching, 60V, 600mA, 1.3W, B=20..30, >250MHz	SOT89	20tb	-	Phi
P3	TC54VN4301MB	CMOS-IC	Voltage Detector 4.3V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P3	TC54VN4302MB	CMOS-IC	Voltage Detector 4.3V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P3	XC61CN4302P	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT89	20vd	VD6	Tor
P35	XC61FN4312P	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P36	XC61FN4342P	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P37	XC61FN4352P	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
P4	TC54VN4401MB	CMOS-IC	Voltage Detector 4.4V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P4	TC54VN4402MB	CMOS-IC	Voltage Detector 4.4V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P4	XC61CN4402P	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT89	20vd	VD6	Tor
P45	XC61FN4412P	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P46	XC61FN4442P	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P47	XC61FN4452P	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
P5	TC54VN4501MB	CMOS-IC	Voltage Detector 4.5V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P5	TC54VN4502MB	CMOS-IC	Voltage Detector 4.5V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P5	XC61CN4502P	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT89	20vd	VD6	Tor
P55	XC61FN4512P	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P56	XC61FN4542P	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P57	XC61FN4552P	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
P58	FCX558	Si-PNP	Switching, 400/400V, 200mA, >50MHz	SOT89	20tb	-	Ztx
P6	TC54VN4601MB	CMOS-IC	Voltage Detector 4.6V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P6	TC54VN4602MB	CMOS-IC	Voltage Detector 4.6V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P6	XC61CN4602P	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SOT89	20vd	VD6	Tor
P65	XC61FN4612P	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P66	XC61FN4642P	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P67	XC61FN4652P	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
P7	TC54VN4701MB	CMOS-IC	Voltage Detector 4.7V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P7	TC54VN4702MB	CMOS-IC	Voltage Detector 4.7V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P7	XC61CN4702P	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	SOT89	20vd	VD6	Tor
P75	XC61FN4712P	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P76	XC61FN4742P	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P77	XC61FN4752P	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
P8	TC54VN4801MB	CMOS-IC	Voltage Detector 4.8V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P8	TC54VN4802MB	CMOS-IC	Voltage Detector 4.8V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P8	XC61CN4802P	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SOT89	20vd	VD6	Tor
P85	XC61FN4812P	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P86	XC61FN4842P	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P87	XC61FN4852P	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
P9	TC54VN5901MB	CMOS-IC	Voltage Detector 4.9V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P9	TC54VN5902MB	CMOS-IC	Voltage Detector 4.9V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
P9	XC61CN4902P	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT89	20vd	VD6	Tor
P93	FCX593	Si-PNP	Dr/Out, 120/100V, 1A, >50MHz	SOT89	20tb	-	Ztx
P95	XC61FN4912P	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
P96	FCX596	Si-PNP	Dr/Out, 220/200V, 0.3A, >150MHz	SOT89	20tb	-	Ztx
P96	XC61FN4942P	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
P97	XC61FN4952P	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
PD	2SJ205	MOS-P-FET-e*	V-MOS, Sw, 16V, ±0.5A, <3Q(0.5A)	SOT89	20fa	-	Nec
PE	2SJ207	MOS-P-FET-e*	V-MOS, Sw, 16V, ±1A <1.5Q(0.5A)	SOT89	20fa	-	Nec
PF	2SJ208	MOS-P-FET-e*	V-MOS, Sw, 16V, ±2A, <1Q(5A)	SOT89	20fa	-	Nec
PH	2SJ206	MOS-P-FET-e*	V-MOS, Sw, 30V, ±0.5A, <3Q(0.5A)	SOT89	20fa	-	Nec
PO	2SC2884-O	Si-NPN	GP, 35V, 800mA, 500mW, B=70..140, 120MHz	SC-62	20tb	-	Tos
PO	2SJ212	MOS-P-FET-e*	V-MOS, Sw, 60V, ±0.5A, <3Q(0.5A)	SOT89	20fa	-	Nec
PO	KTC4376-O	Si-NPN	AF-Driver, 35V, 800mA, 500mW, B=100..200, >120MHz	SOT89	20tb	-	Kec
PP	2SJ213	MOS-P-FET-e*	V-MOS, Sw, 100V, ±0.5A, <4.2Q(0.5A)	SOT89	20fa	-	Nec
PQ	2SJ355	MOS-P-FET-e*	V-MOS, LogL, 30V, ±2A, <0.35Q(5A)	SOT89	20fa	-	Nec
PR	2SJ356	MOS-P-FET-e*	V-MOS, LogL, 60V, ±2A, <0.5Q(5A)	SOT89	20fa	-	Nec
PY	2SC2884-Y	Si-NPN	GP, 35V, 800mA, 500mW, B=120..240, 120MHz	SC-62	20tb	-	Tos
PY	2SJ363	MOS-P-FET-e*	V-MOS, LogL, 30V, 2A, <0.45Q(1A), integr. Rgate	SOT89	20fa	-	Hil
PY	KTC4376-Y	Si-NPN	AF-Driver, 35V, 800mA, 500mW, B=160..320, >120MHz	SOT89	20tb	-	Kec
QK	2SC2954	Si-NPN	VHF/UHF-Mix, 35V, 150mA, 2W, B=30..200, 4GHz	SOT89	20tb	-	Nec
QK	AP160-25Y	VR-IC	LDO, 2.5V±1.5%, 600mA	SOT89	20vrb	VR1	Ana
QQ	2SC4536-C	Si-NPN	UHF/CATV, 30V, 0.25A, 2W, 5.5GHz, B=40..180	SOT89	20tb	-	Nec
QR	2SC4536-R	Si-NPN	UHF/CATV, 30V, 0.25A, 2W, 5.5GHz, B=60..120	SOT89	20tb	-	Nec
QS	2SC4536-S	Si-NPN	UHF/CATV, 30V, 0.25A, 2W, 5.5GHz, B=100..200	SOT89	20tb	-	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Прои.
QS	AP160-33Y	VR-IC	LDO, 3.3V±1.5%, 600mA	SOT89	20vrb	VR1 Ana
QX	NEC46134	Si-NPN	MW, 30V, 250mA, 3.75W, B=40...200, 5.5GHz	SOT89	20tb	- Cel
QY	2SK2247	MOS-N-FET-a*	V-MOS, LogL, 60V, ±2A, <0.35Q(2.5A)	SOT89	20fa	- Hit
R0	TC54VN5001MB	CMOS-IC	Voltage Detector 5.0V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R0	TC54VN5002MB	CMOS-IC	Voltage Detector 5.0V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R0	XC61CN5002P	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT89	20vd	VD6 Tor
R05	XC61FN5012P	CMOS-IC	Voltage Detector 5V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R06	XC61FN5042P	CMOS-IC	Voltage Detector 5V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R07	XC61FN5052P	CMOS-IC	Voltage Detector 5V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R1	D71Y.8T1	Si-PNP	AF, 35V, 800mA	SOT89	20tb	- Gen
R1	TC54VN5101MB	CMOS-IC	Voltage Detector 5.1V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R1	TC54VN5102MB	CMOS-IC	Voltage Detector 5.1V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R1	XC61CN5102P	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	SOT89	20vd	VD6 Tor
R15	XC61FN5112P	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R16	XC61FN5142P	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R17	XC61FN5152P	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R2	TC54VN5201MB	CMOS-IC	Voltage Detector 5.2V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R2	TC54VN5202MB	CMOS-IC	Voltage Detector 5.2V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R2	XC61CN5202P	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	SOT89	20vd	VD6 Tor
R25	XC61FN5212P	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R26	XC61FN5242P	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R27	XC61FN5252P	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R3	TC54VN5301MB	CMOS-IC	Voltage Detector 5.3V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R3	TC54VN5302MB	CMOS-IC	Voltage Detector 5.3V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R3	XC61CN5302P	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SOT89	20vd	VD6 Tor
R35	XC61FN5312P	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R36	XC61FN5342P	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R37	XC61FN5352P	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R4	TC54VN5401MB	CMOS-IC	Voltage Detector 5.4V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R4	TC54VN5402MB	CMOS-IC	Voltage Detector 5.4V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R4	XC61CN5402P	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SOT89	20vd	VD6 Tor
R45	XC61FN5412P	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R46	XC61FN5442P	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R47	XC61FN5452P	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R5	TC54VN5501MB	CMOS-IC	Voltage Detector 5.5V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R5	TC54VN5502MB	CMOS-IC	Voltage Detector 5.5V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R5	XC61CN5502P	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SOT89	20vd	VD6 Tor
R55	XC61FN5512P	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R56	XC61FN5542P	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R57	XC61FN5552P	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R6	TC54VN5601MB	CMOS-IC	Voltage Detector 5.6V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R6	TC54VN5602MB	CMOS-IC	Voltage Detector 5.6V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R6	XC61CN5602P	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SOT89	20vd	VD6 Tor
R65	XC61FN5612P	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R66	XC61FN5642P	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R67	XC61FN5652P	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R7	TC54VN5701MB	CMOS-IC	Voltage Detector 5.7V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R7	TC54VN5702MB	CMOS-IC	Voltage Detector 5.7V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R7	XC61CN5702P	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	SOT89	20vd	VD6 Tor
R75	XC61FN5712P	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R76	XC61FN5742P	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R77	XC61FN5752P	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R8	TC54VN5801MB	CMOS-IC	Voltage Detector 5.8V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R8	TC54VN5802MB	CMOS-IC	Voltage Detector 5.8V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R8	XC61CN5802P	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	SOT89	20vd	VD6 Tor
R85	XC61FN5812P	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R86	XC61FN5842P	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R87	XC61FN5852P	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
R9	TC54VN5901MB	CMOS-IC	Voltage Detector 5.9V±1%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R9	TC54VN5902MB	CMOS-IC	Voltage Detector 5.9V±2%, -Reset Open drain output	SOT89	20vd	VD6 Tcs
R9	XC61CN5902P	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SOT89	20vd	VD6 Tor
R95	XC61FN5912P	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output, 200ms	SOT89	20vd	VD6 Tor
R96	XC61FN5942P	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output, 400ms	SOT89	20vd	VD6 Tor
R97	XC61FN5952P	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output, 50ms	SOT89	20vd	VD6 Tor
RCa	BFQ193	Si-NPN	UHF-A, 20V, 80mA, 800mW, B=50...500, 7.5GHz	SOT89	20tb	- Sie
RE	2SC3357-RE	Si-NPN	VHF/UHF-CATV-Amp, 20V, 0.1A, 1.2W, B>125, 6.5GHz	SOT89	20tb	- Nec
RF	2SC3357-RF	Si-NPN	VHF/UHF-CATV-Amp, 20V, 0.1A, 1.2W, B>80, 6.5GHz	SOT89	20tb	- Nec
RH	2SC3357-RH	Si-NPN	VHF/UHF-CATV-Amp, 20V, 0.1A, 1.2W, B>50, 6.5GHz	SOT89	20tb	- Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
RO	2SA1024-O	Si-PNP	GP, 30V, 800mA, 500mW, B=100..200, 120MHz	SOT89	20tb	-	Tos
RO	2SA1024-Y	Si-PNP	GP, 30V, 800mA, 500mW, B=160..320, 120MHz	SOT89	20tb	-	Tos
RO	2SA1204-O	Si-PNP	GP, 35V, 800mA, 500mW, B=70..140, 120MHz	SC-62	20tb	-	Tos
RO	KTA1664-O	Si-PNP	AF-Driver, 35V, 800mA, 500mW, B=100..200, >120MHz	SOT89	20tb	-	Kec
RR	2SO1280-R	Si-NPN	GP, AF, 20V, 1A, 1W, B=130..210, 200MHz	SC-62	20tb	-	Pan
RS	2SD1280-S	Si-NPN	GP, AF, 20V, 1A, 1W, B=180..280, 200MHz	SC-62	20tb	-	Pan
RY	2SA1204-Y	Si-PNP	GP, 35V, 800mA, 500mW, B=120..240, 120MHz	SC-62	20tb	-	Tos
RY	2SJ361	MOS-P-FET-e*	V-MOS, LogL, 20V, 2A, <0.4Q(1A), integr. Rgate	SOT89	20fa	-	Hil
RY	KTA1664-Y	Si-PNP	AF-Driver, 35V, 800mA, 500mW, B=160..320, >120MHz	SOT89	20tb	-	Kec
S0	TC54VN6001MB	CMOS-IC	Voltage Detector 6.0V±1%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
S0	TC54VN6002MB	CMOS-IC	Voltage Detector 6.0V±2%, -Reset Open drain output	SOT89	20vd	VD6	Tcs
S0	XC61CN6002P	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT89	20vd	VD6	Tor
S05	XC61FN6012P	CMOS-IC	Voltage Detector 6V, Reset Open drain output, 200ms	SOT89	20vd	VD6	Tor
S06	XC61FN6042P	CMOS-IC	Voltage Detector 6V, Reset Open drain output, 400ms	SOT89	20vd	VD6	Tor
S07	XC61FN6052P	CMOS-IC	Voltage Detector 6V, Reset Open drain output, 50ms	SOT89	20vd	VD6	Tor
S06	BS808	MOS-P-FET-e	D-MOS, Sw, 240V, 200mA, 830mW, <7Q(100mA), 5/20ns	SOT89	20fi	-	Itt
S23	BS723	MOS-P-FET-e	D-MOS, Sw, 60V, 1A, 830mW, <0.7Q(600mA), 40/100ns	SOT89	20fi	-	Itt
SA	2SC2982-A	Si-NPN	Lo-sat, 30V, 2A, 500mW, B=140..240, >140MHz	SOT89	20tb	-	Tos
SB	2SC2982-B	Si-NPN	Lo-sat, 30V, 2A, 500mW, B=200..330, >140MHz	SOT89	20tb	-	Tos
SC	2SC2982-C	Si-NPN	Lo-sat, 30V, 2A, 500mW, B=300..450, >140MHz	SOT89	20tb	-	Tos
SCO	KSC2881-O	Si-NPN	AF, Sw, 120V, 800mA, 500mW, B=300..450, >120MHz	SOT89	20tb	-	Sam
SCY	KSC2881-Y	Si-NPN	AF, Sw, 120V, 800mA, 500mW, B=120..240, >120MHz	SOT89	20tb	-	Sam
SD	2SC2982-D	Si-NPN	Lo-sat, 30V, 2A, 500mW, B=420..600, >140MHz	SOT89	20tb	-	Tos
SDD	KSA1201-O	Si-PNP	AF, Sw, 120V, 800mA, 500mW, B=80..160, >120MHz	SOT89	20tb	-	Sam
SDD	KSA1203-O	Si-PNP	AF-Driver, 30V, 1.5A, 500mW, B=100..200, >120MHz	SOT89	20tb	-	Sam
SDY	KSA1201-Y	Si-PNP	AF, Sw, 120V, 800mA, 500mW, B=120..240, >120MHz	SOT89	20tb	-	Sam
SDY	KSA1203-Y	Si-PNP	AF-Driver, 30V, 1.5A, 500mW, B=160..320, >120MHz	SOT89	20tb	-	Sam
SGO	KSA1203-O	Si-PNP	GP, 30V, 1.5A, 0.5W, B=100..200, >250MHz	SOT89	20tb	-	Sam
SGY	KSA1203-Y	Si-PNP	GP, 30V, 1.5A, 0.5W, B=160..320, >250MHz	SOT89	20tb	-	Sam
SHO	KSC2883-O	Si-NPN	AF-Driver, 30V, 1.5A, 500mW, B=100..200, >120MHz	SOT89	20tb	-	Sam
SHY	KSC2883-Y	Si-NPN	AF-Driver, 30V, 1.5A, 500mW, B=160..320, >120MHz	SOT89	20tb	-	Sam
SLG	KSB798-G	Si-PNP	AF-Driver, 30V, 1A, 2W, B=200..400, >110MHz	SOT89	20tb	-	Sam
SLJ	KSB798-O	Si-PNP	GP, 30V, 1A, 2W, B=90..180, >150MHz	SOT89	20tb	-	Sam
SLO	KSB798-O	Si-PNP	AF-Driver, 30V, 1A, 2W, B=90..180, >110MHz	SOT89	20tb	-	Sam
SLY	KSB798-Y	Si-PNP	AF-Driver, 30V, 1A, 2W, B=135..270, >110MHz	SOT89	20tb	-	Sam
SSA	KSC2982-A	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=140..240, >150MHz	SOT89	20tb	-	Sam
SSB	KSC2982-B	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=200..330, >150MHz	SOT89	20tb	-	Sam
SSC	KSC2982-C	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=300..450, >150MHz	SOT89	20tb	-	Sam
SSD	KSC2982-D	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=420..600, >150MHz	SOT89	20tb	-	Sam
SYR	KSD1621-R	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=100..200, >150MHz	SOT89	20tb	-	Sam
SYS	KSD1621-S	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=140..280, >150MHz	SOT89	20tb	-	Sam
SYT	KSD1621-T	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=200..400, >150MHz	SOT89	20tb	-	Sam
SYU	KSD1621-U	Si-NPN	AF-Driver, 30V, 2A, 500mW, B=280..560, >150MHz	SOT89	20tb	-	Sam
SZR	KSB1121-R	Si-PNP	Lo-sat, 30V, 2A, 500mW, B=100..200, >150MHz	SOT89	20tb	-	Sam
SZS	KSB1121-S	Si-PNP	Lo-sat, 30V, 2A, 500mW, B=140..280, >150MHz	SOT89	20tb	-	Sam
SZT	KSB1121-T	Si-PNP	Lo-sat, 30V, 2A, 500mW, B=200..400, >150MHz	SOT89	20tb	-	Sam
SZU	KSB1121-U	Si-PNP	Lo-sat, 30V, 2A, 500mW, B=280..560, >150MHz	SOT89	20tb	-	Sam
TA	2SA1314-A	Si-PNP	Lo-sat, 20V, 2A, 0.5W B=140..280, 140MHz	SOT89	20tb	-	Tos
TB	2SA1314-B	Si-PNP	Lo-sat, 20V, 2A, 0.5W B=200..400, 140MHz	SOT89	20tb	-	Tos
TC	2SA1314-C	Si-PNP	Lo-sat, 20V, 2A, 0.5W B=300..600, 140MHz	SOT89	20tb	-	Tos
TY	2SK2315	MOS-N-FET-e*	V-MOS, LogL, 60V, ±2A, <0.45Q(2.5A)	SOT89	20fa	-	Hil
UA1	2SJ357	MOS-P-FET-e*	V-MOS, LogL, 30V, ±3A, <0.2Q(1.5A)	SOT89	20fa	-	Nec
UA2	2SJ358	MOS-P-FET-e*	V-MOS, LogL, 60V, ±3A, <0.3Q(1.5A)	SOT89	20fa	-	Nec
UA3	2SJ462	MOS-P-FET-e*	V-MOS, LogL, 12V, ±2.5A, <0.19Q	SOT89	20fa	-	Nec
UY	2SJ450	MOS-P-FET-e*	V-MOS, LogL, 60V, 1A, <1.2Q(0.5A)	SOT89	20fa	-	Hil
VD	1SV268	PIN-Diode	VHF/UHF, 50V, 100mA, 0.7pF, 0.5Q(470MHz)	SOT-89	20di	-	Say
VO	2SC3803-O	Si-NPN	Switching, 60/45V, 200mA, 1W, B=70..140, 200MHz	SOT89	20tb	-	Tos
VP	2SD968A-P	Si-NPN	AF-Driver, 120V, 1A, 1W, B=60..120, 120MHz	SC-62	20tb	-	Pan
VQ	2SD968A-Q	Si-NPN	AF-Driver, 120V, 1A, 1W, B=90..155, 120MHz	SC-62	20tb	-	Pan
VR	2SC3803-R	Si-NPN	Switching, 60/45V, 200mA, 1W, B=40..80, 200MHz	SOT89	20tb	-	Tos
VR	2SD968A-R	Si-NPN	AF-Driver, 120V, 1A, 1W, B=130..220, 120MHz	SC-62	20tb	-	Pan
VS	2SD968A-S	Si-NPN	AF-Driver, 120V, 1A, 1W, B=170..340, 120MHz	SC-62	20tb	-	Pan
VY	2SC3803-Y	Si-NPN	Switching, 60/45V, 200mA, 1W, B=140..280, 200MHz	SOT89	20tb	-	Tos
VY	2SK2788	MOS-N-FET-e*	V-MOS, LogL, 60V, 2A, <0.16Q(5A)	SOT89	20fa	-	Hil
W	2SC5019	Si-NPN	UHF, LN, 15V, 80mA, 1W, B=80..250, 6GHz	SC-62	20tb	-	Pan
W3	BZV49-C2V4	Z-Diode	2.4V±5%, 1W	SOT89	20dm	-	Sie
W4	BZV49-C2V7	Z-Diode	2.7V±5%, 1W	SOT89	20dm	-	Sie
W5	BZV49-C3V0	Z-Diode	3V±5%, 1W	SOT89	20dm	-	Sie

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
W6	BZV49-C3V3	Z-Diode	3.3V±5%, 1W	SOT89	20dm	-	Sie
W7	BZV49-C3V6	Z-Diode	3.6V±5%, 1W	SOT89	20dm	-	Sie
W8	BZV49-C3V9	Z-Diode	3.9V±5%, 1W	SOT89	20dm	-	Sie,Ztx
W9	BZV49-C4V3	Z-Diode	4.3V±5%, 1W	SOT89	20dm	-	Sie,Ztx
WO	25A1483-O	Si-PNP	Switching, 60V, 200mA, 1W, B=70 140, >100MHz	SOT89	20ib	-	Tos
WP	25D968-P	Si-NPN	AF-Driver, 100V, 1A, 1W, B=60 120, 120MHz	SC-62	20ib	-	Pan
WQ	25D968-Q	Si-NPN	AF-Driver, 100V, 1A, 1W, B=90 155, 120MHz	SC-62	20ib	-	Pan
WR	25A1483-R	Si-PNP	Switching, 60V, 200mA, 1W, B=40 80, >100MHz	SOT89	20ib	-	Tos
WR	25D968-R	Si-NPN	AF-Driver, 100V, 1A, 1W, B=130 220, 120MHz	SC-62	20ib	-	Pan
WS	25D968-S	Si-NPN	AF-Driver, 100V, 1A, 1W, B=170 340, 120MHz	SC-62	20ib	-	Pan
WY	25A1483-Y	Si-PNP	Switching, 60V, 200mA, 1W, B=120 240, >100MHz	SOT89	20ib	-	Tos
WY	2SJ484	MOS-P-FET-e*	V-MOS, LogL, 30V, 2A, <0.23Q(5A)	SOT89	20fa	-	Hit
X1	BZV49-C27	Z-Diode	27V±5%, 1W	SOT89	20dm	-	Sie
X2	BZV49-C30	Z-Diode	30V±5%, 1W	SOT89	20dm	-	Sie,Ztx
X3	BZV49-C33	Z-Diode	33V±5%, 1W	SOT89	20dm	-	Sie
X4	BZV49-C36	Z-Diode	36V±5%, 1W	SOT89	20dm	-	Sie
X5	BZV49-C39	Z-Diode	39V±5%, 1W	SOT89	20dm	-	Sie,Ztx
X6	BZV49-C43	Z-Diode	43V±5%, 1W	SOT89	20dm	-	Sie,Ztx
X7	BZV49-C47	Z-Diode	47V±5%, 1W	SOT89	20dm	-	Sie
XP	25D875-P	Si-NPN	AF, 80V, 1A, 1W, B=70 135, 120MHz	SC-62	20ib	-	Pan
XQ	25D875-Q	Si-NPN	AF, 80V 1A 1W, B=90 155, 120MHz	SC-62	20ib	-	Pan
XR	25D875-R	Si-NPN	AF, 80V, 1A, 1W, B=130 200, 120MHz	SC-62	20ib	-	Pan
XS	25D875-S	Si-NPN	AF, 80V, 1A, 1W, B=185 330, 120MHz	SC-62	20ib	-	Pan
Y1	BZV49-C11	Z-Diode	11V±5%, 1W	SOT89	20dm	-	Ztx
Y3	BZV49-C13	Z-Diode	13V±5%, 1W	SOT89	20dm	-	Sie
Y4	BZV49-C15	Z-Diode	15V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Y5	BZV49-C16	Z-Diode	16V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Y6	BZV49-C18	Z-Diode	18V±5%, 1W	SOT89	20dm	-	Sie
Y7	BZV49-C20	Z-Diode	20V±5%, 1W	SOT89	20dm	-	Sie
Y8	BZV49-C22	Z-Diode	22V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Y9	BZV49-C24	Z-Diode	24V±5%, 1W	SOT89	20dm	-	Sie,Ztx
YA	RN6001	Si-PNP-Digi	Dnver, 30V, 2A, 120MHz, R2=2k	SOT89	20ib	-	Tos
YQ	25D874A-Q	Si-NPN	GP, AF, 60V, 1A, 1W, B=85 170, 200MHz	SC-62	20ib	-	Pan
YR	25D874A-R	Si-NPN	GP, AF, 60V, 1A, 1W, B=120 240, 200MHz	SC-62	20ib	-	Pan
YS	25D874A-S	Si-NPN	GP, AF, 60V, 1A, 1W, B=170 340, 200MHz	SC-62	20ib	-	Pan
YY	2SJ517	MOS-P-FET-e*	V-MOS, LogL, 20V, 2A, <0.24Q(5A)	SOT89	20fa	-	Hit
Z1	BZV49-C10	Z-Diode	10V±5%, 1W	SOT89	20dm	-	Ztx
Z1	BZV49-C4V7	Z-Diode	4.7V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z2	BZV49-C5V1	Z-Diode	5.1V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z20C	RH5RZ20CA	VR-IC	Low Noise, LDO, 2V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z21C	RH5RZ21CA	VR-IC	Low Noise, LDO, 2.1V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z22C	RH5RZ22CA	VR-IC	Low Noise, LDO, 2.2V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z23C	RH5RZ23CA	VR-IC	Low Noise, LDO, 2.3V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z24C	RH5RZ24CA	VR-IC	Low Noise, LDO, 2.4V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z25C	RH5RZ25CA	VR-IC	Low Noise, LDO, 2.5V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z26C	RH5RZ26CA	VR-IC	Low Noise, LDO, 2.6V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z27C	RH5RZ27CA	VR-IC	Low Noise, LDO, 2.7V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z28C	RH5RZ28CA	VR-IC	Low Noise, LDO, 2.8V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z29C	RH5RZ29CA	VR-IC	Low Noise, LDO, 2.9V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z3	BZV49-C5V6	Z-Diode	5.6V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z30C	RH5RZ30CA	VR-IC	Low Noise, LDO, 3V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z31C	RH5RZ31CA	VR-IC	Low Noise, LDO, 3.1V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z32C	RH5RZ32CA	VR-IC	Low Noise, LDO, 3.2V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z33C	RH5RZ33CA	VR-IC	Low Noise, LDO, 3.3V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z34C	RH5RZ34CA	VR-IC	Low Noise, LDO, 3.4V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z35C	RH5RZ35CA	VR-IC	Low Noise, LDO, 3.5V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z36C	RH5RZ36CA	VR-IC	Low Noise, LDO, 3.6V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z37C	RH5RZ37CA	VR-IC	Low Noise, LDO, 3.7V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z38C	RH5RZ38CA	VR-IC	Low Noise, LDO, 3.8V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z39C	RH5RZ39CA	VR-IC	Low Noise, LDO, 3.9V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z4	BZV49-C6V2	Z-Diode	6.2V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z40C	RH5RZ40CA	VR-IC	Low Noise, LDO, 4V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z41C	RH5RZ41CA	VR-IC	Low Noise, LDO, 4.1V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z42C	RH5RZ42CA	VR-IC	Low Noise, LDO, 4.2V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z43C	RH5RZ43CA	VR-IC	Low Noise, LDO, 4.3V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z44C	RH5RZ44CA	VR-IC	Low Noise, LDO, 4.4V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z45C	RH5RZ45CA	VR-IC	Low Noise, LDO, 4.5V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z46C	RH5RZ46CA	VR-IC	Low Noise, LDO, 4.6V±2%, 100mA	SOT89	20vrb	VR1	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
Z47C	RH5RZ47CA	VR-IC	Low Noise, LDO, 4,7V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z48C	RH5RZ48CA	VR-IC	Low Noise, LDO, 4,8V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z49C	RH5RZ49CA	VR-IC	Low Noise, LDO, 4,9V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z5	BZV49-C6V8	Z-Diode	6.8V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z50C	RH5RZ50CA	VR-IC	Low Noise, LDO, 5V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z51C	RH5RZ51CA	VR-IC	Low Noise, LDO, 5,1V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z52C	RH5RZ52CA	VR-IC	Low Noise, LDO, 5,2V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z53C	RH5RZ53CA	VR-IC	Low Noise, LDO, 5,3V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z54C	RH5RZ54CA	VR-IC	Low Noise, LDO, 5,4V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z55C	RH5RZ55CA	VR-IC	Low Noise, LDO, 5,5V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z56C	RH5RZ56CA	VR-IC	Low Noise, LDO, 5,6V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z57C	RH5RZ57CA	VR-IC	Low Noise, LDO, 5,7V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z58C	RH5RZ58CA	VR-IC	Low Noise, LDO, 5,8V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z59C	RH5RZ59CA	VR-IC	Low Noise, LDO, 5,9V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z6	2SJ238	MOS-P-FET-e*	V-MOS, LogL, 60V, 1A, <0,85Q(0,5A)	SOT89	20fa	-	Tos
Z6	BZV49-C7V5	Z-Diode	7.5V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z60C	RH5RZ60CA	VR-IC	Low Noise, LDO, 6V±2%, 100mA	SOT89	20vrb	VR1	Ric
Z7	2SK2549	MOS-N-FET-e*	V-MOS, LogL, 16V, 2A, <0,29Q(2,5A)	SOT89	20fa	-	Tos
Z7	BZV49-C8V2	Z-Diode	8.2V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z8	2SJ360	MOS-P-FET-e*	V-MOS, LogL, 60V, 1A, <0,73Q(0,5A)	SOT89	20fa	-	Tos
Z8	BZV49-C9V1	Z-Diode	9.1V±5%, 1W	SOT89	20dm	-	Sie,Ztx
Z9	2SJ465	MOS-P-FET-e*	V-MOS, LogL, 16V, 2A, <0,71Q(5A)	SOT89	20fa	-	Tos
Z9	BZV49-C10	Z-Diode	10V±5%, 1W	SOT89	20dm	-	Sie
ZA	2SK2615	MOS-N-FET-e*	V-MOS, LogL, 60V, 2A, <0,44Q(5A)	SOT89	20fa	-	Tos
ZC	2SK2964	MOS-N-FET-e*	V-MOS, LogL, 30V, 2A, <0,25Q(5A)	SOT89	20fa	-	Tos
ZD	2SK2992	MOS-N-FET-e*	V-MOS, 200V, 1A, <3,5Q(0,5A), 17/45ns	SOT89	20fa	-	Tos
ZF	2SJ511	MOS-P-FET-e*	V-MOS, 30V, 2A, <0,76Q(5A)	SOT89	20fa	-	Tos
ZQ	2SD874-Q	Si-NPN	GP, AF, 30V, 1A, 1W, B=85..170, 200MHz	SC-62	20tb	-	Pan
ZR	2SD874-R	Si-NPN	GP, AF, 30V, 1A, 1W, B=120..240, 200MHz	SC-62	20tb	-	Pan
ZS	2SD874-S	Si-NPN	GP, AF, 30V, 1A, 1W, B=170..340, 200MHz	SC-62	20tb	-	Pan
ZY	2SK2978	MOS-N-FET-e*	V-MOS, LogL, 20V, 2,5A, <0,12Q	SOT89	20fa	-	Hit
ZZ-	2SK2980	MOS-N-FET-e*	V-MOS, LogL, 30V, 1A, <0,28Q(0,5A)	SOT89	20fa	-	Hit




SMD-компоненты в корпусах SOT223

**SMD-коды электронных
компонентов в корпусах SOT223**

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
117-2	NCP1117ST20T3	VR IC	LDO 2V±1% 800mA	SOT223	21cg	VR1	Ons
117-5	NCP1117ST50T3	VR IC	LDO 5V±1% 800mA	SOT223	21cg	VR1	Ons
117-A	NCP1117STAT3	VR IC	LDO Adjustable 800mA	SOT223	21cn	VR20	Ons
17-12	NCP1117ST12T3	VR IC	LDO 12V±1% 800mA	SOT223	21cg	VR1	Ons
17-15	NCP1117ST15T3	VR IC	LDO 15V±1% 800mA	SOT223	21cg	VR1	Ons
17 18	NCP1117ST18T3	VR IC	LDO 18V±1% 800mA	SOT223	21cg	VR1	Ons
17-25	NCP1117ST25T3	VR IC	LDO 25V±1% 800mA	SOT223	21cg	VR1	Ons
17-33	NCP1117ST33T3	VR IC	LDO 33V±1% 800mA	SOT223	21cg	VR1	Ons
1N10	MMFT1N10E	MOS N FET e	V MOS 100V 1A <0.25Ω(0.5A)	SOT223	21fi		Mol
2955	MMFT2955E	MOS P FET e	V MOS 60V 1.2A <0.3Ω(0.5A)	SOT223	21fi		Mol
2CJQE	20CJQ030	Si Diode	Dual Schottky Rectifier 30V 2A Vf<0.42V(1A)	SOT223	21bs		Inr
2N02L	MMFT2N02EL	MOS N FET e	V MOS LogL 20V 1.6A <0.15Ω	SOT223	21fi		Mol
651	PZT651T1	Si NPN	GP 80V 2A 800mW B>75 >75MHz	SOT223	21tm		Ons
7-285	NCP1117ST285T3	VR IC	LDO 2.85V±1% 800mA	SOT223	21cg	VR1	Ons
AA	BCP51	Si PNP	AF 45V 1A 1.3W B=63 250 115MHz	SOT223	21tm		Phi
AC	BCP51 10	Si PNP	AF 45V 1A 1.3W B=63 160 115MHz	SOT223	21tm		Phi
AD	BCP51 16	Si PNP	AF 45V 1A 1.3W B=100 250 115MHz	SOT223	21tm		Phi
AE	BCP52	Si PNP	AF 60V 1A 1.3W B=63 250 115MHz	SOT223	21tm		Phi
AG	BCP52 10	Si PNP	AF 60V 1A 1.3W B=63 160 115MHz	SOT223	21tm		Phi
AH	BCP53	Si PNP	AF 100V 1A 1.3W B=63 250 115MHz	SOT223	21tm		Phi
AH	BCP53T1	Si PNP	AF 100V 1.5A 1.5W B=63 250 115MHz	SOT223	21tm		Ons
AH-10	BCP53 10T1	Si PNP	AF 100V 1.5A 1.5W B=63 160 115MHz	SOT223	21tm		Ons
AH 16	BCP53 16T1	Si PNP	AF 100V 1.5A 1.5W B=100 250 115MHz	SOT223	21tm		Ons
AK	BCP53 10	Si PNP	AF 100V 1A 1.3W B=63 160 115MHz	SOT223	21tm		Phi
AL	BCP53 16	Si PNP	AF 100V 1A 1.3W B=100 250 115MHz	SOT223	21tm		Phi
AM	BCP52 16	Si PNP	AF 60V 1A 1.3W B=100 250 115MHz	SOT223	21tm		Phi
AR2	BSP41	Si NPN	AF Sw 70V 1A 1.3W B=30 300 >100MHz	SOT223	21tm		Phi
AR3	BSP42	Si NPN	AF Sw 90V 1A 1.3W B=10 120 >100MHz	SOT223	21tm		Phi
AR4	BSP43	Si NPN	AF Sw 90V 1A 1.3W B=30 300 >100MHz	SOT223	21tm		Phi
AS1	BSP50	Si NPN Darl	AF 60V 1A 1.25W B>1000 >200MHz	SOT223	21tm		Phi
AS2	BSP51	Si NPN Darl	AF 80V 1A 1.25W B>1000 >200MHz	SOT223	21tm		Phi
AS3	BSP52	Si NPN Darl	AF 90V 1A 1.25W B>1000 >200MHz	SOT223	21tm		Phi
AS3	BSP52T1	Si NPN Darl	AF 90V 1A 800mW B>1000 >200MHz	SOT223	21tm		Ons
AT1	BSP19	Si NPN	AF Sw Vid 400V 100mA 1.2W B>40 >15MHz	SOT223	21tm		Phi
AT120A	BAT120A	Si Diode	Dual Schottky Fast 25V 1A Vf<0.45V(1A) <300μs	SOT223	21bt		Phi
AT120C	BAT120C	Si Diode	Dual Schottky Fast 25V 1A Vf<0.45V(1A) <300μs	SOT223	21bu		Phi
AT120S	BAT120S	Si Diode	Dual Schottky Fast 25V 1A Vf<0.45V(1A) <300μs	SOT223	21bv		Phi
AT140A	BAT140A	Si Diode	Dual Schottky Fast 40V 1A Vf<0.5V(1A) <300μs	SOT223	21bt		Phi
AT140C	BAT140C	Si Diode	Dual Schottky Fast 40V 1A Vf<0.5V(1A) <300μs	SOT223	21bu		Phi
AT140S	BAT140S	Si Diode	Dual Schottky Fast 40V 1A Vf<0.5V(1A) <300μs	SOT223	21bv		Phi
AT160A	BAT160A	Si Diode	Dual Schottky Fast 60V 1A Vf<0.65V(1A) <300μs	SOT223	21bt		Phi
AT160C	BAT160C	Si Diode	Dual Schottky Fast 60V 1A Vf<0.65V(1A) <300μs	SOT223	21bu		Phi
AT160S	BAT160S	Si Diode	Dual Schottky Fast 60V 1A Vf<0.65V(1A) <300μs	SOT223	21bv		Phi
AT2	BSP20	Si NPN	AF Sw Vid 300V 100mA 1.2W B>40 >15MHz	SOT223	21tm		Phi
BA	BCP54	Si NPN	AF 45V 1A 1.3W B=63 250 115MHz	SOT223	21tm		Phi
BC	BCP54 10	Si NPN	AF 45V 1A 1.3W B=63 160 115MHz	SOT223	21tm		Phi
BD	BCP54 16	Si NPN	AF 45V 1A 1.3W B=100 250 115MHz	SOT223	21tm		Phi
BE	BCP55	Si NPN	AF 60V 1A 1.3W B=63 250 115MHz	SOT223	21tm		Phi
BG	BCP55 10	Si NPN	AF 60V 1A 1.3W B=63 160 115MHz	SOT223	21tm		Phi
BH	BCP56	Si NPN	AF 80V 1A 1.3W B=63 250 115MHz	SOT223	21tm		Phi
BH	BCP56T1	Si NPN	AF 80V 1A 1.5W B=63 250 115MHz	SOT223	21tm		Ons
BH 10	BCP56 10T1	Si NPN	AF 80V 1A 1.5W B=63 160 115MHz	SOT223	21tm		Ons
BH-16	BCP56 16T1	Si NPN	AF 80V 1A 1.5W B=100 250 115MHz	SOT223	21tm		Ons
BK	BCP56 10	Si NPN	AF 80V 1A 1.3W B=63 160 115MHz	SOT223	21tm		Phi
BL	BCP56 16	Si NPN	AF 80V 1A 1.3W B=100 250 115MHz	SOT223	21tm		Phi
BM	BCP55 16	Si NPN	AF 60V 1A 1.3W B=100 250 115MHz	SOT223	21tm		Phi
BR2	BSP31	Si PNP	AF Sw 70V 1A 1.3W B=30 300 >100MHz	SOT223	21tm		Phi
BR3	BSP32	Si PNP	AF Sw 90V 1A 1.3W B=10 120 >100MHz	SOT223	21tm		Phi
BR4	BSP33	Si PNP	AF Sw 90V 1A 1.3W B=30 300 >100MHz	SOT223	21tm		Phi
BS1	BSP60	Si PNP Darl	AF 60V 1A 1.25W B>1000 >200MHz	SOT223	21tm		Phi
BS2	BSP61	Si PNP Darl	AF 80V 1A 1.25W B>1000 >200MHz	SOT223	21tm		Phi
BS3	BSP62	Si PNP Darl	AF 90V 1A 1.25W B>1000 >200MHz	SOT223	21tm		Phi
BT1	BSP15	Si PNP	AF Sw Vid 200V 200mA 1.2W B=30 120 >15MHz	SOT223	21tm		Phi
BT2	BSP16	Si PNP	AF Sw Vid 350V 200mA 1.2W B=30 120 >15MHz	SOT223	21tm		Phi
BT2	BSP16T1	Si PNP	AF Sw Vid 350V 1A 1.5W B=30 120 >70MHz	SOT223	21tm		Ons
CA	BCP68	Si NPN	AF 32V 1A 1.3W B=50 375 >40MHz	SOT223	21tm		Phi
CA	BCP68T1	Si NPN	AF 32V 1A 1.3W B=50 375 >40MHz	SOT223	21tm		Ons
CB	BCP68 16	Si NPN	AF 32V 1A 1.3W B=100 250 >40MHz	SOT223	21tm		Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
CC	BCP68-25	Si-NPN	AF, 32V, 1A, 1,3W, B=160..375, >40MHz	SOT223	21tm	-	Phi
CE	BCP69	Si-PNP	AF, 32V, 1A, 1,3W, B=100..375, >40MHz	SOT223	21tm	-	Phi
CE	BCP69T1	Si-PNP	AF, 32V, 1A, 1,3W, B=100..375, >40MHz	SOT223	21tm	-	Ons
CF	BCP69-16	Si-PNP	AF, 32V, 1A, 1,3W, B=100..250, >40MHz	SOT223	21tm	-	Phi
CG	BCP69-25	Si-PNP	AF, 32V, 1A, 1,3W, B=160..375, >40MHz	SOT223	21tm	-	Phi
DA	BF722	Si-NPN	Vid, 250V, 100mA, 1,2W, B>50, >60MHz	SOT223	21tb	-	Phi
DB	BF723	Si-PNP	Vid, 250V, 100mA, 1,2W, B>50, >60MHz	SOT223	21tb	-	Phi
DC	BF720T1	Si-NPN	Vid, 300V, 100mA, 1,5W, B>50, >60MHz	SOT223	21tb	-	Ons
DF	BF721T1	Si-PNP	Vid, 300V, 100mA, 1,5W, B>50, >60MHz	SOT223	21tb	-	Ons
HD1	HDP01-0512N	Lin-IC	HDD/FDD/CD-R Power supply protection 5V/12V	SOT223	21	-	Ste
LS00	LMS8117AMP-1.6	VR-IC	LDO, 1,8V±1%, 1A	SOT223	21wb	VR1	Nsc
LS00	LMS8117AMPX-1.8	VR-IC	LDO, 1,8V±1%, 1A	SOT223	21wb	VR1	Nsc
LS01	LMS8117AMP-3.3	VR-IC	LDO, 3,3V±1%, 1A	SOT223	21wb	VR1	Nsc
LS01	LMS8117AMPX-3.3	VR-IC	LDO, 3,3V±1%, 1A	SOT223	21wb	VR1	Nsc
LS0A	LMS8117AMP-ADJ	VR-IC	LDO, Adjustable, 1,25..13,8V, 1A	SOT223	21wc	VR20	Nsc
LS0A	LMS8117AMPX-ADJ	VR-IC	LDO, Adjustable, 1,25..13,8V, 1A	SOT223	21wc	VR20	Nsc
N03A	LM1117MP-ADJ	VR-IC	LDO, Adjustable, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N03A	LM1117MPX-ADJ	VR-IC	LDO, Adjustable, 0,8A, 0..+125°	SOT223	21cn	VR20	Nsc
N03B	LM1117IMPX-ADJ	VR-IC	LDO, Adjustable, 0,8A, -40..+125°	SOT223	21cn	VR20	Nsc
N04A	LM1117MP-2.85	VR-IC	LDO, 2,85V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N04A	LM1117MPX-2.85	VR-IC	LDO, 2,85V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N05A	LM1117MP-3.3	VR-IC	LDO, 3,3V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N05A	LM1117MPX-3.3	VR-IC	LDO, 3,3V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N05B	LM1117IMPX-3.3	VR-IC	LDO, 3,3V, 0,8A, -40..+125°	SOT223	21cg	VR1	Nsc
N06A	LM1117MP-5.0	VR-IC	LDO, 5V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N06A	LM1117MPX-5.0	VR-IC	LDO, 5V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N06B	LM1117IMPX-5.0	VR-IC	LDO, 5V, 0,8A, -40..+125°	SOT223	21cg	VR1	Nsc
N12A	LM1117MPX-1.8	VR-IC	LDO, 1,8V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
N13A	LM1117MPX-2.5	VR-IC	LDO, 2,5V, 0,8A, 0..+125°	SOT223	21cg	VR1	Nsc
P1A	PZT3904	Si-NPN	Switching, 60V, 100mA, 1,2W, B=100..300, >300MHz	SOT223	21tm	-	Mot
P1D	PZTA42T1	Si-NPN	Vid, 300/300V, 200mA, 1,5W, B>25, >50MHz	SOT223	21tm	-	Mot
P1E	PZTA43	Si-NPN	Vid, 200/200V, 200mA, 1,5W, B>25, >50MHz	SOT223	21tm	-	Mot
P1F	PZT2222AT1	Si-NPN	Switching, 75V, 600mA, 1,5W, B=100..300, >300MHz	SOT223	21tm	-	Ons
P1M	PZTA13	Si-NPN-Darl	GP, 30V, 300mA, 1,5W, B>5000, >125MHz	SOT223	21tm	-	Mot
P1N	PZTA14T1	Si-NPN-Darl	GP, 30V, 300mA, 1,5W, B>10000, >125MHz	SOT223	21tm	-	Mot
P2A	PZT3906	Si-PNP	Switching, 40V, 100mA, 1,2W, B=100..300, >250MHz	SOT223	21tm	-	Mot
P2D	PZTA92T1	Si-PNP	Vid, 300/300V, 500mA, 1,5W, B=25, >50MHz	SOT223	21tm	-	Ons
P2E	PZTA93	Si-PNP	Vid, 200/200V, 500mA, 1,5W, B=25, >50MHz	SOT223	21tm	-	Mot
P2F	PZT2907AT1	Si-PNP	Switching, 60V, 600mA, 1,5W, B=100..300, >200MHz	SOT223	21tm	-	Ons
P2U	PZTA63	Si-PNP-Darl	GP, 30V, 500mA, 1,5W, B>5000, >125MHz	SOT223	21tm	-	Mot
P2V	PZTA64T1	Si-PNP-Darl	GP, 30V, 500mA, 1,5W, B>10000, >125MHz	SOT223	21tm	-	Mot
SP19A	BSP19AT1	Si-NPN	AF, SW, Vid, 400V, 1A, 1,5W, B>40, >70MHz	SOT223	21tm	-	Ons
TM1101	PZTM1101	Si-NPN	Sw, 60V, 200mA, 500mW, >250MHz, int. Schottky-Di, 40V, 1A	SOT223	21te	-	Phi
TM1102	PZTM1102	Si-PNP	Sw, 40V, 200mA, 500mW, >250MHz, int. Schottky-Di, 40V, 1A	SOT223	21tn	-	Phi
ZT2222	PZT2222	Si-NPN	Switching, 80V, 600mA, 1,5W, B=100..300, >300MHz	SOT223	21tm	-	Sie
ZT2222A	PZT2222A	Si-NPN	Switching, 75V, 600mA, 1,5W, B=100..300, >300MHz	SOT223	21tm	-	Sie
ZT4401	PZT4401	Si-NPN	Switching, 60V, 600mA, 1,15W, B=20..30, >250MHz	SOT223	21tm	-	Phi
ZT4403	PZT4403	Si-PNP	Switching, 40V, 600mA, 1,15W, B=30..30, >200MHz	SOT223	21tm	-	Phi
ZT651	PZT851T1	Si-NPN	GP, 80V, 2A, 800mW, B>75, >75MHz	SOT223	21tm	-	Mot
ZT751	PZT751T1	Si-PNP	GP, 80V, 2A, 800mW, B>75, >75MHz	SOT223	21tm	-	Ons
ZTA96	PZTA96ST1	Si-PNP	Vid, 450/450V, 500mA, 1,5W, B>25, >50MHz	SOT223	21tm	-	Ons



SMD-компоненты в корпусах SOT143

**SMD-коды электронных
компонентов в корпусах SOT143**

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
01	MRF9011LT1	Si-NPN	UHF, 25V, 30mA, 300mW, B=30...200, 3,8GHz	SOT143	24tc	-	Mot
02	MRF5711LT1	Si-NPN	UHF, 20V, 80mA, 580mW, B=50...300, 8GHz	SOT143	24tc	-	Mot
03	VAM-3	Lin-IC	RF amplifier, DC..2GHz, 7,5dB (50Q)	SOT143	24ad	A1	Mc
04	MRF4427	Si-NPN	UHF, 40V, 400mA, 220mW, B=10...200, 1,6GHz	SOT143	24tc	-	Mot
04	MRF5211L	Si-PNP	UHF, 20V, 70mA, 333mW, B=25...125, 4,2GHz	SOT143	24tab	-	Mot
04	MRF5211LT1	Si-PNP	UHF, 20V, 70mA, 333mW, B=25...125, 4,2GHz	SOT143	24tc	-	Mot
05	MRF9331LT1	Si-NPN	UHF, 15V, 2mA, 50mW, B=30...200, 5GHz	SOT143	24tc	-	Mot
06	VAM-6	Lin-IC	RF amplifier, DC..2GHz, 8dB (50Q)	SOT143	24ad	A1	Mc
07	VAM-7	Lin-IC	RF amplifier, DC..2GHz, 7,8dB (50Q)	SOT143	24ad	A1	Mc
08	HBFP-0450	Si-NPN	UHF, LN, 15V, 100mA, 450mW, B=50...150, 1,8GHz	SOT143	24taa	-	Agil
0A	R3132Q10EA	CMOS-IC	Voltage Detector 1V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0A	RQ5RW50BA	VR-IC	LDO, Enable, 5V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0B	R3132Q11EA	CMOS-IC	Voltage Detector 1,1V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0B	RQ5RW51BA	VR-IC	LDO, Enable, 5,1V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0C	R3132Q12EA	CMOS-IC	Voltage Detector 1,2V, MR, -Reset ODO	SOT143	24vdh	-	Ric
0C	RQ5RW52BA	VR-IC	LDO, Enable, 5,2V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0D	R3132Q13EA	CMOS-IC	Voltage Detector 1,3V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0D	RQ5RW53BA	VR-IC	LDO, Enable, 5,3V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0E	R3132Q14EA	CMOS-IC	Voltage Detector 1,4V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0E	RQ5RW54BA	VR-IC	LDO, Enable, 5,4V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0F	R3132Q15EA	CMOS-IC	Voltage Detector 1,5V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0F	RQ5RW55BA	VR-IC	LDO, Enable, 5,5V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0G	R3132Q16EA	CMOS-IC	Voltage Detector 1,6V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0G	RQ5RW56BA	VR-IC	LDO, Enable, 5,6V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0H	R3132Q17EA	CMOS-IC	Voltage Detector 1,7V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0H	RQ5RW57BA	VR-IC	LDO, Enable, 5,7V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0J	R3132Q18EA	CMOS-IC	Voltage Detector 1,8V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0J	RQ5RW58BA	VR-IC	LDO, Enable, 5,8V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0K	R3132Q19EA	CMOS-IC	Voltage Detector 1,9V, MR, -Reset PPO	SOT143	24vdh	-	Ric
0K	RQ5RW59BA	VR-IC	LDO, Enable, 5,9V±2%, 150mA	SOT143R	26vrs	VR4	Ric
0L	R3133Q10EA	CMOS-IC	Voltage Detector 1V, MR, Reset PPO	SOT143	24vdh	-	Ric
0M	R3133Q11EA	CMOS-IC	Voltage Detector 1,1V, MR, Reset PPO	SOT143	24vdh	-	Ric
0N	R3133Q12EA	CMOS-IC	Voltage Detector 1,2V, MR, Reset ODO	SOT143	24vdh	-	Ric
0P	R3133Q13EA	CMOS-IC	Voltage Detector 1,3V, MR, Reset PPO	SOT143	24vdh	-	Ric
0Q	R3133Q14EA	CMOS-IC	Voltage Detector 1,4V, MR, Reset PPO	SOT143	24vdh	-	Ric
0R	R3133Q15EA	CMOS-IC	Voltage Detector 1,5V, MR, Reset PPO	SOT143	24vdh	-	Ric
0S	R3133Q16EA	CMOS-IC	Voltage Detector 1,6V, MR, Reset PPO	SOT143	24vdh	-	Ric
0T	R3133Q17EA	CMOS-IC	Voltage Detector 1,7V, MR, Reset PPO	SOT143	24vdh	-	Ric
0U	R3133Q18EA	CMOS-IC	Voltage Detector 1,8V, MR, Reset PPO	SOT143	24vdh	-	Ric
0V	R3133Q19EA	CMOS-IC	Voltage Detector 1,9V, MR, Reset PPO	SOT143	24vdh	-	Ric
10	MRF9411L	Si-NPN	UHF, 20V, 50mA, 250mW, B=100...200, 8GHz	SOT143	24tab	-	Mot
11	MRF9511ALT1	Si-NPN	UHF, 20V, 100mA, 322mW, B=75...150, 8GHz	SOT143	24tc	-	Mot
15	MRF0211LT1	Si-NPN	UHF, 30V, 70mA, 580mW, B=50...300, 5,5GHz	SOT143	24tc	-	Mot
17	BAS125-07	Si-Diode	Dual, Schottky, 25V, 100mA, Vf<0.9V(35mA), Cd<1,1pF	SOT143	24ca	-	Inf
18	MRF9331LT1	Si-NPN	UHF, 15V, 2mA, 50mW, B=30...200, 5GHz	SOT143	24tc	-	Mot
18	MRF9411BLT1	Si-NPN	UHF, 20V, 50mA, 250mW, B=100...200, 8GHz	SOT143	24tc	-	Mot
18	MRF9411BLT3	Si-NPN	UHF, 20V, 50mA, 250mW, B=100...200, 8GHz	SOT143	24tc	-	Mot
1A	R3132Q20EA	CMOS-IC	Voltage Detector 2V, MR, -Reset Push-pull output	SOT143	24vdh	-	Ric
1A	RQ5RW60BA	VR-IC	LDO, Enable, 6V±2%, 150mA	SOT143R	26vrs	VR4	Ric
1B	R3132Q21EA	CMOS-IC	Voltage Detector 2,1V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1B	RQ5RW19BA	VR-IC	LDO, Enable, 1,9V±2%, 150mA	SOT143R	26vrs	VR4	Ric
1C	R3132Q22EA	CMOS-IC	Voltage Detector 2,2V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1C	RQ5RW18BA	VR-IC	LDO, Enable, 1,8V±2%, 150mA	SOT143R	26vrs	VR4	Ric
1D	R3132Q23EA	CMOS-IC	Voltage Detector 2,3V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1D	RQ5RW17BA	VR-IC	LDO, Enable, 1,7V±2%, 150mA	SOT143R	26vrs	VR4	Ric
1E	R3132Q24EA	CMOS-IC	Voltage Detector 2,4V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1E	RQ5RW16BA	VR-IC	LDO, Enable, 1,6V±2%, 150mA	SOT143R	26vrs	VR4	Ric
1F	R3132Q25EA	CMOS-IC	Voltage Detector 2,5V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1F	RQ5RW15BA	VR-IC	LDO, Enable, 1,5V±2%, 150mA	SOT143R	26vrs	VR4	Ric
1G	R3132Q26EA	CMOS-IC	Voltage Detector 2,6V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1H	R3132Q27EA	CMOS-IC	Voltage Detector 2,7V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1J	BCV61A	Si-NPN	Dual, 30V, 100mA, 300mW, B=110...220, 250MHz	SOT143	24tac	-	Inf
1J	R3132Q28EA	CMOS-IC	Voltage Detector 2,8V, MR, -Reset PPO	BO1143	24vdh	-	Ric
1Jp	BCV61A	Si-NPN	Dual, 30V, 100mA, 250mW, B=110...220, >100MHz	SOT143	24tac	-	Phi
1Ja	BCV61A	Si-NPN	Dual, 30V, 100mA, 300mW, B=110...220, >250MHz	SOT143	24tac	-	Sie
1K	R3132Q29EA	CMOS-IC	Voltage Detector 2,9V, MR, -Reset PPO	SOT143	24vdh	-	Ric
1Kp	BCV61B	Si-NPN	Dual, 30V, 100mA, 250mW, B=200...450, >100MHz	SOT143	24tac	-	Phi
1Ka	BCV61B	Si-NPN	Dual, 30V, 100mA, 300mW, B=200...450, 250MHz	SOT143	24tac	-	Sie

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
1L	BCV61C	Si-NPN	Dual, 30V, 100mA, 250mW, B=420..800, 100MHz	SOT143	24lac	-	Inf
1L	R3133Q20EA	CMOS-IC	Voltage Detector 2V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
1Lp	BCV61C	Si-NPN	Dual, 30V, 100mA, 250mW, B=420..800, 100MHz	SOT143	24lac	-	Phi
1Ls	BCV61C	Si-NPN	Dual, 30V, 100mA, 300mW, B=420..800, 250MHz	SOT143	24lac	-	Sie
1M	R3133Q21EA	CMOS-IC	Voltage Detector 2.1V, MR, Reset PPO	SOT143	24vdh	-	Ric
1Mp	BCV61	Si-NPN	Dual, 30V, 100mA, 250mW, B=110..800, Ft>100MHz	SOT143	24lac	-	Phi
1N	R3133Q22EA	CMOS-IC	Voltage Detector 2.2V, MR, Reset PPO	SOT143	24vdh	-	Ric
1P	R3133Q23EA	CMOS-IC	Voltage Detector 2.3V, MR, Reset PPO	SOT143	24vdh	-	Ric
1Q	R3133Q24EA	CMOS-IC	Voltage Detector 2.4V, MR, Reset PPO	SOT143	24vdh	-	Ric
1R	R3133Q25EA	CMOS-IC	Voltage Detector 2.5V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
1S	R3133Q26EA	CMOS-IC	Voltage Detector 2.6V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
1T	R3133Q27EA	CMOS-IC	Voltage Detector 2.7V, MR, Reset PPO	SOT143	24vdh	-	Ric
1U	R3133Q28EA	CMOS-IC	Voltage Detector 2.8V, MR, Reset PPO	SOT143	24vdh	-	Ric
1V	R3133Q29EA	CMOS-IC	Voltage Detector 2.9V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
2A	R3132Q30EA	CMOS-IC	Voltage Detector 3V, MR, -Reset Push-pull output	SOT143	24vdh	-	Ric
2A	RQ5RW20AA	VR-IC	LDO, -Enable, 2V±2%, 150mA	SOT143R	26vre	VR4	Ric
2B	R3132Q31EA	CMOS-IC	Voltage Detector 3.1V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2B	RQ5RW21AA	VR-IC	LDO, -Enable, 2.1V±2%, 150mA	SOT143R	26vre	VR4	Ric
2C	R3132Q32EA	CMOS-IC	Voltage Detector 3.2V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2C	RQ5RW22AA	VR-IC	LDO, -Enable, 2.2V±2%, 150mA	SOT143R	26vre	VR4	Ric
2D	R3132Q33EA	CMOS-IC	Voltage Detector 3.3V, MR, -Reset PPO	SOT143	24vdh	VD7	Ric
2D	RQ5RW23AA	VR-IC	LDO, -Enable, 2.3V±2%, 150mA	SOT143R	26vre	VR4	Ric
2E	R3132Q34EA	CMOS-IC	Voltage Detector 3.4V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2E	RQ5RW24AA	VR-IC	LDO, -Enable, 2.4V±2%, 150mA	SOT143R	26vre	VR4	Ric
2F	R3132Q35EA	CMOS-IC	Voltage Detector 3.5V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2F	RQ5RW25AA	VR-IC	LDO, -Enable, 2.5V±2%, 150mA	SOT143R	26vre	VR4	Ric
2G	R3132Q36EA	CMOS-IC	Voltage Detector 3.6V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2G	RQ5RW26AA	VR-IC	LDO, -Enable, 2.6V±2%, 150mA	SOT143R	26vre	VR4	Ric
2H	R3132Q37EA	CMOS-IC	Voltage Detector 3.7V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2H	RQ5RW27AA	VR-IC	LDO, -Enable, 2.7V±2%, 150mA	SOT143R	26vre	VR4	Ric
2J	R3132Q38EA	CMOS-IC	Voltage Detector 3.8V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2J	RQ5RW28AA	VR-IC	LDO, -Enable, 2.8V±2%, 150mA	SOT143R	26vre	VR4	Ric
2K	R3132Q39EA	CMOS-IC	Voltage Detector 3.9V, MR, -Reset PPO	SOT143	24vdh	-	Ric
2K	RQ5RW29AA	VR-IC	LDO, -Enable, 2.9V±2%, 150mA	SOT143R	26vre	VR4	Ric
2L	R3133Q30EA	CMOS-IC	Voltage Detector 3V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
2L	RQ5RW20CA	VR-IC	LDO, 2V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2M	R3133Q31EA	CMOS-IC	Voltage Detector 3.1V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
2M	RQ5RW21CA	VR-IC	LDO, 2.1V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2N	R3133Q32EA	CMOS-IC	Voltage Detector 3.2V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
2N	RQ5RW22CA	VR-IC	LDO, 2.2V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2P	R3133Q33EA	CMOS-IC	Voltage Detector 3.3V, MR, Reset Push-pull output	SOT143	24vdh	VD7	Ric
2P	RQ5RW23CA	VR-IC	LDO, 2.3V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2Q	R3133Q34EA	CMOS-IC	Voltage Detector 3.4V, MR, Reset PPO	SOT143	24vdh	-	Ric
2R	R3133Q35EA	CMOS-IC	Voltage Detector 3.5V, MR, Reset PPO	SOT143	24vdh	-	Ric
2R	RQ5RW24CA	VR-IC	LDO, 2.4V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2S	R3133Q36EA	CMOS-IC	Voltage Detector 3.6V, MR, Reset PPO	SOT143	24vdh	-	Ric
2S	RQ5RW25CA	VR-IC	LDO, 2.5V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2T	R3133Q37EA	CMOS-IC	Voltage Detector 3.7V, MR, Reset PPO	SOT143	24vdh	-	Ric
2T	RQ5RW26CA	VR-IC	LDO, 2.6V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2U	R3133Q38EA	CMOS-IC	Voltage Detector 3.8V, MR, Reset PPO	SOT143	24vdh	-	Ric
2U	RQ5RW27CA	VR-IC	LDO, 2.7V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2V	R3133Q39EA	CMOS-IC	Voltage Detector 3.9V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
2V	RQ5RW28CA	VR-IC	LDO, 2.8V±2%, 150mA	SOT143R	26vrh	VR1	Ric
2W	RQ5RW29CA	VR-IC	LDO, 2.9V±2%, 150mA	SOT143R	26vrh	VR1	Ric
305	AT-30511	Si-NPN	UHF, 11V, 8mA, 100mW, B=70..300, 10GHz	SOT143	24taa	-	Agi
310	AT-31011	Si-NPN	UHF, 11V, 16mA, 150mW, B=70..300, 10GHz	SOT143	24taa	-	Agi
320	AT-32011	Si-NPN	UHF, 11V, 32mA, 0.2W, B=70..300, 10GHz	SOT143	24tc	-	Agi
3A	R3132Q40EA	CMOS-IC	Voltage Detector 4V, MR, -Reset Push-pull output	SOT143	24vdh	-	Ric
3A	RQ5RW30AA	VR-IC	LDO, -Enable, 3V±2%, 150mA	SOT143R	26vre	VR4	Ric
3B	R3132Q41EA	CMOS-IC	Voltage Detector 4.1V, MR, -Reset PPO	SOT143	24vdh	-	Ric
3B	RQ5RW31AA	VR-IC	LDO, -Enable, 3.1V±2%, 150mA	SOT143R	26vre	VR4	Ric
3C	R3132Q42EA	CMOS-IC	Voltage Detector 4.2V, MR, -Reset PPO	SOT143	24vdh	-	Ric
3C	RQ5RW32AA	VR-IC	LDO, -Enable, 3.2V±2%, 150mA	SOT143R	26vre	VR4	Ric
3D	R3132Q43EA	CMOS-IC	Voltage Detector 4.3V, MR, -Reset PPO	SOT143	24vdh	-	Ric
3D	RQ5RW33AA	VR-IC	LDO, -Enable, 3.3V±2%, 150mA	SOT143R	26vre	VR4	Ric
3E	3SK144	MOS-N-FET-d	Dual-Gate, VHF, 15V, Idss>0.8mA	SOT143	26fm	-	Pan
3E	R3132Q44EA	CMOS-IC	Voltage Detector 4.4V, MR, -Reset PPO	SOT143	24vdh	-	Ric
3E	RQ5RW34AA	VR-IC	LDO, -Enable, 3.4V±2%, 150mA	SOT143R	26vre	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
3F	R3132Q45EA	CMOS-IC	Voltage Detector 4,5V, MR, -Reset PPO	SOT143	24vdh	-	Ric
3F	RQ5RW35AA	VR-IC	LDO, -Enable, 3,5V±2%, 150mA	SOT143R	26vre	VR4	Ric
3G	R3132Q46EA	CMOS-IC	Voltage Detector 4,6V, MR, -Reset PPO	SOT143	24vdh	-	Ric
3G	RQ5RW36AA	VR-IC	LDO, -Enable, 3,6V±2%, 150mA	SOT143R	26vre	VR4	Ric
3H	R3132Q47EA	CMOS-IC	Voltage Detector 4,7V, MR, -Reset PPO	SOT143	24vdh	-	Ric
3H	RQ5RW37AA	VR-IC	LDO, -Enable, 3,7V±2%, 150mA	SOT143R	26vre	VR4	Ric
3J	BCV62A	Si-PNP	Dual, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT143	24lac	-	Inf
3J	R3132Q48EA	CMOS-IC	Voltage Detector 4,8V, MR, -Reset Push-pull output	SOT143	24vdh	-	Ric
3J	RQ5RW38AA	VR-IC	LDO, -Enable, 3,8V±2%, 150mA	SOT143R	26vre	VR4	Ric
3Jp	BCV62A	Si-PNP	Dual, 30V, 100mA, 250mW, B=125..250, >100MHz	SOT143	24lac	-	Phi
3Js	BCV62A	Si-PNP	Dual, 30V, 100mA, 300mW, B=125..220, 250MHz	SOT143	24lac	-	Sie
3K	R3132Q49EA	CMOS-IC	Voltage Detector 4,9V, MR, -Reset Push-pull output	SOT143	24vdh	-	Ric
3K	RQ5RW39AA	VR-IC	LDO, -Enable, 3,9V±2%, 150mA	SOT143R	26vre	VR4	Ric
3Kp	BCV62B	Si-PNP	Dual, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT143	24lac	-	Phi
3Ks	BCV62B	Si-PNP	Dual, 30V, 100mA, 300mW, B=220..475, 250MHz	SOT143	24lac	-	Sie
3L	R3132Q40EA	CMOS-IC	Voltage Detector 4V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3L	RQ5RW30CA	VR-IC	LDO, 3V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3Lp	BCV62C	Si-PNP	Dual, 30V, 100mA, 250mW, B=420..800, >100MHz	SOT143	24lac	-	Phi
3Ls	BCV62C	Si-PNP	Dual, 30V, 100mA, 300mW, B=420..800, 250MHz	SOT143	24lac	-	Sie
3M	R3132Q41EA	CMOS-IC	Voltage Detector 4,1V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3M	RQ5RW31CA	VR-IC	LDO, 3,1V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3Mp	BCV62	Si-PNP	Dual, 30V, 100mA, 250mW, B=100..800, >100MHz	SOT143	24lac	-	Phi
3N	R3132Q42EA	CMOS-IC	Voltage Detector 4,2V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3N	RQ5RW32CA	VR-IC	LDO, 3,2V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3P	R3132Q43EA	CMOS-IC	Voltage Detector 4,3V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3P	RQ5RW33CA	VR-IC	LDO, 3,3V±2%, 150mA	SOT143R	26vre	VR1	Ric
3Q	R3132Q44EA	CMOS-IC	Voltage Detector 4,4V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3R	R3132Q45EA	CMOS-IC	Voltage Detector 4,5V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3R	RQ5RW34CA	VR-IC	LDO, 3,4V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3S	R3132Q46EA	CMOS-IC	Voltage Detector 4,6V, MR, Reset PPO	SOT143	24vdh	-	Ric
3S	RQ5RW35CA	VR-IC	LDO, 3,5V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3T	R3132Q47EA	CMOS-IC	Voltage Detector 4,7V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3T	RQ5RW36CA	VR-IC	LDO, 3,6V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3U	R3132Q48EA	CMOS-IC	Voltage Detector 4,8V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3U	RQ5RW37CA	VR-IC	LDO, 3,7V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3V	R3132Q49EA	CMOS-IC	Voltage Detector 4,9V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
3V	RQ5RW38CA	VR-IC	LDO, 3,8V±2%, 150mA	SOT143R	26vrh	VR1	Ric
3W	RQ5RW39CA	VR-IC	LDO, 3,9V±2%, 150mA	SOT143R	26vrh	VR1	Ric
414	AT-41411	Si-NPN	UHF, 20V, 50mA, 225mW, B=30..270, 7GHz	SOT143	24lc	-	Ag
47	BAS40-07W	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT-343	24ce	-	Sie
47p	BAS40-07	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT143	24ce	-	PHH
47s	BAS40-07	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT143	24ce	-	Sie
47t	BAS40-07	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT143	24ce	-	PHM
47W	BAS40-07	Si-Diode	Dual, Schottky, 40V, 200mA, 200mW, Cd<5pF, <5ns	SOT143	24ce	-	PhC
4A	R3132Q50EA	CMOS-IC	Voltage Detector 5V, MR, -Reset Push-pull output	SOT143	24vdh	-	Ric
4A	RQ5RW40AA	VR-IC	LDO, -Enable, 4V±2%, 150mA	SOT143R	26vre	VR4	Ric
4B	RQ5RW41AA	VR-IC	LDO, -Enable, 4,1V±2%, 150mA	SOT143R	26vre	VR4	Ric
4C	3SK200	MOS-N-FET-d	Dual-Gate, UHF, 15V, Idss>4mA	SOT143	26fm	-	Pan
4C	RQ5RW42AA	VR-IC	LDO, -Enable, 4,2V±2%, 150mA	SOT143R	26vre	VR4	Ric
4D	RQ5RW43AA	VR-IC	LDO, -Enable, 4,3V±2%, 150mA	SOT143R	26vre	VR4	Ric
4E	RQ5RW44AA	VR-IC	LDO, -Enable, 4,4V±2%, 150mA	SOT143R	26vre	VR4	Ric
4F	RQ5RW45AA	VR-IC	LDO, -Enable, 4,5V±2%, 150mA	SOT143R	26vre	VR4	Ric
4G	RQ5RW46AA	VR-IC	LDO, -Enable, 4,6V±2%, 150mA	SOT143R	26vre	VR4	Ric
4H	RQ5RW47AA	VR-IC	LDO, -Enable, 4,7V±2%, 150mA	SOT143R	26vre	VR4	Ric
4J	RQ5RW48AA	VR-IC	LDO, -Enable, 4,8V±2%, 150mA	SOT143R	26vre	VR4	Ric
4K	RQ5RW49AA	VR-IC	LDO, -Enable, 4,9V±2%, 150mA	SOT143R	26vre	VR4	Ric
4L	R3132Q50EA	CMOS-IC	Voltage Detector 5V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
4L	RQ5RW40CA	VR-IC	LDO, 4V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4M	RQ5RW41CA	VR-IC	LDO, 4,1V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4N	RQ5RW42CA	VR-IC	LDO, 4,2V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4P	RQ5RW43CA	VR-IC	LDO, 4,3V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4R	RQ5RW44CA	VR-IC	LDO, 4,4V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4S	RQ5RW45CA	VR-IC	LDO, 4,5V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4T	RQ5RW46CA	VR-IC	LDO, 4,6V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4U	RQ5RW47CA	VR-IC	LDO, 4,7V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4V	RQ5RW48CA	VR-IC	LDO, 4,8V±2%, 150mA	SOT143R	26vrh	VR1	Ric
4W	RQ5RW49CA	VR-IC	LDO, 4,9V±2%, 150mA	SOT143R	26vrh	VR1	Ric
5T	BAT17-07	Si-Diode	Dual Schottky, 4V, 130mA, Vf<0.6V(10mA), Cd<0.75pF	SOT143	24ce	-	Sie

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прокз.
5A	R3132Q10EC	CMOS-IC	Voltage Detector 1V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5A	RQ5RW50AA	VR-IC	LDO, -Enable, 5V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5B	R3132Q11EC	CMOS-IC	Voltage Detector 1,1V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5B	RQ5RW51AA	VR-IC	LDO, -Enable, 5,1V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5C	R3132Q12EC	CMOS-IC	Voltage Detector 1,2V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5C	RQ5RW52AA	VR-IC	LDO, -Enable, 5,2V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5D	R3132Q13EC	CMOS-IC	Voltage Detector 1,3V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5D	RQ5RW53AA	VR-IC	LDO, -Enable, 5,3V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5E	R3132Q14EC	CMOS-IC	Voltage Detector 1,4V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5E	RQ5RW54AA	VR-IC	LDO, -Enable, 5,4V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5F	R3132Q15EC	CMOS-IC	Voltage Detector 1,5V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5F	RQ5RW55AA	VR-IC	LDO, -Enable, 5,5V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5G	R3132Q16EC	CMOS-IC	Voltage Detector 1,6V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5G	RQ5RW56AA	VR-IC	LDO, -Enable, 5,6V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5H	R3132Q17EC	CMOS-IC	Voltage Detector 1,7V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5H	RQ5RW57AA	VR-IC	LDO, -Enable, 5,7V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5J	R3132Q18EC	CMOS-IC	Voltage Detector 1,8V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5J	RQ5RW58AA	VR-IC	LDO, -Enable, 5,8V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5K	R3132Q19EC	CMOS-IC	Voltage Detector 1,9V, MR, -Reset ODO	SOT143	24vdh	-	Ric
5K	RQ5RW59AA	VR-IC	LDO, -Enable, 5,9V±2%, 150mA	SOT143R	26vrs	VR4	Ric
5L	R3133Q10EC	CMOS-IC	Voltage Detector 1V, MR, Reset ODO	SOT143	24vdh	-	Ric
5L	RQ5RW50CA	VR-IC	LDO, 5V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5M	R3133Q11EC	CMOS-IC	Voltage Detector 1,1V, MR, Reset ODO	SOT143	24vdh	-	Ric
5M	RQ5RW51CA	VR-IC	LDO, 5,1V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5N	R3133Q12EC	CMOS-IC	Voltage Detector 1,2V, MR, Reset ODO	SOT143	24vdh	-	Ric
5N	RQ5RW52CA	VR-IC	LDO, 5,2V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5P	R3133Q13EC	CMOS-IC	Voltage Detector 1,3V, MR, Reset ODO	SOT143	24vdh	-	Ric
5P	RQ5RW53CA	VR-IC	LDO, 5,3V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5Q	R3133Q14EC	CMOS-IC	Voltage Detector 1,4V, MR, Reset ODO	SOT143	24vdh	-	Ric
5R	R3133Q15EC	CMOS-IC	Voltage Detector 1,5V, MR, Reset ODO	SOT143	24vdh	-	Ric
5R	RQ5RW54CA	VR-IC	LDO, 5,4V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5S	R3133Q16EC	CMOS-IC	Voltage Detector 1,6V, MR, Reset ODO	SOT143	24vdh	-	Ric
5S	RQ5RW55CA	VR-IC	LDO, 5,5V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5T	R3133Q17EC	CMOS-IC	Voltage Detector 1,7V, MR, Reset ODO	SOT143	24vdh	-	Ric
5T	RQ5RW56CA	VR-IC	LDO, 5,6V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5U	R3133Q18EC	CMOS-IC	Voltage Detector 1,8V, MR, Reset ODO	SOT143	24vdh	-	Ric
5U	RQ5RW57CA	VR-IC	LDO, 5,7V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5V	R3133Q19EC	CMOS-IC	Voltage Detector 1,9V, MR, Reset ODO	SOT143	24vdh	-	Ric
5V	RQ5RW58CA	VR-IC	LDO, 5,8V±2%, 150mA	SOT143R	26vrs	VR1	Ric
5W	RQ5RW59CA	VR-IC	LDO, 5,9V±2%, 150mA	SOT143R	26vrs	VR1	Ric
60	BAR60	PIN-Diode	Triple, RF, 100V, 140mA, 250mW, Vf<1.25V (100mA), <0,5pF	SOT143	24cd	-	Sie
61	BAR61	PIN-Diode	Triple, RF, 100V, 140mA, 250mW, Vf<1.25V (100mA), <0,5pF	SOT143	24cd	-	Sie
61s	BAR61	PIN-Diode	Triple, RF, 100V, 140mA, 250mW, Vf<1.25V (100mA), <0,5pF	SOT143	24cd	-	Inf
6A	R3132Q20EC	CMOS-IC	Voltage Detector 2V, MR, -Reset Open drain output	SOT143	24vdh	-	Ric
6A	RQ5RW60AA	VR-IC	LDO, -Enable, 6V±2%, 150mA	SOT143R	26vrs	VR4	Ric
6B	R3132Q21EC	CMOS-IC	Voltage Detector 2,1V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6B	RQ5RW19AA	VR-IC	LDO, -Enable, 1,9V±2%, 150mA	SOT143R	26vrs	VR4	Ric
6C	R3132Q22EC	CMOS-IC	Voltage Detector 2,2V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6C	RQ5RW18AA	VR-IC	LDO, -Enable, 1,8V±2%, 150mA	SOT143R	26vrs	VR4	Ric
6D	R3132Q23EC	CMOS-IC	Voltage Detector 2,3V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6D	RQ5RW17AA	VR-IC	LDO, -Enable, 1,7V±2%, 150mA	SOT143R	26vrs	VR4	Ric
6E	R3132Q24EC	CMOS-IC	Voltage Detector 2,4V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6E	RQ5RW16AA	VR-IC	LDO, -Enable, 1,6V±2%, 150mA	SOT143R	26vrs	VR4	Ric
6F	R3132Q25EC	CMOS-IC	Voltage Detector 2,5V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6F	RQ5RW15AA	VR-IC	LDO, -Enable, 1,5V±2%, 150mA	SOT143R	26vrs	VR4	Ric
6G	R3132Q26EC	CMOS-IC	Voltage Detector 2,6V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6H	R3132Q27EC	CMOS-IC	Voltage Detector 2,7V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6J	R3132Q28EC	CMOS-IC	Voltage Detector 2,8V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6K	R3132Q29EC	CMOS-IC	Voltage Detector 2,9V, MR, -Reset ODO	SOT143	24vdh	-	Ric
6L	R3133Q20EC	CMOS-IC	Voltage Detector 2V, MR, Reset Open drain output	SOT143	24vdh	-	Ric
6L	RQ5RW60CA	VR-IC	LDO, 6V±2%, 150mA	SOT143R	26vrs	VR1	Ric
6M	R3133Q21EC	CMOS-IC	Voltage Detector 2,1V, MR, Reset ODO	SOT143	24vdh	-	Ric
6M	RQ5RW19CA	VR-IC	LDO, 1,9V±2%, 150mA	SOT143R	26vrs	VR1	Ric
6N	R3133Q22EC	CMOS-IC	Voltage Detector 2,2V, MR, Reset ODO	SOT143	24vdh	-	Ric
6N	RQ5RW18CA	VR-IC	LDO, 1,8V±2%, 150mA	SOT143R	26vrs	VR1	Ric
6P	R3133Q23EC	CMOS-IC	Voltage Detector 2,3V, MR, Reset ODO	SOT143	24vdh	-	Ric
6P	RQ5RW17CA	VR-IC	LDO, 1,7V±2%, 150mA	SOT143R	26vrs	VR1	Ric
6Q	R3133Q24EC	CMOS-IC	Voltage Detector 2,4V, MR, Reset ODO	SOT143	24vdh	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
6R	R3133Q25EC	CMOS-IC	Voltage Detector 2.5V, MR, Reset ODO	SOT143	24vdh	-	Ric
6S	R3133Q26EC	CMOS-IC	Voltage Detector 2.6V, MR, Reset ODO	SOT143	24vdh	-	Ric
6S	RQ5RW16CA	VR-IC	LDO, 1.6V±2%, 150mA	SOT143R	26vrh	VR1	Ric
6T	R3133Q27EC	CMOS-IC	Voltage Detector 2.7V, MR, Reset ODO	SOT143	24vdh	-	Ric
6U	R3133Q28EC	CMOS-IC	Voltage Detector 2.8V, MR, Reset ODO	SOT143	24vdh	-	Ric
6V	R3133Q29EC	CMOS-IC	Voltage Detector 2.9V, MR, Reset ODO	SOT143	24vdh	-	Ric
71	MGA-71543	Lin-IC	Ga-As MMIC, LN, RF amp, 0.1..6GHz, 15dB (50Ω), Vcc=3.3V	SOT343	26am	A1	Agi
72	MGA-72543	Lin-IC	Ga-As MMIC, LN, RF amp, 0.1..6GHz, 14dB (50Ω), Vcc=3.3V	SOT343	26am	A1	Agi
73p	BAS70-07	Si-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT143	24ce	-	PhH
73t	BAS70-07	Si-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT143	24ce	-	PhM
73W	BAS70-07	Si-Diode	Dual, Schottky, 70V, 200mA, Vf<410mV, Cd<2pF, 5ns	SOT143	24ce	-	PhC
77s	BAS70-07	Si-Diode	Dual, Schottky, GP, 70V, 70mA, Vf<1V(15mA), <100ps	SOT143	24ce	-	Inf
77s	BAS70-07W	Si-Diode	Dual, Schottky, GP, 70V, 70mA, Vf<1V(15mA), <100ps	SOT343	24ce	-	Inf
7A	R3132Q30EC	CMOS-IC	Voltage Detector 3V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7A	RQ5RW20BA	VR-IC	LDO, Enable, 2V±2%, 150mA	SOT143R	26vre	VR4	Ric
7B	R3132Q31EC	CMOS-IC	Voltage Detector 3.1V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7B	RQ5RW21BA	VR-IC	LDO, Enable, 2.1V±2%, 150mA	SOT143R	26vre	VR4	Ric
7C	R3132Q32EC	CMOS-IC	Voltage Detector 3.2V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7C	RQ5RW22BA	VR-IC	LDO, Enable, 2.2V±2%, 150mA	SOT143R	26vre	VR4	Ric
7D	R3132Q33EC	CMOS-IC	Voltage Detector 3.3V, MR, -Open drain output	SOT143	24vdh	VD6	Ric
7D	RQ5RW23BA	VR-IC	LDO, Enable, 2.3V±2%, 150mA	SOT143R	26vre	VR4	Ric
7E	R3132Q34EC	CMOS-IC	Voltage Detector 3.4V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7E	RQ5RW24BA	VR-IC	LDO, Enable, 2.4V±2%, 150mA	SOT143R	26vre	VR4	Ric
7F	R3132Q35EC	CMOS-IC	Voltage Detector 3.5V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7F	RQ5RW25BA	VR-IC	LDO, Enable, 2.5V±2%, 150mA	SOT143R	26vre	VR4	Ric
7G	R3132Q36EC	CMOS-IC	Voltage Detector 3.6V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7G	RQ5RW26BA	VR-IC	LDO, Enable, 2.6V±2%, 150mA	SOT143R	26vre	VR4	Ric
7H	R3132Q37EC	CMOS-IC	Voltage Detector 3.7V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7H	RQ5RW27BA	VR-IC	LDO, Enable, 2.7V±2%, 150mA	SOT143R	26vre	VR4	Ric
7J	R3132Q38EC	CMOS-IC	Voltage Detector 3.8V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7J	RQ5RW28BA	VR-IC	LDO, Enable, 2.8V±2%, 150mA	SOT143R	26vre	VR4	Ric
7K	R3132Q39EC	CMOS-IC	Voltage Detector 3.9V, MR, -Reset ODO	SOT143	24vdh	-	Ric
7K	RQ5RW29BA	VR-IC	LDO, Enable, 2.9V±2%, 150mA	SOT143R	26vre	VR4	Ric
7L	R3133Q30EC	CMOS-IC	Voltage Detector 3V, MR, Reset Open drain output	SOT143	24vdh	-	Ric
7M	R3133Q31EC	CMOS-IC	Voltage Detector 3.1V, MR, Reset ODO	SOT143	24vdh	-	Ric
7N	R3133Q32EC	CMOS-IC	Voltage Detector 3.2V, MR, Reset ODO	SOT143	24vdh	-	Ric
7P	R3133Q33EC	CMOS-IC	Voltage Detector 3.3V, MR, Open drain output	SOT143	24vdh	VD6	Ric
7Q	R3133Q34EC	CMOS-IC	Voltage Detector 3.4V, MR, Reset ODO	SOT143	24vdh	-	Ric
7R	R3133Q35EC	CMOS-IC	Voltage Detector 3.5V, MR, Reset ODO	SOT143	24vdh	-	Ric
7S	R3133Q36EC	CMOS-IC	Voltage Detector 3.6V, MR, Reset ODO	SOT143	24vdh	-	Ric
7T	R3133Q37EC	CMOS-IC	Voltage Detector 3.7V, MR, Reset ODO	SOT143	24vdh	-	Ric
7U	R3133Q38EC	CMOS-IC	Voltage Detector 3.8V, MR, Reset ODO	SOT143	24vdh	-	Ric
7V	R3133Q39EC	CMOS-IC	Voltage Detector 3.9V, MR, Reset ODO	SOT143	24vdh	-	Ric
822	S822T	Si-NPN	UHF, 6V, 8mA, 5.2GHz	SOT143	24taa	-	Tem
888	S868T	MOS-N-FET-d	Dual-Gate, UHF, 10V, Idss=1..12mA	SOT143	24td	-	Tem
897	S897T	Si-NPN	UHF, 15V, 0.06A, 0.2W, 5GHz	SOT143	24taa	-	Tem
8A	R3132Q40EC	CMOS-IC	Voltage Detector 4V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8A	RQ5RW30BA	VR-IC	LDO, Enable, 3V±2%, 150mA	SOT143R	26vre	VR4	Ric
8B	R3132Q41EC	CMOS-IC	Voltage Detector 4.1V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8B	RQ5RW31BA	VR-IC	LDO, Enable, 3.1V±2%, 150mA	SOT143R	26vre	VR4	Ric
8C	R3132Q42EC	CMOS-IC	Voltage Detector 4.2V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8C	RQ5RW32BA	VR-IC	LDO, Enable, 3.2V±2%, 150mA	SOT143R	26vre	VR4	Ric
8D	R3132Q43EC	CMOS-IC	Voltage Detector 4.3V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8D	RQ5RW33BA	VR-IC	LDO, Enable, 3.3V±2%, 150mA	SOT143R	26vre	VR4	Ric
8E	R3132Q44EC	CMOS-IC	Voltage Detector 4.4V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8E	RQ5RW34BA	VR-IC	LDO, Enable, 3.4V±2%, 150mA	SOT143R	26vre	VR4	Ric
8F	R3132Q45EC	CMOS-IC	Voltage Detector 4.5V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8F	RQ5RW35BA	VR-IC	LDO, Enable, 3.5V±2%, 150mA	SOT143R	26vre	VR4	Ric
8G	R3132Q46EC	CMOS-IC	Voltage Detector 4.6V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8G	RQ5RW36BA	VR-IC	LDO, Enable, 3.6V±2%, 150mA	SOT143R	26vre	VR4	Ric
8H	R3132Q47EC	CMOS-IC	Voltage Detector 4.7V, MR, -Reset ODO	SOT143	24vdh	-	Ric
8H	RQ5RW37BA	VR-IC	LDO, Enable, 3.7V±2%, 150mA	SOT143R	26vre	VR4	Ric
8J	R3132Q48EC	CMOS-IC	Voltage Detector 4.8V, MR, -Reset Open drain output	SOT143	24vdh	-	Ric
8J	RQ5RW38BA	VR-IC	LDO, Enable, 3.8V±2%, 150mA	SOT143R	26vre	VR4	Ric
8K	R3132Q49EC	CMOS-IC	Voltage Detector 4.9V, MR, -Reset Open drain output	SOT143	24vdh	-	Ric
8K	RQ5RW39BA	VR-IC	LDO, Enable, 3.9V±2%, 150mA	SOT143R	26vre	VR4	Ric
8L	R3133Q40EC	CMOS-IC	Voltage Detector 4V, MR, Reset ODO	SOT143	24vdh	-	Ric
8M	R3133Q41EC	CMOS-IC	Voltage Detector 4.1V, MR, Reset ODO	SOT143	24vdh	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
8N	R3133Q42EC	CMOS-IC	Voltage Detector 4.2V, MR, Reset ODO	SOT143	24vdh	-	Ric
8P	R3133Q43EC	CMOS-IC	Voltage Detector 4.3V, MR, Reset ODO	SOT143	24vdh	-	Ric
8Q	R3133Q44EC	CMOS-IC	Voltage Detector 4.4V, MR, Reset ODO	SOT143	24vdh	-	Ric
8R	R3133Q45EC	CMOS-IC	Voltage Detector 4.5V, MR, Reset ODO	SOT143	24vdh	-	Ric
8S	R3133Q46EC	CMOS-IC	Voltage Detector 4.6V, MR, Reset ODO	SOT143	24vdh	-	Ric
8T	R3133Q47EC	CMOS-IC	Voltage Detector 4.7V, MR, Reset ODO	SOT143	24vdh	-	Ric
8U	R3133Q48EC	CMOS-IC	Voltage Detector 4.8V, MR, Reset Open drain output	SOT143	24vdh	-	Ric
8V	R3133Q49EC	CMOS-IC	Voltage Detector 4.9V, MR, Reset Open drain output	SOT143	24vdh	-	Ric
97p	BCV65	Si-P/N	Dual, PNP+NPN pair, 30V, 100mA, 250mW, B=75..800	SOT143	24ide	-	Phi
98p	BCV65B	Si-P/N	Dual, PNP+NPN pair, 30V, 100mA, 250mW, B=75..800	SOT143	24ide	-	Phi
9A	R3132Q50EC	CMOS-IC	Voltage Detector 5V, MR, -Reset Open drain output	SOT143	24vdh	-	Ric
9A	RQ5RW40BA	VR-IC	LDO, Enable, 4V±2%, 150mA	SOT143R	26vre	VR4	Ric
9B	RQ5RW41BA	VR-IC	LDO, Enable, 4.1V±2%, 150mA	SOT143R	26vre	VR4	Ric
9C	RQ5RW42BA	VR-IC	LDO, Enable, 4.2V±2%, 150mA	SOT143R	26vre	VR4	Ric
9D	RQ5RW43BA	VR-IC	LDO, Enable, 4.3V±2%, 150mA	SOT143R	26vre	VR4	Ric
9E	RQ5RW44BA	VR-IC	LDO, Enable, 4.4V±2%, 150mA	SOT143R	26vre	VR4	Ric
9F	RQ5RW45BA	VR-IC	LDO, Enable, 4.5V±2%, 150mA	SOT143R	26vre	VR4	Ric
9G	RQ5RW46BA	VR-IC	LDO, Enable, 4.6V±2%, 150mA	SOT143R	26vre	VR4	Ric
9H	RQ5RW47BA	VR-IC	LDO, Enable, 4.7V±2%, 150mA	SOT143R	26vre	VR4	Ric
9J	RQ5RW48BA	VR-IC	LDO, Enable, 4.8V±2%, 150mA	SOT143R	26vre	VR4	Ric
9K	RQ5RW49BA	VR-IC	LDO, Enable, 4.9V±2%, 150mA	SOT143R	26vre	VR4	Ric
9L	R3133Q50EC	CMOS-IC	Voltage Detector 5V, MR, Reset Open drain output	SOT143	24vdh	-	Ric
A	3SK301	MOS-N-FET-d	Dual-Gate, VHF, 15V, 30mA, Idss=5.23mA, Up<1.35V	SOT143	26fm	-	Pan
A1	1SS382	Si-Diode	Dual, Fast Switching, 85V, 100mA, 100mW, <4ns	USQ	26dv	-	Tos
A1	BGA2001	Lin-IC	RF amplifier, DC..1.88GHz, 19.5dB (50Q), Vcc=4.5V	SOT23	26ad	A1	Phi
A3	BGA2003	Lin-IC	RF amplifier, DC..1.88GHz, 16dB (50Q), Vcc=4.5V	SOT23	26ad	A1	Phi
A4	1SS383	Si-Diode	Dual, Schottky, 45V, 100mA, 100mW, <18pF	SC-61	24dv	-	Tos
A5	1SS384	Si-Diode	Dual, Schottky, 15V, 100mA, 100mW, <20pF	USM	24dv	-	Tos
A5	HSMS-2805	Si-Diode	2x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 35Q(5mA)	SOT143	24ce	-	Agi
A5	R1140Q151B	VR-IC	LDO, Enable, 1.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
A6	R1140Q161B	VR-IC	LDO, Enable, 1.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
A61	BA328	Si-Diode	Dual, Fast Switching, 75V, 250mA, Vf<1.25V(150mA), <6ns	SOT143	24ce	-	Cen
A7	HSMS-2807	Si-Diode	4x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 35Q(5mA)	SOT143	24	BR1	Agi
A7	R1140Q171B	VR-IC	LDO, Enable, 1.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
A8	HSMS-2808	Si-Diode	4x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 35Q(5mA)	SOT143	24	BR2	Agi
A8	R1140Q181B	VR-IC	LDO, Enable, 1.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
A9	R1140Q191B	VR-IC	LDO, Enable, 1.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
AA	MAX6314US50D1-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AAa	BAR80	Si-Diode	RF, Shunt, 35V, 100mA, Vf<1V(100mA), 0.6pF	MW-4	25cd	-	Inf
AB	MAX6314US49D1-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AC	MAX6314US48D1-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AC	MT4S06	Si-NPN	VHF/UHF, 10V, 15mA, 10GHz	SOT143	26lad	-	Tos
AD	MAX6314US47D1-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AE	1SS383T1G	Si-Diode	Dual, Schottky, 40V, 300mA, 100mW, <25pF	SC-82	24dv	-	Ons
AE	1SS383T2G	Si-Diode	Dual, Schottky, 40V, 300mA, 100mW, <25pF	SC-82	24dv	-	Ons
AE	3SK219	MOS-N-FET-d	Dual-Gate, VHF, 15V, 30mA, Idss=0.8mA, Up=-1.5..+0.5V	SOT143	26fm	-	Pan
AE	MAX6314US46D1-T	CMOS-IC	Voltage Detector 4.63V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AE	MT4S04A	Si-NPN	VHF/UHF, 10V, 40mA, 7GHz	SOT143	26lad	-	Tos
AF	3SK220	MOS-N-FET-d	Dual-Gate, VHF/UHF, 15V, 30mA	SOT143	26fm	-	Pan
AF	MAX6314US45D1-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AF	R1141Q151B	VR-IC	LDO, Enable, 1.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
AG	MAX6314US44D1-T	CMOS-IC	Voltage Detector 4.39V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AG	R1141Q161B	VR-IC	LDO, Enable, 1.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
AH	MAX6314US43D1-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AH	R1141Q171B	VR-IC	LDO, Enable, 1.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
AI	MAX6314US42D1-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AJ	MAX6314US41D1-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AJ	R1141Q181B	VR-IC	LDO, Enable, 1.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
AK	MAX6314US40D1-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AK	R1141Q191B	VR-IC	LDO, Enable, 1.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
AK	R3112Q091A	CMOS-IC	Voltage Detector 0.91V, Reset Push-pull output	SOT143	26vdk	VR7	Ric
AL	MAX6314US39D1-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
AM	IMP811LEUS-T	CMOS-IC	Voltage Detector 4.63V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AM	MAX811L	CMOS-IC	Voltage Detector 4.63V, MR, -Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AM	MAX811LUS	CMOS-IC	Voltage Detector 4.63V, MR, -Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
AN	BFP450	Si-NPN	UHF, 15V, 0.1A, 24GHz	SOT-343	241aa	-	Inf
AN	IMP811MEUS-T	CMOS-IC	Voltage Detector 4.38V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AN	MAX811M	CMOS-IC	Voltage Detector 4.38V, MR, -Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
AN	MAX811MUS	CMOS-IC	Voltage Detector 4.38V, MR, -Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
ANs	BFP450	Si-NPN	UHF, 15V, 0.1A, 24GHz	SOT-343	241aa	-	Sie
AQ	IMP811JEUS-T	CMOS-IC	Voltage Detector 4V, MR, -Reset Open drain output, 140ms	SOT143	24vdh	VD4	Imp
AP	IMP811TEUS-T	CMOS-IC	Voltage Detector 3.08V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AP	MAX811T	CMOS-IC	Voltage Detector 3.08V, MR, -Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AP	MAX811TUS	CMOS-IC	Voltage Detector 3.08V, MR, -Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
APs	BFP520	Si-NPN	UHF, 12V, 40mA, 45GHz	SOT-343	241aa	-	Sie
AQ	IMP811SEUS-T	CMOS-IC	Voltage Detector 2.93V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AQ	MAX811S	CMOS-IC	Voltage Detector 2.93V, MR, -Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AQ	MAX811SUS	CMOS-IC	Voltage Detector 2.93V, MR, -Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
AR	IMP811REUS-T	CMOS-IC	Voltage Detector 2.63V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AR	MAX811R	CMOS-IC	Voltage Detector 2.63V, MR, -Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AR	MAX811RUS	CMOS-IC	Voltage Detector 2.63V, MR, -Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
AS	IMP812LEUS-T	CMOS-IC	Voltage Detector 4.63V, MR, Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AS	MAX812L	CMOS-IC	Voltage Detector 4.63V, MR, Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AS	MAX812LUS	CMOS-IC	Voltage Detector 4.63V, MR, Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
AT	IMP812MEUS-T	CMOS-IC	Voltage Detector 4.38V, MR, Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AT	MAX812M	CMOS-IC	Voltage Detector 4.38V, MR, Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AT	MAX812MUS	CMOS-IC	Voltage Detector 4.38V, MR, Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
AU	IMP812JEUS-T	CMOS-IC	Voltage Detector 4V, MR, Reset Open drain output, 140ms	SOT143	24vdh	VD4	Imp
AV	IMP812TEUS-T	CMOS-IC	Voltage Detector 3.08V, MR, Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AV	MAX812T	CMOS-IC	Voltage Detector 3.08V, MR, Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AV	MAX812TUS	CMOS-IC	Voltage Detector 3.08V, MR, Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
AV	R31120Q91C	CMOS-IC	Voltage Detector 0.91V, Reset Open drain output	SOT143	26vdk	VD6	Ric
AW	IMP812SEUS-T	CMOS-IC	Voltage Detector 2.93V, MR, Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AW	MAX812S	CMOS-IC	Voltage Detector 2.93V, MR, Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AW	MAX812SUS	CMOS-IC	Voltage Detector 2.93V, MR, Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
AX	IMP812REUS-T	CMOS-IC	Voltage Detector 2.63V, MR, Reset ODO, 140ms	SOT143	24vdh	VD4	Imp
AX	MAX812R	CMOS-IC	Voltage Detector 2.63V, MR, Reset Open drain output, 140ms	SOT143	24vdh	VD4	Max
AX	MAX812RUS	CMOS-IC	Voltage Detector 2.63V, MR, Reset Push-pull output, 140ms	SOT143	24vdh	VD5	Max
B	35K302	MOS-N-FET-d	Dual-Gate, UHF, 15V, 30mA, Idss=0..10mA, Up<1.2V	SOT143	26fm	-	Pan
B0	R1140Q201B	VR-IC	LDO, Enable, 2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B1	R1140Q211B	VR-IC	LDO, Enable, 2.1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B2	R1140Q221B	VR-IC	LDO, Enable, 2.2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B3	R1140Q231B	VR-IC	LDO, Enable, 2.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B4	R1140Q241B	VR-IC	LDO, Enable, 2.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B5	HSMS-2815	Si-Diode	2x Schottky, RF, 20V, 1A, Vf<0.4V(1mA), <1.2pF, 15Ω(5mA)	SOT143	24ca	-	Agi
B5	R1140Q251B	VR-IC	LDO, Enable, 2.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B6	R1140Q261B	VR-IC	LDO, Enable, 2.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B6	XC61CC1602N	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
B62	S-80841CLNB-B62-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B63	S-80842CLNB-B63-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B64	S-80843CLNB-B64-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B65	S-80844CLNB-B65-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B66	S-80845CLNB-B66-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B67	S-80846CLNB-B67-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B68	S-80847CLNB-B68-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B69	S-80848CLNB-B69-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6A	S-80815CLNB-B6A-T2	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6B	S-80816CLNB-B6B-T2	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6C	S-80817CLNB-B6C-T2	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6D	S-80818CLNB-B6D-T2	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6E	S-80819CLNB-B6E-T2	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6F	S-80820CLNB-B6F-T2	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6G	S-80821CLNB-B6G-T2	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6H	S-80822CLNB-B6H-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6I	S-80823CLNB-B6I-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6J	S-80824CLNB-B6J-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6K	S-80825CLNB-B6K-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6L	S-80826CLNB-B6L-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6M	S-80827CLNB-B6M-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6N	S-80828CLNB-B6N-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6O	S-80829CLNB-B6O-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6P	S-80830CLNB-B6P-T2	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6Q	S-80831CLNB-B6Q-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6R	S-80832CLNB-B6R-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6S	S-80833CLNB-B6S-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6T	S-80834CLNB-B6T-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
B6U	S-80835CLNB-B6U-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6V	S-80836CLNB-B6V-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6W	S-80837CLNB-B6W-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6X	S-80838CLNB-B6X-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6Y	S-80839CLNB-B6Y-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B6Z	S-80840CLNB-B6Z-T2	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7	HSMS-2817	Si-Diode	4x Schottky, RF, 20V, 1A, Vf<0.4V(1mA), <1.2pF, 15Ω(5mA)	SOT143	24	BR1	Agi
B7	R1140Q2718	VR-IC	LDO, Enable, 2.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B7	XC61CC1702N	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
B7A	S-80849CLNB-B7A-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7B	S-80850CLNB-B7B-T2	CMOS-IC	Voltage Detector 5V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7C	S-80851CLNB-B7C-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7D	S-80852CLNB-B7D-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7E	S-80853CLNB-B7E-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7F	S-80854CLNB-B7F-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7G	S-80855CLNB-B7G-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7H	S-80856CLNB-B7H-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7I	S-80857CLNB-B7I-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7J	S-80858CLNB-B7J-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7K	S-80859CLNB-B7K-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7L	S-80860CLNB-B7L-T2	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7M	S-80861CLNB-B7M-T2	CMOS-IC	Voltage Detector 0.8V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7N	S-80869CLNB-B7N-T2	CMOS-IC	Voltage Detector 0.9V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7O	S-80810CLNB-B7O-T2	CMOS-IC	Voltage Detector 1V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7P	S-80811CLNB-B7P-T2	CMOS-IC	Voltage Detector 1.1V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7Q	S-80812CLNB-B7Q-T2	CMOS-IC	Voltage Detector 1.2V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7R	S-80813CLNB-B7R-T2	CMOS-IC	Voltage Detector 1.3V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B7S	S-80814CLNB-B7S-T2	CMOS-IC	Voltage Detector 1.4V, -Reset Push-pull output	SOT143R	26vdl	VD7	Sei
B8	HSMS-2818	Si-Diode	4x Schottky, RF, 20V, 1A, Vf<0.4V(1mA), <1.2pF, 15Ω(5mA)	SOT143	24	BR2	Agi
B8	R1140Q2818	VR-IC	LDO, Enable, 2.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B8	XC61CC1802N	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
B82	S-80841CNNB-B82-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B83	S-80842CNNB-B83-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B84	S-80843CNNB-B84-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B85	S-80844CNNB-B85-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B86	S-80845CNNB-B86-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B87	S-80846CNNB-B87-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B88	S-80847CNNB-B88-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B89	S-80848CNNB-B89-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8A	S-80815CNNB-B8A-T2	CMOS-IC	Voltage Detector 1.5V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8B	S-80816CNNB-B8B-T2	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8C	S-80817CNNB-B8C-T2	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8D	S-80818CNNB-B8D-T2	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8E	S-80819CNNB-B8E-T2	CMOS-IC	Voltage Detector 1.9V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8F	S-80820CNNB-B8F-T2	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8G	S-80821CNNB-B8G-T2	CMOS-IC	Voltage Detector 2.1V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8H	S-80822CNNB-B8H-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8I	S-80823CNNB-B8I-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8J	S-80824CNNB-B8J-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8K	S-80825CNNB-B8K-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8L	S-80826CNNB-B8L-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8M	S-80827CNNB-B8M-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8N	S-80828CNNB-B8N-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8O	S-80829CNNB-B8O-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8P	S-80830CNNB-B8P-T2	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8Q	S-80831CNNB-B8Q-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SOT143R	28vdl	VD6	Sei
B8R	S-80832CNNB-B8R-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8S	S-80833CNNB-B8S-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8T	S-80834CNNB-B8T-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8U	S-80835CNNB-B8U-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8V	S-80836CNNB-B8V-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8W	S-80837CNNB-B8W-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8X	S-80838CNNB-B8X-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8Y	S-80839CNNB-B8Y-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B8Z	S-80840CNNB-B8Z-T2	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9	R1140Q2918	VR-IC	LDO, Enable, 2.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
B9	XC61CC1902N	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
B9A	S-80849CNNB-B9A-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произ.
B9B	S-80850CNNB-B9B-T2	CMOS-IC	Voltage Detector 5V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9C	S-80851CNNB-B9C-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9D	S-80852CNNB-B9D-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9E	S-80853CNNB-B9E-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9F	S-80854CNNB-B9F-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9G	S-80855CNNB-B9G-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9H	S-80856CNNB-B9H-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9I	S-80857CNNB-B9I-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9J	S-80858CNNB-B9J-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9K	S-80859CNNB-B9K-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9L	S-80860CNNB-B9L-T2	CMOS-IC	Voltage Detector 6V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9M	S-808608CNNB-B9M-T2	CMOS-IC	Voltage Detector 0.8V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9N	S-808609CNNB-B9N-T2	CMOS-IC	Voltage Detector 0.9V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9O	S-80810CNNB-B9O-T2	CMOS-IC	Voltage Detector 1V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9P	S-80811CNNB-B9P-T2	CMOS-IC	Voltage Detector 1.1V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9Q	S-80812CNNB-B9Q-T2	CMOS-IC	Voltage Detector 1.2V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9R	S-80813CNNB-B9R-T2	CMOS-IC	Voltage Detector 1.3V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
B9S	S-80814CNNB-B9S-T2	CMOS-IC	Voltage Detector 1.4V, -Reset Open drain output	SOT143R	26vdl	VD6	Sei
BA	R1141Q201B	VR-IC	LDO, Enable, 2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BA	R3112Q101A	CMOS-IC	Voltage Detector 1V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BB	1SV237	PIN-Diode	Dual, VHF/UHF, 50V, 0.25pF(50V), Rs=4Q(10mA, 100MHz)	SOT143	24dv	-	Tos
BB	R1141Q211B	VR-IC	LDO, Enable, 2.1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BB	R3112Q111A	CMOS-IC	Voltage Detector 1.1V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BBs	BAR81	Si-Diode	RF, Shunt, 30V, 100mA, Vf<0.93V(100mA), <1.3pF	MW-4	25cd	-	Inf
BC	R1141Q221B	VR-IC	LDO, Enable, 2.2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BC	R3112Q121A	CMOS-IC	Voltage Detector 1.2V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BD	R1141Q231B	VR-IC	LDO, Enable, 2.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BD	R3112Q131A	CMOS-IC	Voltage Detector 1.3V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BE	R1141Q241B	VR-IC	LDO, Enable, 2.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BE	R3112Q141A	CMOS-IC	Voltage Detector 1.4V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BF	R1141Q251B	VR-IC	LDO, Enable, 2.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BF	R3112Q151A	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BG	R1141Q261B	VR-IC	LDO, Enable, 2.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BG	R3112Q161A	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BH	R1141Q271B	VR-IC	LDO, Enable, 2.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BH	R3112Q171A	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BJ	R1141Q281B	VR-IC	LDO, Enable, 2.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BJ	R3112Q181A	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BK	R1141Q291B	VR-IC	LDO, Enable, 2.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
BK	R3112Q191A	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
BL	R3112Q101C	CMOS-IC	Voltage Detector 1V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BLs	BGA310	Lin-IC	MMIC-Amplifier, UHF, 9dB, 0..2.4GHz	SOT143	24ad	A1	Sie
BM	R3112Q111C	CMOS-IC	Voltage Detector 1.1V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BMs	BGA312	Lin-IC	MMIC-Amplifier, UHF, 11dB, 0..2GHz	SOT143	24ad	A1	Sie
BN	R3112Q121C	CMOS-IC	Voltage Detector 1.2V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BNs	BGA318	Lin-IC	MMIC-Amplifier, UHF, 18dB, 0..1.2GHz	SOT143	24ad	A1	Sie
BP	R3112Q131C	CMOS-IC	Voltage Detector 1.3V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BQ	R3112Q141C	CMOS-IC	Voltage Detector 1.4V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BR	R3112Q151C	CMOS-IC	Voltage Detector 1.5V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BS	R3112Q161C	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BT	R3112Q171C	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output	SOT143	26vdk	VD6	Ric
BU	R3112Q181C	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT143	26vdk	VD8	Ric
BV	R3112Q191C	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT143	26vdk	VD6	Ric
C	3SK303	MOS-N-FET-d	Dual-Gate, VHF, 15V, 30mA, Idss=0..10mA, Up<1.2V	SOT143	26fm	-	Pan
C0	R1140Q301B	VR-IC	LDO, Enable, 3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C0	XC61CC2002N	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
C1	R1140Q311B	VR-IC	LDO, Enable, 3.1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C1	XC61CC2102N	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
C2	R1140Q321B	VR-IC	LDO, Enable, 3.2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C2	XC61CC2202N	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
C3	R1140Q331B	VR-IC	LDO, Enable, 3.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C3	XC61CC2302N	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
C4	R1140Q341B	VR-IC	LDO, Enable, 3.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C4	XC61CC2402N	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
C5	HSMS-2825	Si-Diode	2x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT143	24ce	-	Agil
C5	R1140Q351B	VR-IC	LDO, Enable, 3.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C5	XC61CC2502N	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
C6	R1140Q361B	VR-IC	LDO, Enable, 3.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
C6	XC61CC2602N	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT143R	26vdi	VD7	Tor
C7	HSMS-2827	Si-Diode	4x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Ω(5mA)	SOT143	24	BR1	Agi
C7	R1140Q371B	VR-IC	LDO, Enable, 3.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C7	XC61CC2702N	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT143R	26vdi	VD7	Tor
C8	HSMS-2826	Si-Diode	4x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Ω(5mA)	SOT143	24	BR2	Agi
C8	R1140Q361B	VR-IC	LDO, Enable, 3.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C8	XC61CC2602N	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT143R	26vdi	VD7	Tor
C9	HSMS-2829	Si-Diode	4x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Ω(5mA)	SOT143	24	BR3	Agi
C9	R1140Q391B	VR-IC	LDO, Enable, 3.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
C9	XC61CC2902N	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT143R	26vdi	VD7	Tor
C95	BCV64	Si-PNP	Dual, 30V, 100mA, 250mW, B=110..800, >100MHz	SOT143	24tec	-	Phi
C96	BCV64B	Si-PNP	Dual, 30V, 100mA, 250mW, B=110..800, >100MHz	SOT143	24tac	-	Phi
CA	MAX6314US36D1-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CA	R1141Q301B	VR-IC	LDO, Enable, 3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CA	R3112Q201A	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CB	MAX6314US37D1-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CB	R1141Q311B	VR-IC	LDO, Enable, 3.1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CB	R3112Q211A	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CC	MAX6314US36D1-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CC	R1141Q321B	VR-IC	LDO, Enable, 3.2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CC	R3112Q221A	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CD	MAX6314US35D1-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CD	R1141Q331B	VR-IC	LDO, Enable, 3.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CD	R3112Q231A	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CE	MAX6314US34D1-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CE	R1141Q341B	VR-IC	LDO, Enable, 3.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CE	R3112Q241A	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CF	MAX6314US33D1-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CF	R1141Q351B	VR-IC	LDO, Enable, 3.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CF	R3112Q251A	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CG	MAX6314US32D1-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CG	R1141Q361B	VR-IC	LDO, Enable, 3.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CG	R3112Q261A	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CH	MAX6314US31D1-T	CMOS-IC	Voltage Detector 3.08V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CH	R1141Q371B	VR-IC	LDO, Enable, 3.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CH	R3112Q271A	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CI	MAX6314US30D1-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CJ	MAX6314US29D1-T	CMOS-IC	Voltage Detector 2.93V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CJ	R1141Q381B	VR-IC	LDO, Enable, 3.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CJ	R3112Q281A	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CK	MAX6314US28D1-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CK	R1141Q391B	VR-IC	LDO, Enable, 3.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
CK	R3112Q291A	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
CL	MAX6314US27D1-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CL	R3112Q201C	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CM	MAX6314US26D1-T	CMOS-IC	Voltage Detector 2.63V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CM	R3112Q211C	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CN	MAX6314US25D1-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset Bidir. PPO, 1ms	SOT143	24vdh	VD5	Max
CN	R3112Q221C	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CN3	25C4855-3	Si-NPN	VHF/UHF, 12V, 15mA, 80mW, B=60..120, 5GHz	SOT143	26ted	-	Say
CN4	25C4855-4	Si-NPN	VHF/UHF, 12V, 15mA, 80mW, B=90..180, 5GHz	SOT143	26tad	-	Say
CN5	25C4855-5	Si-NPN	VHF/UHF, 12V, 15mA, 80mW, B=60..120, 5GHz	SOT143	26ted	-	Say
CO	MAX6314US50D2-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CP	MAX6314US49D2-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CP	R3112Q231C	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CQ	MAX6314US48D2-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CQ	R3112Q241C	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CR	MAX6314US47D2-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CR	R3112Q251C	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CS	MAX6314US46D2-T	CMOS-IC	Voltage Detector 4.63V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CS	R3112Q261C	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CT	MAX6314US45D2-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CT	R3112Q271C	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CU	MAX6314US44D2-T	CMOS-IC	Voltage Detector 4.39V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CU	R3112Q281C	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CV	MAX6314US43D2-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max
CV	R3112Q291C	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT143	26vdk	VD6	Ric
CW	MAX6314US42D2-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset Bidir. PPO, 20ms	SOT143	24vdh	VD5	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
CX	3SK227	MOS-N-FET-d	Dual-Gate, UHF, 15V, 30mA, Idss=6..25mA, Up<1	SOT1143	26fm	-	Pan
CX	MAX6314US41D2-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
CY	MAX6314US40D2-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
CZ	MAX6314US39D2-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset Bidir. PPO, 1ms	SOT1143	24vdh	VD5	Max
D	3SK304	MOS-N-FET-d	Dual-Gate, UHF, 15V, 30mA, Idss=0..10mA, Up<1.2V	SOT1143	26fm	-	Pan
D0	R1140Q401B	VR-IC	LDO, Enable, 4V±2%, 120mA	SOT1143R	26vrc	VR4	Ric
D0	XC61CC3002N	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D1	XC61CC3102N	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D2	XC61CC3202N	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D3	XC61CC3302N	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D4	XC61CC3402N	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D5	XC61CC3502N	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D6	XC61CC3602N	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D7	XC61CC3702N	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D8	XC61CC3802N	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D89	BAT74	Si-Diode	Dual, Switching, 30V, 200mA, 250mW, Vf<0.9V(0.1A), <5ns	SOT1143B	24ce	-	Ste
D9	XC61CC3902N	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
D95	BCV63	Si-NPN	Dual, 30V, 100mA, 250mW, B=110..800, >100MHz	SOT1143	24lac	-	Phi
D96	BCV63B	Si-NPN	Dual, 30V, 100mA, 250mW, B=200..450, >100MHz	SOT1143	24lac	-	Phi
DA	MAX6314US38D2-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset Bidir. PPO, 1ms	SOT1143	24vdh	VD5	Max
DA	R1141Q401B	VR-IC	LDO, Enable, 4V±2%, 120mA	SOT1143R	26vrc	VR4	Ric
DA	R3112Q301A	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DB	MAX6314US37D2-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset Bidir. PPO, 1ms	SOT1143	24vdh	VD5	Max
DB	R3112Q311A	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DC	MAX6314US36D2-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset Bidir. PPO, 1ms	SOT1143	24vdh	VD5	Max
DC	R3112Q321A	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DD	MAX6314US35D2-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DD	R3112Q331A	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DE	MAX6314US34D2-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DE	R3112Q341A	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DF	R3112Q351A	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DG	R3112Q361A	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DH	R3112Q371A	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DJ	MAX6314US33D2-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DJ	R3112Q381A	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DK	MAX6314US32D2-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DK	R3112Q391A	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT1143	26vdk	VD7	Ric
DL	MAX6314US31D2-T	CMOS-IC	Voltage Detector 3.08V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DL	R3112Q301C	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DM	MAX6314US30D2-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DM	R3112Q311C	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DN	MAX6314US29D2-T	CMOS-IC	Voltage Detector 2.93V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DN	R3112Q321C	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DO	MAX6314US28D2-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DP	MAX6314US27D2-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DP	R3112Q331C	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DQ	MAX6314US26D2-T	CMOS-IC	Voltage Detector 2.63V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DQ	R3112Q341C	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DR	MAX6314US25D2-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset Bidir. PPO, 20ms	SOT1143	24vdh	VD5	Max
DR	R3112Q351C	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DS	MAX6314US50D3-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset Bidir. PPO, 140ms	SOT1143	24vdh	VD5	Max
DS	R3112Q361C	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DT	MAX6314US49D3-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset Bidir. PPO, 140ms	SOT1143	24vdh	VD5	Max
DT	R3112Q371C	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DU	3SK241	GaAs-N-FET-d	Dual-Gate, VHF/UHF, 13V, 50mA, Idss=8..5..35mA, Up<3..5	SOT1143	26fm	-	Pan
DU	MAX6314US48D3-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset Bidir. PPO, 140ms	SOT1143	24vdh	VD5	Max
DU	R3112Q381C	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DV	MAX6314US47D3-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset Bidir. PPO, 140ms	SOT1143	24vdh	VD5	Max
DV	R3112Q391C	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT1143	26vdk	VD6	Ric
DW	MAX6314US46D3-T	CMOS-IC	Voltage Detector 4.63V, -MR, -Reset Bidir. PPO, 140ms	SOT1143	24vdh	VD5	Max
DW	MAX6314US45D3-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset Bidir. PPO, 140ms	SOT1143	24vdh	VD5	Max
DY	MAX6314US44D3-T	CMOS-IC	Voltage Detector 4.39V, -MR, -Reset Bidir. PPO, 140ns	SOT1143	24vdh	VD5	Max
DZ	MAX6314US43D3-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset Bidir. PPO, 140ms	SOT1143	24vdh	VD5	Max
E0	XC61CC4002N	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
E1	XC61CC4102N	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
E2	XC61CC4202N	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
E3	XC61CC4302N	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor
E4	XC61CC4402N	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SOT1143R	26vdl	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
E5	R1140Q151D	VR-IC	LDO, Enable, auto discharge, 1,5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
E5	XC61CC4502N	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
E6	BFG17A	Si-NPN	VHF/UHF-A, 25V, 50mA, 300mW, B=20..150, 2,8GHz	SOT143	24ed	-	Phi
E6	R1140Q161D	VR-IC	LDO, Enable, auto discharge, 1,6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
E6	XC61CC4602N	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
E7	R1140Q171D	VR-IC	LDO, Enable, auto discharge, 1,7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
E7	XC61CC4702N	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
E8	R1140Q181D	VR-IC	LDO, Enable, auto discharge, 1,8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
E8	XC61CC4802N	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
E9	R1140Q191D	VR-IC	LDO, Enable, auto discharge, 1,9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
E9	XC61CC4902N	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
EA	MAX6314US42D3-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EA	R3112Q401A	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EB	MAX6314US41D3-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EB	R3112Q411A	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EC	35K247	MOS-N-FET-d	Dual-Gate, VHF, 15V, Idss=0..10mA	SOT143	26fm	-	Pan
EC	MAX6314US40D3-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EC	R3112Q421A	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
ED	R3112Q431A	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EE	R3112Q441A	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EF	R1141Q151D	VR-IC	LDO, Enable, auto discharge, 1,5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
EF	R3112Q451A	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EG	MAX6314US39D3-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EG	R1141Q161D	VR-IC	LDO, Enable, auto discharge, 1,6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
EG	R3112Q461A	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EH	MAX6314US38D3-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EH	R1141Q171D	VR-IC	LDO, Enable, auto discharge, 1,7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
EH	R3112Q471A	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EI	MAX6314US37D3-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EJ	MAX6314US36D3-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EJ	R1141Q181D	VR-IC	LDO, Enable, auto discharge, 1,8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
EJ	R3112Q481A	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EK	MAX6314US35D3-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EK	R1141Q191D	VR-IC	LDO, Enable, auto discharge, 1,9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
EK	R3112Q491A	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
EL	MAX6314US34D3-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EL	R3112Q401C	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT143	26vdk	VD6	Ric
EM	MAX6314US33D3-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EM	R3112Q411C	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SOT143	26vdk	VD6	Ric
EN	MAX6314US32D3-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EN	R3112Q421C	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SOT143	26vdk	VD6	Ric
EN3	25C4862-3	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=60..120, 6,5GHz	SOT143	26td	-	Say
EN4	25C4862-4	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=90..180, 6,5GHz	SOT143	26td	-	Say
EN5	25C4862-5	Si-NPN	UHF, Osc, 20V, 30mA, 20mW, B=60..120, 6,5GHz	SOT143	26td	-	Say
EO	MAX6314US31D3-T	CMOS-IC	Voltage Detector 3.08V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EP	MAX6314US30D3-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EP	R3112Q431C	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT143	26vdk	VD6	Ric
EQ	R3112Q441C	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT143	26vdk	VD6	Ric
ER	R3112Q451C	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT143	26vdk	VD6	Ric
ES	MAX6314US29D3-T	CMOS-IC	Voltage Detector 2.93V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
ES	R3112Q461C	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SOT143	26vdk	VD6	Ric
ET	35K273	GaAs-N-FET-d	Dual-Gate, VHF/UHF, 13V, 50mA, Idss=8,5..35mA, Up<3,5V	SOT143	26fm	-	Pan
ET	MAX6314US28D3-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
ET	R3112Q471C	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	SOT143	26vdk	VD6	Ric
EU	MAX6314US27D3-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EU	R3112Q481C	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SOT143	26vdk	VD6	Ric
EV	MAX6314US26D3-T	CMOS-IC	Voltage Detector 2.63V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EV	R3112Q491C	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT143	26vdk	VD6	Ric
EW	MAX6314US25D3-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset Bidir. PPO, 140ms	SOT143	24vdh	VD5	Max
EX	MAX6314US50D4-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
EY	MAX6314US49D4-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
EZ	MAX6314US48D4-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
F0	R1140Q201D	VR-IC	LDO, Enable, auto discharge, 2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F0	XC61CC5002N	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F1	R1140Q211D	VR-IC	LDO, Enable, auto discharge, 2,1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F1	XC61CC5102N	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F2	R1140Q221D	VR-IC	LDO, Enable, auto discharge, 2,2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F2	XC61CC5202N	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
F3	R1140Q231D	VR-IC	LDO, Enable, auto discharge, 2.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F3	XC61CC5302N	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F4	R1140Q241D	VR-IC	LDO, Enable, auto discharge, 2.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F4	XC61CC5402N	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F5	R1140Q251D	VR-IC	LDO, Enable, auto discharge, 2.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F5	XC61CC5502N	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F6	R1140Q261D	VR-IC	LDO, Enable, auto discharge, 2.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F6	XC61CC5602N	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F7	R1140Q271D	VR-IC	LDO, Enable, auto discharge, 2.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F7	XC61CC5702N	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F8	R1140Q281D	VR-IC	LDO, Enable, auto discharge, 2.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F8	XC61CC5802N	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
F9	R1140Q291D	VR-IC	LDO, Enable, auto discharge, 2.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
F9	XC61CC5902N	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT143R	26vdl	VD7	Tor
FA	BFP81	Si-NPN	VHF/UHF, 25V, 30mA, 200mW, B=50..200 >5.8GHz	SOT143	24tc	-	Vis
FA	MAX6314US47D4-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FA	R1141Q201D	VR-IC	LDO, Enable, auto discharge, 2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FAa	BFP81	Si-NPN	VHF/UHF, 25V, 30mA, 280mW, B=50..200, >5.8GHz	SOT143	24tc	-	Sie
FB	MAX6314US46D4-T	CMOS-IC	Voltage Detector 4.63V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FB	R1141Q211D	VR-IC	LDO, Enable, auto discharge, 2.1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FC	MAX6314US45D4-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FC	R1141Q221D	VR-IC	LDO, Enable, auto discharge, 2.2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FD	MAX6314US44D4-T	CMOS-IC	Voltage Detector 4.39V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FD	R1141Q231D	VR-IC	LDO, Enable, auto discharge, 2.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FE	BFP93A	Si-NPN	VHF/UHF, 20V, 50mA, 200mW, B=50..200, >6GHz	SOT143	24tc	-	Vis
FE	MAX6314US43D4-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FE	R1141Q241D	VR-IC	LDO, Enable, auto discharge, 2.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FEa	BFP93A	Si-NPN	VHF/UHF, 20V, 50mA, 300mW, B=50..200, >6GHz	SOT143	24tc	-	Sie
FF	MAX6314US42D4-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FF	R1141Q251D	VR-IC	LDO, Enable, auto discharge, 2.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FG	MAX6314US41D4-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FG	R1141Q261D	VR-IC	LDO, Enable, auto discharge, 2.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FH	MAX6314US40D4-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FH	R1141Q271D	VR-IC	LDO, Enable, auto discharge, 2.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FI	MAX6314US39D4-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FI-	3SK186	MOS-N-FET-D	Dual-Gate, UHF, 12V, Idss=0..4V	SOT143	26fm	-	Hlt
FJ	MAX6314US38D4-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FJ	R1141Q281D	VR-IC	LDO, Enable, auto discharge, 2.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FK	MAX6314US37D4-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FK	R1141Q291D	VR-IC	LDO, Enable, auto discharge, 2.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
FL	MAX6314US36D4-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FL	MAX6314US35D4-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FN	MAX6314US34D4-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FN3	25C4865-3	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0.2W, B=80..120, 7GHz	SOT143	26lad	-	Say
FN4	25C4865-4	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0.2W, B=80..180, 7GHz	SOT143	26lad	-	Say
FN5	25C4865-5	Si-NPN	VHF/UHF, Amp, 16V, 70mA, 0.2W, B=130..270, 7GHz	SOT143	26lad	-	Say
FO	MAX6314US33D4-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FP	MAX6314US32D4-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FQ	MAX6314US31D4-T	CMOS-IC	Voltage Detector 3.08V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FR	MAX6314US30D4-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FS	MAX6314US29D4-T	CMOS-IC	Voltage Detector 2.93V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FT	MAX6314US28D4-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FU	MAX6314US27D4-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FV	MAX6314US26D4-T	CMOS-IC	Voltage Detector 2.63V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FW	MAX6314US25D4-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset Bidir. PPO, 1120ms	SOT143	24vdh	VD5	Max
FX	MAX6315US50D1-T	CMOS-IC	Voltage Detector 5V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
FY	MAX6315US49D1-T	CMOS-IC	Voltage Detector 4.9V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
FZ	MAX6315US48D1-T	CMOS-IC	Voltage Detector 4.8V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
G0	R1140Q301D	VR-IC	LDO, Enable, auto discharge, 3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G1	R1140Q311D	VR-IC	LDO, Enable, auto discharge, 3.1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G2	R1140Q321D	VR-IC	LDO, Enable, auto discharge, 3.2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G3	R1140Q331D	VR-IC	LDO, Enable, auto discharge, 3.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G4	R1140Q341D	VR-IC	LDO, Enable, auto discharge, 3.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G5	R1140Q351D	VR-IC	LDO, Enable, auto discharge, 3.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G6	R1140Q361D	VR-IC	LDO, Enable, auto discharge, 3.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G7	R1140Q371D	VR-IC	LDO, Enable, auto discharge, 3.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G8	R1140Q381D	VR-IC	LDO, Enable, auto discharge, 3.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
G9	R1140Q391D	VR-IC	LDO, Enable, auto discharge, 3.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
GA	MAX6315US47D1-T	CMOS-IC	Voltage Detector 4.7V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GA	R1141Q301D	VR-IC	LDO, Enable, auto discharge, 3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GB	MAX6315US46D1-T	CMOS-IC	Voltage Detector 4.63V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GB	R1141Q311D	VR-IC	LDO, Enable, auto discharge, 3.1V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GC	MAX6315US45D1-T	CMOS-IC	Voltage Detector 4.5V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GC	R1141Q321D	VR-IC	LDO, Enable, auto discharge, 3.2V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GD	MAX6315US44D1-T	CMOS-IC	Voltage Detector 4.39V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GD	R1141Q331D	VR-IC	LDO, Enable, auto discharge, 3.3V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GE	MAX6315US43D1-T	CMOS-IC	Voltage Detector 4.3V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GE	R1141Q341D	VR-IC	LDO, Enable, auto discharge, 3.4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GF	MAX6315US42D1-T	CMOS-IC	Voltage Detector 4.2V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GF	R1141Q351D	VR-IC	LDO, Enable, auto discharge, 3.5V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GG	MAX6315US41D1-T	CMOS-IC	Voltage Detector 4.1V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GG	R1141Q361D	VR-IC	LDO, Enable, auto discharge, 3.6V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GH	MAX6315US40D1-T	CMOS-IC	Voltage Detector 4V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GH	R1141Q371D	VR-IC	LDO, Enable, auto discharge, 3.7V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GI	MAX6315US39D1-T	CMOS-IC	Voltage Detector 3.9V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GJ	MAX6315US38D1-T	CMOS-IC	Voltage Detector 3.8V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GJ	R1141Q381D	VR-IC	LDO, Enable, auto discharge, 3.8V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GK	MAX6315US37D1-T	CMOS-IC	Voltage Detector 3.7V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GK	R1141Q391D	VR-IC	LDO, Enable, auto discharge, 3.9V±2%, 120mA	SOT143R	26vrc	VR4	Ric
GL	MAX6315US36D1-T	CMOS-IC	Voltage Detector 3.6V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GM	MAX6315US35D1-T	CMOS-IC	Voltage Detector 3.5V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GN	MAX6315US34D1-T	CMOS-IC	Voltage Detector 3.4V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GN3	25CA4869-3	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=60..120, 9GHz	SOT143	26tad	-	Say
GN4	25CA4869-4	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=90..180, 9GHz	SOT143	26tad	-	Say
GN4	25C5503-4	Si-NPN	VHF/UHF, LN, 16V, 50mA, 400mW, B=90..180, 9GHz	SOT-343	26tad	-	Say
GN5	25CA4869-5	Si-NPN	VHF/UHF, Amp, 16V, 50mA, 0.2W, B=130..270, 9GHz	SOT143	26tad	-	Say
GN5	25C5503-5	Si-NPN	VHF/UHF, LN, 16V, 50mA, 400mW, B=135..270, 9GHz	SOT-343	26tad	-	Say
GO	MAX6315US33D1-T	CMOS-IC	Voltage Detector 3.3V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GT	MAX6315US28D1-T	CMOS-IC	Voltage Detector 2.8V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GU	MAX6315US27D1-T	CMOS-IC	Voltage Detector 2.7V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GV	MAX6315US26D1-T	CMOS-IC	Voltage Detector 2.63V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GW	MAX6315US25D1-T	CMOS-IC	Voltage Detector 2.5V, MR, -Reset ODO, 1ms	SOT143	24vdh	VD4	Max
GX	MAX6315US50D2-T	CMOS-IC	Voltage Detector 5V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
GY	MAX6315US49D2-T	CMOS-IC	Voltage Detector 4.9V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
GZ	MAX6315US48D2-T	CMOS-IC	Voltage Detector 4.8V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
H0	R1140Q401D	VR-IC	LDO, Enable, auto discharge, 4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
H0	XC61CC6002N	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT143R	26vdi	VD7	Tor
HA	MAX6315US47D2-T	CMOS-IC	Voltage Detector 4.7V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HA	R1141Q401D	VR-IC	LDO, Enable, auto discharge, 4V±2%, 120mA	SOT143R	26vrc	VR4	Ric
HB	MAX6315US46D2-T	CMOS-IC	Voltage Detector 4.63V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HC	MAX6315US45D2-T	CMOS-IC	Voltage Detector 4.5V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HD	MAX6315US44D2-T	CMOS-IC	Voltage Detector 4.39V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HE	MAX6315US43D2-T	CMOS-IC	Voltage Detector 4.3V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HF	MAX6315US42D2-T	CMOS-IC	Voltage Detector 4.2V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HG	MAX6315US41D2-T	CMOS-IC	Voltage Detector 4.1V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HH	MAX6315US40D2-T	CMOS-IC	Voltage Detector 4V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HI	MAX6315US39D2-T	CMOS-IC	Voltage Detector 3.9V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HJ	MAX6315US38D2-T	CMOS-IC	Voltage Detector 3.8V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HM	MAX6315US35D2-T	CMOS-IC	Voltage Detector 3.5V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HN	MAX6315US34D2-T	CMOS-IC	Voltage Detector 3.4V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HO	MAX6315US33D2-T	CMOS-IC	Voltage Detector 3.3V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HP	MAX6315US32D2-T	CMOS-IC	Voltage Detector 4.2V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HQ	MAX6315US31D2-T	CMOS-IC	Voltage Detector 3.08V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HR	MAX6315US30D2-T	CMOS-IC	Voltage Detector 3V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HS	MAX6315US29D2-T	CMOS-IC	Voltage Detector 2.93V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HT	MAX6315US28D2-T	CMOS-IC	Voltage Detector 2.8V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HU	MAX6315US27D2-T	CMOS-IC	Voltage Detector 2.7V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HV	35K285	MOS-N-FET-d	Dual-Gate, UHF, 13V, 30mA, Idss=10..25mA, Up<1V	SOT143	26fm	-	Pan
HV	MAX6315US26D2-T	CMOS-IC	Voltage Detector 2.63V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HW	35K286	MOS-N-FET-d	Dual-Gate, VHF, 15V, 30mA, Idss=6..20mA, Up<1.5V	SOT143	26fm	-	Pan
HW	MAX6315US25D2-T	CMOS-IC	Voltage Detector 2.5V, MR, -Reset ODO, 20ms	SOT143	24vdh	VD4	Max
HX	MAX6315US50D3-T	CMOS-IC	Voltage Detector 5V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
HY	MAX6315US49D3-T	CMOS-IC	Voltage Detector 4.9V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IZ	MAX6315US48D3-T	CMOS-IC	Voltage Detector 4.8V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IA	MAX6315US47D3-T	CMOS-IC	Voltage Detector 4.7V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IB	MAX6315US46D3-T	CMOS-IC	Voltage Detector 4.63V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
IC	MAX6315US45D3-T	CMOS-IC	Voltage Detector 4.5V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
ID	MAX6315US44D3-T	CMOS-IC	Voltage Detector 4.39V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IE	MAX6315US43D3-T	CMOS-IC	Voltage Detector 4.3V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IF	MAX6315US42D3-T	CMOS-IC	Voltage Detector 4.2V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IG	MAX6315US41D3-T	CMOS-IC	Voltage Detector 4.1V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IH	MAX6315US40D3-T	CMOS-IC	Voltage Detector 4V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
II	MAX6315US39D3-T	CMOS-IC	Voltage Detector 3.9V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IJ	MAX6315US38D3-T	CMOS-IC	Voltage Detector 3.8V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IK	MAX6315US37D3-T	CMOS-IC	Voltage Detector 3.7V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IL	MAX6315US36D3-T	CMOS-IC	Voltage Detector 3.6V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IM	MAX6315US35D3-T	CMOS-IC	Voltage Detector 3.5V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IN	MAX6315US34D3-T	CMOS-IC	Voltage Detector 3.4V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IO	MAX6315US33D3-T	CMOS-IC	Voltage Detector 3.3V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IP	MAX6315US32D3-T	CMOS-IC	Voltage Detector 3.2V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IQ	MAX6315US31D3-T	CMOS-IC	Voltage Detector 3.08V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IR	MAX6315US30D3-T	CMOS-IC	Voltage Detector 3V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IS	MAX6315US29D3-T	CMOS-IC	Voltage Detector 2.93V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IT	MAX6315US28D3-T	CMOS-IC	Voltage Detector 2.8V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IT-	35K162	MOS-N-FET-d	Dual-Gate, VHF, 12V, Idss=0..12mA	SOT143	26fm	-	Hit
IU	MAX6315US27D3-T	CMOS-IC	Voltage Detector 2.7V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IV	MAX6315US26D3-T	CMOS-IC	Voltage Detector 2.63V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IV-	35K136	MOS-N-FET-d	Dual-Gate, VHF, 20V, Idss>5mA, Up<3V	SOT143	26fm	-	Hit
IW	MAX6315US25D3-T	CMOS-IC	Voltage Detector 2.5V, MR, -Reset ODO, 140ms	SOT143	24vdh	VD4	Max
IW-	35K137	MOS-N-FET-d	Dual-Gate, UHF, 15V, Idss<20mA, Up<2V	SOT143	26fm	-	Hit
IX	MAX6315US50D4-T	CMOS-IC	Voltage Detector 5V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
IX-	35K138	MOS-N-FET-d	Dual-Gate, UHF, 15V, Idss<10mA, Up<1V	SOT143	26fm	-	Hit
IY	MAX6315US49D4-T	CMOS-IC	Voltage Detector 4.9V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
IY-	35K194	MOS-N-FET-d	2-Gate, VHF/UHF-Tuner, 15V, 35mA, Idss=0..10mA, Up<1.5V	SOT143	26fm	-	Hit
IZ	MAX6315US48D4-T	CMOS-IC	Voltage Detector 4.8V, MR, -Reset ODO, 1120ms	SDT143	24vdh	VD4	Max
JA	MAX6315US47D4-T	CMOS-IC	Voltage Detector 4.7V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JB	MAX6315US46D4-T	CMOS-IC	Voltage Detector 4.63V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JC	MAX6315US45D4-T	CMOS-IC	Voltage Detector 4.5V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JD	MAX6315US44D4-T	CMOS-IC	Voltage Detector 4.39V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JE	MAX6315US43D4-T	CMOS-IC	Voltage Detector 4.3V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JF	MAX6315US42D4-T	CMOS-IC	Voltage Detector 4.2V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JF	R1114Q151A	VR-IC	LDO, LN, -Enable, 1.5V±2%, 150mA	SOT143R	26vrd	VR4	Ric
JG	MAX6315US41D4-T	CMOS-IC	Voltage Detector 4.1V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JG	R1114Q161A	VR-IC	LDO, LN, -Enable, 1.6V±2%, 150mA	SOT143R	26vrd	VR4	Ric
JH	MAX6315US40D4-T	CMOS-IC	Voltage Detector 4V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JH	R1114Q171A	VR-IC	LDO, LN, -Enable, 1.7V±2%, 150mA	SOT143R	26vrd	VR4	Ric
JI	MAX6315US39D4-T	CMOS-IC	Voltage Detector 3.9V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JJ	MAX6315US38D4-T	CMOS-IC	Voltage Detector 3.8V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JJ	R1114Q181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
JK	MAX6315US37D4-T	CMOS-IC	Voltage Detector 3.7V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JK	R1114Q191A	VR-IC	LDO, LN, -Enable, 1.9V±2%, 150mA	SOT143R	26vrd	VR4	Ric
JL	MAX6315US36D4-T	CMOS-IC	Voltage Detector 3.6V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JM	MAX6315US35D4-T	CMOS-IC	Voltage Detector 3.5V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JN	MAX6315US34D4-T	CMOS-IC	Voltage Detector 3.4V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JO	MAX6315US33D4-T	CMOS-IC	Voltage Detector 3.3V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JP	MAX6315US32D4-T	CMOS-IC	Voltage Detector 3.2V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JPs	BAW101	Si-Diode	Dual, Switching, 300V, 250mA, Vf<1.3V(I100mA), Ijs	SOT143	24ce	-	Inf
JQ	MAX6315US31D4-T	CMOS-IC	Voltage Detector 3.08V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JR	MAX6315US30D4-T	CMOS-IC	Voltage Detector 3V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JS	MAX6315US29D4-T	CMOS-IC	Voltage Detector 2.93V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JT	MAX6315US28D4-T	CMOS-IC	Voltage Detector 2.8V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JTp	BAS28	Si-Diode	Dual, Fast, Switching, 75V, 250mA, <4ns	SOT143	24ce	-	Phi
JTs	BAS28	Si-Diode	Dual, Fast, Switching, 75V, 250mA, <4ns	SOT143	24ce	-	Sie
JU	MAX6315US27D4-T	CMOS-IC	Voltage Detector 2.7V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JV	MAX6315US26D4-T	CMOS-IC	Voltage Detector 2.63V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
JW	MAX6315US25D4-T	CMOS-IC	Voltage Detector 2.5V, MR, -Reset ODO, 1120ms	SOT143	24vdh	VD4	Max
K9	R3111Q091A	CMOS-IC	Voltage Detector 0.9V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
KA	R1114Q201A	VR-IC	LDO, LN, -Enable, 2V±2%, 150mA	SOT143R	26vrd	VR4	Ric
KAAP	MAX6335US16D3	CMOS-IC	Voltage Detector 1.6V, -MR, Reset Push-pull output	SOT143	24vdh	VD5	Max
KAQ	MAX6335US18D3	CMOS-IC	Voltage Detector 1.8V, -MR, Reset Push-pull output	SOT143	24vdh	VD5	Max
KAAR	MAX6335US22D3	CMOS-IC	Voltage Detector 2.2V, -MR, Reset Push-pull output	SOT143	24vdh	VD5	Max
KAAS	MAX6336US16D3	CMOS-IC	Voltage Detector 1.6V, -MR, Reset Push-pull output	SOT143	24vdh	VD5	Max
KAAT	MAX6336US18D3	CMOS-IC	Voltage Detector 1.8V, -MR, Reset Push-pull output	SOT143	24vdh	VD5	Max
KAU	MAX6336US20D3	CMOS-IC	Voltage Detector 2V, -MR, Reset Push-pull output	SOT143	24vdh	VD5	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх. Прокл.
KAAY	MAX6336US22D3	CMOS-IC	Voltage Detector 2.2V, -MR, -Reset Push-pull output	SOT143	24vdh	VD5 Max
KAAY	MAX6336US23D3	CMOS-IC	Voltage Detector 2.3V, -MR, -Reset Push-pull output	SOT143	24vdh	VD5 Max
KAAX	MAX6337US16D3	CMOS-IC	Voltage Detector 1.6V, -MR, -Reset Open drain output	SOT143	24vdh	VD4 Max
KAAY	MAX6337US18D3	CMOS-IC	Voltage Detector 1.8V, -MR, -Reset Open drain output	SOT143	24vdh	VD4 Max
KAAY	MAX6337US22D3	CMOS-IC	Voltage Detector 2.2V, -MR, -Reset Open drain output	SOT143	24vdh	VD4 Max
KABP	MAX6335US20D3	CMOS-IC	Voltage Detector 2V, -MR, -Reset Push-pull output	SOT143	24vdh	VD5 Max
KABQ	MAX6335US23D3	CMOS-IC	Voltage Detector 2.3V, -MR, -Reset Push-pull output	SOT143	24vdh	VD5 Max
KABR	MAX6337US20D3	CMOS-IC	Voltage Detector 2V, -MR, -Reset Open drain output	SOT143	24vdh	VD4 Max
KABS	MAX6337US23D3	CMOS-IC	Voltage Detector 2.3V, -MR, -Reset Open drain output	SOT143	24vdh	VD4 Max
KABT	MAX6806US46-T	Lin/Dig-IC	Voltage Detector 4.6V, MR, -Reset Push-pull output	SOT143	24co	VD5 Max
KABU	MAX6806US26-T	Lin/Dig-IC	Voltage Detector 2.6V, MR, -Reset Push-pull output	SOT143	24co	VD5 Max
KABV	MAX6808US23-T	Lin/Dig-IC	Voltage Detector 2.3V, MR, -Reset Push-pull output	SOT143	24co	VD5 Max
KABW	MAX6807US46-T	Lin/Dig-IC	Voltage Detector 4.6V, MR, -Reset Push-pull output	SOT143	24co	VD5 Max
KABX	MAX6807US26-T	Lin/Dig-IC	Voltage Detector 2.6V, MR, -Reset Push-pull output	SOT143	24co	VD5 Max
KABY	MAX6808US46-T	Lin/Dig-IC	Voltage Detector 4.6V, MR, -Reset Open drain output	SOT143	24co	VD4 Max
KABZ	MAX6808US26-T	Lin/Dig-IC	Voltage Detector 2.6V, MR, -Reset Open drain output	SOT143	24co	VD4 Max
KACC	MAX6808US32-T	Lin/Dig-IC	Voltage Detector 3.2V, MR, -Reset Open drain output	SOT143	24co	VD4 Max
KAFK	MAX6443US29L	CMOS-IC	Voltage Detector 2.9V, \pm MR, -Reset Push-pull output	SOT143	24vdh	- Max
KAFL	MAX6444US46L	CMOS-IC	Voltage Detector 4.6V, \pm MR, -Reset Open drain output	SOT143	24vdh	- Max
KAFW	MAX6443US16L	CMOS-IC	Voltage Detector 1.6V, \pm MR, -Reset Push-pull output	SOT143	24vdh	- Max
KAFX	MAX6443US23L	CMOS-IC	Voltage Detector 2.3V, \pm MR, -Reset Push-pull output	SOT143	24vdh	- Max
KAFY	MAX6443US26L	CMOS-IC	Voltage Detector 2.6V, \pm MR, -Reset Push-pull output	SOT143	24vdh	- Max
KAFZ	MAX6443US46L	CMOS-IC	Voltage Detector 4.6V, \pm MR, -Reset Push-pull output	SOT143	24vdh	- Max
KAGA	MAX6444US16L	CMOS-IC	Voltage Detector 1.6V, \pm MR, -Reset Open drain output	SOT143	24vdh	- Max
KAGB	MAX6444US23L	CMOS-IC	Voltage Detector 2.3V, \pm MR, -Reset Open drain output	SOT143	24vdh	- Max
KAGC	MAX6444US26L	CMOS-IC	Voltage Detector 2.6V, \pm MR, -Reset Open drain output	SOT143	24vdh	- Max
KAGD	MAX6444US29L	CMOS-IC	Voltage Detector 2.9V, \pm MR, -Reset Open drain output	SOT143	24vdh	- Max
KB	R1114Q211A	VR-IC	LDO, LN, -Enable, 2.1V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KC	R1114Q221A	VR-IC	LDO, LN, -Enable, 2.2V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KD	R1114Q231A	VR-IC	LDO, LN, -Enable, 2.3V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KE	R1114Q241A	VR-IC	LDO, LN, -Enable, 2.4V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KF	R1114Q251A	VR-IC	LDO, LN, -Enable, 2.5V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KG	R1114Q261A	VR-IC	LDO, LN, -Enable, 2.6V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KH	R1114Q271A	VR-IC	LDO, LN, -Enable, 2.7V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KJ	ETC811JU	CMOS-IC	Voltage detector 4V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Etc
KJ	FM811JUX	CMOS-IC	Voltage Detector 4V, MR, -Reset Push-pull output	SOT143	24vdh	- Fch
KJ	MIC811JU	CMOS-IC	Voltage detector 4V, -Reset Push-pull output	SOT143	24vdh	VD7 Mcr
KJ	R1114Q281A	VR-IC	LDO, LN, -Enable, 2.8V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KK	R1114Q291A	VR-IC	LDO, LN, -Enable, 2.9V \pm 2%, 150mA	SOT143R	26vrd	VR4 Ric
KL	ETC811LU	CMOS-IC	Voltage detector 4.63V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Etc
KL	FM811LUX	CMOS-IC	Voltage Detector 4.63V, MR, -Reset PPO	SOT143	24vdh	- Fch
KL	MIC811LU	CMOS-IC	Voltage detector 4.63V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Mcr
KM	ETC811MU	CMOS-IC	Voltage detector 4.38V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Etc
KM	FM811MUX	CMOS-IC	Voltage Detector 4.38V, MR, -Reset PPO	SOT143	24vdh	- Fch
KM	MIC811MU	CMOS-IC	Voltage detector 4.38V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Mcr
KR	ETC811RU	CMOS-IC	Voltage detector 2.63V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Etc
KR	FM811RUX	CMOS-IC	Voltage Detector 2.63V, MR, -Reset PPO	SOT143	24vdh	- Fch
KR	MIC811RU	CMOS-IC	Voltage detector 2.63V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Mcr
KS	ETC811SU	CMOS-IC	Voltage detector 2.93V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Etc
KS	FM811SUX	CMOS-IC	Voltage Detector 2.93V, MR, -Reset PPO	SOT143	24vdh	- Fch
KS	MIC811SU	CMOS-IC	Voltage detector 2.93V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Mcr
KT	ETC811TU	CMOS-IC	Voltage detector 3.08V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Etc
KT	FM811TUX	CMOS-IC	Voltage Detector 3.08V, MR, -Reset PPO	SOT143	24vdh	- Fch
KT	MIC811TU	CMOS-IC	Voltage detector 3.08V, -MR, -Reset Push-pull output	SOT143	24vdh	VD7 Mcr
L0	R3111Q101A	CMOS-IC	Voltage Detector 1V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L1	R3111Q111A	CMOS-IC	Voltage Detector 1.1V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L2	R3111Q121A	CMOS-IC	Voltage Detector 1.2V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L3	R3111Q131A	CMOS-IC	Voltage Detector 1.3V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L30	BAV23	Si-Diode	Dual, GP, 200V, 225mA, $V_s < 1.25V(200mA)$, <50ns	SOT143	24ce	- Phi
L4	R3111Q141A	CMOS-IC	Voltage Detector 1.4V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L41	BAT74	Si-Diode	Dual, Switching, 30V, 200mA, 230mW, $V_f < 0.8V(0.1A)$, <5ns	SOT143B	24ce	- Phi
L5	R3111Q151A	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L51	BAS56	Si-Diode	Dual, Switching, U-Fest, 60V, 200mA, 250mW, <6ns	SOT143	24ce	- Phi
L6	R3111Q161A	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L6	XC61CN1602N	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT143R	26vdi	VD6 Tor
L7	R3111Q171A	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output	SOT143	26vdi	VD7 Ric
L7	XC61CN1702N	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output	SOT143R	26vdi	VD6 Tor
L8	R3111Q181A	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT143	26vdi	VD7 Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
L8	XC61CN1802N	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
L9	R3111Q191A	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
L9	XC61CN1902N	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
LA	BF1201WR	MOS-N-FET-e*	2-Gate, VHF, UHF, 10V, 30mA, 0.2W	SOT-343R	26fd	-	Phi
LA	R1114Q301A	VR-IC	LDO, LN, -Enable, 3V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LA28	MIC5203-2 8BM4	VR-IC	LDO, Enable, 2.8V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA30	MIC5203-3 0BM4	VR-IC	LDO, Enable, 3V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA33	MIC5203-3 3BM4	VR-IC	LDO, Enable, 3.3V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA36	MIC5203-3 6BM4	VR-IC	LDO, Enable, 3.6V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA38	MIC5203-3 8CM4	VR-IC	LDO, Enable, 3.8V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA49	MIC5203-4 0BM4	VR-IC	LDO, Enable, 4V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA45	MIC5203-4 5BM4	VR-IC	LDO, Enable, 4.5V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA47	MIC5203-4 7BM4	VR-IC	LDO, Enable, 4.7V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LA50	MIC5203-5 0BM4	VR-IC	LDO, Enable, 5V±1%, 80mA	SOT143	24vrja	VR4	Mcr
LAp	BF1201	MOS-N-FET-e*	2-Gate, VHF, UHF, 10V, 30mA, 0.2W	SOT143	24fd	-	Phi
LAW	NCP552SQ15T1	VR-IC	Low Iq, Enable, 1.5V±2%, 80mA	SOT143	26vre	VR4	Ons
LAX	NCP552SQ16T1	VR-IC	Low Iq, Enable, 1.8V±2%, 80mA	SOT143	26vre	VR4	Ons
LAY	NCP552SQ25T1	VR-IC	Low Iq, Enable, 2.5V±2%, 80mA	SOT143	26vre	VR4	Ons
LAZ	NCP552SQ27T1	VR-IC	Low Iq, Enable, 2.7V±2%, 80mA	SOT143	26vre	VR4	Ons
LB	R1114Q311A	VR-IC	LDO, LN, -Enable, 3.1V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LBA	NCP552SQ28T1	VR-IC	Low Iq, Enable, 2.8V±2%, 80mA	SOT143	26vre	VR4	Ons
LBB	NCP552SQ30T1	VR-IC	Low Iq, Enable, 3V±2%, 80mA	SOT143	26vre	VR4	Ons
LBC	NCP552SQ33T1	VR-IC	Low Iq, Enable, 3.3V±2%, 80mA	SOT143	26vre	VR4	Ons
LBD	NCP552SQ50T1	VR-IC	Low Iq, Enable, 5V±2%, 80mA	SOT143	26vre	VR4	Ons
LBE	NCP553SQ15T1	VR-IC	Low Iq, 1.5V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBF	NCP553SQ18T1	VR-IC	Low Iq, 1.8V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBG	NCP553SQ25T1	VR-IC	Low Iq, 2.5V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBH	NCP553SQ27T1	VR-IC	Low Iq, 2.7V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBI	NCP553SQ28T1	VR-IC	Low Iq, 2.8V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBJ	NCP553SQ30T1	VR-IC	Low Iq, 3V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBK	NCP553SQ33T1	VR-IC	Low Iq, 3.3V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBL	NCP553SQ50T1	VR-IC	Low Iq, 5V±2%, 80mA	SOT143	26vrh	VR1	Ons
LBp	BF1201R	MOS-N-FET-e*	2-Gate, VHF, UHF, 10V, 30mA, 0.2W	SOT143R	26fd	-	Phi
LC	R1114Q321A	VR-IC	LDO, LN, -Enable, 3.2V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LD	R1114Q331A	VR-IC	LDO, LN, -Enable, 3.3V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LDI	NCP562SQ15T1	VR-IC	LDO, Low Iq, Enable, 1.5V±2%, 80mA	SOT143	26vre	VR4	Ons
LDK	NCP562SQ25T1	VR-IC	LDO, Low Iq, Enable, 2.5V±2%, 80mA	SOT143	26vre	VR4	Ons
LDL	NCP562SQ28T1	VR-IC	LDO, Low Iq, Enable, 2.8V±2%, 80mA	SOT143	26vre	VR4	Ons
LDM	NCP562SQ30T1	VR-IC	LDO, Low Iq, Enable, 3V±2%, 80mA	SOT143	26vre	VR4	Ons
LDN	NCP562SQ33T1	VR-IC	LDO, Low Iq, Enable, 3.3V±2%, 80mA	SOT143	26vre	VR4	Ons
Ldp	BF1202R	MOS-N-FET-e*	2-Gate, VHF, UHF, 10V, 30mA, 0.2W, 30ms	SOT143R	26fd	-	Phi
LDP	NCP563SQ50T1	VR-IC	LDO, Low Iq, Enable, 5V±2%, 80mA	SOT143	26vra	VR4	Ons
LDQ	NCP563SQ15T1	VR-IC	LDO, Low Iq, 1.5V±2%, 80mA	SOT143	26vrh	VR1	Ons
LDS	NCP563SQ25T1	VR-IC	LDO, Low Iq, 2.5V±2%, 80mA	SOT143	26vrh	VR1	Ons
LDT	NCP563SQ28T1	VR-IC	LDO, Low Iq, 2.8V±2%, 80mA	SOT143	26vrh	VR1	Ons
LDU	NCP563SQ30T1	VR-IC	LDO, Low Iq, 3V±2%, 80mA	SOT143	26vrh	VR1	Ons
LDV	NCP563SQ33T1	VR-IC	LDO, Low Iq, 3.3V±2%, 80mA	SOT143	26vrh	VR1	Ons
LDX	NCP563SQ50T1	VR-IC	LDO, Low Iq, 5V±2%, 80mA	SOT143	26vrh	VR1	Ons
LE	BF1202WE	MOS-N-FET-e*	2-Gate, VHF, UHF, 10V, 30mA, 0.2W, 30ms	SOT-343R	26fd	-	Phi
LE	R1114Q341A	VR-IC	LDO, LN, -Enable, 3.4V±2%, 150mA	SOT143R	26vrd	VR4	Ric
Lep	BF1202	MOS-N-FET-e*	2-Gate, VHF, UHF, 10V, 30mA, 0.2W, 30ms	SOT143	24fd	-	Phi
LEY	NCP562SQ18T1	VR-IC	LDO, Low Iq, Enable, 1.8V±2%, 80mA	SOT143	26vre	VR4	Ons
LEZ	NCP562SQ27T1	VR-IC	LDO, Low Iq, Enable, 2.7V±2%, 80mA	SOT143	26vre	VR4	Ons
LF	R1114Q351A	VR-IC	LDO, LN, -Enable, 3.5V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LFA	NCP563SQ18T1	VR-IC	LDO, Low Iq, 1.8V±2%, 80mA	SOT143	26vrh	VR1	Ons
LFB	NCP563SQ27T1	VR-IC	LDO, Low Iq, 2.7V±2%, 80mA	SOT143	26vrh	VR1	Ons
LG	R1114Q361A	VR-IC	LDO, LN, -Enable, 3.6V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LH	R1114Q371A	VR-IC	LDO, LN, -Enable, 3.7V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LJ	ETC812JU	CMOS-IC	Voltage detector 4V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Eic
LJ	FM812JUX	CMOS-IC	Voltage Detector 4V, MR, Reset Push-pull output	SOT143	24vdh	-	Fch
LJ	MIC812JU	CMOS-IC	Voltage detector 4V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Mcr
LJ	R1114Q381A	VR-IC	LDO, LN, -Enable, 3.8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LK	R1114Q391A	VR-IC	LDO, LN, -Enable, 3.9V±2%, 150mA	SOT143R	26vrd	VR4	Ric
LL	ETC812LU	CMOS-IC	Voltage detector 4 63V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Eic
LL	FM812LUX	CMOS-IC	Voltage Detector 4 63V, MR, Reset PPO	SOT143	24vdh	-	Fch
LL	MIC812LU	CMOS-IC	Voltage detector 4 63V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Mcr
LM	ETC812MU	CMOS-IC	Voltage detector 4 38V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Eic
LM	FM812MUX	CMOS-IC	Voltage Detector 4 38V, MR, Reset PPO	SOT143	24vdh	-	Fch

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
LM	MIC812MU	CMOS-IC	Voltage detector 4 38V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Mcr
LN4	2SC5501-4	S-NPN	VHF/UHF LN, 20V, 70mA, 500mW, B=90 180, 7GHz	SOT-343	26iad	-	Say
LN5	2SC5501-5	S-NPN	VHF/UHF LN, 20V, 70mA, 500mW, B=135 270, 7GHz	SOT-343	28iad	-	Say
LR	ETC812RU	CMOS-IC	Voltage detector 2 63V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Etc
LR	FM812RUX	CMOS-IC	Voltage Detector 2 63V, MR, Reset PPO	SOT143	24vdh	-	Fch
LR	MIC812RU	CMOS-IC	Voltage detector 2 83V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Mcr
LS	ETC812SU	CMOS-IC	Voltage detector 2 93V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Etc
LS	FM812SUX	CMOS-IC	Voltage Detector 2 93V, MR, Reset PPO	SOT143	24vdh	-	Fch
LS	MIC812SU	CMOS-IC	Voltage detector 2 93V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Mcr
LT	ETC812TU	CMOS-IC	Voltage detector 3 08V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Etc
LT	FM812TUX	CMOS-IC	Voltage Detector 3 08V, MR, Reset PPO	SOT143	24vdh	-	Fch
LT	MIC812TU	CMOS-IC	Voltage detector 3 08V, -MR, Reset Push-pull output	SOT143	24vdh	VD7	Mcr
MO	R3111Q201A	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
MO	XC61CN2002N	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
MO3	BSS83	MOS-N-FET-e*	Switching, 10V, 50mA, 230mW, Up<2V, <45Q 1/5ns	SOT143	24fl	-	Ste
MO4	BF904	MOS-N-FET-e*	Dual-Gate VHF/UHF, 7V, 30mA, 200mW	SOT143	24fd	-	Phi
MO6	BF904R	MOS-N-FET-e*	Dual-Gate, VHF/UHF, 7V, 30mA, 200mW	SOT143	26fm	-	Phi
M1	R3111Q211A	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M1	XC61CN2102N	CMOS-IC	Voltage Detector 2,1V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M2	R3111Q221A	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M2	XC61CN2202N	CMOS-IC	Voltage Detector 2,2V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M26	BF908	MOS-N-FET-d*	Dual-Gate, VHF/UHF, 12V, 40mA	SOT143	24fd	-	Phi
M28	BF909	MOS-N-FET-e*	Dual-Gate, VHF/UHF, 7V, 40mA	SOT143	24fd	-	Phi
M3	R3111Q231A	CMOS-IC	Voltage Detector 2,3V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M3	XC61CN2302N	CMOS-IC	Voltage Detector 2,3V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M32	BSD22	MOS-N-FET-d	Switching, Chopper, 20V, 50mA, 230mW, 25Q(1mA), 1/5ns	SOT143	24fl	-	Phi
M4	R3111Q241A	CMOS-IC	Voltage Detector 2,4V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M4	XC61CN2402N	CMOS-IC	Voltage Detector 2,4V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M5	R3111Q251A	CMOS-IC	Voltage Detector 2,5V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M5	XC61CN2502N	CMOS-IC	Voltage Detector 2,5V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M56	BF1100	MOS-N-FET-e*	2-Gate, VHF, UHF, 14V, 30mA, 0,2W	SOT143	24fd	-	Phi
M57	BF1100R	MOS-N-FET-e*	2-Gate, VHF, UHF, 14V, 30mA, 0,2W	SOT143R	26fd	-	Phi
M6	R3111Q261A	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M6	XC61CN2602N	CMOS-IC	Voltage Detector 2,6V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M7	R3111Q271A	CMOS-IC	Voltage Detector 2,7V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M7	XC61CN2702N	CMOS-IC	Voltage Detector 2,7V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M74	BSS83	MOS-N-FET-e*	Switching, 10V, 50mA, 230mW, Up<2V, <45Q 1/5ns	SOT143	24fl	-	Phi
M6	R3111Q281A	CMOS-IC	Voltage Detector 2,8V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M8	XC61CN2802N	CMOS-IC	Voltage Detector 2,8V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M83	BF997	MOS-N-FET-d*	Dual-Gate, 20V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Phi
M9	R3111Q291A	CMOS-IC	Voltage Detector 2,9V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
M9	XC61CN2902N	CMOS-IC	Voltage Detector 2,9V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
M94	BF994	MOS-N-FET-d*	Dual-Gate 20V, 30mA, 0,2W, NF=1dB, Idss=20mA Gf>15mQ	SOT143	24fd	-	Tem,Phi
M95	BF996S	MOS-N-FET-d*	Dual-Gate, 20V, 50mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Tem,Phi
M96	BF996	MOS-N-FET-d*	Dual-Gate, 20V, 50mA, 0,2W, NF=1dB Idss=20mA, Gf>15mQ	SOT143	24fd	-	Tem,Phi
MA	R1114Q401A	VR-IC	LDO, LN, -Enable, 4V±2%, 150mA	SOT143R	26vrd	VR4	Ric
MB	BF995	MOS-N-FET-d*	AF, 20V, 30mA, 200mW, NF=1 dB, Idss=40mA, Gf>12Q	SOT143	24fd	-	Sie
MB	BF998WR	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>24mQ	SOT343	24fm	-	Phi
MB	R1114Q281A5	VR-IC	LDO, LN, -Enable, 2,8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
MB3	ADM811-3TART	CMOS-IC	Voltage Detector 3,08V, MR, -Reset PPO	SOT143	24vdh	-	And
MBB	ADM811RART	CMOS-IC	Voltage Detector 2,63V, MR, -Reset PPO	SOT143	24vdh	-	And
MBE	ADM811SART	CMOS-IC	Voltage Detector 2,93V, MR, -Reset PPO	SOT143	24vdh	-	And
MBG	ADM811TART	CMOS-IC	Voltage Detector 3,08V, MR, -Reset PPO	SOT143	24vdh	-	And
MBT	ADM811MART	CMOS-IC	Voltage Detector 4,38V, MR, -Reset PPO	SOT143	24vdh	-	And
MBV	ADM811LART	CMOS-IC	Voltage Detector 4,63V, MR, -Reset PPO	SOT143	24vdh	-	And
MBZ	ADM811ZART	CMOS-IC	Voltage Detector 2,32V, MR, -Reset PPO	SOT143	24vdh	-	And
MCB	ADM812RART	CMOS-IC	Voltage Detector 2,63V, MR, Reset PPO	SOT143	24vdh	-	And
MCE	ADM812SART	CMOS-IC	Voltage Detector 2,93V, MR, Reset PPO	SOT143	24vdh	-	And
MCG	ADM812TART	CMOS-IC	Voltage Detector 3,08V, MR, Reset PPO	SOT143	24vdh	-	And
MCT	ADM812MART	CMOS-IC	Voltage Detector 4,38V, MR, Reset PPO	SOT143	24vdh	-	And
MCV	ADM812LART	CMOS-IC	Voltage Detector 4,63V, MR, Reset PPO	SOT143	24vdh	-	And
MCZ	ADM812ZART	CMOS-IC	Voltage Detector 2,32V, MR, Reset PPO	SOT143	24vdh	-	And
MD	BF996	MOS-N-FET-d*	Dual-Gate, 20V, 50mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Sie
MDB	ADM6315-26D1ART	CMOS-IC	Voltage Detector 2,83V, MR, -Reset ODO, 1ms	SOT143	24vdh	-	And
MDC	ADM6315-29D1ART	CMOS-IC	Voltage Detector 2 93V, MR, -Reset ODO, 1ms	SOT143	24vdh	-	And
MDG	ADM6315-31D1ART	CMOS-IC	Voltage Detector 3 08V, MR, -Reset ODO, 1ms	SOT143	24vdh	-	And
MDT	ADM6315-44D1ART	CMOS-IC	Voltage Detector 4 39V, MR, -Reset ODO, 1ms	SOT143	24vdh	-	And
MDU	ADM6315-45D1ART	CMOS-IC	Voltage Detector 4 5V, MR, -Reset ODO, 1ms	SOT143	24vdh	-	And

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произ.
MDV	ADM6315-46D1ART	CMOS-IC	Voltage Detector 4 63V, MR, -Reset ODO, 1ms	SOT143	24vdh	-	And
MEB	ADM6315-26D2ART	CMOS-IC	Voltage Detector 2 63V, MR, -Reset ODO, 20ms	SOT143	24vdh	-	And
MEC	ADM6315-29D2ART	CMOS-IC	Voltage Detector 2 93V, MR, -Reset ODO, 20ms	SOT143	24vdh	-	And
MEG	ADM6315-31D2ART	CMOS-IC	Voltage Detector 3 08V, MR, -Reset ODO, 20ms	SOT143	24vdh	-	And
MET	ADM6315-44D2ART	CMOS-IC	Voltage Detector 4 39V, MR, -Reset ODO, 20ms	SOT143	24vdh	-	And
MEU	ADM6315-45D2ART	CMOS-IC	Voltage Detector 4 5V, MR, -Reset ODO, 20ms	SOT143	24vdh	-	And
MEV	ADM6315-46D2ART	CMOS-IC	Voltage Detector 4 63V, MR, -Reset ODO, 20ms	SOT143	24vdh	-	And
MF	BF1100WR	MOS-N-FET-e*	2-Gate, VHF, UHF, 14V, 30mA, 0,2W	SOT-343R	26fd	-	Phi
MFB	ADM6315-26D3ART	CMOS-IC	Voltage Detector 2 63V, MR, -Reset ODO, 140ms	SOT143	24vdh	-	And
MFC	ADM6315-29D3ART	CMOS-IC	Voltage Detector 2 93V, MR, -Reset ODO, 140ms	SOT143	24vdh	-	And
MFG	ADM6315-31D3ART	CMOS-IC	Voltage Detector 3 08V, MR, -Reset ODO, 140ms	SOT143	24vdh	-	And
MFT	ADM6315-44D3ART	CMOS-IC	Voltage Detector 4 39V, MR, -Reset ODO, 140ms	SOT143	24vdh	-	And
MFU	ADM6315-45D3ART	CMOS-IC	Voltage Detector 4 5V, MR, -Reset ODO, 140ms	SOT143	24vdh	-	And
MFV	ADM6315-46D3ART	CMOS-IC	Voltage Detector 4 63V, MR, -Reset ODO, 140ms	SOT143	24vdh	-	And
MG	BF994S	MOS-N-FET-d*	Dual-Gate, 20V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Tem
MGB	ADM6315-26D4ART	CMOS-IC	Voltage Detector 2 63V, MR, -Reset ODO, 1120ms	SOT143	24vdh	-	And
MGC	ADM6315-29D4ART	CMOS-IC	Voltage Detector 2 93V, MR, -Reset ODO, 1120ms	SOT143	24vdh	-	And
MGG	ADM6315-31D4ART	CMOS-IC	Voltage Detector 3 08V, MR, -Reset ODO, 1120ms	SOT143	24vdh	-	And
MGp	BF994S	MOS-N-FET-d*	Dual-Gate, 20V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Phi
MGs	BF994S	MOS-N-FET-d*	Dual-Gate, 20V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Sie
MGT	ADM6315-44D4ART	CMOS-IC	Voltage Detector 4 39V, MR, -Reset ODO, 1120ms	SOT143	24vdh	-	And
MGU	ADM6315-45D4ART	CMOS-IC	Voltage Detector 4 5V, MR, -Reset ODO, 1120ms	SOT143	24vdh	-	And
MGV	ADM6315-46D4ART	CMOS-IC	Voltage Detector 4 63V, MR, -Reset ODO, 1120ms	SOT143	24vdh	-	And
MH	BF996S	MOS-N-FET-d*	Dual-Gate, 20V, 50mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Sie
MHp	BF996S	MOS-N-FET-d*	Dual-Gate, 20V, 50mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Phi
MHs	BF996S	MOS-N-FET-d*	Dual-Gate, 20V, 50mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Sie
MHt	BF996S	MOS-N-FET-d*	Dual-Gate, 20V, 50mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Sie
MI-	2SC4126	Si-NPN	VHF/UHF, 15V, 50mA, 150mW, B=50 250, 6GHz	SOT143	26fad	-	Hit
MK	2SC4315	Si-NPN	VHF/UHF, LN, 20V, 80mA, 150mW, B=30 250, 7GHz	SOT143	26fad	-	Tos
MKf	BF997	MOS-N-FET-d*	Dual-Gate, 20V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Sie
MKp	BF997	MOS-N-FET-d*	Dual-Gate, 20V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Phi
MN4	2SC5504-4	Si-NPN	UHF-S-Band, LN, 20V, 30mA, 300mW, B=90 .180, 11GHz	SOT-343	26fad	-	Say
MN5	2SC5504-5	Si-NPN	UHF-S-Band, LN, 20V, 30mA, 300mW, B=135 270, 11GHz	SOT-343	26fad	-	Say
MO	BF998	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>24mQ	SOT143	24fd	-	Sie
MO1	BF901	MOS-N-FET-e*	Dual-Gate, VHF/UHF, 12V, 30mA	SOT143	24fd	-	Phi
MOp	BF996R	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>24mQ	SOT143R	24fm	-	Phi
MOR	BF996R	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>24mQ	SOT143R	24fm	-	Tem
MOs	BF996	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>24mQ	SOT143	24fd	-	Sie
MR	BF996W	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>24mQ	SOT143R	24fm	-	Sie
MR	MT4S03A	Si-NPN	VHF/UHF, 10V, 40mA, 10GHz	SOT143	26fad	-	Tos
Ms	BAR65-07	PIN-Diode	Dual, TV-Tuner, 30V, 100mA, V<1V(50mA), <0 9pF	SOT143	24ce	-	Inf
MS	CF739	GaAs-N-FET-d	2-Gate, UHF, 10V, Id=60mA, 240mW, Idss=6 60mA, Gf=25mQ	SOT143	24fd	-	Sie
MW	BF996S	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0,2W, NF=1dB, Idss=20mA, Gf>15mQ	SOT143	24fd	-	Phi
MY	BF1012	MOS-N-FET-d	Dual-Gate, 16V, Id=25mA, 200 mW, NF=1 4dB, Gf=26mQ	SOT143	24fd	-	Sie
MYf	BF1012S	MOS-N-FET-d	Dual-Gate, 16V, Id=25mA, 200 mW, NF=1 4dB, Gf=26mQ	SOT143	24fd	-	Inf
MyS	BF1012	MOS-N-FET-d	Dual-Gate, 16V, Id=25mA, 200 mW, NF=1 4dB, Gf=26mQ	SOT143	24fd	-	Sie
N0	R3111Q301A	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N0	XC61CN3002N	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N1	R3111Q311A	CMOS-IC	Voltage Detector 3,1V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N1	XC61CN3102N	CMOS-IC	Voltage Detector 3,1V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N2	R3111Q321A	CMOS-IC	Voltage Detector 3,2V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N2	XC61CN3202N	CMOS-IC	Voltage Detector 3,2V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N20	DA227	Si-Diode	Dual, Switching, 80V, 300mA, 150mW, <1,5ns	SC-62	26ce	-	Rhm
N3	R3111Q331A	CMOS-IC	Voltage Detector 3,3V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N3	XC61CN3302N	CMOS-IC	Voltage Detector 3,3V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N4	R3111Q341A	CMOS-IC	Voltage Detector 3,4V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N4	XC61CN3402N	CMOS-IC	Voltage Detector 3,4V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N5	R3111Q351A	CMOS-IC	Voltage Detector 3,5V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N5	XC61CN3502N	CMOS-IC	Voltage Detector 3,5V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N6	R3111Q361A	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N6	XC61CN3602N	CMOS-IC	Voltage Detector 3,6V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N7	R3111Q371A	CMOS-IC	Voltage Detector 3,7V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
N7	XC61CN3702N	CMOS-IC	Voltage Detector 3,7V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
N70	BFG10	Si-NPN	VHF/UHF-A, 20V, 250mA, 400mW, B>25, 1,9GHz	SOT143	24ed	-	Phi
N71	BFG10/X	Si-NPN	VHF/UHF-A, 20V, 250mA, 400mW, B>25, 1,9GHz	SOT143	24ed	-	Phi
N72	BFG11	Si-NPN	VHF/UHF-A, 20V, 500mA, 400mW, B>25, 1,9GHz	SOT143	24ed	-	Phi
N72	BFG11/X	Si-NPN	VHF/UHF-A, 20V, 500mA, 400mW, B>25, 1,9GHz	SOT143	24tc	-	Phi
N72	BFG11W/X	Si-NPN	VHF/UHF-A, 20V, 500mA, 400mW, B>25, 1,9GHz	SOT343	24tc	-	Phi
N8	R3111Q361A	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output	SOT143	26vdl	VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
N6	XC61CN3802N	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
N9	R3111Q391A	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
N9	XC61CN3902N	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
NA	BF1105WR	MOS-N-FET-е*	2-Gate, VHF, UHF, TV, 30mA, 0,2W	SOT-343R	26fd	-	Phi
NAp	BF1105R	MOS-N-FET-е*	2-Gate, VHF, UHF, TV, 30mA, 0,2W	SOT143R	26fd	-	Phi
NB	BF1109WR	MOS-N-FET-е* 2-Gate, VHF, UHF, 11V, 30mA, 0,2W		SOT-343R	26fd	-	Phi
NBp	BF1109R	MOS-N-FET-е*	2-Gate, VHF, UHF, 11V, 30mA, 0,2W	SOT143R	26fd	-	Phi
NCs	BF2040	MOS-N-FET-d	Dual-Gate, UHF, 14V, 40mA	SOT143	24fd	-	Sie
NDs	BF2000	MOS-N-FET-е	Dual-Gate, UHF, 12V, 30mA	SOT143	24fd	-	Sie
NEp	BF1105	MOS-N-FET-е*	2-Gate, VHF, UHF, 7V, 30mA, 0,2W	SOT143	24fd	-	Phi
NEs	BF2030	MOS-N-FET-d	Dual-Gate, UHF, 14V, 40mA	SOT143	24fd	-	Sie
NF	R1114Q151B	VR-IC	LDO, LN, Enable, 1,5V±2%, 150mA	SOT143R	26vrd	VR4	Ric
Nfp	BF1109	MOS-N-FET-е*	2-Gate, VHF, UHF, 11V, 30mA, 0,2W	SOT143	24fd	-	Phi
NG	R1114Q161B	VR-IC	LDO, LN, Enable, 1,6V±2%, 150mA	SOT143R	26vrd	VR4	Ric
NH	R1114Q171B	VR-IC	LDO, LN, Enable, 1,7V±2%, 150mA	SOT143R	26vrd	VR4	Ric
NI-	3SK191	GaAs-N-FET-d	Dual-Gate, UHF, 12V, Idss>10mA	SOT143	26fm	-	Hlt
NJ	3SK248	MOS-N-FET-е	Dual-Gate, 10V, 100mA, Up<1,5V	SOT143	26fm	-	Say
NJ	R1114Q181B	VR-IC	LDO, LN, Enable, 1,8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
NK	R1114Q191B	VR-IC	LDO, LN, Enable, 1,9V±2%, 150mA	SOT143R	26vrd	VR4	Ric
NY	BF1012S	MOS-N-FET-d	Dual-Gate, 16V, 25mA, 200 mW, Nf=1.4dB, Gf=26mΩ	SOT143	24fd	-	Sie
NYe	BF1012S	MOS-N-FET-d	Dual-Gate, 16V, 25mA, 200 mW, Nf=1.4dB, Gf=26mΩ	SOT143	24fd	-	Sie
P0	R3111Q401A	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P0	XC61CN4002N	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P1	BFG121W	Si-NPN	VHF/UHF-A, 15V, 500mA, 600mW, B=40..100, 1,9GHz	SOT343R	26taa	-	Phi
P1	R3111Q411A	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P1	XC61CN4102N	CMOS-IC	Voltage Detector 4,1V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P2	R3111Q421A	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P2	XC61CN4202N	CMOS-IC	Voltage Detector 4,2V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P3	R3111Q431A	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P3	XC61CN4302N	CMOS-IC	Voltage Detector 4,3V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P4	R3111Q441A	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P4	XC61CN4402N	CMOS-IC	Voltage Detector 4,4V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P5	R3111Q451A	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P5	XC61CN4502N	CMOS-IC	Voltage Detector 4,5V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P6	R3111Q461A	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P6	XC61CN4602N	CMOS-IC	Voltage Detector 4,6V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P7	R3111Q471A	CMOS-IC	Voltage Detector 4,7V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P7	XC61CN4702N	CMOS-IC	Voltage Detector 4,7V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P8	BFG92A	Si-NPN	VHF/UHF-A, 20V, 30mA, 200mW, B=50..150, 6GHz	SOT143	24ed	-	Phi,Vis
P6	R3111Q481A	CMOS-IC	Voltage Detector 4,8V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P8	XC61CN4802N	CMOS-IC	Voltage Detector 4,8V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
P9	R3111Q491A	CMOS-IC	Voltage Detector 4,9V, Reset Push-pull output	SOT143	26vdi	VD7	Ric
P9	XC61CN4902N	CMOS-IC	Voltage Detector 4,9V, Reset Open drain output	SOT143R	26vdi	VD6	Tor
PA	R1114Q201B	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PAs	BFP136W	Si-NPN	UHF, DECT, 20V, 0,15A, 5,5GHz	SOT-343	26tad	-	Sie
PB	R1114Q211B	VR-IC	LDO, LN, Enable, 2,1V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PC	R1114Q221B	VR-IC	LDO, LN, Enable, 2,2V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PD	R1114Q231B	VR-IC	LDO, LN, Enable, 2,3V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PE	R1114Q241B	VR-IC	LDO, LN, Enable, 2,4V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PF	R1114Q251B	VR-IC	LDO, LN, Enable, 2,5V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PG	R1114Q261B	VR-IC	LDO, LN, Enable, 2,6V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PH	R1114Q271B	VR-IC	LDO, LN, Enable, 2,7V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PJ	R1114Q281B	VR-IC	LDO, LN, Enable, 2,8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PK	R1114Q291B	VR-IC	LDO, LN, Enable, 2,9V±2%, 150mA	SOT143R	26vrd	VR4	Ric
PK2	S-1000C41-N4T1	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PK3	S-1000C42-N4T1	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PK4	S-1000C43-N4T1	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PK5	S-1000C44-N4T1	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PK6	S-1000C45-N4T1	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PK7	S-1000C46-N4T1	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKA	B-1000C15-N4T1	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKB	S-1000C16-N4T1	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKC	S-1000C17-N4T1	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKD	S-1000C18-N4T1	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKE	S-1000C19-N4T1	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKF	S-1000C20-N4T1	CMOS-IC	Voltage Detector 2.0V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKG	S-1000C21-N4T1	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKH	S-1000C22-N4T1	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Проз.
PKJ	S-1000C23-N4T1	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKK	S-1000C24-N4T1	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKL	S-1000C25-N4T1	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKM	S-1000C26-N4T1	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKN	S-1000C27-N4T1	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKO	S-1000C28-N4T1	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKP	S-1000C29-N4T1	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKQ	S-1000C30-N4T1	CMOS-IC	Voltage Detector 3.0V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKR	S-1000C31-N4T1	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKS	S-1000C32-N4T1	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKT	S-1000C33-N4T1	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKU	S-1000C34-N4T1	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKV	S-1000C35-N4T1	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKW	S-1000C36-N4T1	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKX	S-1000C37-N4T1	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKY	S-1000C38-N4T1	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PKZ	S-1000C39-N4T1	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PL1	S-1000C40-N4T1	CMOS-IC	Voltage Detector 4.0V, -Reset Push-pull output	SC-82AB	26vdi	-	Sei
PL2	S-1000N41-N4T1	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PL3	S-1000N42-N4T1	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PL4	S-1000N43-N4T1	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PL5	S-1000N44-N4T1	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PL6	S-1000N45-N4T1	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PL7	S-1000N46-N4T1	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLA	S-1000N15-N4T1	CMOS-IC	Voltage Detector 1.5V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLB	S-1000N16-N4T1	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLC	S-1000N17-N4T1	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLD	S-1000N18-N4T1	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLE	S-1000N19-N4T1	CMOS-IC	Voltage Detector 1.9V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLF	S-1000N20-N4T1	CMOS-IC	Voltage Detector 2.0V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLG	S-1000N21-N4T1	CMOS-IC	Voltage Detector 2.1V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLH	S-1000N22-N4T1	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLI	S-1000N23-N4T1	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLJ	S-1000N24-N4T1	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLK	S-1000N25-N4T1	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLL	S-1000N26-N4T1	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLM	S-1000N27-N4T1	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLN	S-1000N28-N4T1	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLO	S-1000N29-N4T1	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLP	S-1000N30-N4T1	CMOS-IC	Voltage Detector 3.0V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLQ	S-1000N31-N4T1	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLR	S-1000N32-N4T1	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLS	S-1000N33-N4T1	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLT	S-1000N34-N4T1	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLU	S-1000N35-N4T1	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLV	S-1000N36-N4T1	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLW	S-1000N37-N4T1	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLX	S-1000N38-N4T1	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLY	S-1000N39-N4T1	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PLZ	S-1000N40-N4T1	CMOS-IC	Voltage Detector 4.0V, -Reset Open drain output	SC-82AB	26vdi	-	Sei
PTs	BAR64-07	PIN-Diode	Dual, Sw, RF-Att, 150V, 100mA, Vf<1.1V(50mA), < 0.35pF	SOT1143	26ca	-	Inf
QA	R1114Q301B	VR-IC	LDO, LN, Enable, 3V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QB	R1114Q311B	VR-IC	LDO, LN, Enable, 3.1V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QC	R1114Q321B	VR-IC	LDO, LN, Enable, 3.2V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QD	R1114Q331B	VR-IC	LDO, LN, Enable, 3.3V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QE	R1114Q341B	VR-IC	LDO, LN, Enable, 3.4V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QF	R1114Q351B	VR-IC	LDO, LN, Enable, 3.5V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QG	R1114Q361B	VR-IC	LDO, LN, Enable, 3.6V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QH	R1114Q371B	VR-IC	LDO, LN, Enable, 3.7V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QJ	R1114Q381B	VR-IC	LDO, LN, Enable, 3.8V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QK	R1114Q391B	VR-IC	LDO, LN, Enable, 3.9V±2%, 150mA	SOT1143R	26vrd	VR4	Ric
QV	1SV298	PIN-Diode	Triple, VHF/UHF Atten., 50V, 0.05A, 0.23pF, 7D(100MHz)	SOT1143	26do	-	Say
R0	R3111Q501A	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT1143	26vdi	VD7	Ric
R0	XC61CN5002N	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT1143R	26vdi	VD6	Tor
R1	R3111Q511A	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output	SOT1143	26vdi	VD7	Ric
R1	XC61CN5102N	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	SOT1143R	26vdi	VD6	Tor
R2	R3111Q521A	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	SOT1143	26vdi	VD7	Ric
R2	XC61CN5202N	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	SOT1143R	26vdi	VD6	Tor





SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
R26	2SC4093-R26	Si-NPN	VHF/UHF, CATV, 20V, 100mA, 200mW, B=50..100, 7GHz	SOT143	26lad	-	Nec
R26	2SC4093RBF	Si-NPN	VHF/UHF, CATV, 20V, 100mA, 200mW, B=50..100, 7GHz	SOT143	26lad	-	Nec
R26	2SC5011-EB	Si-NPN	UHF, LN, 20V, 100mA, 150mW, B=50..100, 6.5Hz	SOT143	25lad	-	Nec
R27	2SC4093-R27	Si-NPN	VHF/UHF, CATV, 20V, 100mA, 200mW, B=80..160, 7GHz	SOT143	26lad	-	Nec
R27	2SC4093R8G	Si-NPN	VHF/UHF, CATV, 20V, 100mA, 200mW, B=80..160, 7GHz	SOT143	26lad	-	Nec
R27	2SC5011-FB	Si-NPN	UHF, LN, 20V, 100mA, 150mW, B=80..160, 6.5Hz	SOT143	25lad	-	Nec
R28	2SC4093-R28	Si-NPN	VHF/UHF, CATV, 20V, 100mA, 200mW, B=125..250, 7GHz	SOT143	26lad	-	Nec
R28	2SC4093RBH	Si-NPN	VHF/UHF, CATV, 20V, 100mA, 200mW, B=125..250, 7GHz	SOT143	26lad	-	Nec
R28	2SC5011-GB	Si-NPN	UHF, LN, 20V, 100mA, 150mW, B=125..250, 6.5Hz	SOT143	25lad	-	Nec
R3	R3111Q531A	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
R3	XC61CN5302N	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
R36	2SC4094-R36	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=50..100, 9GHz	SOT143	26lad	-	Nec
R36	2SC4094RCF	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=50..100, 9GHz	SOT143	26lad	-	Nec
R36	2SC5012-EB	Si-NPN	HF, WB, LN, 20V, 65mA, 150mW, B=50..100, 9GHz	SOT343	25lad	-	Nec
R37	2SC4094-R37	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=80..160, 9GHz	SOT143	26lad	-	Nec
R37	2SC4094RCG	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=80..160, 9GHz	SOT143	26lad	-	Nec
R37	2SC5012-FB	Si-NPN	HF, WB, LN, 20V, 65mA, 150mW, B=80..160, 9GHz	SOT343	25lad	-	Nec
R36	2SC4094-R38	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=125..250, 9GHz	SOT143	26lad	-	Nec
R36	2SC4094RCB	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=125..250, 9GHz	SOT143	26lad	-	Nec
R38	2SC5012-GH	Si-NPN	HF, WB, LN, 20V, 65mA, 150mW, B=125..250, 9GHz	SOT343	25lad	-	Nec
R4	2SC4092-R4	Si-NPN	UHF, LN, 25V, 70mA, 200mW, B=40..120, 6GHz	SOT143	26lad	-	Nec
R4	2SC4092-RD	Si-NPN	UHF, LN, 25V, 70mA, 200mW, B=40..120, 6GHz	SOT143	26lad	-	Nec
R4	R3111Q541A	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
R4	XC61CN5402N	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
R46	2SC4095-R46	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=50..100, 10GHz	SOT143	26lad	-	Nec
R46	2SC4095RDF	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=50..100, 10GHz	SOT143	26lad	-	Nec
R46	2SC5013-EB	Si-NPN	HF, WB, LN, 20V, 35mA, 150mW, B=50..100, 10GHz	SOT343	25lad	-	Nec
R47	2SC4095-R47	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=80..160, 10GHz	SOT143	26lad	-	Nec
R47	2SC4095RDG	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=80..160, 10GHz	SOT143	26lad	-	Nec
R47	2SC5013-FB	Si-NPN	HF, WB, LN, 20V, 35mA, 150mW, B=80..160, 10GHz	SOT343	25lad	-	Nec
R48	2SC4095-R48	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=80..160, 10GHz	SOT143	26lad	-	Nec
R48	2SC4095RFH	Si-NPN	VHF/UHF, 20V, 35mA, 200mW, B=80..160, 10GHz	SOT143	26lad	-	Nec
R48	2SC5013-GB	Si-NPN	HF, WB, LN, 20V, 35mA, 150mW, B=125..250, 10GHz	SOT343	25lad	-	Nec
R5	2SC4092-R5	Si-NPN	UHF, LN, 25V, 70mA, 200mW, B=100..200, 6GHz	SOT143	26lad	-	Nec
R5	2SC4092-RE	Si-NPN	UHF, LN, 25V, 70mA, 200mW, B=100..200, 6GHz	SOT143	26lad	-	Nec
R5	R3111Q551A	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
R5	XC61CN5502N	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
R6	R3111Q561A	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
R6	XC61CN5602N	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
R7	R3111Q571A	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
R7	XC61CN5702N	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
R8	BFG93A	Si-NPN	VHF/UHF-A, 20V, 35mA, 300mW, B=90, 6GHz	SOT143	24ed	-	Phi,Vis
R8	R3111Q581A	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
R8	XC61CN5802N	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
R9	R3111Q591A	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
R9	XC61CN5902N	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
RA	R1114Q401B	VR-IC	LDO, LN, Enable, 4V±2%, 150mA	SOT143R	26vrd	VR4	Ric
RB	R1114Q281B5	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
RJ	3SK263	MOS-N-FET-d	2-Gate, VHF, 15V, 30mA, Idss=2.5..24mA, F<2/Gp>16dB	SOT143	26fm	-	Say
RLs	BFP196	Si-NPN	UHF-A, 20V, 100mA, 700mW, B=50..200, 7.5GHz	SOT143	24taa	-	Sie
RY	2SC5534	Si-NPN	UHF-S-Band, LN, 9V, 30mA, 150mW, B=90..200, 13GHz	SOT-343	26lad	-	Say
S0	R3111Q601A	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT143	26vdl	VD7	Ric
S0	XC61CN6002N	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT143R	26vdl	VD6	Tor
S4	BBY62	C-Diode	Dual, UHF-Tuning, 30V, 20mA, 1.6..16.5pF(28/1V)	SOT143	24ce	-	Phi
S5s	BAT15-099	Si-Diode	Dual, Schottky, DBS-mix, 4V, 100mA, <12GHz, <0.35pF	SOT143	24ef	-	Inf
S6s	BAT15-099R	Si-Diode	Quad, Schottky, DBS-mix, 4V, 100mA, <12GHz, <0.35pF	SOT143	24	BR3	Inf
S8s	BAT14-099R	Si-Diode	Quad, Schottky, UHF-mix, 4V, 90mA, <0.38pF	SOT143	24	BR3	Sie
SF	R1114Q151D	VR-IC	LDO, LN, Enable, auto discharge, 1.5V±2%, 150mA	SOT143R	26vrd	VR4	Ric
SFQ	NCP304LSQ47T1	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SFS	NCP304LSQ45T1	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SFU	NCP304LSQ42T1	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SFY	NCP304LSQ40T1	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SG	R1114Q161D	VR-IC	LDO, LN, Enable, auto discharge, 1.6V±2%, 150mA	SOT143R	26vrd	VR4	Ric
SGG	NCP304LSQ33T1	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SGJ	NCP304LBQ30T1	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SGN	NCP304LSQ27T1	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SGV	NCP304LSQ20T1	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SGX	NCP304LSQ18T1	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Произ.
SH	R1114Q171D	VR-IC	LDO, LN, Enable, auto discharge, 1.7V±2%, 150mA	SOT143R	26vrd	VR4	Ric
SHG	NCP304LSQ09T1	CMOS-IC	Voltage Detector 0.9V, -Reset Push-pull output	SOT143	26vdl	VD7	Ons
SHH	NCP305LSQ49T1	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SHJ	NCP305LSQ47T1	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SHL	NCP305LSQ45T1	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SHR	NCP305LSQ40T1	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SHZ	NCP305LSQ33T1	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIA	NCP305LSQ32T1	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIC	NCP305LSQ30T1	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SID	NCP305LSQ29T1	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIE	NCP305LSQ28T1	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIF	NCP305LSQ27T1	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIH	NCP305LSQ25T1	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIJ	NCP305LSQ24T1	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT143	26vdl	-	Ons
SIJ	NCP305LSQ23T1	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIK	NCP305LSQ22T1	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIN	NCP305LSQ20T1	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIP	NCP305LSQ18T1	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIR	NCP305LSQ16T1	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SIZ	NCP305LSQ09T1	CMOS-IC	Voltage Detector 0.9V, -Reset Open drain output	SOT143	26vdl	VD6	Ons
SJ	35K264	MOS-N-FET-d	2-Gate, VHF-Tun, 15V, 30mA, Idss=24mA, F<2.2dB(200MHz)	SOT143	26fm	-	Say
SJ	R1114Q181D	VR-IC	LDO, LN, Enable, auto discharge, 1.8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
SK	R1114Q191D	VR-IC	LDO, LN, Enable, auto discharge, 1.9V±2%, 150mA	SOT143R	26vrd	VR4	Ric
SNQ	NCP304HSQ09T1	CMOS-IC	Voltage Detector 0.9V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
SNZ	NCP304HSQ18T1	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
SOB	NCP304HSQ20T1	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
SOI	NCP304HSQ27T1	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
SOK	NCP304HSQ29T1	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
SOL	NCP304HSQ30T1	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
SPA	NCP304HSQ45T1	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
SPC	NCP304HSQ47T1	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT143	26vdl	VD7	Ons
T5	BFG10W/X	Si-NPN	VHF/UHF-A, 20V, 250mA, 400mW, B>25, 1.9GHz	SOT343	24tc	-	Phi
T79	25C5508	Si-NPN	RF, LN, 15V, 35mA, 115mW, B=50 100, 25GHz	SOT343	24tc	-	Nec
T8	15V306	C-Diode	Dual, VCO/VHF-Band, 15V, 14 16.5V, 6.5pF(210V), Rs<0.4Ω	SOT-343	24dv	-	Tos
T84	25C5178	Si-NPN	UHF, LN, 5V, 10mA, 30mW, B=70 140, 13.5GHz	SC-61	26lad	-	Nec
T9	R3111Q091C	CMOS-IC	Voltage Detector 0.9V, Reset Open drain output	SOT143	26vdl	VD6	Ric
TA	ASM161LCUS	CMOS-IC	Voltage detector 4 63V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TA	R1114Q201D	VR-IC	LDO, LN, Enable, auto discharge, 2V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TB	ASM161MCUS	CMOS-IC	Voltage detector 4 38V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TB	R1114Q211D	VR-IC	LDO, LN, Enable, auto discharge, 2.1V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TC	ASM161JCUS	CMOS-IC	Voltage detector 4V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TC	R1114Q221D	VR-IC	LDO, LN, Enable, auto discharge, 2.2V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TD	ASM161TCUS	CMOS-IC	Voltage detector 3 08V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TD	R1114Q231D	VR-IC	LDO, LN, Enable, auto discharge, 2.3V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TE	ASM161SCUS	CMOS-IC	Voltage detector 2 93V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TE	R1114Q241D	VR-IC	LDO, LN, Enable, auto discharge, 2.4V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TF	ASM161RCUS	CMOS-IC	Voltage detector 2 63V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TF	R1114Q251D	VR-IC	LDO, LN, Enable, auto discharge, 2.5V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TG	ASM162LCUS	CMOS-IC	Voltage detector 4 63V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TG	R1114Q261D	VR-IC	LDO, LN, Enable, auto discharge, 2.6V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TH	ASM162MCUS	CMOS-IC	Voltage detector 4 38V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TH	R1114Q271D	VR-IC	LDO, LN, Enable, auto discharge, 2.7V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TI	ASM162JCUS	CMOS-IC	Voltage detector 4V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TJ	35K265	MOS-N-FET-d	2-Gate, VHF/CATV, 15V, 30mA, Idss=24mA, F<2.2dB(200MHz)	SOT143	26fm	-	Say
TJ	ASM162TCUS	CMOS-IC	Voltage detector 3 08V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TJ	R1114Q281D	VR-IC	LDO, LN, Enable, auto discharge, 2.8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TK	ASM162SCUS	CMOS-IC	Voltage detector 2 93V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TK	R1114Q291D	VR-IC	LDO, LN, Enable, auto discharge, 2.9V±2%, 150mA	SOT143R	26vrd	VR4	Ric
TL	ASM162RCUS	CMOS-IC	Voltage detector 2 63V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TM	ASM161LEUS	CMOS-IC	Voltage detector 4 63V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TN	ASM161MEUS	CMOS-IC	Voltage detector 4 38V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TO	ASM161JEUS	CMOS-IC	Voltage detector 4V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TP	ASM161TEUS	CMOS-IC	Voltage detector 3 08V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TQ	ASM161SEUS	CMOS-IC	Voltage detector 2 93V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TR	ASM161REUS	CMOS-IC	Voltage detector 2 83V, -MR, -Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TS	ASM162LEUS	CMOS-IC	Voltage detector 4 63V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TT	ASM162MEUS	CMOS-IC	Voltage detector 4 38V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TU	ASM162JEUS	CMOS-IC	Voltage detector 4V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прозв.
TV	ASM162TEUS	CMOS-IC	Voltage detector 3.08V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TW	ASM162SEUS	CMOS-IC	Voltage detector 2.93V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TX	ASM162REUS	CMOS-IC	Voltage detector 2.63V, -MR, Reset Open Drain Output	SOT143	24vdh	VD4	Ali
TY4	25C5502-4	Si-NPN	VHF/UHF LN, 20V, 100mA, 500mW, B=90...180, 8GHz	SOT-343	26tad	-	Say
TY5	25C5502-5	Si-NPN	VHF/UHF LN, 20V, 100mA, 500mW, B=135...270, 8GHz	SOT-343	26tad	-	Say
U0	R3111Q101C	CMOS-IC	Voltage Detector 1V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U1	39K283	GaAs-N-FET-d	Dual-Gate, UHF-TV-Tuner, 6V, Idss=4...16mA, Up=0.5...1.5V	SOT143	26fm	-	Tos
U1	R3111Q111C	CMOS-IC	Voltage Detector 1.1V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U2	R3111Q121C	CMOS-IC	Voltage Detector 1.2V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U3	R3111Q131C	CMOS-IC	Voltage Detector 1.3V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U4	R3111Q141C	CMOS-IC	Voltage Detector 1.4V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U5	R3111Q151C	CMOS-IC	Voltage Detector 1.5V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U56	35K245	MOS-N-FET-d	Dual-Gate, UHF-Tuner, 18V, 25mA	SOT-343	26fm	-	Nec
U6	R3111Q161C	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U7	R3111Q171C	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U71	35K299	GaAs-N-FET	Dual Gate, UHF, 13V, Idss=5...15mA	SOT-343	26fm	-	Nec
U72	35K299	GaAs-N-FET	Dual Gate, UHF, 13V, Idss=10...25mA	SOT-343	26fm	-	Nec
U73	39K299	GaAs-N-FET	Dual Gate, UHF, 13V, Idss=20...35mA	SOT-343	26fm	-	Nec
U74	35K299	GaAs-N-FET	Dual Gate, UHF, 13V, Idss=30...40mA	SOT-343	26fm	-	Nec
U8	R3111Q181C	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U9	R3111Q191C	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT143	26vdl	VD6	Ric
U91	35K243	MOS-N-FET-d	Dual-Gate, CATV-Tuner, 18V, 25mA	SOT143	26fm	-	Nec
UA	R1114Q301D	VR-IC	LDO, LN, Enable, auto discharge, 3V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UB	25K1771	MOS-N-FET-ø	V-MOS, FM/VHF, 12.5V, 30mA, 150mW, Gps=23dB	SOT143R	26fm	-	Tos
UB	R1114Q311D	VR-IC	LDO, LN, Enable, auto discharge, 3.1V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UC	35K126	Dual-Gate, VHF	Dual-Gate, VHF, 15V, Idss>0mA, Up<1V	SOT143	26fm	-	Tos
UC	R1114Q321D	VR-IC	LDO, LN, Enable, auto discharge, 3.2V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UD	35K127	MOS-N-FET-d	Dual-Gate, UHF, 15V, Idss>0mA, Up<1V	SOT143	26fm	-	Tos
UD	R1114Q331D	VR-IC	LDO, LN, Enable, auto discharge, 3.3V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UE	R1114Q341D	VR-IC	LDO, LN, Enable, auto discharge, 3.4V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UF	R1114Q351D	VR-IC	LDO, LN, Enable, auto discharge, 3.5V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UG	35K140	GaAs-N-FET-d	Dual-Gate, UHF-TV-Tuner	SOT143	26fm	-	Tos
UG	R1114Q361D	VR-IC	LDO, LN, Enable, auto discharge, 3.6V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UH	R1114Q371D	VR-IC	LDO, LN, Enable, auto discharge, 3.7V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UJ	35K195	MOS-N-FET-d	Dual-Gate, VHF, 13.5V, Idss>0mA	SOT143	26fm	-	Tos
UJ	R1114Q381D	VR-IC	LDO, LN, Enable, auto discharge, 3.8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UK	R1114Q391D	VR-IC	LDO, LN, Enable, auto discharge, 3.9V±2%, 150mA	SOT143R	26vrd	VR4	Ric
UN	35K240	GaAs-N-FET-d	Dual-Gate, UHF, 9V, Idss=6...20mA	SOT143	26fm	-	Tos
UO	35K232	MOS-N-FET-d	Dual-Gate, UHF, 12.5V, Idss<0.1mA	SOT143	26fm	-	Tos
UP	35K250	GaAs-N-FET-d	Dual-Gate, UHF-TV-Tuner, 6V	SOT143	26fm	-	Tos
UR	35K207	MOS-N-FET-d	Dual-Gate, UHF, 13.5V, Idss>0V	SOT143	26fm	-	Tos
UT	35K225	MOS-N-FET-d	Dual-Gate, FM, UHF, 13.5V, Idss>0V	SOT143	26fm	-	Tos
UU	35K226	MOS-N-FET-d	Dual-Gate, FM/VHF, 13.5V, Idss>0V	SOT143	26fm	-	Tos
V0	R3111Q201C	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V1	R3111Q211C	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V11	35K242	MOS-N-FET-d	Dual-Gate, VHF-Tuner, 20V, 25mA	SOT-343	26fm	-	Nec
V11	BFG25A/X	Si-NPN	VHF/UHF-A, 8V, 6.5mA, 32mW, B>50...200, 5GHz	SOT143B	24tc	-	Phi
V12	BFG67/X	Si-NPN	VHF/UHF-A, 20V, 50mA, 200mW, B=65...150, 7.5GHz	SOT143	24tc	-	Phi
V13	BFG197/X	Si-NPN	VHF/UHF, 20V, 100mA, 350mW, B=110, 7.5GHz	SOT143	24tc	-	Phi
V14	BFG93A/X	Si-NPN	VHF/UHF-A, 20V, 35mA, 300mW, B=80, 6GHz	SOT143	24tc	-	Phi
V2	BFG67W	Si-NPN	VHF/UHF-A, 20V, 50mA, 200mW, B=65...150, 7.5GHz	SOT343	24tc	-	Phi,Vis
V2	R3111Q221C	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V21	35K222	MOS-N-FET-d	Dual-Gate, VHF, 18V, 25mA	SOT143	26fm	-	Nec
V21	35K246	MOS-N-FET-d	Dual-Gate, FM/VHF, 18V, 25mA	SOT-343	26fm	-	Nec
V22	35K223	MOS-N-FET-d	Dual-Gate, CATV, 18V, 25mA	SOT143	26fm	-	Nec
V26	BFG67/XR	Si-NPN	VHF/UHF-A, 20V, 50mA, 200mW, B=65...150, 7.5GHz	SOT143	26tc	-	Phi
V3	BFG67	Si-NPN	VHF/UHF-A, 20V, 50mA, 200mW, B=65...150, 7.5GHz	SOT143	24ed	-	Phi,Vis
V3	R3111Q231C	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V32	BF750	Si-NPN	UHF, 15V, 35mA, 7000MHz	SOT143	26tad	-	Phi
V34	BF749	Si-NPN	UHF, 20V, 25mA, 5000MHz	SOT143	26tad	-	Phi
V35	BFG197/XR	Si-NPN	VHF/UHF, 20V, 100mA, 350mW, B=110, 7.5GHz	SOT143XR	26tc	-	Phi
V38	BF752	Si-NPN	UHF, 15V, 35mA, 7GHz	SOT143	24taa	-	Phi
V4	R3111Q241C	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V5	BFG187	Si-NPN	VHF/UHF, 20V, 100mA, 350mW, B=110, 7.5GHz	SOT143	24ed	-	Phi,Vis
V5	R3111Q251C	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V6	BFG67W/X	Si-NPN	VHF/UHF-A, 20V, 50mA, 200mW, B=65...150, 7.5GHz	SOT343	24tc	-	Phi
V6	R3111Q261C	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V7	BFG67W/XR	Si-NPN	VHF/UHF-A, 20V, 50mA, 200mW, B=65...150, 7.5GHz	SOT343	26tc	-	Phi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Прои.
V7	R3111Q271C	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V8	R3111Q281C	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT143	26vdl	VD6	Ric
V9	R3111Q291C	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT143	26vdl	VD6	Ric
VA	R1114Q401D	VR-IC	LDO, LN, Enable, auto-discharge, 4V±2%, 150mA	SOT143R	26vrd	VR4	Ric
VB	R1114Q281D5	VR-IC	LDO, LN, Enable, auto-discharge, 2.8V±2%, 150mA	SOT143R	26vrd	VR4	Ric
W0	R3111Q301C	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W1	R3111Q311C	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W2	R3111Q321C	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W3	R3111Q331C	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W4	R3111Q341C	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W5	R3111Q351C	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W6	R3111Q361C	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W7	R3111Q371C	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W8	R3111Q381C	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT143	26vdl	VD6	Ric
W9	R3111Q391C	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT143	26vdl	VD6	Ric
WA	R3112Q501A	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT143	26vdk	VD7	Ric
WA	R3132Q23EA2	CMOS-IC	Voltage Detector 2.3V, MR, -Reset PPO	SOT143	24vdh	-	Ric
WB	R3132Q26EA3	CMOS-IC	Voltage Detector 2.6V, MR, -Reset PPO	SOT143	24vdh	-	Ric
WC	R3132Q29EA3	CMOS-IC	Voltage Detector 2.9V, MR, -Reset PPO	SOT143	24vdh	-	Ric
WD	R3132Q30EA8	CMOS-IC	Voltage Detector 3V, MR, -Reset Push-pull output	SOT143	24vdh	-	Ric
WE	R3132Q43EA8	CMOS-IC	Voltage Detector 4.3V, MR, -Reset PPO	SOT143	24vdh	-	Ric
WF	R3132Q46EA3	CMOS-IC	Voltage Detector 4.6V, MR, -Reset PPO	SOT143	24vdh	-	Ric
WFE	BFP93AW	Si-NPN	VHF/UHF, 20V, 50mA, 200mW, B=50..200, >6GHz	SOT-343	24lc	-	Vis
W-	3SK197	MOS-N-FET-d	2-Gate, VHF-TV-Tun, 12V, 35mA, Idss=10mA, Up<1V	SOT143	26fm	-	Hil
WL	R3112Q501C	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT143	26vdk	VD6	Ric
WL	R3132Q23EA2	CMOS-IC	Voltage Detector 2.3V, MR, Reset PPO	SOT143	24vdh	-	Ric
WM	R3132Q26EA3	CMOS-IC	Voltage Detector 2.6V, MR, Reset PPO	SOT143	24vdh	-	Ric
WMO	BF998RW	MOS-N-FET-d*	Dual-Gate, 12V, 30mA, 0.2W, Nf=1dB, Idss=20mA, Gp>24mΩ	SOT343R	24fm	-	Tem
WN	R3132Q29EA3	CMOS-IC	Voltage Detector 2.9V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
WQ	R3132Q43EA8	CMOS-IC	Voltage Detector 4.3V, MR, Reset Push-pull output	SOT143	24vdh	-	Ric
WR	R3132Q46EA3	CMOS-IC	Voltage Detector 4.6V, MR, Reset PPO	SOT143	24vdh	-	Ric
X0	R3111Q401C	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X1	R3111Q411C	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X2	R3111Q421C	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X3	R3111Q431C	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X4	R3111Q441C	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X5	R3111Q451C	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X6	R3111Q461C	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X7	R3111Q471C	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X8	R3111Q481C	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SOT143	26vdl	VD6	Ric
X9	R3111Q491C	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT143	26vdl	VD6	Ric
XA	R3132Q23EC2	CMOS-IC	Voltage Detector 2.3V, MR, -Reset ODO	SOT143	24vdh	-	Ric
XB	R3132Q26EC3	CMOS-IC	Voltage Detector 2.6V, MR, -Reset ODO	SOT143	24vdh	-	Ric
XC	R3132Q29EC3	CMOS-IC	Voltage Detector 2.9V, MR, -Reset ODO	SOT143	24vdh	-	Ric
XD	R3132Q30EC8	CMOS-IC	Voltage Detector 3V, MR, -Reset ODO	SOT143	24vdh	-	Ric
XE	R3132Q43EC8	CMOS-IC	Voltage Detector 4.3V, MR, -Reset ODO	SOT143	24vdh	-	Ric
XF	R3132Q46EC3	CMOS-IC	Voltage Detector 4.6V, MR, -Reset ODO	SOT143	24vdh	-	Ric
X-	3SK196	MOS-N-FET-d	2-Gate, VHF/UHF-Tuner, 12V, 35mA, Idss=1mA, Up<1.5V	SOT143	26fm	-	Hil
XL	R3132Q23EC2	CMOS-IC	Voltage Detector 2.3V, MR, Reset ODO	SOT143	24vdh	-	Ric
XM	R3132Q26EC3	CMOS-IC	Voltage Detector 2.6V, MR, Reset ODO	SOT143	24vdh	-	Ric
XN	R3132Q29EC3	CMOS-IC	Voltage Detector 2.9V, MR, Reset ODO	SOT143	24vdh	-	Ric
XP	R3132Q30EC8	CMOS-IC	Voltage Detector 3V, MR, Reset Open drain output	SOT143	24vdh	-	Ric
XQ	R3132Q43EC8	CMOS-IC	Voltage Detector 4.3V, MR, Reset ODO	SOT143	24vdh	-	Ric
XR	R3132Q46EC3	CMOS-IC	Voltage Detector 4.6V, MR, Reset ODO	SOT143	24vdh	-	Ric
XS-	3SK229	GeAs-N-FET-d	2-Gate, UHF-TV-Tuner, 12V, 80mA, Idss=15..40mA, Up<3.5V	SOT143	26fm	-	Hil
XV-	3SK309	GeAs-N-FET-d	Dual-Gate, UHF, 6V, 18mA, Idss=25..60mA, Up=0.2..1.5V	SOT143	26fm	-	Hil
XW-	3SK233	MOS-N-FET-d	Dual-Gate, UHF-TV-Tuner, 12V, 35mA, Idss=0.2mA, Up<0.8V	SOT143	26fm	-	Hil
X-	3SK234	MOS-N-FET-d	Dual-Gate, VHF-TV-Tuner, 12V, 35mA, Idss=0.1mA, Up<0.1V	SOT143	26fm	-	Hil
Y*	R3132Q30EA8	CMOS-IC	Voltage Detector 3V, MR, Reset Push-pull output	BOT143	24vdh	-	Ric
Y0	R3111Q501C	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT143	26vdl	VD6	Ric
Y1	R3111Q511C	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	BOT143	26vdl	VD6	Ric
Y2	R3111Q521C	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	BOT143	26vdl	VD6	Ric
Y3	R3111Q531C	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SOT143	26vdl	VD6	Ric
Y4	R3111Q541C	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SOT143	26vdl	VD6	Ric
Y5	R3111Q551C	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SOT143	26vdl	VD6	Ric
Y6	R3111Q561C	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SOT143	26vdl	VD6	Ric
Y7	R3111Q571C	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	SOT143	26vdl	VD6	Ric
Y8	R3111Q581C	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	SOT143	26vdl	VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх. Произ.
Y9	R3111Q591C	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SOT143	26vdi	VD6 Ric
Z0	R3111Q601C	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT143	26vdi	VD6 Ric
ZG-	3SK276	MOS-N-FET-d	Dual-Gate, VHF/UHF, 12V, 25mA, Idss=0,5 .10mA, Up<0,8V	SOT143	26fm	- Hit
ZH-	3SK288	MOS-N-FET-d	Dual-Gate, VHF, 12V, 25mA, Idss=1 .10mA, Up<1V	SOT143	26fm	- Hit
ZJ-	3SK290	MOS-N-FET-d	Dual-Gate, UHF, 12V, 25mA, Idss=0,5 .10mA, Up<1V	SOT-343	26fm	- Hit
ZP-	3SK297	MOS-N-FET	Dual-Gate, VHF, 12V, 25mA, Up<1V	SOT143	26fm	- Hit
ZQ-	3SK295	MOS-N-FET	Dual-Gate, UHF, 12V, 25mA, Up<1V	SOT143	26fm	- Hit
ZR-	3SK300	MOS-N-FET-d	2-Gate, VHF/UHF, 14V, 25mA, Up<1V, F<4dB(900MHz)	SOT143	26fm	- Hit



SMD-компоненты с 5-выводными корпусами

SMD-коды электронных компонентов в корпусах с 5 выводами

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
00	R1223N252A	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctr, CE, 2.5V, 300KHz, L-Pr.	SOT23-5	28vrd	-	Ric
00	RN5RF50BA	VR-IC	LRip, Enable, 5V±2%, 1A*	SOT23-5	28vri	VR6	Ric
00	RN5R250BA	VR-IC	Low Noise, LDO, Enable, 5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
008	R1160N081A	VR-IC	LDO, -Enable, 0.8V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
009	R1160N091A	VR-IC	LDO, -Enable, 0.9V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
01	R1223N152C	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.5V, 300KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
01	RN5RF51BA	VR-IC	LRip, Enable, 5.1V±2%, 1A*	SOT23-5	28vri	VR6	Ric
01	RN5R251BA	VR-IC	Low Noise, LDO, Enable, 5.1V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
010	R1160N101A	VR-IC	LDO, -Enable, 1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
011	R1160N111A	VR-IC	LDO, -Enable, 1.1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
012	R1160N121A	VR-IC	LDO, -Enable, 1.2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
013	R1160N131A	VR-IC	LDO, -Enable, 1.3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
014	R1160N141A	VR-IC	LDO, -Enable, 1.4V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
015	R1160N151A	VR-IC	LDO, -Enable, 1.5V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
016	R1160N161A	VR-IC	LDO, -Enable, 1.6V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
017	R1160N171A	VR-IC	LDO, -Enable, 1.7V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
018	R1160N181A	VR-IC	LDO, -Enable, 1.8V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
019	R1160N191A	VR-IC	LDO, -Enable, 1.9V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
02	R1223N182C	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.8V, 300KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
02	RN5RF52BA	VR-IC	LRip, Enable, 5.2V±2%, 1A*	SOT23-5	28vri	VR6	Ric
02	RN5R252BA	VR-IC	Low Noise, LDO, Enable, 5.2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
020	R1160N201A	VR-IC	LDO, -Enable, 2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
021	R1160N211A	VR-IC	LDO, -Enable, 2.1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
022	R1160N221A	VR-IC	LDO, -Enable, 2.2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
023	R1160N231A	VR-IC	LDO, -Enable, 2.3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
024	R1160N241A	VR-IC	LDO, -Enable, 2.4V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
024A	HT7024A-1	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Htk
025	R1160N251A	VR-IC	LDO, -Enable, 2.5V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
026	R1160N261A	VR-IC	LDO, -Enable, 2.6V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
027	R1160N271A	VR-IC	LDO, -Enable, 2.7V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
027A	HT7027A-1	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Htk
028	R1160N281A	VR-IC	LDO, -Enable, 2.8V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
029	R1160N291A	VR-IC	LDO, -Enable, 2.9V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
03	R1223N252C	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 2.5V, 300KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
03	RN5RF53BA	VR-IC	LRip, Enable, 5.3V±2%, 1A*	SOT23-5	28vri	VR6	Ric
03	RN5R253BA	VR-IC	Low Noise, LDO, Enable, 5.3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
030	R1160N301A	VR-IC	LDO, -Enable, 3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
031	R1160N311A	VR-IC	LDO, -Enable, 3.1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
032	R1160N321A	VR-IC	LDO, -Enable, 3.2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
033	R1160N331A	VR-IC	LDO, -Enable, 3.3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
033A	HT7033A-1	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Htk
039A	HT7039A-1	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SOT23-5	28vdm	VD6	Htk
04	R1223N302C	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 3V, 300KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
04	RN5RF54BA	VR-IC	LRip, Enable, 5.4V±2%, 1A*	SOT23-5	28vri	VR6	Ric
04	RN5R254BA	VR-IC	Low Noise, LDO, Enable, 5.4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
044A	HT7044A-1	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Htk
05	R1223N332C	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 3.3V, 300KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
05	RN5RF55BA	VR-IC	LRip, Enable, 5.5V±2%, 1A*	SOT23-5	28vri	VR6	Ric
05	RN5R255BA	VR-IC	Low Noise, LDO, Enable, 5.5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
050A	HT7050A-1	CMOS-IC	Voltage Detector 5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Htk
06	R1223N502C	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 5V, 300KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
06	RN5RF56BA	VR-IC	LRip, Enable, 5.6V±2%, 1A*	SOT23-5	28vri	VR6	Ric
06	RN5R256BA	VR-IC	Low Noise, LDO, Enable, 5.6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
07	R1223N252D	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 2.5V, 500KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
07	RN5RF57BA	VR-IC	LRip, Enable, 5.7V±2%, 1A*	SOT23-5	28vri	VR6	Ric
07	RN5R257BA	VR-IC	Low Noise, LDO, Enable, 5.7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
08	R1223N152D	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.5V, 500KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
08	RN5RF58BA	VR-IC	LRip, Enable, 5.8V±2%, 1A*	SOT23-5	28vri	VR6	Ric
08	RN5R258BA	VR-IC	Low Noise, LDO, Enable, 5.8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
09	R1223N182D	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.8V, 500KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
09	RN5RF59BA	VR-IC	LRip, Enable, 5.9V±2%, 1A*	SOT23-5	28vri	VR6	Ric
09	RN5R259BA	VR-IC	Low Noise, LDO, Enable, 5.9V±2%, 100mA	BO723-5	28vrt	VR4	Ric
0B	R3111N101A	CMOS-IC	Voltage Detector 1V, Reset Push-pull output	BO723-5	28vdm	VD7	Ric
0B	RN5RL20AA	VR-IC	2V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
0B	RN5VD10CA	CMOS-IC	Voltage Detector 1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
0C	MC76LC30NTR	VR-IC	Low Iq, 3V±2.5%, 80mA	SOT23-5	28vrj	VR1	Ons
0C	R3111N201A	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
0C	RN5RL30AA	VR-IC	3V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
0C	RN5VD20CA	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
0D	R3111N301A	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
0D	RN5RL40AA	VR-IC	4V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
0D	RN5VD30CA	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
0E	R3111N401A	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
0E	RN5RL50AA	VR-IC	5V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
0E	RN5VD40CA	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
0F	R3111N501A	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
0F	RN5RL60AA	VR-IC	6V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
0F	RN5VD50CA	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
0G	R3111N601A	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
0G	RN5VD60CA	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
0J	R3111N101C	CMOS-IC	Voltage Detector 1V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
0K	R3111N201C	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
0L	R3111N301C	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
0M	R3111N401C	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
0N	R3111N501C	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
0P	R3111N601C	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
0R	R1210N301A	VR-IC	PWM step-up DC-DC converter, 3V, 35 100KHz	SOT23-5	28sc	-	Ric
0W	R1210N301C	VR-IC	PWM step-up DC-DC converter, 3V, 100KHz	SOT23-5	28sc	-	Ric
0X	R1210N401C	VR-IC	PWM step-up DC-DC converter, 4V, 100KHz	SOT23-5	28sc	-	Ric
0Y	R1210N501C	VR-IC	PWM step-up DC-DC converter, 5V, 100KHz	SOT23-5	28sc	-	Ric
10	R1223N302D	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 3V, 500KHz, Latch-Pr	SOT23-5	28vrd	-	Ric
10	RN5RF60BA	VR-IC	LrIp, Enable, 6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
10	RN5RZ60BA	VR-IC	Low Noise, LDO, Enable, 6V±2%, 100mA	SOT23-5	28vrl	VR4	Ric
108	R1160N081B	VR-IC	LDO, Enable, 0.8V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
109	R1160N091B	VR-IC	LDO, Enable, 0.9V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
10Z	MAZL100H	SA-Diode	4x 10V, 5mA, 200mW	SC-74A	28bc	-	Pan
10Z	MAZM100H	SA-Diode	4x 10V, 5mA, 150mW	SSMini5	30bc	-	Pan
10Z	MAZZ100H	SA-Diode	4x 10V, 5mA, 200mW	SMini5	30bc	-	Pan
11	R1223N332D	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 3.3V, 500KHz, Latch-Pr	SOT23-5	28vrd	-	Ric
110	R1160N101B	VR-IC	LDO, Enable, 1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
111	R1160N111B	VR-IC	LDO, Enable, 1.1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
112	R1160N121B	VR-IC	LDO, Enable, 1.2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
113	R1160N131B	VR-IC	LDO, Enable, 1.3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
114	R1160N141B	VR-IC	LDO, Enable, 1.4V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
115	R1160N151B	VR-IC	LDO, Enable, 1.5V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
116	R1160N161B	VR-IC	LDO, Enable, 1.6V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
117	R1160N171B	VR-IC	LDO, Enable, 1.7V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
116	R1160N181B	VR-IC	LDO, Enable, 1.8V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
119	R1160N191B	VR-IC	LDO, Enable, 1.9V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
12	R1223N502D	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 5V, 500KHz, Latch-Pr	SOT23-5	28vrd	-	Ric
120	R1160N201B	VR-IC	LDO, Enable, 2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
121	R1160N211B	VR-IC	LDO, Enable, 2.1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
122	R1160N221B	VR-IC	LDO, Enable, 2.2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
123	R1160N231B	VR-IC	LDO, Enable, 2.3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
124	R1160N241B	VR-IC	LDO, Enable, 2.4V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
125	R1160N251B	VR-IC	LDO, Enable, 2.5V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
126	R1160N261B	VR-IC	LDO, Enable, 2.6V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
127	R1160N271B	VR-IC	LDO, Enable, 2.7V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
128	R1160N281B	VR-IC	LDO, Enable, 2.8V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
129	R1160N291B	VR-IC	LDO, Enable, 2.9V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
12Z	MAZL120H	SA-Diode	4x 12V, 5mA, 200mW	SC-74A	28bc	-	Pan
12Z	MAZM120H	SA-Diode	4x 12V, 5mA, 150mW	SSMini5	30bc	-	Pan
12Z	MAZZ120H	SA-Diode	4x 12V, 5mA, 200mW	SMini5	30bc	-	Pan
13	R1223N152A	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 1.5V, 300KHz, L-Pr	SOT23-5	28vrd	-	Ric
13	RN5RF13BA	VR-IC	LrIp, Enable, 1.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
130	R1160N301B	VR-IC	LDO, Enable, 3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
1301	HT7130-1	VR-IC	LDO, 3V±3%, 30mA	SOT23-5	28vrj	VR1	Hik
131	R1160N311B	VR-IC	LDO, Enable, 3.1V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
132	R1160N321B	VR-IC	LDO, Enable, 3.2V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
133	R1160N331B	VR-IC	LDO, Enable, 3.3V±2%, 200mA	SOT23-5	28vrw	VR4	Ric
1331	HT7133-1	VR-IC	LDO, 3.3V±3%, 30mA	SOT23-5	28vrj	VR1	Hik
1361	HT7136-1	VR-IC	LDO, 3.6V±3%, 30mA	SOT23-5	28vrj	VR1	Hik
13L	TK71613ASCL	VR-IC	LDO, Enable, 1.3V±2%, 150mA, -30 +80°C	SOT23-5	28vrx	VR7	Tok
13L	TK71613ASCLH	VR-IC	LDO, Enable, 1.3V±1%, 150mA, -30 +80°C	SOT23-5	28vrx	VR7	Tok
13L	TK71613ASIL	VR-IC	LDO, Enable, 1.3V±2%, 150mA, -40 +85°C	SOT23-5	28vrx	VR7	Tok
13P	TK11213BU	VR-IC	LDO, Enable, 1.3V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
14	R1223N182A	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 1.8V, 300KHz, L-Pr.	SOT23-5	28vrd	-	Ric
1441	H77144-1	VR-IC	LDO, 4.4V±3%, 30mA	SOT23-5	28vrj	VR1	Htk
14AA	DS1814A	CMOS-IC	Voltage Detector 5V±5%, MR and Strobe, -Reset Output	SOT23-5	28vds	-	Dai
14AB	DS1814A	CMOS-IC	Voltage Detector 5V±10%, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Dai
14AC	DS1814A	CMOS-IC	Voltage Detector 5V±20%, MR and Strobe, -Reset Output	SOT23-5	28vds	-	Dai
14BA	DS1814B	CMOS-IC	Voltage Detector 5V±5%, Strobe, ±Reset Output	SOT23-5	28vdt	-	Dai
14BB	DS1814B	CMOS-IC	Voltage Detector 5V±10%, Strobe, ±Reset Output	SOT23-5	28vdt	-	Dai
14BC	DS1814B	CMOS-IC	Voltage Detector 5V±20%, Strobe, ±Reset Output	SOT23-5	28vdt	-	Dai
14CA	DS1814C	CMOS-IC	Voltage Detector 5V±5%, MR, ±Reset Output	SOT23-5	28vdu	-	Dai
14CB	DS1814C	CMOS-IC	Voltage Detector 5V±10%, MR, ±Reset Output	SOT23-5	28vdu	-	Dai
14CC	DS1814C	CMOS-IC	Voltage Detector 5V±20%, MR, ±Reset Output	SOT23-5	28vdu	-	Dai
14L	TK71614ASCL	VR-IC	LDO, Enable, 1.4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
14L	TK71614ASCLH	VR-IC	LDO, Enable, 1.4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
14L	TK71614ASIL	VR-IC	LDO, Enable, 1.4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
14P	TK11214BU	VR-IC	LDO, Enable, 1.4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
15	R1223N302A	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 3V, 300KHz, L-Pr.	SOT23-5	28vrd	-	Ric
15	RNSRF15AA	VR-IC	LRlp, -Enable, 1.5V±2%, 1A*	SOT23-5	28vri	VR6	Ric
1501	H77150-1	VR-IC	LDO, 5V±3%, 30mA	SOT23-5	28vrj	VR1	Htk
15K	TK71715S	VR-IC	LDO, Enable, 1.5V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
15L	TK71615ASCL	VR-IC	LDO, Enable, 1.5V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
15L	TK71615ASCLH	VR-IC	LDO, Enable, 1.5V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
15L	TK71615ASIL	VR-IC	LDO, Enable, 1.5V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
15P	TK11215BU	VR-IC	LDO, Enable, 1.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
16	R1223N332A	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 3.3V, 300KHz, L-Pr.	SOT23-5	28vrd	-	Ric
16K	TK71716S	VR-IC	LDO, Enable, 1.6V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
16L	TK71616ASCL	VR-IC	LDO, Enable, 1.6V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
16L	TK71616ASCLH	VR-IC	LDO, Enable, 1.6V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
16L	TK71616ASIL	VR-IC	LDO, Enable, 1.6V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
16P	TK11216BU	VR-IC	LDO, Enable, 1.6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
17	R1223N502A	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 5V, 300KHz, L-Pr.	SOT23-5	28vrd	-	Ric
17K	TK71717S	VR-IC	LDO, Enable, 1.7V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
17L	TK71617ASCL	VR-IC	LDO, Enable, 1.7V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
17L	TK71617ASCLH	VR-IC	LDO, Enable, 1.7V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
17L	TK71617ASIL	VR-IC	LDO, Enable, 1.7V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
17P	TK11217BU	VR-IC	LDO, Enable, 1.7V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
18	R1223N152B	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 1.5V, 500KHz, L-Pr.	SOT23-5	28vrd	-	Ric
18-A	UTC8118-A	Lin/Dig-IC	Voltage Detector 1.8V, -Reset Open collector output	SOT23-5	28vds	VD6	Utc
18AA	DS1819A	CMOS-IC	Voltage Detector 3.3V±5%, MR and Strobe, -Reset Output	SOT23-5	28vds	-	Dai
18AB	DS1819A	CMOS-IC	Voltage Detector 3.3V±10%, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Dai
18AC	DS1819A	CMOS-IC	Voltage Detector 3.3V±20%, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Dai
18-B	UTC8118-B	Lin/Dig-IC	Voltage Detector 1.8V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
18BA	DS1819B	CMOS-IC	Voltage Detector 3.3V±5%, Strobe, ±Reset Output	SOT23-5	28vdt	-	Oai
18BB	DS1819B	CMOS-IC	Voltage Detector 3.3V±10%, Strobe, ±Reset Output	SOT23-5	28vdt	-	Dai
18BC	DS1819B	CMOS-IC	Voltage Detector 3.3V±20%, Strobe, ±Reset Output	SOT23-5	28vdt	-	Dai
18CA	DS1819C	CMOS-IC	Voltage Detector 3.3V±5%, MR, ±Reset Output	SOT23-5	28vdu	-	Dai
18CB	DS1819C	CMOS-IC	Voltage Detector 3.3V±10%, MR, ±Reset Output	SOT23-5	28vdu	-	Dai
18CC	DS1819C	CMOS-IC	Voltage Detector 3.3V±20%, MR, ±Reset Output	SOT23-5	28vdu	-	Dai
18K	TK71718S	VR-IC	LDO, Enable, 1.8V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
18L	TK71618ASCL	VR-IC	LDO, Enable, 1.8V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
18L	TK71618ASCLH	VR-IC	LDO, Enable, 1.8V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
18L	TK71618ASIL	VR-IC	LDO, Enable, 1.8V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
18P	TK11218BU	VR-IC	LDO, Enable, 1.8V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
19	R1223N182B	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 1.8V, 500KHz, L-Pr.	SOT23-5	28vrd	-	Ric
19-A	UTC8119-A	Lin/Dig-IC	Voltage Detector 1.9V, -Reset Open collector output	SOT23-5	28vds	VD6	Utc
19-B	UTC8119-B	Lin/Dig-IC	Voltage Detector 1.9V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
19K	TK71719S	VR-IC	LDO, Enable, 1.9V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
19L	TK71619ASCL	VR-IC	LDO, Enable, 1.9V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
19L	TK71619ASCLH	VR-IC	LDO, Enable, 1.9V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
19L	TK71619ASIL	VR-IC	LDO, Enable, 1.9V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
19P	TK11219BU	VR-IC	LDO, Enable, 1.9V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
1A0	XC2211A1100M	Op-IC	MPow, ±0.6...±5V, Icco=15µA, 550KHz, 0.5V/µs	SOT23-5	28opb	OP1	Tor
1B	R3111N111A	CMOS-IC	Voltage Detector 1.1V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
1B	RNS5L21AA	VR-IC	2.1V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
1B	RNSVD11CA	CMOS-IC	Voltage Detector 1.1V, Reset Open drain output	SOT23-5	28vdu	VD6	Ric
1B5	TAR5SB15	VR-IC	LDO, Enable, 1.5V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
1B6	TAR5SB16	VR-IC	LDO, Enable, 1.6V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
1B7	TAR5SB17	VR-IC	LDO, Enable, 1.7V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
1B8	TAR5SB18	VR-IC	LDO, Enable, 1.8V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
1B9	TAR5SB19	VR-IC	LDO, Enable, 1.9V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
1C	R311N211A	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
1C	RN5RL31AA	VR-IC	3.1V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
1C	RN5VD21CA	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
1D	R311N311A	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
1D	RN5RL41AA	VR-IC	4.1V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
1D	RN5VD31CA	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
1E	R311N411A	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
1E	RN5RL51AA	VR-IC	5.1V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
1E	RN5VD41CA	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
1F	R311N511A	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
1F	RN5VD51CA	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
1J	R311N111C	CMOS-IC	Voltage Detector 1.1V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
1K	R311N211C	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
1L	R311N311C	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
1M	R311N411C	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
1N	R311N511C	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
1R	R120N311A	VR-IC	PWM step-up DC-DC converter, 3.1V, 35...100KHz	SOT23-5	28sc	-	Ric
1V5	TAR5S15	VR-IC	LDO, Enable, 1.5V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
1V5	TAR5S15U	VR-IC	LDO, Enable, 1.5V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
1V6	TAR5S16	VR-IC	LDO, Enable, 1.6V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
1V6	TAR5S16U	VR-IC	LDO, Enable, 1.6V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
1V7	TAR5S17	VR-IC	LDO, Enable, 1.7V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
1V7	TAR5S17U	VR-IC	LDO, Enable, 1.7V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
1V8	TAR5S18	VR-IC	LDO, Enable, 1.8V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
1V6	TAR5S18U	VR-IC	LDO, Enable, 1.8V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
1V9	TAR5S19	VR-IC	LDO, Enable, 1.9V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
1V9	TAR5S19U	VR-IC	LDO, Enable, 1.9V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
1W	R120N311C	VR-IC	PWM step-up DC-DC converter, 3.1V, 100KHz	SOT23-5	28sc	-	Ric
1X	R120N411C	VR-IC	PWM step-up DC-DC converter, 4.1V, 100KHz	SOT23-5	28sc	-	Ric
1Y	R120N511C	VR-IC	PWM step-up DC-DC converter, 5.1V, 100KHz	SOT23-5	28sc	-	Ric
20	R1223N252B	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 2.5V, 500KHz, L-Pr.	SOT23-5	28vrd	-	Ric
20	RN5RF20AA	VR-IC	Lrip, -Enable, 2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
20	RN5RZ20AA	VR-IC	Low Noise, LDO, -Enable, 2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
209	R3112N091A	CMOS-IC	Voltage Detector 0.91V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
20-A	UTC8120-A	Lin/Dig-IC	Voltage Detector 2V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
20-B	UTC8120-B	Lin/Dig-IC	Voltage Detector 2V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
20K	TK71720S	VR-IC	LDO, Enable, 2V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
20L	TK71620ASCL	VR-IC	LDO, Enable, 2V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
20L	TK71620ASCLH	VR-IC	LDO, Enable, 2V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
20L	TK71620ASIL	VR-IC	LDO, Enable, 2V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
20P	TK11220BU	VR-IC	LDO, Enable, 2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
20Q	TK11320BU	VR-IC	LDO, -Enable, 2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
21	R1223N302B	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 3V, 500KHz, L-Pr.	SOT23-5	28vrd	-	Ric
21	RN5RF21AA	VR-IC	Lrip, -Enable, 2.1V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
21	RN5RZ21AA	VR-IC	Low Noise, LDO, -Enable, 2.1V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
210	R3112N101A	CMOS-IC	Voltage Detector 1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
211	R3112N111A	CMOS-IC	Voltage Detector 1.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
212	R3112N121A	CMOS-IC	Voltage Detector 1.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
213	R3112N131A	CMOS-IC	Voltage Detector 1.3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
214	R3112N141A	CMOS-IC	Voltage Detector 1.4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
215	R3112N151A	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
216	R3112N161A	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
217	R3112N171A	CMOS-IC	Voltage Detector 1.7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
218	R3112N181A	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
219	R3112N191A	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
21-A	UTC8121-A	Lin/Dig-IC	Voltage Detector 2.1V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
21-B	UTC8121-B	Lin/Dig-IC	Voltage Detector 2.1V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
21K	TK71721S	VR-IC	LDO, Enable, 2.1V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
21L	TK71621ASCL	VR-IC	LDO, Enable, 2.1V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
21L	TK71621ASCLH	VR-IC	LDO, Enable, 2.1V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
21L	TK71621ASIL	VR-IC	LDO, Enable, 2.1V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
21P	TK11221BU	VR-IC	LDO, Enable, 2.1V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
21Q	TK11321BU	VR-IC	LDO, -Enable, 2.1V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
22	R1223N332B	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 3.3V, 500KHz, L-Pr.	SOT23-5	28vrd	-	Ric
22	RN5RF22AA	VR-IC	Lrip, -Enable, 2.2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
22	RN5RZ22AA	VR-IC	Low Noise, LDO, -Enable, 2.2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
220	R3112N201A	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
221	R3112N211A	CMOS-IC	Voltage Detector 2.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
222	R3112N221A	CMOS-IC	Voltage Detector 2.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
223	R3112N231A	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
224	R3112N241A	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
225	R3112N251A	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
226	R3112N261A	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
227	R3112N271A	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
228	R3112N281A	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
229	R3112N291A	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
22-A	UTC8122-A	Lin/Dig-IC	Voltage Detector 2.2V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
22-B	UTC8122-B	Lin/Dig-IC	Voltage Detector 2.2V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
22K	TK71722S	VR-IC	LDO, Enable, 2.2V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
22L	TK71622ASCL	VR-IC	LDO, Enable, 2.2V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
22L	TK71622ASCLH	VR-IC	LDO, Enable, 2.2V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
22L	TK71622ASIL	VR-IC	LDO, Enable, 2.2V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
22P	TK11222BU	VR-IC	LDO, Enable, 2.2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
22Q	TK11322BU	VR-IC	LDO, -Enable, 2.2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
23	R1223N502B	VR-IC	PWMVFM St-Dwn DC/DC Conv-Ctrl, CE, 5V, 500KHz, L-Pr.	SOT23-5	28vrd	-	Ric
23	RN5RF23AA	VR-IC	LRip, -Enable, 2.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
23	RN5R233AA	VR-IC	Low Noise, LDO, -Enable, 2.3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
230	R3112N301A	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
231	R3112N311A	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
232	R3112N321A	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
233	R3112N331A	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
234	R3112N341A	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
235	R3112N351A	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
236	R3112N361A	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
237	R3112N371A	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
238	R3112N381A	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
239	R3112N391A	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
23-A	UTC8123-A	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
23-B	UTC8123-B	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
23K	TK71723S	VR-IC	LDO, Enable, 2.3V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
23L	TK71623ASCL	VR-IC	LDO, Enable, 2.3V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
23L	TK71623ASCLH	VR-IC	LDO, Enable, 2.3V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
23L	TK71623ASIL	VR-IC	LDO, Enable, 2.3V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
23P	TK11223BU	VR-IC	LDO, Enable, 2.3V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
23Q	TK11323BU	VR-IC	LDO, -Enable, 2.3V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
24	R1223N152E	VR-IC	PWMVFM St-Dwn DC/DC Conv-Ctrl, CE, 1.5V, 300KHz, R-Pr.	SOT23-5	28vrd	-	Ric
24	RN5RF24AA	VR-IC	LRip, -Enable, 2.4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
24	RN5R244AA	VR-IC	Low Noise, LDO, -Enable, 2.4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
240	R3112N401A	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
241	R3112N411A	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
242	R3112N421A	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
243	R3112N431A	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
244	R3112N441A	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
245	R3112N451A	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
246	R3112N461A	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
247	R3112N471A	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
248	R3112N481A	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
249	R3112N491A	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
24-A	UTC8124-A	Lin/Dig-IC	Voltage Detector 2.4V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
24A1	MAS9124AST1-T	VR-IC	LDO, Enable, 3.3V, 150mA	SOT23-5	28vrx	VR7	Mas
24A2	MAS9124AST2-T	VR-IC	LDO, Enable, 2.8V, 150mA	SOT23-5	28vrx	VR7	Mas
24A3	MAS9124AST3-T	VR-IC	LDO, Enable, 2.5V, 150mA	SOT23-5	28vrx	VR7	Mas
24A4	MAS9124AST4-T	VR-IC	LDO, Enable, 1.8V, 150mA	SOT23-5	28vrx	VR7	Mas
24A5	MAS9124AST5-T	VR-IC	LDO, Enable, 1.5V, 150mA	SOT23-5	28vrx	VR7	Mas
24A6	MAS9124AST6-T	VR-IC	LDO, Enable, 3V, 150mA	SOT23-5	28vrx	VR7	Mas
24A7	MAS9124AST7-T	VR-IC	LDO, Enable, 2.9V, 150mA	SOT23-5	28vrx	VR7	Mas
24A8	MAS9124AST8-T	VR-IC	LDO, Enable, 2.86V, 150mA	SOT23-5	28vrx	VR7	Mas
24A9	MAS9124AST9-T	VR-IC	LDO, Enable, 2.7V, 150mA	SOT23-5	28vrx	VR7	Mas
24AA	MAS9124ASTA-T	VR-IC	LDO, Enable, 2.3V, 150mA	SOT23-5	28vrx	VR7	Mas
24AB	MAS9124ASTB-T	VR-IC	LDO, Enable, 2.4V, 150mA	SOT23-5	28vrx	VR7	Mas
24AC	MAS9124ASTC-T	VR-IC	LDO, Enable, 2.6V, 150mA	SOT23-5	28vrx	VR7	Mas
24AD	MAS9124ASTD-T	VR-IC	LDO, Enable, 3.1V, 150mA	SOT23-5	28vrx	VR7	Mas
24AF	MAS9124ASTF-T	VR-IC	LDO, Enable, 4V, 150mA	SOT23-5	28vrx	VR7	Mas
24AG	MAS9124ASTF-T	VR-IC	LDO, Enable, 5V, 150mA	SOT23-5	28vrx	VR7	Mas
24-B	UTC8124-B	Lin/Dig-IC	Voltage Detector 2.4V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
24K	TK71724S	VR-IC	LDO, Enable, 2.4V±1.5%, 300mA	SOT23-5	28vrх	VR7	Tok
24L	TK71624ASCL	VR-IC	LDO, Enable, 2.4V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
24L	TK71624ASCLH	VR-IC	LDO, Enable, 2.4V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
24L	TK71624ASIL	VR-IC	LDO, Enable, 2.4V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
24P	TK11224BU	VR-IC	LDO, Enable, 2.4V 2.5%, 150mA	SO789-5	32vg	VR7	Tok
24Q	TK11324BU	VR-IC	LDO, -Enable, 2.4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
25	R1223N182E	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 1.8V, 300KHz, R-Pr.	SOT23-5	28vrd	-	Ric
25	RN5RF25AA	VR-IC	LRip, -Enable, 2.5V±2%, 1A*	SOT23-5	28vri	VR6	Ric
25	RN5RZ25AA	VR-IC	Low Noise, LDO, -Enable, 2.5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
250	R3112N501A	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
25-A	UTC8125-A	Lin/Dig-IC	Voltage Detector 2.5V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
25-B	UTC8125-B	Lin/Dig-IC	Voltage Detector 2.5V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
25K	TK71725S	VR-IC	LDO, Enable, 2.5V±1.5%, 300mA	SOT23-5	28vrх	VR7	Tok
25L	TK71625ASCL	VR-IC	LDO, Enable, 2.5V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
25L	TK71625ASCLH	VR-IC	LDO, Enable, 2.5V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
25L	TK71625ASIL	VR-IC	LDO, Enable, 2.5V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
25P	TK11225BU	VR-IC	LDO, Enable, 2.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
25Q	TK11325BU	VR-IC	LDO, -Enable, 2.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
26	R1223N252E	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 2.5V, 300KHz, R-Pr.	SOT23-5	28vrd	-	Ric
26	RN5RF26AA	VR-IC	LRip, -Enable, 2.6V±2%, 1A*	SOT23-5	28vri	VR6	Ric
26	RN5RZ26AA	VR-IC	Low Noise, LDO, -Enable, 2.6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
26-A	UTC8126-A	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
26-B	UTC8126-B	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
26K	TK71726S	VR-IC	LDO, Enable, 2.6V±1.5%, 300mA	SOT23-5	28vrх	VR7	Tok
26L	TK71626ASCL	VR-IC	LDO, Enable, 2.6V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
26L	TK71626ASCLH	VR-IC	LDO, Enable, 2.6V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
26L	TK71626ASIL	VR-IC	LDO, Enable, 2.6V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
26P	TK11226BU	VR-IC	LDO, Enable, 2.6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
26Q	TK11326BU	VR-IC	LDO, -Enable, 2.6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
27	R1223N302E	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 3V, 300KHz, R-Pr.	SOT23-5	28vrd	-	Ric
27	RN5RF27AA	VR-IC	LRip, -Enable, 2.7V±2%, 1A*	SOT23-5	28vri	VR6	Ric
27	RN5RZ27AA	VR-IC	Low Noise, LDO, -Enable, 2.7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
27-A	UTC8127-A	Lin/Dig-IC	Voltage Detector 2.7V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
27-B	UTC8127-B	Lin/Dig-IC	Voltage Detector 2.7V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
27K	TK71727S	VR-IC	LDO, Enable, 2.7V±1.5%, 300mA	SOT23-5	28vrх	VR7	Tok
27L	TK71627ASCL	VR-IC	LDO, Enable, 2.7V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
27L	TK71627ASCLH	VR-IC	LDO, Enable, 2.7V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
27L	TK71627ASIL	VR-IC	LDO, Enable, 2.7V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
27P	TK11227BU	VR-IC	LDO, Enable, 2.7V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
27Q	TK11327BU	VR-IC	LDO, -Enable, 2.7V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
28	R1223N332E	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 3.3V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
28	RN5RF28AA	VR-IC	LRip, -Enable, 2.8V±2%, 1A*	SOT23-5	28vri	VR6	Ric
28	RN5RZ28AA	VR-IC	Low Noise, LDO, -Enable, 2.8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
28-A	UTC8128-A	Lin/Dig-IC	Voltage Detector 2.8V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
28-B	UTC8128-B	Lin/Dig-IC	Voltage Detector 2.8V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
28K	TK71728S	VR-IC	LDO, Enable, 2.8V±1.5%, 300mA	SOT23-5	28vrх	VR7	Tok
28L	TK71628ASCL	VR-IC	LDO, Enable, 2.8V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
28L	TK71628ASCLH	VR-IC	LDO, Enable, 2.8V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
28L	TK71628ASIL	VR-IC	LDO, Enable, 2.8V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
28P	TK11228BU	VR-IC	LDO, Enable, 2.8V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
28Q	TK11328BU	VR-IC	LDO, -Enable, 2.8V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
29	R1223N502E	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 5V, 300KHz, R-Pr.	SOT23-5	28vrd	-	Ric
29	RN5RF29AA	VR-IC	LRip, -Enable, 2.9V±2%, 1A*	SOT23-5	28vri	VR6	Ric
29	RN5RZ29AA	VR-IC	Low Noise, LDO, -Enable, 2.9V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
29-A	UTC8129-A	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
29-B	UTC8129-B	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
29K	TK71729S	VR-IC	LDO, Enable, 2.9V±1.5%, 300mA	SOT23-5	28vrх	VR7	Tok
29L	TK71629ASCL	VR-IC	LDO, Enable, 2.9V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
29L	TK71629ASCLH	VR-IC	LDO, Enable, 2.9V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
29L	TK71629ASIL	VR-IC	LDO, Enable, 2.9V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
29P	TK11229BU	VR-IC	LDO, Enable, 2.9V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
29Q	TK11329BU	VR-IC	LDO, -Enable, 2.9V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
2A0	XC2211A1200M	Op-IC	MPow, ±0.6...±5V, Icco=100µA, 550KHz, 0.5V/µs	SOT23-5	28obp	OP1	Tor
2B	R3111N121A	CMOS-IC	Voltage Detector 1.2V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
2B	RN5RL22AA	VR-IC	2.2V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
2B	RN5VD12CA	CMOS-IC	Voltage Detector 1.2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
2B0	TAR5SB20	VR-IC	LDO, Enable, 2V±1%, 200mA	SSOP-5P095	29vrх	VR7	Tos
2B1	TAR5SB21	VR-IC	LDO, Enable, 2.1V±1%, 200mA	SSOP-5P095	29vrх	VR7	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
2B2	TAR5SB22	VR-IC	LDO, Enable, 2,2V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2B3	TAR5SB23	VR-IC	LDO, Enable, 2,3V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2B4	TAR5SB24	VR-IC	LDO, Enable, 2,3V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2B5	TAR5SB25	VR-IC	LDO, Enable, 2,5V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2B6	TAR5SB26	VR-IC	LDO, Enable, 2,6V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2B7	TAR5SB27	VR-IC	LDO, Enable, 2,7V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2B8	TAR5SB28	VR-IC	LDO, Enable, 2,8V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2B9	TAR5SB29	VR-IC	LDO, Enable, 2,9V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
2C	R3111N221A	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
2C	RN5RL32AA	VR-IC	3,2V±2,5%, 150mA	SOT23-5	28vrj	VR1	Ric
2C	RN5VD22CA	CMOS-IC	Voltage Detector 2,2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
2D	R3111N321A	CMOS-IC	Voltage Detector 3,2V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
2D	RN5RL42AA	VR-IC	4,2V±2,5%, 150mA	SOT23-5	28vrj	VR1	Ric
2D	RN5VD32CA	CMOS-IC	Voltage Detector 3,2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
2E	R3111N421A	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
2E	RN5RL52AA	VR-IC	5,2V±2,5%, 150mA	SOT23-5	28vrj	VR1	Ric
2E	RN5VD42CA	CMOS-IC	Voltage Detector 4,2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
2F	R3111N521A	CMOS-IC	Voltage Detector 5,2V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
2F	RN5VD52CA	CMOS-IC	Voltage Detector 5,2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
2J	R3111N121C	CMOS-IC	Voltage Detector 1,2V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
2K	R3111N221C	CMOS-IC	Voltage Detector 2,2V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
2L	R3111N321C	CMOS-IC	Voltage Detector 3,2V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
2M	R3111N421C	CMOS-IC	Voltage Detector 4,2V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
2N	R3111N521C	CMOS-IC	Voltage Detector 5,2V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
2Q	R1210N221A	VR-IC	PWM step-up DC-DC converter, 2,1V, 35..100KHz	SOT23-5	28sc	-	Ric
2R	R1210N321A	VR-IC	PWM step-up DC-DC converter, 3,2V, 35..100KHz	SOT23-5	28sc	-	Ric
2S	RN5RF12AA	VR-IC	LRip, -Enable, 1,2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
2T	RN5RF12BA	VR-IC	LRip, Enable, 1,2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
2U	R1210N221C	VR-IC	PWM step-up DC-DC converter, 2,1V, 100KHz	SOT23-5	28sc	-	Ric
2V0	TAR5S20	VR-IC	LDO, Enable, 2V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V0	TAR5S20U	VR-IC	LDO, Enable, 2V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V1	TAR5S21	VR-IC	LDO, Enable, 2,1V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V1	TAR5S21U	VR-IC	LDO, Enable, 2,1V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V2	TAR5S22	VR-IC	LDO, Enable, 2,2V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V2	TAR5S22U	VR-IC	LDO, Enable, 2,2V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V3	TAR5S23	VR-IC	LDO, Enable, 2,3V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V3	TAR5S23U	VR-IC	LDO, Enable, 2,3V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V4	TAR5S24	VR-IC	LDO, Enable, 2,3V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V4	TAR5S24U	VR-IC	LDO, Enable, 2,3V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V5	TAR5S25	VR-IC	LDO, Enable, 2,5V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V5	TAR5S25U	VR-IC	LDO, Enable, 2,5V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V6	TAR5S26	VR-IC	LDO, Enable, 2,6V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V6	TAR5S26U	VR-IC	LDO, Enable, 2,6V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V7	TAR5S27	VR-IC	LDO, Enable, 2,7V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V7	TAR5S27U	VR-IC	LDO, Enable, 2,7V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V8	TAR5S28	VR-IC	LDO, Enable, 2,8V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V8	TAR5S28U	VR-IC	LDO, Enable, 2,8V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2V9	TAR5S29	VR-IC	LDO, Enable, 2,9V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
2V9	TAR5S29U	VR-IC	LDO, Enable, 2,9V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
2X	R1210N321C	VR-IC	PWM step-up DC-DC converter, 3,2V, 100KHz	SOT23-5	28sc	-	Ric
2X	R1210N421C	VR-IC	PWM step-up DC-DC converter, 4,1V, 100KHz	SOT23-5	28sc	-	Ric
2Y	R1210N521C	VR-IC	PWM step-up DC-DC converter, 5,2V, 100KHz	SOT23-5	28sc	-	Ric
2Z	R1210N221D	VR-IC	PWM step-up DC-DC converter, 2,1V, 180KHz	SOT23-5	28sc	-	Ric
30	R1223N152F	VR-IC	PWM/VFM St-Down DC/DC Conv-Ctrl, CE, 1,5V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
30	RN5RF30AA	VR-IC	LRip, -Enable, 3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
30	RN5RZ30AA	VR-IC	Low Noise, LDO, -Enable, 3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
309	R3112N091C	CMOS-IC	Voltage Detector 0,91V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
30-A	UTC8130-A	Lin/Dig-IC	Voltage Detector 3V, -Reset Open collector output	SOT23-5	28vdo	VD6	Utc
30-B	UTC8130-B	Lin/Dig-IC	Voltage Detector 3V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
30K	TK71730S	VR-IC	LDO, Enable, 3V±1,5%, 300mA	SOT23-5	28vrx	VR7	Tok
30L	TK71630ASCL	VR-IC	LDO, Enable, 3V±2%, 150mA, -30..+80°C	SOT23-5	28vrx	VR7	Tok
30L	TK71630ASCLH	VR-IC	LDO, Enable, 3V±1%, 150mA, -30..+80°C	SOT23-5	28vrx	VR7	Tok
30L	TK71630ASIL	VR-IC	LDO, Enable, 3V±2%, 150mA, -40..+85°C	SOT23-5	28vrx	VR7	Tok
30P	TK11230BU	VR-IC	LDO, Enable, 3V 2,5%, 150mA	SOT89-5	32vg	VR7	Tok
30Q	TK11330BU	VR-IC	LDO, -Enable, 3V 2,5%, 150mA	SOT89-5	32vg	VR7	Tok
31	R1223N182F	VR-IC	PWM/VFM St-Down DC/DC Conv-Ctrl, CE, 1,8V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
31	RN5RF31AA	VR-IC	LRip, -Enable, 3,1V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
31	RN5RZ31AA	VR-IC	Low Noise, LDO, -Enable, 3,1V±2%, 100mA	SOT23-5	28vrt	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
310	R3112N101C	CMOS-IC	Voltage Detector 1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
311	R3112N111C	CMOS-IC	Voltage Detector 1.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
312	R3112N121C	CMOS-IC	Voltage Detector 1.2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
313	R3112N131C	CMOS-IC	Voltage Detector 1.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
314	R3112N141C	CMOS-IC	Voltage Detector 1.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
315	R3112N151C	CMOS-IC	Voltage Detector 1.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
316	R3112N161C	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
317	R3112N171C	CMOS-IC	Voltage Detector 1.7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
318	R3112N181C	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
319	R3112N191C	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
31-A	UTC8131-A	Lin/Dig-IC	Voltage Detector 3.1V, -Reset Open collector output	SOT23-5	28vzd	VD6	Ulc
31-B	UTC8131-B	Lin/Dig-IC	Voltage Detector 3.1V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
31K	TK71731S	VR-IC	LDO, Enable, 3.1V±1.5%, 300mA	SOT23-5	28vrz	VR7	Tok
31L	TK71631ASCL	VR-IC	LDO, Enable, 3.1V±2%, 150mA, -30...+80°C	SOT23-5	28vrz	VR7	Tok
31L	TK71631ASCLH	VR-IC	LDO, Enable, 3.1V±1%, 150mA, -30...+80°C	SOT23-5	28vrz	VR7	Tok
31L	TK71631ASIL	VR-IC	LDO, Enable, 3.1V±2%, 150mA, -40...+85°C	SOT23-5	28vrz	VR7	Tok
31P	TK11231BU	VR-IC	LDO, Enable, 3.1V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
31Q	TK11331BU	VR-IC	LDO, -Enable, 3.1V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
32	R1223N252F	VR-IC	PWM/VFM St-Down DC/DC Conv-Ctrl, CE, 2.5V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
32	RN5RF32AA	VR-IC	LRip, -Enable, 3.2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
32	RN5RZ32AA	VR-IC	Low Noise, LDO, -Enable, 3.2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
320	R3112N201C	CMOS-IC	Voltage Detector 2V, Reset Open drain output	SOT23-5	28vdd	VD6	Ric
321	R3112N211C	CMOS-IC	Voltage Detector 2.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
322	R3112N221C	CMOS-IC	Voltage Detector 2.2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
323	R3112N231C	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
324	R3112N241C	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
325	R3112N251C	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
326	R3112N261C	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
327	R3112N271C	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
328	R3112N281C	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
329	R3112N291C	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
32-A	UTC8132-A	Lin/Dig-IC	Voltage Detector 3.2V, -Reset Open collector output	SOT23-5	28vzd	VD6	Ulc
32-B	UTC8132-B	Lin/Dig-IC	Voltage Detector 3.2V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
32K	TK71732S	VR-IC	LDO, Enable, 3.2V±1.5%, 300mA	SOT23-5	28vrz	VR7	Tok
32L	TK71632ASCL	VR-IC	LDO, Enable, 3.2V±2%, 150mA, -30...+80°C	SOT23-5	28vrz	VR7	Tok
32L	TK71632ASCLH	VR-IC	LDO, Enable, 3.2V±1%, 150mA, -30...+80°C	SOT23-5	28vrz	VR7	Tok
32L	TK71632ASIL	VR-IC	LDO, Enable, 3.2V±2%, 150mA, -40...+85°C	SOT23-5	28vrz	VR7	Tok
32P	TK11232BU	VR-IC	LDO, Enable, 3.2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
32Q	TK11332BU	VR-IC	LDO, -Enable, 3.2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
33	R1223N302F	VR-IC	PWM/VFM St-Down DC/DC Conv-Ctrl, CE, 3V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
33	RN5RF33AA	VR-IC	LRip, -Enable, 3.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
33	RN5RZ33AA	VR-IC	Low Noise, LDO, -Enable, 3.3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
330	R3112N301C	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
331	R3112N311C	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
332	R3112N321C	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
333	R3112N331C	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
334	R3112N341C	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
335	R3112N351C	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
336	R3112N361C	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
337	R3112N371C	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
338	R3112N381C	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
339	R3112N391C	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
33-A	UTC8133-A	Lin/Dig-IC	Voltage Detector 3.3V, -Reset Open collector output	SOT23-5	28vzd	VD6	Ulc
33-B	UTC8133-B	Lin/Dig-IC	Voltage Detector 3.3V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
33K	TK71733S	VR-IC	LDO, Enable, 3.3V±1.5%, 300mA	SOT23-5	28vrz	VR7	Tok
33L	TK71633ASCL	VR-IC	LDO, Enable, 3.3V±2%, 150mA, -30...+80°C	SOT23-5	28vrz	VR7	Tok
33L	TK71633ASCLH	VR-IC	LDO, Enable, 3.3V±1%, 150mA, -30...+80°C	SOT23-5	28vrz	VR7	Tok
33L	TK71633ASIL	VR-IC	LDO, Enable, 3.3V±2%, 150mA, -40...+85°C	SOT23-5	28vrz	VR7	Tok
33P	TK11233BU	VR-IC	LDO, Enable, 3.3V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
33Q	TK11333BU	VR-IC	LDO, -Enable, 3.3V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
34	R1223N332F	VR-IC	PWM/VFM St-Down DC/DC Conv-Ctrl, CE, 3.3V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
34	RN5RF34AA	VR-IC	LRip, -Enable, 3.4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
34	RN5RZ34AA	VR-IC	Low Noise, LDO, -Enable, 3.4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
340	R3112N401C	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
341	R3112N411C	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
342	R3112N421C	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
343	R3112N431C	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
344	R3112N441C	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
345	R3112N451C	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
346	R3112N461C	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
347	R3112N471C	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
346	R3112N481C	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
349	R3112N491C	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
34-A	UTC8134-A	Lin/Dig-IC	Voltage Detector 3.4V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
34-B	UTC8134-B	Lin/Dig-IC	Voltage Detector 3.4V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
34K	TK71734S	VR-IC	LDO, Enable, 3.4V±1.5%, 300mA	SOT23-5	28vrX	VR7	Tok
34L	TK71634ASCL	VR-IC	LDO, Enable, 3.4V±2%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
34L	TK71634ASCLH	VR-IC	LDO, Enable, 3.4V±1%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
34L	TK71634ASIL	VR-IC	LDO, Enable, 3.4V±2%, 150mA, -40...+85°C	SOT23-5	28vrX	VR7	Tok
34P	TK11234BU	VR-IC	LDO, Enable, 3.4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
34Q	TK11334BU	VR-IC	LDO, -Enable, 3.4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
35	R1223N502F	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 5V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
35	RN5RF35AA	VR-IC	LRip, -Enable, 3.5V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
35	RN5RZ35AA	VR-IC	Low Noise, LDO, -Enable, 3.5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
350	R3112N501C	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
35-A	UTC8135-A	Lin/Dig-IC	Voltage Detector 3.5V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
35-B	UTC8135-B	Lin/Dig-IC	Voltage Detector 3.5V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
35K	TK71735S	VR-IC	LDO, Enable, 3.5V±1.5%, 300mA	SOT23-5	28vrX	VR7	Tok
35L	TK71635ASCL	VR-IC	LDO, Enable, 3.5V±2%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
35L	TK71635ASCLH	VR-IC	LDO, Enable, 3.5V±1%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
35L	TK71635ASIL	VR-IC	LDO, Enable, 3.5V±2%, 150mA, -40...+85°C	SOT23-5	28vrX	VR7	Tok
35P	TK11235BU	VR-IC	LDO, Enable, 3.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
35Q	TK11335BU	VR-IC	LDO, -Enable, 3.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
36	R1223N152G	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.5V, 300KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
36	RN5RF36AA	VR-IC	LRip, -Enable, 3.6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
36	RN5RZ36AA	VR-IC	Low Noise, LDO, -Enable, 3.6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
36-A	UTC8136-A	Lin/Dig-IC	Voltage Detector 3.6V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
36-B	UTC8136-B	Lin/Dig-IC	Voltage Detector 3.6V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
36K	TK71736S	VR-IC	LDO, Enable, 3.6V±1.5%, 300mA	SOT23-5	28vrX	VR7	Tok
36L	TK71636ASCL	VR-IC	LDO, Enable, 3.6V±2%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
36L	TK71636ASCLH	VR-IC	LDO, Enable, 3.6V±1%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
36L	TK71636ASIL	VR-IC	LDO, Enable, 3.6V±2%, 150mA, -40...+85°C	SOT23-5	28vrX	VR7	Tok
36P	TK11236BU	VR-IC	LDO, Enable, 3.6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
36Q	TK11336BU	VR-IC	LDO, -Enable, 3.6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
37	R1223N182G	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.8V, 300KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
37	RN5RF37AA	VR-IC	LRip, -Enable, 3.7V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
37	RN5RZ37AA	VR-IC	Low Noise, LDO, -Enable, 3.7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
37-A	UTC8137-A	Lin/Dig-IC	Voltage Detector 3.7V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
37-B	UTC8137-B	Lin/Dig-IC	Voltage Detector 3.7V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
37K	TK71737S	VR-IC	LDO, Enable, 3.7V±1.5%, 300mA	SOT23-5	28vrX	VR7	Tok
37L	TK71637ASCL	VR-IC	LDO, Enable, 3.7V±2%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
37L	TK71637ASCLH	VR-IC	LDO, Enable, 3.7V±1%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
37L	TK71637ASIL	VR-IC	LDO, Enable, 3.7V±2%, 150mA, -40...+85°C	SOT23-5	28vrX	VR7	Tok
37P	TK11237BU	VR-IC	LDO, Enable, 3.7V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
37Q	TK11337BU	VR-IC	LDO, -Enable, 3.7V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
38	R1223N252G	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 2.5V, 300KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
38	RN5RF38AA	VR-IC	LRip, -Enable, 3.8V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
38	RN5RZ38AA	VR-IC	Low Noise, LDO, -Enable, 3.8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
38-A	UTC8138-A	Lin/Dig-IC	Voltage Detector 3.8V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
38-B	UTC8138-B	Lin/Dig-IC	Voltage Detector 3.8V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
38K	TK71738S	VR-IC	LDO, Enable, 3.8V±1.5%, 300mA	SOT23-5	28vrX	VR7	Tok
38L	TK71638ASCL	VR-IC	LDO, Enable, 3.8V±2%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
38L	TK71638ASCLH	VR-IC	LDO, Enable, 3.8V±1%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
38L	TK71638ASIL	VR-IC	LDO, Enable, 3.8V±2%, 150mA, -40...+85°C	SOT23-5	28vrX	VR7	Tok
38P	TK11238BU	VR-IC	LDO, Enable, 3.8V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
38Q	TK11338BU	VR-IC	LDO, -Enable, 3.8V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
39	R1223N302G	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 3V, 300KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
39	RN5RF39AA	VR-IC	LRip, -Enable, 3.9V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
39	RN5RZ39AA	VR-IC	Low Noise, LDO, -Enable, 3.9V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
39-A	UTC8139-A	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
39-B	UTC8139-B	Lin/Dig-IC	Voltage Detector 3.9V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
39K	TK71739S	VR-IC	LDO, Enable, 3.9V±1.5%, 300mA	SOT23-5	28vrX	VR7	Tok
39L	TK71639ASCL	VR-IC	LDO, Enable, 3.9V±2%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
39L	TK71639ASCLH	VR-IC	LDO, Enable, 3.9V±1%, 150mA, -30...+80°C	SOT23-5	28vrX	VR7	Tok
39L	TK71639ASIL	VR-IC	LDO, Enable, 3.9V±2%, 150mA, -40...+85°C	SOT23-5	28vrX	VR7	Tok
39P	TK11239BU	VR-IC	LDO, Enable, 3.9V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
39Q	TK11339BU	VR-IC	LDO, -Enable, 3.9V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
3B	R3111N131A	CMOS-IC	Voltage Detector 1.3V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
3B	RN5RL23AA	VR-IC	2.3V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
3B	RN5VD13CA	CMOS-IC	Voltage Detector 1.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
3B0	TAR5SB30	VR-IC	LDO, Enable, 3V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B1	TAR5SB31	VR-IC	LDO, Enable, 3.1V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B2	TAR5SB32	VR-IC	LDO, Enable, 3.2V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B3	TAR5SB33	VR-IC	LDO, Enable, 3.3V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B4	TAR5SB34	VR-IC	LDO, Enable, 3.4V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B5	TAR5SB35	VR-IC	LDO, Enable, 3.5V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B6	TAR5SB36	VR-IC	LDO, Enable, 3.6V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B7	TAR5SB37	VR-IC	LDO, Enable, 3.7V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B8	TAR5SB38	VR-IC	LDO, Enable, 3.8V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3B9	TAR5SB39	VR-IC	LDO, Enable, 3.9V±1%, 200mA	SSOP-5P095	29vrx	VR7	Tos
3C	R3111N231A	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
3C	RN5RL33AA	VR-IC	3.3V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
3C	RN5VD23CA	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
3D	R3111N331A	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
3D	RN5RL43AA	VR-IC	4.3V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
3D	RN5VD33CA	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
3E	R3111N431A	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
3E	RN5RL53AA	VR-IC	5.3V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
3E	RN5VD43CA	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
3F	R3111N531A	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
3F	RN5VO53CA	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
3J	R3111N131C	CMOS-IC	Voltage Detector 1.3V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
3K	R3111N231C	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
3L	R3111N331C	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
3M	R3111N431C	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
3N	R3111N531C	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
3Q	R1210N231A	VR-IC	PWM step-up DC-DC converter, 2.3V, 35, 100KHz	SOT23-5	28sc	-	Ric
3R	R1210N331A	VR-IC	PWM step-up DC-DC converter, 3.3V, 35, 100KHz	SOT23-5	28sc	-	Ric
3S	RN5RF13AA	VR-IC	LRip, -Enable, 1.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
3U	R1210N231C	VR-IC	PWM step-up DC-DC converter, 2.3V, 100KHz	SOT23-5	28sc	-	Ric
3V0	TAR5S30	VR-IC	LDO, Enable, 3V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V0	TAR5S30U	VR-IC	LDO, Enable, 3V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V1	TAR5S31	VR-IC	LDO, Enable, 3.1V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V1	TAR5S31U	VR-IC	LDO, Enable, 3.1V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V2	TAR5S32	VR-IC	LDO, Enable, 3.2V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V2	TAR5S32U	VR-IC	LDO, Enable, 3.2V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V3	TAR5S33	VR-IC	LDO, Enable, 3.3V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V3	TAR5S33U	VR-IC	LDO, Enable, 3.3V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V4	TAR5S34	VR-IC	LDO, Enable, 3.4V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V4	TAR5S34U	VR-IC	LDO, Enable, 3.4V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V5	TAR5S35	VR-IC	LDO, Enable, 3.5V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V5	TAR5S35U	VR-IC	LDO, Enable, 3.5V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V6	TAR5S36	VR-IC	LDO, Enable, 3.6V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V6	TAR5S36U	VR-IC	LDO, Enable, 3.6V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V7	TAR5S37	VR-IC	LDO, Enable, 3.7V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V7	TAR5S37U	VR-IC	LDO, Enable, 3.7V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V8	TAR5S38	VR-IC	LDO, Enable, 3.8V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V8	TAR5S38U	VR-IC	LDO, Enable, 3.8V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3V9	TAR5S39	VR-IC	LDO, Enable, 3.9V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
3V9	TAR5S39U	VR-IC	LDO, Enable, 3.9V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
3W	R1210N331C	VR-IC	PWM step-up DC-DC converter, 3.3V, 100KHz	SOT23-5	28sc	-	Ric
3X	R1210N431C	VR-IC	PWM step-up DC-DC converter, 4.2V, 100KHz	SOT23-5	28sc	-	Ric
3Y	R1210N531C	VR-IC	PWM step-up DC-DC converter, 5.3V, 100KHz	SOT23-5	28sc	-	Ric
3Z	R1210N231D	VR-IC	PWM step-up DC-DC converter, 2.3V, 180KHz	SOT23-5	28sc	-	Ric
40	R1223N332G	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 3.3V, 300KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
40	RN5RF40AA	VR-IC	LRip, -Enable, 4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
40	RN5RZ40AA	VR-IC	Low Noise, LDO, -Enable, 4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
40-A	UTC8140-A	Lin/Dig-IC	Voltage Detector 4V, -Reset Open collector output	SOT23-5	28vzd	VD6	Ulc
40-B	UTC8140-B	Lin/Dig-IC	Voltage Detector 4V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
40C	TK71740S	VR-IC	LDO, Enable, 4V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
40L	TK71640ASCL	VR-IC	LDO, Enable, 4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
40L	TK71640ASCLH	VR-IC	LDO, Enable, 4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
40L	TK71640ASIL	VR-IC	LDO, Enable, 4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
40P	TK11240BU	VR-IC	LDO, Enable, 4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
40Q	TK11340BU	VR-IC	LDO, -Enable, 4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
41	R1223N502G	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 5V, 300KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
41	RN5RF41AA	VR-IC	LRip, -Enable, 4,1V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
41	RN5RZ41AA	VR-IC	Low Noise, LDO, -Enable, 4,1V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
415	R1114N151A	VR-IC	LDO, LN, -Enable, 1,5V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
416	R1114N161A	VR-IC	LDO, LN, -Enable, 1,6V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
417	R1114N171A	VR-IC	LDO, LN, -Enable, 1,7V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
416	R1114N181A	VR-IC	LDO, LN, -Enable, 1,8V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
419	R1114N191A	VR-IC	LDO, LN, -Enable, 1,9V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
41-A	UTC8141-A	Lin/Dig-IC	Voltage Detector 4.1V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
41-B	UTC8141-B	Lin/Dig-IC	Voltage Detector 4.1V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
41K	TK71741S	VR-IC	LDO, Enable, 4,1V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
41L	TK71641ASCL	VR-IC	LDO, Enable, 4,1V±2%, 150mA, -30...+80°C	SOT23-5	28vrn	VR7	Tok
41L	TK71641ASCLH	VR-IC	LDO, Enable, 4,1V±1%, 150mA, -30...+80°C	SOT23-5	28vrn	VR7	Tok
41L	TK71641ASIL	VR-IC	LDO, Enable, 4,1V±2%, 150mA, -40...+85°C	SOT23-5	28vrn	VR7	Tok
41P	TK11241BU	VR-IC	LDO, Enable, 4,1V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
41Q	TK11341BU	VR-IC	LDO, -Enable, 4,1V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
42	R1223N152H	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.5V, 500KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
42	RN5RF42AA	VR-IC	LRip, -Enable, 4,2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
42	RN5RZ42AA	VR-IC	Low Noise, LDO, -Enable, 4,2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
420	R1114N201A	VR-IC	LDO, LN, -Enable, 2V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
421	R1114N211A	VR-IC	LDO, LN, -Enable, 2,1V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
422	R1114N221A	VR-IC	LDO, LN, -Enable, 2,2V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
423	R1114N231A	VR-IC	LDO, LN, -Enable, 2,3V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
424	R1114N241A	VR-IC	LDO, LN, -Enable, 2,4V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
425	R1114N251A	VR-IC	LDO, LN, -Enable, 2,5V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
426	R1114N261A	VR-IC	LDO, LN, -Enable, 2,6V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
427	R1114N271A	VR-IC	LDO, LN, -Enable, 2,7V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
428	R1114N281A	VR-IC	LDO, LN, -Enable, 2,8V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
429	R1114N291A	VR-IC	LDO, LN, -Enable, 2,9V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
42-A	UTC8142-A	Lin/Dig-IC	Voltage Detector 4.2V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
42-B	UTC8142-B	Lin/Dig-IC	Voltage Detector 4.2V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
42K	TK71742S	VR-IC	LDO, Enable, 4,2V±1.5%, 300mA	SOT23-5	28vrn	VR7	Tok
42L	TK71642ASCL	VR-IC	LDO, Enable, 4,2V±2%, 150mA, -30...+80°C	SOT23-5	28vrn	VR7	Tok
42L	TK71642ASCLH	VR-IC	LDO, Enable, 4,2V±1%, 150mA, -30...+80°C	SOT23-5	28vrn	VR7	Tok
42L	TK71642ASIL	VR-IC	LDO, Enable, 4,2V±2%, 150mA, -40...+85°C	SOT23-5	28vrn	VR7	Tok
42P	TK11242BU	VR-IC	LDO, Enable, 4,2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
42Q	TK11342BU	VR-IC	LDO, -Enable, 4,2V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
43	R1223N182H	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 1.8V, 500KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
43	RN5RF43AA	VR-IC	LRip, -Enable, 4,3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
43	RN5RZ43AA	VR-IC	Low Noise, LDO, -Enable, 4,3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
430	R1114N301A	VR-IC	LDO, LN, -Enable, 3V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
431	R1114N311A	VR-IC	LDO, LN, -Enable, 3,1V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
432	R1114N321A	VR-IC	LDO, LN, -Enable, 3,2V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
433	R1114N331A	VR-IC	LDO, LN, -Enable, 3,3V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
434	R1114N341A	VR-IC	LDO, LN, -Enable, 3,4V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
435	R1114N351A	VR-IC	LDO, LN, -Enable, 3,5V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
436	R1114N361A	VR-IC	LDO, LN, -Enable, 3,6V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
437	R1114N371A	VR-IC	LDO, LN, -Enable, 3,7V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
436	R1114N381A	VR-IC	LDO, LN, -Enable, 3,8V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
439	R1114N391A	VR-IC	LDO, LN, -Enable, 3,9V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
43-A	UTC8143-A	Lin/Dig-IC	Voltage Detector 4.3V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
43-B	UTC8143-B	Lin/Dig-IC	Voltage Detector 4.3V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
43K	TK71743S	VR-IC	LDO, Enable, 4,3V±1.5%, 300mA	SOT23-5	28vrn	VR7	Tok
43L	TK71643ASCL	VR-IC	LDO, Enable, 4,3V±2%, 150mA, -30...+80°C	SOT23-5	28vrn	VR7	Tok
43L	TK71643ASCLH	VR-IC	LDO, Enable, 4,3V±1%, 150mA, -30...+80°C	SOT23-5	28vrn	VR7	Tok
43L	TK71643ASIL	VR-IC	LDO, Enable, 4,3V±2%, 150mA, -40...+85°C	SOT23-5	28vrn	VR7	Tok
43P	TK11243BU	VR-IC	LDO, Enable, 4,3V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
43Q	TK11343BU	VR-IC	LDO, -Enable, 4,3V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
44	R1223N252H	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 2.5V, 500KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
44	RN5RF44AA	VR-IC	LRip, -Enable, 4,4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
44	RN5RZ44AA	VR-IC	Low Noise, LDO, -Enable, 4,4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
440	R1114N401A	VR-IC	LDO, LN, -Enable, 4V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
441	R1114N281A5	VR-IC	LDO, LN, -Enable, 2,8V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
44-A	UTC8144-A	Lin/Dig-IC	Voltage Detector 4.4V, -Reset Open collector output	SOT23-5	28vdz	VD6	Ulc
44-B	UTC8144-B	Lin/Dig-IC	Voltage Detector 4.4V, -Reset Open collector output	SOT23-5	28vdm	VD6	Ulc
44K	TK71744S	VR-IC	LDO, Enable, 4,4V±1.5%, 300mA	SOT23-5	28vrn	VR7	Tok
44L	TK71644ASCL	VR-IC	LDO, Enable, 4,4V±2%, 150mA, -30...+80°C	SOT23-5	28vrn	VR7	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
44L	TK71644ASCLH	VR-IC	LDO, Enable, 4.4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
44L	TK71644ASIL	VR-IC	LDO, Enable, 4.4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
44P	TK11244BU	VR-IC	LDO, Enable, 4.4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
44Q	TK11344BU	VR-IC	LDO, -Enable, 4.4V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
45	R1223N302H	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 3V, 500KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
45	RN5RF45AA	VR-IC	LRip, -Enable, 4.5V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
45	RN5R245AA	VR-IC	Low Noise, LDO, -Enable, 4.5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
45-A	UTC8145-A	Lin/Dig-IC	Voltage Detector 4.5V, -Reset Open collector output	SOT23-5	28vdy	VD6	Utc
45-B	UTC8145-B	Lin/Dig-IC	Voltage Detector 4.5V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
45K	TK71745S	VR-IC	LDO, Enable, 4.5V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
45L	TK71645ASCL	VR-IC	LDO, Enable, 4.5V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
45L	TK71645ASCLH	VR-IC	LDO, Enable, 4.5V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
45L	TK71645ASIL	VR-IC	LDO, Enable, 4.5V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
45P	TK11245BU	VR-IC	LDO, Enable, 4.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
45Q	TK11345BU	VR-IC	LDO, -Enable, 4.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
46	R1223N332H	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 3.3V, 500KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
46	RN5RF46AA	VR-IC	LRip, -Enable, 4.6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
46	RN5R246AA	VR-IC	Low Noise, LDO, -Enable, 4.6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
46-A	UTC8146-A	Lin/Dig-IC	Voltage Detector 4.6V, -Reset Open collector output	SOT23-5	28vdy	VD6	Utc
46-B	UTC8146-B	Lin/Dig-IC	Voltage Detector 4.6V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
46K	TK71746S	VR-IC	LDO, Enable, 4.6V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
46L	TK71646ASCL	VR-IC	LDO, Enable, 4.6V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
46L	TK71646ASCLH	VR-IC	LDO, Enable, 4.6V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
46L	TK71646ASIL	VR-IC	LDO, Enable, 4.6V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
46P	TK11246BU	VR-IC	LDO, Enable, 4.6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
46Q	TK11346BU	VR-IC	LDO, -Enable, 4.6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
47	R1223N502H	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, Enable, 5V, 500KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
47	RN5RF47AA	VR-IC	LRip, -Enable, 4.7V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
47	RN5R247AA	VR-IC	Low Noise, LDO, -Enable, 4.7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
47K	TK71747S	VR-IC	LDO, Enable, 4.7V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
47L	TK71647ASCL	VR-IC	LDO, Enable, 4.7V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
47L	TK71647ASCLH	VR-IC	LDO, Enable, 4.7V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
47L	TK71647ASIL	VR-IC	LDO, Enable, 4.7V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
47P	TK11247BU	VR-IC	LDO, Enable, 4.7V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
47Q	TK11347BU	VR-IC	LDO, -Enable, 4.7V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
48	R1223N162F	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 1.6V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
48	RN5RF48AA	VR-IC	LRip, -Enable, 4.8V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
48	RN5R248AA	VR-IC	Low Noise, LDO, -Enable, 4.8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
48K	TK71748S	VR-IC	LDO, Enable, 4.8V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
48L	TK71648ASCL	VR-IC	LDO, Enable, 4.8V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
48L	TK71648ASCLH	VR-IC	LDO, Enable, 4.8V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
48L	TK71648ASIL	VR-IC	LDO, Enable, 4.8V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
48P	TK11248BU	VR-IC	LDO, Enable, 4.8V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
48Q	TK11348BU	VR-IC	LDO, -Enable, 4.8V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
49	R1223N382C	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 3.8V, 300KHz, Latch-Pr.	SOT23-5	28vrd	-	Ric
49	RN5RF49AA	VR-IC	LRip, -Enable, 4.9V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
49	RN5R249AA	VR-IC	Low Noise, LDO, -Enable, 4.9V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
49K	TK71749S	VR-IC	LDO, Enable, 4.9V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
49L	TK71649ASCL	VR-IC	LDO, Enable, 4.9V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
49L	TK71649ASCLH	VR-IC	LDO, Enable, 4.9V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
49L	TK71649ASIL	VR-IC	LDO, Enable, 4.9V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
49P	TK11249BU	VR-IC	LDO, Enable, 4.9V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
49Q	TK11349BU	VR-IC	LDO, -Enable, 4.9V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
4B	R3111N141A	CMOS-IC	Voltage Detector 1.4V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
4B	RN5RL24AA	VR-IC	2.4V±2.5%, 150mA	SOT23-5	28vrl	VR1	Ric
4B	RN5VD14CA	CMOS-IC	Voltage Detector 1.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
4B0	TAR5SB40	VR-IC	LDO, Enable, 4V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B1	TAR5SB41	VR-IC	LDO, Enable, 4.1V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B2	TAR5SB42	VR-IC	LDO, Enable, 4.2V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B3	TAR5SB43	VR-IC	LDO, Enable, 4.3V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B4	TAR5SB44	VR-IC	LDO, Enable, 4.4V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B5	TAR5SB45	VR-IC	LDO, Enable, 4.5V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B6	TAR5SB46	VR-IC	LDO, Enable, 4.6V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B7	TAR5SB47	VR-IC	LDO, Enable, 4.7V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B8	TAR5SB48	VR-IC	LDO, Enable, 4.8V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4B9	TAR5SB49	VR-IC	LDO, Enable, 4.9V±1%, 200mA	SSOP-5P095	28vrx	VR7	Tos
4C	R3111N241A	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
4C	RN5RL34AA	VR-IC	3.4V±2.5%, 150mA	SOT23-5	28vrl	VR1	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
4C	RN5VD24CA	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
4D	R3111N341A	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
4D	RN5RL44AA	VR-IC	4.4V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
4D	RN5VD34CA	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
4E	R3111N441A	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
4E	RN5RL54AA	VR-IC	5.4V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
4E	RN5VD44CA	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
4F	R3111N541A	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
4F	RN5VD54CA	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
4J	R3111N141C	CMOS-IC	Voltage Detector 1.4V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
4K	R3111N241C	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
4L	R3111N341C	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
4M	R3111N441C	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
4N	R3111N541C	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
4O	XP01507	Si-NPN	Dual, LN, 150V, 50mA, 150mW, >150MHz	SC-88A	28ld	-	Pan
4O	XP1507	Si-NPN	Dual, LN, 150V, 50mA, 150mW, >150MHz	SC-88A	28ld	-	Pan
4P	XN1A312	Si-PIN-Digi	2x 50V, 100mA, 300mW, 150MHz, R1/R2=22k/22k	SC-47A	28ah	-	Pan
4Q	R1210N241A	VR-IC	PWM step-up DC-DC converter, 2.4V, 35..100KHz	SOT23-5	28sc	-	Ric
4R	R1210N341A	VR-IC	PWM step-up DC-DC converter, 3.4V, 35..100KHz	SOT23-5	28sc	-	Ric
4S	RN5RF14AA	VR-IC	LRip, -Enable, 1.4V±2%, 1A*	SOT23-5	28vri	VR6	Ric
4T	RN5RF14BA	VR-IC	LRip, Enable, 1.4V±2%, 1A*	SOT23-5	28vri	VR6	Ric
4U	R1210N241C	VR-IC	PWM step-up DC-DC converter, 2.4V, 100KHz	SOT23-5	28sc	-	Ric
4V	R1210N501D	VR-IC	PWM step-up DC-DC converter, 5V, 180KHz	SOT23-5	28sc	-	Ric
4V0	TAR5S40	VR-IC	LDO, Enable, 4V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V0	TAR5S40U	VR-IC	LDO, Enable, 4V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V1	TAR5S41	VR-IC	LDO, Enable, 4.1V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V1	TAR5S41U	VR-IC	LDO, Enable, 4.1V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V2	TAR5S42	VR-IC	LDO, Enable, 4.2V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V2	TAR5S42U	VR-IC	LDO, Enable, 4.2V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V3	TAR5S43	VR-IC	LDO, Enable, 4.3V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V3	TAR5S43U	VR-IC	LDO, Enable, 4.3V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V4	TAR5S44	VR-IC	LDO, Enable, 4.4V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V4	TAR5S44U	VR-IC	LDO, Enable, 4.4V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V5	TAR5S45	VR-IC	LDO, Enable, 4.5V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V5	TAR5S45U	VR-IC	LDO, Enable, 4.5V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V6	TAR5S46	VR-IC	LDO, Enable, 4.6V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V6	TAR5S46U	VR-IC	LDO, Enable, 4.6V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V7	TAR5S47	VR-IC	LDO, Enable, 4.7V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V7	TAR5S47U	VR-IC	LDO, Enable, 4.7V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V8	TAR5S48	VR-IC	LDO, Enable, 4.8V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V8	TAR5S48U	VR-IC	LDO, Enable, 4.8V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4V9	TAR5S49	VR-IC	LDO, Enable, 4.9V±1%, 200mA	SSOP-5P095	29vrna	VR7	Tos
4V9	TAR5S49U	VR-IC	LDO, Enable, 4.9V±1%, 200mA	SSOP-5P065C	30vrna	VR7	Tos
4W	R1210N341C	VR-IC	PWM step-up DC-DC converter, 3.4V, 100KHz	SOT23-5	28sc	-	Ric
4X	R1210N441C	VR-IC	PWM step-up DC-DC converter, 4.3V, 100KHz	SOT23-5	28sc	-	Ric
4Y	R1210N541C	VR-IC	PWM step-up DC-DC converter, 5.4V, 100KHz	SOT23-5	28sc	-	Ric
4Z	R1210N241D	VR-IC	PWM step-up DC-DC converter, 2.4V, 180KHz	SOT23-5	28sc	-	Ric
5.6Z	MAZZ056H	SA-Diode	4x 5.6V, 5mA, 200mW	SMini5	30bc	-	Pan
50	R1223N472F	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 4.7V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
50	RN5RF50AA	VR-IC	LRip, -Enable, 5V±2%, 1A*	SOT23-5	28vri	VR6	Ric
50	RN5RZ50AA	VR-IC	Low Noise, LDO, -Enable, 5V±2%, 100mA	SOT23-5	28vri	VR4	Ric
50-A	UTC8150-A	Lin/Dig-IC	Voltage Detector 5V, -Reset Open collector output	SOT23-5	28vdz	VD6	Utc
50-B	UTC8150-B	Lin/Dig-IC	Voltage Detector 5V, -Reset Open collector output	SOT23-5	28vdm	VD6	Utc
50K	TK71750S	VR-IC	LDO, Enable, 5V±1.5%, 300mA	SOT23-5	28vrx	VR7	Tok
50L	TK71650ASCL	VR-IC	LDO, Enable, 5V±2%, 150mA, -30..+80°C	SOT23-5	28vrx	VR7	Tok
50L	TK71650ASCLH	VR-IC	LDO, Enable, 5V±1%, 150mA, -30..+80°C	SOT23-5	28vrx	VR7	Tok
50L	TK71650ASIL	VR-IC	LDO, Enable, 5V±2%, 150mA, -40..+85°C	SOT23-5	28vrx	VR7	Tok
50P	TK11250BU	VR-IC	LDO, Enable, 5V 2.5%, 150mA	SOTh89-5	32vg	VR7	Tok
50Q	TK11350BU	VR-IC	LDO, -Enable, 5V 2.5%, 150mA	SOTh89-5	32vg	VR7	Tok
51	R1223N322F	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 3.2V, 500KHz, R-Pr.	SOT23-5	28vrd	-	Ric
51	RN5RF51AA	VR-IC	LRip, -Enable, 5.1V±2%, 1A*	SOT23-5	28vri	VR6	Ric
51	RN5RZ51AA	VR-IC	Low Noise, LDO, -Enable, 5.4V±2%, 100mA	SOT23-5	28vri	VR4	Ric
51S	R1114N151B	VR-IC	LDO, LN, Enable, 1.5V±2%, 150mA	SOT23-5	28vrvm	VR4	Ric
516	R1114N161B	VR-IC	LDO, LN, Enable, 1.6V±2%, 150mA	SOT23-5	28vrvm	VR4	Ric
517	R1114N171B	VR-IC	LDO, LN, -Enable, 1.7V±2%, 150mA	SOT23-5	28vrvm	VR4	Ric
518	R1114N181B	VR-IC	LDO, LN, Enable, 1.8V±2%, 150mA	SOT23-5	28vrvm	VR4	Ric
519	R1114N191B	VR-IC	LDO, LN, Enable, 1.9V±2%, 150mA	SOT23-5	28vrvm	VR4	Ric
51L	TK71651ASCL	VR-IC	LDO, Enable, 5.1V±2%, 150mA, -30..+80°C	SOT23-5	28vrx	VR7	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
51L	TK71651ASCLH	VR-IC	LDO, Enable, 5.1V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
51L	TK71651ASIL	VR-IC	LDO, Enable, 5.1V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
52	R1223N482F	VR-IC	PWM/VFM St-Dwn DC/DC Conv-Ctrl, CE, 4.8V, 500KHz, R-Pr.	SOT23-5	28vrх	-	Ric
52	RN5RF52AA	VR-IC	LRip, -Enable, 5.2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
52	RN5RZ52AA	VR-IC	Low Noise, LDO, -Enable, 5.2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
520	R1114N201B	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
521	R1114N211B	VR-IC	LDO, LN, Enable, 2.1V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
522	R1114N221B	VR-IC	LDO, LN, Enable, 2.2V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
523	R1114N231B	VR-IC	LDO, LN, Enable, 2.3V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
524	R1114N241B	VR-IC	LDO, LN, Enable, 2.4V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
525	R1114N251B	VR-IC	LDO, LN, Enable, 2.5V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
526	R1114N261B	VR-IC	LDO, LN, Enable, 2.6V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
527	R1114N271B	VR-IC	LDO, LN, Enable, 2.7V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
528	R1114N281B	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
529	R1114N291B	VR-IC	LDO, LN, Enable, 2.9V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
52L	TK71652ASCL	VR-IC	LDO, Enable, 5.2V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
52L	TK71652ASCLH	VR-IC	LDO, Enable, 5.2V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
52L	TK71652ASIL	VR-IC	LDO, Enable, 5.2V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
53	R1223N322H	VR-IC	PWM St-Dwn DC/DC Cnv-Ctr, CE, 3.2V, 500KHz, Reset-Pr.	SOT23-5	28vrd	-	Ric
53	RN5RF53AA	VR-IC	LRip, -Enable, 5.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
53	RN5RZ53AA	VR-IC	Low Noise, LDO, -Enable, 5.3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
530	R1114N301B	VR-IC	LDO, LN, Enable, 3V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
531	R1114N311B	VR-IC	LDO, LN, Enable, 3.1V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
532	R1114N321B	VR-IC	LDO, LN, Enable, 3.2V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
533	R1114N331B	VR-IC	LDO, LN, Enable, 3.3V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
534	R1114N341B	VR-IC	LDO, LN, Enable, 3.4V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
535	R1114N351B	VR-IC	LDO, LN, Enable, 3.5V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
536	R1114N361B	VR-IC	LDO, LN, Enable, 3.6V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
537	R1114N371B	VR-IC	LDO, LN, Enable, 3.7V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
538	R1114N381B	VR-IC	LDO, LN, Enable, 3.8V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
539	R1114N391B	VR-IC	LDO, LN, Enable, 3.9V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
53L	TK71653ASCL	VR-IC	LDO, Enable, 5.3V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
53L	TK71653ASCLH	VR-IC	LDO, Enable, 5.3V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
53L	TK71653ASIL	VR-IC	LDO, Enable, 5.3V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
54	RN5RF54AA	VR-IC	LRip, -Enable, 5.4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
54	RN5RZ54AA	VR-IC	Low Noise, LDO, -Enable, 5.4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
540	R1114N401B	VR-IC	LDO, LN, Enable, 4V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
541	R1114N281B5	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	SOT23-5	28vrм	VR4	Ric
54L	TK71654ASCL	VR-IC	LDO, Enable, 5.4V±2%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
54L	TK71654ASCLH	VR-IC	LDO, Enable, 5.4V±1%, 150mA, -30...+80°C	SOT23-5	28vrх	VR7	Tok
54L	TK71654ASIL	VR-IC	LDO, Enable, 5.4V±2%, 150mA, -40...+85°C	SOT23-5	28vrх	VR7	Tok
55	RN5RF55AA	VR-IC	LRip, -Enable, 5.5V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
55	RN5RZ55AA	VR-IC	Low Noise, LDO, -Enable, 5.5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
55P	TK11255BU	VR-IC	LDO, Enable, 5.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
55Q	TK11355BU	VR-IC	LDO, -Enable, 5.5V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
56	RN5RF56AA	VR-IC	LRip, -Enable, 5.6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
56	RN5RZ56AA	VR-IC	Low Noise, LDO, -Enable, 5.6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
57	RN5RF57AA	VR-IC	LRip, -Enable, 5.7V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
57	RN5RZ57AA	VR-IC	Low Noise, LDO, -Enable, 5.7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
58	RN5RF58AA	VR-IC	LRip, -Enable, 5.8V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
58	RN5RZ58AA	VR-IC	Low Noise, LDO, -Enable, 5.8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
59	RN5RF59AA	VR-IC	LRip, -Enable, 5.9V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
59	RN5RZ59AA	VR-IC	Low Noise, LDO, -Enable, 5.9V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
5B	R3111N151A	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
5B	RN5RL25AA	VR-IC	2.5V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
5B	RN5VD15CA	CMOS-IC	Voltage Detector 1.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
5B0	TAR5SB50	VR-IC	LDO, Enable, 5V±1%, 200mA	SSOP-5P095	29vrх	VR7	Tos
5C	R3111N251A	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
5C	RN5RL35AA	VR-IC	3.5V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
5C	RN5VD25CA	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
5D	R3111N351A	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
5D	RN5RL45AA	VR-IC	4.5V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
5D	RN5VD35CA	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
5E	R3111N451A	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
5E	RN5RL55AA	VR-IC	5.5V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
5E	RN5VD45CA	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
5F	R3111N551A	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
5F	RN5VO55CA	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
5J	R3111N151C	CMOS-IC	Voltage Detector 1.5V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
5K	R3111N251C	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
5L	R3111N351C	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
5L1	S-75L00ANC	TTL-Logic	2-input NAND gate	SC-88A	Log1	-	Sei
5L2	S-75L08ANC	TTL-Logic	2-input AND gate	SC-88A	Log3	-	Sei
5L3	S-75L02ANC	TTL-Logic	2-input NOR gate	SC-88A	Log2	-	Sei
5L4	S-75L32ANC	TTL-Logic	2-input OR gate	SC-88A	Log4	-	Sei
5L5	S-75L04ANC	TTL-Logic	Inverter	SC-88A	Log6	-	Sei
5L6	S-75LU04ANC	TTL-Logic	Unbuffered Inverter	SC-88A	Log6	-	Sei
5L8	S-75L86ANC	TTL-Logic	2-input EXCLUSIVE OR gate	SC-88A	Log5	-	Sei
5LA	S-75L14ANC	TTL-Logic	Inverting Schmitt-trigger	SC-88A	Log7	-	Sei
5M	R3111N451C	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
5N	R3111N551C	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
5Q	R1210N251A	VR-IC	PWM step-up DC-DC converter, 2.5V, 35..100KHz	SOT23-5	28sc	-	Ric
5R	R1210N351A	VR-IC	PWM step-up DC-DC converter, 3.5V, 35..100KHz	SOT23-5	28sc	-	Ric
5T	RN5RF15BA	VR-IC	LRip, Enable, 1.5V±2%, 1A'	SOT23-5	28vrl	VR6	Ric
5U	R1210N251C	VR-IC	PWM step-up DC-DC converter, 2.5V, 100KHz	SOT23-5	28sc	-	Ric
5V0	TAR5S50	VR-IC	LDO, Enable, 5V±1%, 200mA	SSOP-5P095	29vrra	VR7	Tos
5V0	TAR5S50U	VR-IC	LDO, Enable, 5V±1%, 200mA	SSOP-5P065C	30vrra	VR7	Tos
5V1	S-75V00ANC	TTL-Logic	2-input NAND gate	SC-88A	Log1	-	Sei
5V2	S-75V08ANC	TTL-Logic	2-input AND gate	SC-88A	Log3	-	Sei
5V3	S-75V02ANC	TTL-Logic	2-input NOR gate	SC-88A	Log2	-	Sei
5V4	S-75V32ANC	TTL-Logic	2-input OR gate	SC-88A	Log4	-	Sei
5V5	S-75V04ANC	TTL-Logic	Inverter	SC-88A	Log6	-	Sei
5V6	S-75VU04ANC	TTL-Logic	Unbuffered Inverter	SC-88A	Log6	-	Sei
5V6	S-75V86ANC	TTL-Logic	2-input EXCLUSIVE OR gate	SC-88A	Log5	-	Sei
5VA	S-75V14ANC	TTL-Logic	Inverting Schmitt-trigger	SC-88A	Log7	-	Sei
5W	R1210N351C	VR-IC	PWM step-up DC-DC converter, 3.5V, 100KHz	SOT23-5	28sc	-	Ric
5X	R1210N451C	VR-IC	PWM step-up DC-DC converter, 4.4V, 100KHz	SOT23-5	28sc	-	Ric
5Y	R1210N551C	VR-IC	PWM step-up DC-DC converter, 5.5V, 100KHz	SOT23-5	28sc	-	Ric
5Z	R1210N251D	VR-IC	PWM step-up DC-DC converter, 2.5V, 180KHz	SOT23-5	28sc	-	Ric
6.2D	MAZL062D	Z-Diode	Quad, 6.2V±5%, 100mA, 200mW	SOT23-5	28bc	-	Pan
6.2Z	MAZL062H	SA-Diode	4x 6.2V, 5mA, 200mW	SC-74A	28bc	-	Pan
6.2Z	MAZM062H	SA-Diode	4x 6.2V, 5mA, 150mW	SSMini5	30bc	-	Pan
6.2Z	MAZZ062H	SA-Diode	4x 6.2V, 5mA, 200mW	SMini5	30bc	-	Pan
6.8D	MAZL068D	Z-Diode	Quad, 6.8V±5%, 100mA, 200mW	SOT23-5	28bc	-	Pan
6.8Z	MAZL068H	SA-Diode	4x 6.8V, 5mA, 200mW	SC-74A	28bc	-	Pan
6.8Z	MAZM068H	SA-Diode	4x 6.8V, 5mA, 150mW	SSMini5	30bc	-	Pan
6.8Z	MAZZ068H	SA-Diode	4x 6.8V, 5mA, 200mW	SMini5	30bc	-	Pan
60	RN5RF60AA	VR-IC	LRip, -Enable, 6V±2%, 1A'	SOT23-5	28vrl	VR6	Ric
60	RN5RZ60AA	VR-IC	Low Noise, LDO, -Enable, 6V±2%, 100mA	SOT23-5	28vrl	VR4	Ric
60P	TK11260BU	VR-IC	LDO, Enable, 6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
60Q	TK11360BU	VR-IC	LDO, -Enable, 6V 2.5%, 150mA	SOT89-5	32vg	VR7	Tok
615	R1114N151D	VR-IC	LDO, LN, Enable, auto discharge, 1.5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
616	R1114N181D	VR-IC	LDO, LN, Enable, auto discharge, 1.6V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
617	R1114N171D	VR-IC	LDO, LN, Enable, auto discharge, 1.7V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
618	R1114N181D	VR-IC	LDO, LN, Enable, auto discharge, 1.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
619	R1114N191D	VR-IC	LDO, LN, Enable, auto discharge, 1.9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
620	R1114N201D	VR-IC	LDO, LN, Enable, auto discharge, 2.0V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
621	R1114N211D	VR-IC	LDO, LN, Enable, auto discharge, 2.1V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
622	R1114N221D	VR-IC	LDO, LN, Enable, auto discharge, 2.2V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
623	R1114N231D	VR-IC	LDO, LN, Enable, auto discharge, 2.3V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
624	R1114N241D	VR-IC	LDO, LN, Enable, auto discharge, 2.4V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
625	R1114N251D	VR-IC	LDO, LN, Enable, auto discharge, 2.5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
626	R1114N261D	VR-IC	LDO, LN, Enable, auto discharge, 2.6V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
627	R1114N271D	VR-IC	LDO, LN, Enable, auto discharge, 2.7V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
628	R1114N281D	VR-IC	LDO, LN, Enable, auto discharge, 2.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
629	R1114N291D	VR-IC	LDO, LN, Enable, auto discharge, 2.9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
62N	HZM6.2ZMFA	Z-Diode/TYS	Quad, 6.2V, 200mW	SOT23-5	28bc	-	Ren
630	R1114N301D	VR-IC	LDO, LN, Enable, auto discharge, 3.0V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
631	R1114N311D	VR-IC	LDO, LN, Enable, auto discharge, 3.1V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
632	R1114N321D	VR-IC	LDO, LN, Enable, auto discharge, 3.2V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
633	R1114N331D	VR-IC	LDO, LN, Enable, auto discharge, 3.3V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
634	R1114N341D	VR-IC	LDO, LN, Enable, auto discharge, 3.4V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
635	R1114N351D	VR-IC	LDO, LN, Enable, auto discharge, 3.5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
636	R1114N361D	VR-IC	LDO, LN, Enable, auto discharge, 3.6V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
637	R1114N371D	VR-IC	LDO, LN, Enable, auto discharge, 3.7V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
638	R1114N381D	VR-IC	LDO, LN, Enable, auto discharge, 3.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
639	R1114N391D	VR-IC	LDO, LN, Enable, auto discharge, 3.9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
640	R1114N401D	VR-IC	LDO, LN, Enable, auto discharge, 4V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
641	R1114N281D5	VR-IC	LDO, LN, Enable, auto discharge, 2.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
6B	R3111N161A	CMOS-IC	Voltage Detector 1.6V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
6B	RN5RL26AA	VR-IC	2.6V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
6B	RN5VD16CA	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
6C	R3111N261A	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
6C	RN5RL36AA	VR-IC	3.6V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
6C	RN5VD26CA	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
6D	R3111N361A	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
6D	RN5RL46AA	VR-IC	4.6V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
6D	RN5VD36CA	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
6E	R3111N461A	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
6E	RN5RL56AA	VR-IC	5.6V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
6E	RN5VD46CA	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
6F	R3111N561A	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
6F	RN5VD56CA	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
6J	R3111N161C	CMOS-IC	Voltage Detector 1.6V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
6K	R3111N261C	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
6L	R3111N361C	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
6M	R3111N461C	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
6N	R3111N561C	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
6Q	R1210N261A	VR-IC	PWM step-up DC-DC converter, 2.6V, 35...100KHz	SOT23-5	28sc	-	Ric
6S	RN5RF16AA	VR-IC	LRip, -Enable, 1.6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
6T	RN5RF16BA	VR-IC	LRip, Enable, 1.6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
6U	R1210N261C	VR-IC	PWM step-up DC-DC converter, 2.6V, 100KHz	SOT23-5	28sc	-	Ric
6W	R1210N361C	VR-IC	PWM step-up DC-DC converter, 3.6V, 100KHz	SOT23-5	28sc	-	Ric
6X	R1210N461C	VR-IC	PWM step-up DC-DC converter, 4.6V, 100KHz	SOT23-5	28sc	-	Ric
6Y	R1210N561C	VR-IC	PWM step-up DC-DC converter, 5.6V, 100KHz	SOT23-5	28sc	-	Ric
6Z	R1210N261D	VR-IC	PWM step-up DC-DC converter, 2.6V, 160KHz	SOT23-5	28sc	-	Ric
70	RN5RF20BA	VR-IC	LRip, Enable, 2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
70	RN5RZ20BA	VR-IC	Low Noise, LDO, Enable, 2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
71	RN5RF21BA	VR-IC	LRip, Enable, 2.1V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
71	RN5RZ21BA	VR-IC	Low Noise, LDO, Enable, 2.1V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
715	R1124N151A	VR-IC	LDO, LN, -Enable, 1.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
716	R1124N161A	VR-IC	LDO, LN, -Enable, 1.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
717	R1124N171A	VR-IC	LDO, LN, -Enable, 1.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
718	R1124N181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
719	R1124N191A	VR-IC	LDO, LN, -Enable, 1.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
72	RN5RF22BA	VR-IC	LRip, Enable, 2.2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
72	RN5RZ22BA	VR-IC	Low Noise, LDO, Enable, 2.2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
720	R1124N201A	VR-IC	LDO, LN, -Enable, 2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
721	R1124N211A	VR-IC	LDO, LN, -Enable, 2.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
722	R1124N221A	VR-IC	LDO, LN, -Enable, 2.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
723	R1124N231A	VR-IC	LDO, LN, -Enable, 2.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
724	R1124N241A	VR-IC	LDO, LN, -Enable, 2.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
725	R1124N251A	VR-IC	LDO, LN, -Enable, 2.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
726	R1124N261A	VR-IC	LDO, LN, -Enable, 2.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
727	R1124N271A	VR-IC	LDO, LN, -Enable, 2.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
728	R1124N281A	VR-IC	LDO, LN, -Enable, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
729	R1124N291A	VR-IC	LDO, LN, -Enable, 2.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
73	RN5RF23BA	VR-IC	LRip, Enable, 2.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
73	RN5RZ23BA	VR-IC	Low Noise, LDO, Enable, 2.3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
730	R1124N301A	VR-IC	LDO, LN, -Enable, 3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
731	R1124N311A	VR-IC	LDO, LN, -Enable, 3.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
732	R1124N321A	VR-IC	LDO, LN, -Enable, 3.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
733	R1124N331A	VR-IC	LDO, LN, -Enable, 3.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
734	R1124N341A	VR-IC	LDO, LN, -Enable, 3.4V±2%, 150mA	SOT23-5	26vri	VR4	Ric
735	R1124N351A	VR-IC	LDO, LN, -Enable, 3.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
736	R1124N361A	VR-IC	LDO, LN, -Enable, 3.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
737	R1124N371A	VR-IC	LDO, LN, -Enable, 3.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
738	R1124N381A	VR-IC	LDO, LN, -Enable, 3.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
739	R1124N391A	VR-IC	LDO, LN, -Enable, 3.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
74	RN5RF24BA	VR-IC	LRip, Enable, 2.4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
74	RN5RZ24BA	VR-IC	Low Noise, LDO, Enable, 2.4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
740	R1124N401A	VR-IC	LDO, LN, -Enable, 4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
741	R1124N281A5	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
75	RN5RF25BA	VR-IC	LRip, Enable, 2.5V±2%, 1A*	SOT23-5	26vri	VR6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
75	RN5R225BA	VR-IC	Low Noise, LDO, Enable, 2,5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
76	RN5RF26BA	VR-IC	LRip, Enable, 2,6V±2%, 1A*	SOT23-5	28vri	VR6	Ric
76	RN5R226BA	VR-IC	Low Noise, LDO, Enable, 2,6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
77	RN5RF27BA	VR-IC	LRip, Enable, 2,7V±2%, 1A*	SOT23-5	28vri	VR6	Ric
77	RN5R227BA	VR-IC	Low Noise, LDO, Enable, 2,7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
78	RN5RF28BA	VR-IC	LRip, Enable, 2,8V±2%, 1A*	SOT23-5	28vri	VR6	Ric
78	RN5R228BA	VR-IC	Low Noise, LDO, Enable, 2,8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
79	RN5RF29BA	VR-IC	LRip, Enable, 2,9V±2%, 1A*	SOT23-5	28vri	VR6	Ric
79	RN5R229BA	VR-IC	Low Noise, LDO, Enable, 2,9V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
7B	R3111N171A	CMOS-IC	Voltage Detector 1,7V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
7B	RN5RL27AA	VR-IC	2,7V±2,5%, 150mA	SOT23-5	28vrj	VR1	Ric
7B	RN5VD17CA	CMOS-IC	Voltage Detector 1,7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
7C	R3111N271A	CMOS-IC	Voltage Detector 2,7V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
7C	RN5RL37AA	VR-IC	3,7V±2,5%, 150mA	SOT23-5	28vrj	VR1	Ric
7C	RN5VD27CA	CMOS-IC	Voltage Detector 2,7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
7D	R3111N371A	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
7D	RN5RL47AA	VR-IC	4,7V±2,5%, 150mA	SOT23-5	28vrj	VR1	Ric
7D	RN5VD37CA	CMOS-IC	Voltage Detector 3,7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
7E	R3111N471A	CMOS-IC	Voltage Detector 4,7V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
7E	RN5RL57AA	VR-IC	5,7V±2,5%, 150mA	SOT23-5	28vrj	VR1	Ric
7E	RN5VD47CA	CMOS-IC	Voltage Detector 4,7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
7F	R3111N571A	CMOS-IC	Voltage Detector 5,7V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
7F	RN5VD57CA	CMOS-IC	Voltage Detector 5,7V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
7J	R3111N171C	CMOS-IC	Voltage Detector 1,7V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
7K	R3111N271C	CMOS-IC	Voltage Detector 2,7V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
7L	R3111N371C	CMOS-IC	Voltage Detector 3,7V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
7M	R3111N471C	CMOS-IC	Voltage Detector 4,7V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
7N	R3111N571C	CMOS-IC	Voltage Detector 5,7V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
7Q	R1210N271A	VR-IC	PWM step-up DC-DC converter, 2,7V, 35..100KHz	SOT23-5	28sc	-	Ric
7S	RN5RF17AA	VR-IC	LRip, -Enable, 1,7V±2%, 1A*	SOT23-5	28vri	VR8	Ric
7S00	NCT500M5	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Fch
7S02	NCT502M5	TTL-Logic	2-input NOR gate	SOT23-5	Log2	-	Fch
7S04	NCT504M5	TTL-Logic	Inverter	SOT23-5	Log6	-	Fch
7S08	NCT508M5	TTL-Logic	2-input AND gate	SOT23-5	Log3	-	Fch
7S14	NCT514M5	TTL-Logic	Inverting Schmitt-trigger	SC-59	Log7	-	Fch
7S32	NCT532M5	TTL-Logic	2-input OR gate	SOT23-5	Log4	-	Fch
7S86	NCT586M5	TTL-Logic	2-input EXCLUSIVE OR gate	SOT23-5	Log5	-	Fch
7SU4	NCT5U04M5	TTL-Logic	Unbuffered Inverter	SOT23-5	Log8	-	Fch
7T	RN5RF17BA	VR-IC	LRip, Enable, 1,7V±2%, 1A*	SOT23-5	28vri	VR6	Ric
7U	R1210N271C	VR-IC	PWM step-up DC-DC converter, 2,7V, 100KHz	SOT23-5	28sc	-	Ric
7W	R1210N371C	VR-IC	PWM step-up DC-DC converter, 3,7V, 100KHz	SOT23-5	28sc	-	Ric
7X	R1210N471C	VR-IC	PWM step-up DC-DC converter, 4,7V, 100KHz	SOT23-5	28sc	-	Ric
7Y	R1210N571C	VR-IC	PWM step-up DC-DC converter, 5,7V, 100KHz	SOT23-5	28sc	-	Ric
7Z	R1210N271D	VR-IC	PWM step-up DC-DC converter, 2,7V, 180KHz	SOT23-5	28sc	-	Ric
8.22	MAZL082H	SA-Diode	4x 8,2V, 5mA, 200mW	SC-74A	28bc	-	Pan
8.22	MAZM082H	SA-Diode	4x 8,2V, 5mA, 150mW	SSMini5	30bc	-	Pan
8.22	MAZZ082H	SA-Diode	4x 8,2V, 5mA, 200mW	SMini5	30bc	-	Pan
60	RN5RF30BA	VR-IC	LRip, Enable, 3V±2%, 1A*	SOT23-5	28vri	VR6	Ric
60	RN5R320BA	VR-IC	Low Noise, LDO, Enable, 3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
80P	TK11280BU	VR-IC	LDO, Enable, 8V 2,5%, 150mA	SOT89-5	32vq	VR7	Tok
80Q	TK11380BU	VR-IC	LDO, -Enable, 8V 2,5%, 150mA	SOT89-5	32vq	VR7	Tok
81	RN5RF31BA	VR-IC	LRip, Enable, 3,1V±2%, 1A*	SOT23-5	28vri	VR6	Ric
81	RN5R321BA	VR-IC	Low Noise, LDO, Enable, 3,1V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
815	R1124N151B	VR-IC	LDO, LN, Enable, 1,5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
816	R1124N161B	VR-IC	LDO, LN, Enable, 1,6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
817	R1124N171B	VR-IC	LDO, LN, Enable, 1,7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
818	R1124N181B	VR-IC	LDO, LN, Enable, 1,8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
819	R1124N191B	VR-IC	LDO, LN, Enable, 1,9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
82	RN5RF32BA	VR-IC	LRip, Enable, 3,2V±2%, 1A*	SOT23-5	28vri	VR6	Ric
82	RN5R322BA	VR-IC	Low Noise, LDO, Enable, 3,2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
820	R1124N201B	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
821	R1124N211B	VR-IC	LDO, LN, Enable, 2,1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
822	R1124N221B	VR-IC	LDO, LN, Enable, 2,2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
823	R1124N231B	VR-IC	LDO, LN, Enable, 2,3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
824	R1124N241B	VR-IC	LDO, LN, Enable, 2,4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
825	R1124N251B	VR-IC	LDO, LN, Enable, 2,5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
826	R1124N261B	VR-IC	LDO, LN, Enable, 2,6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
827	R1124N271B	VR-IC	LDO, LN, Enable, 2,7V±2%, 150mA	SOT23-5	28vri	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
828	R1124N281B	VR-IC	LDO, LN, Enable, auto discharge, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
829	R1124N291B	VR-IC	LDO, LN, Enable, 2.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
82A1	LX8211-00ISE	VR-IC	Adjustable, 150mA	SOT23-5	28sg	VR16	Msc
82B1	LX8211-25ISE	VR-IC	2.5V±0.25%, 150mA	SOT23-5	28vrx	VR7	Msc
82D1	LX8211-27ISE	VR-IC	2.7V±0.25%, 150mA	SOT23-5	28vrx	VR7	Msc
82E1	LX8211-28ISE	VR-IC	2.8V±0.25%, 150mA	SOT23-5	28vrx	VR7	Msc
82G1	LX8211-30ISE	VR-IC	3V±0.25%, 150mA	SOT23-5	28vrx	VR7	Msc
82K1	LX8211-33ISE	VR-IC	3.3V±0.25%, 150mA	SOT23-5	28vrx	VR7	Msc
83	RN5RF33BA	VR-IC	LRip, Enable, 3.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
83	RN5RZ33BA	VR-IC	Low Noise, LDO, Enable, 3.3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
830	R1124N301B	VR-IC	LDO, LN, Enable, 3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
831	R1124N311B	VR-IC	LDO, LN, Enable, 3.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
832	R1124N321B	VR-IC	LDO, LN, Enable, 3.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
833	R1124N331B	VR-IC	LDO, LN, Enable, 3.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
834	R1124N341B	VR-IC	LDO, LN, Enable, 3.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
835	R1124N351B	VR-IC	LDO, LN, Enable, 3.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
836	R1124N361B	VR-IC	LDO, LN, Enable, 3.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
837	R1124N371B	VR-IC	LDO, LN, Enable, 3.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
838	R1124N381B	VR-IC	LDO, LN, Enable, 3.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
839	R1124N391B	VR-IC	LDO, LN, Enable, 3.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
84	RN5RF34BA	VR-IC	LRip, Enable, 3.4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
84	RN5RZ34BA	VR-IC	Low Noise, LDO, Enable, 3.4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
840	R1124N401B	VR-IC	LDO, LN, Enable, 4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
841	R1124N281B5	VR-IC	LDO, LN, -Enable, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
85	RN5RF35BA	VR-IC	LRip, Enable, 3.5V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
85	RN5RZ35BA	VR-IC	Low Noise, LDO, Enable, 3.5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
85A2	MAS9485AST2	VR-IC	LDO, Enable, 2.8V, 100mA	SOT23-5	28vrx	VR7	Mas
86	RN5RF36BA	VR-IC	LRip, Enable, 3.6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
86	RN5RZ36BA	VR-IC	Low Noise, LDO, Enable, 3.6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
87	RN5RF37BA	VR-IC	LRip, Enable, 3.7V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
87	RN5RZ37BA	VR-IC	Low Noise, LDO, Enable, 3.7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
88	RN5RF38BA	VR-IC	LRip, Enable, 3.8V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
88	RN5RZ38BA	VR-IC	Low Noise, LDO, Enable, 3.8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
89	RN5RF39BA	VR-IC	LRip, Enable, 3.9V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
89	RN5RZ39BA	VR-IC	Low Noise, LDO, Enable, 3.9V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
8B	R3111N181A	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
8B	RN5RL28AA	VR-IC	2.8V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
8B	RN5VD18CA	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
8C	R3111N281A	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
8C	RN5RL38AA	VR-IC	3.8V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
8C	RN5VD28CA	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
8D	R3111N381A	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
8D	RN5RL48AA	VR-IC	4.8V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
8D	RN5VD38CA	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
8E	R3111N481A	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
8E	RN5RL58AA	VR-IC	5.8V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
8E	RN5VD48CA	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
8F	R3111N581A	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
8F	RN5VD58CA	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
8J	R3111N181C	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT23-5	28vdm	VD8	Ric
8K	R3111N281C	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
8L	R3111N381C	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
8M	R3111N481C	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
8N	R3111N581C	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
8Q	R1210N281A	VR-IC	PWM step-up DC-DC converter, 2.8V, 35...100KHz	SOT23-5	28sc	-	Ric
8S	RN5RF18AA	VR-IC	LRip, -Enable, 1.8V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
8S00	NC7ST00M5	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Fch
8S02	NC7ST02M5	TTL-Logic	2-input NOR gate	SOT23-5	Log2	-	Fch
8S04	NC7ST04M5	TTL-Logic	Inverter	SOT353	Log6	-	Fch
8S08	NC7ST08M5	TTL-Logic	2-input AND gate	SOT23-5	Log3	-	Fch
8S14	NC7ST14M5	TTL-Logic	Inverting Schmitt-trigger	SC-59	Log7	-	Fch
8S32	NC7ST32M5	TTL-Logic	2-input OR gate	SOT23-5	Log4	-	Fch
8S86	NC7ST86M5	TTL-Logic	2-input EXCLUSIVE OR gate	SOT23-5	Log5	-	Fch
8T	RN5RF18BA	VR-IC	LRip, Enable, 1.8V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
8U	R1210N281C	VR-IC	PWM step-up DC-DC converter, 2.8V, 100KHz	SOT23-5	28sc	-	Ric
8W	R1210N381C	VR-IC	PWM step-up DC-DC converter, 3.8V, 100KHz	SOT23-5	28sc	-	Ric
8X	R1210N481C	VR-IC	PWM step-up DC-DC converter, 4.8V, 100KHz	SOT23-5	28sc	-	Ric
8Y	R1210N581C	VR-IC	PWM step-up DC-DC converter, 5.8V, 100KHz	SOT23-5	28sc	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
6Z	R1210N281D	VR-IC	PWM step-up DC-DC converter, 2.8V, 180KHz	SOT23-5	28sc	-	Ric
90	RN5RF40BA	VR-IC	LRip, Enable, 4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
90	RN5RZ40BA	VR-IC	Low Noise, LDO, Enable, 4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
91	RN5RF41BA	VR-IC	LRip, Enable, 4.1V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
91	RN5RZ41BA	VR-IC	Low Noise, LDO, Enable, 4.1V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
915	R1124N151D	VR-IC	LDO, LN, Enable, auto discharge, 1.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
916	R1124N161D	VR-IC	LDO, LN, Enable, auto discharge, 1.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
917	R1124N171D	VR-IC	LDO, LN, Enable, auto discharge, 1.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
918	R1124N181D	VR-IC	LDO, LN, Enable, auto discharge, 1.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
919	R1124N191D	VR-IC	LDO, LN, Enable, auto discharge, 1.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
92	RN5RF42BA	VR-IC	LRip, Enable, 4.2V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
92	RN5RZ42BA	VR-IC	Low Noise, LDO, Enable, 4.2V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
920	R1124N201D	VR-IC	LDO, LN, Enable, auto discharge, 2.0V±2%, 150mA	SOT23-5	28vri	VR4	Ric
921	R1124N211D	VR-IC	LDO, LN, Enable, auto discharge, 2.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
922	R1124N221D	VR-IC	LDO, LN, Enable, auto discharge, 2.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
923	R1124N231D	VR-IC	LDO, LN, Enable, auto discharge, 2.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
924	R1124N241D	VR-IC	LDO, LN, Enable, auto discharge, 2.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
925	R1124N251D	VR-IC	LDO, LN, Enable, auto discharge, 2.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
926	R1124N261D	VR-IC	LDO, LN, Enable, auto discharge, 2.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
927	R1124N271D	VR-IC	LDO, LN, Enable, auto discharge, 2.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
928	R1124N281D	VR-IC	LDO, LN, Enable, auto discharge, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
929	R1124N291D	VR-IC	LDO, LN, Enable, auto discharge, 2.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
93	RN5RF43BA	VR-IC	LRip, Enable, 4.3V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
93	RN5RZ43BA	VR-IC	Low Noise, LDO, Enable, 4.3V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
930	R1124N301D	VR-IC	LDO, LN, Enable, auto discharge, 3.0V±2%, 150mA	SOT23-5	28vri	VR4	Ric
931	R1124N311D	VR-IC	LDO, LN, Enable, auto discharge, 3.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
932	R1124N321D	VR-IC	LDO, LN, Enable, auto discharge, 3.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
933	R1124N331D	VR-IC	LDO, LN, Enable, auto discharge, 3.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
934	R1124N341D	VR-IC	LDO, LN, Enable, auto discharge, 3.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
935	R1124N351D	VR-IC	LDO, LN, Enable, auto discharge, 3.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
936	R1124N361D	VR-IC	LDO, LN, Enable, auto discharge, 3.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
937	R1124N371D	VR-IC	LDO, LN, Enable, auto discharge, 3.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
938	R1124N381D	VR-IC	LDO, LN, Enable, auto discharge, 3.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
939	R1124N391D	VR-IC	LDO, LN, Enable, auto discharge, 3.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
94	RN5RF44BA	VR-IC	LRip, Enable, 4.4V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
94	RN5RZ44BA	VR-IC	Low Noise, LDO, Enable, 4.4V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
940	R1124N401D	VR-IC	LDO, LN, Enable, auto discharge, 4.0V±2%, 150mA	SOT23-5	28vri	VR4	Ric
941	R1124N281D5	VR-IC	LDO, LN, Enable, auto discharge, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
95	RN5RF45BA	VR-IC	LRip, Enable, 4.5V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
95	RN5RZ45BA	VR-IC	Low Noise, LDO, Enable, 4.5V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
96	RN5RF46BA	VR-IC	LRip, Enable, 4.6V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
96	RN5RZ46BA	VR-IC	Low Noise, LDO, Enable, 4.6V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
97	RN5RF47BA	VR-IC	LRip, Enable, 4.7V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
97	RN5RZ47BA	VR-IC	Low Noise, LDO, Enable, 4.7V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
98	RN5RF48BA	VR-IC	LRip, Enable, 4.8V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
98	RN5RZ48BA	VR-IC	Low Noise, LDO, Enable, 4.8V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
99	RN5RF49BA	VR-IC	LRip, Enable, 4.9V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
99	RN5RZ49BA	VR-IC	Low Noise, LDO, Enable, 4.9V±2%, 100mA	SOT23-5	28vrt	VR4	Ric
9A	R3111N091A	CMOS-IC	Voltage Detector 0.9V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
9A	RN5VD09CA	CMOS-IC	Voltage Detector 0.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
9B	R3111N191A	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
9B	RN5RL29AA	VR-IC	2.9V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
9B	RN5VD19CA	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
9C	R3111N291A	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
9C	RN5RL39AA	VR-IC	3.9V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
9C	RN5VD29CA	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
9D	R3111N391A	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
9D	RN5RL49AA	VR-IC	4.9V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
9D	RN5VD39CA	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
9E	R3111N491A	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
9E	RN5RL59AA	VR-IC	5.9V±2.5%, 150mA	SOT23-5	28vrj	VR1	Ric
9E	RN5VD49CA	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
9F	R3111N591A	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ric
9F	RN5VD59CA	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SOT23-5	28vdo	VD6	Ric
9H	R3111N091C	CMOS-IC	Voltage Detector 0.9V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
9J	R3111N191C	CMOS-IC	Voltage Detector 1.9V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
9K	R3111N291C	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
9L	R3111N391C	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
9M	R3111N491C	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
9N	R3111N591C	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SOT23-5	28vdm	VD6	Ric
9Q	R1210N291A	VR-IC	PWM step-up DC-DC converter, 2.9V, 35..100KHz	SOT23-5	28sc	-	Ric
9S	RN5RF19AA	VR-IC	LRip, -Enable, 1.9V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
9T	RN5RF19BA	VR-IC	LRip, Enable, 1.9V±2%, 1A*	SOT23-5	28vrl	VR6	Ric
9U	R1210N291C	VR-IC	PWM step-up DC-DC converter, 2.9V, 100KHz	SOT23-5	28sc	-	Ric
9W	R1210N391C	VR-IC	PWM step-up DC-DC converter, 3.9V, 100KHz	SOT23-5	28sc	-	Ric
9X	R1210N491C	VR-IC	PWM step-up DC-DC converter, 4.9V, 100KHz	SOT23-5	28sc	-	Ric
9Y	R1210N591C	VR-IC	PWM step-up DC-DC converter, 5.9V, 100KHz	SOT23-5	28sc	-	Ric
9Z	R1210N291D	VR-IC	PWM step-up DC-DC converter, 2.9V, 180KHz	SOT23-5	28sc	-	Ric
A0	R1111N201A	VR-IC	LDO, LN, -Enable, 2V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A0	TC1014-4.0VRX	VR-IC	LDO, Enable, 4V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
A1	R1111N211A	VR-IC	LDO, LN, -Enable, 2.1V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A1	TC1014-2.5VRX	VR-IC	LDO, Enable, 2.5V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
A11	MIC6211BM5	Op-IC	GP, ±4..±16V, Icco=1.3mA, 2.5MHz, 6V/μs	SOT23-5	28opa	OP1	Mcr
A13	MIC7111BM5	Op-IC	Rail-to-Rail Input/Output, 1.8..11V, Icco=15μA, 25KHz	SOT23-5	28obp	OP1	Mcr
A14	MIC7211BM5	Comp-IC	Micropower, 2.2..10V, OVg=120dB, Push-pull output	SOT23-5	28obp	OP1	Mcr
A15	MIC7221BM5	Comp-IC	Micropower, 2.2..10V, OVg=120dB, Open drain output	SOT23-5	28obp	OP1	Mcr
A16	MIC7201BM5	Lin-IC	Instrum. Diff. Amp, 2.2..10V, Icco=0.6mA, Ez=9mV, 400KHz	SOT23-5	28obp	-	Mcr
A17	MIC7300BM5	Op-IC	Rail-to-Rail I/O, 2.2..10V, Icco=0.7mA, 0.5V/μs, 500KHz	SOT23-5	28opa	OP1	Mcr
A2	AP431Q	Vref-IC	Adjustable, Precision, Shunt, 2.495V±1%	SOT23-5	28ra	RF1	Ana
A2	R1111N221A	VR-IC	LDO, LN, -Enable, 2.2V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A2	TC1014-2.7VRX	VR-IC	LDO, Enable, 2.7V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
A20	LMV721M7	Op-IC	Low Noise, Vcc=2.7..5V, 10MHz, 2V/μs	SOT23-5	28opa	OP1	Nsc
A24	MIC913BM5	Op-IC	Lo-Power, ±2.5..±9V, 350MHz	SOT23-5	28obp	OP1	Mcr
A25	MIC820BC5	Op-IC	Lo-Power, ±4.7..±5.25V, Icco=22μA, 5V/μs, 4MHz	SOT23-5	28opf	OP1	Mcr
A26	MIC914BM5	Op-IC	Lo-Power, ±2.5..±9V, Icco=1.25mA, 160MHz	SOT23-5	28obp	OP1	Mcr
A3	AP431AQ	Vref-IC	Adjustable, Precision, Shunt, 2.495V±0.5%	SOT23-5	28ra	RF1	Ana
A3	R1111N231A	VR-IC	LDO, LN, -Enable, 2.3V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A3	TC1014-3.0VRX	VR-IC	LDO, Enable, 3V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
A32	MIC860BC5	Op-IC	Lo-Power, ±2.4..±5.25V, Icco=30μA, 4MHz	SOT23-5	28opf	OP1	Mcr
A32A	LMV751M5	Op-IC	Low Noise, Vcc=2.7..5V, 4.5MHz, 2V/μs	SOT23-5	28opa	OP1	Nsc
A32A	LMV751M5X	Op-IC	Low Noise, Vcc=2.7..5V, 4.5MHz, 2V/μs	SOT23-5	28opa	OP1	Nsc
A33	MIC861BC5	Op-IC	Lo-Power, ±2.4..±5.25V, Icco=4.6μA, 400KHz	SOT23-5	28opf	OP1	Mcr
A37A	OPA237NA	Op-IC	GP, Lo-Power, ±1.35..±18V, Icco=350μA, 1.5MHz	SOT23-5	28opa	OP1	Bub
A4	R1111N241A	VR-IC	LDO, LN, -Enable, 2.4V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A5	R1111N251A	VR-IC	LDO, LN, -Enable, 2.5V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A5	TC1014-3.3VRX	VR-IC	LDO, Enable, 3.3V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
A51	MIC6251BM5	Lin-IC	Instrum. Diff. Amp, 4..32V, +2, +1, -1 gain, 2MHz, 6V/μs	SOT23-5	28opa	-	Mcr
A52	MIC6252BM5	Lin-IC	Instrum. Diff. Amp, 4..32V, +0.5, +1 gain, 2MHz, 6V/μs	SOT23-5	28opa	-	Mcr
A6	R1111N261A	VR-IC	LDO, LN, -Enable, 2.6V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A7	R1111N271A	VR-IC	LDO, LN, -Enable, 2.7V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A7	TC1014-5.0VRX	VR-IC	LDO, Enable, 5V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
A74	LMV931MG	Op-IC	Lo-Power, Vcc=1.8..5V, 1.4MHz, 0.35V/μs	SOT23-5	28opf	-	Nsc
A74	LMV931MGX	Op-IC	Lo-Power, Vcc=1.8..5V, 1.4MHz, 0.35V/μs	SOT23-5	28opf	-	Nsc
A79A	LMV931MF	Op-IC	Lo-Power, Vcc=1.8..5V, 1.4MHz, 0.35V/μs	SOT23-5	28opf	-	Nsc
A79A	LMV931MFX	Op-IC	Lo-Power, Vcc=1.8..5V, 1.4MHz, 0.35V/μs	SOT23-5	28opf	-	Nsc
A6	R1111N281A	VR-IC	LDO, LN, -Enable, 2.8V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A6	TC1014-2.85VRX	VR-IC	LDO, Enable, 2.85V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
A9	R1111N291A	VR-IC	LDO, LN, -Enable, 2.9V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
A9	RN5VD09AA	CMOS-IC	Voltage Detector 0.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
A9	TC1014-3.6VRX	VR-IC	LDO, Enable, 3.6V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
AA	μPA501T	Si-PNP	Dual, 60V, 100mA, 180MHz	SOT23-5	28td	-	Nec
AA	μPA571T	Si-PNP	Dual, 60V, 100mA, 180MHz	SOT23-5	28td	-	Nec
AA	74AHC1G00	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Phi
AA	RN5RT20AA	VR-IC	LDO, -Enable, 2V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AA	SIP823LEU	CMOS-IC	Voltage Detector 4.63V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Vis
AAAA	MAX8877EZK15-T	VR-IC	LDO, Enable, 1.5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAB	MAX8877EZK18-T	VR-IC	LDO, Enable, 1.8V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAC	MAX8877EZK25-T	VR-IC	LDO, Enable, 2.5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAD	MAX8877EZK28-T	VR-IC	LDO, Enable, 2.8V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAE	MAX8877EZK30-T	VR-IC	LDO, Enable, 3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAF	MAX8877EZK32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAG	MAX8877EZK33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAH	MAX8877EZK36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAI	MAX8877EZK50-T	VR-IC	LDO, Enable, 5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAJ	MAX8878EZK15-T	VR-IC	LDO, Enable, 1.5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAK	MAX8878EZK18-T	VR-IC	LDO, Enable, 1.8V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
AAAL	MAX8878E2K25-T	VR-IC	LDO, Enable, 2.5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAM	MAX8878E2K28-T	VR-IC	LDO, Enable, 2.8V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAN	MAX8878E2K30-T	VR-IC	LDO, Enable, 3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAO	MAX8878E2K32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAP	MAX8878E2K33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAQ	MAX8878E2K36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AAAR	MAX8878E2K50-T	VR-IC	LDO, Enable, 5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
AABE	MAX8863TEUK-T	VR-IC	LDO, Enable, Set, 3.15V±1.4%, 0.12A	SOT23-5	28vrv	VR5	Max
AABF	MAX8863SEUK-T	VR-IC	LDO, Enable, Set, 2.84V±1.4%, 0.12A	SOT23-5	28vrv	VR5	Max
AABG	MAX8864TEUK-T	VR-IC	LDO, Enable, Set, 3.15V±1.4%, 0.12A	SOT23-5	28vrv	VR5	Max
AABH	MAX8864SEUK-T	VR-IC	LDO, Enable, Set, 2.84V±1.4%, 0.12A	SOT23-5	28vrv	VR5	Max
AABV	MAX8863REUK-T	VR-IC	LDO, Enable, Set, 2.8V±1.4%, 0.12A	SOT23-5	28vrv	VR5	Max
AABW	MAX8864REUK-T	VR-IC	LDO, Enable, Set, 2.8V±1.4%, 0.12A	SOT23-5	28vrv	VR5	Max
AABY	MAX4165EUK-T	Op-IC	±1.35 ±3.25V, 5MHz, Icc=1.2mA, OVg=120dB	SOT23-5	28opa	-	Max
AB	74AHC1G02	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Phi
AB	RN5RT21AA	VR-IC	LDO, -Enable, 2.1V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AB	SiP823MEU	CMOS-IC	Voltage Detector 4.38V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Vls
ABAA	V6300ASP5B	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ABAB	V6300BSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ABAC	V6300CSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ABAD	V6300DSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ABAE	V6300ESP5B	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ABAF	V6300FSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ABAG	V6300GSP5B	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ABAH	V6300HSP5B	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ABAI	V6300ISP5B	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ABAJ	V6300JSP5B	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ABAK	V6300KSP5B	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ABAL	V6300LSP5B	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ABAM	V6300MSP5B	CMOS-IC	Voltage Detector 2V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ABAN	V6300NSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ABAO	MAX6306UK50D1-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABAO	V6300OSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ABAP	MAX6306UK50D2-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABAP	V6300PSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ABAQ	MAX6306UK50D3-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABAR	V6300QSP5B	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ABAR	MAX6306UK50D4-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABAR	V6300RSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ABAS	MAX6306UK49D1-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABAT	MAX6306UK49D2-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABAU	MAX6306UK49D3-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABAV	MAX6306UK49D4-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABAW	MAX6306UK46D1-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABAX	MAX6306UK46D2-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABAY	MAX6306UK46D3-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABAZ	MAX6306UK46D4-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABBA	MAX6306UK47D1-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABBB	MAX6306UK47D2-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABBC	MAX6306UK47D3-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABBD	MAX6306UK47D4-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABBE	MAX6306UK46D1-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABBF	MAX6306UK46D2-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABBG	MAX6306UK46D3-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABBH	MAX6306UK46D4-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABBI	MAX6306UK45D1-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABBJ	MAX6306UK45D2-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABBK	MAX6306UK45D3-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABBL	MAX6306UK45D4-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABBM	MAX6306UK44D1-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABBN	MAX6306UK44D2-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABBO	MAX6306UK44D3-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABBP	MAX6306UK44D4-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABBQ	MAX6306UK43D1-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max
ABBR	MAX6306UK43D2-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABBS	MAX6306UK43D3-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABBT	MAX6306UK43D4-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABBU	MAX6306UK42D1-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset ODO, 1ms	SOT23-5	28ek	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABEL	MAX6306UK2502-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset ODO, 20ms	SOT23-5	28ek	-	Max
ABEM	MAX6306UK2503-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset ODO, 140ms	SOT23-5	28ek	-	Max
ABEN	MAX6306UK2504-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset ODO, 1120ms	SOT23-5	28ek	-	Max
ABEO	MAX6307UK5001-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABEP	MAX6307UK5002-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABEQ	MAX6307UK5003-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABER	MAX6307UK5004-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABES	MAX6307UK4901-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABET	MAX6307UK4902-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABEU	MAX6307UK4903-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABEV	MAX6307UK4904-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABEW	MAX6307UK4801-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABEX	MAX6307UK4802-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABEY	MAX6307UK4803-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABEZ	MAX6307UK4804-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABF	LM4041AIX3-1 2	Vref-IC	Precision, Shunt, 1 225V, 0 1%	SC-70	28dq	-	Max
ABFA	MAX6307UK4701-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABFB	MAX6307UK4702-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABFC	MAX6307UK4703-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABFD	MAX6307UK4704-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABFE	MAX6307UK4601-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABFF	MAX6307UK4602-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABFG	MAX6307UK4603-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABFH	MAX6307UK4604-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABFI	MAX6307UK4501-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABFJ	MAX6307UK4502-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABFK	MAX6307UK4503-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABFL	MAX6307UK4504-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABFM	MAX6307UK4401-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABFN	MAX6307UK4402-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABFO	MAX6307UK4403-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABFP	MAX6307UK4404-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABFQ	MAX6307UK4301-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABFR	MAX6307UK4302-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABFS	MAX6307UK4303-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABFT	MAX6307UK4304-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABFU	MAX6307UK4201-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABFV	MAX6307UK4202-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABFW	MAX6307UK4203-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABFX	MAX6307UK4204-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABFY	MAX6307UK4101-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABFZ	MAX6307UK4102-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABG	LM4041BIX3-1 2	Vref-IC	Precision, Shunt, 1 225V, 0 2%	SC-70	28dq	-	Max
ABGA	MAX6307UK4103-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABGB	MAX6307UK4104-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABGC	MAX6307UK4001-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABGD	MAX6307UK4002-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABGE	MAX6307UK4003-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABGF	MAX6307UK4004-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABGG	MAX6307UK3901-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABGH	MAX6307UK3902-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABGI	MAX6307UK3903-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABGU	MAX6307UK3904-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABGK	MAX6307UK3801-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABGL	MAX6307UK3802-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABGM	MAX6307UK3803-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABGN	MAX6307UK3804-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABGO	MAX6307UK3701-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABGP	MAX6307UK3702-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABGQ	MAX6307UK3703-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABGR	MAX6307UK3704-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABGS	MAX6307UK3601-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABGT	MAX6307UK3602-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABGU	MAX6307UK3603-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max
ABGV	MAX6307UK3604-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset ODO, 1120ms	SOT23-5	28em	-	Max
ABGW	MAX6307UK3501-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset ODO, 1ms	SOT23-5	28em	-	Max
ABGX	MAX6307UK3502-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset ODO, 20ms	SOT23-5	28em	-	Max
ABGY	MAX6307UK3503-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset ODO, 140ms	SOT23-5	28em	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABGZ	MAX6307UK3504-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABH	LM4041DIX3-1.2	Vref-IC	Precision, Shunt, 1.225V, 0.5%	SC-70	28dq	-	Max
ABHA	MAX6307UK3401-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABHB	MAX6307UK3402-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABHC	MAX6307UK3403-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABHD	MAX6307UK3404-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABHE	MAX6307UK3301-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABHF	MAX6307UK3302-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABHG	MAX6307UK3303-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABHH	MAX6307UK3304-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABHI	MAX6307UK3201-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABHJ	MAX6307UK3202-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABHK	MAX6307UK3203-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABHL	MAX6307UK3204-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABHM	MAX6307UK3101-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABHN	MAX6307UK3102-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABHO	MAX6307UK3103-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABHP	MAX6307UK3104-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABHQ	MAX6307UK3001-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABHR	MAX6307UK3002-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABHS	MAX6307UK3003-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABHT	MAX6307UK3004-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABHU	MAX6307UK2901-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABHV	MAX6307UK2902-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABHW	MAX6307UK2903-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABHX	MAX6307UK2904-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABHY	MAX6307UK2801-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset ODD, 1ms	SOT23-5	28am	-	Max
ABHZ	MAX6307UK2802-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABIA	MAX6307UK2803-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABIB	MAX6307UK2804-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABIC	MAX6307UK2701-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABID	MAX6307UK2702-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABIE	MAX6307UK2703-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABIF	MAX6307UK2704-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABIG	MAX6307UK2601-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABIH	MAX6307UK2602-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABII	MAX6307UK2603-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABIJ	MAX6307UK2604-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABIK	MAX6307UK2501-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset ODD, 1ms	SOT23-5	28em	-	Max
ABIL	MAX6307UK2502-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset ODD, 20ms	SOT23-5	28em	-	Max
ABIM	MAX6307UK2503-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset ODD, 140ms	SOT23-5	28em	-	Max
ABIN	MAX6307UK2504-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset ODD, 1120ms	SOT23-5	28em	-	Max
ABIS	MAX6309UK5001-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset PPD, 1ms	SOT23-5	28ek	-	Max
ABIT	MAX6309UK5002-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset PPD, 20ms	SOT23-5	28ek	-	Max
ABIU	MAX6309UK5003-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset PPD, 140ms	SOT23-5	28ek	-	Max
ABIV	MAX6309UK5004-T	CMOS-IC	Voltage Detector 5V, -MR, -Reset PPD, 1120ms	SOT23-5	28ek	-	Max
ABIW	MAX6309UK4901-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset PPD, 1ms	SOT23-5	28ek	-	Max
ABIX	MAX6309UK4902-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset PPD, 20ms	SOT23-5	28ek	-	Max
ABIY	MAX6309UK4903-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset PPD, 140ms	SOT23-5	28ek	-	Max
ABIZ	MAX6309UK4904-T	CMOS-IC	Voltage Detector 4.9V, -MR, -Reset PPD, 1120ms	SOT23-5	28ek	-	Max
ABJ	LM4040AIX3-2.1	Vref-IC	Precision, Shunt, 2.048V, 0.1%	SC-70	28dq	-	Max
ABJA	MAX6309UK4801-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset PPD, 1ms	SOT23-5	28ek	-	Max
ABJB	MAX6309UK4802-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset PPD, 20ms	SOT23-5	28ek	-	Max
ABJC	MAX6309UK4803-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset PPD, 140ms	SOT23-5	28ek	-	Max
ABJD	MAX6309UK4804-T	CMOS-IC	Voltage Detector 4.8V, -MR, -Reset PPD, 1120ms	SOT23-5	28ek	-	Max
ABJE	MAX6309UK4701-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset PPD, 1ms	SOT23-5	28ek	-	Max
ABJF	MAX6309UK4702-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset PPD, 20ms	SOT23-5	28ek	-	Max
ABJG	MAX6309UK4703-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset PPD, 140ms	SOT23-5	28ek	-	Max
ABJH	MAX6309UK4704-T	CMOS-IC	Voltage Detector 4.7V, -MR, -Reset PPD, 1120ms	SOT23-5	28ek	-	Max
ABJI	MAX6309UK4601-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset PPD, 1ms	SOT23-5	28ek	-	Max
ABJJ	MAX6309UK4602-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset PPD, 20ms	SOT23-5	28ek	-	Max
ABJK	MAX6309UK4603-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset PPD, 140ms	SOT23-5	28ek	-	Max
ABJL	MAX6309UK4604-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset PPD, 1120ms	SOT23-5	28ek	-	Max
ABJM	MAX6309UK4501-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset PPD, 1ms	SOT23-5	28ek	-	Max
ABJN	MAX6309UK4502-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset PPD, 20ms	SOT23-5	28ek	-	Max
ABJO	MAX6309UK4503-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset PPD, 140ms	SOT23-5	28ek	-	Max
ABJP	MAX6309UK4504-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset PPD, 1120ms	SOT23-5	28ek	-	Max
ABJQ	MAX6309UK4401-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset PPD, 1ms	SOT23-5	28ek	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABJR	MAX6309UK44D2-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABJS	MAX6309UK44D3-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABJT	MAX6309UK44D4-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABJU	MAX6309UK43D1-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABJV	MAX6309UK43D2-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABJW	MAX6309UK43D3-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABJX	MAX6309UK43D4-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABJY	MAX6309UK42D1-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABJZ	MAX6309UK42D2-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABK	LM4040BIX3-2 1	Vref-IC	Precision, Shunt, 2,048V, 0.2%	SC-70	28dq	-	Max
ABKA	MAX6309UK42D3-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABKB	MAX6309UK42D4-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABKC	MAX6309UK41D1-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABKD	MAX6309UK41D2-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABKE	MAX6309UK41D3-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABKF	MAX6309UK41D4-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABKG	MAX6309UK40D1-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABKH	MAX6309UK40D2-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABKI	MAX6309UK40D3-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABKJ	MAX6309UK40D4-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABKK	MAX6309UK39D1-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABKL	MAX6309UK39D2-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABKM	MAX6309UK39D3-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABKN	MAX6309UK39D4-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABKO	MAX6309UK38D1-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABKP	MAX6309UK38D2-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABKQ	MAX6309UK38D3-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABKR	MAX6309UK38D4-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABKS	MAX6309UK37D1-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABKT	MAX6309UK37D2-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABKU	MAX6309UK37D3-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABKV	MAX6309UK37D4-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABKW	MAX6309UK36D1-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABKX	MAX6309UK36D2-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABKY	MAX6309UK36D3-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABKZ	MAX6309UK36D4-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABL	LM4040CIX3-2 1	Vref-IC	Shunt, 2,048V, 0.5%	SC-70	28dq	-	Max
ABLA	MAX6309UK35D1-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABLB	MAX6309UK35D2-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABLC	MAX6309UK35D3-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABLD	MAX6309UK35D4-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABLE	MAX6309UK34D1-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABLF	MAX6309UK34D2-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABLG	MAX6309UK34D3-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABLH	MAX6309UK34D4-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABLI	MAX6309UK33D1-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABLJ	MAX6309UK33D2-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABLK	MAX6309UK33D3-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABLL	MAX6309UK33D4-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABLM	MAX6309UK32D1-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABLN	MAX6309UK32D2-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABLO	MAX6309UK32D3-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABLP	MAX6309UK32D4-T	CMOS-IC	Voltage Detector 3.2V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABLQ	MAX6309UK31D1-T	CMOS-IC	Voltage Detector 3.1V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABLR	MAX6309UK31D2-T	CMOS-IC	Voltage Detector 3.1V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABLS	MAX6309UK31D3-T	CMOS-IC	Voltage Detector 3.1V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABLT	MAX6309UK31D4-T	CMOS-IC	Voltage Detector 3.1V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABLU	MAX6309UK30D1-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABLV	MAX6309UK30D2-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABLW	MAX6309UK30D3-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABLX	MAX6309UK30D4-T	CMOS-IC	Voltage Detector 3V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABLY	MAX6309UK29D1-T	CMOS-IC	Voltage Detector 2.9V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABLZ	MAX6309UK29D2-T	CMOS-IC	Voltage Detector 2.9V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABM	LM4040DIX3-2 1	Vref-IC	Shunt, 2,048V, 1%	SC-70	28dq	-	Max
ABMA	MAX6309UK29D3-T	CMOS-IC	Voltage Detector 2.9V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABMB	MAX6309UK29D4-T	CMOS-IC	Voltage Detector 2.9V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABMC	MAX6309UK28D1-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABMD	MAX6309UK28D2-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABME	MAX6309UK28D3-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABMF	MAX6309UK28D4-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABMG	MAX6309UK27D1-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABMH	MAX6309UK27D2-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABMI	MAX6309UK27D3-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABMJ	MAX6309UK27D4-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABMK	MAX6309UK26D1-T	CMOS-IC	Voltage Detector 2.6V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABML	MAX6309UK26D2-T	CMOS-IC	Voltage Detector 2.6V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABMM	MAX6309UK26D3-T	CMOS-IC	Voltage Detector 2.6V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABMN	MAX6309UK26D4-T	CMOS-IC	Voltage Detector 2.6V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABMO	MAX6309UK25D1-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABMP	MAX6309UK25D2-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABMQ	MAX6309UK25D3-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABMR	MAX6309UK25D4-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABMS	MAX6310UK50D1-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABMT	MAX6310UK50D2-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABMU	MAX6310UK50D3-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABMV	MAX6310UK50D4-T	CMOS-IC	Voltage Detector 5V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABMW	MAX6310UK49D1-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABMX	MAX6310UK49D2-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABMY	MAX6310UK49D3-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABMZ	MAX6310UK49D4-T	CMOS-IC	Voltage Detector 4.9V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABN	LM4040AIX3-2.5	Vref-IC	Precision, Shunt, 2.500V, 0.1%	SC-70	28dq	-	Max
ABNA	MAX6310UK48D1-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABNB	MAX6310UK48D2-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABNC	MAX6310UK48D3-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABND	MAX6310UK48D4-T	CMOS-IC	Voltage Detector 4.8V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABNE	MAX6310UK47D1-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABNF	MAX6310UK47D2-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABNG	MAX6310UK47D3-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABNH	MAX6310UK47D4-T	CMOS-IC	Voltage Detector 4.7V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABNI	MAX6310UK46D1-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABNJ	MAX6310UK46D2-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABNK	MAX6310UK46D3-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABNL	MAX6310UK46D4-T	CMOS-IC	Voltage Detector 4.6V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABNM	MAX6310UK45D1-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABNN	MAX6310UK45D2-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABNO	MAX6310UK45D3-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABNP	MAX6310UK45D4-T	CMOS-IC	Voltage Detector 4.5V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABNQ	MAX6310UK44D1-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABNR	MAX6310UK44D2-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABNS	MAX6310UK44D3-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABNT	MAX6310UK44D4-T	CMOS-IC	Voltage Detector 4.4V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABNU	MAX6310UK43D1-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABNV	MAX6310UK43D2-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABNW	MAX6310UK43D3-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABNX	MAX6310UK43D4-T	CMOS-IC	Voltage Detector 4.3V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABNY	MAX6310UK42D1-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABNZ	MAX6310UK42D2-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABO	LM4040SIX3-2.5	Vref-IC	Precision, Shunt, 2.500V, 0.2%	SC-70	28dq	-	Max
ABOA	MAX6310UK42D3-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABOB	MAX6310UK42D4-T	CMOS-IC	Voltage Detector 4.2V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABOC	MAX6310UK41D1-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABOD	MAX6310UK41D2-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABOE	MAX6310UK41D3-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABOF	MAX6310UK41D4-T	CMOS-IC	Voltage Detector 4.1V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABOG	MAX6310UK40D1-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABOH	MAX6310UK40D2-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABOI	MAX6310UK40D3-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABOJ	MAX6310UK40D4-T	CMOS-IC	Voltage Detector 4V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABOK	MAX6310UK39D1-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABOL	MAX6310UK39D2-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABOM	MAX6310UK39D3-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABON	MAX6310UK39D4-T	CMOS-IC	Voltage Detector 3.9V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABOO	MAX6310UK38D1-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABOP	MAX6310UK38D2-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABOQ	MAX6310UK38D3-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABOR	MAX6310UK38D4-T	CMOS-IC	Voltage Detector 3.8V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABOS	MAX6310UK37D1-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABOT	MAX6310UK37D2-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABOU	MAX6310UK37D3-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABOV	MAX6310UK37D4-T	CMOS-IC	Voltage Detector 3.7V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABOW	MAX6310UK38D1-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABOX	MAX6310UK38D2-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABOY	MAX6310UK38D3-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABOZ	MAX6310UK38D4-T	CMOS-IC	Voltage Detector 3.6V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABP	LM4040CIX3-2.5	Vref-IC	Shunt, 2.500V, 0.5%	SC-70	28dq	-	Max
ABPA	MAX6310UK35D1-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABPB	MAX6310UK35D2-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABPC	MAX6310UK35D3-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABPD	MAX6310UK35D4-T	CMOS-IC	Voltage Detector 3.5V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABPE	MAX6310UK34D1-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABPF	MAX6310UK34D2-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABPG	MAX6310UK34D3-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABPH	MAX6310UK34D4-T	CMOS-IC	Voltage Detector 3.4V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABPI	MAX6310UK33D1-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABPJ	MAX6310UK33D2-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABPK	MAX6310UK33D3-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABPL	MAX6310UK33D4-T	CMOS-IC	Voltage Detector 3.3V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABPM	MAX6310UK32D1-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABPN	MAX6310UK32D2-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABPO	MAX6310UK32D3-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABPP	MAX6310UK32D4-T	CMOS-IC	Voltage Detector 3.2V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABPQ	MAX6310UK31D1-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABPR	MAX6310UK31D2-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABPS	MAX6310UK31D3-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABPT	MAX6310UK31D4-T	CMOS-IC	Voltage Detector 3.1V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABPU	MAX6310UK30D1-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABPV	MAX6310UK30D2-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABPW	MAX6310UK30D3-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABPX	MAX6310UK30D4-T	CMOS-IC	Voltage Detector 3V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABPY	MAX6310UK29D1-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABPZ	MAX6310UK29D2-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABQ	LM4040DIX3-2.5	Vref-IC	Shunt, 2.500V, 1%	SC-70	28dq	-	Max
ABQA	MAX6310UK28D3-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABQB	MAX6310UK28D4-T	CMOS-IC	Voltage Detector 2.9V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABQC	MAX6310UK28D1-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABQD	MAX6310UK28D2-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABQE	MAX6310UK28D3-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABQF	MAX6310UK28D4-T	CMOS-IC	Voltage Detector 2.8V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABQG	MAX6310UK27D1-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABQH	MAX6310UK27D2-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABQI	MAX6310UK27D3-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABQJ	MAX6310UK27D4-T	CMOS-IC	Voltage Detector 2.7V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABQK	MAX6310UK26D1-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABQL	MAX6310UK26D2-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABQM	MAX6310UK26D3-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABQN	MAX6310UK26D4-T	CMOS-IC	Voltage Detector 2.6V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABQO	MAX6310UK25D1-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset PPO, 1ms	SOT23-5	28em	-	Max
ABQP	MAX6310UK25D2-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset PPO, 20ms	SOT23-5	28em	-	Max
ABQQ	MAX6310UK25D3-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset PPO, 140ms	SOT23-5	28em	-	Max
ABQR	MAX6310UK25D4-T	CMOS-IC	Voltage Detector 2.5V, OVIn, -Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABQX	MAX6312UK50D2-T	CMOS-IC	Voltage Detector 5V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABQY	MAX6312UK50D3-T	CMOS-IC	Voltage Detector 5V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABQZ	MAX6312UK50D4-T	CMOS-IC	Voltage Detector 5V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABR	LM4040AIX3-3.0	Vref-IC	Precision, Shunt, 3.000V, 0.1%	SC-70	28dq	-	Max
ABRA	MAX6312UK49D1-T	CMOS-IC	Voltage Detector 4.9V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABRB	MAX6312UK49D2-T	CMOS-IC	Voltage Detector 4.9V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABRC	MAX6312UK49D3-T	CMOS-IC	Voltage Detector 4.9V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABRD	MAX6312UK49D4-T	CMOS-IC	Voltage Detector 4.9V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABRE	MAX6312UK48D1-T	CMOS-IC	Voltage Detector 4.8V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABRF	MAX6312UK48D2-T	CMOS-IC	Voltage Detector 4.8V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABRG	MAX6312UK48D3-T	CMOS-IC	Voltage Detector 4.8V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABRH	MAX6312UK48D4-T	CMOS-IC	Voltage Detector 4.8V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABRI	MAX6312UK47D1-T	CMOS-IC	Voltage Detector 4.7V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABRJ	MAX6312UK47D2-T	CMOS-IC	Voltage Detector 4.7V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABRK	MAX6312UK47D3-T	CMOS-IC	Voltage Detector 4.7V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABRL	MAX6312UK47D4-T	CMOS-IC	Voltage Detector 4.7V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABRM	MAX6312UK46D1-T	CMOS-IC	Voltage Detector 4.6V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABRN	MAX6312UK46D2-T	CMOS-IC	Voltage Detector 4.6V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABRO	MAX6312UK46D3-T	CMOS-IC	Voltage Detector 4.6V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABRP	MAX6312UK46D4-T	CMOS-IC	Voltage Detector 4.6V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABRQ	MAX6312UK45D1-T	CMOS-IC	Voltage Detector 4.5V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABRR	MAX6312UK45D2-T	CMOS-IC	Voltage Detector 4.5V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABRS	MAX6312UK45D3-T	CMOS-IC	Voltage Detector 4.5V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABRT	MAX6312UK45D4-T	CMOS-IC	Voltage Detector 4.5V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABRU	MAX6312UK44D1-T	CMOS-IC	Voltage Detector 4.4V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABRV	MAX6312UK44D2-T	CMOS-IC	Voltage Detector 4.4V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABRW	MAX6312UK44D3-T	CMOS-IC	Voltage Detector 4.4V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABRX	MAX6312UK44D4-T	CMOS-IC	Voltage Detector 4.4V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABRY	MAX6312UK43D1-T	CMOS-IC	Voltage Detector 4.3V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABRZ	MAX6312UK43D2-T	CMOS-IC	Voltage Detector 4.3V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABS	LM4040BIX3-3.0	Vref-IC	Precision, Shunt, 3.000V, 0.2%	SC-70	28dq	-	Max
ABSA	MAX6312UK43D3-T	CMOS-IC	Voltage Detector 4.3V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABSB	MAX6312UK43D4-T	CMOS-IC	Voltage Detector 4.3V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABSC	MAX6312UK42D1-T	CMOS-IC	Voltage Detector 4.2V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABSD	MAX6312UK42D2-T	CMOS-IC	Voltage Detector 4.2V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABSE	MAX6312UK42D3-T	CMOS-IC	Voltage Detector 4.2V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABSF	MAX6312UK42D4-T	CMOS-IC	Voltage Detector 4.2V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABSG	MAX6312UK41D1-T	CMOS-IC	Voltage Detector 4.1V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABSH	MAX6312UK41D2-T	CMOS-IC	Voltage Detector 4.1V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABSI	MAX6312UK41D3-T	CMOS-IC	Voltage Detector 4.1V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABSJ	MAX6312UK41D4-T	CMOS-IC	Voltage Detector 4.1V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABSK	MAX6312UK40D1-T	CMOS-IC	Voltage Detector 4V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABSL	MAX6312UK40D2-T	CMOS-IC	Voltage Detector 4V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABSM	MAX6312UK40D3-T	CMOS-IC	Voltage Detector 4V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABSN	MAX6312UK40D4-T	CMOS-IC	Voltage Detector 4V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABSO	MAX6312UK39D1-T	CMOS-IC	Voltage Detector 3.9V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABSP	MAX6312UK39D2-T	CMOS-IC	Voltage Detector 3.9V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABSQ	MAX6312UK39D3-T	CMOS-IC	Voltage Detector 3.9V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABSR	MAX6312UK39D4-T	CMOS-IC	Voltage Detector 3.9V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABSS	MAX6312UK38D1-T	CMOS-IC	Voltage Detector 3.8V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABST	MAX6312UK38D2-T	CMOS-IC	Voltage Detector 3.8V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABSU	MAX6312UK38D3-T	CMOS-IC	Voltage Detector 3.8V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABSV	MAX6312UK38D4-T	CMOS-IC	Voltage Detector 3.8V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABSW	MAX6312UK37D1-T	CMOS-IC	Voltage Detector 3.7V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABSX	MAX6312UK37D2-T	CMOS-IC	Voltage Detector 3.7V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABSY	MAX6312UK37D3-T	CMOS-IC	Voltage Detector 3.7V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABSZ	MAX6312UK37D4-T	CMOS-IC	Voltage Detector 3.7V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABT	LM4040CIX3-3.0	Vref-IC	Shunt, 3.000V, 0.6%	SC-70	28dq	-	Max
ABTA	MAX6312UK36D1-T	CMOS-IC	Voltage Detector 3.6V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABTB	MAX6312UK36D2-T	CMOS-IC	Voltage Detector 3.6V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABTC	MAX6312UK36D3-T	CMOS-IC	Voltage Detector 3.6V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABTD	MAX6312UK36D4-T	CMOS-IC	Voltage Detector 3.6V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABTE	MAX6312UK35D1-T	CMOS-IC	Voltage Detector 3.5V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABTF	MAX6312UK35D2-T	CMOS-IC	Voltage Detector 3.5V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABTG	MAX6312UK35D3-T	CMOS-IC	Voltage Detector 3.5V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABTH	MAX6312UK35D4-T	CMOS-IC	Voltage Detector 3.5V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABTI	MAX6312UK34D1-T	CMOS-IC	Voltage Detector 3.4V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABTJ	MAX6312UK34D2-T	CMOS-IC	Voltage Detector 3.4V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABTK	MAX6312UK34D3-T	CMOS-IC	Voltage Detector 3.4V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABTL	MAX6312UK34D4-T	CMOS-IC	Voltage Detector 3.4V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABTM	MAX6312UK33D1-T	CMOS-IC	Voltage Detector 3.3V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABTN	MAX6312UK33D2-T	CMOS-IC	Voltage Detector 3.3V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABTO	MAX6312UK33D3-T	CMOS-IC	Voltage Detector 3.3V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABTP	MAX6312UK33D4-T	CMOS-IC	Voltage Detector 3.3V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABTQ	MAX6312UK32D1-T	CMOS-IC	Voltage Detector 3.2V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABTR	MAX6312UK32D2-T	CMOS-IC	Voltage Detector 3.2V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABTS	MAX6312UK32D3-T	CMOS-IC	Voltage Detector 3.2V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABTT	MAX6312UK32D4-T	CMOS-IC	Voltage Detector 3.2V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABTU	MAX6312UK31D1-T	CMOS-IC	Voltage Detector 3.1V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABTV	MAX6312UK31D2-T	CMOS-IC	Voltage Detector 3.1V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABTW	MAX6312UK31D3-T	CMOS-IC	Voltage Detector 3.1V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABTX	MAX6312UK31D4-T	CMOS-IC	Voltage Detector 3.1V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABTY	MAX6312UK30D1-T	CMOS-IC	Voltage Detector 3V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABTZ	MAX6312UK30D2-T	CMOS-IC	Voltage Detector 3V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABU	LM4040DIX3-0	Vref-IC	Shunt, 3,000V, 1%	SC-70	28dq	-	Max
ABUA	MAX6312UK30D3-T	CMOS-IC	Voltage Detector 3V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABUB	MAX6312UK30D4-T	CMOS-IC	Voltage Detector 3V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABUC	MAX6312UK29D1-T	CMOS-IC	Voltage Detector 2.9V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABUD	MAX6312UK29D2-T	CMOS-IC	Voltage Detector 2.9V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABUE	MAX6312UK29D3-T	CMOS-IC	Voltage Detector 2.9V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABUF	MAX6312UK29D4-T	CMOS-IC	Voltage Detector 2.9V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABUG	MAX6312UK28D1-T	CMOS-IC	Voltage Detector 2.8V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABUH	MAX6312UK28D2-T	CMOS-IC	Voltage Detector 2.8V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABUI	MAX6312UK28D3-T	CMOS-IC	Voltage Detector 2.8V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABUJ	MAX6312UK28D4-T	CMOS-IC	Voltage Detector 2.8V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABUK	MAX6312UK27D1-T	CMOS-IC	Voltage Detector 2.7V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABUL	MAX6312UK27D2-T	CMOS-IC	Voltage Detector 2.7V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABUM	MAX6312UK27D3-T	CMOS-IC	Voltage Detector 2.7V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABUN	MAX6312UK27D4-T	CMOS-IC	Voltage Detector 2.7V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABUO	MAX6312UK26D1-T	CMOS-IC	Voltage Detector 2.6V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABUP	MAX6312UK26D2-T	CMOS-IC	Voltage Detector 2.6V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABUQ	MAX6312UK26D3-T	CMOS-IC	Voltage Detector 2.6V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABUR	MAX6312UK26D4-T	CMOS-IC	Voltage Detector 2.6V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABUS	MAX6312UK25D1-T	CMOS-IC	Voltage Detector 2.5V, -MR, Reset PPO, 1ms	SOT23-5	28ek	-	Max
ABUT	MAX6312UK25D2-T	CMOS-IC	Voltage Detector 2.5V, -MR, Reset PPO, 20ms	SOT23-5	28ek	-	Max
ABUU	MAX6312UK25D3-T	CMOS-IC	Voltage Detector 2.5V, -MR, Reset PPO, 140ms	SOT23-5	28ek	-	Max
ABUV	MAX6312UK25D4-T	CMOS-IC	Voltage Detector 2.5V, -MR, Reset PPO, 1120ms	SOT23-5	28ek	-	Max
ABUW	MAX6313UK50D1-T	CMOS-IC	Voltage Detector 5V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABUX	MAX6313UK50D2-T	CMOS-IC	Voltage Detector 5V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABUY	MAX6313UK50D3-T	CMOS-IC	Voltage Detector 5V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABUZ	MAX6313UK50D4-T	CMOS-IC	Voltage Detector 5V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABV	LM4040AIX3-4 1	Vref-IC	Precision, Shunt, 4,096V, 0 1%	SC-70	28dq	-	Max
ABVA	MAX6313UK49D1-T	CMOS-IC	Voltage Detector 4.9V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABVB	MAX6313UK49D2-T	CMOS-IC	Voltage Detector 4.9V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABVC	MAX6313UK49D3-T	CMOS-IC	Voltage Detector 4.9V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABVD	MAX6313UK49D4-T	CMOS-IC	Voltage Detector 4.9V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABVE	MAX6313UK48D1-T	CMOS-IC	Voltage Detector 4.8V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABVF	MAX6313UK48D2-T	CMOS-IC	Voltage Detector 4.8V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABVG	MAX6313UK48D3-T	CMOS-IC	Voltage Detector 4.8V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABVH	MAX6313UK48D4-T	CMOS-IC	Voltage Detector 4.8V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABVI	MAX6313UK47D1-T	CMOS-IC	Voltage Detector 4.7V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABVJ	MAX6313UK47D2-T	CMOS-IC	Voltage Detector 4.7V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABVK	MAX6313UK47D3-T	CMOS-IC	Voltage Detector 4.7V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABVL	MAX6313UK47D4-T	CMOS-IC	Voltage Detector 4.7V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABVM	MAX6313UK46D1-T	CMOS-IC	Voltage Detector 4.6V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABVN	MAX6313UK46D2-T	CMOS-IC	Voltage Detector 4.6V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABVO	MAX6313UK46D3-T	CMOS-IC	Voltage Detector 4.6V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABVP	MAX6313UK46D4-T	CMOS-IC	Voltage Detector 4.6V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABVQ	MAX6313UK45D1-T	CMOS-IC	Voltage Detector 4.5V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABVR	MAX6313UK45D2-T	CMOS-IC	Voltage Detector 4.5V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABVS	MAX6313UK45D3-T	CMOS-IC	Voltage Detector 4.5V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABVT	MAX6313UK45D4-T	CMOS-IC	Voltage Detector 4.5V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABVU	MAX6313UK44D1-T	CMOS-IC	Voltage Detector 4.4V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABVV	MAX6313UK44D2-T	CMOS-IC	Voltage Detector 4.4V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABVW	MAX6313UK44D3-T	CMOS-IC	Voltage Detector 4.4V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABVX	MAX6313UK44D4-T	CMOS-IC	Voltage Detector 4.4V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABVY	MAX6313UK43D1-T	CMOS-IC	Voltage Detector 4.3V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABVZ	MAX6313UK43D2-T	CMOS-IC	Voltage Detector 4.3V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABW	LM4040BIX3-4 1	Vref-IC	Precision, Shunt, 4,096V, 0 2%	SC-70	28dq	-	Max
ABWA	MAX6313UK43D3-T	CMOS-IC	Voltage Detector 4.3V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABWB	MAX6313UK43D4-T	CMOS-IC	Voltage Detector 4.3V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABWC	MAX6313UK42D1-T	CMOS-IC	Voltage Detector 4.2V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABWD	MAX6313UK42D2-T	CMOS-IC	Voltage Detector 4.2V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABWE	MAX6313UK42D3-T	CMOS-IC	Voltage Detector 4.2V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABWF	MAX6313UK42D4-T	CMOS-IC	Voltage Detector 4.2V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABWG	MAX6313UK41D1-T	CMOS-IC	Voltage Detector 4.1V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABWH	MAX6313UK41D2-T	CMOS-IC	Voltage Detector 4.1V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABWI	MAX6313UK41D3-T	CMOS-IC	Voltage Detector 4.1V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABWJ	MAX6313UK41D4-T	CMOS-IC	Voltage Detector 4.1V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABWK	MAX6313UK40D1-T	CMOS-IC	Voltage Detector 4V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABWL	MAX6313UK40D2-T	CMOS-IC	Voltage Detector 4V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABWM	MAX6313UK40D3-T	CMOS-IC	Voltage Detector 4V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABWN	MAX6313UK40D4-T	CMOS-IC	Voltage Detector 4V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABWO	MAX6313UK39D1-T	CMOS-IC	Voltage Detector 3.9V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABWP	MAX6313UK39D2-T	CMOS-IC	Voltage Detector 3.9V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABWQ	MAX6313UK39D3-T	CMOS-IC	Voltage Detector 3.9V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABWR	MAX6313UK39D4-T	CMOS-IC	Voltage Detector 3.9V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABWS	MAX6313UK38D1-T	CMOS-IC	Voltage Detector 3.8V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABWT	MAX6313UK38D2-T	CMOS-IC	Voltage Detector 3.8V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABWU	MAX6313UK38D3-T	CMOS-IC	Voltage Detector 3.8V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABWW	MAX6313UK38D4-T	CMOS-IC	Voltage Detector 3.8V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABWV	MAX6313UK37D1-T	CMOS-IC	Voltage Detector 3.7V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABWX	MAX6313UK37D2-T	CMOS-IC	Voltage Detector 3.7V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABWY	MAX6313UK37D3-T	CMOS-IC	Voltage Detector 3.7V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABWZ	MAX6313UK37D4-T	CMOS-IC	Voltage Detector 3.7V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABX	LM4040CIX3-4.1	Vref-IC	Shunt, 4.098V, 0.5%	SC-70	28dq	-	Max
ABXA	MAX6313UK36D1-T	CMOS-IC	Voltage Detector 3.6V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABXB	MAX6313UK36D2-T	CMOS-IC	Voltage Detector 3.6V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABXC	MAX6313UK36D3-T	CMOS-IC	Voltage Detector 3.6V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABXD	MAX6313UK36D4-T	CMOS-IC	Voltage Detector 3.6V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABXE	MAX6313UK35D1-T	CMOS-IC	Voltage Detector 3.5V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABXF	MAX6313UK35D2-T	CMOS-IC	Voltage Detector 3.5V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABXG	MAX6313UK35D3-T	CMOS-IC	Voltage Detector 3.5V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABXH	MAX6313UK35D4-T	CMOS-IC	Voltage Detector 3.5V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABXI	MAX6313UK34D1-T	CMOS-IC	Voltage Detector 3.4V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABXJ	MAX6313UK34D2-T	CMOS-IC	Voltage Detector 3.4V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABXK	MAX6313UK34D3-T	CMOS-IC	Voltage Detector 3.4V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABXL	MAX6313UK34D4-T	CMOS-IC	Voltage Detector 3.4V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABXM	MAX6313UK33D1-T	CMOS-IC	Voltage Detector 3.3V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABXN	MAX6313UK33D2-T	CMOS-IC	Voltage Detector 3.3V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABXO	MAX6313UK33D3-T	CMOS-IC	Voltage Detector 3.3V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABXP	MAX6313UK33D4-T	CMOS-IC	Voltage Detector 3.3V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABXQ	MAX6313UK32D1-T	CMOS-IC	Voltage Detector 3.2V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABXR	MAX6313UK32D2-T	CMOS-IC	Voltage Detector 3.2V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABXS	MAX6313UK32D3-T	CMOS-IC	Voltage Detector 3.2V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABXT	MAX6313UK32D4-T	CMOS-IC	Voltage Detector 3.2V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABXU	MAX6313UK31D1-T	CMOS-IC	Voltage Detector 3.1V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABXV	MAX6313UK31D2-T	CMOS-IC	Voltage Detector 3.1V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABXW	MAX6313UK31D3-T	CMOS-IC	Voltage Detector 3.1V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABXX	MAX6313UK31D4-T	CMOS-IC	Voltage Detector 3.1V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABXY	MAX6313UK30D1-T	CMOS-IC	Voltage Detector 3V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABXZ	MAX6313UK30D2-T	CMOS-IC	Voltage Detector 3V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABY	LM4040DIX3-4.1	Vref-IC	Shunt, 4.098V, 1%	SC-70	28dq	-	Max
ABYA	MAX6313UK30D3-T	CMOS-IC	Voltage Detector 3V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABYB	MAX6313UK30D4-T	CMOS-IC	Voltage Detector 3V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABYC	MAX6313UK29D1-T	CMOS-IC	Voltage Detector 2.9V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABYD	MAX6313UK29D2-T	CMOS-IC	Voltage Detector 2.9V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABYE	MAX6313UK29D3-T	CMOS-IC	Voltage Detector 2.9V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABYF	MAX6313UK29D4-T	CMOS-IC	Voltage Detector 2.9V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABYG	MAX6313UK28D1-T	CMOS-IC	Voltage Detector 2.8V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABYH	MAX6313UK28D2-T	CMOS-IC	Voltage Detector 2.8V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABYI	MAX6313UK28D3-T	CMOS-IC	Voltage Detector 2.8V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABYJ	MAX6313UK28D4-T	CMOS-IC	Voltage Detector 2.8V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABYK	MAX6313UK27D1-T	CMOS-IC	Voltage Detector 2.7V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABYL	MAX6313UK27D2-T	CMOS-IC	Voltage Detector 2.7V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABYM	MAX6313UK27D3-T	CMOS-IC	Voltage Detector 2.7V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABYN	MAX6313UK27D4-T	CMOS-IC	Voltage Detector 2.7V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABYO	MAX6313UK26D1-T	CMOS-IC	Voltage Detector 2.6V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABYP	MAX6313UK26D2-T	CMOS-IC	Voltage Detector 2.6V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABYQ	MAX6313UK26D3-T	CMOS-IC	Voltage Detector 2.6V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABYR	MAX6313UK26D4-T	CMOS-IC	Voltage Detector 2.6V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABYS	MAX6313UK25D1-T	CMOS-IC	Voltage Detector 2.5V, OVIn, Reset PPO, 1ms	SOT23-5	28em	-	Max
ABYT	MAX6313UK25D2-T	CMOS-IC	Voltage Detector 2.5V, OVIn, Reset PPO, 20ms	SOT23-5	28em	-	Max
ABYU	MAX6313UK25D3-T	CMOS-IC	Voltage Detector 2.5V, OVIn, Reset PPO, 140ms	SOT23-5	28em	-	Max
ABYV	MAX6313UK25D4-T	CMOS-IC	Voltage Detector 2.5V, OVIn, Reset PPO, 1120ms	SOT23-5	28em	-	Max
ABZ	LM4040AIX3-5.0	Vref-IC	Precision, Shunt, 5.000V, 0.1%	SC-70	28dq	-	Max
ABZF	MAX6501UKP035	CMOS-IC	Temperature Detector +35°C, -Open drain output	SOT23-5	28lc	-	Max
ABZG	MAX6502UKP035	CMOS-IC	Temperature Detector +35°C, Push-pull output	SOT23-5	28ldc	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ABZP	MAX4012EUK-T	Op-IC	High Speed, 3...12V, 200MHz, 800V/µs	SOT23-5	28opa	-	Max
ABZR	MAX6501UKP045	CMOS-IC	Temperature Detector +45°C, -Open drain output	SOT23-5	28lc	-	Max
ABZS	MAX6501UKP065	CMOS-IC	Temperature Detector +65°C, -Open drain output	SOT23-5	28lc	-	Max
ABZT	MAX6501UKP095	CMOS-IC	Temperature Detector +95°C, -Open drain output	SOT23-5	28lc	-	Max
ABZU	MAX6502UKP045	CMOS-IC	Temperature Detector +45°C, Push-pull output	SOT23-5	28ldc	-	Max
ABZV	MAX6502UKP065	CMOS-IC	Temperature Detector +65°C, Push-pull output	SOT23-5	28ldc	-	Max
ABZW	MAX6502UKP095	CMOS-IC	Temperature Detector +95°C, Push-pull output	SOT23-5	28ldc	-	Max
ABZX	MAX6503UKP005	CMOS-IC	Temperature Detector +5°C, -Open drain output	SOT23-5	28lc	-	Max
ABZY	MAX6504UKP005	CMOS-IC	Temperature Detector +5°C, Push-pull output	SOT23-5	28ldc	-	Max
AC	74AHC1G04	TTL-Logic	Inverter	SOT353	Log6	-	Phi
AC	RN5RT22AA	VR-IC	LDO, -Enable, 2.2V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AC	SiP823TEU	CMOS-IC	Voltage Detector 3.08V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Vis
ACA	LM4040B1X3-5 0	Vref-IC	Precision, Shunt, 5,000V, 0.2%	SC-70	28dq	-	Max
ACAA	V6301ASP5B	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
ACAB	MAX999EUK-T	Comp-IC	U-High Speed, Vcc=2.7...5.5V, Icc=5mA, <5ns	SOT23-5	28ca	-	Max
ACAB	V6301BSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
ACAC	V6301CSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
ACAD	V6301DSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
ACAE	V6301ESP5B	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
ACAF	V6301FSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
ACAG	MAX6501UKP115	CMOS-IC	Temperature Detector +115°C, -Open drain output	SOT23-5	28lc	-	Max
ACAG	V6301GSP5B	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
ACAH	V6301HSP5B	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
ACAI	V6301ISP5B	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
ACAJ	V6301JSP5B	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
ACAK	V6301KSP5B	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
ACAL	V6301LSP5B	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
ACAM	MAX6503UKP015	CMOS-IC	Temperature Detector +15°C, Open drain output	SOT23-5	28lc	-	Max
ACAM	V6301MSP5B	CMOS-IC	Voltage Detector 2V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
ACAN	MAX6503UKN005	CMOS-IC	Temperature Detector -5°C, -Open drain output	SOT23-5	28lc	-	Max
ACAN	V6301NSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
ACAO	V6301OSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
ACAP	MAX6503UKN025	CMOS-IC	Temperature Detector -25°C, -Open drain output	SOT23-5	28lc	-	Max
ACAP	V6301PSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
ACAQ	MAX6503UKN035	CMOS-IC	Temperature Detector -35°C, -Open drain output	SOT23-5	28lc	-	Max
ACAQ	V6301QSP5B	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
ACAR	V6301RSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
ACAT	MAX6504UKN005	CMOS-IC	Temperature Detector -5°C, Push-pull output	SOT23-5	28ldc	-	Max
ACAV	MAX6504UKN025	CMOS-IC	Temperature Detector -25°C, Push-pull output	SOT23-5	28ldc	-	Max
ACAW	MAX6504UKN035	CMOS-IC	Temperature Detector -35°C, Push-pull output	SOT23-5	28ldc	-	Max
ACAX	MAX6504UKN045	CMOS-IC	Temperature Detector -45°C, Push-pull output	SOT23-5	28ldc	-	Max
ACAY	MAX8867EUK25-T	VR-IC	LDO, Enable, 2.5V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACAZ	MAX8867EUK28-T	VR-IC	LDO, Enable, 2.8V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACB	LM4040C1X3-5.0	Vref-IC	Shunt, 5,000V, 0.5%	SC-70	28dq	-	Max
ACBA	MAX8867EUK29-T	VR-IC	LDO, Enable, 2.84V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBB	MAX8867EUK30-T	VR-IC	LDO, Enable, 3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBC	MAX8867EUK32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBD	MAX8867EUK33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBE	MAX8867EUK50-T	VR-IC	LDO, Enable, 5V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBF	MAX8868EUK25-T	VR-IC	LDO, Enable, 2.5V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBG	MAX8868EUK28-T	VR-IC	LDO, Enable, 2.8V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBH	MAX8868EUK29-T	VR-IC	LDO, Enable, 2.84V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBI	MAX8868EUK30-T	VR-IC	LDO, Enable, 3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBJ	MAX8868EUK32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBK	MAX8868EUK33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBL	MAX8868EUK50-T	VR-IC	LDO, Enable, 5V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACBM	MAX8877EUK25-T	VR-IC	LDO, Enable, 2.5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBN	MAX8877EUK28-T	VR-IC	LDO, Enable, 2.8V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBO	MAX8877EUK29-T	VR-IC	LDO, Enable, 2.84V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBP	MAX8877EUK30-T	VR-IC	LDO, Enable, 3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBQ	MAX8877EUK32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBR	MAX8877EUK33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBS	MAX8877EUK50-T	VR-IC	LDO, Enable, 5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBT	MAX8878EUK25-T	VR-IC	LDO, Enable, 2.5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBU	MAX8878EUK28-T	VR-IC	LDO, Enable, 2.8V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBV	MAX8878EUK29-T	VR-IC	LDO, Enable, 2.84V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBW	MAX8878EUK30-T	VR-IC	LDO, Enable, 3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBX	MAX8878EUK32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ACBY	MAX8878EUK33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACBZ	MAX8878EUK50-T	VR-IC	LDO, Enable, 5V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACC	LM4040DIX3-5.0	Vref-IC	Shunt, 5,000V, 1%	SC-70	28dq	-	Max
ACCO	MAX4104EUK-T	Op-IC	Lo-Noise, ±3.5...±5.5V, Icco=20mA, 400V/μs(625MHz)	SOT23-5	28opa	-	Max
ACCP	MAX4105EUK-T	Op-IC	Lo-Noise, ±3.5...±5.5V, Icco=20mA, 1400V/μs(410MHz)	SOT23-5	28opa	-	Max
ACCC	MAX4304EUK-T	Op-IC	Lo-Noise, ±3.5...±5.5V, Icco=20mA, 1000V/μs(730MHz)	SOT23-5	28opa	-	Max
ACCR	MAX4305EUK-T	Op-IC	Lo-Noise, ±3.5...±5.5V, Icco=20mA, 1400V/μs(340MHz)	SOT23-5	28opa	-	Max
ACCCZ	MAX8867EUK36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACDA	MAX8868EUK36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ACDB	MAX8877EUK36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACDC	MAX8878EUK36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 0.15A	SOT23-5	28vrx	VR7	Max
ACDP	MAX6501UKP085	CMOS-IC	Temperature Detector +85°C, -Open drain output	SOT23-5	28lc	-	Max
ACDS	MAX4174ABUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=0.25V/V	SOT23-5	28opa	OP1	Max
ACDT	MAX4174ACUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=0.5V/V	SOT23-5	28opa	OP1	Max
ACDU	MAX4174ADUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=1V/V	SOT23-5	28opa	OP1	Max
ACDV	MAX4174AEUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=1.25V/V	SOT23-5	28opa	OP1	Max
ACDW	MAX4174AFUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=1.5V/V	SOT23-5	28opa	OP1	Max
ACDX	MAX4174AGUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=2V/V	SOT23-5	28opa	OP1	Max
ACDY	MAX4174AHUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=2.5V/V	SOT23-5	28opa	OP1	Max
ACDZ	MAX4174AJUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=3V/V	SOT23-5	28opa	OP1	Max
ACEA	MAX4174AKUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=4V/V	SOT23-5	28opa	OP1	Max
ACEB	MAX4174ALUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=5V/V	SOT23-5	28opa	OP1	Max
ACEC	MAX4174AMUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=6V/V	SOT23-5	28opa	OP1	Max
ACED	MAX4174ANUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=8V/V	SOT23-5	28opa	OP1	Max
ACEE	MAX4174AOUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=9V/V	SOT23-5	28opa	OP1	Max
ACEF	MAX4174BAUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=10V/V	SOT23-5	28opa	OP1	Max
ACEG	MAX4174BBUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=12.5V/V	SOT23-5	28opa	OP1	Max
ACEH	MAX4174BCUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=15V/V	SOT23-5	28opa	OP1	Max
ACEI	MAX4174BDUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=20V/V	SOT23-5	28opa	OP1	Max
ACEJ	MAX4174BEUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=24V/V	SOT23-5	28opa	OP1	Max
ACEK	MAX4174BFUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=25V/V	SOT23-5	28opa	OP1	Max
ACEL	MAX4174BGUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=30V/V	SOT23-5	28opa	OP1	Max
ACEM	MAX4174BHUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=40V/V	SOT23-5	28opa	OP1	Max
ACEN	MAX4174BJUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=49V/V	SOT23-5	28opa	OP1	Max
ACEO	MAX4174BKUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=50V/V	SOT23-5	28opa	OP1	Max
ACEP	MAX4174BLUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=60V/V	SOT23-5	28opa	OP1	Max
ACEQ	MAX4174BMUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=80V/V	SOT23-5	28opa	OP1	Max
ACER	MAX4174BNUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=99V/V	SOT23-5	28opa	OP1	Max
ACES	MAX4174CAUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=100V/V	SOT23-5	28opa	OP1	Max
ACET	MAX4175ABUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=0.25V/V	SOT23-5	28opa	OP1	Max
ACEU	MAX4175ACUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=0.5V/V	SOT23-5	28opa	OP1	Max
ACEV	MAX4175ADUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=1V/V	SOT23-5	28opa	OP1	Max
ACEW	MAX4175AEUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=1.25V/V	SOT23-5	28opa	OP1	Max
ACEX	MAX4175AFUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=1.5V/V	SOT23-5	28opa	OP1	Max
ACEY	MAX4175AGUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=2V/V	SOT23-5	28opa	OP1	Max
ACEZ	MAX4175AHUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=2.5V/V	SOT23-5	28opa	OP1	Max
ACFA	MAX4175AJUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=3V/V	SOT23-5	28opa	OP1	Max
ACFB	MAX4175AKUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=4V/V	SOT23-5	28opa	OP1	Max
ACFC	MAX4175ALUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=5V/V	SOT23-5	28opa	OP1	Max
ACFD	MAX4175AMUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=6V/V	SOT23-5	28opa	OP1	Max
ACFE	MAX4175ANUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=8V/V	SOT23-5	28opa	OP1	Max
ACFF	MAX4175AOUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=9V/V	SOT23-5	28opa	OP1	Max
ACFG	MAX4175BAUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=10V/V	SOT23-5	28opa	OP1	Max
ACFH	MAX4175BBUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=12.5V/V	SOT23-5	28opa	OP1	Max
ACFI	MAX4175BCUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=15V/V	SOT23-5	28opa	OP1	Max
ACFJ	MAX4175BDUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=20V/V	SOT23-5	28opa	OP1	Max
ACFK	MAX4175BEUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=24V/V	SOT23-5	28opa	OP1	Max
ACFL	MAX4175BFUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=25V/V	SOT23-5	28opa	OP1	Max
ACFM	MAX4175BGUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=30V/V	SOT23-5	28opa	OP1	Max
ACFN	MAX4175BHUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=40V/V	SOT23-5	28opa	OP1	Max
ACFO	MAX4175BJUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=49V/V	SOT23-5	28opa	OP1	Max
ACFP	MAX4175BKUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=50V/V	SOT23-5	28opa	OP1	Max
ACFQ	MAX4175BLUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=60V/V	SOT23-5	28opa	OP1	Max
ACFR	MAX4175BMUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=80V/V	SOT23-5	28opa	OP1	Max
ACFS	MAX4175BNUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=99V/V	SOT23-5	28opa	OP1	Max
ACFT	MAX4175CAUK	Op-IC	Fixed-Gain, Vcc=2.5...5.2V, 0.7V/μs, Vg=100V/V	SOT23-5	28opa	OP1	Max
ACFU	MAX6501UKP105	CMOS-IC	Temperature Detector +105°C, -Open drain output	SOT23-5	28lc	-	Max
ACFV	MAX6501UKP075	CMOS-IC	Temperature Detector +75°C, -Open drain output	SOT23-5	28lc	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ACFW	MAX6501UKP055	CMOS-IC	Temperature Detector +55°C, -Open drain output	SOT23-5	28lc	-	Max
ACFX	MAX6503UKN015	CMOS-IC	Temperature Detector -15°C, -Open drain output	SOT23-5	28lc	-	Max
ACFY	MAX6502UKP115	CMOS-IC	Temperature Detector +115°C, Push-pull output	SOT23-5	28lc	-	Max
ACFZ	MAX6502UKP105	CMOS-IC	Temperature Detector +105°C, Push-pull output	SOT23-5	28lc	-	Max
ACGA	MAX6502UKP085	CMOS-IC	Temperature Detector +85°C, Push-pull output	SOT23-5	28ldc	-	Max
ACGB	MAX6502UKP075	CMOS-IC	Temperature Detector +75°C, Push-pull output	SOT23-5	28ldc	-	Max
ACGC	MAX6502UKP055	CMOS-IC	Temperature Detector +55°C, Push-pull output	SOT23-5	28ldc	-	Max
ACGO	MAX6504UKN015	CMOS-IC	Temperature Detector -15°C, Push-pull output	SOT23-5	28ldc	-	Max
ACGF	MAX4040EUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=10\mu A$, $OVg=94dB$	SOT23-5	28opa	-	Max
ACGO	MAX6501UKP125	CMOS-IC	Temperature Detector +125°C, -Open drain output	SOT23-5	28lc	-	Max
AD	74AHC1GU04	TTL-Logic	Unbuffered Inverter	SC-88A	Log6	-	Phi
AD	RN5R723AA	VR-IC	LDO, -Enable, 2.3V $\pm 2\%$, 150mA	SOT23-5	28vrt	VR4	Ric
AD	SiP823SEU	CMOS-IC	Voltage Detector 2.93V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Vis
AD	XP01110	Si-PNP-Digi	Dual, 50V, 100mA, 150mW, 80MHz, $R1=47k$	SMini5	28ld	-	Pan
AD	XP11110	Si-PNP-Digi	Dual, 50V, 100mA, 150mW, 80MHz, $R1=47k$	SMini5	28ld	-	Pan
ADAA	V6310ASP5B	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ADAB	V6310BSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ADAC	V6310CSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ADAD	V6310DSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ADAE	V6310ESP5B	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ADAF	V6310FSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
ADAG	V6310GSP5B	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ADAH	V6310HSP5B	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ADAI	V6310ISP5B	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ADAJ	V6310JSP5B	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ADAK	V6310KSP5B	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ADAL	V6310LSP5B	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
ADAM	V6310MSP5B	CMOS-IC	Voltage Detector 2V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ADAN	V6310NSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ADAO	V6310OSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ADAP	V6310PSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ADAQ	V6310QSP5B	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ADAR	V6310RSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
ADIZ	MAX6503UKN045	CMOS-IC	Temperature Detector -45°C, -Open drain output	SOT23-5	28lc	-	Max
ADJA	MAX4076AAUK	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, $OVg=117dB$	SOT23-5	28opa	-	Max
ADJB	MAX4074ABUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=0.25V/V	SOT23-5	28opa	-	Max
ADJC	MAX4074ACUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=0.5V/V	SOT23-5	28opa	-	Max
ADJD	MAX4074ADUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=1V/V	SOT23-5	28opa	-	Max
ADJE	MAX4074AEUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=1.25V/V	SOT23-5	28opa	-	Max
ADJF	MAX4074AFUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=1.5V/V	SOT23-5	28opa	-	Max
ADJG	MAX4074AGUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=2V/V	SOT23-5	28opa	-	Max
ADJH	MAX4074AHUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=2.5V/V	SOT23-5	28opa	-	Max
ADJI	MAX4074AJUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=3V/V	SOT23-5	28opa	-	Max
ADJJ	MAX4074AKUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=4V/V	SOT23-5	28opa	-	Max
ADJK	MAX4074ALUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=5V/V	SOT23-5	28opa	-	Max
ADJL	MAX4074AMUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=6V/V	SOT23-5	28opa	-	Max
ADJM	MAX4074ANUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=8V/V	SOT23-5	28opa	-	Max
ADJN	MAX4074AOUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=9V/V	SOT23-5	28opa	-	Max
ADJO	MAX4074BAUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=10V/V	SOT23-5	28opa	-	Max
ADJP	MAX4074ABUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=12.5V/V	SOT23-5	28opa	-	Max
ADJQ	MAX4074BCUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=15V/V	SOT23-5	28opa	-	Max
ADJR	MAX4074BDUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=20V/V	SOT23-5	28opa	-	Max
ADJS	MAX4074BEUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=24V/V	SOT23-5	28opa	-	Max
ADJT	MAX4074BFUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=25V/V	SOT23-5	28opa	-	Max
ADJU	MAX4074BGUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=30V/V	SOT23-5	28opa	-	Max
ADJV	MAX4074BHUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=40V/V	SOT23-5	28opa	-	Max
ADJW	MAX4074BJUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=49V/V	SOT23-5	28opa	-	Max
ADJX	MAX4074BKUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=50V/V	SOT23-5	28opa	-	Mex
ADJY	MAX4074BLUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=60V/V	SOT23-5	28opa	-	Max
ADJZ	MAX4074BMUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=79V/V	SOT23-5	28opa	-	Max
ADKA	MAX4074BNUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=99V/V	SOT23-5	28opa	-	Max
ADKB	MAX4074CAUK-T	Op-IC	Micropower, $\pm 1.2... \pm 2.75V$, $I_{CCQ}=37\mu A$, Fixed Gain=100V/V	SOT23-5	28opa	-	Max
ADKE	MAX6504UKP015	CMOS-IC	Temperature Detector +15°C, Push-pull output	SOT23-5	28ldc	-	Mex
ADPM	MAX8877E2K29-T	VR-IC	LDO, Enable, 2.84V $\pm 1.4\%$, 0,15A	SOT23-5	28vrx	VR7	Max
ADPO	MAX8878E2K29-T	VR-IC	LDO, Enable, 2.84V $\pm 1.4\%$, 0,15A	SOT23-5	28vrx	VR7	Max
ADQM	MAX8867E2K25-T	VR-IC	LDO, Enable, 2.5V $\pm 1.4\%$, 150mA	SOT23-5	28vru	VR7	Max
ADQO	MAX8867E2K28-T	VR-IC	LDO, Enable, 2.8V $\pm 1.4\%$, 150mA	SOT23-5	28vru	VR7	Max
ADQP	MAX8867E2K29-T	VR-IC	LDO, Enable, 2.84V $\pm 1.4\%$, 150mA	SOT23-5	28vru	VR7	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ADQQ	MAX8867EZK30-T	VR-IC	LDO, Enable, 3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQR	MAX8867EZK32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQS	MAX8867EZK33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQT	MAX8867EZK36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQT	MAX8877EUK18-T	VR-IC	LDO, Enable, 1.8V±1.4%, 0,15A	SOT23-5	28vrk	VR7	Max
ADQV	MAX8867EZK50-T	VR-IC	LDO, Enable, 5V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQV	MAX8878EUK15-T	VR-IC	LDO, Enable, 1.5V±1.4%, 0,15A	SOT23-5	28vrk	VR7	Max
ADQW	MAX8868EZK25-T	VR-IC	LDO, Enable, 2.5V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQX	MAX8868EZK28-T	VR-IC	LDO, Enable, 2.8V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQY	MAX8868EZK29-T	VR-IC	LDO, Enable, 2.84V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADQZ	MAX8868EZK30-T	VR-IC	LDO, Enable, 3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADRA	MAX8868EZK32-T	VR-IC	LDO, Enable, 3.15V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADRB	MAX8868EZK33-T	VR-IC	LDO, Enable, 3.3V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADRC	MAX8868EZK36-T	VR-IC	LDO, Enable, 3.6V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADRD	MAX8868EZK50-T	VR-IC	LDO, Enable, 5V±1.4%, 150mA	SOT23-5	28vru	VR7	Max
ADRG	MAX8877EUK15-T	VR-IC	LDO, Enable, 1.5V±1.4%, 0,15A	SOT23-5	28vrk	VR7	Max
ADRH	MAX8878EUK18-T	VR-IC	LDO, Enable, 1.8V±1.4%, 0,15A	SOT23-5	28vrk	VR7	Max
AE	74AHC1G08	TTL-Logic	2-input AND gate	SOT353	Log3	-	Phi
AE	RN5RT24AA	VR-IC	LDO, -Enable, 2.4V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AE	SiP823REU	CMOS-IC	Voltage Detector 2.63V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Vis
AEAO	MAX6445UK46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEAP	MAX6446UK29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEAQ	MAX6447UK26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEEF	MAX6445UK16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEEG	MAX6445UK23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEEH	MAX6445UK26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEFI	MAX6445UK29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEFJ	MAX6447UK16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEFK	MAX6447UK23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEEL	MAX6447UK29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEEM	MAX6447UK46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Push-pull output	SOT23-5	28cq	-	Max
AEEN	MAX6446UK16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEEO	MAX6446UK23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEEP	MAX6446UK26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEEQ	MAX6446UK46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEER	MAX6448UK16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEES	MAX6448UK23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEET	MAX6448UK26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEEU	MAX6448UK29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AEEV	MAX6448UK46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Open drain output	SOT23-5	28cq	-	Max
AF	74AHC1G14	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Phi
AF	RN5RT25AA	VR-IC	LDO, -Enable, 2.5V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AG	74AHC1G32	TTL-Logic	2-input OR gate	SOT353	Log4	-	Phi
AG	AP431IQ	Vref-IC	Adjustable, Precision, Shunt, 2,495V±1%	SOT23-5	28re	RF1	Ana
AG	RN5RT26AA	VR-IC	LDO, -Enable, 2.6V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AG	SiP823ZEU	CMOS-IC	Voltage Detector 2.32V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Vis
AH	74AHC1G86	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Phi
AH	AP431IAQ	Vref-IC	Adjustable, Precision, Shunt, 2,495V±0.5%	SOT23-5	28re	RF1	Ana
AH	RN5RT27AA	VR-IC	LDO, -Enable, 2.7V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AH	SiP823YEU	CMOS-IC	Voltage Detector 2.19V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Vis
AI	MAX823LEUK	CMOS-IC	Voltage Detector 4.63V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Max
AI	SiP824LEU	CMOS-IC	Voltage Detector 4.63V, Strobe, ±Reset Push-pull output	SOT23-5	28vdt	-	Vis
AJ	MAX823MEUK	CMOS-IC	Voltage Detector 4.38V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Max
AJ	RN5RT28AA	VR-IC	LDO, -Enable, 2.8V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AK	MAX823TEUK	CMOS-IC	Voltage Detector 3.08V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Max
AK	RN5RT29AA	VR-IC	LDO, -Enable, 2.9V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
AK	SiP824MEU	CMOS-IC	Voltage Detector 4.38V, Strobe, ±Reset Push-pull output	SOT23-5	28vdt	-	Vis
AL	74AHC1G86	CMOS-Logic	Bilateral analogic switch	SOT353	Log26	-	Phi
AL	MAX823SEUK	CMOS-IC	Voltage Detector 2.93V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Max
AL	R1112N201A	VR-IC	LDO, LN, -Enable, 2V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
AL	SiP824TEU	CMOS-IC	Voltage Detector 3.08V, Strobe, ±Reset Push-pull output	SOT23-5	28vdt	-	Vis
AM	74AHC1G125	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log20	-	Phi
AM	MAX823REUK	CMOS-IC	Voltage Detector 2.63V, MR, Strobe, -Reset Push-pull output	SOT23-5	28vds	-	Max
AM	R1112N211A	VR-IC	LDO, LN, -Enable, 2.1V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
AM	SiP824SEU	CMOS-IC	Voltage Detector 2.93V, Strobe, ±Reset Push-pull output	SOT23-5	28vdt	-	Vis
AN	74AHC1G126	TTL-Logic	Noninverting 3-State Buffer/CMOS L/S	SOT353	Log21	-	Phi
AN	MAX824LEUK	CMOS-IC	Voltage Detector 4.63V, Strobe, ±Reset Push-pull output	SOT23-5	28vdt	-	Max
AN	R1112N221A	VR-IC	LDO, LN, -Enable, 2.2V±2%, 150mA	SOT23-5	28vrm	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
AN	SIP824REU	CMOS-IC	Voltage Detector 2.63V, Strobe, \pm Reset Push-pull output	SOT23-5	28vdt	-	Vis
AO	MAX824MEUK	CMOS-IC	Voltage Detector 4.38V, Strobe, \pm Reset Push-pull output	SOT23-5	28vdt	-	Max
AO	SIP824ZEU	CMOS-IC	Voltage Detector 2.32V, Strobe, \pm Reset Push-pull output	SOT23-5	28vdt	-	Vis
AP	MAX824TEUK	CMOS-IC	Voltage Detector 3.08V, Strobe, \pm Reset Push-pull output	SOT23-5	28vdt	-	Max
AP	R1112N231A	VR-IC	LDO, LN, -Enable, 2.3V \pm 2%, 150mA	SOT23-5	28vrm	VR4	Ric
AP	SIP824YEU	CMOS-IC	Voltage Detector 2.19V, Strobe, \pm Reset Push-pull output	SOT23-5	28vdt	-	Vis
AQ	MAX824SEUK	CMOS-IC	Voltage Detector 2.93V, Strobe, \pm Reset Push-pull output	SOT23-5	28vdt	-	Max
AQ	R1112N241A	VR-IC	LDO, LN, -Enable, 2.4V \pm 2%, 150mA	SOT23-5	28vrm	VR4	Ric
AR	74AHC1G08GW	TTL-Logic	Inverter (Open drain output)	SOT353	Log29	-	Phi
AR	AT1201-50XR	VR-IC	LDO, Low-Noise, Enable, 5V \pm 2%, 150mA	SOT23-5	28vrna	-	Atr
AR	MAX824REUK	CMOS-IC	Voltage Detector 2.63V, Strobe, \pm Reset Push-pull output	SOT23-5	28vdt	-	Max
AR	R1112N251A	VR-IC	LDO, LN, -Enable, 2.5V \pm 2%, 150mA	SOT23-5	28vrm	VR4	Ric
AR	SIP825LEU	CMOS-IC	Voltage Detector 4.63V, MR, \pm Reset Push-pull output	SOT23-5	28vdu	-	Vis
ARX	AME8510AEEVBDD29	CMOS-IC	Voltage Detector 2.93V, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Ame
AS	MAX825LEUK	CMOS-IC	Voltage Detector 4.63V, MR, \pm Reset Push-pull output	SOT23-5	28xf	-	Max
AS	R1112N261A	VR-IC	LDO, LN, -Enable, 2.6V \pm 2%, 150mA	SOT23-5	28vrm	VR4	Ric
AS	SIP825MEU	CMOS-IC	Voltage Detector 4.38V, MR, \pm Reset Push-pull output	SOT23-5	28vdu	-	Vis
ASM	AME8510AEEVAFE31	CMOS-IC	Voltage Detector 3.08V, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Ame
AT	MAX825MEUK	CMOS-IC	Voltage Detector 4.38V, MR, \pm Reset Push-pull output	SOT23-5	28xf	-	Max
AT	R1112N271A	VR-IC	LDO, LN, -Enable, 2.7V \pm 2%, 150mA	SOT23-5	28vrm	VR4	Ric
AT	SIP825TEU	CMOS-IC	Voltage Detector 3.08V, MR, \pm Reset Push-pull output	SOT23-5	28vdu	-	Vis
ATC	AME8520AEEVEFE26	CMOS-IC	Voltage Detector 2.63V, Strobe, \pm Reset Output	SOT23-5	28vdt	-	Ame
ATG	AME8510AEEVAFE28	CMOS-IC	Voltage Detector 2.63V, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Ame
ATL	AME8520AEEVEFE31	CMOS-IC	Voltage Detector 3.08V, Strobe, \pm Reset Output	SOT23-5	28vdt	-	Ame
ATN	AME8530AEEVEFX31	CMOS-IC	Voltage Detector 3.08V, MR, \pm Reset Output	SOT23-5	28vdu	-	Ame
ATU	AME8510AEEVEFE31	CMOS-IC	Voltage Detector 3.08V, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Ame
ATV	AME8520AEEVEFE29	CMOS-IC	Voltage Detector 2.93V, Strobe, \pm Reset Output	SOT23-5	28vdt	-	Ame
ATW	AME8520AEEVEFE44	CMOS-IC	Voltage Detector 4.38V, Strobe, \pm Reset Output	SOT23-5	28vdt	-	Ame
ATX	AME8510AEEVAFE29	CMOS-IC	Voltage Detector 2.93V, MR, Strobe, -Reset Output	SOT23-5	28vds	-	Ame
AU	MAX825TEUK	CMOS-IC	Voltage Detector 3.08V, MR, \pm Reset Push-pull output	SOT23-5	28xf	-	Max
AU	R1112N281A	VR-IC	LDO, LN, -Enable, 2.8V \pm 2%, 150mA	SOT23-5	28vrm	VR4	Ric
AUF	AME8500BEEVAK27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23-5	28vdm	-	Ame
AUF	AME8501BEEVAK27	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23-5	28vdm	-	Ame
AUS	AME8530AEEVEFX29	CMOS-IC	Voltage Detector 2.93V, MR, \pm Reset Output	SOT23-5	28vdu	-	Ame
AUS	AME8530AEEVEFX29Z	CMOS-IC	Voltage Detector 2.93V, MR, \pm Reset Output	SOT23-5	28vdu	-	Ame
AV	MAX825SEUK	CMOS-IC	Voltage Detector 2.93V, MR, \pm Reset Push-pull output	SOT23-5	28xf	-	Max
AV	R1112N291A	VR-IC	LDO, LN, -Enable, 2.9V \pm 2%, 150mA	SOT23-5	28vrm	VR4	Ric
AV	SIP825SEU	CMOS-IC	Voltage Detector 2.93V, MR, \pm Reset Push-pull output	SOT23-5	28vdu	-	Vis
AVE	AME8530AEEVAFX29	CMOS-IC	Voltage Detector 2.93V, MR, \pm Reset Output	SOT23-5	28vdu	-	Ame
AVF	AME8530AEEVAFX31	CMOS-IC	Voltage Detector 3.08V, MR, \pm Reset Output	SOT23-5	28vdu	-	Ame
AW	MAX825REUK	CMOS-IC	Voltage Detector 2.63V, MR, \pm Reset Push-pull output	SOT23-5	28xf	-	Max
AW	SIP825REU	CMOS-IC	Voltage Detector 2.63V, MR, \pm Reset Push-pull output	SOT23-5	28vdu	-	Vis
AX	AT1201-50X	VR-IC	LDO, Low-Noise, Enable, 5V \pm 2%, 150mA	SOT23-5	28vrx	VR7	Atr
AX	SIP825ZEU	CMOS-IC	Voltage Detector 2.32V, MR, \pm Reset Push-pull output	SOT23-5	28vdu	-	Vis
AY	SIP825YEU	CMOS-IC	Voltage Detector 2.19V, MR, \pm Reset Push-pull output	SOT23-5	28vdu	-	Vis
AY	TC1014-1.8VRX	VR-IC	LDO, Enable, 1.8V \pm 2%, 50mA	SOT23-5	28vrx	VR7	Mcc
AZ	TC1014-2.8VRX	VR-IC	LDO, Enable, 2.8V \pm 2%, 50mA	SOT23-5	28vrx	VR7	Mcc
B0	R1111N301A	VR-IC	LDO, LN, -Enable, 3V \pm 2%, 0.2A	SOT23-5	28vrm	VR4	Ric
B0	RN5VD10AA	CMOS-IC	Voltage Detector 1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B0	TC1015-4.0VRX	VR-IC	LDO, Enable, 4V \pm 2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B1	BD4745G	Lin/Dig-IC	Voltage Detector 4.5V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
B1	R1111N311A	VR-IC	LDO, LN, -Enable, 3.1V \pm 2%, 0.2A	SOT23-5	28vrm	VR4	Ric
B1	RN5VD11AA	CMOS-IC	Voltage Detector 1.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B1	TC1015-2.5VRX	VR-IC	LDO, Enable, 2.5V \pm 2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B10	MIC8270BM5	Comp-IC	Precision, 2.63V, Vofs=<43mV, Icco=300 μ A	SOT23-5	28opa	OP1	Mcr
B2	BD4746G	Lin/Dig-IC	Voltage Detector 4.6V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
B2	R1111N321A	VR-IC	LDO, LN, -Enable, 3.2V \pm 2%, 0.2A	SOT23-5	28vrm	VR4	Ric
B2	RN5VD12AA	CMOS-IC	Voltage Detector 1.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B2	TC1015-2.7VRX	VR-IC	LDO, Enable, 2.7V \pm 2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B3	BD4727G	Lin/Dig-IC	Voltage Detector 2.7V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
B3	R1111N331A	VR-IC	LDO, LN, -Enable, 3.3V \pm 2%, 0.2A	SOT23-5	28vrm	VR4	Ric
B3	RN5VD13AA	CMOS-IC	Voltage Detector 1.3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B3	TC1015-3.0VRX	VR-IC	LDO, Enable, 3V \pm 2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B4	BD4733G	Lin/Dig-IC	Voltage Detector 4.5V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
B4	R1111N341A	VR-IC	LDO, LN, -Enable, 3.4V \pm 2%, 0.2A	SOT23-5	28vrm	VR4	Ric
B4	RN5VD14AA	CMOS-IC	Voltage Detector 1.4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B5	R1111N351A	VR-IC	LDO, LN, -Enable, 3.5V \pm 2%, 0.2A	SOT23-5	28vrm	VR4	Ric
B5	RN5VD15AA	CMOS-IC	Voltage Detector 1.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
B5	TC1015-3.3VRX	VR-IC	LDO, Enable, 3.3V±2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B6	R1111N361A	VR-IC	LDO, LN, -Enable, 3.6V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
B6	RNSVD16AA	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B62	S-80841CLMC-B62-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B63	S-80842CLMC-B63-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B64	S-80843CLMC-B64-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B65	S-80844CLMC-B65-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B66	S-80845CLMC-B66-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B67	S-80846CLMC-B67-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B68	S-80847CLMC-B68-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B69	S-80848CLMC-B69-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6A	S-80815CLMC-B6A-T2	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6B	S-80816CLMC-B6B-T2	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6C	S-80817CLMC-B6C-T2	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6D	S-80818CLMC-B6D-T2	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6E	S-80819CLMC-B6E-T2	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6F	S-80820CLMC-B6F-T2	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6G	S-80821CLMC-B6G-T2	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6H	S-80822CLMC-B6H-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6I	S-80823CLMC-B6I-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6J	S-80824CLMC-B6J-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6K	S-80825CLMC-B6K-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6L	S-80826CLMC-B6L-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6M	S-80827CLMC-B6M-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6N	S-80828CLMC-B6N-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6O	S-80829CLMC-B6O-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6P	S-80830CLMC-B6P-T2	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6Q	S-80831CLMC-B6Q-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6R	S-80832CLMC-B6R-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6S	S-80833CLMC-B6S-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6T	S-80834CLMC-B6T-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6U	S-80835CLMC-B6U-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6V	S-80836CLMC-B6V-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6W	S-80837CLMC-B6W-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6X	S-80838CLMC-B6X-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6Y	S-80839CLMC-B6Y-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B6Z	S-80840CLMC-B6Z-T2	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7	AP432Q	Vref-IC	Adjustable, Precision, Shunt, 1,24V±1%	SOT23-5	28re	RF1	Ana
B7	R1111N371A	VR-IC	LDO, LN, -Enable, 3.7V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
B7	RNSVD17AA	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B7	TC1015-5.0VRX	VR-IC	LDO, Enable, 5V±2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B7A	S-80849CLMC-B7A-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7B	S-80850CLMC-B7B-T2	CMOS-IC	Voltage Detector 5V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7C	S-80851CLMC-B7C-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7D	S-80852CLMC-B7D-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7E	S-80853CLMC-B7E-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7F	S-80854CLMC-B7F-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7G	S-80855CLMC-B7G-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7H	S-80856CLMC-B7H-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7I	S-80857CLMC-B7I-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7J	S-80858CLMC-B7J-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7K	S-80859CLMC-B7K-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B7L	S-80860CLMC-B7L-T2	CMOS-IC	Voltage Detector 6.0V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Sei
B8	AP432AQ	Vref-IC	Adjustable, Precision, Shunt, 1,24V±0,5%	SOT23-5	28re	RF1	Ana
B8	R1111N381A	VR-IC	LDO, LN, -Enable, 3.8V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
B8	RNSVD18AA	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B8	TC1015-2.85VRX	VR-IC	LDO, Enable, 2,85V±2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B82	S-80841CNMC-B82-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B83	S-80842CNMC-B83-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B84	S-80843CNMC-B84-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B85	S-80844CNMC-B85-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B86	S-80845CNMC-B86-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B87	S-80846CNMC-B87-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B88	S-80847CNMC-B88-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B89	S-80848CNMC-B89-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8A	S-80815CNMC-B8A-T2	CMOS-IC	Voltage Detector 1.5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8B	S-80816CNMC-B8B-T2	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8C	S-80817CNMC-B8C-T2	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
B8D	S-80818CNMC-B8D-T2	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8E	S-80819CNMC-B8E-T2	CMOS-IC	Voltage Detector 1.9V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8F	S-80820CNMC-B8F-T2	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8G	S-80821CNMC-B8G-T2	CMOS-IC	Voltage Detector 2.1V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8H	S-80822CNMC-B8H-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8I	S-80823CNMC-B8I-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8J	S-80824CNMC-B8J-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8K	S-80825CNMC-B8K-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8L	S-80826CNMC-B8L-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8M	S-80827CNMC-B8M-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8N	S-80828CNMC-B8N-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8O	S-80829CNMC-B8O-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8P	S-80830CNMC-B8P-T2	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8Q	S-80831CNMC-B8Q-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8R	S-80832CNMC-B8R-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8S	S-80833CNMC-B8S-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8T	S-80834CNMC-B8T-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8U	S-80835CNMC-B8U-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8V	S-80836CNMC-B8V-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8W	S-80837CNMC-B8W-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8X	S-80838CNMC-B8X-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8Y	S-80839CNMC-B8Y-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B8Z	S-80840CNMC-B8Z-T2	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9	R1111N391A	VR-IC	LDO, LN, -Enable, 3.9V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
B9	RN5VD19AA	CMOS-IC	Voltage Detector 1.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
B9	TC1015-3.6VRX	VR-IC	LDO, Enable, 3.6V±2%, 100mA	SOT23-5	28vrx	VR7	Mcc
B9A	S-80849CNMC-B9A-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9B	S-80850CNMC-B9B-T2	CMOS-IC	Voltage Detector 5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9C	S-80851CNMC-B9C-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9D	S-80852CNMC-B9D-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9E	S-80853CNMC-B9E-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9F	S-80854CNMC-B9F-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9G	S-80855CNMC-B9G-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9H	S-80856CNMC-B9H-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9I	S-80857CNMC-B9I-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9J	S-80858CNMC-B9J-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9K	S-80859CNMC-B9K-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
B9L	S-80860CNMC-B9L-T2	CMOS-IC	Voltage Detector 6V, -Reset Open drain output	SOT23-5	28vdm	VD6	Sei
BA	μPA500T	SI-NPN	Dual, 60V, 100mA, 250MHz	SOT23-5	28ld	-	Nec
BA	μPA570T	SI-NPN	Dual, 60V, 100mA, 250MHz	SOT23-5	28ld	-	Nec
BA	BD4719G	Lin/Dig-IC	Voltage Detector 1.9V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BA	RN5RT30AA	VR-IC	LDO, -Enable, 3V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BA	V6300ASP5B	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
BB	BD4720G	Lin/Dig-IC	Voltage Detector 2V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BB	RN5RT31AA	VR-IC	LDO, -Enable, 3.1V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BB	V6300BSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
BC	BD4721G	Lin/Dig-IC	Voltage Detector 2.1V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BC	RN5RT32AA	VR-IC	LDO, -Enable, 3.2V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BC	V6300CSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
BD	BD4722G	Lin/Dig-IC	Voltage Detector 2.2V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BD	RN5RT33AA	VR-IC	LDO, -Enable, 3.3V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BD	V6300DSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
BE	BD4723G	Lin/Dig-IC	Voltage Detector 2.3V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BE	RN5RT34AA	VR-IC	LDO, -Enable, 3.4V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BE	V6300ESP5B	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
BF	BD4724G	Lin/Dig-IC	Voltage Detector 2.4V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BF	RN5RT35AA	VR-IC	LDO, -Enable, 3.5V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BF	V6300FSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
BG	AP432IQ	Vref-IC	Adjustable, Precision, Shunt, 1.24V±1%	SOT23-5	28ra	RF1	Ana
BG	BD4725G	Lin/Dig-IC	Voltage Detector 2.5V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BG	RN5RT36AA	VR-IC	LDO, -Enable, 3.6V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BG	V6300GSP5B	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
BH	AP432IAQ	Vref-IC	Adjustable, Precision, Shunt, 1.24V±0.5%	SOT23-5	28ra	RF1	Ana
BH	BD4726G	Lin/Dig-IC	Voltage Detector 2.6V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm
BH	RN5RT37AA	VR-IC	LDO, -Enable, 3.7V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BH	V6300HSP5B	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
BI	V6300ISP5B	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
BJ	BD4728G	Lin/Dig-IC	Voltage Detector 2.8V, -Reset Open collector output	SMP5	28vdt	VD6	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
BJ	RN5RT38AA	VR-IC	LDO, -Enable, 3,8V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BJ	V6300JSP5B	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output 50ms	SOT23-5	28vdo	VD7	Em
BK	BD4729G	Lin/Dig-IC	Voltage Detector 2,9V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BK	RN5RT39AA	VR-IC	LDO, -Enable, 3,9V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
BK	V6300KSP5B	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
BL	BD4730G	Lin/Dig-IC	Voltage Detector 3V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BL	R1112N301A	VR-IC	LDO, LN, -Enable, 3V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BL	V6300LSP5B	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output, 50ms	SOT23-5	28vdo	VD7	Em
BM	BD4731G	Lin/Dig-IC	Voltage Detector 3,1V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BM	R1112N311A	VR-IC	LDO, LN, -Enable, 3,1V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BM	V6300MSP5B	CMOS-IC	Voltage Detector 2V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
BN	BD4732G	Lin/Dig-IC	Voltage Detector 3,2V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BN	R1112N321A	VR-IC	LDO, LN, -Enable, 3,2V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BN	V6300NSP5B	CMOS-IC	Voltage Detector 2,4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
BO	V6300OSP5B	CMOS-IC	Voltage Detector 2,8V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
BP	BD4734G	Lin/Dig-IC	Voltage Detector 3,4V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BP	R1112N331A	VR-IC	LDO, LN, -Enable, 3,3V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BP	V6300PSP5B	CMOS-IC	Voltage Detector 3,5V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
BQ	BD4735G	Lin/Dig-IC	Voltage Detector 3,5V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BQ	R1112N341A	VR-IC	LDO, LN, -Enable, 3,4V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BQ	V6300QSP5B	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
BR	AT1201-33XR	VR-IC	LDO, Low-Noise, Enable, 3,3V±2%, 150mA	SOT23-5	28vrna	-	Atr
BR	BD4736G	Lin/Dig-IC	Voltage Detector 3,6V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BR	R1112N351A	VR-IC	LDO, LN, -Enable, 3,5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BR	V6300RSP5B	CMOS-IC	Voltage Detector 4,5V, -Reset Open drain output 50ms	SOT23-5	28vdr	VD6	Em
BS	BD4737G	Lin/Dig-IC	Voltage Detector 3,7V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BS	R1112N361A	VR-IC	LDO, LN, -Enable, 3,6V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BT	BD4738G	Lin/Dig-IC	Voltage Detector 3,8V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BT	R1112N371A	VR-IC	LDO, LN, -Enable, 3,7V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BT	TC1015-2 6VRX	VR-IC	LDO, Enable, 2,6V±2%, 100mA	SOT23-5	28vrx	VR7	Mcc
BU	BD4739G	Lin/Dig-IC	Voltage Detector 3,9V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BU	R1112N381A	VR-IC	LDO, LN, -Enable, 3,8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BV	BD4740G	Lin/Dig-IC	Voltage Detector 4V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BV	R1112N391A	VR-IC	LDO, LN, -Enable, 3,9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
BW	BD4741G	Lin/Dig-IC	Voltage Detector 4,1V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BX	AT1201-33X	VR-IC	LDO, Low-Noise, Enable, 3,3V±2%, 150mA	SOT23-5	28vrx	VR7	Atr
BX	BD4742G	Lin/Dig-IC	Voltage Detector 4,2V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BY	BD4743G	Lin/Dig-IC	Voltage Detector 4,3V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BY	TC1015-1 8VRX	VR-IC	LDO, Enable, 1,8V±2%, 100mA	SOT23-5	28vrx	VR7	Mcc
BZ	BD4744G	Lin/Dig-IC	Voltage Detector 4,4V, -Reset Open collector output	SMP5	28vdq	VD6	Rhm
BZ	TC1015-2 8VRX	VR-IC	LDO, Enable, 2,8V±2%, 100mA	SOT23-5	28vrx	VR7	Mcc
C0	R1111N401A	VR-IC	LDO, LN, -Enable, 4V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
C0	RN5VD20AA	CMOS-IC	Voltage Detector 2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C0	Si91842DT-22	VR-IC	LDO, Low-Noise, Enable, -Error, 2,2V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
C0	TC1054-4 0VCT713	VR-IC	LDO, Enable, -Error, 4,0V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
C01C	R1130H001C	VR-IC	LDO, -Enable, Adjustable 1,5 5V±2%, 300mA	SOT89-5	32vrp	-	Ric
C1	R1111N411A	VR-IC	LDO, LN, -Enable, 4,1V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
C1	RN5VD21AA	CMOS-IC	Voltage Detector 2,1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C1	TC1054-2 5VCT713	VR-IC	LDO, Enable, -Error, 2,5V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
C1	TC4511F	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
C15A	R1130H151A	VR-IC	LDO, -Enable, 1,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C15B	R1130H151B	VR-IC	LDO, Enable, 1,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C16A	R1130H161A	VR-IC	LDO, -Enable, 1,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C16B	R1130H161B	VR-IC	LDO, Enable, 1,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C17A	R1130H171A	VR-IC	LDO, -Enable, 1,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C17B	R1130H171B	VR-IC	LDO, Enable, 1,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C18A	R1130H181A	VR-IC	LDO, -Enable, 1,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C18B	R1130H181B	VR-IC	LDO, Enable, 1,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C19A	R1130H191A	VR-IC	LDO, -Enable, 1,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C19B	R1130H191B	VR-IC	LDO, Enable, 1,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C2	R1111N421A	VR-IC	LDO, LN, -Enable, 4,2V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
C2	RN5VD22AA	CMOS-IC	Voltage Detector 2,2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C2	TC1054-2 7VCT713	VR-IC	LDO, Enable, -Error, 2,7V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
C2	TC4581F	TTL-Logic	2-input AND gate	SC59-5	Log3	-	Tos
C20A	R1130H201A	VR-IC	LDO, -Enable, 2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C20B	R1130H201B	VR-IC	LDO, Enable, 2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C21A	R1130H211A	VR-IC	LDO, -Enable, 2,1V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C21B	R1130H211B	VR-IC	LDO, Enable, 2,1V±2%, 300mA	SOT89-5	32vro	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
C22A	R1130H221A	VR-IC	LDO, -Enable, 2,2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C22B	R1130H221B	VR-IC	LDO, Enable, 2,2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C23A	R1130H231A	VR-IC	LDO, -Enable, 2,3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C23B	R1130H231B	VR-IC	LDO, Enable, 2,3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C24A	R1130H241A	VR-IC	LDO, -Enable, 2,4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C24B	R1130H241B	VR-IC	LDO, Enable, 2,4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C25A	R1130H251A	VR-IC	LDO, -Enable, 2,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C25B	R1130H251B	VR-IC	LDO, Enable, 2,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C26A	R1130H261A	VR-IC	LDO, -Enable, 2,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C26B	R1130H261B	VR-IC	LDO, Enable, 2,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C27A	R1130H271A	VR-IC	LDO, -Enable, 2,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C27B	R1130H271B	VR-IC	LDO, Enable, 2,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C28A	R1130H281A	VR-IC	LDO, -Enable, 2,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C28B	R1130H281B	VR-IC	LDO, Enable, 2,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C29A	R1130H291A	VR-IC	LDO, -Enable, 2,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C29B	R1130H291B	VR-IC	LDO, Enable, 2,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C3	R1111N431A	VR-IC	LDO, LN, -Enable, 4,3V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
Ĉ3	RNSVD23AA	CMOS-IC	Voltage Detector 2,3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C3	TC1054-3 0VCT713	VR-IC	LDO, Enable, -Error, 3 0V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
C3	TC4S01F	TTL-Logic	2-input NOR gate	SC-59	Log2	-	Tos
C30A	R1130H301A	VR-IC	LDO, -Enable, 3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C30B	R1130H301B	VR-IC	LDO, Enable, 3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C31A	R1130H311A	VR-IC	LDO, -Enable, 3,1V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C31B	R1130H311B	VR-IC	LDO, Enable, 3,1V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C32A	R1130H321A	VR-IC	LDO, -Enable, 3,2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C32B	R1130H321B	VR-IC	LDO, Enable, 3,2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C33A	R1130H331A	VR-IC	LDO, -Enable, 3,3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C33B	R1130H331B	VR-IC	LDO, Enable, 3,3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C34A	R1130H341A	VR-IC	LDO, -Enable, 3,4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C34B	R1130H341B	VR-IC	LDO, Enable, 3,4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C35A	R1130H351A	VR-IC	LDO, -Enable, 3,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C35B	R1130H351B	VR-IC	LDO, Enable, 3,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C36A	R1130H361A	VR-IC	LDO, -Enable, 3,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C36B	R1130H361B	VR-IC	LDO, Enable, 3,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C37A	R1130H371A	VR-IC	LDO, -Enable, 3,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C37B	R1130H371B	VR-IC	LDO, Enable, 3,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C38A	R1130H381A	VR-IC	LDO, -Enable, 3,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C38B	R1130H381B	VR-IC	LDO, Enable, 3,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C39A	R1130H391A	VR-IC	LDO, -Enable, 3,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C39B	R1130H391B	VR-IC	LDO, Enable, 3,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C4	R1111N441A	VR-IC	LDO, LN, -Enable, 4,4V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
Ĉ4	RNSVD24AA	CMOS-IC	Voltage Detector 2,4V, Reset Push-pull output	SOT23-5	28vdo	VO7	Ric
C4	TC1054-3 3VCT713	VR-IC	LDO, Enable, -Error, 3 3V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
C4	TC4S71F	TTL-Logic	2-Input OR gate	SC-59*	Log4	-	Tos
C40A	R1130H401A	VR-IC	LDO, -Enable, 4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C40B	R1130H401B	VR-IC	LDO, Enable, 4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C41A	R1130H411A	VR-IC	LDO, -Enable, 4,1V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C41B	R1130H411B	VR-IC	LDO, Enable, 4,1V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C42A	R1130H421A	VR-IC	LDO, -Enable, 4,2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C42B	R1130H421B	VR-IC	LDO, Enable, 4,2V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C43A	R1130H431A	VR-IC	LDO, -Enable, 4,3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C43B	R1130H431B	VR-IC	LDO, Enable, 4,3V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C44A	R1130H441A	VR-IC	LDO, -Enable, 4,4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C44B	R1130H441B	VR-IC	LDO, Enable, 4,4V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C45A	R1130H451A	VR-IC	LDO, -Enable, 4,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C45B	R1130H451B	VR-IC	LDO, Enable, 4,5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C46A	R1130H461A	VR-IC	LDO, -Enable, 4,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C46B	R1130H461B	VR-IC	LDO, Enable, 4,6V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C47A	R1130H471A	VR-IC	LDO, -Enable, 4,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C47B	R1130H471B	VR-IC	LDO, Enable, 4,7V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C48A	R1130H481A	VR-IC	LDO, -Enable, 4,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C48B	R1130H481B	VR-IC	LDO, Enable, 4,8V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C49A	R1130H491A	VR-IC	LDO, -Enable, 4,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C49B	R1130H491B	VR-IC	LDO, Enable, 4,9V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C5	R1111N451A	VR-IC	LDO, LN, -Enable, 4,5V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
Ĉ5	RNSVD25AA	CMOS-IC	Voltage Detector 2,5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C5	TC4S69F	TTL-Logic	Unbuffered inverter	SOT353	Log6	-	Tos
C50A	R1130H501A	VR-IC	LDO, -Enable, 5V±2%, 300mA	SOT89-5	32vro	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
C50B	R1130H501B	VR-IC	LDO, Enable, 5V±2%, 300mA	SOT89-5	32vro	VR4	Ric
C6	R1111N461A	VR-IC	LDO, LN, -Enable, 4,6V±2%, 0,2A	SOT23-5	28vrn	VR4	Ric
C6	RN5VD26AA	CMOS-IC	Voltage Detector 2,6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C6	TC1054-5.0VCT713	VR-IC	LDO, Enable, -Error, 5.0V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
C6	TC4SU89F	TTL-Logic	Unbuffered inverter	SOT353	Log6	-	Phi
C7	R1111N471A	VR-IC	LDO, LN, -Enable, 4,7V±2%, 0,2A	SOT23-5	28vrn	VR4	Ric
C7	RN5VD27AA	CMOS-IC	Voltage Detector 2,7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C7	TC4SU11F	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Phi
C8	R1111N481A	VR-IC	LDO, LN, -Enable, 4,8V±2%, 0,2A	SOT23-5	28vrn	VR4	Ric
C8	RN5VD28AA	CMOS-IC	Voltage Detector 2,8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C8	SI91842DT-18	VR-IC	LDO, Low-Noise, Enable, -Error, 1.8V±1.5%, 150mA	SOT23-5	28vrk	VR17	Via
C8	TC1054-2.85VCT713	VR-IC	LDO, Enable, -Error, 2.85V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
C8	TC4S30F	TTL-Logic	2-input EXCLUSIVE OR gate	SC59-5	Log5	-	Phi
C9	R1111N491A	VR-IC	LDO, LN, -Enable, 4,9V±2%, 0,2A	SOT23-5	28vrn	VR4	Ric
C9	RN5VD29AA	CMOS-IC	Voltage Detector 2,9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
C9	SI91842DT-20	VR-IC	LDO, Low-Noise, Enable, -Error, 2V±1.5%, 150mA	SOT23-5	28vrk	VR17	Via
C9	TC1054-3.6VCT713	VR-IC	LDO, Enable, -Error, 3.6V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
CA	µPA503T	MOS-P-FET-e+	Dual, V-MOS, 50V, 100mA, <60Ω(10mA)	SOT23-5	28fb	-	Nec
CA	74AHC1G00	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Phi
CA	RN5RT40AA	VR-IC	LDO, -Enable, 4V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CA	V6301ASP5B	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
CB	µPA573T	MOS-P-FET-e+	Dual, V-MOS, 30V, ±100mA, <25Ω(10mA)	SOT23-5	28fb	-	Nec
CB	74AHC1G02	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Phi
CB	RN5RT41AA	VR-IC	LDO, -Enable, 4,1V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CB	V6301BSP5B	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
CC	74AHC1G04	TTL-Logic	Inverter	SOT353	Log6	-	Phi
CC	RN5RT42AA	VR-IC	LDO, -Enable, 4,2V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CC	V6301CSP5B	CMOS-IC	Voltage Detector 2,8V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
CD	74AHC1GU04	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Phi
CD	RN5RT43AA	VR-IC	LDO, -Enable, 4,3V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CD	V6301DSP5B	CMOS-IC	Voltage Detector 3,5V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
CE	74AHC1G08	TTL-Logic	2-input AND gate	SOT353	Log3	-	Phi
CE	RN5RT44AA	VR-IC	LDO, -Enable, 4,4V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CE	V6301ESP5B	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
CF	74AHC1G14	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Phi
CF	RN5RT45AA	VR-IC	LDO, -Enable, 4,5V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CF	V6301FSP5B	CMOS-IC	Voltage Detector 4,5V, -Reset Push-pull output, 290ms	SOT23-5	28vdr	VD7	Em
CG	74AHC1G32	TTL-Logic	2-input OR gate	SOT353	Log4	-	Phi
CG	RN5RT46AA	VR-IC	LDO, -Enable, 4,6V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CG	V6301GSP5B	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
CH	74AHC1G86	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Phi
CH	RN5RT47AA	VR-IC	LDO, -Enable, 4,7V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CH	V6301HSP5B	CMOS-IC	Voltage Detector 2,4V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
CI	V6301ISP5B	CMOS-IC	Voltage Detector 2,8V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
CJ	RN5RT48AA	VR-IC	LDO, -Enable, 4,8V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CJ	V6301JSP5B	CMOS-IC	Voltage Detector 3,5V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
CK	RN5RT49AA	VR-IC	LDO, -Enable, 4,9V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
CK	V6301KSP5B	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
CL	74AHC1G66	CMOS-Logic	Bilateral analogic switch	SOT353	Log26	-	Phi
CL	R112N401A	VR-IC	LDO, LN, -Enable, 4V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
CL	V6301LSP5B	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output, 290ms	SOT23-5	28vdo	VD7	Em
CM	74AHC1G125	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log20	-	Phi
CM	R112N411A	VR-IC	LDO, LN, -Enable, 4,1V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
CM	V6301MSP5B	CMOS-IC	Voltage Detector 2V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
CN	74AHC1G126	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log21	-	Phi
CN	R112N421A	VR-IC	LDO, LN, -Enable, 4,2V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
CN	V6301NSP5B	CMOS-IC	Voltage Detector 2,4V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
CO	V6301OSP5B	CMOS-IC	Voltage Detector 2,8V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
CP	R112N431A	VR-IC	LDO, LN, -Enable, 4,3V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
CP	V6301PSP5B	CMOS-IC	Voltage Detector 3,5V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
CQ	R112N441A	VR-IC	LDO, LN, -Enable, 4,4V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
CQ	V6301QSP5B	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
CR	74AHC1G06GW	TTL-Logic	Inverter (Open drain output)	SOT353	Log29	-	Phi
CR	AT1201-30XR	VR-IC	LDO, Low-Noise, Enable, 3V±2%, 150mA	SOT23-5	28vrna	-	Atr
CR	R112N451A	VR-IC	LDO, LN, -Enable, 4,5V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
CR	V6301RSP5B	CMOS-IC	Voltage Detector 4,5V, -Reset Open drain output, 290ms	SOT23-5	28vdr	VD6	Em
CS	R112N461A	VR-IC	LDO, LN, -Enable, 4,6V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
CT	R112N471A	VR-IC	LDO, LN, -Enable, 4,7V±2%, 150mA	SOT23-5	28vrn	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
CU	R1112N481A	VR-IC	LDO, LN, -Enable, 4.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
CV	R1112N491A	VR-IC	LDO, LN, -Enable, 4.9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
CX	AT1201-30X	VR-IC	LDO, Low-Noise, Enable, 3V±2%, 150mA	SOT23-5	28vrk	VR7	Atr
CY	TC1054-1.8VCT713	VR-IC	LDO, Enable, -Error, 1.8V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
CZ	TC1054-2.8VCT713	VR-IC	LDO, Enable, -Error, 2.8V±2%, 50mA	SOT23-5	28vrk	VR8	Mcc
D0	AP131-41W	VR-IC	LDO, Enable, 4.1V±2%, 300mA	SOT23-5L	28vrva	VR4	Ana
D0	AP131-41Y	VR-IC	LDO, Enable, 4.1V±2%, 300mA	SOT89-5L	32vrk	VR4	Ana
D0	R1111N501A	VR-IC	LDO, LN, -Enable, 5V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
D0	RN5VD30AA	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D0	Si91842DT-36	VR-IC	LDO, Low-Noise, Enable, -Error, 3.6V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
D0	TC1055-4.0VCT713	VR-IC	LDO, Enable, -Error, 4.0V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
D00A	LM3411AM5-3.3	VR-IC	Precision Secondary Regulator/Driver, 3.3V	SOT23-5	28vma	-	Nsc
D00B	LM3411M5-3.3	VR-IC	Precision Secondary Regulator/Driver, 3.3V	SOT23-5	28vma	-	Nsc
D01A	LM3411AM5-5.0	VR-IC	Precision Secondary Regulator/Driver, 5V	SOT23-5	28vma	-	Nsc
D01A	R1150H001A	CMOS-IC	VR 2.1V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D01B	LM3411M5-5.0	VR-IC	Precision Secondary Regulator/Driver, 5V	SOT23-5	28vma	-	Nsc
D02A	LM3420AM5-4.2	Lin-IC	Lithium-Ion Battery Charge Controller, 4.2V	SOT23-5	28vma	-	Nsc
D02A	R1150H002A	CMOS-IC	VR 2.2V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D02B	LM3420M5-4.2	Lin-IC	Lithium-Ion Battery Charge Controller, 4.2V	SOT23-5	28vma	-	Nsc
D03A	LM3420AM5-8.4	Lin-IC	Lithium-Ion Battery Charge Controller, 8.4V	SOT23-5	28vma	-	Nsc
D03A	R1150H003A	CMOS-IC	VR 2.3V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D03B	LM3420M5-8.4	Lin-IC	Lithium-Ion Battery Charge Controller, 8.4V	SOT23-5	28vma	-	Nsc
D03B	R1150H003B	CMOS-IC	VR 2.3V±2%, 150mA; Vin or Vout VDet, -Reset ODO	SOT89-5	32yb	-	Ric
D04A	LM3420AM5-12.6	Lin-IC	Lithium-Ion Battery Charge Controller, 12.6V	SOT23-5	28vma	-	Nsc
D04B	LM3420M5-12.6	Lin-IC	Lithium-Ion Battery Charge Controller, 12.6V	SOT23-5	28vma	-	Nsc
D04B	R1150H004B	CMOS-IC	VR 2.4V±2%, 150mA; Vin or Vout VDet, -Reset ODO	SOT89-5	32yb	-	Ric
D05A	LM3420AM5-16.8	Lin-IC	Lithium-Ion Battery Charge Controller, 16.8V	SOT23-5	28vma	-	Nsc
D05B	LM3420M5-16.8	Lin-IC	Lithium-Ion Battery Charge Controller, 16.8V	SOT23-5	28vma	-	Nsc
D05B	R1150H005B	CMOS-IC	VR 2.5V±2%, 150mA; Vin or Vout VDet, -Reset ODO	SOT89-5	32yb	-	Ric
D06A	LM3460M5-1.5	Lin-IC	Controller for GTLP GTL Bus Termination	SOT23-5	28vma	-	Nsc
D06A	R1150H006A	CMOS-IC	VR 2.6V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D06B	R1150H006B	CMOS-IC	VR 2.6V±2%, 150mA; Vin or Vout VDet, -Reset ODO	SOT89-5	32yb	-	Ric
D07A	LM3420AM5-8.2	Lin-IC	Lithium-Ion Battery Charge Controller, 8.2V	SOT23-5	28vma	-	Nsc
D07B	LM3420M5-8.2	Lin-IC	Lithium-Ion Battery Charge Controller, 8.2V	SOT23-5	28vma	-	Nsc
D07C	R1150H007C	CMOS-IC	VR 2.7V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D08C	R1150H008C	CMOS-IC	VR 2.8V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D09A	LM3480M5-1.2	Lin-IC	Controller for GTLP GTL Bus Termination	SOT23-5	28vma	-	Nsc
D09C	R1150H009C	CMOS-IC	VR 2.9V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D1	AP131-42W	VR-IC	LDO, Enable, 4.2V±2%, 300mA	SOT23-5L	28vrva	VR4	Ana
D1	AP131-42Y	VR-IC	LDO, Enable, 4.2V±2%, 300mA	SOT89-5L	32vrk	VR4	Ana
D1	RN5VD31AA	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D1	Si91842DT-25	VR-IC	LDO, Low-Noise, Enable, -Error, 2.5V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
D1	TC1055-2.5VCT713	VR-IC	LDO, Enable, -Error, 2.5V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
D10A	R1150H010A	CMOS-IC	VR 3V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D10B	LM3620M5-4	Lin-IC	Lithium-Ion Battery Charger Controller	SOT23-5	28vca	-	Nsc
D11A	R1150H011A	CMOS-IC	VR 3.1V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D11B	LM3620M5-8	Lin-IC	Lithium-Ion Battery Charger Controller	SOT23-5	28vce	-	Nsc
D12A	R1150H012A	CMOS-IC	VR 3.2V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D13A	R1150H013A	CMOS-IC	VR 3.3V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D14A	R1150H014A	CMOS-IC	VR 3.4V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D15A	R1150H015A	CMOS-IC	VR 3.5V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D16D	R1150H016D	CMOS-IC	VR 3.6V±2%, 150mA; Vout VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D17D	R1150H017D	CMOS-IC	VR 3.7V±2%, 150mA; Vout VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D18D	R1150H018D	CMOS-IC	VR 3.8V±2%, 150mA; Vout VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D19A	R1150H019A	CMOS-IC	VR 3.9V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D2	AP131-43W	VR-IC	LDO, Enable, 4.3V±2%, 300mA	SOT23-5L	28vrva	VR4	Ana
D2	AP131-43Y	VR-IC	LDO, Enable, 4.3V±2%, 300mA	SOT89-5L	32vrk	VR4	Ana
D2	RN5VD32AA	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D2	Si91842DT-26	VR-IC	LDO, Low-Noise, Enable, -Error, 2.6V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
D2	TC1055-2.7VCT713	VR-IC	LDO, Enable, -Error, 2.7V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
D20C	R1150H020C	CMOS-IC	VR 4V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D20D	R1150H020D	CMOS-IC	VR 4V±2%, 150mA; Vout VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D21A	R1150H021A	CMOS-IC	VR 4.1V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D22D	R1150H022D	CMOS-IC	VR 4.2V±2%, 150mA; Vout VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D23A	R1150H023A	CMOS-IC	VR 4.3V±2%, 150mA; Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D24B	R1150H024B	CMOS-IC	VR 4.4V±2%, 150mA; Vin or Vout VDet, -Reset ODO	SOT89-5	32yb	-	Ric
D25B	LP3470M5-2.63	CMOS-IC	Voltage Detector 2.63V, -Reset Open Drain Out	SOT23-5	28vdx	VD2	Nsc
D25B	LP3470M5X-2.63	CMOS-IC	Voltage Detector 2.83V, -Reset Open Drain Out	SOT23-5	28vdx	VD2	Nsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
D25B	R1150H025B	CMOS-IC	VR 4,5V±2%, 150mA, Vin or Vout VDet, -Reset ODO	SOT89-5	32yb	-	Ric
D25C	LP3470IM5-2 63	CMOS-IC	Voltage Detector 2 63V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D25C	LP3470IM5X-2 63	CMOS-IC	Voltage Detector 2 63V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D26B	LP3470M5-2 93	CMOS-IC	Voltage Detector 2 93V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D26B	LP3470M5X-2 93	CMOS-IC	Voltage Detector 2 93V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D26C	LP3470IM5-2 93	CMOS-IC	Voltage Detector 2 93V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D26C	LP3470IM5X-2 93	CMOS-IC	Voltage Detector 2 93V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D26D	R1150H026D	CMOS-IC	VR 4,6V±2%, 150mA, Vout VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D27A	R1150H027A	CMOS-IC	VR 4,7V±2%, 150mA, Vin VDet, -Reset Open drain output	SOT89-5	32ya	-	Ric
D28B	LP3470M5-3 08	CMOS-IC	Voltage Detector 3 08V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D28B	LP3470M5X-3 08	CMOS-IC	Voltage Detector 3 08V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D28C	LP3470IM5-3 08	CMOS-IC	Voltage Detector 3 08V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D28C	LP3470IM5X-3 08	CMOS-IC	Voltage Detector 3 08V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D28D	R1150H028D	CMOS-IC	VR 4 8V±2%, 150mA, Vout VDet, -Reset Open drain output	SOT89-5	32yc	-	Ric
D29B	LP3470M5-4 00	CMOS-IC	Voltage Detector 4V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D29B	LP3470M5X-4 00	CMOS-IC	Voltage Detector 4V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D29C	LP3470IM5-4 00	CMOS-IC	Voltage Detector 4V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D29C	LP3470IM5X-4 00	CMOS-IC	Voltage Detector 4V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D3	AP131-44W	VR-IC	LDO, Enable, 4,4V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
D3	AP131-44Y	VR-IC	LDO, Enable, 4,4V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
D3	RN5VD33AA	CMOS-IC	Voltage Detector 3,3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D3	S91842DT-27	VR-IC	LDO, Low-Noise, Enable, -Error, 2 7V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
D3	TC1055-3 0VCT713	VR-IC	LDO, Enable, -Error, 3 0V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
D30B	LP3470M5-4 38	CMOS-IC	Voltage Detector 4 38V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D30B	LP3470M5X-4 38	CMOS-IC	Voltage Detector 4 38V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D30C	LP3470IM5-4 38	CMOS-IC	Voltage Detector 4 38V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D30C	LP3470IM5X-4 38	CMOS-IC	Voltage Detector 4 38V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D31B	LP3470M5-4 63	CMOS-IC	Voltage Detector 4 63V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D31B	LP3470M5X-4 63	CMOS-IC	Voltage Detector 4 63V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D31C	LP3470IM5-4 63	CMOS-IC	Voltage Detector 4 63V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D31C	LP3470IM5X-4 63	CMOS-IC	Voltage Detector 4 63V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D37B	LP3470M5-3 65	CMOS-IC	Voltage Detector 3 65V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D37B	LP3470M5X-3 65	CMOS-IC	Voltage Detector 3 65V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D37C	LP3470IM5-3 65	CMOS-IC	Voltage Detector 3 65V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D37C	LP3470IM5X-3 65	CMOS-IC	Voltage Detector 3 65V, -Reset Open Drain Outut	SOT23-5	28vdx	VD2	Nsc
D4	AP131-45W	VR-IC	LDO, Enable, 4,5V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
D4	AP131-45Y	VR-IC	LDO, Enable, 4,5V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
D4	RN5VD34AA	CMOS-IC	Voltage Detector 3,4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D4	S91842DT-28	VR-IC	LDO, Low-Noise, Enable, -Error, 2 8V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
D4	TC1055-3 3VCT713	VR-IC	LDO, Enable, -Error, 3 3V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
D5	AP131-46W	VR-IC	LDO, Enable, 4,6V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
D5	AP131-46Y	VR-IC	LDO, Enable, 4,6V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
D5	RN5VD35AA	CMOS-IC	Voltage Detector 3,5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D5	S91842DT-285	VR-IC	LDO, Low-Noise Enable -Error, 2 85V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
D6	AP131-47W	VR-IC	LDO, Enable, 4,7V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
D6	AP131-47Y	VR-IC	LDO, Enable, 4,7V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
D6	RN5VD36AA	CMOS-IC	Voltage Detector 3,6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D6	S91842DT-29	VR-IC	LDO, Low-Noise, Enable, -Error, 2 9V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
D6	TC1055-5 0VCT713	VR-IC	LDO, Enable, -Error, 5 0V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
D7	AP131-48W	VR-IC	LDO, Enable, 4,8V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
D7	AP131-48Y	VR-IC	LDO, Enable, 4,8V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
D7	RN5VD37AA	CMOS-IC	Voltage Detector 3,7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D7	S91842DT-30	VR-IC	LDO, Low-Noise, Enable, -Error, 3 0V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
D6	AP131-49W	VR-IC	LDO, Enable, 4,9V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
D6	AP131-49Y	VR-IC	LDO, Enable, 4,9V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
D8	RN5VD38AA	CMOS-IC	Voltage Detector 3,8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D8	S91842DT-33	VR-IC	LDO, Low-Noise, Enable, -Error, 3 3V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
D8	TC1055-2 85VCT713	VR-IC	LDO, Enable, -Error, 2 85V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
D9	AP131-50W	VR-IC	LDO, Enable, 5V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
D9	AP131-50Y	VR-IC	LDO, Enable, 5V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
D9	RN5VD39AA	CMOS-IC	Voltage Detector 3,9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
D9	S91842DT-35	VR-IC	LDO, Low-Noise, Enable, -Error, 3 5V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
D9	TC1055-3 6VCT713	VR-IC	LDO, Enable, -Error, 3 6V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
DA	µPA502T	MOS-N-FET-e*	Duat, V-MOS, 50V, 100mA, <25Q(10mA)	SOT23-5	28fb	-	Nec
DA	AP131-15W	VR-IC	LDO, Enable, 1,5V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DA	AP131-15Y	VR-IC	LDO, Enable, 1,5V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DA	RN5RT50AA	VR-IC	LDO, -Enable, 5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
DA	V6310ASP5B	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
DB	µPA572T	MOS-N-FET-e*	Dual, V-MOS, 30V, ±100mA, <8Q(10mA)	SOT23-5	28fb	-	Nec
DB	AP131-16W	VR-IC	LDO, Enable, 1.6V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DB	AP131-16Y	VR-IC	LDO, Enable, 1.6V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DB	RN5RT51AA	VR-IC	LDO, -Enable, 5.1V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DB	V6310BSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DC	AP131-17W	VR-IC	LDO, Enable, 1.7V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DC	AP131-17Y	VR-IC	LDO, Enable, 1.7V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DC	RN5RT52AA	VR-IC	LDO, -Enable, 5.2V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DC	V6310CSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DD	AP131-18W	VR-IC	LDO, Enable, 1.8V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DD	AP131-18Y	VR-IC	LDO, Enable, 1.8V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DD	BD4823FVE	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DD	BD4823G	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DD	RN5RT53AA	VR-IC	LDO, -Enable, 5.3V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DD	V6310DSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DE	AP131-19W	VR-IC	LDO, Enable, 1.9V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DE	AP131-19Y	VR-IC	LDO, Enable, 1.9V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DE	BD4824FVE	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DE	BD4824G	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DE	RN5RT54AA	VR-IC	LDO, -Enable, 5.4V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DE	V6310ESP5B	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DF	AP131-20W	VR-IC	LDO, Enable, 2V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DF	AP131-20Y	VR-IC	LDO, Enable, 2V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DF	BD4825FVE	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DF	BD4825G	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DF	RN5RT55AA	VR-IC	LDO, -Enable, 5.5V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DF	V6310FSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DG	AP131-21W	VR-IC	LDO, Enable, 2.1V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DG	AP131-21Y	VR-IC	LDO, Enable, 2.1V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DG	BD4826FVE	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DG	BD4826G	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DG	RN5RT56AA	VR-IC	LDO, -Enable, 5.6V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DG	V6310GSP5B	CMOS-IC	Voltage Detector 2V, Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DH	AP131-22W	VR-IC	LDO, Enable, 2.2V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DH	AP131-22Y	VR-IC	LDO, Enable, 2.2V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DH	BD4827FVE	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DH	BD4827G	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DH	RN5RT57AA	VR-IC	LDO, -Enable, 5.7V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DH	V6310HSP5B	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DI	AP131-23W	VR-IC	LDO, Enable, 2.3V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DI	AP131-23Y	VR-IC	LDO, Enable, 2.3V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DI	V6310ISP5B	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DJ	AP131-24W	VR-IC	LDO, Enable, 2.4V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DJ	AP131-24Y	VR-IC	LDO, Enable, 2.4V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DJ	BD4828FVE	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DJ	BD4828G	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DJ	RN5RT58AA	VR-IC	LDO, -Enable, 5.8V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DJ	V6310JSP5B	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DK	AP131-25W	VR-IC	LDO, Enable, 2.5V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DK	AP131-25Y	VR-IC	LDO, Enable, 2.5V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DK	BD4829FVE	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DK	BD4829G	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DK	RN5RT59AA	VR-IC	LDO, -Enable, 5.9V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
DK	V6310KSP5B	CMOS-IC	Voltage Detector 4V, Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DL	AP131-26W	VR-IC	LDO, Enable, 2.6V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DL	AP131-26Y	VR-IC	LDO, Enable, 2.6V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DL	BD4830FVE	CMOS-IC	Voltage Detector 3V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DL	BD4830G	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DL	R1112N501A	VR-IC	LDO, LN, -Enable, 5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
DL	V6310LSP5B	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output, 50ms	SOT23-5	28vdr	VD7	Em
DM	AP131-27W	VR-IC	LDO, Enable, 2.7V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DM	AP131-27Y	VR-IC	LDO, Enable, 2.7V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DM	BD4831FVE	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm
DM	BD4831G	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DM	V6310MSP5B	CMOS-IC	Voltage Detector 2V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
DN	AP131-28W	VR-IC	LDO, Enable, 2.8V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DN	AP131-28Y	VR-IC	LDO, Enable, 2.8V±2%, 300mA	SOT89-5L	32vrx	VR4	Ana
DN	BD4832FVE	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	V5OF-5	28vdr	VD6	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
DN	BD4832G	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DN	V6310NSP5B	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
DO	AP131-29W	VR-IC	LDO, Enable, 2.9V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DO	AP131-29Y	VR-IC	LDO, Enable, 2.9V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DO	V6310QSP5B	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
DP	AP131-30W	VR-IC	LDO, Enable, 3V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DP	AP131-30Y	VR-IC	LDO, Enable, 3V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DP	BD483FVE	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	VSOF-5	28vdv	VD6	Rhm
DP	BD4833G	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DP	V6310PSP5B	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output 50ms	SOT23-5	28vdr	VD6	Em
DQ	AP131-31W	VR-IC	LDO, Enable, 3.1V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DQ	AP131-31Y	VR-IC	LDO, Enable, 3.1V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DQ	BD4834FVE	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	VSOF-5	28vdv	VD6	Rhm
DQ	BD4834G	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DQ	V6310QSP5B	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 50ms	SOT23-5	28vdr	VD6	Em
DR	AP131-32W	VR-IC	LDO, Enable, 3.2V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DR	AP131-32Y	VR-IC	LDO, Enable, 3.2V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DR	AT1201-28XR	VR-IC	LDO, Low-Noise, Enable, 2.8V±2%, 150mA	SOT23-5	28vrna	-	Atr
DR	BD4835FVE	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	VSOF-5	28vdv	VD6	Rhm
DR	BD4835G	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DR	V6310RSP5B	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output 50ms	SOT23-5	28vdr	VD6	Em
DS	AP131-33W	VR-IC	LDO, Enable, 3.3V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DS	AP131-33Y	VR-IC	LDO, Enable, 3.3V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DS	BD4836FVE	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	VSOF-5	28vdv	VD6	Rhm
DS	BD4836G	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DT	AP131-34W	VR-IC	LDO, Enable, 3.4V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DT	AP131-34Y	VR-IC	LDO, Enable, 3.4V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DT	BD4837FVE	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	VSOF-5	28vdv	VD6	Rhm
DT	BD4837G	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DU	AP131-35W	VR-IC	LDO, Enable, 3.5V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DU	AP131-35Y	VR-IC	LDO, Enable, 3.5V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DU	BD4838FVE	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	VSOF-5	28vdv	VD6	Rhm
DU	BD4838G	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DV	AP131-36W	VR-IC	LDO, Enable, 3.6V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DV	AP131-36Y	VR-IC	LDO, Enable, 3.6V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DV	BD4839FVE	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	VSOF-5	28vdv	VD6	Rhm
DV	BD4839G	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
DW	AP131-37W	VR-IC	LDO, Enable, 3.7V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DW	AP131-37Y	VR-IC	LDO, Enable, 3.7V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DX	AP131-38W	VR-IC	LDO, Enable, 3.8V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DX	AP131-38Y	VR-IC	LDO, Enable, 3.8V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DX	AT1201-28X	VR-IC	LDO, Low-Noise, Enable, 2.8V±2% 150mA	SOT23-5	28vrх	VR7	Atr
DY	AP131-39W	VR-IC	LDO, Enable, 3.9V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DY	AP131-39Y	VR-IC	LDO, Enable, 3.9V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DY	TC1055-1.8VCT713	VR-IC	LDO, Enable, -Error, 1.8V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
DZ	AP131-40W	VR-IC	LDO, Enable, 4V±2%, 300mA	SOT23-5L	28vrua	VR4	Ana
DZ	AP131-40Y	VR-IC	LDO, Enable, 4V±2%, 300mA	SOT89-5L	32vrх	VR4	Ana
DZ	TC1055-2.8VCT713	VR-IC	LDO, Enable, -Error, 2.8V±2%, 100mA	SOT23-5	28vrk	VR8	Mcc
E0	RN5VD40AA	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E1	RN5VD41AA	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E1	S91842DT-50	VR-IC	LDO, Low-Noise, Enable, -Error, 5V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
E1	TC7S00F	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
E1	TC7S00FU	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
E10	R1224N102E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1V, 300KHz	SOT23-5	28vrd	-	Ric
E12	R1224N122E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.2V, 300KHz	SOT23-5	28vrd	-	Ric
E15	R1224N152E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.5V, 300KHz	SOT23-5	28vrd	-	Ric
E15A	R1170H151A	VR-IC	LDO, -Enable, 1.5V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E15B	R1170H151B	VR-IC	LDO, -Enable, 1.5V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E16A	R1170H161A	VR-IC	LDO, -Enable, 1.6V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E16B	R1170H161B	VR-IC	LDO, -Enable, 1.6V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E17A	R1170H171A	VR-IC	LDO, -Enable, 1.7V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E17B	R1170H171B	VR-IC	LDO, -Enable, 1.7V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E18	R1224N182E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.8V, 300KHz	SOT23-5	28vrd	-	Ric
E16A	R1170H181A	VR-IC	LDO, -Enable, 1.8V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E16B	R1170H181B	VR-IC	LDO, -Enable, 1.8V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E19A	R1170H191A	VR-IC	LDO, -Enable, 1.9V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E19B	R1170H191B	VR-IC	LDO, -Enable, 1.9V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E2	RN5VD42AA	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
E2	TC7S08F	TTL-Logic	2-input AND gate	SC59-5	Log3	-	Tos
E2	TC7S08FU	TTL-Logic	2-input AND gate	SOT353	Log3	-	Tos
E20A	R1170H201A	VR-IC	LDO, -Enable, 2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E20B	R1170H201B	VR-IC	LDO, Enable, 2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E21A	R1170H211A	VR-IC	LDO, -Enable, 2.1V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E21B	R1170H211B	VR-IC	LDO, Enable, 2.1V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E22A	R1170H221A	VR-IC	LDO, -Enable, 2.2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E22B	R1170H221B	VR-IC	LDO, Enable, 2.2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E23A	R1170H231A	VR-IC	LDO, -Enable, 2.3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E23B	R1170H231B	VR-IC	LDO, Enable, 2.3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E24A	R1170H241A	VR-IC	LDO, -Enable, 2.4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E24B	R1170H241B	VR-IC	LDO, Enable, 2.4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E25	R1224N252E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 2.5V, 300KHz	SOT23-5	28vrd	-	Ric
E25A	R1170H251A	VR-IC	LDO, -Enable, 2.5V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E25B	R1170H251B	VR-IC	LDO, Enable, 2.5V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E26A	R1170H261A	VR-IC	LDO, -Enable, 2.6V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E26B	R1170H261B	VR-IC	LDO, Enable, 2.6V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E27A	R1170H271A	VR-IC	LDO, -Enable, 2.7V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E27B	R1170H271B	VR-IC	LDO, Enable, 2.7V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E28A	R1170H281A	VR-IC	LDO, -Enable, 2.8V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E28B	R1170H281B	VR-IC	LDO, Enable, 2.8V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E29A	R1170H291A	VR-IC	LDO, -Enable, 2.9V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E29B	R1170H291B	VR-IC	LDO, Enable, 2.9V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E3	RN5VD43AA	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E3	TC7S02F	TTL-Logic	2-input NOR gate	SC-59	Log2	-	Tos
E3	TC7S02FU	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Tos
E30	R1224N302E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3V, 300KHz	SOT23-5	28vrd	-	Ric
E30A	R1170H301A	VR-IC	LDO, -Enable, 3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E30B	R1170H301B	VR-IC	LDO, Enable, 3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E31A	R1170H311A	VR-IC	LDO, -Enable, 3.1V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E31B	R1170H311B	VR-IC	LDO, Enable, 3.1V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E32A	R1170H321A	VR-IC	LDO, -Enable, 3.2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E32B	R1170H321B	VR-IC	LDO, Enable, 3.2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E33	R1224N332E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3.3V, 300KHz	SOT23-5	28vrd	-	Ric
E33A	R1170H331A	VR-IC	LDO, -Enable, 3.3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E33B	R1170H331B	VR-IC	LDO, Enable, 3.3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E34A	R1170H341A	VR-IC	LDO, -Enable, 3.4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E34B	R1170H341B	VR-IC	LDO, Enable, 3.4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E35A	R1170H351A	VR-IC	LDO, -Enable, 3.5V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E35B	R1170H351B	VR-IC	LDO, Enable, 3.5V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E36A	R1170H361A	VR-IC	LDO, -Enable, 3.6V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E36B	R1170H361B	VR-IC	LDO, Enable, 3.6V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E37A	R1170H371A	VR-IC	LDO, -Enable, 3.7V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E37B	R1170H371B	VR-IC	LDO, Enable, 3.7V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E38A	R1170H381A	VR-IC	LDO, -Enable, 3.8V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E38B	R1170H381B	VR-IC	LDO, Enable, 3.8V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E39A	R1170H391A	VR-IC	LDO, -Enable, 3.9V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E39B	R1170H391B	VR-IC	LDO, Enable, 3.9V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E4	RN5VD44AA	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E4	TC7S32F	TTL-Logic	2-input OR gate	SC-59	Log4	-	Tos
E4	TC7S32FU	TTL-Logic	2-input OR gate	SOT353	Log4	-	Tos
E40A	R1170H401A	VR-IC	LDO, -Enable, 4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E40B	R1170H401B	VR-IC	LDO, Enable, 4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E41A	R1170H411A	VR-IC	LDO, -Enable, 4.1V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E41B	R1170H411B	VR-IC	LDO, Enable, 4.1V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E42A	R1170H421A	VR-IC	LDO, -Enable, 4.2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E42B	R1170H421B	VR-IC	LDO, Enable, 4.2V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E43A	R1170H431A	VR-IC	LDO, -Enable, 4.3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E43B	R1170H431B	VR-IC	LDO, Enable, 4.3V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E44A	R1170H441A	VR-IC	LDO, -Enable, 4.4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E44B	R1170H441B	VR-IC	LDO, Enable, 4.4V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E45A	R1170H451A	VR-IC	LDO, -Enable, 4.5V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E45B	R1170H451B	VR-IC	LDO, Enable, 4.5V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E46A	R1170H461A	VR-IC	LDO, -Enable, 4.6V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E46B	R1170H461B	VR-IC	LDO, Enable, 4.6V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E47A	R1170H471A	VR-IC	LDO, -Enable, 4.7V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E47B	R1170H471B	VR-IC	LDO, Enable, 4.7V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric
E48A	R1170H481A	VR-IC	LDO, -Enable, 4.8V \pm 2%, 800mA	SOT89-5	32vrn	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
E48B	R1170H481B	VR-IC	LDO, Enable, 4.8V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E49A	R1170H491A	VR-IC	LDO, -Enable, 4.9V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E49B	R1170H491B	VR-IC	LDO, Enable, 4.9V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E5	R1111N151A	VR-IC	LDO, LN, -Enable, 1.5V±2%, 0.2A	SOT23-5	28vrn	VR4	Ric
E5	RN5VD45AA	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E5	TC7S04F	TTL-Logic	Inverter	SOT353	Log6	-	Tos
E5	TC7S04FU	TTL-Logic	Inverter	SOT353	Log6	-	Tos
E50	R1224N502E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5V, 300KHz	SOT23-5	28vrd	-	Ric
E50A	R1170H501A	VR-IC	LDO, -Enable, 5V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E50B	R1170H501B	VR-IC	LDO, Enable, 5V±2%, 800mA	SOT89-5	32vrn	VR4	Ric
E55	R1224N552E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5.5V, 300KHz	SOT23-5	28vrd	-	Ric
E6	R1111N161A	VR-IC	LDO, LN, -Enable, 1.6V±2%, 0.2A	SOT23-5	28vrn	VR4	Ric
E6	RN5VD46AA	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E6	TC7SU04F	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
E6	TC7SU04FU	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
E60	R1224N602E	VR-IC	WFM/PWM Step-Down DC-DC Converter, 6V, 300KHz	SOT23-5	28vrd	-	Ric
E7	R1111N171A	VR-IC	LDO, LN, -Enable, 1.7V±2%, 0.2A	SOT23-5	28vrn	VR4	Ric
E7	RN5VD47AA	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E8	R1111N181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 0.2A	SOT23-5	28vrn	VR4	Ric
E8	RN5VD48AA	CMOS-IC	Voltage Detector 4.8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
E8	TC7S86F	TTL-Logic	2-input EXCLUSIVE OR gate	SC59-5	Log5	-	Tos
E8	TC7S86FU	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Tos
E9	R1111N191A	VR-IC	LDO, LN, -Enable, 1.9V±2%, 0.2A	SOT23-5	28vrn	VR4	Ric
E9	RN5VD49AA	CMOS-IC	Voltage Detector 4.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
EA	μPA504T	Si-PIN	Dual, PNP+NPN, 60V, 100mA, 180/250MHz	SOT23-5	28ld	-	Nec
EA	μPA574T	Si-PIN	Dual, PNP+NPN, 60V, 100mA, 180/250MHz	SOT23-5	28ld	-	Nec
EA	BD4840FVE	CMOS-IC	Voltage Detector 4V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EA	BD4840G	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EA	RN5RT60AA	VR-IC	LDO, -Enable, 6V±2%, 150mA	SOT23-5	28vrt	VR4	Ric
EA	TC7S14F	TTL-Logic	Inverting Schmitt-trigger	SC-59	Log7	-	Tos
EA	TC7S14FU	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Tos
EB	BD4841FVE	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EB	BD4841G	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EC	BD4842FVE	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EC	BD4842G	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
ED	BD4843FVE	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
ED	BD4843G	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EE	BD4844FVE	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EE	BD4844G	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EF	BD4845FVE	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EF	BD4845G	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EG	BD4846FVE	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EG	BD4846G	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EH	BD4847FVE	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EH	BD4847G	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EJ	BD4848FVE	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EJ	BD4848G	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EK	BD4849FVE	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EK	BD4849G	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EL	BD4850FVE	CMOS-IC	Voltage Detector 5V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EL	BD4850G	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EM	BD4851FVE	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EM	BD4851G	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EN	BD4852FVE	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EN	BD4852G	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EP	BD4853FVE	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EP	BD4853G	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EQ	BD4854FVE	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
EQ	BD4854G	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
ER	AT1201-27XR	VR-IC	LDO, Low-Noise, Enable, 2.7V±2%, 150mA	SOT23-5	28vrna	-	Atr
ER	BD4855FVE	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
ER	BD4855G	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
ER	R1112N151A	VR-IC	LDO, LN, -Enable, 1.5V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
ES	BD4856FVE	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm
ES	BD4856G	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
ES	R1112N161A	VR-IC	LDO, LN, -Enable, 1.6V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
ET	AP1602BY	VR-IC	Step-Up DC-DC converter for NiMH battery charge (3.3V)	SOT89-5	32src	-	Ana
ET	BD4857FVE	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	V5OF-5	28vdv	VD6	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ET	BD4857G	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
ET	R1112N171A	VR-IC	LDO, LN, -Enable, 1.7V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
EU	AP1621BW	VR-IC	PWM/PFL Dual mode Step-Down DC-DC converter (2.2..8V)	SOT23-5L	28vrb	-	Ana
EU	BD4858FVE	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	VSOFF-5	28vdv	VD6	Rhm
EU	BD4858G	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EU	R1112N181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
EV	1SV241	PIN-Diode	Dual, VHF/UHF, 50V, 50mA, <0.23pF, 5Ω(100MHz)	SOT23-5	28ds	-	Say
EV	BD4859FVE	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	VSOFF-5	28vdv	VD6	Rhm
EV	BD4859G	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EV	R1112N191A	VR-IC	LDO, LN, -Enable, 1.9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
EW	AAT35111GV-2.63-C-C	CMOS-IC	Voltage Detector 2.63V, -MR, -Reset Push-pull output	SOT23-5	28xd	-	Ant
EW	AP1625W	VR-IC	PWM/PFL Dual mode Step-Down DC-DC converter (2.2..8V)	SOT23-5L	28vrc	-	Ana
EW	BD4860FVE	CMOS-IC	Voltage Detector 6V, Reset Open drain output	VSOFF-5	28vdv	VD6	Rhm
EW	BD4860G	CMOS-IC	Voltage Detector 6V, Reset Open drain output	SSOP-5	28vdm	VD6	Rhm
EX	AAT35151GV-2.63-B-C	CMOS-IC	Voltage Detector 2.63V, -MR, ±Reset Push-pull output, 20ms	SOT23-5	28xf	-	Ant
EX	AP1621AW	VR-IC	PWM/PFL Dual mode Step-Down DC-DC converter (2.2..8V)	SOT23-5L	28vra	-	Ana
EX	AT1201-27X	VR-IC	LDO, Low-Noise, Enable, 2.7V±2%, 150mA	SOT23-5	28vrx	VR7	Atr
EZ	AP1602AY	VR-IC	Step-Up DC-DC converter for NiMH battery charge (3.3V)	SOT89-5	32zsb	-	Ana
F0	R1111N201B	VR-IC	LDO, LN, Enable, 2V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F0	RN5VD50AA	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F0	Si91844DT-26	VR-IC	LDO, Low-Noise, Enable, -Error, 2.6V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
F05	SMF05	TVS	4x 5V, 12A, 200W(1ms)	SC70-5L	28bc	-	Sml
F1	R1111N211B	VR-IC	LDO, LN, Enable, 2.1V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F1	RN5VD51AA	CMOS-IC	Voltage Detector 5.1V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F10	R1224N102F	VR-IC	WFMPWM Step-Down DC-DC Converter, 1V, 500KHz	SOT23-5	28vrd	-	Ric
F12	R1224N122F	VR-IC	WFMPWM Step-Down DC-DC Converter, 1.2V, 500KHz	SOT23-5	28vrd	-	Ric
F12	SMF12	TVS	4x 12V, 8A, 200W(1ms)	SC70-5L	28bc	-	Sml
F15	R1224N152F	VR-IC	WFMPWM Step-Down DC-DC Converter, 1.5V, 500KHz	SOT23-5	28vrd	-	Ric
F18	R1224N182F	VR-IC	WFMPWM Step-Down DC-DC Converter, 1.8V, 500KHz	SOT23-5	28vrd	-	Ric
F2	R1111N221B	VR-IC	LDO, LN, Enable, 2.2V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F2	RN5VD52AA	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F25	R1224N252F	VR-IC	WFMPWM Step-Down DC-DC Converter, 2.5V, 500KHz	SOT23-5	28vrd	-	Ric
F3	R1111N231B	VR-IC	LDO, LN, Enable, 2.3V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F3	RN5VD53AA	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F30	R1224N302F	VR-IC	WFMPWM Step-Down DC-DC Converter, 3V, 500KHz	SOT23-5	28vrd	-	Ric
F33	R1224N332F	VR-IC	WFMPWM Step-Down DC-DC Converter, 3.3V, 500KHz	SOT23-5	28vrd	-	Ric
F4	R1111N241B	VR-IC	LDO, LN, Enable, 2.4V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F4	RN5VD54AA	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F5	MCT78PC25N	VR-IC	LDO, LN, Enable, 2.5V±2.5%, 100mA	SOT23-5	28vrm	VR4	Ons
F5	R1111N251B	VR-IC	LDO, LN, Enable, 2.5V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F5	RN5VD55AA	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F50	R1224N502F	VR-IC	WFMPWM Step-Down DC-DC Converter, 5V, 500KHz	SOT23-5	28vrd	-	Ric
F55	R1224N552F	VR-IC	WFMPWM Step-Down DC-DC Converter, 5.5V, 500KHz	SOT23-5	28vrd	-	Ric
F6	R1111N261B	VR-IC	LDO, LN, Enable, 2.6V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F6	RN5VD56AA	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F6	Si91844DT-18	VR-IC	LDO, Low-Noise, Enable, -Error, 1.8V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
F60	R1224N602F	VR-IC	WFMPWM Step-Down DC-DC Converter, 6V, 500KHz	SOT23-5	28vrd	-	Ric
F7	R1111N271B	VR-IC	LDO, LN, Enable, 2.7V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F7	RN5VD57AA	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F7	Si91844DT-20	VR-IC	LDO, Low-Noise, Enable, -Error, 2V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
F8	MCT78PC28N	VR-IC	LDO, LN, Enable, 2.8V±2.5%, 100mA	SOT23-5	28vrm	VR4	Ons
F8	R1111N281B	VR-IC	LDO, LN, Enable, 2.8V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F8	RN5VD58AA	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F8	Si91844DT-22	VR-IC	LDO, Low-Noise, Enable, -Error, 2.2V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
F9	R1111N291B	VR-IC	LDO, LN, Enable, 2.9V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
F9	RN5VD59AA	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
F9	Si91844DT-25	VR-IC	LDO, Low-Noise, Enable, -Error, 2.5V±1.5%, 150mA	SOT23-5	28vrk	VR17	Vis
FA	µPA505T	MOS-P/N-FET-e	Dual, V-MOS, P+N-FET, 50V, 100mA, <60/25Ω	SOT23-5	28fb	-	Nec
FD	BD4923FVE	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	VSOFF-5	28vdv	VD7	Rhm
FD	BD4923G	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FE	BD4924FVE	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	VSOFF-5	28vdv	VD7	Rhm
FE	BD4924G	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FF	BD4925FVE	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	VSOFF-5	28vdv	VD7	Rhm
FF	BD4925G	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FG	BD4926FVE	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	VSOFF-5	28vdv	VD7	Rhm
FG	BD4926G	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FH	BD4927FVE	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	VSOFF-5	28vdv	VD7	Rhm
FH	BD4927G	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
FJ	BD4928FVE	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FJ	BD4928G	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FK	BD4929FVE	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FK	BD4929G	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FL	BD4930FVE	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FL	BD4930G	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FL	R1112N201B	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FM	BD4931FVE	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FM	BD4931G	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FM	R1112N211B	VR-IC	LDO, LN, Enable, 2.1V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FN	BD4932FVE	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FN	BD4932G	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FN	R1112N221B	VR-IC	LDO, LN, Enable, 2.2V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FP	BD4933FVE	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FP	BD4933G	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FP	R1112N231B	VR-IC	LDO, LN, Enable, 2.3V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FQ	BD4934FVE	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FQ	BD4934G	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FQ	R1112N241B	VR-IC	LDO, LN, Enable, 2.4V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FR	AT1201-45XR	VR-IC	LDO, Low-Noise, Enable, 4.5V±2%, 150mA	SOT23-5	28vrn	-	Atr
FR	BD4935FVE	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FR	BD4935G	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FR	R1112N251B	VR-IC	LDO, LN, Enable, 2.5V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FS	BD4936FVE	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FS	BD4936G	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FS	R1112N261B	VR-IC	LDO, LN, Enable, 2.6V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FT	BD4937FVE	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FT	BD4937G	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FT	R1112N271B	VR-IC	LDO, LN, Enable, 2.7V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FU	BD4938FVE	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FU	BD4938G	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FU	R1112N281B	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FV	BD4939FVE	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
FV	BD4939G	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
FV	R1112N291B	VR-IC	LDO, LN, Enable, 2.9V±2%, 150mA	SOT23-5	28vrn	VR4	Ric
FX	AT1201-45X	VR-IC	LDO, Low-Noise, Enable, 4.5V±2%, 150mA	SOT23-5	28vrn	VR7	Atr
FZ	AP1521W	VR-IC	Step-Up DC-DC converter for LED drive (3.3V, 5V)	SOT23-5L	28sra	-	Ana
G0	MC78PC30N	VR-IC	LDO, LN, Enable, 3V±2.5%, 100mA	SOT23-5	28vrn	VR4	Ons
G0	R1111N301B	VR-IC	LDO, LN, Enable, 3V±2%, 0.2A	SOT23-5	28vrn	VR4	Ric
G0	RNSVD60AA	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ric
G001	R1154H001C	VR-IC	LDO, Enable, Adjustable	SOT89-5	32vrr	-	Ric
G025	R1154H025B	VR-IC	LDO, Enable, 2.5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G026	R1154H026B	VR-IC	LDO, Enable, 2.6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G027	R1154H027B	VR-IC	LDO, Enable, 2.7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G028	R1154H028B	VR-IC	LDO, Enable, 2.8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G029	R1154H029B	VR-IC	LDO, Enable, 2.9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G030	R1154H030B	VR-IC	LDO, Enable, 3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G031	R1154H031B	VR-IC	LDO, Enable, 3.1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G032	R1154H032B	VR-IC	LDO, Enable, 3.2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G033	R1154H033B	VR-IC	LDO, Enable, 3.3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G034	R1154H034B	VR-IC	LDO, Enable, 3.4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G035	R1154H035B	VR-IC	LDO, Enable, 3.5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G036	R1154H036B	VR-IC	LDO, Enable, 3.6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G037	R1154H037B	VR-IC	LDO, Enable, 3.7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G038	R1154H038B	VR-IC	LDO, Enable, 3.8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G039	R1154H039B	VR-IC	LDO, Enable, 3.9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G040	R1154H040B	VR-IC	LDO, Enable, 4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G041	R1154H041B	VR-IC	LDO, Enable, 4.1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G042	R1154H042B	VR-IC	LDO, Enable, 4.2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G043	R1154H043B	VR-IC	LDO, Enable, 4.3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G044	R1154H044B	VR-IC	LDO, Enable, 4.4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G045	R1154H045B	VR-IC	LDO, Enable, 4.5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G046	R1154H046B	VR-IC	LDO, Enable, 4.6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G047	R1154H047B	VR-IC	LDO, Enable, 4.7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G048	R1154H048B	VR-IC	LDO, Enable, 4.8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G049	R1154H049B	VR-IC	LDO, Enable, 4.9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G050	R1154H050B	VR-IC	LDO, Enable, 5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G051	R1154H051B	VR-IC	LDO, Enable, 5.1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
G052	R1154H052B	VR-IC	LDO, Enable, 5,2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G053	R1154H053B	VR-IC	LDO, Enable, 5,3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G054	R1154H054B	VR-IC	LDO, Enable, 5,4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G055	R1154H055B	VR-IC	LDO, Enable, 5,5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G056	R1154H056B	VR-IC	LDO, Enable, 5,6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G057	R1154H057B	VR-IC	LDO, Enable, 5,7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G058	R1154H058B	VR-IC	LDO, Enable, 5,8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G059	R1154H059B	VR-IC	LDO, Enable, 5,9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G060	R1154H060B	VR-IC	LDO, Enable, 6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G061	R1154H061B	VR-IC	LDO, Enable, 6,1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G062	R1154H062B	VR-IC	LDO, Enable, 6,2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G063	R1154H063B	VR-IC	LDO, Enable, 6,3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G064	R1154H064B	VR-IC	LDO, Enable, 6,4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G065	R1154H065B	VR-IC	LDO, Enable, 6,5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G066	R1154H066B	VR-IC	LDO, Enable, 6,6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G067	R1154H067B	VR-IC	LDO, Enable, 6,7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G068	R1154H068B	VR-IC	LDO, Enable, 6,8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G069	R1154H069B	VR-IC	LDO, Enable, 6,9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G070	R1154H070B	VR-IC	LDO, Enable, 7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G071	R1154H071B	VR-IC	LDO, Enable, 7,1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G072	R1154H072B	VR-IC	LDO, Enable, 7,2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G073	R1154H073B	VR-IC	LDO, Enable, 7,3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G074	R1154H074B	VR-IC	LDO, Enable, 7,4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G075	R1154H075B	VR-IC	LDO, Enable, 7,5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G076	R1154H076B	VR-IC	LDO, Enable, 7,6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G077	R1154H077B	VR-IC	LDO, Enable, 7,7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G078	R1154H078B	VR-IC	LDO, Enable, 7,8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G079	R1154H079B	VR-IC	LDO, Enable, 7,9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G080	R1154H080B	VR-IC	LDO, Enable, 8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G081	R1154H081B	VR-IC	LDO, Enable, 8,1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G082	R1154H082B	VR-IC	LDO, Enable, 8,2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G083	R1154H083B	VR-IC	LDO, Enable, 8,3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G084	R1154H084B	VR-IC	LDO, Enable, 8,4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G085	R1154H085B	VR-IC	LDO, Enable, 8,5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G086	R1154H086B	VR-IC	LDO, Enable, 8,6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G087	R1154H087B	VR-IC	LDO, Enable, 8,7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G088	R1154H088B	VR-IC	LDO, Enable, 8,8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G089	R1154H089B	VR-IC	LDO, Enable, 8,9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G090	R1154H090B	VR-IC	LDO, Enable, 9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G091	R1154H091B	VR-IC	LDO, Enable, 9,1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G092	R1154H092B	VR-IC	LDO, Enable, 9,2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G093	R1154H093B	VR-IC	LDO, Enable, 9,3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G094	R1154H094B	VR-IC	LDO, Enable, 9,4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G095	R1154H095B	VR-IC	LDO, Enable, 9,5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G096	R1154H096B	VR-IC	LDO, Enable, 9,6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G097	R1154H097B	VR-IC	LDO, Enable, 9,7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G098	R1154H098B	VR-IC	LDO, Enable, 9,8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G099	R1154H099B	VR-IC	LDO, Enable, 9,9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G1	R1111N311B	VR-IC	LDO, LN, Enable, 3,1V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G1	S91844DT-27	VR-IC	LDO, Low-Noise, Enable, -Error, 2,7V±1,5%, 150mA	SOT23-5	28vrk	VR17	Tos
G1	TC7SET00F	TTL-Logic	2-Input NAND gate	SOT353	Log1	-	Tos
G1	TC7SET00FU	TTL-Logic	2-Input NAND gate	SOT353	Log1	-	Tos
G10	R1224N102G	VR-IC	PWM Step-Down DC-DC Converter, 1V, 300KHz	SOT23-5	28vrd	-	Ric
G100	R1154H100B	VR-IC	LDO, Enable, 10V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G101	R1154H101B	VR-IC	LDO, Enable, 10,1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G102	R1154H102B	VR-IC	LDO, Enable, 10,2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G103	R1154H103B	VR-IC	LDO, Enable, 10,3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G104	R1154H104B	VR-IC	LDO, Enable, 10,4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G105	R1154H105B	VR-IC	LDO, Enable, 10,5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G106	R1154H106B	VR-IC	LDO, Enable, 10,6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G107	R1154H107B	VR-IC	LDO, Enable, 10,7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G108	R1154H108B	VR-IC	LDO, Enable, 10,8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G109	R1154H109B	VR-IC	LDO, Enable, 10,9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G110	R1154H110B	VR-IC	LDO, Enable, 11V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G111	R1154H111B	VR-IC	LDO, Enable, 11,1V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G112	R1154H112B	VR-IC	LDO, Enable, 11,2V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G113	R1154H113B	VR-IC	LDO, Enable, 11,3V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G114	R1154H114B	VR-IC	LDO, Enable, 11,4V±2%, 150mA	SOT89-5	32vrq	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
G115	R1154H115B	VR-IC	LDO, Enable, 11,5V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G116	R1154H116B	VR-IC	LDO, Enable, 11,6V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G117	R1154H117B	VR-IC	LDO, Enable, 11,7V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G118	R1154H118B	VR-IC	LDO, Enable, 11,8V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G119	R1154H119B	VR-IC	LDO, Enable, 11,9V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G12	R1224N122G	VR-IC	PWM Step-Down DC-DC Converter, 1,2V, 300KHz	SOT23-5	28vrd	-	Ric
G120	R1154H120B	VR-IC	LDO, Enable, 12V±2%, 150mA	SOT89-5	32vrq	VR4	Ric
G15	R1224N152G	VR-IC	PWM Step-Down DC-DC Converter, 1,5V, 300KHz	SOT23-5	28vrd	-	Ric
G18	R1224N182G	VR-IC	PWM Step-Down DC-DC Converter, 1,8V, 300KHz	SOT23-5	28vrd	-	Ric
G2	R1111N321B	VR-IC	LDO, LN, Enable, 3,2V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G2	S91844DT-28	VR-IC	LDO, Low-Noise, Enable, -Error, 2.8V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
G2	TC7SET08F	TTL-Logic	2-input AND gate	SC59-5	Log3	-	Tos
G2	TC7SET08FU	TTL-Logic	2-input AND gate	SOT353	Log3	-	Tos
G25	R1224N252G	VR-IC	PWM Step-Down DC-DC Converter, 2,5V, 300KHz	SOT23-5	28vrd	-	Ric
G3	MC78PC33N	VR-IC	LDO, LN, Enable, 3,3V±2,5%, 100mA	SOT23-5	28vrm	VR4	Ons
G3	R1111N331B	VR-IC	LDO, LN, Enable, 3,3V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G3	S91844DT-2B5	VR-IC	LDO, Low-Noise, Enable, -Error, 2.85V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
G3	TC7SET02F	TTL-Logic	2-input NOR gate	SC59-5	Log2	-	Tos
G3	TC7SET02FU	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Tos
G30	R1224N302G	VR-IC	PWM Step-Down DC-DC Converter, 3V, 300KHz	SOT23-5	28vrd	-	Ric
G33	R1224N332G	VR-IC	PWM Step-Down DC-DC Converter, 3,3V, 300KHz	SOT23-5	28vrd	-	Ric
G4	R1111N341B	VR-IC	LDO, LN, Enable, 3,4V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G4	S91844DT-29	VR-IC	LDO, Low-Noise, Enable, -Error, 2.9V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
G4	TC7SET32F	TTL-Logic	2-input OR gate	SC-59	Log4	-	Tos
G4	TC7SET32FU	TTL-Logic	2-input OR gate	SOT353	Log4	-	Tos
G5	R1111N351B	VR-IC	LDO, LN, Enable, 3,5V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G5	S91844DT-30	VR-IC	LDO, Low-Noise, Enable, -Error, 3V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
G5	TC7SET04F	TTL-Logic	Inverter	SOT353	Log6	-	Tos
G5	TC7SET04FU	TTL-Logic	Inverter	SOT353	Log6	-	Tos
G50	R1224N502G	VR-IC	PWM Step-Down DC-DC Converter, 5V, 300KHz	SOT23-5	28vrd	-	Ric
G55	R1224N552G	VR-IC	PWM Step-Down DC-DC Converter, 5,5V, 300KHz	SOT23-5	28vrd	-	Ric
G6	R1111N361B	VR-IC	LDO, LN, Enable, 3,6V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G6	S91844DT-33	VR-IC	LDO, Low-Noise, Enable, -Error, 3.3V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
G60	R1224N602G	VR-IC	PWM Step-Down DC-DC Converter, 6V, 300KHz	SOT23-5	28vrd	-	Ric
G7	R1111N371B	VR-IC	LDO, LN, Enable, 3,7V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G7	S91844DT-35	VR-IC	LDO, Low-Noise, Enable, -Error, 3.5V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
G8	R1111N381B	VR-IC	LDO, LN, Enable, 3,8V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G8	S91844DT-36	VR-IC	LDO, Low-Noise, Enable, -Error, 3.6V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
G8	TC7SET86F	TTL-Logic	2-input EXCLUSIVE OR gate	SC59-5	Log5	-	Tos
G8	TC7SET86FU	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Tos
G9	R1111N391B	VR-IC	LDO, LN, Enable, 3,9V±2%, 0,2A	SOT23-5	28vrm	VR4	Ric
G9	S91844DT-50	VR-IC	LDO, Low-Noise, Enable, -Error, 5V±1,5%, 150mA	SOT23-5	28vrk	VR17	Vis
GA	BD4940FVE	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GA	BD4940G	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GB	BD4941FVE	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GB	BD4941G	CMOS-IC	Voltage Detector 4,1V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GC	BD4942FVE	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GC	BD4942G	CMOS-IC	Voltage Detector 4,2V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GD	BD4943FVE	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GD	BD4943G	CMOS-IC	Voltage Detector 4,3V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GE	BD4944FVE	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GE	BD4944G	CMOS-IC	Voltage Detector 4,4V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GF	BD4945FVE	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GF	BD4945G	CMOS-IC	Voltage Detector 4,5V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GG	BD4946FVE	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GG	BD4946G	CMOS-IC	Voltage Detector 4,6V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GH	BD4947FVE	CMOS-IC	Voltage Detector 4,7V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GH	BD4947G	CMOS-IC	Voltage Detector 4,7V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GJ	BD4948FVE	CMOS-IC	Voltage Detector 4,8V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GJ	BD4948G	CMOS-IC	Voltage Detector 4,8V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GK	BD4949FVE	CMOS-IC	Voltage Detector 4,9V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GK	BD4949G	CMOS-IC	Voltage Detector 4,9V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GL	BD4950FVE	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GL	BD4950G	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GL	R1112N301B	VR-IC	LDO, LN, Enable, 3V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GM	BD4951FVE	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output	V5OF-5	28vdv	VD7	Rhm
GM	BD4951G	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GM	R1112N311B	VR-IC	LDO, LN, Enable, 3,1V±2%, 150mA	SOT23-5	28vrm	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
GN	BD4952FVE	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GN	BD4952G	CMOS-IC	Voltage Detector 5.2V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GN	R1112N321B	VR-IC	LDO, LN, Enable, 3.2V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GP	BD4953FVE	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GP	BD4953G	CMOS-IC	Voltage Detector 5.3V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GP	R1112N331B	VR-IC	LDO, LN, Enable, 3.3V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GQ	BD4954FVE	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GQ	BD4954G	CMOS-IC	Voltage Detector 5.4V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GQ	R1112N341B	VR-IC	LDO, LN, Enable, 3.4V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GR	AT1201-25XR	VR-IC	LDO, Low-Noise, Enable, 2.5V±2%, 150mA	SOT23-5	28vrna	-	Atr
GR	BD4955FVE	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GR	BD4955G	CMOS-IC	Voltage Detector 5.5V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GR	R1112N351B	VR-IC	LDO, LN, Enable, 3.5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GS	BD4956FVE	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GS	BD4956G	CMOS-IC	Voltage Detector 5.6V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GS	R1112N361B	VR-IC	LDO, LN, Enable, 3.6V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GT	BD4957FVE	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GT	BD4957G	CMOS-IC	Voltage Detector 5.7V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GT	R1112N371B	VR-IC	LDO, LN, Enable, 3.7V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GU	BD4958FVE	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GU	BD4958G	CMOS-IC	Voltage Detector 5.8V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GU	R1112N381B	VR-IC	LDO, LN, Enable, 3.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GV	BD4959FVE	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GV	BD4959G	CMOS-IC	Voltage Detector 5.9V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GV	R1112N391B	VR-IC	LDO, LN, Enable, 3.9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
GW	BD4960FVE	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	VSOF-5	28vdv	VD7	Rhm
GW	BD4960G	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SSOP-5	28vdm	VD7	Rhm
GX	AT1201-25X	VR-IC	LDO, Low-Noise, Enable, 2.5V±2%, 150mA	SOT23-5	28vrn	VR7	Atr
H0	R1111N401B	VR-IC	LDO, LN, Enable, 4V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H1	MC74HC1G00DF	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Ons
H1	MC74HC1G00DT	TTL-Logic	2-input NAND gate	SC59-5	Log1	-	Ons
H1	R1111N411B	VR-IC	LDO, LN, Enable, 4.1V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H1	TC7SH00F	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
H1	TC7SH00FU	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
H10	R1224N102H	VR-IC	PWM Step-Down DC-DC Converter, 1V, 500KHz	SOT23-5	28vrd	-	Ric
H12	R1224N122H	VR-IC	PWM Step-Down DC-DC Converter, 1.2V, 500KHz	SOT23-5	28vrd	-	Ric
H15	R1224N152H	VR-IC	PWM Step-Down DC-DC Converter, 1.5V, 500KHz	SOT23-5	28vrd	-	Ric
H18	R1224N182H	VR-IC	PWM Step-Down DC-DC Converter, 1.8V, 500KHz	SOT23-5	28vrd	-	Ric
H2	MC74HC1G08DF	TTL-Logic	2-input AND gate	SC70-5	Log3	-	Ons
H2	MC74HC1G08DT	TTL-Logic	2-input AND gate	SOT23-5	Log3	-	Dns
H2	R1111N421B	VR-IC	LDO, LN, Enable, 4.2V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H2	TC7SH08F	TTL-Logic	2-input AND gate	SC59-5	Log3	-	Tos
H2	TC7SH08FU	TTL-Logic	2-input AND gate	SOT353	Log3	-	Tos
H25	R1224N252H	VR-IC	PWM Step-Down DC-DC Converter, 2.5V, 500KHz	SOT23-5	28vrd	-	Ric
H3	MC74HC1G02DF	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Dns
H3	MC74HC1G02DT	TTL-Logic	2-input NOR gate	SC59-5	Log2	-	Ons
H3	R1111N431B	VR-IC	LDO, LN, Enable, 4.3V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H3	TC7SH02F	TTL-Logic	2-input NOR gate	SC-59	Log2	-	Tos
H3	TC7SH02FU	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Tos
H30	R1224N302H	VR-IC	PWM Step-Down DC-DC Converter, 3V, 500KHz	SOT23-5	28vrd	-	Ric
H33	R1224N332H	VR-IC	PWM Step-Down DC-DC Converter, 3.3V, 500KHz	SOT23-5	28vrd	-	Ric
H4	MC74HC1G32DF	TTL-Logic	2-input OR gate	SOT353	Log4	-	Ons
H4	MC74HC1G32DT	TTL-Logic	2-input OR gate	SC59-5	Log4	-	Ons
H4	R1111N441B	VR-IC	LDO, LN, Enable, 4.4V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H4	TC7SH32F	TTL-Logic	2-input OR gate	SC-59	Log4	-	Tos
H4	TC7SH32FU	TTL-Logic	2-input OR gate	SOT353	Log4	-	Tos
H5	MC74HC1G04DF	TTL-Logic	Inverter	SOT353	Log6	-	Ons
H5	MC74HC1G04DT	TTL-Logic	Inverter	SOT23-5	Log6	-	Ons
H5	R1111N451B	VR-IC	LDO, LN, Enable, 4.5V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H5	TC7SH04F	TTL-Logic	Inverter	SOT353	Log6	-	Tos
H5	TC7SH04FU	TTL-Logic	Inverter	SOT353	Log6	-	Tos
H50	R1224N502H	VR-IC	PWM Step-Down DC-DC Converter, 5V, 500KHz	SOT23-5	28vrd	-	Ric
H55	R1224N552H	VR-IC	PWM Step-Down DC-DC Converter, 5.5V, 500KHz	SOT23-5	28vrd	-	Ric
H6	MC74HC1GU04DF	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Ons
H5	MC74HC1GU04DT	TTL-Logic	Unbuffered Inverter	SOT23-5	Log6	-	Ons
H6	R1111N461B	VR-IC	LDO, LN, Enable, 4.6V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H5	TC7SHU04F	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
H6	TC7SHU04FU	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
H60	R1224N602H	VR-IC	PWM Step-Down DC-DC Converter, 6V, 500KHz	SOT23-5	28vrd	-	Ric
H7	R1111N471B	VR-IC	LDO, LN, Enable, 4.7V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H8	R1111N481B	VR-IC	LDO, LN, Enable, 4.8V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
H8	TC7SH86F	TTL-Logic	2-input EXCLUSIVE OR gate	SC59-5	Log5	-	Tos
H8	TC7SH86FU	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Tos
H9	R1111N491B	VR-IC	LDO, LN, Enable, 4.9V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
HA	74HC1G00	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Phi
HA	MC74HC1G14DF	TTL-Logic	Inverting Schmitt-trigger	SC70-5	Log7	-	Ons
HA	MC74HC1G14DT	TTL-Logic	Inverting Schmitt-trigger	SOT23-5	Log7	-	Ons
HA	TC7SH14F	TTL-Logic	Inverting Schmitt-trigger	SC-59	Log7	-	Tos
HA	TC7SH14FU	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Tos
HB	74HC1G02	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Phi
HC	74HC1G04	TTL-Logic	Inverter	SOT353	Log6	-	Phi
HD	74HC1G04	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Phi
HE	74HC1G08	TTL-Logic	2-input AND gate	SOT353	Log3	-	Phi
HE	AAT3515IGV-2.63-C	CMOS-IC	Voltage Detector 2.63V, -MR, ±Reset Push-pull output, 140ms	SOT23-5	28xf	-	Ant
HF	74HC1G14	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Phi
HF	AAT3513IGV-2.63-C-C	CMOS-IC	Voltage Detector 2.63V, ±Reset Push-pull output	SOT23-5	28xe	-	Ant
HG	74HC1G32	TTL-Logic	2-input OR gate	SOT353	Log4	-	Phi
HG	AAT3510IGV-3.08-C-C	CMOS-IC	Voltage Detector 3.08V, -MR, -Reset Push-pull output	SOT23-5	28xd	-	Ant
HH	74HC1G86	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Phi
HH	AAT3510IGV-4.38-C-C	CMOS-IC	Voltage Detector 4.38V, -MR, -Reset Push-pull output	SOT23-5	28xd	-	Ant
HI	AAT3515IGV-2.93-B	CMOS-IC	Voltage Detector 2.93V, -MR, ±Reset Push-pull output, 20ms	SOT23-5	28xf	-	Ant
HL	74HC1G66	CMOS-Logic	Bilateral analogic switch	SOT353	Log26	-	Phi
HL	R1112N401B	VR-IC	LDO, LN, Enable, 4V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HM	74HC1G125	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log20	-	Phi
HM	R1112N411B	VR-IC	LDO, LN, Enable, 4.1V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HN	74HC1G126	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	SOT353	Log21	-	Phi
HN	R1112N421B	VR-IC	LDO, LN, Enable, 4.2V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HP	R1112N431B	VR-IC	LDO, LN, Enable, 4.3V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HQ	R1112N441B	VR-IC	LDO, LN, Enable, 4.4V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HR	R1112N451B	VR-IC	LDO, LN, Enable, 4.5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HS	R1112N461B	VR-IC	LDO, LN, Enable, 4.6V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HT	R1112N471B	VR-IC	LDO, LN, Enable, 4.7V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HU	AAT3510IGV-2.93-C-C	CMOS-IC	Voltage Detector 2.93V, -MR, -Reset Push-pull output	SOT23-5	28xd	-	Ant
HU	R1112N481B	VR-IC	LDO, LN, Enable, 4.8V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
HV	AAT3510IGV-2.63-C-C	CMOS-IC	Voltage Detector 2.63V, -MR, -Reset Push-pull output	SOT23-5	28xd	-	Ant
HV	R1112N491B	VR-IC	LDO, LN, Enable, 4.9V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
IN	AAT3517IGV-2.63-C-C	CMOS-IC	Voltage Detector 2.63V, -MR, -Reset Push-pull output	SOT23-5	28xd	-	Ant
IQ	AAT3517IGV-2.93-C-C	CMOS-IC	Voltage Detector 2.93V, -MR, -Reset Push-pull output	SOT23-5	28xd	-	Ant
J0	MC78PC50N	VR-IC	LDO, LN, Enable, 5V±2.5%, 100mA	SOT23-5	28vrm	VR4	Ons
J0	R1111N501B	VR-IC	LDO, LN, Enable, 5V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
J0	RN5RG20AA	VR-IC	Ext. transistor, 2V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J1	RN5RG21AA	VR-IC	Ext. transistor, 2.1V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J1	TC7SZ00F	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
J1	TC7SZ00FU	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
J2	RN5RG22AA	VR-IC	Ext. transistor, 2.2V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J2	TC7SZ08F	TTL-Logic	2-input AND gate	SC59-5	Log3	-	Tos
J2	TC7SZ08FU	TTL-Logic	2-input AND gate	SOT353	Log3	-	Tos
J3	RN5RG23AA	VR-IC	Ext. transistor, 2.3V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J3	TC7SZ02F	TTL-Logic	2-input NOR gate	SC59-5	Log2	-	Tos
J3	TC7SZ02FU	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Tos
J4	RN5RG24AA	VR-IC	Ext. transistor, 2.4V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J4	TC7SZ32F	TTL-Logic	2-input OR gate	SC-59	Log4	-	Tos
J4	TC7SZ32FU	TTL-Logic	2-input OR gate	SOT353	Log4	-	Tos
J5	RN5RG25AA	VR-IC	Ext. transistor, 2.5V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J5	TC7SZ04F	TTL-Logic	Inverter	SOT353	Log6	-	Tos
J5	TC7SZ04FU	TTL-Logic	Inverter	SOT353	Log6	-	Tos
J6	RN5RG26AA	VR-IC	Ext. transistor, 2.6V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J6	TC7SZU04F	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
J6	TC7SZU04FU	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
J7	RN5RG27AA	VR-IC	Ext. transistor, 2.7V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J8	RN5RG28AA	VR-IC	Ext. transistor, 2.8V±2.5% 1A*	SOT23-5	28vrl	-	Ric
J8	SI91842DT-12	VR-IC	LDO, Low-Noise, Enable, -Error, 1.2V±2%, 150mA	SOT23-5	28vrv	VR17	Vis
J9	RN5RG29AA	VR-IC	Ext. transistor, 2.9V±2.5% 1A*	SOT23-5	28vrl	-	Ric
JA2	S-80141ALMC-JA2-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA3	S-80142ALMC-JA3-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA4	S-80143ALMC-JA4-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
JA5	S-80144ALMC-JA5-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA6	S-80145ALMC-JA6-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA7	S-80146ALMC-JA7-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA8	S-80147ALMC-JA8-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA9	S-80148ALMC-JA9-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAH	S-80122ALMC-JAH-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA1	S-80123ALMC-JA1-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAJ	S-80124ALMC-JAJ-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAK	S-80125ALMC-JAK-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAL	S-80126ALMC-JAL-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAM	S-80127ALMC-JAM-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAN	S-80128ALMC-JAN-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JA0	S-80129ALMC-JA0-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAP	S-80130ALMC-JAP-T2	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAQ	S-80131ALMC-JAQ-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAR	S-80132ALMC-JAR-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAS	S-80133ALMC-JAS-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAT	S-80134ALMC-JAT-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAU	S-80135ALMC-JAU-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAV	S-80136ALMC-JAV-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAW	S-80137ALMC-JAW-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAX	S-80138ALMC-JAX-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAY	S-80139ALMC-JAY-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JAZ	S-80140ALMC-JAZ-T2	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JB	TC7S2125F	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log20	-	Tos
JB	TC7S2125FU	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log20	-	Tos
JBA	S-80149ALMC-JBA-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBB	S-80150ALMC-JBB-T2	CMOS-IC	Voltage Detector 5V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBC	S-80151ALMC-JBC-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBD	S-80152ALMC-JBD-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBE	S-80153ALMC-JBE-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBF	S-80154ALMC-JBF-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBG	S-80155ALMC-JBG-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBH	S-80156ALMC-JBH-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBI	S-80157ALMC-JBI-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBJ	S-80158ALMC-JBJ-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBK	S-80159ALMC-JBK-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JBL	S-80160ALMC-JBL-T2	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output, 50ms	SOT23-5	28yd	-	Sei
JC	TC7S2126F	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	SOT353	Log21	-	Tos
JC	TC7S2126FU	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	SOT353	Log21	-	Tos
JC2	S-80141ANMC-JC2-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JC3	S-80142ANMC-JC3-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JC4	S-80143ANMC-JC4-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JC5	S-80144ANMC-JC5-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JC6	S-80145ANMC-JC6-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JC7	S-80146ANMC-JC7-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JC8	S-80147ANMC-JC8-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JC9	S-80148ANMC-JC9-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCH	S-80122ANMC-JCH-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCI	S-80123ANMC-JCI-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCJ	S-80124ANMC-JCJ-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCK	S-80125ANMC-JCK-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCL	S-80126ANMC-JCL-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCM	S-80127ANMC-JCM-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCN	S-80128ANMC-JCN-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCO	S-80129ANMC-JCO-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCP	S-80130ANMC-JCP-T2	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCQ	S-80131ANMC-JCQ-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCR	S-80132ANMC-JCR-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCS	S-80133ANMC-JCS-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCT	S-80134ANMC-JCT-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCU	S-80135ANMC-JCU-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCV	S-80136ANMC-JCV-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCW	S-80137ANMC-JCW-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCX	S-80138ANMC-JCX-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCY	S-80139ANMC-JCY-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JCZ	S-80140ANMC-JCZ-T2	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDA	S-80149ANMC-JDA-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
JDB	S-80150ANMC-JDB-T2	CMOS-IC	Voltage Detector 5V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDC	S-80151ANMC-JDC-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDD	S-80152ANMC-JDD-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDE	S-80153ANMC-JDE-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDF	S-80154ANMC-JDF-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDG	S-80155ANMC-JDG-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDH	S-80156ANMC-JDH-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDI	S-80157ANMC-JDI-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDJ	S-80158ANMC-JDJ-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDK	S-80159ANMC-JDK-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JDL	S-80160ANMC-JDL-T2	CMOS-IC	Voltage Detector 6V, -Reset Open drain output, 50ms	SOT23-5	28yd	-	Sei
JE	TC7S205F	TTL-Logic	Inverter (Open drain output)	SOT353	Log29	-	Tos
JE	TC7S205FU	TTL-Logic	Inverter (Open drain output)	SOT353	Log29	-	Tos
JE2	S-80141BLMC-JE2-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JE3	S-80142BLMC-JE3-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JE4	S-80143BLMC-JE4-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JE5	S-80144BLMC-JE5-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JE6	S-80145BLMC-JE6-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JE7	S-80146BLMC-JE7-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JE8	S-80147BLMC-JE8-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JE9	S-80148BLMC-JE9-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEH	S-80122BLMC-JEH-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEI	S-80123BLMC-JEI-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEJ	S-80124BLMC-JEJ-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEK	S-80125BLMC-JEK-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEL	S-80126BLMC-JEL-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEM	S-80127BLMC-JEM-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEN	S-80128BLMC-JEN-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEO	S-80129BLMC-JEO-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEP	S-80130BLMC-JEP-T2	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEQ	S-80131BLMC-JEQ-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JER	S-80132BLMC-JER-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JES	S-80133BLMC-JES-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JET	S-80134BLMC-JET-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEU	S-80135BLMC-JEU-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEV	S-80136BLMC-JEV-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEW	S-80137BLMC-JEW-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEX	S-80138BLMC-JEX-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEY	S-80139BLMC-JEY-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JEZ	S-80140BLMC-JEZ-T2	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JF	AP1119-15	VR-IC	LDO, -Enable, 1.5V±2%, 500mA	SOT89-5	32ab	VR4	Ana
JFA	S-80149BLMC-JFA-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFB	S-80150BLMC-JFB-T2	CMOS-IC	Voltage Detector 5V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFC	S-80151BLMC-JFC-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFD	S-80152BLMC-JFD-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFE	S-80153BLMC-JFE-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFF	S-80154BLMC-JFF-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFG	S-80155BLMC-JFG-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFH	S-80156BLMC-JFH-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFI	S-80157BLMC-JFI-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFJ	S-80158BLMC-JFJ-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFK	S-80159BLMC-JFK-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JFL	S-80160BLMC-JFL-T2	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output, 100ms	SOT23-5	28yd	-	Sei
JG	AP1119-18	VR-IC	LDO, -Enable, 1.8V±2%, 500mA	SOT89-5	32ab	VR4	Ana
JG2	S-80141BNMC-JG2-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JG3	S-80142BNMC-JG3-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JG4	S-80143BNMC-JG4-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JG5	S-80144BNMC-JG5-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JG6	S-80145BNMC-JG6-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JG7	S-80146BNMC-JG7-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JG8	S-80147BNMC-JG8-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JG9	S-80148BNMC-JG9-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGH	S-80122BNMC-JGH-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGI	S-80123BNMC-JGI-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGJ	S-80124BNMC-JGJ-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGK	S-80125BNMC-JGK-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGL	S-80126BNMC-JGL-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGM	S-80127BNMC-JGM-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
JGN	S-80128BNMC-JGN-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGO	S-80129BNMC-JGO-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGP	S-80130BNMC-JGP-T2	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGQ	S-80131BNMC-JGQ-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGR	S-80132BNMC-JGR-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGS	S-80133BNMC-JGS-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGT	S-80134BNMC-JGT-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGU	S-80135BNMC-JGU-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGV	S-80136BNMC-JGV-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGW	S-80137BNMC-JGW-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGX	S-80138BNMC-JGX-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGY	S-80139BNMC-JGY-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JGZ	S-80140BNMC-JGZ-T2	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JH	AP1119-25	VR-IC	LDO, -Enable, 2.5V±2%, 500mA	SOT89-5	32ab	VR4	Ana
JHA	S-80149BNMC-JHA-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHB	S-80150BNMC-JHB-T2	CMOS-IC	Voltage Detector 5V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHC	S-80151BNMC-JHC-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHD	S-80152BNMC-JHD-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHE	S-80153BNMC-JHE-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHF	S-80154BNMC-JHF-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHG	S-80155BNMC-JHG-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHH	S-80156BNMC-JHH-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHI	S-80157BNMC-JHI-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHJ	S-80158BNMC-JHJ-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHK	S-80159BNMC-JHK-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JHL	S-80160BNMC-JHL-T2	CMOS-IC	Voltage Detector 6V, -Reset Open drain output, 100ms	SOT23-5	28yd	-	Sei
JI	AP1119-33	VR-IC	LDO, -Enable, 3.3V±2%, 500mA	SOT89-5	32ab	VR4	Ana
JI2	S-80141CLMC-JI2-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JI3	S-80142CLMC-JI3-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JI4	S-80143CLMC-JI4-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JI5	S-80144CLMC-JI5-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JI6	S-80145CLMC-JI6-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JI7	S-80146CLMC-JI7-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JI8	S-80147CLMC-JI8-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JI9	S-80148CLMC-JI9-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIH	S-80122CLMC-JIH-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JII	S-80123CLMC-JII-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIJ	S-80124CLMC-JIJ-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIK	S-80125CLMC-JIK-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIL	S-80126CLMC-JIL-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIM	S-80127CLMC-JIM-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIN	S-80128CLMC-JIN-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIO	S-80129CLMC-JIO-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIP	S-80130CLMC-JIP-T2	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIQ	S-80131CLMC-JIQ-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIR	S-80132CLMC-JIR-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIS	S-80133CLMC-JIS-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIT	S-80134CLMC-JIT-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIU	S-80135CLMC-JIU-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIV	S-80136CLMC-JIV-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIW	S-80137CLMC-JIW-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIX	S-80138CLMC-JIX-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIY	S-80139CLMC-JIY-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JIZ	S-80140CLMC-JIZ-T2	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJ	AP1119-50	VR-IC	LDO, -Enable, 5V±2%, 500mA	SOT89-5	32ab	VR4	Ana
JJA	S-80149CLMC-JJA-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJB	S-80150CLMC-JJB-T2	CMOS-IC	Voltage Detector 5V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJC	S-80151CLMC-JJC-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJD	S-80152CLMC-JJD-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJE	S-80153CLMC-JJE-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJF	S-80154CLMC-JJF-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJG	S-80155CLMC-JJG-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJH	S-80156CLMC-JJH-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJI	S-80157CLMC-JJI-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJJ	S-80158CLMC-JJJ-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJK	S-80159CLMC-JJK-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JJL	S-80160CLMC-JJL-T2	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output, 200ms	SOT23-5	28yd	-	Sei
JK	AP1119-90	VR-IC	LDO, -Enable, 9V±2%, 500mA	SOT89-5	32ab	VR4	Ana

SMD код	Тип	Функ.	Краткое описание	Корп.	Чок.	Сх.	Пр.
JK2	S-80141CNMC-JK2-T2	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JK3	S-80142CNMC-JK3-T2	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JK4	S-80143CNMC-JK4-T2	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JK5	S-80144CNMC-JK5-T2	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JK6	S-80145CNMC-JK6-T2	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JK7	S-80146CNMC-JK7-T2	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JK8	S-80147CNMC-JK8-T2	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JK9	S-80148CNMC-JK9-T2	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKH	S-80122CNMC-JKH-T2	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKI	S-80123CNMC-JKI-T2	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKJ	S-80124CNMC-JKJ-T2	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKK	S-80125CNMC-JKK-T2	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKL	S-80126CNMC-JKL-T2	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKM	S-80127CNMC-JKM-T2	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKN	S-80128CNMC-JKN-T2	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKO	S-80129CNMC-JKO-T2	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKP	S-80130CNMC-JKP-T2	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKQ	S-80131CNMC-JKQ-T2	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKR	S-80132CNMC-JKR-T2	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKS	S-80133CNMC-JKS-T2	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKT	S-80134CNMC-JKT-T2	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKU	S-80135CNMC-JKU-T2	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKV	S-80136CNMC-JKV-T2	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKW	S-80137CNMC-JKW-T2	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKX	S-80138CNMC-JKX-T2	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKY	S-80139CNMC-JKY-T2	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JKZ	S-80140CNMC-JKZ-T2	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JL	AP1119-12	VR-IC	LDO, -Enable, 12V±2%, 500mA	SOT89-5	32sb	VR4	Ana
RL	R1112NS01B	VR-IC	LDO, LN, Enable, 5V±2%, 150mA	SOT23-5	28vrm	VR4	Ric
JLA	S-80149CNMC-JLA-T2	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLB	S-80150CNMC-JLB-T2	CMOS-IC	Voltage Detector 5V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLC	S-80151CNMC-JLC-T2	CMOS-IC	Voltage Detector 5.1V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLD	S-80152CNMC-JLD-T2	CMOS-IC	Voltage Detector 5.2V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLE	S-80153CNMC-JLE-T2	CMOS-IC	Voltage Detector 5.3V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLF	S-80154CNMC-JLF-T2	CMOS-IC	Voltage Detector 5.4V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLG	S-80155CNMC-JLG-T2	CMOS-IC	Voltage Detector 5.5V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLH	S-80156CNMC-JLH-T2	CMOS-IC	Voltage Detector 5.6V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLI	S-80157CNMC-JLI-T2	CMOS-IC	Voltage Detector 5.7V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
LIJ	S-80158CNMC-LIJ-T2	CMOS-IC	Voltage Detector 5.8V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLK	S-80159CNMC-JLK-T2	CMOS-IC	Voltage Detector 5.9V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JLL	S-80160CNMC-JLL-T2	CMOS-IC	Voltage Detector 6V, -Reset Open drain output, 200ms	SOT23-5	28yd	-	Sei
JN	AA73515IGV-3.0B-C	CMOS-IC	Voltage Detector 3.08V, -MR, ±Reset PPO, 140ms	SOT23-5	28xf	-	Ant
JO	AA73512IGV-2.63-C-C	CMOS-IC	Voltage Detector 2.63V, -MR, Reset Push-pull output	SOT23-5	28xd	-	Ant
K0	RN5RG30AA	VR-IC	Ext. transistor, 3V±2.5% 1A*	SOT23-5	28vri	-	Ric
R0	RN5RY201A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K1	RN5RG31AA	VR-IC	Ext. transistor, 3.1V±2.5% 1A*	SOT23-5	28vri	-	Ric
K1	RN5RY211A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.1V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
R2	RN5RG32AA	VR-IC	Ext. transistor, 3.2V±2.5% 1A*	SOT23-5	28vri	-	Ric
R2	RN5RY221A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.2V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K3	RN5RG33AA	VR-IC	Ext. transistor, 3.3V±2.5% 1A*	SOT23-5	28vri	-	Ric
R3	RN5RY231A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.3V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K4	RN5RG34AA	VR-IC	Ext. transistor, 3.4V±2.5% 1A*	SOT23-5	28vri	-	Ric
R4	RN5RY241A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.4V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K5	R111N151B	VR-IC	LDO, LN, Enable, 1.5V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
R5	RN5RG35AA	VR-IC	Ext. transistor, 3.5V±2.5% 1A*	SOT23-5	28vri	-	Ric
K5	RN5RY251A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.5V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K6	R111N161B	VR-IC	LDO, LN, Enable, 1.6V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
K6	RN5RG36AA	VR-IC	Ext. transistor, 3.6V±2.5% 1A*	SOT23-5	28vri	-	Ric
R6	RN5RY261A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.6V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K7	R111N171B	VR-IC	LDO, LN, Enable, 1.7V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
K7	RN5RG37AA	VR-IC	Ext. transistor, 3.7V±2.5% 1A*	SOT23-5	28vri	-	Ric
R7	RN5RY271A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.7V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K8	MC78PC18N	VR-IC	LDO, LN, Enable, 1.8V±2.5%, 100mA	SOT23-5	28vrm	VR4	Ons
K8	R111N181B	VR-IC	LDO, LN, Enable, 1.8V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
K8	RN5RG38AA	VR-IC	Ext. transistor, 3.8V±2.5% 1A*	SOT23-5	28vri	-	Ric
R8	RN5RY281A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 2.8V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
K9	R111N191B	VR-IC	LDO, LN, Enable, 1.9V±2%, 0.2A	SOT23-5	28vrm	VR4	Ric
K9	RN5RG39AA	VR-IC	Ext. transistor, 3.9V±2.5% 1A*	SOT23-5	28vri	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Пр.
K9	RN5RY291A	VR-IC	VFM St-Up DC-DC Conv. Ctrt. 2.9V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	- Ric
KA4	MMBD4448HCQW	St-Diode	Quad, Switching, Fast, 75V, 500mA, Vf<1.25V(150mA), <4ns	SOT353	28bh	- Dil
KA5	MMBD4448HAQW	St-Diode	Quad, Switching, Fast, 75V, 500mA, Vf<1.25V(150mA), <4ns	SOT353	28bc	- Dil
KB25	MIC5205-2.5YM5	VR-IC	LDO, Enable, 2.5V±1%, 150mA	SOT23-5	28vrx	VR7 Mcr
KL	AAT3515IGV-2.93-C	CMOS-IC	Voltage Detector 2.93V, -MR, \pm Reset PPO, 140ms	SOT23-5	28xf	- Ant
KM	AAT3515IGV-4.38-C	CMOS-IC	Voltage Detector 4.38V, -MR, \pm Reset PPO, 140ms	SOT23-5	28xi	- Ant
KR	R1112N151B	VR-IC	LDO, LN, Enable, 1.5V±2%, 150mA	SOT23-5	28vrm	VR4 Ric
KS	R1112N161B	VR-IC	LDO, LN, Enable, 1.6V±2%, 150mA	SOT23-5	28vrm	VR4 Ric
KT	R1112N171B	VR-IC	LDO, LN, Enable, 1.7V±2%, 150mA	SOT23-5	28vrm	VR4 Ric
KU	R1112N181B	VR-IC	LDO, LN, Enable, 1.8V±2%, 150mA	SOT23-5	28vrm	VR4 Ric
KV	R1112N191B	VR-IC	LDO, LN, Enable, 1.9V±2%, 150mA	SOT23-5	28vrm	VR4 Ric
KV12	MIC5248-1.2YM5	VR-IC	LDO, Enable, Pow.Good, 1.2V±1%, 150mA	SOT23-5	28vrk	VR9 Mcr
KW25	MIC5255-2.5YM5	VR-IC	LDO, Enable, 2.5V±1%, 150mA	SOT23-5	28vrx	VR7 Mcr
L0	R1121N201A	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	SOT23-5	28vrl	VR4 Ric
L0	RN1101FS	Si-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=4.7k/4.7k	ISM	29ta	- Tos
L0	RN5RG40AA	VR-IC	Ext. transistor, 4V±2.5% 1A*	SOT23-5	28vl	- Ric
L0	RN5RY301A	VR-IC	VFM St-Up DC-DC Conv. Ctrt. 3V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	- Ric
L00A	LP2980AIM5-3.3	VR-IC	Ultra-LDO, Enable, 3.3V±0.5%, 50mA	SOT23-5	28vrm	VR4 Nsc
L00B	LP2980IM5-3.3	VR-IC	Ultra-LDO, Enable, 3.3V±2%, 50mA	SOT23-5	28vrm	VR4 Nsc
L01A	LP2980AIM5-5.0	VR-IC	Ultra-LDO, Enable, 5V±0.5%, 50mA	SOT23-5	28vrm	VR4 Nsc
L01B	LP2980BIM5-5.0	VR-IC	Ultra-LDO, Enable, 5V±0.5%, 50mA	SOT23-5	28vrm	VR4 Nsc
L01B	LP2980IM5-5.0	VR-IC	Ultra-LDO, Enable, 5V±2%, 50mA	SOT23-5	28vrm	VR4 Nsc
L02A	LP2980AIM5-3.0	VR-IC	Ultra-LDO, Enable, 3V±0.5%, 50mA	SOT23-5	28vrm	VR4 Nsc
L02B	LP2980IM5-3.0	VR-IC	Ultra-LDO, Enable, 3V±2%, 50mA	SOT23-5	28vrm	VR4 Nsc
L03A	LP2981AIM5-5.0	VR-IC	Ultra-LDO, Enable, 5V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L03B	LP2981IM5-5.0	VR-IC	Ultra-LDO, Enable, 5V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L04A	LP2981AIM5-3.3	VR-IC	Ultra-LDO, Enable, 3.3V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L04B	LP2981IM5-3.3	VR-IC	Ultra-LDO, Enable, 3.3V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L05A	LP2981AIM5-3.0	VR-IC	Ultra-LDO, Enable, 3V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L05B	LP2981IM5-3.0	VR-IC	Ultra-LDO, Enable, 3V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L08A	LP2982AIM5-3.6	VR-IC	Ultra-LDO, Enable, 3.6V, 50mA	SOT23-5	28vrk	VR7 Nsc
L08B	LP2982IM5-3.6	VR-IC	Ultra-LDO, Enable, 3.6V 50mA	SOT23-5	28vrx	VR7 Nsc
L0CA	LP2981AIM5-2.5	VR-IC	Ultra-LDO, Enable, 2.5V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0CB	LP2981IM5-2.5	VR-IC	Ultra-LDO, Enable, 2.5V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0DA	LP2981AIM5-2.7	VR-IC	Ultra-LDO, Enable, 2.7V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0DB	LP2981IM5-2.7	VR-IC	Ultra-LDO, Enable, 2.7V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0GA	LP2981AIM5-4.7	VR-IC	Ultra-LDO, Enable, 4.7V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0GB	LP2981IM5-4.7	VR-IC	Ultra-LDO, Enable, 4.7V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0HA	LP2982AIM5-4.7	VR-IC	Ultra-LDO, Enable, 4.7V 50mA	SOT23-5	28vrk	VR7 Nsc
L0HB	LP2982IM5-4.7	VR-IC	Ultra-LDO, Enable, 4.7V, 50mA	SOT23-5	28vrx	VR7 Nsc
L0JA	LP2981AIM5-3.6	VR-IC	Ultra-LDO, Enable, 3.6V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0JB	LP2981IM5-3.6	VR-IC	Ultra-LDO, Enable, 3.6V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0KA	LP2985AIM5-2.8	VR-IC	LN, Ultra-LDO, 2.8V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0KB	LP2985IM5-2.8	VR-IC	LN, Ultra-LDO, 2.8V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0NA	LP2980AIM5-2.5	VR-IC	Ultra-LDO, Enable, 2.5V±0.5%, 50mA	SOT23-5	28vrm	VR4 Nsc
L0NB	LP2980IM5-2.5	VR-IC	Ultra-LDO, Enable, 2.5V±2%, 50mA	SOT23-5	28vrm	VR4 Nsc
L0QA	LP2985AIM5-3.0	VR-IC	LN, Ultra-LDO, 3V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0QB	LP2985IM5-3.0	VR-IC	LN, Ultra-LDO, 3V, 150mA	SOT23-5	28vrx	VR7 Nsc
L0PA	LP2985AIM5-3.1	VR-IC	LN, Ultra-LDO, 3.1V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0PB	LP2985IM5-3.1	VR-IC	LN, Ultra-LDO, 3.1V, 150mA	SOT23-5	28vrx	VR7 Nsc
L0QA	LP2985AIM5-3.2	VR-IC	LN, Ultra-LDO, 3.2V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0QB	LP2985IM5-3.2	VR-IC	LN, Ultra-LDO, 3.2V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0RA	LP2985AIM5-3.3	VR-IC	LN, Ultra-LDO, 3.3V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0RB	LP2985IM5-3.3	VR-IC	LN, Ultra-LDO, 3.3V, 150mA	SOT23-5	28vrx	VR7 Nsc
L0SA	LP2985AIM5-3.6	VR-IC	LN, Ultra-LDO, 3.6V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0SB	LP2985IM5-3.6	VR-IC	LN, Ultra-LDO, 3.6V, 150mA	SOT23-5	28vrx	VR7 Nsc
L0TA	LP2985AIM5-4.0	VR-IC	LN, Ultra-LDO, 4V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0TB	LP2985IM5-4.0	VR-IC	LN, Ultra-LDO, 4V, 150mA	SOT23-5	28vrx	VR7 Nsc
L0UA	LP2985AIM5-5.0	VR-IC	LN, Ultra-LDO, 5V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0UB	LP2985IM5-5.0	VR-IC	LN, Ultra-LDO, Enable, 5V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0VA	LP2981AIM5-2.9	VR-IC	Ultra-LDO, Enable, 2.9V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0VB	LP2981IM5-2.9	VR-IC	Ultra-LDO, Enable, 2.9V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0XA	LP2980AIM5-4.5	VR-IC	Ultra-LDO, Enable, 4.5V±0.5%, 50mA	SOT23-5	28vrm	VR4 Nsc
L0XB	LP2980BIM5-4.5	VR-IC	Ultra-LDO, Enable, 4.5V±1%, 50mA	SOT23-5	28vrm	VR4 Nsc
L0YA	LP2985AIM5-3.8	VR-IC	LN, Ultra-LDO, 3.8V, 150mA	SOT23-5	28vrk	VR7 Nsc
L0YB	LP2985IM5-3.8	VR-IC	LN, Ultra-LDO, 3.8V, 150mA	SOT23-5	28vrx	VR7 Nsc
L0ZA	LP2981AIM5-4.0	VR-IC	Ultra-LDO, Enable, 4V±0.5%, 100mA	SOT23-5	28vrm	VR4 Nsc
L0ZB	LP2981IM5-4.0	VR-IC	Ultra-LDO, Enable, 4V±2%, 100mA	SOT23-5	28vrm	VR4 Nsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
L1	NL17SZ00DF	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Ons
L1	R1121N211A	VR-IC	LDO, LN, -Enable, 2,1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
L1	RN1102FS	Si-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=10k/10k	ISM	291a	-	Tos
L1	RN5RG41AA	VR-IC	Ext. transistor, 4,1V±2,5% 1A*	SOT23-5	28vri	-	Ric
C1	RN5RY311A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 3,1V±2,5%, 0,15W, <180KHz	SOT23-5	28vca	-	Ric
L1	TC7S100F	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
L1	TC7S100FU	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
L10	R1224N102L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1V, 180KHz	SOT23-5	28vrd	-	Ric
L12	R1224N122L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1,2V, 180KHz	SOT23-5	28vrd	-	Ric
L12A	LP2980AIM5-2.9	VR-IC	Ultra-LDO, Enable, 2,9V±0,5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L12B	LP2980BIM5-2.9	VR-IC	Ultra-LDO, Enable, 2,9V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L13	TK71613SCL	VR-IC	LDO, Enable, 1,3V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L13	TK71613SCLH	VR-IC	LDO, Enable, 1,3V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L13	TK71613SIL	VR-IC	LDO, Enable, 1,3V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L13A	LP2980AIM5-2.8	VR-IC	Ultra-LDO, Enable, 2,8V±0,5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L13B	LP2980BIM5-2.8	VR-IC	Ultra-LDO, Enable, 2,8V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L14	TK71614SCL	VR-IC	LDO, Enable, 1,4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L14	TK71614SCLH	VR-IC	LDO, Enable, 1,4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L14	TK71614SIL	VR-IC	LDO, Enable, 1,4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L15	R1224N152L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1,5V, 180KHz	SOT23-5	28vrd	-	Ric
L15	TK71615SCL	VR-IC	LDO, Enable, 1,5V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L15	TK71615SCLH	VR-IC	LDO, Enable, 1,5V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L15	TK71615SIL	VR-IC	LDO, Enable, 1,5V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L16	TK71616SCL	VR-IC	LDO, Enable, 1,6V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L16	TK71616SCLH	VR-IC	LDO, Enable, 1,6V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L16	TK71616SIL	VR-IC	LDO, Enable, 1,6V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L17	TK71617SCL	VR-IC	LDO, Enable, 1,7V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L17	TK71617SCLH	VR-IC	LDO, Enable, 1,7V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L17	TK71617SIL	VR-IC	LDO, Enable, 1,7V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L18	R1224N182L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1,8V, 180KHz	SOT23-5	28vrd	-	Ric
L18	TK71618SCL	VR-IC	LDO, Enable, 1,8V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L18	TK71618SCLH	VR-IC	LDO, Enable, 1,8V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L18	TK71618SIL	VR-IC	LDO, Enable, 1,8V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L18A	LP2982AIM5-5.0	VR-IC	Ultra-LDO, Enable, 5V 50mA	SOT23-5	28vrx	VR7	Nsc
L18B	LP2982IM5-5.0	VR-IC	Ultra-LDO, Enable, 5V 50mA	SOT23-5	28vrx	VR7	Nsc
L19	TK71619SCL	VR-IC	LDO, Enable, 1,9V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L19	TK71619SCLH	VR-IC	LDO, Enable, 1,9V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L19	TK71619SIL	VR-IC	LDO, Enable, 1,9V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L19A	LP2982AIM5-3.3	VR-IC	Ultra-LDO, Enable, 3,3V, 50mA	SOT23-5	28vrx	VR7	Nsc
L19B	LP2982IM5-3.3	VR-IC	Ultra-LDO, Enable, 3,3V 50mA	SOT23-5	28vrx	VR7	Nsc
L2	NL17SZ08DF	TTL-Logic	2-input AND gate	SC70-5	Log3	-	Ons
L2	R1121N221A	VR-IC	LDO, LN, -Enable, 2,2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
L2	RN1103FS	Si-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=22k/22k	ISM	291e	-	Tos
L2	RN5RG42AA	VR-IC	Ext. transistor, 4,2V±2,5% 1A*	SOT23-5	28vri	-	Ric
C2	RN5RY321A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 3,2V±2,5%, 0,15W, <180KHz	SOT23-5	28vca	-	Ric
L2	TC7S108F	TTL-Logic	2-input AND gate	SC59-5	Log3	-	Tos
L2	TC7S108FU	TTL-Logic	2-input AND gate	SOT353	Log3	-	Tos
L20	TK71620SCL	VR-IC	LDO, Enable, 2V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L20	TK71620SCLH	VR-IC	LDO, Enable, 2V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L20	TK71620SIL	VR-IC	LDO, Enable, 2V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L20A	LP2982AIM5-3.0	VR-IC	Ultra-LDO, Enable, 3V, 50mA	SOT23-5	28vrx	VR7	Nsc
L20B	LP2982IM5-3.0	VR-IC	Ultra-LDO, Enable, 3V, 50mA	SOT23-5	28vrx	VR7	Nsc
L21	TK71621SCL	VR-IC	LDO, Enable, 2,1V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L21	TK71621SCLH	VR-IC	LDO, Enable, 2,1V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L21	TK71621SIL	VR-IC	LDO, Enable, 2,1V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L21A	LP2980AIM5-3.8	VR-IC	Ultra-LDO, Enable, 3,8V±0,5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L21B	LP2980BIM5-3.8	VR-IC	Ultra-LDO, Enable, 3,8V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L22	TK71622SCL	VR-IC	LDO, Enable, 2,2V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L22	TK71622SCLH	VR-IC	LDO, Enable, 2,2V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L22	TK71622SIL	VR-IC	LDO, Enable, 2,2V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L23	TK71623SCL	VR-IC	LDO, Enable, 2,3V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L23	TK71623SCLH	VR-IC	LDO, Enable, 2,3V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L23	TK71623SIL	VR-IC	LDO, Enable, 2,3V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L24	TK71624SCL	VR-IC	LDO, Enable, 2,4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L24	TK71624SCLH	VR-IC	LDO, Enable, 2,4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L24	TK71624SIL	VR-IC	LDO, Enable, 2,4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L25	MC33761SNT1-25	VR-IC	LDO, Ultra-LN, Enable, 2,5V±1,5%, 80mA	SOT23-5	28vrm	VR4	Ons
L25	MC33761SNT1-25	VR-IC	LN, Ultra-LDO, Enable, 2,5V, 80mA	SOT23-5	28vria	-	Mot

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
L25	R1224N252L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 2.5V, 180KHz	SOT23-5	28vrd	-	Ric
L25	TK71825SCL	VR-IC	LDO, Enable, 2.5V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L25	TK71625SCLH	VR-IC	LDO, Enable, 2.5V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L25	TK71625SIL	VR-IC	LDO, Enable, 2.5V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L25A	LP2980AIM5-4 0	VR-IC	Ultra-LDO, Enable, 4V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L25B	LP2980BIM5-4 0	VR-IC	Ultra-LDO, Enable, 4V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L26	TK71626SCL	VR-IC	LDO, Enable, 2.6V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L26	TK71626SCLH	VR-IC	LDO, Enable, 2.6V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L26	TK71626SIL	VR-IC	LDO, Enable, 2.6V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L26A	LP2980AIM5-2.7	VR-IC	Ultra-LDO, Enable, 2.7V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L26B	LP2980BIM5-2.7	VR-IC	Ultra-LDO, Enable, 2.7V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L27	TK71627SCL	VR-IC	LDO, Enable, 2.7V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L27	TK71627SCLH	VR-IC	LDO, Enable, 2.7V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L27	TK71627SIL	VR-IC	LDO, Enable, 2.7V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L27A	LP2980AIM5-3 5	VR-IC	Ultra-LDO, Enable, 3.5V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L27B	LP2980BIM5-3 5	VR-IC	Ultra-LDO, Enable, 3.5V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L28	MC33761SNT1-28	VR-IC	LDO, Ultra-LN, Enable, 2.8V±1.5%, 80mA	SOT23-5	28vrm	VR4	Ons
L28	MC33761SNT1-28	VR-IC	LN, Ultra-LDO, Enable, 2.8V, 80mA	SOT23-5	28vria	-	Mot
L28	TK71628SCL	VR-IC	LDO, Enable, 2.8V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L28	TK71628SCLH	VR-IC	LDO, Enable, 2.8V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L28	TK71628SIL	VR-IC	LDO, Enable, 2.8V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L28A	LP2980AIM5-3 6	VR-IC	Ultra-LDO, Enable, 3.6V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L28B	LP2980BIM5-3 6	VR-IC	Ultra-LDO, Enable, 3.6V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L29	TK71629SCL	VR-IC	LDO, Enable, 2.9V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L29	TK71629SCLH	VR-IC	LDO, Enable, 2.9V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L29	TK71629SIL	VR-IC	LDO, Enable, 2.9V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L29A	LP2982AIM5-4 0	VR-IC	Ultra-LDO, Enable, 4V, 50mA	SOT23-5	28vrx	VR7	Nsc
L29B	LP2982IM5-4 0	VR-IC	Ultra-LDO, Enable, 4V, 50mA	SOT23-5	28vrx	VR7	Nsc
L3	NL17S202DF	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Ons
L3	R1121N231A	VR-IC	LDO, LN, -Enable, 2.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
L3	RN1104FS	Si-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=47k/47k	iSM	28rla	-	Tos
L3	RN5RG43AA	VR-IC	Ext. transistor, 4.3V±2.5% 1A*	SOT23-5	28vri	-	Ric
L3	RN5RY331A	VR-IC	VFM St-Up DC-DC Conv. Ctrl, 3.3V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
L3	TC7SL02F	TTL-Logic	2-input NOR gate	SC59-5	Log2	-	Tos
L3	TC7SL02FU	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Tos
L30	MC33761SNT1-30	VR-IC	LDO, Ultra-LN, Enable, 3V±1.5%, 80mA	SOT23-5	28vrm	VR4	Ons
L30	MC33761SNT1-30	VR-IC	LN, Ultra-LDO, Enable, 3V, 80mA	SOT23-5	28vria	-	Mot
L30	R1224N302L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3V, 180KHz	SOT23-5	28vrd	-	Ric
L30	TK71630SCL	VR-IC	LDO, Enable, 3V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L30	TK71630SCLH	VR-IC	LDO, Enable, 3V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L30	TK71630SIL	VR-IC	LDO, Enable, 3V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L30A	LP2980AIM5-3 1	VR-IC	Ultra-LDO, Enable, 3.1V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L30B	LP2980BIM5-3.1	VR-IC	Ultra-LDO, Enable, 3.1V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L31	TK71631SCL	VR-IC	LDO, Enable, 3.1V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L31	TK71631SCLH	VR-IC	LDO, Enable, 3.1V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L31	TK71631SIL	VR-IC	LDO, Enable, 3.1V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L31A	LP2980AIM5-3 2	VR-IC	Ultra-LDO, Enable, 3.2V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L31B	LP2980BIM5-3.2	VR-IC	Ultra-LDO, Enable, 3.2V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L32	TK71632SCL	VR-IC	LDO, Enable, 3.2V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L32	TK71632SCLH	VR-IC	LDO, Enable, 3.2V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L32	TK71632SIL	VR-IC	LDO, Enable, 3.2V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L33	R1224N332L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3.3V, 180KHz	SOT23-5	28vrd	-	Ric
L33	TK71633SCL	VR-IC	LDO, Enable, 3.3V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L33	TK71633SCLH	VR-IC	LDO, Enable, 3.3V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L33	TK71633SIL	VR-IC	LDO, Enable, 3.3V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L34	TK71634SCL	VR-IC	LDO, Enable, 3.4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L34	TK71634SCLH	VR-IC	LDO, Enable, 3.4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L34	TK71634SIL	VR-IC	LDO, Enable, 3.4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L35	TK71635SCL	VR-IC	LDO, Enable, 3.5V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L35	TK71635SCLH	VR-IC	LDO, Enable, 3.5V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L35	TK71635SIL	VR-IC	LDO, Enable, 3.5V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L35A	LP2981AIM5-3 2	VR-IC	Ultra-LDO, Enable, 3.2V±0.5%, 100mA	SOT23-5	28vrm	VR4	Nsc
L35B	LP2981IM5-3.2	VR-IC	Ultra-LDO, Enable, 3.2V±1%, 100mA	SOT23-5	28vrm	VR4	Nsc
L36	TK71636SCL	VR-IC	LDO, Enable, 3.6V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L36	TK71636SCLH	VR-IC	LDO, Enable, 3.6V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L36	TK71636SIL	VR-IC	LDO, Enable, 3.6V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L36A	LP2981AIM5-3.8	VR-IC	Ultra-LDO, Enable, 3.8V±0.5%, 100mA	SOT23-5	28vrm	VR4	Nsc
L36B	LP2981IM5-3.8	VR-IC	Ultra-LDO, Enable, 3.8V±1%, 100mA	SOT23-5	28vrm	VR4	Nsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
L37	TK71637SCL	VR-IC	LDO, Enable, 3.7V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L37	TK71637SCLH	VR-IC	LDO, Enable, 3.7V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L37	TK71637SIL	VR-IC	LDO, Enable, 3.7V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L37A	LP2980AIM5-4.7	VR-IC	Ultra-LDO, Enable, 4.7V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L37B	LP2980BIM5-4.7	VR-IC	Ultra-LDO, Enable, 4.7V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L38	TK71638SCL	VR-IC	LDO, Enable, 3.8V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L38	TK71638SCLH	VR-IC	LDO, Enable, 3.8V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L38	TK71638SIL	VR-IC	LDO, Enable, 3.8V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L38A	LP2981AIM5-3.1	VR-IC	Ultra-LDO, Enable, 3.1V±0.5%, 100mA	SOT23-5	28vrm	VR4	Nsc
L38B	LP2981IM5-3.1	VR-IC	Ultra-LDO, Enable, 3.1V±2%, 100mA	SOT23-5	28vrm	VR4	Nsc
L39	TK71639SCL	VR-IC	LDO, Enable, 3.9V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L39	TK71639SCLH	VR-IC	LDO, Enable, 3.9V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L39	TK71639SIL	VR-IC	LDO, Enable, 3.9V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L4	NL175Z32DF	TTL-Logic	2-input OR gate	SOT353	Log4	-	Ons
L4	R1121N241A	VR-IC	LDO, LN, -Enable, 2.4V±2%, 150mA	SOT23-5	28vrl	VR4	Ric
L4	RN1105FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=2.2k/47k	ISM	291e	-	Tos
L4	RN5RG44AA	VR-IC	Ext. transistor, 4.4V±2.5% 1A*	SOT23-5	28vrl	-	Ric
L4	RN5RY341A	VR-IC	VFM St-Up DC-DC Conv. Ctrl, 3.4V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
L4	TC7SL32F	TTL-Logic	2-input OR gate	SC-59	Log4	-	Tos
L4	TC7SL32FU	TTL-Logic	2-input OR gate	SOT353	Log4	-	Tos
L40	TK71640SCL	VR-IC	LDO, Enable, 4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L40	TK71640SCLH	VR-IC	LDO, Enable, 4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L40	TK71640SIL	VR-IC	LDO, Enable, 4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L41	TK71641SCL	VR-IC	LDO, Enable, 4.1V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L41	TK71641SCLH	VR-IC	LDO, Enable, 4.1V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L41	TK71641SIL	VR-IC	LDO, Enable, 4.1V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L42	TK71642SCL	VR-IC	LDO, Enable, 4.2V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L42	TK71642SCLH	VR-IC	LDO, Enable, 4.2V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L42	TK71642SIL	VR-IC	LDO, Enable, 4.2V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L43	TK71643SCL	VR-IC	LDO, Enable, 4.3V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L43	TK71643SCLH	VR-IC	LDO, Enable, 4.3V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L43	TK71643SIL	VR-IC	LDO, Enable, 4.3V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L44	TK71644SCL	VR-IC	LDO, Enable, 4.4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L44	TK71644SCLH	VR-IC	LDO, Enable, 4.4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L44	TK71644SIL	VR-IC	LDO, Enable, 4.4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L45	TK71645SCL	VR-IC	LDO, Enable, 4.5V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L45	TK71645SCLH	VR-IC	LDO, Enable, 4.5V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L45	TK71645SIL	VR-IC	LDO, Enable, 4.5V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L46	TK71646SCL	VR-IC	LDO, Enable, 4.6V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L46	TK71646SCLH	VR-IC	LDO, Enable, 4.6V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L46	TK71646SIL	VR-IC	LDO, Enable, 4.6V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L47	TK71647SCL	VR-IC	LDO, Enable, 4.7V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L47	TK71647SCLH	VR-IC	LDO, Enable, 4.7V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L47	TK71647SIL	VR-IC	LDO, Enable, 4.7V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L48	TK71648SCL	VR-IC	LDO, Enable, 4.8V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L48	TK71648SCLH	VR-IC	LDO, Enable, 4.8V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L48	TK71648SIL	VR-IC	LDO, Enable, 4.8V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L48A	LP2980AIM5-2.6	VR-IC	Ultra-LDO, Enable, 2.6V±0.5%, 50mA	SOT23-5	28vrm	VR4	Nsc
L48B	LP2980BIM5-2.6	VR-IC	Ultra-LDO, Enable, 2.6V±1%, 50mA	SOT23-5	28vrm	VR4	Nsc
L49	TK71649SCL	VR-IC	LDO, Enable, 4.9V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L49	TK71649SCLH	VR-IC	LDO, Enable, 4.9V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L49	TK71649SIL	VR-IC	LDO, Enable, 4.9V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L5	R1121N251A	VR-IC	LDO, LN, -Enable, 2.5V±2%, 150mA	SOT23-5	28vrl	VR4	Ric
L5	RN1106FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=4.7k/47k	ISM	291e	-	Tos
L5	RN5RG45AA	VR-IC	Ext. transistor, 4.5V±2.5% 1A*	SOT23-5	28vrl	-	Ric
L5	RN5RY351A	VR-IC	VFM St-Up DC-DC Conv. Ctrl, 3.5V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
L5	TC7SL04F	TTL-Logic	Inverter	SOT353	Log6	-	Tos
L5	TC7SL04FU	TTL-Logic	Inverter	SOT353	Log6	-	Tos
L50	MC33761SNT1-50	VR-IC	LDO, Ultra-LN, Enable, 5V±1.5%, 80mA	SOT23-5	28vrm	VR4	Ons
L50	MC33761SNT1-50	VR-IC	LN, Ultra-LDO, Enable, 5V, 80mA	SOT23-5	28vrie	-	Mot
L50	R1224N502L	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5V, 180KHz	SOT23-5	28vrd	-	Ric
L50	TK71650BCL	VR-IC	LDO, Enable, 5V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L50	TK71650BCLH	VR-IC	LDO, Enable, 5V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L50	TK71650SIL	VR-IC	LDO, Enable, 5V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L51	TK71651SCL	VR-IC	LDO, Enable, 5.1V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L51	TK71651SCLH	VR-IC	LDO, Enable, 5.1V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L51	TK71651SIL	VR-IC	LDO, Enable, 5.1V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L52	TK71652SCL	VR-IC	LDO, Enable, 5.2V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
L52	TK71652SCLH	VR-IC	LDO, Enable, 5,2V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L52	TK71652SIL	VR-IC	LDO, Enable, 5,2V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L53	TK71653SCL	VR-IC	LDO, Enable, 5,3V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L53	TK71653SCLH	VR-IC	LDO, Enable, 5,3V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L53	TK71653SIL	VR-IC	LDO, Enable, 5,3V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L54	TK71654SCL	VR-IC	LDO, Enable, 5,4V±2%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L54	TK71654SCLH	VR-IC	LDO, Enable, 5,4V±1%, 150mA, -30...+80°C	SOT23-5	28vrx	VR7	Tok
L54	TK71654SIL	VR-IC	LDO, Enable, 5,4V±2%, 150mA, -40...+85°C	SOT23-5	28vrx	VR7	Tok
L55	R1224N552L	VR-IC	WFMPWM Step-Down DC-DC Converter, 5,5V, 180KHz	SOT23-5	28vrd	-	Ric
L58A	LP2982AIM5-2.5	VR-IC	Ultra-LDO, Enable, 2,5V, 50mA	SOT23-5	28vrx	VR7	Nsc
L58B	LP2982IM5-2.5	VR-IC	Ultra-LDO, Enable, 2,5V 50mA	SOT23-5	28vrx	VR7	Nsc
L6	NL17S204DF	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Ons
L6	R1121N261A	VR-IC	LDO, LN, -Enable, 2,6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
L6	RN1107FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=10k/47k	ISM	29ta	-	Tos
L6	RN5RG46AA	VR-IC	Ext. transistor, 4,6V±2,5% 1A*	SOT23-5	28vri	-	Ric
L6	RN5RY361A	VR-IC	VFM St-Up DC-DC Conv. Ctl, 3,6V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
L6	TC7SLU04F	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
L6	TC7SLU04FU	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
L60	R1224N602L	VR-IC	WFMPWM Step-Down DC-DC Converter, 6V, 180KHz	SOT23-5	28vrd	-	Ric
L60A	LP2982AIM5-2.8	VR-IC	Ultra-LDO, Enable, 2,8V, 50mA	SOT23-5	28vrx	VR7	Nsc
L60B	LP2982IM5-2.8	VR-IC	Ultra-LDO, Enable, 2,8V, 50mA	SOT23-5	28vrx	VR7	Nsc
L61B	MIC5252-1.8BM5	VR-IC	LDO, Low-Noise, Enable, 1,8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
L62S	MIC5252-2.5BM5	VR-IC	LDO, Low-Noise, Enable, 2,5V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
L62B	MIC5252-2.8BM5	VR-IC	LDO, Low-Noise, Enable, 2,8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
L62J	MIC5252-2.85BM5	VR-IC	LDO, Low-Noise, Enable, 2,85V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
L630	MIC5252-3.0BM5	VR-IC	LDO, Low-Noise, Enable, 3V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
L64H	MIC5252-4.75BM5	VR-IC	LDO, Low-Noise, Enable, 4,75V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
L7	R1121N271A	VR-IC	LDO, LN, -Enable, 2,7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
L7	RN1108FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=22k/47k	ISM	29te	-	Tos
L7	RN5RG47AA	VR-IC	Ext. transistor, 4,7V±2,5% 1A*	SOT23-5	28vri	-	Ric
L7	RN5RY371A	VR-IC	VFM St-Up DC-DC Conv. Ctl, 3,7V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
L76A	LP2982AIM5-3.8	VR-IC	Ultra-LDO, Enable, 3,8V, 50mA	SOT23-5	28vrx	VR7	Nsc
L76B	LP2982IM5-3.8	VR-IC	Ultra-LDO, Enable, 3,8V 50mA	SOT23-5	28vrx	VR7	Nsc
L77A	LP2981AIM5-2.8	VR-IC	Ultra-LDO, Enable, 2,8V±0,5%, 100mA	SOT23-5	28vrm	VR4	Nsc
L77B	LP2981IM5-2.8	VR-IC	Ultra-LDO, Enable, 2,8V±2%, 100mA	SOT23-5	28vrm	VR4	Nsc
L78B	LM3490IM5-3.3	VR-IC	Quasi-LDO, 3,3V, 100mA	SOT23-5	28vri	-	Nsc
L79B	LM3490IM5-5.0	VR-IC	Quasi-LDO, 5V, 100mA	SOT23-5	28vri	-	Nsc
L8	R1121N281A	VR-IC	LDO, LN, -Enable, 2,8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
L8	RN1109FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1/R2=47k/22k	ISM	29te	-	Tos
L8	RN5RG48AA	VR-IC	Ext. transistor, 4,8V±2,5% 1A*	SOT23-5	28vri	-	Ric
L8	RN5RY381A	VR-IC	VFM St-Up DC-DC Conv. Ctl, 3,8V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
L80B	LM3490IM5-12	VR-IC	Quasi-LDO, 12V, 100mA	SOT23-5	28vri	-	Nsc
L81B	LM3490IM5-15	VR-IC	Quasi-LDO, 15V, 100mA	SOT23-5	28vri	-	Nsc
L9	R1121N291A	VR-IC	LDO, LN, -Enable, 2,9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
L9	RN1110FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1=4.7k	ISM	29ta	-	Tos
L9	RN5RG49AA	VR-IC	Ext. transistor, 4,9V±2,5% 1A*	SOT23-5	28vri	-	Ric
L9	RN5RY391A	VR-IC	VFM St-Up DC-DC Conv. Ctl, 3,9V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
LA	NL17S214DF	TTL-Logic	Inverting Schmitt-trigger	SC70-5	Log7	-	Ons
LAB	MIC5213-5.0BC5	VR-IC	LDO, Enable, 5V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LAD	MIC5213-3.6BC5	VR-IC	LDO, Enable, 3,6V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LAE	MIC5213-3.3BC5	VR-IC	LDO, Enable, 3,3V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LAG	MIC5213-3.0BC5	VR-IC	LDO, Enable, 3V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LAGA	LP2980AIM5-1.8	VR-IC	Ultra-LDO, Enable, 1,8V±0,5%, 50mA	SOT23-5	28vrm	VR4	Nsc
LAGB	LP2980IM5-1.8	VR-IC	Ultra-LDO, Enable, 1,8V±2%, 50mA	SOT23-5	28vrm	VR4	Nsc
LAA	LP2985AIM5-3.5	VR-IC	LN, Ultra-LDO, 3,5V, 150mA	SOT23-5	28vrx	VR7	Nsc
LAI	MIC5213-2.8BC5	VR-IC	LDO, Enable, 2,8V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LAIJA	LP2985AIM5-4.7	VR-IC	LN, Ultra-LDO, 4,7V, 150mA	SOT23-5	28vrx	VR7	Nsc
LAKA	LP2985AIM5-4.8	VR-IC	LN, Ultra-LDO, 4,8V, 150mA	SOT23-5	28vrx	VR7	Nsc
LAL	MIC5213-2.7BC5	VR-IC	LDO, Enable, 2,7V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LALA	LP2985AIM5-2.7	VR-IC	LN, Ultra-LDO, 2,7V, 150mA	SOT23-5	28vrx	VR7	Nsc
LAM	MIC5213-2.5BC5	VR-IC	LDO, Enable, 2,5V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LAN	MIC5213-1.8BC5	VR-IC	LDO, Enable, 1,8V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LANA	LP2980AIM5-1.5	VR-IC	Ultra-LDO, Enable, 1,5V±0,5%, 50mA	SOT23-5	28vrm	VR4	Nsc
LANB	LP2980IM5-1.5	VR-IC	Ultra-LDO, Enable, 1,5V±2%, 50mA	SOT23-5	28vrm	VR4	Nsc
LAO	NCP551SN15T1	VR-IC	LDO, Low Iq, Enable, 1,5V±2%, 150mA	SOT353	28vrm	VR4	Ons
LAP	NCP551SN18T1	VR-IC	LDO, Low Iq, Enable, 1,8V±2%, 150mA	SOT353	28vrm	VR4	Ons
LAQ	MIC5213-2.6BC5	VR-IC	LDO, Enable, 2,6V±3%, 150mA	SOT23-5	28xm	VR4	Mcr
LAQ	NCP551SN25T1	VR-IC	LDO, Low Iq, Enable, 2,5V±2%, 150mA	SOT353	28vrm	VR4	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
LAR	NCP551SN27T1	VR-IC	LDO, Low Iq, Enable, 2,7V±2%, 150mA	SOT353	28vrm	VR4	Ons
LAS	NCP551SN28T1	VR-IC	LDO, Low Iq, Enable, 2,8V±2%, 150mA	SOT353	28vrm	VR4	Ons
LAT	NCP551SN30T1	VR-IC	LDO, Low Iq, Enable, 3,0V±2%, 150mA	SOT353	28vrm	VR4	Ons
LAU	NCP551SN33T1	VR-IC	LDO, Low Iq, Enable, 3,3V±2%, 150mA	SOT353	28vrm	VR4	Ons
LAV	NCP551SN50T1	VR-IC	LDO, Low Iq, Enable, 5V±2%, 150mA	SOT353	28vrm	VR4	Ons
LAZB	LP3961EMP-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LAZB	LP3961EMPX-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LB25	MIC5205-2.5BM5	VR-IC	LDO, Enable, 2,5V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB27	MIC5205-2.7BM5	VR-IC	LDO, Enable, 2,7V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB28	MIC5205-2.8BM5	VR-IC	LDO, Enable, 2,8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB29	MIC5205-2.9BM5	VR-IC	LDO, Enable, 2,9V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB2J	MIC5205-2.85BM5	VR-IC	LDO, Enable, 2,85V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB30	MIC5205-3.0BM5	VR-IC	LDO, Enable, 3,0V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB31	MIC5205-3.1BM5	VR-IC	LDO, Enable, 3,1V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB32	MIC5205-3.2BM5	VR-IC	LDO, Enable, 3,2V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB33	MIC5205-3.3BM5	VR-IC	LDO, Enable, 3,3V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB36	MIC5205-3.6BM5	VR-IC	LDO, Enable, 3,6V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB38	MIC5205-3.8BM5	VR-IC	LDO, Enable, 3,8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB40	MIC5205-4.0BM5	VR-IC	LDO, Enable, 4,0V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB48	MIC5205-4.8BM5	VR-IC	LDO, Enable, 4,8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LB50	MIC5205-5.0BM5	VR-IC	LDO, Enable, 5V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LBAB	LP3961EMP-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LBAB	LP3961EMPX-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LB8B	LP3961EMP-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LB8B	LP3961EMPX-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LBCB	LP3962EMP-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBCB	LP3962EMPX-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBD8	LP3962EMP-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBD8	LP3962EMPX-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBEB	LP3962EMP-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBEB	LP3962EMPX-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBFB	LP3964EMP-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBFB	LP3964EMPX-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBHB	LP3964EMP-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBHB	LP3964EMPX-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBIB	LP2985IM5-3.5	VR-IC	LN, Ultra-LDO, 3,5V, 150mA	SOT23-5	28vrx	VR7	Nsc
LBJB	LP2985IM5-4.7	VR-IC	LN, Ultra-LDO, 4,7V, 150mA	SOT23-5	28vrx	VR7	Nsc
LBJB	LP3964EMP-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBJB	LP3964EMPX-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBKB	LP2985IM5-4.8	VR-IC	LN, Ultra-LDO, 4,8V, 150mA	SOT23-5	28vrx	VR7	Nsc
LBKB	LP3965EMP-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBKB	LP3965EMPX-1.8	VR-IC	Ultra-LDO, -Enable, 1,8V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBLB	LP2985IM5-2.7	VR-IC	LN, Ultra-LDO, 2,7V, 150mA	SOT23-5	28vrx	VR7	Nsc
LBLB	LP3965EMP-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBLB	LP3965EMPX-2.5	VR-IC	Ultra-LDO, -Enable, 2,5V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBNB	LP3965EMP-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBNB	LP3965EMPX-3.3	VR-IC	Ultra-LDO, -Enable, 3,3V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBSB	LP3961EMP-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LBSB	LP3961EMPX-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 0,8A	SOT223-5	27vrz	VR17	Nsc
LBTB	LP3962EMP-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBTB	LP3962EMPX-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 1,5A	SOT223-5	27vrz	VR17	Nsc
LBU	NCP511SN15T1	VR-IC	LDO, Low Iq, Enable, 1,5V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LBUB	LP3964EMP-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBUB	LP3964EMPX-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 0,8A	SOT223-5	27vry	VR18	Nsc
LBV	NCP511SN18T1	VR-IC	LDO, Low Iq, Enable, 1,8V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LBVB	LP3965EMP-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBVB	LP3965EMPX-5.0	VR-IC	Ultra-LDO, -Enable, 5V, 1,5A	SOT223-5	27vry	VR18	Nsc
LBW	NCP511SN25T1	VR-IC	LDO, Low Iq, Enable, 2,5V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LBX	NCP511SN27T1	VR-IC	LDO, Low Iq, Enable, 2,7V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LBX	NCP511SN28T1	VR-IC	LDO, Low Iq, Enable, 2,8V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LBZ	NCP511SN30T1	VR-IC	LDO, Low Iq, Enable, 3,0V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LCA	NCP511SN33T1	VR-IC	LDO, Low Iq, Enable, 3,3V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LCB	NCP511SN50T1	VR-IC	LDO, Low Iq, Enable, 5V±2%, 150mA	SOT23-5	28vrm	VR4	Ons
LCC	NCP502SQ15T1	VR-IC	Low Iq, Enable, 1,5V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCD	NCP502SQ18T1	VR-IC	Low Iq, Enable, 1,8V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCE	NCP502SQ25T1	VR-IC	Low Iq, Enable, 2,5V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCF	NCP502SQ27T1	VR-IC	Low Iq, Enable, 2,7V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCG	NCP502SQ28T1	VR-IC	Low Iq, Enable, 2,8V±2%, 80mA	SOT353	28vrm	VR4	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
LCH	NCP502SQ30T1	VR-IC	Low Iq, Enable, 3V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCI	NCP502SQ33T1	VR-IC	Low Iq, Enable, 3.3V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCJ	NCP502SQ50T1	VR-IC	Low Iq, Enable, 5V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCK	NCP512SQ15T1	VR-IC	Low Iq, Enable, 1.5V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCL	NCP512SQ18T1	VR-IC	Low Iq, Enable, 1.8V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCM	NCP512SQ25T1	VR-IC	Low Iq, Enable, 2.5V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCN	NCP512SQ27T1	VR-IC	Low Iq, Enable, 2.7V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCO	NCP512SQ28T1	VR-IC	Low Iq, Enable, 2.8V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCP	NCP512SQ30T1	VR-IC	Low Iq, Enable, 3V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCQ	NCP512SQ33T1	VR-IC	Low Iq, Enable, 3.3V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCR	NCP512SQ50T1	VR-IC	Low Iq, Enable, 5V±2%, 80mA	SOT353	28vrm	VR4	Ons
LCS	NCP500SN18T1	VR-IC	LDO, LN, Enable, 1.8V±2.5%, 150mA	SOT353	28vrm	VR4	Ons
LCU	NCP500SN27T1	VR-IC	LDO, LN, Enable, 2.7V±2.5%, 150mA	SOT353	28vrm	VR4	Ons
LCV	NCP500SN28T1	VR-IC	LDO, LN, Enable, 2.8V±2.5%, 150mA	SOT353	28vrm	VR4	Ons
LCW	NCP500SN30T1	VR-IC	LDO, LN, Enable, 3V±2.5%, 150mA	SOT353	28vrm	VR4	Ons
LCX	NCP500SN33T1	VR-IC	LDO, LN, Enable, 3.3V±2.5%, 150mA	SOT353	28vrm	VR4	Ons
LCY	NCP500SN50T1	VR-IC	LDO, LN, Enable, 5V±2.5%, 150mA	SOT353	28vrm	VR4	Ons
LD25	MIC5206-2 5BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 2.5V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD27	MIC5206-2 7BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 2.7V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD29	MIC5206-2 9BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 2.9V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD2J	MIC5206-2 85BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 2.8V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD30	MIC5206-3 0BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 3V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD32	MIC5206-3 2BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 3.2V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD33	MIC5206-3 3BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 3.3V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD34	MIC5206-3 4BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 3.4V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD36	MIC5206-3 6BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 3.6V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD38	MIC5206-3 8BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 3.8V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD40	MIC5206-4 0BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 4V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD41	MIC5206-4 15BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 4.1V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LD50	MIC5206-5 0BM5	VR-IC	LDO, Low-Noise, Enable, -Error, 5V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
LDA	NCP561SN15T1	VR-IC	LDO, Low Iq, Enable, 1.5V±2%, 150mA	SOT353	28vrm	VR4	Ons
LDC	NCP561SN25T1	VR-IC	LDO, Low Iq, Enable, 2.5V±2%, 150mA	SOT353	28vrm	VR4	Ons
LDD	NCP561SN28T1	VR-IC	LDO, Low Iq, Enable, 2.8V±2%, 150mA	SOT353	28vrm	VR4	Ons
LDE	NCP561SN30T1	VR-IC	LDO, Low Iq, Enable, 3V±2%, 150mA	SOT353	28vrm	VR4	Ons
LDJ	NCP561SN33T1	VR-IC	LDO, Low Iq, Enable, 3.3V±2%, 150mA	SOT353	28vrm	VR4	Ons
LDH	NCP561SN50T1	VR-IC	LDO, Low Iq, Enable, 5V±2%, 150mA	SOT353	28vrm	VR4	Ons
LDZ	NCP5426SNT13T1	VR-IC	LDO, Low Iq, Enable, UVLO, 1.3V±2%, 150mA	SOT23-5	28vc	VR4	Ons
LE13	MIC5207-1 3BM5	VR-IC	LDO, Low-Noise, Enable, 1.3V	SOT23-5	28vrk	VR7	Mcr
LE18	MIC5207-1 8BM5	VR-IC	LDO, Low-Noise, Enable, 1.8V	SOT23-5	28vrk	VR7	Mcr
LE25	MIC5207-2 5BM5	VR-IC	LDO, Low-Noise, Enable, 2.5V	SOT23-5	28vrk	VR7	Mcr
LE28	MIC5207-2 8BM5	VR-IC	LDO, Low-Noise, Enable, 2.8V	SOT23-5	28vrk	VR7	Mcr
LE29	MIC5207-2 9BM5	VR-IC	LDO, Low-Noise, Enable, 2.9V	SOT23-5	28vrk	VR7	Mcr
LE30	MIC5207-3 0BM5	VR-IC	LDO, Low-Noise, Enable, 3V	SOT23-5	28vrk	VR7	Mcr
LE31	MIC5207-3 1BM5	VR-IC	LDO, Low-Noise, Enable, 3.1V	SOT23-5	28vrk	VR7	Mcr
LE32	MIC5207-3 2BM5	VR-IC	LDO, Low-Noise, Enable, 3.2V	SOT23-5	28vrk	VR7	Mcr
LE33	MIC5207-3 3BM5	VR-IC	LDO, Low-Noise, Enable, 3.3V	SOT23-5	28vrk	VR7	Mcr
LE36	MIC5207-3 6BM5	VR-IC	LDO, Low-Noise, Enable, 3.6V	SOT23-5	28vrk	VR7	Mcr
LE38	MIC5207-3 8BM5	VR-IC	LDO, Low-Noise, Enable, 3.8V	SOT23-5	28vrk	VR7	Mcr
LE40	MIC5207-4 0BM5	VR-IC	LDO, Low-Noise, Enable, 4V	SOT23-5	28vrk	VR7	Mcr
LE50	MIC5207-5 0BM5	VR-IC	LDO, Low-Noise, Enable, 5V	SOT23-5	28vrk	VR7	Mcr
LEV	NCP561SN18T1	VR-IC	LDO, Low Iq, Enable, 1.8V±2%, 150mA	SOT353	28vrm	VR4	Ons
LEX	NCP561SN27T1	VR-IC	LDO, Low Iq, Enable, 2.7V±2%, 150mA	SOT353	28vrm	VR4	Ons
LF	RN1111FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1=10k	ISM	29ta	-	Tos
LFO	NCP512SQ31T1	VR-IC	Low Iq, Enable, 3.1V±2%, 60mA	SOT353	28vrm	VR4	Ons
LG18	MIC5219-1 8BM5	VR-IC	LDO, Enable, 1.8V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG25	MIC5219-2 5BM5	VR-IC	LDO, Enable, 2.5V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG26	MIC5219-2 6BM5	VR-IC	LDO, Enable, 2.6V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG27	MIC5219-2 7BM5	VR-IC	LDO, Enable, 2.7V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG28	MIC5219-2 8BM5	VR-IC	LDO, Enable, 2.8V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG29	MIC5219-2 9BM5	VR-IC	LDO, Enable, 2.9V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG2J	MIC5219-2 85BM5	VR-IC	LDO, Enable, 2.85V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG30	MIC5219-3 0BM5	VR-IC	LDO, Enable, 3V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG31	MIC5219-3 1BM5	VR-IC	LDO, Enable, 3.1V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG33	MIC5219-3 3BM5	VR-IC	LDO, Enable, 3.3V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG36	MIC5219-3 6BM5	VR-IC	LDO, Enable, 3.6V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LG50	MIC5219-5 0BM5	VR-IC	LDO, Enable, 5V±1%, 500mA	SOT23-5	28vrk	VR7	Mcr
LH	RN1112FS	SI-NPN-Digi	Switching, 20V, 50mA, 50mW, R1=22k	ISM	29ta	-	Tos
LH25	MIC5216-2 5BM5	VR-IC	LDO, Enable, Flag, 2.5V±1%, 500mA	SOT23-5	29ei	VR23	Mic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
LH30	MIC5216-3.0BM5	VR-IC	LDO, Enable, Flag, 3V±1%, 500mA	SOT23-5	29ei	VR23	Mic
LH33	MIC5216-3.3BM5	VR-IC	LDO, Enable, Flag, 3.3V±1%, 500mA	SOT23-5	29ei	VR23	Mic
LH36	MIC5216-3.6BM5	VR-IC	LDO, Enable, Flag, 3.6V±1%, 500mA	SOT23-5	29ei	VR23	Mic
LH38	MIC5216-3.8BM5	VR-IC	LDO, Enable, Flag, 3.8V±1%, 500mA	SOT23-5	29ei	VR23	Mic
LH40	MIC5216-4.0BM5	VR-IC	LDO, Enable, Flag, 4V±1%, 500mA	SOT23-5	29ei	VR23	Mic
LH50	MIC5216-5.0BM5	VR-IC	LDO, Enable, Flag, 5V±1%, 500mA	SOT23-5	29ei	VR23	Mic
LJ	RN1113FS	Si-NPN-Digi	Switching, 20V, 50mA, 50mW, R1=47k	ISM	29ia	-	Tos
LK26	MIC5203-2.6BM5	VR-IC	LDO, Enable, 2.6V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK28	MIC5203-2.8BM5	VR-IC	LDO, Enable, 2.8V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK30	MIC5203-3.0BM5	VR-IC	LDO, Enable, 3V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK33	MIC5203-3.3BM5	VR-IC	LDO, Enable, 3.3V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK36	MIC5203-3.6BM5	VR-IC	LDO, Enable, 3.6V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK38	MIC5203-3.8BM5	VR-IC	LDO, Enable, 3.8V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK40	MIC5203-4.0BM5	VR-IC	LDO, Enable, 4V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK45	MIC5203-4.5BM5	VR-IC	LDO, Enable, 4.5V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK47	MIC5203-4.7BM5	VR-IC	LDO, Enable, 4.7V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LK50	MIC5203-5.0BM5	VR-IC	LDO, Enable, 5V±1%, 80mA	SOT23-5	28vrm	VR4	Mcr
LL	R1122N201A	VR-IC	LDO, LN, -Enable, 2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LL30	MIC5270-3.0BM5	VR-IC	LDO, -3V±2%, 100mA	SOT23-5	28sa	VR2	Mcr
LL41	MIC5270-4.1BM5	VR-IC	LDO, -4.1V±2%, 100mA	SOT23-5	28sa	VR2	Mcr
LL50	MIC5270-5.0BM5	VR-IC	LDO, -5V±2%, 100mA	SOT23-5	28sa	VR2	Mcr
LLAA	MIC5270-BM5	VR-IC	LDO, Negative, Adjustable, 100mA	SOT23-5	28sa	VR3	Mcr
LM	R1122N211A	VR-IC	LDO, LN, -Enable, 2.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LN	R1122N221A	VR-IC	LDO, LN, -Enable, 2.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LP	R1122N231A	VR-IC	LDO, LN, -Enable, 2.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LQ	R1122N241A	VR-IC	LDO, LN, -Enable, 2.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LR	R1122N251A	VR-IC	LDO, LN, -Enable, 2.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LS	R1122N261A	VR-IC	LDO, LN, -Enable, 2.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LS20	MIC5245-2.0BM5	VR-IC	LDO, Enable, 2V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS21	MIC5245-2.1BM5	VR-IC	LDO, Enable, 2.1V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS22	MIC5245-2.2BM5	VR-IC	LDO, Enable, 2.2V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS23	MIC5245-2.3BM5	VR-IC	LDO, Enable, 2.3V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS25	MIC5245-2.5BM5	VR-IC	LDO, Enable, 2.5V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS26	MIC5245-2.6BM5	VR-IC	LDO, Enable, 2.6V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS27	MIC5245-2.7BM5	VR-IC	LDO, Enable, 2.7V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS28	MIC5245-2.8BM5	VR-IC	LDO, Enable, 2.8V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS2J	MIC5245-2.85BM5	VR-IC	LDO, Enable, 2.85V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS30	MIC5245-3.0BM5	VR-IC	LDO, Enable, 3V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS31	MIC5245-3.1BM5	VR-IC	LDO, Enable, 3.1V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS32	MIC5245-3.2BM5	VR-IC	LDO, Enable, 3.2V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS33	MIC5245-3.3BM5	VR-IC	LDO, Enable, 3.3V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS35	MIC5245-3.5BM5	VR-IC	LDO, Enable, 3.5V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LS50	MIC5245-5.0BM5	VR-IC	LDO, Enable, 5V±2%, 150mA	SOT23-5	28vrx	VR7	Mcr
LST	NCP500SN25T1	VR-IC	LDO, LN, Enable, 2.5V±2.5%, 150mA	SOT353	28vrm	VR4	Ons
LT	R1122N271A	VR-IC	LDO, LN, -Enable, 2.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LT15	MIC5246-1.5BM5	VR-IC	LDO, Enable, Error, 1.5V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT21	MIC5246-2.1BM5	VR-IC	LDO, Enable, Error, 2.1V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT25	MIC5246-2.5BM5	VR-IC	LDO, Enable, Error, 2.5V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT26	MIC5246-2.6BM5	VR-IC	LDO, Enable, Error, 2.6V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT27	MIC5246-2.7BM5	VR-IC	LDO, Enable, Error, 2.7V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT28	MIC5246-2.8BM5	VR-IC	LDO, Enable, Error, 2.8V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT2J	MIC5246-2.85BM5	VR-IC	LDO, Enable, Error, 2.85V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT30	MIC5246-3.0BM5	VR-IC	LDO, Enable, Error, 3V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT31	MIC5246-3.1BM5	VR-IC	LDO, Enable, Error, 3.1V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LT33	MIC5246-3.3BM5	VR-IC	LDO, Enable, Error, 3.3V±2%, 150mA	SOT23-5	28vrk	VR8	Mcr
LTGC	LT1761ESS-BYP	VR-IC	LDO, Lo-Pow, Adjustable, 1.22...20V±2%, 100mA	SOT23-5	28wd	-	Ltc
LTGD	LT1761ESS-2.5	VR-IC	LDO, Lo-Pow, Enable, 2.5V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LTGE	LT1761ESS-3	VR-IC	LDO, Lo-Pow, Enable, 3V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LTGF	LT1761ESS-3.3	VR-IC	LDO, Lo-Pow, Enable, 3.3V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LTGG	LT1761ESS-5	VR-IC	LDO, Lo-Pow, Enable, 5V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LTGH	LT1761ESS-SD	VR-IC	LDO, Lo-Pow, Enable, Adjustable, 1.22...20V±2%, 100mA	SOT23-5	28sg	VR16	Ltc
LTJE	LT1761ESS-2	VR-IC	LDO, Lo-Pow, Enable, 2V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LTJM	LT1761ESS-1.8	VR-IC	LDO, Lo-Pow, Enable, 1.8V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LTJB	LT1761ESS-2.8	VR-IC	LDO, Lo-Pow, Enable, 2.8V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LTMT	LT1761ESS-1.5	VR-IC	LDO, Lo-Pow, Enable, 1.5V±2%, 100mA	SOT23-5	28vrx	VR7	Ltc
LU	R1122N281A	VR-IC	LDO, LN, -Enable, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LU15	MIC5247-1.5BM5	VR-IC	LDO, Enable, 1.5V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
LU16	MIC5247-1.6BM5	VR-IC	LDO, Enable, 1.6V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
LU18	MIC5247-1.8BM5	VR-IC	LDO, Enable, 1.8V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LU1J	MIC5247-1.85BM5	VR-IC	LDO, Enable, 1.85V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LU20	MIC5247-2.0BM5	VR-IC	LDO, Enable, 2V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LU21	MIC5247-2.1BM5	VR-IC	LDO, Enable, 2.1V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LU22	MIC5247-2.2BM5	VR-IC	LDO, Enable, 2.2V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LU24	MIC5247-2.4BM5	VR-IC	LDO, Enable, 2.4V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LV	1SV285	PIN-Diode	2x VHFJUF, 50V, 50mA, 100mW, 0.23pF, 2.5Q(100MHz)	CP5	28bg	-	Say
LV	R1122N291A	VR-IC	LDO, LN, -Enable, 2.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
LV12	MIC5248-1.2BM5	VR-IC	LDO, Enable, Pow.Good, 1.2V±1%, 150mA	SOT23-5	28vrх	VR9	Mcr
LW25	MIC5255-2.5BM5	VR-IC	LDO, Enable, 2.5V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW26	MIC5255-2.6BM5	VR-IC	LDO, Enable, 2.6V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW27	MIC5255-2.7BM5	VR-IC	LDO, Enable, 2.7V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW28	MIC5255-2.8BM5	VR-IC	LDO, Enable, 2.8V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW29	MIC5255-2.9BM5	VR-IC	LDO, Enable, 2.9V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW2H	MIC5255-2.75BM5	VR-IC	LDO, Enable, 2.75V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW2J	MIC5255-2.85BM5	VR-IC	LDO, Enable, 2.85V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW30	MIC5255-3.0BM5	VR-IC	LDO, Enable, 3V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW31	MIC5255-3.1BM5	VR-IC	LDO, Enable, 3.1V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW32	MIC5255-3.2BM5	VR-IC	LDO, Enable, 3.2V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LW33	MIC5255-3.3BM5	VR-IC	LDO, Enable, 3.3V±1%, 150mA	SOT23-5	28vrх	VR7	Mcr
LX26	MIC5256-2.6BM5	VR-IC	LDO, Enable, -Error, 2.6V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
LX27	MIC5256-2.7BM5	VR-IC	LDO, Enable, -Error, 2.7V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
LX28	MIC5256-2.8BM5	VR-IC	LDO, Enable, -Error, 2.8V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
LX29	MIC5256-2.9BM5	VR-IC	LDO, Enable, -Error, 2.9V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
LX2J	MIC5256-2.85BM5	VR-IC	LDO, Enable, -Error, 2.85V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
LX30	MIC5256-3.0BM5	VR-IC	LDO, Enable, -Error, 3V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
LX31	MIC5256-3.1BM5	VR-IC	LDO, Enable, -Error, 3.1V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
LX33	MIC5256-3.3BM5	VR-IC	LDO, Enable, -Error, 3.3V±1%, 150mA	SOT23-5	28vrх	VR17	Mcr
M0	R1121N301A	VR-IC	LDO, LN, -Enable, 3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M0	RN5RG50AA	VR-IC	Ext. transistor, 5V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M0	RN5RY401A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
M05	SM05	TVS	2x 5V, 17A, 300W(1ms)	SOT23-5L	28df	-	Smt
M1	R1121N311A	VR-IC	LDO, LN, -Enable, 3.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M1	RN5RG51AA	VR-IC	Ext. transistor, 5.1V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M1	RN5RY411A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4.1V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
M10	R1224N102M	VR-IC	PWM Step-Down DC-DC Converter, 1V, 180KHz	SOT23-5	28vrd	-	Ric
M12	EMIF01-10005W5	Lin-IC	EMI Filter with ESD (16kV) protection, Rio=100Q, Cin=50pF	SOT2323-5	28	-	Ste
M12	R1224N122M	VR-IC	PWM Step-Down DC-DC Converter, 1.2V, 180KHz	SOT23-5	28vrd	-	Ric
M12	SM12	TVS	2x 12V, 12A, 300W(1ms)	SOT23-5L	28df	-	Smt
M15	R1224N152M	VR-IC	PWM Step-Down DC-DC Converter, 1.5V, 180KHz	SOT23-5	28vrd	-	Ric
M15	SM15	TVS	2x 15V, 10A, 300W(1ms)	SOT23-5L	28df	-	Smt
M18	R1224N182M	VR-IC	PWM Step-Down DC-DC Converter, 1.8V, 180KHz	SOT23-5	28vrd	-	Ric
M2	R1121N321A	VR-IC	LDO, LN, -Enable, 3.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M2	RN5RG52AA	VR-IC	Ext. transistor, 5.2V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M2	RN5RY421A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4.2V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
M24	SM24	TVS	2x 24V, 5A, 300W(1ms)	SOT23-5L	28df	-	Smt
M25	R1224N252M	VR-IC	PWM Step-Down DC-DC Converter, 2.5V, 180KHz	SOT23-5	28vrd	-	Ric
M3	R1121N331A	VR-IC	LDO, LN, -Enable, 3.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M3	RN5RG53AA	VR-IC	Ext. transistor, 5.3V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M3	RN5RY431A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4.3V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
M30	R1224N302M	VR-IC	PWM Step-Down DC-DC Converter, 3V, 180KHz	SOT23-5	28vrd	-	Ric
M33	R1224N332M	VR-IC	PWM Step-Down DC-DC Converter, 3.3V, 180KHz	SOT23-5	28vrd	-	Ric
M36	SM36	TVS	2x 36V, 4A, 300W(1ms)	SOT23-5L	28df	-	Smt
M4	R1121N341A	VR-IC	LDO, LN, -Enable, 3.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M4	RN5RG54AA	VR-IC	Ext. transistor, 5.4V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M4	RN5RY441A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4.4V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
M5	R1121N351A	VR-IC	LDO, LN, -Enable, 3.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M5	RN5RG55AA	VR-IC	Ext. transistor, 5.5V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M5	RN5RY451A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4.5V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
M50	R1224N502M	VR-IC	PWM Step-Down DC-DC Converter, 5V, 180KHz	SOT23-5	28vrd	-	Ric
M55	R1224N552M	VR-IC	PWM Step-Down DC-DC Converter, 5.5V, 180KHz	SOT23-5	28vrd	-	Ric
M6	R1121N361A	VR-IC	LDO, LN, -Enable, 3.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M6	RN5RG56AA	VR-IC	Ext. transistor, 5.6V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M6	RN5RY461A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4.6V±2.5%, 0.15W, <180KHz	BO23-5	28vca	-	Ric
M60	R1224N602M	VR-IC	PWM Step-Down DC-DC Converter, 6V, 180KHz	SOT23-5	28vrd	-	Ric
M7	R1121N371A	VR-IC	LDO, LN, -Enable, 3.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M7	RN5RG57AA	VR-IC	Ext. transistor, 5.7V±2.5%, 1A*	SOT23-5	28vri	-	Ric
M7	RN5RY471A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 4.7V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
M8	R1121N381A	VR-IC	LDO, LN, -Enable, 3,8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M8	RN5RG58AA	VR-IC	Ext. transistor, 5,8V±2,5% 1A*	SOT23-5	28vri	-	Ric
M8	RN5RY481A	VR-IC	VFM St-Up DC-DC Conv. CtrI, 4,8V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
M9	R1121N391A	VR-IC	LDO, LN, -Enable, 3,9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
M9	RN5RG59AA	VR-IC	Ext. transistor, 5,9V±2,5% 1A*	SOT23-5	28vri	-	Ric
M9	RN5RY491A	VR-IC	VFM St-Up DC-DC Conv. CtrI, 4,9V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
MD	BD5223FVE	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MD	BD5223G	CMOS-IC	Voltage Detector 2.3V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
ME	BD5224FVE	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
ME	BD5224G	CMOS-IC	Voltage Detector 2.4V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MF	BD5225FVE	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MF	BD5225G	CMOS-IC	Voltage Detector 2.5V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MG	BD5226FVE	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MG	BD5226G	CMOS-IC	Voltage Detector 2.6V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MH	BD5227FVE	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MH	BD5227G	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MJ	BD5228FVE	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MJ	BD5228G	CMOS-IC	Voltage Detector 2.8V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MK	BD5229FVE	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MK	BD5229G	CMOS-IC	Voltage Detector 2.9V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
ML	BD5230FVE	CMOS-IC	Voltage Detector 3V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
ML	BD5230G	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
ML	R1122N301A	VR-IC	LDO, LN, -Enable, 3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MM	BD5231FVE	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MM	BD5231G	CMOS-IC	Voltage Detector 3.1V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MM	R1122N311A	VR-IC	LDO, LN, -Enable, 3,1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MN	BD5232FVE	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MN	BD5232G	CMOS-IC	Voltage Detector 3.2V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MN	R1122N321A	VR-IC	LDO, LN, -Enable, 3,2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MP	BD5233FVE	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MP	BD5233G	CMOS-IC	Voltage Detector 3.3V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MP	R1122N331A	VR-IC	LDO, LN, -Enable, 3,3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MQ	BD5234FVE	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MQ	BD5234G	CMOS-IC	Voltage Detector 3.4V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MQ	R1122N341A	VR-IC	LDO, LN, -Enable, 3,4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MR	BD5235FVE	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MR	BD5235G	CMOS-IC	Voltage Detector 3.5V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MR	R1122N351A	VR-IC	LDO, LN, -Enable, 3,5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MS	BD5236FVE	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MS	BD5236G	CMOS-IC	Voltage Detector 3.6V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MS	R1122N361A	VR-IC	LDO, LN, -Enable, 3,6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MT	BD5237FVE	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MT	BD5237G	CMOS-IC	Voltage Detector 3.7V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MT	R1122N371A	VR-IC	LDO, LN, -Enable, 3,7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MU	BD5238FVE	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MU	BD5238G	CMOS-IC	Voltage Detector 3.8V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MU	R1122N381A	VR-IC	LDO, LN, -Enable, 3,8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
MV	BD5239FVE	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
MV	BD5239G	CMOS-IC	Voltage Detector 3.9V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
MV	R1122N391A	VR-IC	LDO, LN, -Enable, 3,9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N0	R1121N401A	VR-IC	LDO, LN, -Enable, 4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N0	RN5RG60AA	VR-IC	Ext. transistor, 6V±2,5% 1A*	SOT23-5	28vri	-	Ric
N0	RN5RY501A	VR-IC	VFM St-Up DC-DC Conv. CtrI, 5V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N0	TC1185-4.0VRX	VR-IC	LDO, Enable, 4V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
N1	R1121N411A	VR-IC	LDO, LN, -Enable, 4,1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N1	RN5RY511A	VR-IC	VFM St-Up DC-DC Conv. CtrI, 5,1V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N1	TC1185-2.5VRX	VR-IC	LDO, Enable, 2,5V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
N2	R1121N421A	VR-IC	LDO, LN, -Enable, 4,2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N2	RN5RY521A	VR-IC	VFM St-Up DC-DC Conv. CtrI, 5,2V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N2	TC1185-2.7VRX	VR-IC	LDO, Enable, 2,7V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
N3	R1121N431A	VR-IC	LDO, LN, -Enable, 4,3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N3	RN5RY531A	VR-IC	VFM St-Up DC-DC Conv. CtrI, 5,3V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N3	TC1185-3.0VRX	VR-IC	LDO, Enable, 3V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
N4	R1121N441A	VR-IC	LDO, LN, -Enable, 4,4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N4	RN5RY541A	VR-IC	VFM St-Up DC-DC Conv. CtrI, 5,4V±2,5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N4A	S-1131A15UC-N4A-TF	VR-IC	LDO, -Enable, 1,5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4A	S-1131B15UC-N4A-TF	VR-IC	LDO, Enable, 1,5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4B	S-1131A16UC-N4B-TF	VR-IC	LDO, -Enable, 1,6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
N4B	S-1131B16UC-N4B-TF	VR-IC	LDO, Enable, 1.6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4C	S-1131A17UC-N4C-TF	VR-IC	LDO, -Enable, 1.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4C	S-1131B17UC-N4C-TF	VR-IC	LDO, Enable, 1.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4D	S-1131A18UC-N4D-TF	VR-IC	LDO, -Enable, 1.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4D	S-1131B18UC-N4D-TF	VR-IC	LDO, Enable, 1.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4E	S-1131A19UC-N4E-TF	VR-IC	LDO, -Enable, 1.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4E	S-1131B19UC-N4E-TF	VR-IC	LDO, Enable, 1.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4F	S-1131A20UC-N4F-TF	VR-IC	LDO, -Enable, 2.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4F	S-1131B20UC-N4F-TF	VR-IC	LDO, Enable, 2.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4G	S-1131A21UC-N4G-TF	VR-IC	LDO, -Enable, 2.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4G	S-1131B21UC-N4G-TF	VR-IC	LDO, Enable, 2.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4H	S-1131A22UC-N4H-TF	VR-IC	LDO, -Enable, 2.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4H	S-1131B22UC-N4H-TF	VR-IC	LDO, Enable, 2.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4I	S-1131A23UC-N4I-TF	VR-IC	LDO, -Enable, 2.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4I	S-1131B23UC-N4I-TF	VR-IC	LDO, Enable, 2.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4J	S-1131A24UC-N4J-TF	VR-IC	LDO, -Enable, 2.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4J	S-1131B24UC-N4J-TF	VR-IC	LDO, Enable, 2.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4K	S-1131A25UC-N4K-TF	VR-IC	LDO, -Enable, 2.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4K	S-1131B25UC-N4K-TF	VR-IC	LDO, Enable, 2.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4L	S-1131A26UC-N4L-TF	VR-IC	LDO, -Enable, 2.6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4L	S-1131B26UC-N4L-TF	VR-IC	LDO, Enable, 2.6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4M	S-1131A27UC-N4M-TF	VR-IC	LDO, -Enable, 2.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4M	S-1131B27UC-N4M-TF	VR-IC	LDO, Enable, 2.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4N	S-1131A28UC-N4N-TF	VR-IC	LDO, -Enable, 2.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4N	S-1131B28UC-N4N-TF	VR-IC	LDO, Enable, 2.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4O	S-1131A29UC-N4O-TF	VR-IC	LDO, -Enable, 2.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4O	S-1131B29UC-N4O-TF	VR-IC	LDO, Enable, 2.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4P	S-1131A30UC-N4P-TF	VR-IC	LDO, -Enable, 3.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4P	S-1131B30UC-N4P-TF	VR-IC	LDO, Enable, 3.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4Q	S-1131A31UC-N4Q-TF	VR-IC	LDO, -Enable, 3.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4Q	S-1131B31UC-N4Q-TF	VR-IC	LDO, Enable, 3.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4R	S-1131A32UC-N4R-TF	VR-IC	LDO, -Enable, 3.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4R	S-1131B32UC-N4R-TF	VR-IC	LDO, Enable, 3.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4S	S-1131A33UC-N4S-TF	VR-IC	LDO, -Enable, 3.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4S	S-1131B33UC-N4S-TF	VR-IC	LDO, Enable, 3.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4T	S-1131A34UC-N4T-TF	VR-IC	LDO, -Enable, 3.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4T	S-1131B34UC-N4T-TF	VR-IC	LDO, Enable, 3.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4U	S-1131A35UC-N4U-TF	VR-IC	LDO, -Enable, 3.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4U	S-1131B35UC-N4U-TF	VR-IC	LDO, Enable, 3.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4V	S-1131A36UC-N4V-TF	VR-IC	LDO, -Enable, 3.6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4V	S-1131B36UC-N4V-TF	VR-IC	LDO, Enable, 3.6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4W	S-1131A37UC-N4W-TF	VR-IC	LDO, -Enable, 3.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4W	S-1131B37UC-N4W-TF	VR-IC	LDO, Enable, 3.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4X	S-1131A38UC-N4X-TF	VR-IC	LDO, -Enable, 3.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4X	S-1131B38UC-N4X-TF	VR-IC	LDO, Enable, 3.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4Y	S-1131A39UC-N4Y-TF	VR-IC	LDO, -Enable, 3.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4Y	S-1131B39UC-N4Y-TF	VR-IC	LDO, Enable, 3.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4Z	S-1131A40UC-N4Z-TF	VR-IC	LDO, -Enable, 4.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N4Z	S-1131B40UC-N4Z-TF	VR-IC	LDO, Enable, 4.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5	R121N451A	VR-IC	LDO, LN, -Enable, 4.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N5	RN5RY551A	VR-IC	VFM St-Up DC-DC Conv. Ctr, 5.5V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N5	TC11B5-3.3VRX	VR-IC	LDO, Enable, 3.3V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
N5A	S-1131A41UC-N5A-TF	VR-IC	LDO, -Enable, 4.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5A	S-1131B41UC-N5A-TF	VR-IC	LDO, Enable, 4.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5B	S-1131A42UC-N5B-TF	VR-IC	LDO, -Enable, 4.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5B	S-1131B42UC-N5B-TF	VR-IC	LDO, Enable, 4.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5C	S-1131A43UC-N5C-TF	VR-IC	LDO, -Enable, 4.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5C	S-1131B43UC-N5C-TF	VR-IC	LDO, Enable, 4.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5D	S-1131A44UC-N5D-TF	VR-IC	LDO, -Enable, 4.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5D	S-1131B44UC-N5D-TF	VR-IC	LDO, Enable, 4.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5E	S-1131A45UC-N5E-TF	VR-IC	LDO, -Enable, 4.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5E	S-1131B45UC-N5E-TF	VR-IC	LDO, Enable, 4.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5F	S-1131A46UC-N5F-TF	VR-IC	LDO, -Enable, 4.6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5F	S-1131B46UC-N5F-TF	VR-IC	LDO, Enable, 4.6V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5G	S-1131A47UC-N5G-TF	VR-IC	LDO, -Enable, 4.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5G	S-1131B47UC-N5G-TF	VR-IC	LDO, Enable, 4.7V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5H	S-1131A48UC-N5H-TF	VR-IC	LDO, -Enable, 4.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei
N5H	S-1131B48UC-N5H-TF	VR-IC	LDO, Enable, 4.8V±1%, 300mA	SOT89-5	32vrc	VR4	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
N5I	S-1131A49UC-N5I-TF	VR-IC	LDO, -Enable, 4.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5I	S-1131B49UC-N5I-TF	VR-IC	LDO, Enable, 4.9V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5J	S-1131A50UC-N5J-TF	VR-IC	LDO, -Enable, 5.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5J	S-1131B50UC-N5J-TF	VR-IC	LDO, Enable, 5.0V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5K	S-1131A51UC-N5K-TF	VR-IC	LDO, -Enable, 5.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5K	S-1131B51UC-N5K-TF	VR-IC	LDO, Enable, 5.1V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5L	S-1131A52UC-N5L-TF	VR-IC	LDO, -Enable, 5.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5L	S-1131B52UC-N5L-TF	VR-IC	LDO, Enable, 5.2V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5M	S-1131A53UC-N5M-TF	VR-IC	LDO, -Enable, 5.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5M	S-1131B53UC-N5M-TF	VR-IC	LDO, Enable, 5.3V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5N	S-1131A54UC-N5N-TF	VR-IC	LDO, -Enable, 5.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5N	S-1131B54UC-N5N-TF	VR-IC	LDO, Enable, 5.4V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5O	S-1131A55UC-N5O-TF	VR-IC	LDO, -Enable, 5.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N5O	S-1131B55UC-N5O-TF	VR-IC	LDO, Enable, 5.5V±1%, 300mA	SOT89-5	32vrc	VR4	Sel
N6	R1121N461A	VR-IC	LDO, LN, -Enable, 4.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N6	RN5RY581A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 5.8V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N7	R1121N471A	VR-IC	LDO, LN, -Enable, 4.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N7	RN5RY571A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 5.7V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N7	TC1185-5.0VRX	VR-IC	LDO, Enable, 5V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
N6	R1121N481A	VR-IC	LDO, LN, -Enable, 4.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N6	RN5RY581A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 5.8V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N6	TC1185-2.85VRX	VR-IC	LDO, Enable, 2.85V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
N615	MIC5305-1.5BD5	VR-IC	Low Noise, LDO, Enable, 1.5V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
N618	MIC5305-1.8BD5	VR-IC	Low Noise, LDO, Enable, 1.8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
N625	MIC5305-2.5BD5	VR-IC	Low Noise, LDO, Enable, 2.5V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
N629	MIC5305-2.9BD5	VR-IC	Low Noise, LDO, Enable, 2.9V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
N62J	MIC5305-2.85BD5	VR-IC	Low Noise, LDO, Enable, 2.85V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
N630	MIC5305-3.0BD5	VR-IC	Low Noise, LDO, Enable, 3V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
N9	R1121N491A	VR-IC	LDO, LN, -Enable, 4.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
N9	RN5RY591A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 5.9V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
N9	TC1185-3.6VRX	VR-IC	LDO, Enable, 3.6V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
NB	TC1014-2.6VRX	VR-IC	LDO, Enable, 2.8V±2%, 50mA	SOT23-5	28vrx	VR7	Mcc
NE18	MIC5207-1.8BD5	VR-IC	LDO, Low-Noise, Enable, 1.8V	SOT23-5	28vrx	VR7	Mcr
NL	R1122N401A	VR-IC	LDO, LN, -Enable, 4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NM	R1122N411A	VR-IC	LDO, LN, -Enable, 4.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NN	R1122N421A	VR-IC	LDO, LN, -Enable, 4.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NP	R1122N431A	VR-IC	LDO, LN, -Enable, 4.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NQ	R1122N441A	VR-IC	LDO, LN, -Enable, 4.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NR	R1122N451A	VR-IC	LDO, LN, -Enable, 4.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NS	R1122N461A	VR-IC	LDO, LN, -Enable, 4.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NT	R1122N471A	VR-IC	LDO, LN, -Enable, 4.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NT	TC1185-2.6VRX	VR-IC	LDO, Enable, 2.8V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
NU	R1122N481A	VR-IC	LDO, LN, -Enable, 4.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NU18	MIC5247-1.8BD5	VR-IC	LDO, Enable, 1.8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NU20	MIC5247-2.0BD5	VR-IC	LDO, Enable, 2V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NV	R1122N491A	VR-IC	LDO, LN, -Enable, 4.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
NW25	MIC5255-2.5BD5	VR-IC	LDO, Enable, 2.5V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NW26	MIC5255-2.8BM5	VR-IC	LDO, Enable, 2.6V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NW27	MIC5255-2.7BD5	VR-IC	LDO, Enable, 2.7V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NW28	MIC5255-2.8BD5	VR-IC	LDO, Enable, 2.8V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NW29	MIC5255-2.9BD5	VR-IC	LDO, Enable, 2.9V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NW2J	MIC5255-2.85BD5	VR-IC	LDO, Enable, 2.85V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NW30	MIC5255-3.0BD5	VR-IC	LDO, Enable, 3V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NW33	MIC5255-3.3BD5	VR-IC	LDO, Enable, 3.3V±1%, 150mA	SOT23-5	28vrx	VR7	Mcr
NX2J	MIC5258-2.85BD5	VR-IC	LDO, Enable, -Error, 2.85V±1%, 150mA	SOT23-5	28vrk	VR17	Mcr
NY	TC1185-1.8VRX	VR-IC	LDO, Enable, 1.8V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
NZ	TC1185-2.8VRX	VR-IC	LDO, Enable, 2.8V±2%, 150mA	SOT23-5	28vrx	VR7	Mcc
P0	R1121N501A	VR-IC	LDO, LN, -Enable, 5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
P0	RN5RY801A	VR-IC	VFM St-Up DC-DC Conv. Ctrf, 6V±2.5%, 0.15W, <180KHz	SOT23-5	28vca	-	Ric
P0	TC1186-4.0VCT713	VR-IC	LDO, Enable, -Error, 4.0V±3%, 150mA	SOT23-5	28vrk	VR8	Mcc
P1	TC1188-2.5VCT713	VR-IC	LDO, Enable, -Error, 2.5V±3%, 150mA	SOT23-5	28vrk	VR8	Mcc
P2	TC1188-2.7VCT713	VR-IC	LDO, Enable, -Error, 2.7V±3%, 150mA	SOT23-5	28vrk	VR8	Mcc
P20	TK11220AU	VR-IC	LDO, Enable, 2V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P22	TK11222AU	VR-IC	LDO, Enable, 2.2V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P25	TK11225AU	VR-IC	LDO, Enable, 2.5V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P28	NCP4561SNT1-28	VR-IC	LDO, Ultra-LN, Enable, 2.8V±1.5%, 80mA	SOT23-5	28vc	VR4	Ons
P28	TK11228AU	VR-IC	LDO, Enable, 2.8V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P3	TC1186-3.0VCT713	VR-IC	LDO, Enable, -Error, 3.0V±3%, 150mA	SOT23-5	28vrk	VR8	Mcc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
P30	TK11230AU	VR-IC	LDO, Enable, 3V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P31	TK11231AU	VR-IC	LDO, Enable, 3,1V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P33	TK11233AU	VR-IC	LDO, Enable, 3,3V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P35	TK11235AU	VR-IC	LDO, Enable, 3,5V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P36	TK11238AU	VR-IC	LDO, Enable, 3,8V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P38	TK11238AU	VR-IC	LDO, Enable, 3,8V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P40	TK11240AU	VR-IC	LDO, Enable, 4V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P45	TK11245AU	VR-IC	LDO, Enable, 4,5V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P48	TK11248AU	VR-IC	LDO, Enable, 4,8V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P49	TK11249AU	VR-IC	LDO, Enable, 4,9V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P5	TC1186-3 3VCT713	VR-IC	LDO, Enable, -Error, 3.3V±3%, 150mA	SOT23-5	28vrk	VR8	Mcc
P50	TK11250AU	VR-IC	LDO, Enable, 5V 2%, 150mA	SOT89-5	32vg	VR7	Tok
P63	S-1701B3328-M5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P63	S-1701B3328-U5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P64	S-1701B5040-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P64	S-1701B5040-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P65	S-1701B5041-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,1V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P65	S-1701B5041-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,1V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P66	S-1701B5042-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P66	S-1701B5042-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P67	S-1701B5043-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,3V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P67	S-1701B5043-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,3V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6A	S-1701A1815-M5T1	CMOS-IC	LDO VR, CE, 1,8V±1%, 400mA and VDet 1,5V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6A	S-1701A1815-U5T1	CMOS-IC	LDO VR, CE, 1,8V±1%, 400mA and VDet 1,5V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6B	S-1701A2520-M5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6B	S-1701A2520-U5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6C	S-1701A2521-M5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,1V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6C	S-1701A2521-U5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,1V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6D	S-1701A2522-M5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6D	S-1701A2522-U5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6E	S-1701A3024-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,4V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6E	S-1701A3024-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,4V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6F	S-1701A3025-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,5V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6F	S-1701A3025-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,5V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6G	S-1701A3026-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,6V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6G	S-1701A3026-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,6V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6H	S-1701A3328-M5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6H	S-1701A3328-U5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6I	S-1701A3327-M5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,7V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6I	S-1701A3327-U5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,7V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6J	S-1701A3328-M5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6J	S-1701A3328-U5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6K	S-1701A3430-M5T1	CMOS-IC	LDO VR, CE, 3,4V±1%, 400mA and VDet 3V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6K	S-1701A3430-U5T1	CMOS-IC	LDO VR, CE, 3,4V±1%, 400mA and VDet 3V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6L	S-1701A5040-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6L	S-1701A5040-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6M	S-1701A5041-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,1V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6M	S-1701A5041-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,1V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6N	S-1701A5042-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6N	S-1701A5042-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6O	S-1701A5043-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,3V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6O	S-1701A5043-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4,3V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6R	S-1701B1815-M5T1	CMOS-IC	LDO VR, CE, 1,8V±1%, 400mA and VDet 1,5V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6R	S-1701B1815-U5T1	CMOS-IC	LDO VR, CE, 1,8V±1%, 400mA and VDet 1,5V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6S	S-1701B2520-M5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6S	S-1701B2520-U5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6T	S-1701B2521-M5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,1V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6T	S-1701B2521-U5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,1V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6U	S-1701B2522-M5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6U	S-1701B2522-U5T1	CMOS-IC	LDO VR, CE, 2,5V±1%, 400mA and VDet 2,2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6V	S-1701B3024-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,4V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6V	S-1701B3024-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,4V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6W	S-1701B3025-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,5V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6W	S-1701B3025-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,5V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6X	S-1701B3028-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,6V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6X	S-1701B3028-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2,6V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P6Y	S-1701B3328-M5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P6Y	S-1701B3328-U5T1	CMOS-IC	LDO VR, CE, 3,3V±1%, 400mA and VDet 2,8V, -Reset ODO	SOT89-5	32ldg	VR15	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
P8T	S-1701Z3228-M5T1	CMOS-IC	LDO VR 3.2V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
P8T	S-1701Z3228-U5T1	CMOS-IC	LDO VR 3.2V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
P8Y	S-1701B3430-M5T1	CMOS-IC	LDO VR, CE, 3.4V±1%, 400mA and VDet 3V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P8Y	S-1701B3430-U5T1	CMOS-IC	LDO VR, CE, 3.4V±1%, 400mA and VDet 3V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9	TC1186-3.6VCT713	VR-IC	LDO, Enable, -Error, 3.6V±3%, 150mA	SOT23-5	28vrk	VR8	Mcc
P9A	S-1701C1815-M5T1	CMOS-IC	LDO VR, CE, 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9A	S-1701C1815-U5T1	CMOS-IC	LDO VR, CE, 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9B	S-1701C2520-M5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9B	S-1701C2520-U5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9C	S-1701C2521-M5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.1V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9C	S-1701C2521-U5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.1V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9D	S-1701C2522-M5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9D	S-1701C2522-U5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9E	S-1701C3024-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.4V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9E	S-1701C3024-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.4V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9F	S-1701C3025-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.5V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9F	S-1701C3025-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.5V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9G	S-1701C3026-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9G	S-1701C3026-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9H	S-1701C3326-M5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9H	S-1701C3326-U5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9I	S-1701C3327-M5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.7V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9I	S-1701C3327-U5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.7V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9J	S-1701C3328-M5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9J	S-1701C3328-U5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9K	S-1701C3430-M5T1	CMOS-IC	LDO VR, CE, 3.4V±1%, 400mA and VDet 3V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9K	S-1701C3430-U5T1	CMOS-IC	LDO VR, CE, 3.4V±1%, 400mA and VDet 3V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9L	S-1701C5040-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9L	S-1701C5040-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9M	S-1701C5041-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.1V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9M	S-1701C5041-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.1V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9N	S-1701C5042-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.2V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9N	S-1701C5042-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.2V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
P9O	S-1701C5043-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.3V, -Reset ODO	SOT23-5	28ldd	VR15	Sei
P9O	S-1701C5043-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.3V, -Reset ODO	SOT89-5	32ldg	VR15	Sei
PA	BD5240FVE	CMOS-IC	Voltage Detector 4V, Reset Open drain output	VSOF-5	28vdw	VD6	Rhm
PA	BD5240G	CMOS-IC	Voltage Detector 4V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PB	BD5241FVE	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	VSOF-5	28vdw	VD6	Rhm
PB	BD5241G	CMOS-IC	Voltage Detector 4.1V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PBNI	TPS3123J12DBVR	CMOS-IC	Voltage Detector 1.08V, -MR, -Reset Push-pull output	SOT23-5	28cp	-	Tix
PBNI	TPS3123J12DBVT	CMOS-IC	Voltage Detector 1.08V, -MR, -Reset Push-pull output	SOT23-5	28cp	-	Tix
PBOI	TPS3123G15DBVR	CMOS-IC	Voltage Detector 1.4V, -MR, -Reset Push-pull output	SOT23-5	28cp	-	Tix
PBOI	TPS3123G15DBVT	CMOS-IC	Voltage Detector 1.4V, -MR, -Reset Push-pull output	SOT23-5	28cp	-	Tix
PBPI	TPS3123J18DBVR	CMOS-IC	Voltage Detector 1.62V, -MR, -Reset Push-pull output	SOT23-5	28cp	-	Tix
PBPI	TPS3123J18DBVT	CMOS-IC	Voltage Detector 1.62V, -MR, -Reset Push-pull output	SOT23-5	28cp	-	Tix
PBQI	TPS3124J12DBVR	CMOS-IC	Voltage Detector 1.08V, ±Reset Push-pull output	SOT23-5	28xe	-	Tix
PBQI	TPS3124J12DBVT	CMOS-IC	Voltage Detector 1.08V, ±Reset Push-pull output	SOT23-5	28xe	-	Tix
PBRI	TPS3124G15DBVR	CMOS-IC	Voltage Detector 1.4V, ±Reset Push-pull output	SOT23-5	28xe	-	Tix
PBRI	TPS3124G15DBVT	CMOS-IC	Voltage Detector 1.4V, ±Reset Push-pull output	SOT23-5	28xe	-	Tix
PBSI	TPS3124J18DBVR	CMOS-IC	Voltage Detector 1.62V, ±Reset Push-pull output	SOT23-5	28xe	-	Tix
PBSI	TPS3124J18DBVT	CMOS-IC	Voltage Detector 1.62V, ±Reset Push-pull output	SOT23-5	28xe	-	Tix
PBTI	TPS3125J12DBVR	CMOS-IC	Voltage Detector 1.08V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PBTI	TPS3125J12DBVT	CMOS-IC	Voltage Detector 1.08V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PBUI	TPS3125G15DBVR	CMOS-IC	Voltage Detector 1.4V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PBUI	TPS3125G15DBVT	CMOS-IC	Voltage Detector 1.4V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PBVI	TPS3125J18DBVR	CMOS-IC	Voltage Detector 1.62V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PBVI	TPS3125J18DBVT	CMOS-IC	Voltage Detector 1.62V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PBXI	TPS3125L30DBVR	CMOS-IC	Voltage Detector 2.64V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PBXI	TPS3125L30DBVT	CMOS-IC	Voltage Detector 2.64V, -MR, ±Reset Push-pull output	SOT23-5	28xf	-	Tix
PC	BD5242FVE	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	VSOF-5	28vdw	VD6	Rhm
PC	BD5242G	CMOS-IC	Voltage Detector 4.2V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PCC	NCP512SQ15T1	VR-IC	Low Iq, Enable, 1.5V, 2%, 80mA	SOT353	28vrm	VR4	Ons
PCD	NCP512SQ18T1	VR-IC	Low Iq, Enable, 1.8V, 2%, 80mA	SOT353	28vrm	VR4	Ons
PCE	NCP512SQ25T1	VR-IC	Low Iq, Enable, 2.5V, 2%, 80mA	SOT353	28vrm	VR4	Ons
PCF	NCP512SQ27T1	VR-IC	Low Iq, Enable, 2.7V, 2%, 80mA	SOT353	28vrm	VR4	Ons
PCG	NCP512SQ28T1	VR-IC	Low Iq, Enable, 2.8V, 2%, 80mA	SOT353	28vrm	VR4	Ons
PCH	NCP512SQ30T1	VR-IC	Low Iq, Enable, 3V, 2%, 80mA	SOT353	28vrm	VR4	Ons
PCI	NCP512SQ33T1	VR-IC	Low Iq, Enable, 3.3V, 2%, 80mA	SOT353	28vrm	VR4	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
PCJ	NCP512SQ50T1	VR-IC	Low Iq, Enable, 5V, 2%, 80mA	SOT353	28vrm	VR4	Ons
PD	BD5243FVE	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PD	BD5243G	CMOS-IC	Voltage Detector 4.3V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PE	BD5244FVE	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PE	BD5244G	CMOS-IC	Voltage Detector 4.4V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PF	BD5245FVE	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PF	BD5245G	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PFOI	TPS3126E12DBVR	CMOS-IC	Voltage Detector 1.14V, -MR, \pm Reset Open drain output	SOT23-5	28xf	-	Tix
PFOI	TPS3126E12DBVT	CMOS-IC	Voltage Detector 1.14V, -MR, \pm Reset Open drain output	SOT23-5	28xf	-	Tix
PFOI	TPS3126E15DBVR	CMOS-IC	Voltage Detector 1.43V, -MR, \pm Reset Open drain output	SOT23-5	28xf	-	Tix
PFOI	TPS3126E15DBVT	CMOS-IC	Voltage Detector 1.43V, -MR, \pm Reset Open drain output	SOT23-5	28xf	-	Tix
PFOI	TPS3126E18DBVR	CMOS-IC	Voltage Detector 1.71V, -MR, \pm Reset Open drain output	SOT23-5	28xf	-	Tix
PFOI	TPS3126E18DBVT	CMOS-IC	Voltage Detector 1.71V, -MR, \pm Reset Open drain output	SOT23-5	28xf	-	Tix
PFRi	TPS3126E12DBVR	CMOS-IC	Voltage Detector 1.14V, -MR, -Reset Open drain output	SOT23-5	28cp	-	Tix
PFRi	TPS3126E12DBVT	CMOS-IC	Voltage Detector 1.14V, -MR, -Reset Open drain output	SOT23-5	28cp	-	Tix
PFRi	TPS3126E15DBVR	CMOS-IC	Voltage Detector 1.43V, -MR, -Reset Open drain output	SOT23-5	28cp	-	Tix
PFRi	TPS3126E15DBVT	CMOS-IC	Voltage Detector 1.43V, -MR, -Reset Open drain output	SOT23-5	28cp	-	Tix
PFRi	TPS3126E18DBVR	CMOS-IC	Voltage Detector 1.71V, -MR, -Reset Open drain output	SOT23-5	28cp	-	Tix
PFRi	TPS3126E18DBVT	CMOS-IC	Voltage Detector 1.71V, -MR, -Reset Open drain output	SOT23-5	28cp	-	Tix
PG	BD5246FVE	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PG	BD5246G	CMOS-IC	Voltage Detector 4.6V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PH	BD5247FVE	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PH	BD5247G	CMOS-IC	Voltage Detector 4.7V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PJ	BD5248FVE	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PJ	BD5248G	CMOS-IC	Voltage Detector 4.8V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PK	BD5249FVE	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PK	BD5249G	CMOS-IC	Voltage Detector 4.9V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PK2	S-1000C41-M5T1	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PK3	S-1000C42-M5T1	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PK4	S-1000C43-M5T1	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PK5	S-1000C44-M5T1	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PK6	S-1000C45-M5T1	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PK7	S-1000C46-M5T1	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKA	S-1000C15-M5T1	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKB	S-1000C16-M5T1	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKC	S-1000C17-M5T1	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKD	S-1000C18-M5T1	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKE	S-1000C19-M5T1	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKF	S-1000C20-M5T1	CMOS-IC	Voltage Detector 2.0V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKG	S-1000C21-M5T1	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKH	S-1000C22-M5T1	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKI	S-1000C23-M5T1	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKJ	S-1000C24-M5T1	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKK	S-1000C25-M5T1	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKL	S-1000C26-M5T1	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKM	S-1000C27-M5T1	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKN	S-1000C28-M5T1	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKO	S-1000C29-M5T1	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKP	S-1000C30-M5T1	CMOS-IC	Voltage Detector 3.0V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKQ	S-1000C31-M5T1	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKR	S-1000C32-M5T1	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKS	S-1000C33-M5T1	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKT	S-1000C34-M5T1	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKU	S-1000C35-M5T1	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKV	S-1000C36-M5T1	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKW	S-1000C37-M5T1	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKX	S-1000C38-M5T1	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKY	S-1000C39-M5T1	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PKZ	S-1000C40-M5T1	CMOS-IC	Voltage Detector 4.0V, -Reset Push-pull output	SOT23-5	28vdm	-	Sei
PL	BD5250FVE	CMOS-IC	Voltage Detector 5V, Reset Open drain output	V5OF-5	28vdw	VD6	Rhm
PL	BD5250G	CMOS-IC	Voltage Detector 5V, Reset Open drain output	SSOP-5	28vdo	VD6	Rhm
PL	R1122N501A	VR-IC	LDO, LN, -Enable, 5V \pm 2%, 150mA	SOT23-5	28vri	VR4	Ric
PL2	S-1000N41-M5T1	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PL3	S-1000N42-M5T1	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PL4	S-1000N43-M5T1	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PL5	S-1000N44-M5T1	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PL6	S-1000N45-M5T1	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PL7	S-1000N46-M5T1	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SOT23-5	28vdm	-	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
PLA	S-1000N15-M5T1	CMOS-IC	Voltage Detector 1.5V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLB	S-1000N16-M5T1	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLC	S-1000N17-M5T1	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLD	S-1000N18-M5T1	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLE	S-1000N19-M5T1	CMOS-IC	Voltage Detector 1.9V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLF	S-1000N20-M5T1	CMOS-IC	Voltage Detector 2.0V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLG	S-1000N21-M5T1	CMOS-IC	Voltage Detector 2.1V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLH	S-1000N22-M5T1	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLI	S-1000N23-M5T1	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLJ	S-1000N24-M5T1	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLK	S-1000N25-M5T1	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLL	S-1000N26-M5T1	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLM	S-1000N27-M5T1	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLN	S-1000N28-M5T1	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLO	S-1000N29-M5T1	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLP	S-1000N30-M5T1	CMOS-IC	Voltage Detector 3.0V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLQ	S-1000N31-M5T1	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLR	S-1000N32-M5T1	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLS	S-1000N33-M5T1	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLT	S-1000N34-M5T1	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLU	S-1000N35-M5T1	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLV	S-1000N36-M5T1	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLW	S-1000N37-M5T1	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLX	S-1000N38-M5T1	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLY	S-1000N39-M5T1	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PLZ	S-1000N40-M5T1	CMOS-IC	Voltage Detector 4.0V, -Reset Open drain output	SOT23-5	28vdm	-	Sei
PM	BD5251FVE	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PM	BD5251G	CMOS-IC	Voltage Detector 5.1V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PN	BD5252FVE	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PN	BD5252G	CMOS-IC	Voltage Detector 5.2V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PP	BD5253FVE	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PP	BD5253G	CMOS-IC	Voltage Detector 5.3V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PQ	BD5254FVE	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PQ	BD5254G	CMOS-IC	Voltage Detector 5.4V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PR	BD5255FVE	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PR	BD5255G	CMOS-IC	Voltage Detector 5.5V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PS	BD5256FVE	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PS	BD5256G	CMOS-IC	Voltage Detector 5.6V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PT	BD5257FVE	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PT	BD5257G	CMOS-IC	Voltage Detector 5.7V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PU	BD5258FVE	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PU	BD5258G	CMOS-IC	Voltage Detector 5.8V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PV	BD5259FVE	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	VSOF-5	28vdc	VD6	Rhm
PV	BD5259G	CMOS-IC	Voltage Detector 5.9V, Reset Open drain output	SSOP-5	28vdc	VD6	Rhm
PV3	S-1701E3326-M5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PV3	S-1701E3326-U5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PV4	S-1701E3327-M5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.7V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PV4	S-1701E3327-U5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.7V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PV5	S-1701E3328-M5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PV5	S-1701E3328-U5T1	CMOS-IC	LDO VR, CE, 3.3V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PV6	S-1701E5040-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PV6	S-1701E5040-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PV7	S-1701E5041-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.1V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PV7	S-1701E5041-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.1V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PV8	S-1701E5042-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.2V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PV8	S-1701E5042-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.2V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PV9	S-1701E5043-M5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.3V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PV9	S-1701E5043-U5T1	CMOS-IC	LDO VR, CE, 5V±1%, 400mA and VDet 4.3V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PVA	S-1701D1815-M5T1	CMOS-IC	LDO VR, CE, 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PVA	S-1701D1815-U5T1	CMOS-IC	LDO VR, CE, 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PVB	S-1701D2520-M5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PVB	S-1701D2520-U5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PVC	S-1701D2521-M5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.1V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PVC	S-1701D2521-U5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.1V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PVD	S-1701D2522-M5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.2V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PVD	S-1701D2522-U5T1	CMOS-IC	LDO VR, CE, 2.5V±1%, 400mA and VDet 2.2V, -Reset ODO	SOT89-5	32idd	VR15	Sei
PVE	S-1701D3024-M5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.4V, -Reset ODO	SOT23-5	28idd	VR15	Sei
PVE	S-1701D3024-U5T1	CMOS-IC	LDO VR, CE, 3V±1%, 400mA and VDet 2.4V, -Reset ODO	SOT89-5	32idd	VR15	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
PYV	S-1701S3315-U5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PYW	S-1701S5015-M5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PYW	S-1701S5015-U5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZ	TC1186-2 8VCT713	VR-IC	LDO, Enable, -Error, 2.8V±3%, 150mA	SOT23-5	28vrk	VR8	Mcc
PZ3	S-1701U3328-M5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZ3	S-1701U3328-U5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 2.8V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZ4	S-1701U5040-M5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZ4	S-1701U5040-U5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZ5	S-1701U5041-M5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4.1V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZ5	S-1701U5041-U5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4.1V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZ6	S-1701U5042-M5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4.2V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZ6	S-1701U5042-U5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4.2V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZ7	S-1701U5043-M5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4.3V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZ7	S-1701U5043-U5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 4.3V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZ8	S-1701U3430-M5T1	CMOS-IC	LDO VR 3.4V±1%, 400mA and VDet 3V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZ8	S-1701U3430-U5T1	CMOS-IC	LDO VR 3.4V±1%, 400mA and VDet 3V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZA	S-1701T1515-M5T1	CMOS-IC	LDO VR 1.5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PZA	S-1701T1515-U5T1	CMOS-IC	LDO VR 1.5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZB	S-1701T1815-M5T1	CMOS-IC	LDO VR 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PZB	S-1701T1815-U5T1	CMOS-IC	LDO VR 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZC	S-1701T2515-M5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PZC	S-1701T2515-U5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZD	S-1701T2715-M5T1	CMOS-IC	LDO VR 2.7V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PZD	S-1701T2715-U5T1	CMOS-IC	LDO VR 2.7V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZE	S-1701T3015-M5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PZE	S-1701T3015-U5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZF	S-1701T3315-M5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PZF	S-1701T3315-U5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZG	S-1701T5015-M5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldc	VR14	Sei
PZG	S-1701T5015-U5T1	CMOS-IC	LDO VR 5V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldh	VR14	Sei
PZR	S-1701U1815-M5T1	CMOS-IC	LDO VR 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZR	S-1701U1815-U5T1	CMOS-IC	LDO VR 1.8V±1%, 400mA and VDet 1.5V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZS	S-1701U2520-M5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 2V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZS	S-1701U2520-U5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 2V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZT	S-1701U2521-M5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 2.1V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZT	S-1701U2521-U5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 2.1V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZU	S-1701U2522-M5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 2.2V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZU	S-1701U2522-U5T1	CMOS-IC	LDO VR 2.5V±1%, 400mA and VDet 2.2V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZV	S-1701U3024-M5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 2.4V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZV	S-1701U3024-U5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 2.4V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZW	S-1701U3025-M5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 2.5V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZW	S-1701U3025-U5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 2.5V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZX	S-1701U3026-M5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZX	S-1701U3026-U5T1	CMOS-IC	LDO VR 3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZY	S-1701U3326-M5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZY	S-1701U3326-U5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 2.6V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
PZZ	S-1701U3327-M5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 2.7V, -Reset ODO	SOT23-5	28ldf	VR13	Sei
PZZ	S-1701U3327-U5T1	CMOS-IC	LDO VR 3.3V±1%, 400mA and VDet 2.7V, -Reset ODO	SOT89-5	32ldi	VR13	Sei
Q30	TK11330U	VR-IC	LDO, -Enable, 3V 10%, 150mA	SOT89-5	32vg	VR7	Tok
Q33	TK11333U	VR-IC	LDO, -Enable, 3.3V 10%, 150mA	SOT89-5	32vg	VR7	Tok
Q40	TK11340U	VR-IC	LDO, -Enable, 4V 10%, 150mA	SOT89-5	32vg	VR7	Tok
Q45	TK11345U	VR-IC	LDO, -Enable, 4.5V 10%, 150mA	SOT89-5	32vg	VR7	Tok
Q48	TK11348U	VR-IC	LDO, -Enable, 4.8V 10%, 150mA	SOT89-5	32vg	VR7	Tok
Q5	R1121N151A	VR-IC	LDO, LN, -Enable, 1.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
Q50	TK11350U	VR-IC	LDO, -Enable, 5V 10%, 150mA	SOT89-5	32vg	VR7	Tok
Q6	R1121N181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
Q7	R1121N171A	VR-IC	LDO, LN, -Enable, 1.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
Q8	R1121N181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
Q9	R1121N191A	VR-IC	LDO, LN, -Enable, 1.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
QD	BD5323FVE	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
QD	BD5323G	CMOS-IC	Voltage Detector 2.3V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QE	BD5324FVE	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
QE	BD5324G	CMOS-IC	Voltage Detector 2.4V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QF	BD5325FVE	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
QF	BD5325G	CMOS-IC	Voltage Detector 2.5V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QG	BD5326FVE	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
QG	BD5326G	CMOS-IC	Voltage Detector 2.6V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QH	BD5327FVE	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
QH	BD5327G	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QJ	BD5328FVE	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QJ	BD5328G	CMOS-IC	Voltage Detector 2.8V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QK	BD5329FVE	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QK	BD5329G	CMOS-IC	Voltage Detector 2.9V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QL	BD5330FVE	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QL	BD5330G	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QM	BD5331FVE	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QM	BD5331G	CMOS-IC	Voltage Detector 3.1V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QN	BD5332FVE	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QN	BD5332G	CMOS-IC	Voltage Detector 3.2V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QP	BD5333FVE	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QP	BD5333G	CMOS-IC	Voltage Detector 3.3V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QQ	BD5334FVE	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QQ	BD5334G	CMOS-IC	Voltage Detector 3.4V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QR	BD5335FVE	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QR	BD5335G	CMOS-IC	Voltage Detector 3.5V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QR	R1122N151A	VR-IC	LDO, LN, -Enable, 1.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
QS	BD5336FVE	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QS	BD5336G	CMOS-IC	Voltage Detector 3.6V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QS	R1122N161A	VR-IC	LDO, LN, -Enable, 1.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
QT	BD5337FVE	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QT	BD5337G	CMOS-IC	Voltage Detector 3.7V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QT	R1122N171A	VR-IC	LDO, LN, -Enable, 1.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
QU	BD5338FVE	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QU	BD5338G	CMOS-IC	Voltage Detector 3.8V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QU	R1122N181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
QV	BD5339FVE	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	VSOFF-5	28vdo	VD7	Rhm
QV	BD5339G	CMOS-IC	Voltage Detector 3.9V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
QV	R1122N191A	VR-IC	LDO, LN, -Enable, 1.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R0	R1121N201B	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R01A	R5510H001A	CMOS-IC	LDO VR 2.5V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R02A	R5510H002A	CMOS-IC	LDO VR 2.8V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R02H	R5510H002H	CMOS-IC	LDO VR 2.6V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R02K	R5510H002K	CMOS-IC	LDO VR 2.6V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R03A	R5510H003A	CMOS-IC	LDO VR 2.7V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R03B	R5510H003B	CMOS-IC	LDO VR 2.7V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R03C	R5510H003C	CMOS-IC	LDO VR 2.7V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R03F	R5510H003F	CMOS-IC	LDO VR 2.7V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R03L	R5510H003L	CMOS-IC	LDO VR 2.7V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R04B	R5510H004B	CMOS-IC	LDO VR 2.8V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R04J	R5510H004J	CMOS-IC	LDO VR 2.8V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R05B	R5510H005B	CMOS-IC	LDO VR 2.9V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R06D	R5510H006D	CMOS-IC	LDO VR 3V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R07D	R5510H007D	CMOS-IC	LDO VR 3.1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R07H	R5510H007H	CMOS-IC	LDO VR 3.1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R07J	R5510H007J	CMOS-IC	LDO VR 3.1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R07K	R5510H007K	CMOS-IC	LDO VR 3.1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R08C	R5510H008C	CMOS-IC	LDO VR 3.2V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R08D	R5510H008D	CMOS-IC	LDO VR 3.2V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R09D	R5510H009D	CMOS-IC	LDO VR 3.3V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R1	R1121N211B	VR-IC	LDO, LN, Enable, 2.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R1	TC7SZ00AFE	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
R10C	R5510H010C	CMOS-IC	LDO VR 3.4V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R10N	R5510H010N	CMOS-IC	LDO VR 3.4V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R11A	R5510H011A	CMOS-IC	LDO VR 3.5V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R11C	R5510H011C	CMOS-IC	LDO VR 3.5V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R11N	R5510H011N	CMOS-IC	LDO VR 3.5V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R12D	R5510H012D	CMOS-IC	LDO VR 3.6V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R13D	R5510H013D	CMOS-IC	LDO VR 3.7V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R14H	R5510H014H	CMOS-IC	LDO VR 3.8V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R14J	R5510H014J	CMOS-IC	LDO VR 3.8V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R14K	R5510H014K	CMOS-IC	LDO VR 3.8V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R15	TK1115SCS	VR-IC	LDO, -Enable, 1.5V±1.5%, 200mA	SOT23-5	28vma	-	Tok
R15	TK11215UM	VR-IC	LDO, Enable, 1.5V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R15H	R5510H015H	CMOS-IC	LDO VR 3.9V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R15J	R5510H015J	CMOS-IC	LDO VR 3.9V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R15K	R5510H015K	CMOS-IC	LDO VR 3.9V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
R16	TK11118CS	VR-IC	LDO, -Enable, 1,6V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R16	TK11218UM	VR-IC	LDO, Enable, 1,6V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R16H	R5510H016H	CMOS-IC	LDO VR 4V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R16J	R5510H016J	CMOS-IC	LDO VR 4V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R16K	R5510H016K	CMOS-IC	LDO VR 4V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R17	TK11117CS	VR-IC	LDO, -Enable, 1,7V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R17	TK11217UM	VR-IC	LDO, Enable, 1,7V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R17H	R5510H017H	CMOS-IC	LDO VR 4,1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R17J	R5510H017J	CMOS-IC	LDO VR 4,1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R17K	R5510H017K	CMOS-IC	LDO VR 4,1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R18	TK11118CS	VR-IC	LDO, -Enable, 1,8V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R18	TK11218UM	VR-IC	LDO, Enable, 1,8V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R18D	R5510H018D	CMOS-IC	LDO VR 4,2V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R19	TK11119CS	VR-IC	LDO, -Enable, 1,9V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R19	TK11219UM	VR-IC	LDO, Enable, 1,9V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R19C	R5510H019C	CMOS-IC	LDO VR 4,3V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R2	R1121N221B	VR-IC	LDO, LN, Enable, 2,2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R2	TC7S208AFE	TTL-Logic	2-input AND gate	SC-75	Log3	-	Tos
R20	TK11120CS	VR-IC	LDO, -Enable, 2V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R20	TK11220UM	VR-IC	LDO, Enable, 2V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R20C	R5510H020C	CMOS-IC	LDO VR 4,4V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R21	TK11121CS	VR-IC	LDO, -Enable, 2,1V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R21	TK11221UM	VR-IC	LDO, Enable, 2,1V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R21M	R5510H021M	CMOS-IC	LDO VR 4,5V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R22	TK11122CS	VR-IC	LDO, -Enable, 2,2V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R22	TK11222UM	VR-IC	LDO, Enable, 2,2V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R22J	R5510H022J	CMOS-IC	LDO VR 4,6V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R22L	R5510H022L	CMOS-IC	LDO VR 4,6V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R23	TK11123CS	VR-IC	LDO, -Enable, 2,3V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R23	TK11223UM	VR-IC	LDO, Enable, 2,3V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R23L	R5510H023L	CMOS-IC	LDO VR 4,7V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R24	TK11124CS	VR-IC	LDO, -Enable, 2,4V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R24	TK11224UM	VR-IC	LDO, Enable, 2,4V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R24D	R5510H024D	CMOS-IC	LDO VR 4,8V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vrye	VR15	Ric
R25	TK11125CS	VR-IC	LDO, -Enable, 2,5V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R25	TK11225UM	VR-IC	LDO, Enable, 2,5V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R25K	R5510H025K	CMOS-IC	LDO VR 4,9V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryd	VR15	Ric
R26	TK11126CS	VR-IC	LDO, -Enable, 2,6V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R26	TK11226UM	VR-IC	LDO, Enable, 2,6V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R26N	R5510H026N	CMOS-IC	LDO VR 5V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R27	TK11127CS	VR-IC	LDO, -Enable, 2,7V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R27	TK11227UM	VR-IC	LDO, Enable, 2,7V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R27N	R5510H027N	CMOS-IC	LDO VR 5,1V±2%, 300mA and VDet, -Reset ODO	SOT89-5	32vryc	VR15	Ric
R28	TK11128CS	VR-IC	LDO, -Enable, 2,8V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R28	TK11228UM	VR-IC	LDO, Enable, 2,8V 2%, 150mA	SOT89-5	32vg	VR7	Tok
R29	TK11129CS	VR-IC	LDO, -Enable, 2,9V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R29	TK11229UM	VR-IC	LDO, Enable, 2,9V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R29B	LM4040BIM7-2.5	Vref-IC	Precision, Shunt, 2,50V, 0.2%	SC-70	28dq	-	Nsc
R29B	LM4040BIM7X-2.5	Vref-IC	Precision, Shunt, 2,50V, 0.2%	SC-70	28dq	-	Nsc
R2C	LM4040CIM7-2.5	Vref-IC	Precision, Shunt, 2,50V, 0.5%	SC-70	28dq	-	Nsc
R2C	LM4040CIM7X-2.5	Vref-IC	Precision, Shunt, 2,50V, 0.5%	SC-70	28dq	-	Nsc
R2D	LM4040DIM7-2.5	Vref-IC	Precision, Shunt, 2,50V, 1%	SC-70	28dq	-	Nsc
R2D	LM4040DIM7X-2.5	Vref-IC	Precision, Shunt, 2,50V, 1%	SC-70	28dq	-	Nsc
R2E	LM4040EIM7-2.5	Vref-IC	Precision, Shunt, 2,50V, 2%	SC-70	28dq	-	Nsc
R2E	LM4040EIM7X-2.5	Vref-IC	Precision, Shunt, 2,50V, 2%	SC-70	28dq	-	Nsc
R3	R1121N231B	VR-IC	LDO, LN, Enable, 2,3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R3	TC7S202AFE	TTL-Logic	2-input NOR gate	SC-75	Log2	-	Tos
R30	TK11130CS	VR-IC	LDO, -Enable, 3V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R30	TK11230UM	VR-IC	LDO, Enable, 3V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R31	TK11131CS	VR-IC	LDO, -Enable, 3,1V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R31	TK11231UM	VR-IC	LDO, Enable, 3,1V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R32	TK11132CS	VR-IC	LDO, -Enable, 3,2V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R32	TK11232UM	VR-IC	LDO, Enable, 3,2V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R33	TK11133CS	VR-IC	LDO, -Enable, 3,3V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R33	TK11233UM	VR-IC	LDO, Enable, 3,3V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R34	TK11134CS	VR-IC	LDO, -Enable, 3,4V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
R34	TK11234UM	VR-IC	LDO, Enable, 3,4V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R35	TK11135CS	VR-IC	LDO, -Enable, 3,5V±1,5%, 200mA	SOT23-5	28vrna	-	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
R35	TK11235UM	VR-IC	LDO, Enable, 3.5V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R36	TK11136CS	VR-IC	LDO, -Enable, 3.6V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R36	TK11238UM	VR-IC	LDO, Enable, 3.6V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R37	TK11137CS	VR-IC	LDO, -Enable, 3.7V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R37	TK11237UM	VR-IC	LDO, Enable, 3.7V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R38	TK11138CS	VR-IC	LDO, -Enable, 3.8V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R38	TK11238UM	VR-IC	LDO, Enable, 3.8V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R39	TK11139CS	VR-IC	LDO, -Enable, 3.9V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R39	TK11239UM	VR-IC	LDO, Enable, 3.9V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R4	R1121N241B	VR-IC	LDO, LN, Enable, 2.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R4	TC7SZ32AFE	TTL-Logic	2-input OR gate	SC-75	Log4	-	Tos
R40	TK11140CS	VR-IC	LDO, -Enable, 4V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R40	TK11240UM	VR-IC	LDO, Enable, 4V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R41	TK11141CS	VR-IC	LDO, -Enable, 4.1V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R41	TK11241UM	VR-IC	LDO, Enable, 4.1V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R42	TK11142CS	VR-IC	LDO, -Enable, 4.2V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R42	TK11242UM	VR-IC	LDO, Enable, 4.2V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R43	TK11143CS	VR-IC	LDO, -Enable, 4.3V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R43	TK11243UM	VR-IC	LDO, Enable, 4.3V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R44	TK11144CS	VR-IC	LDO, -Enable, 4.4V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R44	TK11244UM	VR-IC	LDO, Enable, 4.4V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R45	TK11145CS	VR-IC	LDO, -Enable, 4.5V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R45	TK11245UM	VR-IC	LDO, Enable, 4.5V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R46	TK11146CS	VR-IC	LDO, -Enable, 4.6V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R46	TK11246UM	VR-IC	LDO, Enable, 4.6V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R47	TK11147CS	VR-IC	LDO, -Enable, 4.7V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R47	TK11247UM	VR-IC	LDO, Enable, 4.7V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R48	TK11148CS	VR-IC	LDO, -Enable, 4.8V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R48	TK11248UM	VR-IC	LDO, Enable, 4.8V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R49	TK11149CS	VR-IC	LDO, -Enable, 4.9V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R49	TK11249UM	VR-IC	LDO, Enable, 4.9V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R4B	LM4040BIM7-4.1	Vref-IC	Precision, Shunt, 4.10V, 0.2%	SC-70	28dq	-	Nsc
R4B	LM4040BIM7X-4.1	Vref-IC	Precision, Shunt, 4.10V, 0.2%	SC-70	28dq	-	Nsc
R4C	LM4040CIM7-4.1	Vref-IC	Precision, Shunt, 4.10V, 0.5%	SC-70	28dq	-	Nsc
R4C	LM4040CIM7X-4.1	Vref-IC	Precision, Shunt, 4.10V, 0.5%	SC-70	28dq	-	Nsc
R4D	LM4040DIM7-4.1	Vref-IC	Precision, Shunt, 4.10V, 1%	SC-70	28dq	-	Nsc
R4D	LM4040DIM7X-4.1	Vref-IC	Precision, Shunt, 4.10V, 1%	SC-70	28dq	-	Nsc
R5	R1121N251B	VR-IC	LDO, LN, Enable, 2.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R5	TC7SZ04AFE	TTL-Logic	Inverter	SOT353	Log6	-	Tos
R50	TK11150CS	VR-IC	LDO, -Enable, 5V±1.5%, 200mA	SOT23-5	28vrna	-	Tok
R50	TK11250UM	VR-IC	LDO, Enable, 5V 5%, 150mA	SOT89-5	32vg	VR7	Tok
R5B	LM4040BIM73X-5.0	Vref-IC	Precision, Shunt, 5.00V, 0.2%	SC-70	28dq	-	Nsc
R5B	LM4040BIM7-5.0	Vref-IC	Precision, Shunt, 5.00V, 0.2%	SC-70	28dq	-	Nsc
R5C	LM4040CIM73X-5.0	Vref-IC	Precision, Shunt, 5.00V, 0.5%	SC-70	28dq	-	Nsc
R5C	LM4040CIM7-5.0	Vref-IC	Precision, Shunt, 5.00V, 0.5%	SC-70	28dq	-	Nsc
R5D	LM4040DIM73X-5.0	Vref-IC	Precision, Shunt, 5.00V, 1%	SC-70	28dq	-	Nsc
R5D	LM4040DIM7-5.0	Vref-IC	Precision, Shunt, 5.00V, 1%	SC-70	28dq	-	Nsc
R6	R1121N281B	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R6	TC7SZU04AFE	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Tos
R7	R1121N271B	VR-IC	LDO, LN, Enable, 2.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R8	R1121N281B	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
R9	R1121N291B	VR-IC	LDO, LN, Enable, 2.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RA	BD5340FVE	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	VSOF-5	28vdw	VD7	Rhm
RA	BD5340G	CMOS-IC	Voltage Detector 4V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RAA	TLV431ASN	Vref-IC	Programmable 1.24...16V±1%	TSOP-5	28ra	RF1	Ons
RAB	NCP100SN	Vref-IC	Programmable 0.9...6V±1.7%	TSOP-5	28rf	RF2	Ons
RB	BD5341FVE	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	VSOF-5	28vdw	VD7	Rhm
RB	BD5341G	CMOS-IC	Voltage Detector 4.1V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RC	BD5342FVE	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	VSOF-5	28vdw	VD7	Rhm
RC	BD5342G	CMOS-IC	Voltage Detector 4.2V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RD	BD5343FVE	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	VSOF-5	28vdw	VD7	Rhm
RD	BD5343G	CMOS-IC	Voltage Detector 4.3V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RE	BD5344FVE	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	VSOF-5	28vdw	VD7	Rhm
RE	BD5344G	CMOS-IC	Voltage Detector 4.4V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RF	BD5345FVE	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	VSOF-5	28vdw	VD7	Rhm
RF	BD5345G	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RG	BD5346FVE	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	VSOF-5	28vdw	VD7	Rhm
RG	BD5346G	CMOS-IC	Voltage Detector 4.6V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
RH	BD5347FVE	CMOS-IC	Voltage Detector 4,7V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RH	BD5347G	CMOS-IC	Voltage Detector 4,7V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RJ	BD5348FVE	CMOS-IC	Voltage Detector 4,8V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RJ	BD5348G	CMOS-IC	Voltage Detector 4,8V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RJB	LM4040BIM7-2.0	Vref-IC	Precision, Shunt, 2,048V, 0.2%	SC-70	28dq	-	Nsc
RJB	LM4040BIM7X-2.0	Vref-IC	Precision, Shunt, 2,048V, 0.2%	SC-70	28dq	-	Nsc
RJC	LM4040CIM7-2.0	Vref-IC	Precision, Shunt, 2,048V, 0.5%	SC-70	28dq	-	Nsc
RJD	LM4040DIM7-2.0	Vref-IC	Precision, Shunt, 2,048V, 1%	SC-70	28dq	-	Nsc
RJD	LM4040DIM7X-2.0	Vref-IC	Precision, Shunt, 2,048V, 1%	SC-70	28dq	-	Nsc
RJE	LM4040EIM7-2.0	Vref-IC	Precision, Shunt, 2,048V, 2%	SC-70	28dq	-	Nsc
RJE	LM4040EIM7X-2.0	Vref-IC	Precision, Shunt, 2,048V, 2%	SC-70	28dq	-	Nsc
RK	BD5349FVE	CMOS-IC	Voltage Detector 4,9V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RK	BD5349G	CMOS-IC	Voltage Detector 4,9V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RKB	LM4040BIM7-3.0	Vref-IC	Precision, Shunt, 3,00V, 0.2%	SC-70	28dq	-	Nsc
RKB	LM4040BIM7X-3.0	Vref-IC	Precision, Shunt, 3,00V, 0.2%	SC-70	28dq	-	Nsc
RKC	LM4040CIM7-3.0	Vref-IC	Precision, Shunt, 3V, 0.5%	SC-70	28dq	-	Nsc
RKC	LM4040CIM7X-3.0	Vref-IC	Precision, Shunt, 3V, 0.5%	SC-70	28dq	-	Nsc
RKD	LM4040DIM7-3.0	Vref-IC	Precision, Shunt, 3,00V, 1%	SC-70	28dq	-	Nsc
RKD	LM4040DIM7X-3.0	Vref-IC	Precision, Shunt, 3,00V, 1%	SC-70	28dq	-	Nsc
RKE	LM4040EIM7-3.0	Vref-IC	Precision, Shunt, 3,00V, 2%	SC-70	28dq	-	Nsc
RKE	LM4040EIM7X-3.0	Vref-IC	Precision, Shunt, 3,00V, 2%	SC-70	28dq	-	Nsc
RL	BD5350FVE	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RL	BD5350G	CMOS-IC	Voltage Detector 5V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RL	R1122N201B	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RM	BD5351FVE	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RM	BD5351G	CMOS-IC	Voltage Detector 5,1V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RM	R1122N211B	VR-IC	LDO, LN, Enable, 2,1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RN	BD5352FVE	CMOS-IC	Voltage Detector 5,2V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RN	BD5352G	CMOS-IC	Voltage Detector 5,2V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RN	R1122N221B	VR-IC	LDO, LN, Enable, 2,2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RP	BD5353FVE	CMOS-IC	Voltage Detector 5,3V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RP	BD5353G	CMOS-IC	Voltage Detector 5,3V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RP	R1122N231B	VR-IC	LDO, LN, Enable, 2,3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RQ	BD5354FVE	CMOS-IC	Voltage Detector 5,4V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RQ	BD5354G	CMOS-IC	Voltage Detector 5,4V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RQ	R1122N241B	VR-IC	LDO, LN, Enable, 2,4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RR	BD5355FVE	CMOS-IC	Voltage Detector 5,5V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RR	BD5355G	CMOS-IC	Voltage Detector 5,5V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RR	R1122N251B	VR-IC	LDO, LN, Enable, 2,5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RS	BD5356FVE	CMOS-IC	Voltage Detector 5,6V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RS	BD5356G	CMOS-IC	Voltage Detector 5,6V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RS	R1122N261B	VR-IC	LDO, LN, Enable, 2,6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RT	BD5357FVE	CMOS-IC	Voltage Detector 5,7V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RT	BD5357G	CMOS-IC	Voltage Detector 5,7V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RT	R1122N271B	VR-IC	LDO, LN, Enable, 2,7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RU	BD5358FVE	CMOS-IC	Voltage Detector 5,8V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RU	BD5358G	CMOS-IC	Voltage Detector 5,8V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RU	R1122N281B	VR-IC	LDO, LN, Enable, 2,8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RV	BD5359FVE	CMOS-IC	Voltage Detector 5,9V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RV	BD5359G	CMOS-IC	Voltage Detector 5,9V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
RV	R1122N291B	VR-IC	LDO, LN, Enable, 2,9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
RW	BD5360FVE	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	V5OF-5	28vdw	VD7	Rhm
RW	BD5360G	CMOS-IC	Voltage Detector 6V, Reset Push-pull output	SSOP-5	28vdo	VD7	Rhm
S0	R1121N301B	VR-IC	LDO, LN, Enable, 3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
S00	NC7S00P5	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Fch
S02	NC7S02P5	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Fch
S04	NC7S04P5	TTL-Logic	Inverter	SOT353	Log6	-	Fch
S08	NC7S08P5	TTL-Logic	2-input AND gate	SOT353	Log3	-	Fch
S1	R1121N311B	VR-IC	LDO, LN, Enable, 3,1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
S14	NC7S14P5	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Fch
S2	R1121N321B	VR-IC	LDO, LN, Enable, 3,2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
S3	FMS3	SI-PNP	Dual, GP, 120V, 50mA, 140MHz	SOT23-5	28id	-	Rhm
S3	R1121N331B	VR-IC	LDO, LN, Enable, 3,3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
S32	NC7S32P5	TTL-Logic	2-input OR gate	SOT353	Log4	-	Fch
S4	FMS4	SI-PNP	Dual, GP, 120V, 50mA, 140MHz	SOT23-5	28ba3	-	Rhm
S4	R1121N341B	VR-IC	LDO, LN, Enable, 3,4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
S5	R1121N351B	VR-IC	LDO, LN, Enable, 3,5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
S6	R1121N361B	VR-IC	LDO, LN, Enable, 3,6V±2%, 150mA	SOT23-5	28vri	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
S7	R1121N371B	VR-IC	LDO, LN, Enable, 3.7V±2%, 150mA	SOT23-5	28vpi	VR4	Ric
S8	R1121N381B	VR-IC	LDO, LN, Enable, 3.8V±2%, 150mA	SOT23-5	28vpi	VR4	Ric
S86	NC7S86P5	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Fch
S9	R1121N391B	VR-IC	LDO, LN, Enable, 3.9V±2%, 150mA	SOT23-5	28vpi	VR4	Ric
SAC	NCP302LSN47T1	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SAF	NCP302LSN43T1	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SAI	NCP302LSN40T1	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SAK	NCP302LSN38T1	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SAL	NCP302LSN45T1	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SAQ	NCP302LSN33T1	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SAT	NCP302LSN30T1	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SAW	NCP302LSN27T1	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SBD	NCP302LSN20T1	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SBF	NCP302LSN18T1	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SBI	NCP302LSN15T1	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SBO	NCP302LSN09T1	CMOS-IC	Voltage Detector 0.9V, -Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SBR	NCP303LSN47T1	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SBS	NCP303LSN46T1	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SBT	NCP303LSN45T1	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SBU	NCP303LSN44T1	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SBW	NCP303LSN42T1	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SBY	NCP303LSN40T1	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCA	NCP303LSN38T1	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCF	NCP303LSN34T1	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCG	NCP303LSN33T1	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCH	NCP303LSN32T1	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCI	NCP303LSN31T1	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCJ	NCP303LSN30T1	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCK	NCP303LSN29T1	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCL	NCP303LSN28T1	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCM	NCP303LSN27T1	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCN	NCP303LSN26T1	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCO	NCP303LSN25T1	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCP	NCP303LSN24T1	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCR	NCP303LSN22T1	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCT	NCP303LSN20T1	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCV	NCP303LSN18T1	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SCX	NCP303LSN16T1	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SDE	NCP303LSN09T1	CMOS-IC	Voltage Detector 0.9V, -Reset Open drain output	SOT23-5	28vdo	VD6	Ons
SDG	NCP302HSN45T1	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SDI	NCP302HSN30T1	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SDK	NCP302HSN27T1	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SDO	NCP302HSN09T1	CMOS-IC	Voltage Detector 0.9V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SDP	NCP300HSN47T1	CMOS-IC	Voltage Detector 4.7V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SDQ	NCP300HSN45T1	CMOS-IC	Voltage Detector 4.5V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SDS	NCP300HSN30T1	CMOS-IC	Voltage Detector 3V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SDU	NCP300HSN27T1	CMOS-IC	Voltage Detector 2.7V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SDY	NCP300HSN09T1	CMOS-IC	Voltage Detector 0.9V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SDZ	NCP300LSN47T1	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SEA	NCP300LSN45T1	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SEC	NCP300LSN30T1	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SED	NCP300LSN28T1	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SEE	NCP300LSN27T1	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SEJ	NCP300LSN09T1	CMOS-IC	Voltage Detector 0.9V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SEL	NCP301HSN45T1	CMOS-IC	Voltage Detector 4.5V, Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SEN	NCP301HSN30T1	CMOS-IC	Voltage Detector 3V, Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SEP	NCP301HSN27T1	CMOS-IC	Voltage Detector 2.7V, Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SET	NCP301HSN09T1	CMOS-IC	Voltage Detector 0.9V, Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SEU	NCP301LSN47T1	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SEV	NCP301LSN45T1	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SEY	NCP301LSN30T1	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SEZ	NCP301LSN28T1	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SFA	NCP301LSN27T1	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SFD	NCP301LSN20T1	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SFF	NCP301LSN09T1	CMOS-IC	Voltage Detector 0.9V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SFH	NCP302HSN18T1	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT23-5	28vdo	VD7	Ons
SFJ	NCP300HSN18T1	CMOS-IC	Voltage Detector 1.8V, Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SFK	NCP300LSN18T1	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
SFM	NCP301HSN18T1	CMOS-IC	Voltage Detector 1.8V, Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SFN	NCP301LSN18T1	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SGAA	MIC2287BD5	VR-IC	1.2MHz PWM Boost Converter	SOT23-5	28sra	-	Mcr
SGAA	MIC2287YD5	VR-IC	1.2MHz PWM Boost Converter	SOT23-5	28sra	-	Mcr
SHAA	MIC2288BD5	VR-IC	1.2MHz PWM Boost Converter, 1A	SOT23-5	28sra	-	Mcr
SHAA	MIC2288YD5	VR-IC	1.2MHz PWM Boost Converter, 1A	SOT23-5	28sra	-	Mcr
SHE	NCP300LSN20T1	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SKK	NCP300LSN44T1	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SKU	NCP300LSN34T1	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SKV	NCP300LSN33T1	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SOT23-5	28vdm	VD7	Ons
SL	R1122N301B	VR-IC	LDO, LN, Enable, 3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SM	R1122N311B	VR-IC	LDO, LN, Enable, 3.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SMU	NCP301LSN40T1	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SN	R1122N321B	VR-IC	LDO, LN, Enable, 3.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SNS	NCP301LSN33T1	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SNF	NCP301LSN25T1	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SNG	NCP301LSN22T1	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SNN	NCP301LSN12T1	CMOS-IC	Voltage Detector 1.2V, -Reset Open drain output	SOT23-5	28vdm	VD6	Ons
SP	KIC7S00FU	TTL-Logic	2-input NAND gate	USV	Log1	-	Kec
SP	R1122N331B	VR-IC	LDO, LN, Enable, 3.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SQ	KIC7S02FU	TTL-Logic	2-input NOR gate	USV	Log2	-	Kec
SQ	R1122N341B	VR-IC	LDO, LN, Enable, 3.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SR	KIC7S04FU	TTL-Logic	Inverter	USV	Log6	-	Kec
SR	R1122N351B	VR-IC	LDO, LN, Enable, 3.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SS	KIC7S04FU	TTL-Logic	Unbuffered Inverter	USV	Log6	-	Kec
SS	R1122N361B	VR-IC	LDO, LN, Enable, 3.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
ST	KIC7S08FU	TTL-Logic	2-input AND gate	USV	Log3	-	Kec
ST	R1122N371B	VR-IC	LDO, LN, Enable, 3.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SU	KIC7S14FU	TTL-Logic	Inverting Schmitt-trigger	SC-59	Log7	-	Kec
SU	R1122N381B	VR-IC	LDO, LN, Enable, 3.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SU4	NC7S0U04P5	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Fch
SV	KIC7S32FU	TTL-Logic	2-input OR gate	USV	Log4	-	Kec
SV	R1122N391B	VR-IC	LDO, LN, Enable, 3.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
SW	KIC7S66FU	CMOS-Logic	Bilateral analogic switch	USV	Log26	-	Kec
SX	KIC7S66FU	TTL-Logic	2-input EXCLUSIVE OR gate	USV	Log5	-	Kec
T0	BD45485G	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T0	R1121N401B	VR-IC	LDO, LN, Enable, 4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
T00	NC7ST00P5	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Fch
T02	NC7ST02P5	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Fch
T04	NC7ST04P5	TTL-Logic	Inverter	SOT353	Log6	-	Fch
T08	NC7ST08P5	TTL-Logic	2-input AND gate	SOT353	Log3	-	Fch
T1	BD45475G	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T1	R1121N411B	VR-IC	LDO, LN, Enable, 4.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
T10	MIC1555BM5	Lin-IC	RC Timer/Oscillator, 2.7...18V, 0.005%/°C	SOT23-5	28la	VR12	Mcr
T11	MIC1557BM5	Lin-IC	RC Oscillator, 2.7...18V, 0.005%/°C	SOT23-5	28lb	VR11	Mcr
T14	NC7ST14P5	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Fch
T2	BD45485G	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T2	R1121N421B	VR-IC	LDO, LN, Enable, 4.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
T20	XC318PN20AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2V±3%	SOT23-5	28xa	-	Tor
T21	XC318PN21AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.1V±3%	SOT23-5	28xa	-	Tor
T22	XC318PN22AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.2V±3%	SOT23-5	28xa	-	Tor
T23	XC318PN23AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.3V±3%	SOT23-5	28xa	-	Tor
T24	XC318PN24AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.4V±3%	SOT23-5	28xa	-	Tor
T25	XC318PN25AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.5V±3%	SOT23-5	28xa	-	Tor
T26	XC318PN26AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.6V±3%	SOT23-5	28xa	-	Tor
T27	XC318PN27AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.7V±3%	SOT23-5	28xa	-	Tor
T28	XC318PN28AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.8V±3%	SOT23-5	28xa	-	Tor
T29	XC318PN29AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=2.9V±3%	SOT23-5	28xa	-	Tor
T3	BD45455G	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T3	R1121N431B	VR-IC	LDO, LN, Enable, 4.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
T30	XC318PN30AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3V±3%	SOT23-5	28xa	-	Tor
T31	XC318PN31AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3.1V±3%	SOT23-5	28xa	-	Tor
T32	NC7ST32P5	TTL-Logic	2-input OR gate	SOT353	Log4	-	Fch
T32	XC318PN32AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3.1V±3%	SOT23-5	28xa	-	Tor
T33	XC318PN33AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3.3V±3%	SOT23-5	28xa	-	Tor
T34	XC318PN34AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3.4V±3%	SOT23-5	28xa	-	Tor
T35	XC318PN35AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3.5V±3%	SOT23-5	28xa	-	Tor
T36	XC318PN36AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3.6V±3%	SOT23-5	28xa	-	Tor

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
T37	XC31BPN37AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3,7V±3%	SOT23-5	28xa	-	Tor
T38	XC31BPN38AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3,8V±3%	SOT23-5	28xa	-	Tor
T39	XC31BPN39AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=3,9V±3%	SOT23-5	28xa	-	Tor
T4	BD45445G	CMOS-IC	Voltage Detector 4,4V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T4	R1121N441B	VR-IC	LDO, LN, Enable, 4,4V±2%, 150mA	SOT23-5	28vri	VR4	Rlc
T40	XC31BPN40AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4V±3%	SOT23-5	28xa	-	Tor
T41	XC31BPN41AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,1V±3%	SOT23-5	28xa	-	Tor
T42	XC31BPN42AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,2V±3%	SOT23-5	28xa	-	Tor
T43	XC31BPN43AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,3V±3%	SOT23-5	28xa	-	Tor
T44	XC31BPN44AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,4V±3%	SOT23-5	28xa	-	Tor
T45	XC31BPN45AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,5V±3%	SOT23-5	28xa	-	Tor
T46	XC31BPN46AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,6V±3%	SOT23-5	28xa	-	Tor
T47	XC31BPN47AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,7V±3%	SOT23-5	28xa	-	Tor
T48	XC31BPN48AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,8V±3%	SOT23-5	28xa	-	Tor
T49	XC31BPN49AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=4,9V±3%	SOT23-5	28xa	-	Tor
T5	BD45435G	CMOS-IC	Voltage Detector 4,3V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T5	R1121N451B	VR-IC	LDO, LN, Enable, 4,5V±2%, 150mA	SOT23-5	28vri	VR4	Rlc
T50	XC31BPN50AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5V±3%	SOT23-5	28xa	-	Tor
T51	XC31BPN51AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,1V±3%	SOT23-5	28xa	-	Tor
T52	XC31BPN52AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,2V±3%	SOT23-5	28xa	-	Tor
T53	XC31BPN53AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,3V±3%	SOT23-5	28xa	-	Tor
T54	XC31BPN54AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,4V±3%	SOT23-5	28xa	-	Tor
T55	XC31BPN55AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,5V±3%	SOT23-5	28xa	-	Tor
T56	XC31BPN56AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,6V±3%	SOT23-5	28xa	-	Tor
T57	XC31BPN57AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,7V±3%	SOT23-5	28xa	-	Tor
T56	XC31BPN58AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,8V±3%	SOT23-5	28xa	-	Tor
T59	XC31BPN59AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=5,9V±3%	SOT23-5	28xa	-	Tor
T6	BD45425G	CMOS-IC	Voltage Detector 4,2V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T6	R1121N461B	VR-IC	LDO, LN, Enable, 4,6V±2%, 150mA	SOT23-5	28vri	VR4	Rlc
T60	XC31BPN60AM	CMOS-IC	Temperature Sensor (-30...+80°C); t=25°C- Vout=6V±3%	SOT23-5	28xa	-	Tor
T7	BD45415G	CMOS-IC	Voltage Detector 4,1V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T7	R1121N471B	VR-IC	LDO, LN, Enable, 4,7V±2%, 150mA	SOT23-5	28vri	VR4	Rlc
T8	BD45405G	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T8	R1121N481B	VR-IC	LDO, LN, Enable, 4,8V±2%, 150mA	SOT23-5	28vri	VR4	Rlc
T86	NC7SZ86P5	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Fch
T9	BD45395G	CMOS-IC	Voltage Detector 3,9V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
T9	R1121N491B	VR-IC	LDO, LN, Enable, 4,9V±2%, 150mA	SOT23-5	28vri	VR4	Rlc
TA	74HCT1G00	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Phi
TA	BD45385G	CMOS-IC	Voltage Detector 3,8V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TA	KIC7SZ00FU	TTL-Logic	2-input NAND gate	USV	Log1	-	Kec
TB	74HCT1G02	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Phi
TB	BD45375G	CMOS-IC	Voltage Detector 3,7V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TB	KIC7SZ02FU	TTL-Logic	2-input NOR gate	USV	Log2	-	Kec
TC	74HCT1G04	TTL-Logic	Inverter	SOT353	Log6	-	Phi
TC	BD45365G	CMOS-IC	Voltage Detector 3,6V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TC	KIC7SZ04FU	TTL-Logic	Inverter	USV	Log6	-	Kec
TD	74HCT1GU04	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Phi
TD	BD45355G	CMOS-IC	Voltage Detector 3,5V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TD	KIC7SZ05FU	TTL-Logic	Inverter (Open drain output)	USV	Log29	-	Kec
TE	74HCT1G08	TTL-Logic	2-input AND gate	SOT353	Log3	-	Phi
TE	BD45345G	CMOS-IC	Voltage Detector 3,4V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TE	KIC7SZ08FU	TTL-Logic	2-input AND gate	USV	Log3	-	Kec
TF	74HCT1G14	TTL-Logic	Inverting Schmitt-trigger	SOT353	Log7	-	Phi
TF	BD45335G	CMOS-IC	Voltage Detector 3,3V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TF	KIC7SZ14FU	TTL-Logic	Inverting Schmitt-trigger	SC-59	Log7	-	Kec
TG	74HCT1G32	TTL-Logic	2-input OR gate	SOT353	Log4	-	Phi
TG	BD45325G	CMOS-IC	Voltage Detector 3,2V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TG	KIC7SZ32FU	TTL-Logic	2-input OR gate	USV	Log4	-	Kec
TH	74HCT1G86	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Phi
TH	BD45315G	CMOS-IC	Voltage Detector 3,1V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TH	KIC7SZ66FU	CMOS-Logic	Bilateral analogic switch	USV	Log26	-	Kec
TJ	BD45305G	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TJ	KIC7SZ86FU	TTL-Logic	2-input EXCLUSIVE OR gate	USV	Log5	-	Kec
TK	BD45295G	CMOS-IC	Voltage Detector 2,9V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TK	KIC7SZ125FU	TTL-Logic	Noninverting 3-State Buffer	USV	Log20	-	Kec
TL	74HCT1G66	CMOS-Logic	Bilateral analogic switch	SOT353	Log26	-	Phi
TL	BD45285G	CMOS-IC	Voltage Detector 2,8V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TL	KIC7SZ126FU	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	USV	Log21	-	Kec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
TL	R1122N401B	VR-IC	LDO, LN, Enable, 4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TM	74HCT1G125	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log20	-	Phi
TM	BD45275G	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TM	R1122N411B	VR-IC	LDO, LN, Enable, 4.1V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TN	74HCT1G126	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log21	-	Phi
TN	BD45265G	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TN	KIC7SZU04FU	TTL-Logic	Unbuffered Inverter	USV	Log6	-	Kec
TN	R1122N421B	VR-IC	LDO, LN, Enable, 4.2V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TP	BD45255G	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TP	R1122N431B	VR-IC	LDO, LN, Enable, 4.3V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TQ	BD45245G	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TQ	R1122N441B	VR-IC	LDO, LN, Enable, 4.4V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TR	BD45235G	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 500ms	SSOP-5	28vdp	VD6	Rhm
TR	R1122N451B	VR-IC	LDO, LN, Enable, 4.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TS	BD45481G	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
TS	R1122N461B	VR-IC	LDO, LN, Enable, 4.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TT	BD45471G	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
TT	R1122N471B	VR-IC	LDO, LN, Enable, 4.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TU	BD45461G	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
TU	R1122N481B	VR-IC	LDO, LN, Enable, 4.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TV	BD45451G	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
TV	R1122N491B	VR-IC	LDO, LN, Enable, 4.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
TW	BD45441G	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
TX	BD45431G	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
TY	BD45421G	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
TZ	BD45411G	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U0	BD45401G	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U0	R1121N501B	VR-IC	LDO, LN, Enable, 5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
U0	RN2101FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=4.7k/4.7k	ISM	291a	-	Tos
U0	TC74A0-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U1	BD45391G	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U1	RN2102FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=10k/10k	ISM	291a	-	Tos
U1	TC74A1-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U2	BD45381G	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U2	RN2103FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=22k/22k	ISM	291a	-	Tos
U2	TC74A2-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U3	BD45371G	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U3	RN2104FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=47k/47k	ISM	291a	-	Tos
U3	TC74A3-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U4	BD45361G	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U4	RN2105FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=2.2k/47k	ISM	291a	-	Tos
U4	TC74A4-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U5	BD45351G	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U5	RN2106FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=4.7k/47k	ISM	291a	-	Tos
U5	TC74A5-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U6	BD45341G	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U6	RN2107FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=10k/47k	ISM	291a	-	Tos
U6	TC74A6-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U7	BD45331G	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U7	RN2108FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=22k/47k	ISM	291a	-	Tos
U7	TC74A7-5.0VCT	Lin/Dig-IC	Thermal sensor (-40...+125±3°C), Vcc=5V, I2C-bus	SOT23-5	28ld	-	Mcc
U8	BD45321G	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
U8	RN2109FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1/R2=47k/22k	ISM	291a	-	Tos
U9	BD45311G	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
UA	BD45301G	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
UB	BD45291G	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
UC	BD45281G	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
UD	BD45271G	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
UDL	MIC2753-LBM5	CMOS-IC	Voltage Detector 4.83V, MR, Reset Open drain output	SOT23-5	29eg	-	Mic
UDM	MIC2753-MBM5	CMOS-IC	Voltage Detector 4.38V, MR, Reset Open drain output	SOT23-5	29eg	-	Mic
UDR	MIC2753-RBM5	CMOS-IC	Voltage Detector 2.63V, MR, Reset Open drain output	SOT23-5	29eg	-	Mic
UDS	MIC2753-SBM5	CMOS-IC	Voltage Detector 2.93V, MR, Reset Open drain output	SOT23-5	29eg	-	Mic
UDT	MIC2753-TBM5	CMOS-IC	Voltage Detector 3.08V, MR, Reset Open drain output	SOT23-5	29eg	-	Mic
UE	BD45261G	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 100ms	SSOP-5	28vdp	VD6	Rhm
UEL	MIC2754-LBM5	CMOS-IC	Voltage Detector 4.53V, MR, -Reset Open drain output	SOT23-5	29eh	-	Mic
UEM	MIC2754-MBM5	CMOS-IC	Voltage Detector 4.38V, MR, -Reset Open drain output	SOT23-5	29eh	-	Mic
UER	MIC2754-RBM5	CMOS-IC	Voltage Detector 2.63V, MR, -Reset Open drain output	SOT23-5	29eh	-	Mic
UES	MIC2754-SBM5	CMOS-IC	Voltage Detector 2.93V, MR, -Reset Open drain output	SOT23-5	29eh	-	Mic

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок. Сх.	Пр.
UET	MIC2754-TBM5	CMOS-IC	Voltage Detector 3.08V, MR, -Reset Open drain output	SOT23-5	29eh -	Mic
UF	BD45251G	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output, 100ms	SSOP-5	28vdp VD6	Rhm
UG	BD45241G	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 100ms	SSOP-5	28vdp VD6	Rhm
UG17	MIC2777N-17BM5	CMOS-IC	Vcc&Vin Voltage Detector 1.8V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG22	MIC2777N-22BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.4V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG23	MIC2777N-23BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.5V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG25	MIC2777N-25BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.7V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG26	MIC2777N-26BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.85V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG28	MIC2777N-28BM5	CMOS-IC	Vcc&Vin Voltage Detector 3V±5%, ±Reset Push-pull output	SOT23-5	28xn -	Mcr
UG29	MIC2777N-29BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG31	MIC2777N-31BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG44	MIC2777N-44BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UG46	MIC2777N-46BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±5%, ±Reset Push-pull output	SOT23-5	28xn -	Mcr
UH	BD45231G	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 100ms	SSOP-5	28vdp VD6	Rhm
UH17	MIC2777H-17BM5	CMOS-IC	Vcc&Vin Voltage Detector 1.8V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH22	MIC2777H-22BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.4V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH23	MIC2777H-23BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.5V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH25	MIC2777H-25BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.7V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH26	MIC2777H-26BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.85V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH28	MIC2777H-28BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH29	MIC2777H-29BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH31	MIC2777H-31BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH44	MIC2777H-44BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UH46	MIC2777H-46BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±5%, ±Reset Push-pull output	SOT23-5	28xn -	Mcr
UI17	MIC2777L-17BM5	CMOS-IC	Vcc&Vin Voltage Detector 1.8V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UI22	MIC2777L-22BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.4V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UI23	MIC2777L-23BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.5V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UI25	MIC2777L-25BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.7V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UI26	MIC2777L-26BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.85V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UI28	MIC2777L-28BM5	CMOS-IC	Vcc&Vin Voltage Detector 3V±5%, ±Reset Push-pull output	SOT23-5	28xn -	Mcr
UI29	MIC2777L-29BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UI31	MIC2777L-31BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UM44	MIC2777L-44BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UM46	MIC2777L-46BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±5%, ±Reset Push-pull output	SOT23-5	28xn -	Mcr
UJ	BD45482G	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UJ17	MIC2775-17BM5	CMOS-IC	Voltage Detector 1.89V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ22	MIC2775-22BM5	CMOS-IC	Voltage Detector 2.25V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ23	MIC2775-23BM5	CMOS-IC	Voltage Detector 2.34V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ25	MIC2775-25BM5	CMOS-IC	Voltage Detector 2.53V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ26	MIC2775-26BM5	CMOS-IC	Voltage Detector 2.67V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ28	MIC2775-28BM5	CMOS-IC	Voltage Detector 2.81V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ29	MIC2775-29BM5	CMOS-IC	Voltage Detector 2.93V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ31	MIC2775-31BM5	CMOS-IC	Voltage Detector 3.09V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ44	MIC2775-44BM5	CMOS-IC	Voltage Detector 4.43V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UJ46	MIC2775-46BM5	CMOS-IC	Voltage Detector 4.68V, -MR, ±Reset Push-pull output	SOT23-5	28vdu VD8	Mcr
UK	BD45472G	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UL	R1122N501B	VR-IC	LDO, L.N, Enable, 5V±2%, 150mA	SOT23-5	28vri VR4	Ric
UM	BD45452G	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UN	BD45442G	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UN17	MIC2777-17BM5	CMOS-IC	Vcc&Vin Voltage Detector 1.8V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN22	MIC2777-22BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.4V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN23	MIC2777-23BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.5V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN25	MIC2777-25BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.85V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN26	MIC2777-26BM5	CMOS-IC	Vcc&Vin Voltage Detector 2.7V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN28	MIC2777-28BM5	CMOS-IC	Vcc&Vin Voltage Detector 3V±5%, ±Reset Push-pull output	SOT23-5	28xn -	Mcr
UN29	MIC2777-29BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN31	MIC2777-31BM5	CMOS-IC	Vcc&Vin Voltage Detector 3.3V±5%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN44	MIC2777-44BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±10%, ±Reset PPO	SOT23-5	28xn -	Mcr
UN46	MIC2777-46BM5	CMOS-IC	Vcc&Vin Voltage Detector 5V±5%, ±Reset Push-pull output	SOT23-5	28xn -	Mcr
UP	BD45432G	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UQ	BD45422G	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UR	BD45412G	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
US	BD45402G	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UT	BD45392G	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UU	BD45382G	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UV	BD45372G	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD8	Rhm
UW	BD45362G	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm
UX	BD45352G	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 200ms	SSOP-5	28vdp VD6	Rhm

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
UY	BD45342G	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
UZ	BD45332G	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V0	MC74VHC1G01DF	TTL-Logic	2-input NAND gate (ODO)	SOT353	Log27	-	Ons
V0	MC74VHC1G010T	TTL-Logic	2-input NAND gate (ODO)	SC59-5	Log27	-	Ons
V0	TC74A0-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V1	BD45312G	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V1	MC74VHC1G00DF	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Ons
V1	MC74VHC1G00DT	TTL-Logic	2-input NAND gate	SC59-5	Log1	-	Ons
V1	NL17SZ18DF	TTL-Logic	Noninverting Buffer	SC70-5	Log16	-	Ons
V1	NL17SZ17DF	TTL-Logic	Noninverting Schmitt-trigger	SC70-5	Log18	-	Ons
V1	NL17SZ374DF	TTL-Logic	Single D-type flip-flop	SC70-6	Log32	-	Ons
V1	TC74A1-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V1	TC7SA00F	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
V1	TC7SA00FU	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Tos
V2	BD45302G	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V2	MC74VHC1G08DF	TTL-Logic	2-input AND gate	SC70-5	Log3	-	Ons
V2	MC74VHC1G08DT	TTL-Logic	2-input AND gate	SOT23-5	Log3	-	Ons
V2	TC74A2-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V2	TC7SA08F	TTL-Logic	2-input AND gate	SC59-5	Log3	-	Tos
V2	TC7SA08FU	TTL-Logic	2-input AND gate	SOT353	Log3	-	Tos
V3	BD45292G	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V3	MC74VHC1G02DF	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Ons
V3	MC74VHC1G02DT	TTL-Logic	2-input NOR gate	SC59-5	Log2	-	Ons
V3	TC74A3-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V4	BD45282G	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V4	MC74VHC1G32DF	TTL-Logic	2-input OR gate	SOT353	Log4	-	Ons
V4	MC74VHC1G32DT	TTL-Logic	2-input OR gate	SC59-5	Log4	-	Ons
V4	TC74A4-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V5	BD45272G	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V5	MC74VHC1G04DF	TTL-Logic	Inverter	SOT353	Log6	-	Ons
V5	MC74VHC1G04DT	TTL-Logic	Inverter	SC59-5	Log6	-	Ons
V5	R1121N151B	VR-IC	LDO, LN, Enable, 1.5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
V5	TC74A5-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V6	BD45262G	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V6	R1121N161B	VR-IC	LDO, LN, Enable, 1.6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
V6	TC74A6-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V7	BD45252G	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V7	MC74VHC1G07DF	TTL-Logic	Noninverting Buffer (ODO)	SC70-5	Log8	-	Ons
V7	MC74VHC1G07DT	TTL-Logic	Noninverting Buffer (ODO)	SOT23-5	Log8	-	Ons
V7	R1121N171B	VR-IC	LDO, LN, Enable, 1.7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
V7	TC74A7-3 3VCT	Lin/Dig-IC	Thermal sensor (-40 +125±3°C), Vcc=3.3V, I2C-bus	SOT23-5	28ld	-	Mcc
V8	BD45242G	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V8	MC74VHC1G86DF	TTL-Logic	2-input EXCLUSIVE OR gate	SOT353	Log5	-	Ons
V8	MC74VHC1G86DT	TTL-Logic	2-input EXCLUSIVE OR gate	SC59-5	Log5	-	Ons
V8	R1121N181B	VR-IC	LDO, LN, Enable, 1.8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
V9	BD45232G	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
V9	R1121N191B	VR-IC	LDO, LN, Enable, 1.9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
VA	BD46485G	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VA	MC74VHC1G14DF	TTL-Logic	Inverting Schmitt-trigger	SC70-5	Log7	-	Ons
VA	MC74VHC1G14DT	TTL-Logic	Inverting Schmitt-trigger	SOT23-5	Log7	-	Ons
VB	BD46475G	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VC	BD46485G	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VC	MC74VHC1G14DF	TTL-Logic	Inverting Schmitt-trigger/CMOS LLS	SC70-5	Log7	-	Ons
VC	MC74VHC1G14DT	TTL-Logic	Inverting Schmitt-trigger/CMOS LLS	SOT23-5	Log7	-	Ons
VD	BD46455G	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VD	MC74VHC1G332DF	TTL-Logic	2-input NAND Schmitt-Tnigger	SOT353	Log17	-	Ons
VD	MC74VHC1G332DT	TTL-Logic	2-input NAND Schmitt-Tnigger	SC59-5	Log17	-	Ons
VE	BD46445G	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VF	BD46435G	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VF	MC74VHC1G05DF	TTL-Logic	Inverter (Open drain output)	SOT353	Log29	-	Ons
VF	MC74VHC1G05DT	TTL-Logic	Inverter (Open drain output)	SC59-5	Log29	-	Ons
VG	BD46425G	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VH	BD46415G	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VH	MC74VHC1G700DF	TTL-Logic	2-input NAND gate	SOT353	Log1	-	Ons
VH	MC74VHC1G700DT	TTL-Logic	2-input NAND gate	SC59-5	Log1	-	Ons
VJ	BD46405G	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VJ	MC74VHC1G702DF	TTL-Logic	2-input NOR gate	SOT353	Log2	-	Ons
VJ	MC74VHC1G702DT	TTL-Logic	2-input NOR gate	SC59-5	Log2	-	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
VK	BD46395G	CMOS-IC	Voltage Detector 3,9V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VK	MC74VHC1GT04DF	TTL-Logic	Inverter	SOT353	Log6	-	Ons
VK	MC74VHC1GT04DT	TTL-Logic	Inverter	SC59-5	Log6	-	Ons
VK	MC74VHC1GU04DF	TTL-Logic	Unbuffered Inverter	SOT353	Log6	-	Ons
VK	MC74VHC1GU04DT	TTL-Logic	Unbuffered Inverter	SC59-5	Log6	-	Ons
VL	BD46385G	CMOS-IC	Voltage Detector 3,8V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VL	MC74VHC1GT50DF	TTL-Logic	Noninverting Buffer/CMOS LLS	SOT353	Log16	-	Ons
VL	MC74VHC1GT50DT	TTL-Logic	Noninverting Buffer/CMOS LLS	SC59-5	Log16	-	Ons
VM	BD46375G	CMOS-IC	Voltage Detector 3,7V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VM	MC74VHC1GT86DF	TTL-Logic	2-input EXCLUSIVE OR gate/CMOS LLS	SOT353	Log5	-	Ons
VM	MC74VHC1GT86DT	TTL-Logic	2-input EXCLUSIVE OR gate/CMOS LLS	SC59-5	Log5	-	Ons
VN	BD46365G	CMOS-IC	Voltage Detector 3,6V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VN	MC74VHC1GT32DF	TTL-Logic	2-input OR gate/CMOS LLS	SOT353	Log4	-	Ons
VN	MC74VHC1GT32DT	TTL-Logic	2-input OR gate/CMOS LLS	SC59-5	Log4	-	Ons
VO	BD45322G	CMOS-IC	Voltage Detector 3,2V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
VO	MC74VHC1G125DF	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log20	-	Ons
VO	MC74VHC1G125DT	TTL-Logic	Noninverting 3-State Buffer	SC59-5	Log20	-	Ons
VP	BD46355G	CMOS-IC	Voltage Detector 3,5V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VP	MC74VHC1G03DF	TTL-Logic	2-input NOR gate (ODO)	SOT353	Log28	-	Ons
VP	MC74VHC1G03DT	TTL-Logic	2-input NOR gate (ODO)	SC59-5	Log28	-	Ons
VQ	BD46345G	CMOS-IC	Voltage Detector 3,5V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VR	BD46335G	CMOS-IC	Voltage Detector 3,3V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VR	KIC7SH04FU	TTL-Logic	Inverter	USV	Log6	-	Kec
VR	MC74VHC1G50DF	TTL-Logic	Noninverting Buffer	SOT353	Log16	-	Ons
VR	MC74VHC1G50DT	TTL-Logic	Noninverting Buffer	SC59-5	Log16	-	Ons
VR	R1122N151B	VR-IC	LDO, LN, Enable, 1,5V±2%, 150mA	SOT23-5	28vri	VR4	Ric
VS	BD46325G	CMOS-IC	Voltage Detector 3,2V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VS	R1122N161B	VR-IC	LDO, LN, Enable, 1,6V±2%, 150mA	SOT23-5	28vri	VR4	Ric
VT	BD46315G	CMOS-IC	Voltage Detector 3,1V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VT	KIC7SH08FU	TTL-Logic	2-input AND gate	USV	Log3	-	Kec
VT	MC74VHC1GT08DF	TTL-Logic	2-input AND gate/CMOS LLS	SC70-5	Log3	-	Ons
VT	MC74VHC1GT08DT	TTL-Logic	2-input AND gate/CMOS LLS	SOT23-5	Log3	-	Ons
VT	R1122N171B	VR-IC	LDO, LN, Enable, 1,7V±2%, 150mA	SOT23-5	28vri	VR4	Ric
VU	BD46305G	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VU	R1122N181B	VR-IC	LDO, LN, Enable, 1,8V±2%, 150mA	SOT23-5	28vri	VR4	Ric
VV	BD46295G	CMOS-IC	Voltage Detector 2,9V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VV	R1122N191B	VR-IC	LDO, LN, Enable, 1,9V±2%, 150mA	SOT23-5	28vri	VR4	Ric
VW	BD46285G	CMOS-IC	Voltage Detector 2,8V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VX	BD46275G	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VX	MC74VHC1G09DF	TTL-Logic	2-input AND gate (ODO)	SC70-5	Log9	-	Ons
VX	MC74VHC1G09DT	TTL-Logic	2-input AND gate (ODO)	SOT23-5	Log9	-	Ons
YY	BD46265G	CMOS-IC	Voltage Detector 2,6V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VZ	BD46255G	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
VZ	MC74VHC1G335DF	TTL-Logic	2-input NAND Schmitt-Tngger (ODO)	SOT353	Log24	-	Ons
VZ	MC74VHC1G335DT	TTL-Logic	2-input NAND Schmitt-Tngger (ODO)	SC59-5	Log24	-	Ons
W0	BD46245G	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
W0	R1210N301D	VR-IC	PWM step-up DC-DC converter, 3V, 180KHz	SOT23-5	28sc	-	Ric
W1	BD46235G	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output, 500ms	SSOP-5	28vdp	VD7	Rhm
W1	FMW1	Si-NPN	Dual, GP, 60V, 150mA, 180MHz	SOT23-5	28td	-	Rhm
W1	MC74VHC1GT125DF	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	SOT353	Log20	-	Ons
W1	MC74VHC1GT125DT	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	SC59-5	Log20	-	Ons
W1	R1210N311D	VR-IC	PWM step-up DC-DC converter, 3,1V, 180KHz	SOT23-5	28sc	-	Ric
W10	FMW10	Si-NPN	Dual, HF, 30V, 50mA, >600MHz	SOT23-5	28td	-	Rhm
W11	FMW11	Si-NPN	Dual, HF, 30V, 50mA, >600MHz	SOT23-5	28ba3	-	Rhm
W13	FMW13	Si-NPN	Dual, HF, 30V, 50mA, >900MHz	SOT23-5	28ba3	-	Rhm
W2	BD46481G	CMOS-IC	Voltage Detector 4,8V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W2	FMW2	Si-NPN	Dual, GP, 60V, 150mA, 180MHz	SOT23-5	28ba3	-	Rhm
W2	MC74VHC1G126DF	TTL-Logic	Noninverting 3-State Buffer	SOT353	Log21	-	Ons
W2	MC74VHC1G126DT	TTL-Logic	Noninverting 3-State Buffer	SC59-5	Log21	-	Ons
W2	R1210N321D	VR-IC	PWM step-up DC-DC converter, 3,2V, 180KHz	SOT23-5	28sc	-	Ric
W20	TK11120S	VR-IC	LDO, -Enable, 2V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
W21	TK11121S	VR-IC	LDO, -Enable, 2,1V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
W22	TK11122S	VR-IC	LDO, -Enable, 2,3V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
W23	TK11123S	VR-IC	LDO, -Enable, 2,3V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
W24	TK11124S	VR-IC	LDO, -Enable, 2,4V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
W25	TK11125S	VR-IC	LDO, -Enable, 2,5V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
W26	TK11126S	VR-IC	LDO, -Enable, 2,6V±1,5%, 200mA	SOT23-5	28vrna	-	Tok
W27	TK11127S	VR-IC	LDO, -Enable, 2,7V±1,5%, 200mA	SOT23-5	28vrna	-	Tok






SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
W28	TK11128S	VR-IC	LDO, -Enable, 2.8V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W29	TK11129S	VR-IC	LDO, -Enable, 2.9V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W3	BD46471G	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W3	FMW3	Si-NPN	Dual, GP, 120V, 50mA, 140MHz	SOT23-5	28td	-	Rhm
W3	MC74VHC1GT126DF	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	SOT353	Log21	-	Ons
W3	MC74VHC1GT126DT	TTL-Logic	Noninverting 3-State Buffer/CMOS LLS	SC59-5	Log21	-	Ons
W3	R1210N331D	VR-IC	PWM step-up DC-DC converter, 3.3V, 180KHz	SOT23-5	28sc	-	Ric
W30	TK11130S	VR-IC	LDO, -Enable, 3V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W31	TK11131S	VR-IC	LDO, -Enable, 3.1V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W32	TK11132S	VR-IC	LDO, -Enable, 3.2V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W33	TK11133S	VR-IC	LDO, -Enable, 3.3V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W34	TK11134S	VR-IC	LDO, -Enable, 3.4V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W35	TK11135S	VR-IC	LDO, -Enable, 3.5V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W36	TK11136S	VR-IC	LDO, -Enable, 3.6V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W37	TK11137S	VR-IC	LDO, -Enable, 3.7V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W38	TK11138S	VR-IC	LDO, -Enable, 3.8V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W39	TK11139S	VR-IC	LDO, -Enable, 3.9V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W4	BD46481G	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W4	FMW4	Si-NPN	Dual, GP, 120V, 50mA, 140MHz	SOT23-5	28ba3	-	Rhm
W4	R1210N341D	VR-IC	PWM step-up DC-DC converter, 3.4V, 180KHz	SOT23-5	28sc	-	Ric
W40	TK11140S	VR-IC	LDO, -Enable, 4V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W41	TK11141S	VR-IC	LDO, -Enable, 4.1V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W42	TK11142S	VR-IC	LDO, -Enable, 4.2V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W43	TK11143S	VR-IC	LDO, -Enable, 4.3V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W44	TK11144S	VR-IC	LDO, -Enable, 4.4V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W45	TK11145S	VR-IC	LDO, -Enable, 4.5V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W45	TK11146S	VR-IC	LDO, -Enable, 4.6V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W47	TK11147S	VR-IC	LDO, -Enable, 4.7V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W48	TK11148S	VR-IC	LDO, -Enable, 4.8V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W49	TK11149S	VR-IC	LDO, -Enable, 4.9V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W5	BD46451G	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W5	FMW5	Si-NPN	Dual, GP, 50V, 100mA	SOT23-5	28td	-	Rhm
W5	R1210N351D	VR-IC	PWM step-up DC-DC converter, 3.5V, 180KHz	SOT23-5	28sc	-	Ric
W50	TK11150S	VR-IC	LDO, -Enable, 5V±1.5%, 200mA	SOT23-5	28vra	-	Tok
W6	BD46441G	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W6	R1210N361D	VR-IC	PWM step-up DC-DC converter, 3.6V, 180KHz	SOT23-5	28sc	-	Ric
W7	BD46431G	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W7	R1210N371D	VR-IC	PWM step-up DC-DC converter, 3.7V, 180KHz	SOT23-5	28sc	-	Ric
W8	BD46421G	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W6	FMW8	Si-NPN	Dual, HF, 20V, 50mA, >1400MHz	SOT23-5	28td	-	Rhm
W6	R1210N381D	VR-IC	PWM step-up DC-DC converter, 3.8V, 180KHz	SOT23-5	28sc	-	Ric
W9	BD46411G	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
W9	FMW9	Si-NPN	Dual, HF, 20V, 50mA, >1400MHz	SOT23-5	28ba3	-	Rhm
W9	R1210N391D	VR-IC	PWM step-up DC-DC converter, 3.9V, 180KHz	SOT23-5	28sc	-	Ric
WA	BD46401G	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WA	R1210N401D	VR-IC	PWM step-up DC-DC converter, 4V, 180KHz	SOT23-5	28sc	-	Ric
WA	RN5RK301A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3V±1.5%	SOT23-5	28sh	-	Ric
WB	BD46391G	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WB	R1210N411D	VR-IC	PWM step-up DC-DC converter, 4.1V, 180KHz	SOT23-5	28sc	-	Ric
WB	RN5RK241A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.4V±1.5%	SOT23-5	28sh	-	Ric
WC	BD46381G	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WC	R1210N421D	VR-IC	PWM step-up DC-DC converter, 4.2V, 180KHz	SOT23-5	28sc	-	Ric
WC	RN5RK501A	VR-IC	VFM Step-Up DC-DC Converter, Vout=5V±1.5%	SOT23-5	28sh	-	Ric
WD	BD46371G	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WD	R1210N431D	VR-IC	PWM step-up DC-DC converter, 4.3V, 180KHz	SOT23-5	28sc	-	Ric
WD	RN5RK201A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2V±1.5%	SOT23-5	28sh	-	Ric
WE	BD46361G	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WE	R1210N441D	VR-IC	PWM step-up DC-DC converter, 4.4V, 180KHz	SOT23-5	28sc	-	Ric
WE	RN5RK251A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.5V±1.5%	SOT23-5	28sh	-	Ric
WF	BD46351G	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WF	R1210N451D	VR-IC	PWM step-up DC-DC converter, 4.5V, 180KHz	SOT23-5	28sc	-	Ric
WF	RN5RK331A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3.3V±1.5%	SOT23-5	28sh	-	Ric
WG	BD46341G	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WG	R1210N461D	VR-IC	PWM step-up DC-DC converter, 4.6V, 180KHz	SOT23-5	28sc	-	Ric
WG	RN5RK551A	VR-IC	VFM Step-Up DC-DC Converter, Vout=5.5V±1.5%	SOT23-5	28sh	-	Ric
WH	BD46331G	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WH	R1210N471D	VR-IC	PWM step-up DC-DC converter, 4.7V, 180KHz	SOT23-5	28sc	-	Ric
WH	RN5RK221A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.2V±1.5%	SOT23-5	28sh	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
WJ	BD46321G	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WJ	R1210N481D	VR-IC	PWM step-up DC-DC converter, 4.8V, 180KHz	SOT23-5	28sc	-	Ric
WJ	RN5RK271A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.7V±1.5%	SOT23-5	28sh	-	Ric
WK	BD46311G	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WK	R1210N491D	VR-IC	PWM step-up DC-DC converter, 4.9V, 180KHz	SOT23-5	28sc	-	Ric
WK	RN5RK361A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3.6V±1.5%	SOT23-5	28sh	-	Ric
WL	BD46301G	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WL	RN5RK261A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.6V±1.5%	SOT23-5	28sh	-	Ric
WM	BD46291G	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WM	R1210N511D	VR-IC	PWM step-up DC-DC converter, 5.1V, 180KHz	SOT23-5	28sc	-	Ric
WM	RN5RK281A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.8V±1.5%	SOT23-5	28sh	-	Ric
WN	BD46281G	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WN	R1210N521D	VR-IC	PWM step-up DC-DC converter, 5.2V, 180KHz	SOT23-5	28sc	-	Ric
WN	RN5RK321A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3.2V±1.5%	SOT23-5	28sh	-	Ric
WP	R1210N531D	VR-IC	PWM step-up DC-DC converter, 5.3V, 180KHz	SOT23-5	28sc	-	Ric
WP	RN5RK371A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3.7V±1.5%	SOT23-5	28sh	-	Ric
WQ	BD46261G	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WQ	R1210N541D	VR-IC	PWM step-up DC-DC converter, 5.4V, 180KHz	SOT23-5	28sc	-	Ric
WQ	RN5RK391A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3.9V±1.5%	SOT23-5	28sh	-	Ric
WR	BD46251G	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WR	R1210N551D	VR-IC	PWM step-up DC-DC converter, 5.5V, 180KHz	SOT23-5	28sc	-	Ric
WS	BD46241G	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WS	R1210N561D	VR-IC	PWM step-up DC-DC converter, 5.6V, 180KHz	SOT23-5	28sc	-	Ric
WT	BD46231G	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
WT	R1210N571D	VR-IC	PWM step-up DC-DC converter, 5.7V, 180KHz	SOT23-5	28sc	-	Ric
WU	BD46482G	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
WU	R1210N581D	VR-IC	PWM step-up DC-DC converter, 5.8V, 180KHz	SOT23-5	28sc	-	Ric
WV	BD46472G	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
WV	R1210N591D	VR-IC	PWM step-up DC-DC converter, 5.9V, 180KHz	SOT23-5	28sc	-	Ric
WW	BD46462G	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
WX	BD46452G	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
WY	BD46442G	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
WZ	BD46432G	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XD	BD46422G	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X1	BD46412G	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X2	BD46402G	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X2	R1210N222C	VR-IC	PWM step-up DC-DC converter, 2.1V, 100KHz	SOT23-5	28sd	-	Ric
X3	BD46392G	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X3	R1210N232C	VR-IC	PWM step-up DC-DC converter, 2.3V, 100KHz	SOT23-5	28sd	-	Ric
X4	BD46382G	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X4	R1210N242C	VR-IC	PWM step-up DC-DC converter, 2.4V, 100KHz	SOT23-5	28sd	-	Ric
X5	BD46372G	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X5	R1210N252C	VR-IC	PWM step-up DC-DC converter, 2.5V, 100KHz	SOT23-5	28sd	-	Ric
X6	BD46362G	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X6	R1210N262C	VR-IC	PWM step-up DC-DC converter, 2.6V, 100KHz	SOT23-5	28sd	-	Ric
X7	BD46352G	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X7	R1210N272C	VR-IC	PWM step-up DC-DC converter, 2.7V, 100KHz	SOT23-5	28sd	-	Ric
X8	BD46342G	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X8	R1210N282C	VR-IC	PWM step-up DC-DC converter, 2.8V, 100KHz	SOT23-5	28sd	-	Ric
X9	BD46332G	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
X9	R1210N292C	VR-IC	PWM step-up DC-DC converter, 2.9V, 100KHz	SOT23-5	28sd	-	Ric
XA	BD46322G	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XA	R1210N302C	VR-IC	PWM step-up DC-DC converter, 3V, 100KHz	SOT23-5	28sd	-	Ric
XA	RN1501	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/4k7	2-3L1A	29td	-	Tos
XA	RN1601	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/4k7	2-3L1A	29tg	-	Tos
XA	RN1701	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/4k7	2-2L1A	29td	-	Tos
XA	RN1901	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/4k7	2-2L1A	29tg	-	Tos
XA	RN5RK271B	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.7V±1.5%	SOT23-5	28sh	-	Ric
XB	BD46312G	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XB	R1210N312C	VR-IC	PWM step-up DC-DC converter, 3.1V, 100KHz	SOT23-5	28sd	-	Ric
XB	RN1502	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=20k/10k	2-3L1A	29td	-	Tos
XB	RN1602	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=20k/10k	2-3L1A	29tg	-	Tos
XB	RN1702	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=20k/10k	2-2L1A	29td	-	Tos
XB	RN1902	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=20k/10k	2-2L1A	29tg	-	Tos
XB	RN5RK201B	VR-IC	VFM Step-Up DC-DC Converter, Vout=2V±1.5%	SOT23-5	28sh	-	Ric
XC	BD46302G	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XC	R1210N322C	VR-IC	PWM step-up DC-DC converter, 3.2V, 100KHz	SOT23-5	28sd	-	Ric
XC	RN1503	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/22k	2-3L1A	29td	-	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
XC	RN1603	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/22k	2-3L1A	29tg	-	Tos
XC	RN1703	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/22k	2-2L1A	29td	-	Tos
XC	RN1903	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/22k	2-2L1A	29tg	-	Tos
XC	RN5RK221B	VR-IC	VFM Step-Up DC-DC Converter, Vout=2,2V±1,5%	SOT23-5	28sh	-	Ric
XD	BD46292G	CMOS-IC	Voltage Detector 2,9V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XD	R1210N332C	VR-IC	PWM step-up DC-DC converter, 3,3V, 100KHz	SOT23-5	28sd	-	Ric
XD	RN1504	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/47k	2-3L1A	29td	-	Tos
XD	RN1604	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/47k	2-3L1A	29tg	-	Tos
XD	RN1704	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/47k	2-2L1A	29td	-	Tos
XD	RN1904	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/47k	2-2L1A	29tg	-	Tos
XD	RN5RK251B	VR-IC	VFM Step-Up DC-DC Converter, Vout=2,5V±1,5%	SOT23-5	28sh	-	Ric
XE	BD46282G	CMOS-IC	Voltage Detector 2,8V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XE	R1210N342C	VR-IC	PWM step-up DC-DC converter, 3,4V, 100KHz	SOT23-5	28sd	-	Ric
XE	RN1505	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=2k2/47k	2-3L1A	29td	-	Tos
XE	RN1605	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=2k2/47k	2-3L1A	29tg	-	Tos
XE	RN1705	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=2k2/47k	2-2L1A	29td	-	Tos
XE	RN1905	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=2k2/47k	2-2L1A	29tg	-	Tos
XE	RN5RK301B	VR-IC	VFM Step-Up DC-DC Converter, Vout=3V±1,5%	SOT23-5	28sh	-	Ric
XF	BD46272G	CMOS-IC	Voltage Detector 2,7V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XF	R1210N352C	VR-IC	PWM step-up DC-DC converter, 3,5V, 100KHz	SOT23-5	28sd	-	Ric
XF	RN1506	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/47k	2-3L1A	29td	-	Tos
XF	RN1606	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/47k	2-3L1A	29tg	-	Tos
XF	RN1706	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/47k	2-2L1A	29td	-	Tos
XF	RN1906	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/47k	2-2L1A	29tg	-	Tos
XF	RN5RK331B	VR-IC	VFM Step-Up DC-DC Converter, Vout=3,3V±1,5%	SOT23-5	28sh	-	Ric
XG	BD46262G	CMOS-IC	Voltage Detector 2,6V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XG	R1210N362C	VR-IC	PWM step-up DC-DC converter, 3,6V, 100KHz	SOT23-5	28sd	-	Ric
XG	RN5RK361B	VR-IC	VFM Step-Up DC-DC Converter, Vout=3,6V±1,5%	SOT23-5	28sh	-	Ric
XH	BD46252G	CMOS-IC	Voltage Detector 2,5V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XH	R1210N372C	VR-IC	PWM step-up DC-DC converter, 3,7V, 100KHz	SOT23-5	28sd	-	Ric
XH	RN1507	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=10k/47k	2-3L1A	29td	-	Tos
XH	RN1607	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=10k/47k	2-3L1A	29tg	-	Tos
XH	RN1707	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=10k/47k	2-2L1A	29td	-	Tos
XH	RN1907	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=10k/47k	2-2L1A	29tg	-	Tos
XH	RN5RK501B	VR-IC	VFM Step-Up DC-DC Converter, Vout=5V±1,5%	SOT23-5	28sh	-	Ric
XI	RN1508	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/47k	2-3L1A	29td	-	Tos
XI	RN1608	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/47k	2-3L1A	29tg	-	Tos
XI	RN1708	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/47k	2-2L1A	29td	-	Tos
XI	RN1908	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/47k	2-2L1A	29tg	-	Tos
XJ	BD46242G	CMOS-IC	Voltage Detector 2,4V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XJ	R1210N382C	VR-IC	PWM step-up DC-DC converter, 3,8V, 100KHz	SOT23-5	28sd	-	Ric
XJ	RN1509	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/22k	2-3L1A	29td	-	Tos
XJ	RN1609	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/22k	2-3L1A	29tg	-	Tos
XJ	RN1709	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/22k	2-2L1A	29td	-	Tos
XJ	RN1909	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/22k	2-2L1A	29tg	-	Tos
XJ	RN5RK551B	VR-IC	VFM Step-Up DC-DC Converter, Vout=5,5V±1,5%	SOT23-5	28sh	-	Ric
XK	BD46232G	CMOS-IC	Voltage Detector 2,3V, -Reset Push-pull output, 200ms	SSOP-5	28vdp	VD7	Rhm
XK	R1210N392C	VR-IC	PWM step-up DC-DC converter, 3,9V, 100KHz	SOT23-5	28sd	-	Ric
XK	RN1510	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=4k7	2-3L1A	29td	-	Tos
XK	RN1610	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=4k7	2-3L1A	29tg	-	Tos
XK	RN1710	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=4k7	2-2L1A	29td	-	Tos
XK	RN1910	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=4k7	2-2L1A	29tg	-	Tos
XK	RN2110FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1=47k	ISM	29ta	-	Tos
XK	RN5RK391B	VR-IC	VFM Step-Up DC-DC Converter, Vout=3,9V±1,5%	SOT23-5	28sh	-	Ric
XL	R1210N402C	VR-IC	PWM step-up DC-DC converter, 4V, 100KHz	SOT23-5	28sd	-	Ric
XM	R1210N412C	VR-IC	PWM step-up DC-DC converter, 4,1V, 100KHz	SOT23-5	28sd	-	Ric
XM	RN1511	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=10k	2-3L1A	29td	-	Tos
XM	RN1611	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=10k	2-3L1A	29tg	-	Tos
XM	RN1711	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=10k	2-2L1A	29td	-	Tos
XM	RN1911	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=10k	2-2L1A	29tg	-	Tos
XM	RN2111FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1=10k	ISM	29ta	-	Tos
XN	R1210N422C	VR-IC	PWM step-up DC-DC converter, 4,2V, 100KHz	SOT23-5	28sd	-	Ric
XN	RN2112FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1=22k	ISM	29ta	-	Tos
XP	R1210N432C	VR-IC	PWM step-up DC-DC converter, 4,3V, 100KHz	SOT23-5	28sd	-	Ric
XP	RN2113FS	SI-PNP-Digi	Switching, 20V, 50mA, 50mW, R1=47k	ISM	29ta	-	Tos
XQ	R1210N442C	VR-IC	PWM step-up DC-DC converter, 4,4V, 100KHz	SOT23-5	28sd	-	Ric
XR	R1210N452C	VR-IC	PWM step-up DC-DC converter, 4,5V, 100KHz	SOT23-5	28sd	-	Ric
XS	R1210N462C	VR-IC	PWM step-up DC-DC converter, 4,6V, 100KHz	SOT23-5	28sd	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
XT	R1210N472C	VR-IC	PWM step-up DC-DC converter, 4.7V, 100KHz	SOT23-5	28sd	-	Ric
XU	R1210N482C	VR-IC	PWM step-up DC-DC converter, 4.8V, 100KHz	SOT23-5	28sd	-	Ric
XV	R1210N492C	VR-IC	PWM step-up DC-DC converter, 4.9V, 100KHz	SOT23-5	28sd	-	Ric
XW	R1210N601C	VR-IC	PWM step-up DC-DC converter, 6V, 100KHz	SOT23-5	28sc	-	Ric
Y ^{PA}	BD46271G	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output, 100ms	SSOP-5	28vdp	VD7	Rhm
Y0	R1210N502C	VR-IC	PWM step-up DC-DC converter, 5V, 100KHz	SOT23-5	28sd	-	Ric
Y1	R1210N512C	VR-IC	PWM step-up DC-DC converter, 5.1V, 100KHz	SOT23-5	28sd	-	Ric
Y2	R1210N522C	VR-IC	PWM step-up DC-DC converter, 5.2V, 100KHz	SOT23-5	28sd	-	Ric
Y3	R1210N532C	VR-IC	PWM step-up DC-DC converter, 5.3V, 100KHz	SOT23-5	28sd	-	Ric
Y4	R1210N542C	VR-IC	PWM step-up DC-DC converter, 5.4V, 100KHz	SOT23-5	28sd	-	Ric
Y5	R1210N552C	VR-IC	PWM step-up DC-DC converter, 5.5V, 100KHz	SOT23-5	28sd	-	Ric
Y6	R1210N562C	VR-IC	PWM step-up DC-DC converter, 5.6V, 100KHz	SOT23-5	28sd	-	Ric
Y7	R1210N572C	VR-IC	PWM step-up DC-DC converter, 5.7V, 100KHz	SOT23-5	28sd	-	Ric
Y8	R1210N582C	VR-IC	PWM step-up DC-DC converter, 5.8V, 100KHz	SOT23-5	28sd	-	Ric
Y9	R1210N592C	VR-IC	PWM step-up DC-DC converter, 5.9V, 100KHz	SOT23-5	28sd	-	Ric
YA	RN2501	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	SOT23-5	29ld	-	Tos
YA	RN2701	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	SOT23-5	30ld	-	Tos
YA	RN5RK202A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2V±1.5%	SOT23-5	28sj	-	Ric
YB	RN2502	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	SOT23-5	29ld	-	Tos
YB	RN2702	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	SOT23-5	30ld	-	Tos
YB	RN5RK252A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.5V±1.5%	SOT23-5	28sj	-	Ric
YC	R1210N222D	VR-IC	PWM step-up DC-DC converter, 2.1V, 180KHz	SOT23-5	28sd	-	Ric
YC	RN5RK272A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.7V±1.5%	SOT23-5	28sj	-	Ric
YD	R1210N232D	VR-IC	PWM step-up DC-DC converter, 2.3V, 180KHz	SOT23-5	28sd	-	Ric
YD	RN2704	SI-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/47k	SOT23-5	30ld	-	Tos
YD	RN5RK302A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3V±1.5%	SOT23-5	28sj	-	Ric
YE	R1210N242D	VR-IC	PWM step-up DC-DC converter, 2.4V, 180KHz	SOT23-5	28sd	-	Ric
YE	RN2505	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=2.2k/47k	SOT23-5	29ld	-	Tos
YE	RN2705	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=2.2k/47k	SOT23-5	30ld	-	Tos
YE	RN5RK332A	VR-IC	VFM Step-Up DC-DC Converter, Vout=3.3V±1.5%	SOT23-5	28sj	-	Ric
YF	R1210N252D	VR-IC	PWM step-up DC-DC converter, 2.5V, 180KHz	SOT23-5	28sd	-	Ric
YF	RN2506	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/47k	SOT23-5	29ld	-	Tos
YF	RN2706	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/47k	SOT23-5	30ld	-	Tos
YF	RN5RK502A	VR-IC	VFM Step-Up DC-DC Converter, Vout=5V±1.5%	SOT23-5	28sj	-	Ric
YG	R1210N262D	VR-IC	PWM step-up DC-DC converter, 2.6V, 180KHz	SOT23-5	28sd	-	Ric
YG	RN5RK552A	VR-IC	VFM Step-Up DC-DC Converter, Vout=5.5V±1.5%	SOT23-5	28sj	-	Ric
YH	R1210N272D	VR-IC	PWM step-up DC-DC converter, 2.7V, 180KHz	SOT23-5	28sd	-	Ric
YH	RN2507	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	SOT23-5	29ld	-	Tos
YH	RN2707	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	SOT23-5	30ld	-	Tos
YH	RN5RK522A	VR-IC	VFM Step-Up DC-DC Converter, Vout=5.2V±1.5%	SOT23-5	28sj	-	Ric
YI	RN2508	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	SOT23-5	29ld	-	Tos
YI	RN2708	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	SOT23-5	30ld	-	Tos
YJ	R1210N282D	VR-IC	PWM step-up DC-DC converter, 2.8V, 180KHz	SOT23-5	28sd	-	Ric
YJ	RN2509	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	SOT23-5	29ld	-	Tos
YJ	RN2709	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	SOT23-5	30ld	-	Tos
YJ	RN5RK222A	VR-IC	VFM Step-Up DC-DC Converter, Vout=2.2V±1.5%	SOT23-5	28sj	-	Ric
YK	R1210N292D	VR-IC	PWM step-up DC-DC converter, 2.9V, 180KHz	SOT23-5	28sd	-	Ric
YK	RN2510	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=4.7k	SOT23-5	29ld	-	Tos
YK	RN2710	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=4.7k	SOT23-5	30ld	-	Tos
YK	RN5RK452A	VR-IC	VFM Step-Up DC-DC Converter, Vout=4.5V±1.5%	SOT23-5	28sj	-	Ric
YL	BD45462G	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 200ms	SSOP-5	28vdp	VD6	Rhm
YL	R1210N302D	VR-IC	PWM step-up DC-DC converter, 3V, 180KHz	SOT23-5	28sd	-	Ric
YM	R1210N312D	VR-IC	PWM step-up DC-DC converter, 3.1V, 180KHz	SOT23-5	28sd	-	Ric
YM	RN2511	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=10k	SOT23-5	29ld	-	Tos
YM	RN2711	SI-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=10k	SOT23-5	30ld	-	Tos
YN	R1210N322D	VR-IC	PWM step-up DC-DC converter, 3.2V, 180KHz	SOT23-5	28sd	-	Ric
YN	R1210N332D	VR-IC	PWM step-up DC-DC converter, 3.3V, 180KHz	SOT23-5	28sd	-	Ric
YQ	R1210N342D	VR-IC	PWM step-up DC-DC converter, 3.4V, 180KHz	SOT23-5	28sd	-	Ric
YR	R1210N352D	VR-IC	PWM step-up DC-DC converter, 3.5V, 180KHz	SOT23-5	28sd	-	Ric
YS	R1210N362D	VR-IC	PWM step-up DC-DC converter, 3.6V, 180KHz	SOT23-5	28sd	-	Ric
YT	R1210N372D	VR-IC	PWM step-up DC-DC converter, 3.7V, 180KHz	SOT23-5	28sd	-	Ric
YU	R1210N382D	VR-IC	PWM step-up DC-DC converter, 3.8V, 180KHz	SOT23-5	28sd	-	Ric
YV	R1210N392D	VR-IC	PWM step-up DC-DC converter, 3.9V, 180KHz	SOT23-5	28sd	-	Ric
YW	R1210N601D	VR-IC	PWM step-up DC-DC converter, 6V, 180KHz	SOT23-5	28sc	-	Ric
Z0	R1210N402D	VR-IC	PWM step-up DC-DC converter, 4V, 180KHz	SOT23-5	28sd	-	Ric
Z1	BZA856A	Z-Diode/TVS	4x 5.6V, 3.75A, 25W(1ms)	SOT353	28bc	-	Phi
Z1	BZA956A	Z-Diode/TVS	4x 5.6V, 3.75A, 25W(1ms)	SOT665	30bc	-	Phi
Z1	R1210N412D	VR-IC	PWM step-up DC-DC converter, 4.1V, 180KHz	SOT23-5	28sd	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
Z2	BZA862A	Z-Diode/TVS	4x 6,2V, 3,75A, 25W(1ms)	SOT353	28bc	-	Phi
Z2	BZA962A	Z-Diode/TVS	4x 6,2V, 3,75A, 25W(1ms)	SOT665	30bc	-	Phi
Z2	R1210N422D	VR-IC	PWM step-up DC-DC converter, 4,2V, 180KHz	SOT23-5	28sd	-	Ric
Z3	BZA868A	Z-Diode/TVS	4x 6,8V, 3,75A, 25W(1ms)	SOT353	28bc	-	Phi
Z3	BZA968A	Z-Diode/TVS	4x 6,8V, 3,75A, 25W(1ms)	SOT665	30bc	-	Phi
Z3	R1210N432D	VR-IC	PWM step-up DC-DC converter, 4,3V, 180KHz	SOT23-5	28sd	-	Ric
Z4	BZA820A	Z-Diode/TVS	4x 20V, 3,75A, 17W(1ms)	SOT353	28bc	-	Phi
Z4	R1210N442D	VR-IC	PWM step-up DC-DC converter, 4,4V, 180KHz	SOT23-5	28sd	-	Ric
Z5	R1210N452D	VR-IC	PWM step-up DC-DC converter, 4,5V, 180KHz	SOT23-5	28sd	-	Ric
Z6	R1210N462D	VR-IC	PWM step-up DC-DC converter, 4,6V, 180KHz	SOT23-5	28sd	-	Ric
Z7	R1210N472D	VR-IC	PWM step-up DC-DC converter, 4,7V, 180KHz	SOT23-5	28sd	-	Ric
Z8	R1210N482D	VR-IC	PWM step-up DC-DC converter, 4,8V, 180KHz	SOT23-5	28sd	-	Ric
Z9	R1210N492D	VR-IC	PWM step-up DC-DC converter, 4,9V, 180KHz	SOT23-5	28sd	-	Ric
ZA	R1210N502D	VR-IC	PWM step-up DC-DC converter, 5V, 180KHz	SOT23-5	28sd	-	Ric
ZB	R1210N512D	VR-IC	PWM step-up DC-DC converter, 5,1V, 180KHz	SOT23-5	28sd	-	Ric
ZC	R1210N522D	VR-IC	PWM step-up DC-DC converter, 5,2V, 180KHz	SOT23-5	28sd	-	Ric
ZD	R1210N532D	VR-IC	PWM step-up DC-DC converter, 5,3V, 180KHz	SOT23-5	28sd	-	Ric
ZE	R1210N542D	VR-IC	PWM step-up DC-DC converter, 5,4V, 180KHz	SOT23-5	28sd	-	Ric
ZF	R1210N552D	VR-IC	PWM step-up DC-DC converter, 5,5V, 180KHz	SOT23-5	28sd	-	Ric
ZG	R1210N562D	VR-IC	PWM step-up DC-DC converter, 5,6V, 180KHz	SOT23-5	28sd	-	Ric
ZH	R1210N572D	VR-IC	PWM step-up DC-DC converter, 5,7V, 180KHz	SOT23-5	28sd	-	Ric
ZJ	R1210N582D	VR-IC	PWM step-up DC-DC converter, 5,8V, 180KHz	SOT23-5	28sd	-	Ric
ZK	R1210N592D	VR-IC	PWM step-up DC-DC converter, 5,9V, 180KHz	SOT23-5	28sd	-	Ric
ZL	R1210N602D	VR-IC	PWM step-up DC-DC converter, 6V, 180KHz	SOT23-5	28sd	-	Ric
ZW	R1210N602C	VR-IC	PWM step-up DC-DC converter, 6V, 100KHz	SOT23-5	28sd	-	Ric



**SMD-компоненты с 6 и более
выводными корпусами**

**SMD-коды электронных
компонентов в корпусах
с 6 и более выводами**

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
005	FAN7005MU	Lin-IC	2xAF PA, 2.7..5.5V, 2x300mW(5V/8Q), shutdown	MINISO8	33	PA16	Fch
005	FAN7005MX	Lin-IC	2xAF PA, 2.7..5.5V, 2x300mW(5V/8Q), shutdown	SO-8	33	PA15	Fch
11	MAY-11BSM	Lin-IC	RF amplifier, 50MHz..8GHz, 9.5dB (50Q)	LPP-X	36ad	A1	Mc
11	MUN5311DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=10/10k	SOT363	33ld	-	Mot
12	MUN5312DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=22/22k	SOT363	33ld	-	Mot
13	BC847BN	Si-PN	Dual, GP, 50V, 100mA, 200mW, B=200..450, >100MHz	SOT666	35td	-	Phi
13	MUN5313DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT363	33ld	-	Mot
14	MUN5314DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=10/47k	SOT363	33ld	-	Mot
15	MUN5315DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1=10k	SOT363	33ld	-	Mot
16	MUN5316DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1=4k7	SOT363	33ld	-	Mot
19	LEE-19	Lin-IC	RF amplifier, DC..8GHz, 9.6dB (50Q)	FG873	36ad	-	Mc
21	VNA-21	Lin-IC	RF amplifier, 0.5..2.5GHz, 13.1dB (50Q)	SOT363	33ac	A2	Mc
22	VNA-22	Lin-IC	RF amplifier, 0.5..2.5GHz, 12.2dB (50Q)	SOT363	33ac	A2	Mc
23	VNA-23	Lin-IC	RF amplifier, 0.5..2.5GHz, 14.6dB (50Q)	SOT363	33ac	A2	Mc
24	µPA831TC	Si-NPN	Dual, VHF/UHF, LN, 2V, 65mA, 90mW, B=70..140, 4.5GHz	USM	35ldc	-	Nec
024	FAN7024MPX	Lin-IC	AF PA, BTL, 2.3..5.5V, 675mW(5V/8Q), shutdown	LPP8	37	PA13	Fch
024	FAN7024MU	Lin-IC	AF PA, BTL, 2.3..5.5V, 675mW(5V/8Q), shutdown	MINISO8	33	PA11	Fch
024	FAN7024MUX	Lin-IC	AF PA, BTL, 2.3..5.5V, 675mW(5V/8Q), shutdown	MINISO8	33	PA11	Fch
25	VNA-25	Lin-IC	RF amplifier, 0.5..2.5GHz, 16dB (50Q)	SOT363	33ac	A2	Mc
28	VNA-28	Lin-IC	RF amplifier, 0.5..2.5GHz, 18.3dB (50Q)	SOT363	33ac	A2	Mc
29	LEE-29	Lin-IC	RF amplifier, DC..8GHz, 13.3dB (50Q)	FG873	36ad	-	Mc
30	MUN5330DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=1k/1k0	SOT363	33ld	-	Mot
31	MUN5331DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=2k2/2k2	SOT363	33ld	-	Mot
32	MUN5332DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=4k/4k7	SOT363	33ld	-	Mot
33	MUN5333DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=4k7/47k	SOT363	33ld	-	Mot
34	MUN5334DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=22k/47k	SOT363	33ld	-	Mot
35	MUN5335DW1	Si-N/P-Digi	Dual (NPN+PNP), Sw, 50V, 100mA, 200mW, R1/R2=2.2k/47k	SOT363	33ld	-	Mot
37	µPA835TC	Si-NPN	Dual, VHF/UHF, 9(20)V, 30(100)mA, B=75..150, 12GHz	USM	35ldc	-	Nec
39	LEE-39	Lin-IC	RF amplifier, DC..8GHz, 18.5dB (50Q)	FG873	36ad	-	Mc
46	MBT3946DW1T1	Si-PN	Dual, GP, 60V, 200mA, 150mW, B=100..300, >300MHz	SOT363	33ld	-	Ons
49	LEE-49	Lin-IC	RF amplifier, DC..5GHz, 12dB (50Q)	FG873	36ad	-	Mc
59	LEE-59	Lin-IC	RF amplifier, DC..5GHz, 17.8dB (50Q)	FG873	36ad	-	Mc
70	µPA801T-FB	Si-NPN	Dual, VHF/UHF, 20V, 100mA, 200mW, 4.5GHz, B=70..140	SOT363	33lc	-	Nec
71	µPA801T-GB	Si-NPN	Dual, VHF/UHF, 20V, 100mA, 200mW, 4.5GHz, B=125..250	SOT363	33lc	-	Nec
74	BAT74S	Si-Diode	Dual, Switching, 30V, 200mA, 230mW, Vf<0.8V(0.1A), <5ns	SOT363	33de	-	Phi
77	BAS70-07S	Si-Diode	Dual, Schottky 70V, 100mA, Vf<1V(15mA), Cd<2pF	SOT363	33de	-	Phi
81	µPA821TC	Si-NPN	Dual, VHF/UHF, LN, 20V, 100mA, 0.2W, B=70..140, 4.5GHz	USM	35ldc	-	Nec
83	µPA826TC	Si-NPN	Dual, VHF/UHF, LN, 9V, 30mA, 180mW, B=75..150, 12GHz	USM	35ldc	-	Nec
87	µPA814TC	Si-NPN	Dual, RF, 9V, 100mA, 200mW, B=80..160, 9GHz	FMMold	35tp	-	Nec
89	µPA840TC	Si-NPN	Dual, VHF/UHF, 9(20)V, 30(65)mA, B=75..150, 12GHz	USM	35ldc	-	Nec
105	FC105	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, 200MHz, R1/R2=47k/47k	SOT363	33lg	-	Say
106	FC106	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, 200MHz, R1/R2=47k/47k	SOT363	33lg	-	Say
416	TK10416M	Lin-IC	AF PA, BTL, 2.2..5.5V, 280mW(5V/32Q), shutdown	SO-8	33	PA44	Tok
417	TK10417M	Lin-IC	AF PA, 1.8..5.5V, 200mW(5V/32Q)	SO-8	33	PA45	Tok
565	TK10565M	Lin-IC	AF PA, BTL, 1.8..6V, 360mW(5V/8Q)	SO-8	33	PA46	Tok
566	TK10566M	Lin-IC	AF PA, BTL, 1.8..6V, 360mW(5V/8Q)	SO-8	33	PA47	Tok
569	TK10569M	Lin-IC	AF PA, BTL, 1.8..6V, 480mW(5V/8Q)	SO-8	33	PA46	Tok
613	KV1613L	C-Diode	Triple, AM-Tuning, 16V, 50mA, 100mW, 19..446pF(8..1V)	SOT23-6	33ec	-	Tok
618	MIC5252-1.8BML	VR-IC	LDO, Low-Noise, Enable, 1.8V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
625	MIC5252-2.5BML	VR-IC	LDO, Low-Noise, Enable, 2.5V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
628	MIC5252-2.8BML	VR-IC	LDO, Low-Noise, Enable, 2.8V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
630	MIC5252-3.0BML	VR-IC	LDO, Low-Noise, Enable, 3V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
815	MIC5305-1.5BML	VR-IC	Low Noise, LDO, Enable, 1.5V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
818	MIC5305-1.8BML	VR-IC	Low Noise, LDO, Enable, 1.8V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
825	MIC5305-2.5BML	VR-IC	Low Noise, LDO, Enable, 2.5V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
826	MIC5305-2.6BML	VR-IC	Low Noise, LDO, Enable, 2.6V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
827	MIC5305-2.7BML	VR-IC	Low Noise, LDO, Enable, 2.7V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
828	MIC5305-2.8BML	VR-IC	Low Noise, LDO, Enable, 2.8V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
829	MIC5305-2.9BML	VR-IC	Low Noise, LDO, Enable, 2.9V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
830	MIC5305-3.0BML	VR-IC	Low Noise, LDO, Enable, 3V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
833	MIC5305-3.3BML	VR-IC	Low Noise, LDO, Enable, 3.3V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
4872	TS4872JUT	Lin-IC	AF PA, BTL, 2.5..5.5V, 1W(5V/8Q), shutdown	BGA15	39	PA12	Ste
4972	TS4972JUT	Lin-IC	AF PA, BTL, 2.5..5.5V, 1.2W(5V/8Q), shutdown	BGA9	39	PA14	Ste
7005	FAN7005M	Lin-IC	2xAF PA, 2.7..5.5V, 2x300mW(5V/8Q), shutdown	SO-8	33	PA15	Fch
7005	FAN7005MUX	Lin-IC	2xAF PA, 2.7..5.5V, 2x300mW(5V/8Q), shutdown	MINISO8	33	PA16	Fch
05/50	SMS05	TVS	Quad, 5V, 24A, 350W(1ms)	SOT23-6L	33dx	-	Smt
12/21	SMS12	TVS	Quad, 12V, 15A, 350W(1ms)	SOT23-6L	33dx	-	Smt
*	R3115Z091A	CMOS-IC	Voltage Detector 0.9V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
"	R3115Z351C	CMOS-IC	Voltage Detector 3.5V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z361A	CMOS-IC	Voltage Detector 3.6V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z361C	CMOS-IC	Voltage Detector 3.6V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z371A	CMOS-IC	Voltage Detector 3.7V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z371C	CMOS-IC	Voltage Detector 3.7V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z381A	CMOS-IC	Voltage Detector 3.8V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z381C	CMOS-IC	Voltage Detector 3.8V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z391A	CMOS-IC	Voltage Detector 3.9V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z391C	CMOS-IC	Voltage Detector 3.9V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z401A	CMOS-IC	Voltage Detector 4.0V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z401C	CMOS-IC	Voltage Detector 4.0V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z411A	CMOS-IC	Voltage Detector 4.1V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z411C	CMOS-IC	Voltage Detector 4.1V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z421A	CMOS-IC	Voltage Detector 4.2V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z421C	CMOS-IC	Voltage Detector 4.2V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z431A	CMOS-IC	Voltage Detector 4.3V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z431C	CMOS-IC	Voltage Detector 4.3V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z441A	CMOS-IC	Voltage Detector 4.4V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z441C	CMOS-IC	Voltage Detector 4.4V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z451A	CMOS-IC	Voltage Detector 4.5V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z451C	CMOS-IC	Voltage Detector 4.5V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z461A	CMOS-IC	Voltage Detector 4.6V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z461C	CMOS-IC	Voltage Detector 4.6V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z471A	CMOS-IC	Voltage Detector 4.7V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z471C	CMOS-IC	Voltage Detector 4.7V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z481A	CMOS-IC	Voltage Detector 4.8V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z481C	CMOS-IC	Voltage Detector 4.8V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z491A	CMOS-IC	Voltage Detector 4.9V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z491C	CMOS-IC	Voltage Detector 4.9V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
"	R3115Z501A	CMOS-IC	Voltage Detector 5.0V, -Reset, Open drain output	WLCSP-4	39ba	VD1	Ric
"	R3115Z501C	CMOS-IC	Voltage Detector 5.0V, -Reset, Push-pull output	WLCSP-4	39ba	VD3	Ric
06H	MUN5131DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=2k2/2k2	SOT363	33tg	-	Mot
0A	MUN5111DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=10/10k	SOT363	33tg	-	Mot
0B	MUN5112DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=22/22k	SOT363	33tg	-	Mot
0C	MUN5113DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=47k/47k	SOT363	33tg	-	Mot
0D	MUN5114DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=10/47k	SOT363	33tg	-	Mot
0E	MUN5115DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1=10k	SOT363	33tg	-	Mot
0F	MUN5118DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1=4k7	SOT363	33tg	-	Mot
0G	MUN5130DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=1k/1k0	SOT363	33tg	-	Mot
0J	MUN5132DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=4k/4k7	SOT363	33tg	-	Mot
0K	MUN5133DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=4k7/47k	SOT363	33tg	-	Mot
0L	MUN5134DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=22k/47k	SOT363	33tg	-	Mot
0N	MUN5136DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=100k/100k	SOT363	33tg	-	Mot
0P	MUN5137DW1	SI-PNP-Digi	Dual, Switching, 2x50V, 100mA, 400mW, R1/R2=47k/22k	SOT363	33tg	-	Mot
10N02Z	MM5F10N02Z	MOS-N-FET-e*	V-MOS, LogL, 20V, 7A, 2.5W, <16mQ(5A), 65/325ns	SO-8	33me	-	Ons
1117-18	LM1117LDX-1.8	VR-IC	LDO, 1.8V±2%, 800mA, 0..+125°	LPP-8	37cf	VR1	Nsc
1117-25	LM1117LDX-2.5	VR-IC	LDO, 2.5V±2%, 800mA, 0..+125°	LPP-8	37cf	VR1	Nsc
1117-28	LM1117LDX-2.85	VR-IC	LDO, 2.85V±2%, 800mA, 0..+125°	LPP-8	37cf	VR1	Nsc
1117-33	LM1117LDX-3.3	VR-IC	LDO, 3.3V±2%, 800mA, 0..+125°	LPP-8	37cf	VR1	Nsc
1117-50	LM1117LDX-5.0	VR-IC	LDO, 5V±2%, 800mA, 0..+125°	LPP-8	37cf	VR1	Nsc
1117ADJ	LM1117LDX-ADJ	VR-IC	LDO, Adjustable, 0.8A, 0..+125°	LPP-8	37vrs	-	Nsc
1117I33	LM1117ILDX-3.3	VR-IC	LDO, 3.3V±2%, 800mA, -40..+125°	LPP-8	37ef	VR1	Nsc
1117I50	LM1117ILDX-5.0	VR-IC	LDO, 5V±2%, 800mA, -40..+125°	LPP-8	37cf	VR1	Nsc
1117IADJ	LM1117ILDX-ADJ	VR-IC	LDO, Adjustable, 0.8A, -40..+125°	LPP-8	37vrs	-	Nsc
12A	MMQA12VT1	Z-Diode/TVS	Quad, 12V, 24W(1ms)	SC-74	33dx	-	Ons
13A	MMQA13V1	Z-Diode/TVS	Quad, 13V, 24W(1ms)	SC-74	33dx	-	Ons
13A	TK74013L	VR-IC	Dual, LDO, Separate Enable, 1.3+1.3V±2%, 300mA	SOT23L-8	33vrga	-	Tok
13F	BC847BPDW1T1	SI-N/P	Dual, GP, 50V, 100mA, 250mW, B=200..450, >100MHz	SOT363	33td	-	Ons
13G	BC847CPDW1T1	SI-N/P	Dual, GP, 50V, 100mA, 250mW, B=420..800, >100MHz	SOT363	33td	-	Ons
13K	BC848BPDW1T1	SI-N/P	Dual, GP, 30V, 100mA, 250mW, B=200..450, >100MHz	SOT363	33td	-	Ons
13L	BC848CPDW1T1	SI-N/P	Dual, GP, 30V, 100mA, 250mW, B=420..800, >100MHz	SOT363	33td	-	Ons
13P	TK11213BM	VR-IC	LDO, Enable, 1.3V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
13R	BC847BP	SI-N/P	Dual, GP, 50V, 100mA, 200mW, B=200..450, >100MHz	SOT363	33td	-	Pin
14A	TK74014L	VR-IC	Dual, LDO, Separate Enable, 1.4+1.4V±2%, 300mA	SOT23L-8	33vrga	-	Tok
14P	TK11214BM	VR-IC	LDO, Enable, 1.4V 2.5%, 150mA	SOT23L-8	33vf	VR7	Tok
15G1	SMS15	TVS	Quad, 15V, 12A, 350W(1ms)	SOT23-6L	33dx	-	Smt
15A	MMQA15VT1	Z-Diode/TVS	Quad, 15V, 24W(1ms)	SC-74	33dx	-	Ons
15A	TK74015L	VR-IC	Dual, LDO, Separate Enable, 1.5+1.5V±2%, 300mA	SOT23L-8	33vrga	-	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
15P	TK11215BM	VR-IC	LDO, Enable, 1.5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
16A	TK74016L	VR-IC	Dual, LDO, Separate Enable, 1.6+1.6V±2%, 300mA	SOT23L-8	33vrga	-	Tok
16P	TK11216BM	VR-IC	LDO, Enable, 1.6V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
17A	TK74017L	VR-IC	Dual, LDO, Separate Enable, 1.7+1.7V±2%, 300mA	SOT23L-8	33vrga	-	Tok
17P	TK11217BM	VR-IC	LDO, Enable, 1.7V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
18A	MMQA18VT1	Z-Diode/TVS	Quad, 18V, 24W(1ms)	SC-74	33dx	-	Ons
18A	TK74018L	VR-IC	Dual, LDO, Separate Enable, 1.8+1.8V±2%, 300mA	SOT23L-8	33vrga	-	Tok
18P	TK11218BM	VR-IC	LDO, Enable, 1.8V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
19A	TK74019L	VR-IC	Dual, LDO, Separate Enable, 1.9+1.9V±2%, 300mA	SOT23L-8	33vrga	-	Tok
19P	TK11219BM	VR-IC	LDO, Enable, 1.9V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
1B	BC846BDW1T1	Si-NPN	Dual, GP, 80V, 100mA, 200mW, B=200 450, >100MHz	SOT363	33tg	-	Ons
1B	NMT2222A	Si-NPN	Dual, GP, 75V, 800mA, 200mW, B=100 300, >200MHz	SOT-6	33cr	-	Fch
1Cs	BC847S	Si-NP	Dual, GP, 2x50V, 100mA, 200mW, B=100, >100MHz	SC-88	33tg	-	Sie
1Ds	BC846S	Si-NPN	Dual, GP, 80V, 100mA, 200mW, B>200, >100MHz	SOT363	33tg	-	Sie
1Ds	BC846U	Si-NPN	Dual, AF, 80V, 100mA, 250mW, B=110 450, >100MHz	SOT323	33tg	-	Sie
1F	BC847BDW1T1	Si-NPN	Dual, GP, 50V, 100mA, 200mW, B=200 450, >100MHz	SOT363	33tg	-	Ons
1F	BC847BV	Si-NPN	Dual, GP, 50V, 100mA, 200mW, B=200 450, >100MHz	SOT666	35tg	-	Phi
1Ft	BC847BS	Si-NPN	Dual, GP, 2x50V, 100mA, 200mW, B=200 450, >100MHz	SOT363	33tg	-	Phi
1G	BC847CDW1T1	Si-NPN	Dual, GP, 50V, 100mA, 200mW, B=420 800, >100MHz	SOT363	33tg	-	Ons
1K	BC848BDW1T1	Si-NPN	Dual, GP, 30V, 100mA, 200mW, B=200 450, >100MHz	SOT363	33tg	-	Ons
1L	BC848CDW1T1	Si-NPN	Dual, GP, 30V, 100mA, 200mW, B=420 800, >100MHz	SOT363	33tg	-	Ons
1Os	BC846PN	Si-PN	Dual, GP, 80V, 100mA, 200mW, B=200 450, >100MHz	SOT363	33ld	-	Sie
1Ps	BC847PN	Si-PN	Dual, GP, AF, 50V 100mA, 250mW, B=110 800, >100MHz	SOT363	33lda	-	Sie
20001T	TPA2000D1TPWRQ1	Ln-IC	AF PA, Cl-D, BTL, 2.7 5 5V, 2W(5V/40), shutdown	SOP16	33	PA51	Tix
20A	MMQA20VT1	Z-Diode/TVS	Quad, 20V, 24W(1ms)	SC-74	33dx	-	Ons
20A	TK74020L	VR-IC	Dual, LDO, Separate Enable, 2+2V±2%, 300mA	SOT23L-8	33vrga	-	Tok
20P	TK11220BM	VR-IC	LDO, Enable, 2V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
20Q	TK11320BM	VR-IC	LDO, -Enable, 2V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
20R	TK11320CM	VR-IC	LDO, -Enable, 2V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
21A	MMQA21VT1	Z-Diode/TVS	Quad, 21V, 24W(1ms)	SC-74	33dx	-	Ons
21A	TK74021L	VR-IC	Dual, LDO, Separate Enable, 2.1+2.1V±2%, 300mA	SOT23L-8	33vrga	-	Tok
21P	TK11221BM	VR-IC	LDO, Enable, 2.1V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
21Q	TK11321BM	VR-IC	LDO, -Enable, 2.1V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
21R	TK11321CM	VR-IC	LDO, -Enable, 2.1V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
22A	MMQA22VT1	Z-Diode/TVS	Quad, 22V, 24W(1ms)	SC-74	33dx	-	Ons
22A	TK74022L	VR-IC	Dual, LDO, Separate Enable, 2.2+2.2V±2%, 300mA	SOT23L-8	33vrga	-	Tok
22P	TK11222BM	VR-IC	LDO, Enable, 2.2V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
22Q	TK11322BM	VR-IC	LDO, -Enable, 2.2V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
22R	TK11322CM	VR-IC	LDO, -Enable, 2.2V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
23A	TK74023L	VR-IC	Dual, LDO, Separate Enable, 2.3+2.3V±2%, 300mA	SOT23L-8	33vrga	-	Tok
23P	TK11223BM	VR-IC	LDO, Enable, 2.3V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
23Q	TK11323BM	VR-IC	LDO, -Enable, 2.3V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
24VZ	SMS24	TVS	Quad, 24V, 8A, 350W(1ms)	SOT23-6L	33dx	-	Sml
24A	MMQA24VT1	Z-Diode/TVS	Quad, 24V, 24W(1ms)	SC-74	33dx	-	Ons
24A	TK74024L	VR-IC	Dual, LDO, Separate Enable, 2.4+2.4V±2%, 300mA	SOT23L-8	33vrga	-	Tok
24A2	MAS9124A2CA11	VR-IC	LDO, Enable, 2.8V, 150mA	WLCSP-4	39bb	VR7	Mas
24A4	MAS9124A4CA11	VR-IC	LDO, Enable, 1.8V, 150mA	WLCSP-4	39bb	VR7	Mas
24A6	MAS9124A6CA11	VR-IC	LDO, Enable, 3V, 150mA	WLCSP-4	39bb	VR7	Mas
24A8	MAS9124A8CA11	VR-IC	LDO, Enable, 2.86V, 150mA	WLCSP-4	39bb	VR7	Mas
24AC	MAS9124ACCA11	VR-IC	LDO, Enable, 2.8V, 150mA	WLCSP-4	39bb	VR7	Mas
24P	TK11224BM	VR-IC	LDO, Enable, 2.4V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
24Q	TK11324BM	VR-IC	LDO, -Enable, 2.4V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
24R	μPA810T-FB	Si-NPN	Dual, VHF/UHF, 20V, 100mA, 4.5GHz, B=40 80	SOT363	33ff	-	Nec
24Z2	MAS9124A2CA12	VR-IC	LDO, Enable, 2.6V, 150mA	WLCSP-4	39bb	VR7	Mas
24Z8	MAS9124A8CA12	VR-IC	LDO, Enable, 2.86V, 150mA	WLCSP-4	39bb	VR7	Mas
24Z9	MAS9124A9CA12	VR-IC	LDO, Enable, 2.7V, 150mA	WLCSP-4	39bb	VR7	Mas
24ZF	MAS9124AFCA12	VR-IC	LDO, Enable, 4V, 150mA	WLCSP-4	39bb	VR7	Mas
24ZG	MAS9124AGCA12	VR-IC	LDO, Enable, 5V, 150mA	WLCSP-4	39bb	VR7	Mas
25A	TK74025L	VR-IC	Dual, LDO, Separate Enable, 2.5+2.5V±2%, 300mA	SOT23L-8	33vrga	-	Tok
25P	TK11225BM	VR-IC	LDO, Enable, 2.5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
25Q	TK11325BM	VR-IC	LDO, -Enable, 2.5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
25R	μPA810T-GB	Si-NPN	Dual, VHF/UHF, 20V, 100mA, 4.5GHz, B=70 140	SOT363	33ff	-	Nec
25R	TK11325CM	VR-IC	LDO, -Enable, 2.5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
26A	TK74026L	VR-IC	Dual, LDO, Separate Enable, 2.6+2.6V±2%, 300mA	SOT23L-8	33vrga	-	Tok
26P	TK11226BM	VR-IC	LDO, Enable, 2.6V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
26Q	TK11326BM	VR-IC	LDO, -Enable, 2.6V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
26R	TK11326CM	VR-IC	LDO, -Enable, 2.6V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
27A	MMQA27VT1	Z-Diode/TVS	Quad, 27V, 24W(1ms)	SC-74	33dx	-	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
27A	TK74027L	VR-IC	Dual, LDO, Separate Enable, 2,7+2,7V±2%, 300mA	SOT23L-8	33vrga	-	Tok
27P	TK11227BM	VR-IC	LDO, Enable, 2,7V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
27Q	TK11327BM	VR-IC	LDO, -Enable, 2,7V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
27R	TK11327CM	VR-IC	LDO, -Enable, 2,7V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
28A	TK74028L	VR-IC	Dual, LDO, Separate Enable, 2,8+2,8V±2%, 300mA	SOT23L-8	33vrga	-	Tok
28P	TK11228BM	VR-IC	LDO, Enable, 2,8V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
28Q	TK11328BM	VR-IC	LDO, -Enable, 2,8V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
26R	TK11328CM	VR-IC	LDO, -Enable, 2,8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
29A	TK74029L	VR-IC	Dual, LDO, Separate Enable, 2,9+2,9V±2%, 300mA	SOT23L-8	33vrga	-	Tok
29P	TK11229BM	VR-IC	LDO, Enable, 2,9V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
29Q	TK11329BM	VR-IC	LDO, -Enable, 2,9V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
29R	TK11329CM	VR-IC	LDO, -Enable, 2,9V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
2C	µPA843TC	S-PNP	Dual, VHF/UHF, 15(9)V, 35(100)mA, B=60 120, 13,5GHz	USM	35tdc	-	Nec
2K	DDZX22DTS	Z-Diode	Triple, 3x22V±2,5%, 200mW	SOT363	33dd	-	Dil
2L	BAT754S	S-Diode	Triple, Schottky, Sw, U-Fet, 30V, 0,2A, Vf<0,6V(0,1A), <0,3ns	SOT23	33dd	-	Phi
2M	DDZX27DTS	Z-Diode	Triple, 3x27V±2,5%, 200mW	SOT363	33dd	-	Dil
2N	DDZX30DS	Z-Diode	Triple, 3x30V±2,5%, 200mW	SOT363	33dd	-	Dil
2N02	ZXM62N02E6	MOS-N-FET-a	Dual, V-MOS, LogL, 20V, 1,7A, <0,1Q	SOT363	33fc	-	Ztx
2N03	ZXM62N03E6	MOS-N-FET-a	Dual, V-MOS, LogL, 30V, 1,7A, <0,15Q	SOT363	33fc	-	Ztx
2P02	ZXM62P02E6	MOS-P-FET-a	Dual, V-MOS, LogL, 20V, 2,3A, <0,2Q	SOT363	33fc	-	Ztx
2P03	ZXM62P03E6	MOS-P-FET-a	Dual, V-MOS, LogL, 30V, 2,6A, <0,23Q	SOT363	33fc	-	Ztx
30A	MMQA30VT1	Z-Diode/TVS	Quad, 30V, 24W(1ms)	SC-74	33dx	-	Ons
30A	TK74030L	VR-IC	Dual, LDO, Separate Enable, 3+3V±2%, 300mA	SOT23L-8	33vrga	-	Tok
30P	TK11230BM	VR-IC	LDO, Enable, 3V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
30Q	TK11330BM	VR-IC	LDO, -Enable, 3V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
30R	TK11330CM	VR-IC	LDO, -Enable, 3V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
31A	TK74031L	VR-IC	Dual, LDO, Separate Enable, 3,1+3,1V±2%, 300mA	SOT23L-8	33vrga	-	Tok
31P	TK11231BM	VR-IC	LDO, Enable, 3,1V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
31Q	TK11331BM	VR-IC	LDO, -Enable, 3,1V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
31R	TK11331CM	VR-IC	LDO, -Enable, 3,1V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
32A	TK74032L	VR-IC	Dual, LDO, Separate Enable, 3,2+3,2V±2%, 300mA	SOT23L-8	33vrga	-	Tok
32P	TK11232BM	VR-IC	LDO, Enable, 3,2V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
32Q	TK11332BM	VR-IC	LDO, -Enable, 3,2V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
32R	TK11332CM	VR-IC	LDO, -Enable, 3,2V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
33A	MMQA33VT1	Z-Diode/TVS	Quad, 33V, 24W(1ms)	SC-74	33dx	-	Ons
33A	TK74033L	VR-IC	Dual, LDO, Separate Enable, 3,3+3,3V±2%, 300mA	SOT23L-8	33vrga	-	Tok
33P	TK11233BM	VR-IC	LDO, Enable, 3,3V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
33Q	TK11333BM	VR-IC	LDO, -Enable, 3,3V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
33R	TK11333CM	VR-IC	LDO, -Enable, 3,3V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
34A	TK74034L	VR-IC	Dual, LDO, Separate Enable, 3,4+3,4V±2%, 300mA	SOT23L-8	33vrga	-	Tok
34P	TK11234BM	VR-IC	LDO, Enable, 3,4V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
34Q	TK11334BM	VR-IC	LDO, -Enable, 3,4V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
34R	µPA812T-FB	Si-NPN	Dual, VHF/UHF, 20V, 30mA, 120mW, 5,5GHz, B=40 80	SOT363	33if	-	Nec
35A	TK74035L	VR-IC	Dual, LDO, Separate Enable, 3,5+3,5V±2%, 300mA	SOT23L-8	33vrga	-	Tok
35P	TK11235BM	VR-IC	LDO, Enable, 3,5V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
35Q	TK11335BM	VR-IC	LDO, -Enable, 3,5V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
35R	µPA812T-GB	Si-NPN	Dual, VHF/UHF, 20V, 30mA, 120mW, 5,5GHz, B=70 140	SOT363	33if	-	Nec
35R	TK11335CM	VR-IC	LDO, -Enable, 3,5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
36A	TK74036L	VR-IC	Dual, LDO, Separate Enable, 3,6+3,6V±2%, 300mA	SOT23L-8	33vrga	-	Tok
36P	TK11236BM	VR-IC	LDO, Enable, 3,6V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
36Q	TK11336BM	VR-IC	LDO, -Enable, 3,6V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
37A	TK74037L	VR-IC	Dual, LDO, Separate Enable, 3,7+3,7V±2%, 300mA	SOT23L-8	33vrga	-	Tok
37P	TK11237BM	VR-IC	LDO, Enable, 3,7V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
37Q	TK11337BM	VR-IC	LDO, -Enable, 3,7V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
38A	TK74038L	VR-IC	Dual, LDO, Separate Enable, 3,8+3,8V±2%, 300mA	SOT23L-8	33vrga	-	Tok
38P	TK11238BM	VR-IC	LDO, Enable, 3,8V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
38Q	TK11338BM	VR-IC	LDO, -Enable, 3,8V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
38R	TK11338CM	VR-IC	LDO, -Enable, 3,8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
39A	TK74039L	VR-IC	Dual, LDO, Separate Enable, 3,9+3,9V±2%, 300mA	SOT23L-8	33vrga	-	Tok
39P	TK11239BM	VR-IC	LDO, Enable, 3,9V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
39Q	TK11339BM	VR-IC	LDO, -Enable, 3,9V 2,5%, 150mA	SOT23L-6	33vf	VR7	Tok
3B	BC856BDW1T1	Si-PNP	Dual, GP, 80V, 100mA, 250mW, B=220 475, >100MHz	SOT323	33iq	-	Ons
3C	BC857S	Si-PNP	Dual, AF, 50V, 100mA, 310mW, B=90 270, >100MHz	SOT363	33iq	-	Inf
3D	BC856S	Si-PNP	Dual, AF, 80V, 100mA, 310mW, B=90 270, >100MHz	SOT363	33iq	-	Inf
3F	BC857BDW1T1	Si-PNP	Dual, GP, 50V, 100mA, 250mW, B=220 475, >100MHz	SOT363	33iq	-	Ons
3F	BC857BV	Si-PNP	Dual, AF, 50V, 100mA, 310mW, B=90 270, >100MHz	SOT666	35iq	-	Phi
3Fi	BC857BS	Si-PNP	Dual, AF, 50V, 100mA, 310mW, B=90 270, >100MHz	SOT363	33iq	-	Phi
3G	BC857CDW1T1	Si-PNP	Dual, GP, 50V, 100mA, 250mW, B=420 800, >100MHz	SOT323	33iq	-	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
3K	BC858BDW1T1	Si-PNP	Dual, GP, 30V, 100mA, 250mW, B=220..475, >100MHz	SOT323	33lg	-	Ons
3L	BC858CDW1T1	Si-PNP	Dual, GP, 30V, 100mA, 250mW, B=420..800, >100MHz	SOT23	33lg	-	Ons
40A	TK74040L	VR-IC	Dual, LDO, Separate Enable, 4+4V±2%, 300mA	SOT23L-8	33vrga	-	Tok
40P	TK11240BM	VR-IC	LDO, Enable, 4V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
40Q	TK11340BM	VR-IC	LDO, -Enable, 4V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
40R	TK11340CM	VR-IC	LDO, -Enable, 4V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
41A	TK74041L	VR-IC	Dual, LDO, Separate Enable, 4,1+4,1V±2%, 300mA	SOT23L-8	33vrga	-	Tok
41P	TK11241BM	VR-IC	LDO, Enable, 4,1V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
41Q	TK11341BM	VR-IC	LDO, -Enable, 4,1V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
42A	TK74042L	VR-IC	Dual, LDO, Separate Enable, 4,2+4,2V±2%, 300mA	SOT23L-8	33vrga	-	Tok
42P	TK11242BM	VR-IC	LDO, Enable, 4,2V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
42Q	TK11342BM	VR-IC	LDO, -Enable, 4,2V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
43A	TK74043L	VR-IC	Dual, LDO, Separate Enable, 4,3+4,3V±2%, 300mA	SOT23L-8	33vrga	-	Tok
43P	TK11243BM	VR-IC	LDO, Enable, 4,3V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
43Q	TK11343BM	VR-IC	LDO, -Enable, 4,3V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
44A	TK74044L	VR-IC	Dual, LDO, Separate Enable, 4,4+4,4V±2%, 300mA	SOT23L-8	33vrga	-	Tok
44P	TK11244BM	VR-IC	LDO, Enable, 4,4V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
44Q	TK11344BM	VR-IC	LDO, -Enable, 4,4V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
44R	μPA811T-FB	Si-NPN	Dual, VHF/UHF, 20V, 35mA, 8.5GHz, B=40..80	SOT363	33lf	-	Nec
45A	TK74045L	VR-IC	Dual, LDO, Separate Enable, 4,5+4,5V±2%, 300mA	SOT23L-8	33vrga	-	Tok
45P	TK11245BM	VR-IC	LDO, Enable, 4,5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
45Q	TK11345BM	VR-IC	LDO, -Enable, 4,5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
45R	μPA811T-GB	Si-NPN	Dual, VHF/UHF, 20V, 35mA, 8.5GHz, B=70..140	SOT363	33lf	-	Nec
45R	TK11345CM	VR-IC	LDO, -Enable, 4,5V 5%, 150mA	SOT23L-8	33vf	VR7	Tok
46A	TK74046L	VR-IC	Dual, LDO, Separate Enable, 4,6+4,6V±2%, 300mA	SOT23L-8	33vrga	-	Tok
46P	TK11246BM	VR-IC	LDO, Enable, 4,6V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
46Q	TK11346BM	VR-IC	LDO, -Enable, 4,6V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
47A	TK74047L	VR-IC	Dual, LDO, Separate Enable, 4,7+4,7V±2%, 300mA	SOT23L-8	33vrga	-	Tok
47P	TK11247BM	VR-IC	LDO, Enable, 4,7V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
47Q	TK11347BM	VR-IC	LDO, -Enable, 4,7V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
47R	TK11347CM	VR-IC	LDO, -Enable, 4,7V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
482I	TS482ID	Lin-IC	2xAF PA, 2..5.5V, 2x100mW(5V/16Q)	SO-8	33	PA4	Ste
482I	TS482IQT	Lin-IC	2xAF PA, 2..5.5V, 2x100mW(5V/16Q)	LPP8	37	PA4	Ste
482I	TS482IST	Lin-IC	2xAF PA, 2..5.5V, 2x100mW(5V/16Q)	MINISO8	33	PA4	Ste
482I	TS482IT	Lin-IC	2xAF PA, 2..5.5V, 2x100mW(5V/16Q)	SO-8	33	PA4	Ste
48A	TK74048L	VR-IC	Dual, LDO, Separate Enable, 4,8+4,8V±2%, 300mA	SOT23L-8	33vrga	-	Tok
48P	TK11248BM	VR-IC	LDO, Enable, 4,8V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
48Q	TK11348BM	VR-IC	LDO, -Enable, 4,8V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
48R	TK11348CM	VR-IC	LDO, -Enable, 4,8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
48A	TK74049L	VR-IC	Dual, LDO, Separate Enable, 4,9+4,9V±2%, 300mA	SOT23L-8	33vrga	-	Tok
49P	TK11249BM	VR-IC	LDO, Enable, 4,9V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
49Q	TK11349BM	VR-IC	LDO, -Enable, 4,9V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
4Ft	BC646S	Si-NPN	Dual, GP, 80V, 100mA, 200mW, B>100, >100MHz	SOT363	33lg	-	Phi
50A	TK74050L	VR-IC	Dual, LDO, Separate Enable, 5+5V±2%, 300mA	SOT23L-8	33vrga	-	Tok
50P	TK11250BM	VR-IC	LDO, Enable, 5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
50Q	TK11350BM	VR-IC	LDO, -Enable, 5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
50R	TK11350CM	VR-IC	LDO, -Enable, 5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
55P	TK11255BM	VR-IC	LDO, Enable, 5,5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
55Q	TK11355BM	VR-IC	LDO, -Enable, 5,5V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
55R	TK11355CM	VR-IC	LDO, -Enable, 5,5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
5A6	MMQA5V6T1	Z-Diode/TVS	Quad, 5.6V, 24W(1ms)	SC-74	33dx	-	Ons
5Ft	BC856S	Si-PNP	Dual, AF, 80V, 100mA, 200mW, B>110, >100MHz	SC-88	33lg	-	Phi
5Q	DDZX39FTS	Z-Diode	Triple, 3x39V±2.5%, 200mW	SOT363	33dd	-	Dil
60P	TK11260BM	VR-IC	LDO, Enable, 6V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
60Q	TK11360BM	VR-IC	LDO, -Enable, 6V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
60R	TK11360CM	VR-IC	LDO, -Enable, 6V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
6120A2	TPA6120A2DWP	Lin-IC	2xAF PA, ±5..±15V, 2x80mW(±5V/16Q)	SO-20	33	PA59	Tix
62J	MIC5252-2.85BML	VR-IC	LDO, Low-Noise, Enable, 2,85V±1%, 150mA	LPP-6	37vrb	VR7	Mcr
6A	UN601	Si-PNP	PNP+Diode, PNP: 80V, 1A, 0.5W, 120MHz, Di: 40V, 0.5A	SO-6	33lh	-	Pan
6A2	MMQA6V2T1	Z-Diode/TVS	Quad, 6.2V, 24W(1ms)	SC-74	33dx	-	Ons
6A8	MMQA6V8T1	Z-Diode/TVS	Quad, 6.8V, 24W(1ms)	SC-74	33dx	-	Ons
6B	UN602	Si-PNP	PNP+Diode, PNP: 15V, 3A, 1W, 120MHz, Di: 30V, 0.7A	SO-6	33lh	-	Pan
6C	UN603	Si-PNP	Dual, 2x 80V, 1A, 1W, 120MHz	SO-6	33u	-	Pan
6O	UN604	Si-PNP+Di	PNP+NPN, 20V, 1.5A, 1W, 190MHz	SO-6	33b	-	Pan
6Z	XP6111	Si-PNP-Digi	Dual, 50V, 100mA, 150mW, 80MHz, R1/R2=10k/10k	SMini6	33lf	-	Pan
73t	μPA813T-FB	Si-NPN	Dual, UHF, 9V, 100mA, 4.5GHz, B=40..80	SOT363	33lf	-	Nec
74e	BA570-04S	Si-Diode	Dual, Schottky, GP, 70V, 70mA, Vf<1V(15mA), <100ps	SOT363	33bk	-	Ste
74T	μPA813T-GB	Si-NPN	Dual, UHF, 9V, 100mA, 4.5GHz, B=70..140	SOT363	33lf	-	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
7A	MUN5211DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=10/10k	SOT363	33tg	-	Mot
7B	MUN5212DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=22/22k	SOT363	33tg	-	Mot
7C	MUN5213DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=47k/47k	SOT363	33tg	-	Mot
7D	MUN5214DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=10/47k	SOT363	33tg	-	Mot
7E	MUN5215DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1=10k	SOT363	33tg	-	Mot
7F	MUN5216DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1=47k	SOT363	33tg	-	Mot
7G	MUN5230DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=1k/1k0	SOT363	33tg	-	Mot
7H	MUN5231DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=2k2/2k2	SOT363	33tg	-	Mot
7J	MUN5232DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=4k/4k7	SOT363	33tg	-	Mot
7K	MUN5233DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=4k7/47k	SOT363	33tg	-	Mot
7L	MUN5234DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=22k/47k	SOT363	33tg	-	Mot
7N	MUN5236DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=100k/100k	SOT363	33tg	-	Mot
7P	MUN5237DW1	Si-NPN-Digi	Dual, Switching, 2x50V, 100mA, 200mW, R1/R2=47k/22k	SOT363	33tg	-	Mot
80P	TK11280BM	VR-IC	LDO, Enable, 8V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
80Q	TK11380BM	VR-IC	LDO, -Enable, 8V 2.5%, 150mA	SOT23L-6	33vf	VR7	Tok
80R	TK11380CM	VR-IC	LDO, -Enable, 8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
84H	MIC5305-4.75BML	VR-IC	Low Noise, LDO, Enable, 4.75V±1%, 150mA	LPP-6	33vrb	VR7	Mcr
8L05A	MC78L05ABD	VR-IC	Low iq, 5V±1.5%, 100mA, -40...+125°C	SOP-8	33vb	VR1	Ons
8L05A	MC78L05ACD	VR-IC	Low iq, 5V±1.5%, 100mA, 0...+125°C	SOP-8	33vb	VR1	Ons
8L08A	MC78L08ABD	VR-IC	Low iq, 8V±1.5%, 100mA, -40...+125°C	SOP-8	33vb	VR1	Ons
8L08A	MC78L08ACD	VR-IC	Low iq, 8V±1.5%, 100mA, 0...+125°C	SOP-8	33vb	VR1	Ons
8L09A	MC78L09ABD	VR-IC	Low iq, 9V±1.5%, 100mA, -40...+125°C	SOP-8	33vb	VR1	Ons
8L09A	MC78L09ACD	VR-IC	Low iq, 9V±1.5%, 100mA, 0...+125°C	SOP-8	33vb	VR1	Ons
8L12A	MC78L12ABD	VR-IC	Low iq, 12V±1.5%, 100mA, -40...+125°C	SOP-8	33vb	VR1	Ons
8L12A	MC78L12ACD	VR-IC	Low iq, 12V±1.5%, 100mA, 0...+125°C	SOP-8	33vb	VR1	Ons
8L15A	MC78L15ABD	VR-IC	Low iq, 15V±1.5%, 100mA, -40...+125°C	SOP-8	33vb	VR1	Ons
8L15A	MC78L15ACD	VR-IC	Low iq, 15V±1.5%, 100mA, 0...+125°C	SOP-8	33vb	VR1	Ons
815	1PS88SB48	Si-Diode	Quad, Schottky Barrier, Hi-Speed, 40V, 120mA, <5pF	SC-88	33bj	-	Phi
A	MAY-11SM	Lin-IC	RF amplifier, 50MHz, 8GHz, 9dB (50Ω)	LPP-X	36ad	A1	Mc
A12A	R1230D121A	VR-IC	PWM, St-Down DC/DC Conv, 1.2V, 800mA, 500KHz	SON-8	35ej	-	Ric
A12B	R1230D121B	VR-IC	PWM, St-Down DC/DC Conv, 1.2V, 800mA, 800KHz	SON-8	35ej	-	Ric
A13A	R1230D131A	VR-IC	PWM, St-Down DC/DC Conv, 1.3V, 800mA, 500KHz	SON-8	35ej	-	Ric
A13B	R1230D131B	VR-IC	PWM, St-Down DC/DC Conv, 1.3V, 800mA, 800KHz	SON-8	35ej	-	Ric
A14A	R1230D141A	VR-IC	PWM, St-Down DC/DC Conv, 1.4V, 800mA, 500KHz	SON-8	35ej	-	Ric
A14B	R1230D141B	VR-IC	PWM, St-Down DC/DC Conv, 1.4V, 800mA, 800KHz	SON-8	35ej	-	Ric
A15A	R1230D151A	VR-IC	PWM, St-Down DC/DC Conv, 1.5V, 800mA, 500KHz	SON-8	35ej	-	Ric
A15B	R1230D151B	VR-IC	PWM, St-Down DC/DC Conv, 1.5V, 800mA, 800KHz	SON-8	35ej	-	Ric
A16A	R1230D161A	VR-IC	PWM, St-Down DC/DC Conv, 1.6V, 800mA, 500KHz	SON-8	35ej	-	Ric
A16B	R1230D161B	VR-IC	PWM, St-Down DC/DC Conv, 1.6V, 800mA, 800KHz	SON-8	35ej	-	Ric
A17A	R1230D171A	VR-IC	PWM, St-Down DC/DC Conv, 1.7V, 800mA, 500KHz	SON-8	35ej	-	Ric
A17B	R1230D171B	VR-IC	PWM, St-Down DC/DC Conv, 1.7V, 800mA, 800KHz	SON-8	35ej	-	Ric
A18	TK71818CB	VR-IC	LDO, Enable, 1.8V±1.5%, 200mA	FC-5	39be	VR7	Tok
A18A	R1230D181A	VR-IC	PWM, St-Down DC/DC Conv, 1.8V, 800mA, 500KHz	SON-8	35ej	-	Ric
A18B	R1230D181B	VR-IC	PWM, St-Down DC/DC Conv, 1.8V, 800mA, 800KHz	SON-8	35ej	-	Ric
A19A	R1230D191A	VR-IC	PWM, St-Down DC/DC Conv, 1.9V, 800mA, 500KHz	SON-8	35ej	-	Ric
A19B	R1230D191B	VR-IC	PWM, St-Down DC/DC Conv, 1.9V, 800mA, 800KHz	SON-8	35ej	-	Ric
A2	LM4665ITL	Lin-IC	AF PA, Cl-D, BTL, 2.7...5.5V, 1W(SV/8Ω), shutdown	BGA9	39	PA2	Nsc
A2	LM4665ITLX	Lin-IC	AF PA, Cl-D, BTL, 2.7...5.5V, 1W(SV/8Ω), shutdown	BGA9	39	PA2	Nsc
A2	MBT3906DW1T1	Si-PNP	Dual, AF, 40V, 200mA, 150mW, B=60...300, >250MHz	SOT363	39tg	-	Ons
A20	TK71820CB	VR-IC	LDO, Enable, 2V±1.5%, 200mA	FC-5	39be	VR7	Tok
A20A	R1230D201A	VR-IC	PWM, St-Down DC/DC Conv, 2V, 800mA, 500KHz	SON-8	35ej	-	Ric
A20B	R1230D201B	VR-IC	PWM, St-Down DC/DC Conv, 2V, 800mA, 800KHz	SON-8	35ej	-	Ric
A21A	R1230D211A	VR-IC	PWM, St-Down DC/DC Conv, 2.1V, 800mA, 500KHz	SON-8	35ej	-	Ric
A21B	R1230D211B	VR-IC	PWM, St-Down DC/DC Conv, 2.1V, 800mA, 800KHz	SON-8	35ej	-	Ric
A22A	R1230D221A	VR-IC	PWM, St-Down DC/DC Conv, 2.2V, 800mA, 500KHz	SON-8	35ej	-	Ric
A22B	R1230D221B	VR-IC	PWM, St-Down DC/DC Conv, 2.2V, 800mA, 800KHz	SON-8	35ej	-	Ric
A23A	R1230D231A	VR-IC	PWM, St-Down DC/DC Conv, 2.3V, 800mA, 500KHz	SON-8	35ej	-	Ric
A23B	R1230D231B	VR-IC	PWM, St-Down DC/DC Conv, 2.3V, 800mA, 800KHz	SON-8	35ej	-	Ric
A24A	R1230D241A	VR-IC	PWM, St-Down DC/DC Conv, 2.4V, 800mA, 500KHz	SON-8	35ej	-	Ric
A24B	R1230D241B	VR-IC	PWM, St-Down DC/DC Conv, 2.4V, 800mA, 800KHz	SON-8	35ej	-	Ric
A25	TK71825CB	VR-IC	LDO, Enable, 2.5V±1.5%, 200mA	FC-5	39be	VR7	Tok
A25A	R1230D251A	VR-IC	PWM, St-Down DC/DC Conv, 2.5V, 800mA, 500KHz	SON-8	35ej	-	Ric
A25B	R1230D251B	VR-IC	PWM, St-Down DC/DC Conv, 2.5V, 800mA, 800KHz	SON-8	35ej	-	Ric
A26A	R1230D261A	VR-IC	PWM, St-Down DC/DC Conv, 2.6V, 800mA, 500KHz	SON-8	35ej	-	Ric
A26B	R1230D261B	VR-IC	PWM, St-Down DC/DC Conv, 2.6V, 800mA, 800KHz	SON-8	35ej	-	Ric
A27	TK71827CB	VR-IC	LDO, Enable, 2.7V±1.5%, 200mA	FC-5	39be	VR7	Tok
A27A	R1230D271A	VR-IC	PWM, St-Down DC/DC Conv, 2.7V, 800mA, 500KHz	SON-8	35ej	-	Ric
A27B	R1230D271B	VR-IC	PWM, St-Down DC/DC Conv, 2.7V, 800mA, 800KHz	SON-8	35ej	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
A28	TK71828CB	VR-IC	LDO, Enable, 2.8V±1.5%, 200mA	FC-5	39be	VR7	Tok
A28A	R1230D281A	VR-IC	PWM, St-Down DC/DC Conv, 2.8V, 800mA, 500KHz	SON-8	35ej	-	Ric
A28B	R1230D281B	VR-IC	PWM, St-Down DC/DC Conv, 2.8V, 800mA, 800KHz	SON-8	35ej	-	Ric
A29	TK71829CB	VR-IC	LDO, Enable, 2.9V±1.5%, 200mA	FC-5	39be	VR7	Tok
A29A	R1230D291A	VR-IC	PWM, St-Down DC/DC Conv, 2.9V, 800mA, 500KHz	SON-8	35ej	-	Ric
A29B	R1230D291B	VR-IC	PWM, St-Down DC/DC Conv, 2.9V, 800mA, 800KHz	SON-8	35ej	-	Ric
A30	TK71830CB	VR-IC	LDO, Enable, 3V±1.5%, 200mA	FC-5	39be	VR7	Tok
A30A	R1230D301A	VR-IC	PWM, St-Down DC/DC Conv, 3V, 800mA, 500KHz	SON-8	35ej	-	Ric
A30B	R1230D301B	VR-IC	PWM, St-Down DC/DC Conv, 3V, 800mA, 800KHz	SON-8	35ej	-	Ric
A31	TK71831CB	VR-IC	LDO, Enable, 3.1V±1.5%, 200mA	FC-5	39be	VR7	Tok
A31A	R1230D311A	VR-IC	PWM, St-Down DC/DC Conv, 3.1V, 800mA, 500KHz	SON-8	35ej	-	Ric
A31B	R1230D311B	VR-IC	PWM, St-Down DC/DC Conv, 3.1V, 800mA, 800KHz	SON-8	35ej	-	Ric
A32A	R1230D321A	VR-IC	PWM, St-Down DC/DC Conv, 3.2V, 800mA, 500KHz	SON-8	35ej	-	Ric
A32B	R1230D321B	VR-IC	PWM, St-Down DC/DC Conv, 3.2V, 800mA, 800KHz	SON-8	35ej	-	Ric
A33	TK71833CB	VR-IC	LDO, Enable, 3.3V±1.5%, 200mA	FC-5	39be	VR7	Tok
A33A	R1230D331A	VR-IC	PWM, St-Down DC/DC Conv, 3.3V, 800mA, 500KHz	SON-8	35ej	-	Ric
A33B	R1230D331B	VR-IC	PWM, St-Down DC/DC Conv, 3.3V, 800mA, 800KHz	SON-8	35ej	-	Ric
A34	OPA234E	Op-IC	Precision, Lo-Power, ±1.35...±18V, Icc=250µA, Vofs=±100µV	SO723-5	33ope	OP2	Bub
A34	OPA234EA	Op-IC	Precision, Lo-Power, ±1.35...±18V, Icc=250µA, Vofs=±40µV	SO-8	33ope	OP2	Bub
A34A	R1230D341A	VR-IC	PWM, St-Down DC/DC Conv, 3.4V, 800mA, 500KHz	SON-8	35ej	-	Ric
A34B	R1230D341B	VR-IC	PWM, St-Down DC/DC Conv, 3.4V, 800mA, 800KHz	SON-8	35ej	-	Ric
A35A	R1230D351A	VR-IC	PWM, St-Down DC/DC Conv, 3.5V, 800mA, 500KHz	SON-8	35ej	-	Ric
A35B	R1230D351B	VR-IC	PWM, St-Down DC/DC Conv, 3.5V, 800mA, 800KHz	SON-8	35ej	-	Ric
A36A	R1230D361A	VR-IC	PWM, St-Down DC/DC Conv, 3.6V, 800mA, 500KHz	SON-8	35ej	-	Ric
A36B	R1230D361B	VR-IC	PWM, St-Down DC/DC Conv, 3.6V, 800mA, 800KHz	SON-8	35ej	-	Ric
A37A	R1230D371A	VR-IC	PWM, St-Down DC/DC Conv, 3.7V, 800mA, 500KHz	SON-8	35ej	-	Ric
A37B	R1230D371B	VR-IC	PWM, St-Down DC/DC Conv, 3.7V, 800mA, 800KHz	SON-8	35ej	-	Ric
A38A	R1230D381A	VR-IC	PWM, St-Down DC/DC Conv, 3.8V, 800mA, 500KHz	SON-8	35ej	-	Ric
A38B	R1230D381B	VR-IC	PWM, St-Down DC/DC Conv, 3.8V, 800mA, 800KHz	SON-8	35ej	-	Ric
A39A	R1230D391A	VR-IC	PWM, St-Down DC/DC Conv, 3.9V, 800mA, 500KHz	SON-8	35ej	-	Ric
A39B	R1230D391B	VR-IC	PWM, St-Down DC/DC Conv, 3.9V, 800mA, 800KHz	SON-8	35ej	-	Ric
A4	LM4838TL	Lin-IC	2xAF PA, BTL, 2.7...5.5V, 2x2W (5V/4Q), Volume Control	BGA36	39	PA8	Nsc
A4	LM4838TLX	Lin-IC	2xAF PA, BTL, 2.7...5.5V, 2x2W (5V/4Q), Volume Control	BGA36	39	PA8	Nsc
A40A	R1230D401A	VR-IC	PWM, St-Down DC/DC Conv, 4V, 800mA, 500KHz	SON-8	35ej	-	Ric
A40B	R1230D401B	VR-IC	PWM, St-Down DC/DC Conv, 4V, 800mA, 800KHz	SON-8	35ej	-	Ric
A5	LM4915LQ	Lin-IC	-AF PA, BTL, 2.2...5.5V, 90mW (5V/32Q), shutdown	LPP8	37	PA30	Nsc
A5	BGA2011	Lin-IC	RF amplifier, DC..900MHz, 19dB (50Q), Vcc=4.5V	SOT363	33ae	A2	Phi
A51	TS49511JT	Lin-IC	AF PA, 3.5..5.5V, BTL 1W (5V/8Q)+2x BTL 80mW (5V/32Q)	BGA18	39	PA9	Ste
A5	LM4904TL	Lin-IC	AF PA, BTL, 2.2...5.5V, 1W (5V/8Q), shutdown	BGA9	39	PA14	Nsc
A6	LM4904ITLX	Lin-IC	AF PA, BTL, 2.2...5.5V, 1W (5V/8Q), shutdown	BGA9	39	PA14	Nsc
A6	BGA2012	Lin-IC	RF amplifier, DC..1.9GHz, 16dB (50Q), Vcc=4.5V	SOT363	33ae	A2	Phi
A6s	BA516S	Si-Diode	Triple, Switching, Fast, 80V, 200mA, 250mW, <6ns	SOT363	33dd	-	Inf
A6s	BA516U	Si-Diode	Triple, Switching, Fast, 80V, 200mA, 250mW, <6ns	SC-74	34dd	-	Inf
A73	TS49731JT	Lin-IC	AF PA, BTL, 2.8...5.5V, 1.2W (5V/8Q), shutdown	BGA9	39	PA66	Ste
A8	R1180D081A	VR-IC	LDO, -Enable, 0.81V±2%, 200mA	SON-6	35vrf	VR4	Ric
A86A	LMV932MM	Op-IC	Dual, Lo-Power, Vcc=1.8..5V, 1.4MHz, 0.35V/µs	SO-8	33opd	-	Nsc
A86A	LMV932MMX	Op-IC	Dual, Lo-Power, Vcc=1.8..5V, 1.4MHz, 0.35V/µs	SO-8	33opd	-	Nsc
A9	LM4916MM	Lin-IC	AF PA, 2.2...5.5V, BTL 85mW (3V/32Q), shutdown	MINISO10	33	PA31	Nsc
A9	R1180D091A	VR-IC	LDO, -Enable, 0.91V±2%, 200mA	SON-6	35vrf	VR4	Ric
A90	TS49901JT	Lin-IC	AF PA, BTL, 2.5...5.5V, 1.2W (5V/8Q), shutdown	BGA9	39	PA14	Ste
A94	TS49941JT	Lin-IC	AF PA, BTL, 2.5...5.5V, 1.2W (5V/8Q), shutdown	BGA9	39	PA20	Ste
A96	ASMCC0096	Si-N+Z-Di	NPN: 60V 0.2A, 200mW, 300MHz, Z-Di: 5.6V±5%, 200mW	SOT363	33tz	-	Dil
AAA	MAX4368ETA	Lin-IC	AF PA, BTL, 2.3...5.5V 0.33W (5V/32Q), shutdown	LPP8	37	PA35	Max
AAA	TPA301DGN	Lin-IC	AF PA, BTL, 2.5...5.5V, 350mW (5V/8Q), shutdown	MINISO8	33	PA6	Tix
AAB	MAX4367ETA	Lin-IC	AF PA, BTL, 2.3...5.5V 0.33W (5V/32Q), shutdown	LPP8	37	PA35	Max
AAC	MAX4366ETA	Lin-IC	AF PA, BTL, 2.3...5.5V 0.33W (5V/32Q), shutdown	LPP8	37	PA35	Max
AAC	TPA102DGN	Lin-IC	2xAF PA, 2.5...5.5V, 2x150mW (5V/8Q)	MINISO8	33	PA16	Tix
AAD	TPA112DGN	Lin-IC	2xAF PA, 2.5...5.5V, 2x100mW (5V/8Q)	MINISO8	33	PA4	Tix
AAD1	TPA6203A1GQVR	Lin-IC	AF PA, BTL, 2.5...5.5V, 1W (5V/8Q), shutdown	BGA9	39	PA60	Tix
AADZ	MAX9721AETC	Lin-IC	2xAF PA, BTL, 0.9...1.8V, 2x20mW (1.5V/16Q), shutdown	SO12	33	PA40	Max
AAE	TPA122DGN	Lin-IC	2xAF PA, 2.5...5.5V, 2x100mW (5V/8Q), shutdown	MINISO8	33	PA15	Tix
AAEA	MAX9721BETC	Lin-IC	2xAF PA, BTL, 0.9...1.8V, 2x20mW (1.5V/16Q), shutdown	SO12	33	PA40	Max
AAEB	MAX9721CETC	Lin-IC	2xAF PA, BTL, 0.9...1.8V, 2x20mW (1.5V/16Q), shutdown	SO12	33	PA40	Max
AAEI	TPA6203A1ZQVR	Lin-IC	AF PA, BTL, 2.5...5.5V, 1.25W (5V/8Q), shutdown	BGA9	39	PA60	Tix
AAFI	TPA2005D1ZQYR	Lin-IC	AF PA, Cl-D, BTL, 2.2...5.5V, 1.1W (5V/8Q), shutdown	BGA16	39	PA53	Tix
AAI	MAX9712ETB	Lin-IC	AF PA, Cl-D, BTL, 2.2...5.5V, 500mW (3V/8Q), shutdown	LPP10	38	PA37	Max
AAIK	MAX4337EKA-T	Lin-IC	2xAF PA, 2.7...5.5V, 2x40mW (3V/32Q)	SOT23-8	33	PA4	Max
AAIO	MAX4366EKA-T	Lin-IC	AF PA, BTL, 2.3...5.5V 0.33W (5V/32Q), shutdown	SO-8	33	PA6	Max

SMD код	Тип	Функ	Краткое описание	Корп	Цок.	Сх.	Пр.
AAJP	MAX4367EKA T	Lin IC	AF PA BTL 2 3 5 5V 0 33W(5V/32Q) shutdown	SO 8	33	PA35	Max
AAJQ	MAX4368EKA T	Lin IC	AF PA BTL 2 3 5 5V 0 33W(5V/32Q) shutdown	SO 8	33	PA35	Max
AAK	MAX4366EBL T	Lin IC	AF PA BTL 2 3 5 5V 0 33W(5V/32Q) shutdown	LPPB	37	PA12	Max
AAK	MAX6410BS33 T	CMOS IC	Voltage Detector 3 3V MR Reset Push pull output	UCSP 4	39bd	VD5	Max
AAKK	MAX6505UTN035	CMOS IC	Temperature Detector 35°C Open drain output	SOT23 6	33idd	TD1	Max
AAKL	MAX6505UTN030	CMOS IC	Temperature Detector 30°C Open drain output	SOT23 6	33idd	TD1	Max
AAKM	MAX6505UTN025	CMOS IC	Temperature Detector 25°C Open drain output	SOT23 6	33idd	TD1	Max
AAKN	MAX6505UTN020	CMOS IC	Temperature Detector 20°C Open drain output	SOT23 6	33idd	TD1	Max
AAKO	MAX6505UTN015	CMOS IC	Temperature Detector 15°C Open drain output	SOT23 6	33idd	TD1	Max
AAKP	MAX6505UTN010	CMOS IC	Temperature Detector 10°C Open drain output	SOT23 6	33idd	TD1	Max
AAKQ	MAX6505UTN005	CMOS IC	Temperature Detector 5°C Open drain output	SOT23 6	33idd	TD1	Max
AAKR	MAX6505UTP000	CMOS IC	Temperature Detector +0°C Open drain output	SOT23 6	33idd	TD1	Max
AAKS	MAX6505UTP005	CMOS IC	Temperature Detector +5°C Open drain output	SOT23 6	33idd	TD1	Max
AAKT	MAX6505UTP010	CMOS IC	Temperature Detector +10°C Open drain output	SOT23 6	33idd	TD1	Max
AAKU	MAX6505UTP015	CMOS IC	Temperature Detector +15°C Open drain output	SOT23 6	33idd	TD1	Max
AAKV	MAX6505UTP020	CMOS IC	Temperature Detector +20°C Open drain output	SOT23 6	33idd	TD1	Max
AAKW	MAX6505UTP025	CMOS IC	Temperature Detector +25°C Open drain output	SOT23 6	33idd	TD1	Max
AAKX	MAX6505UTP030	CMOS IC	Temperature Detector +30°C Open drain output	SOT23 6	33idd	TD1	Max
AAKY	MAX6505UTP035	CMOS IC	Temperature Detector +35°C Open drain output	SOT23 6	33idd	TD1	Max
AAKZ	MAX6505UTP040	CMOS IC	Temperature Detector +40°C Open drain output	SOT23 6	33idd	TD1	Max
AAL	MAX4367EBL T	Lin IC	AF PA BTL 2 3 5 5V 0 33W(5V/32Q) shutdown	BGA9	39	PA36	Max
AAL	MAX6410BS34 T	CMOS IC	Voltage Detector 3 4V MR Reset Push pull output	UCSP-4	39bd	VD5	Max
AALA	MAX6505UTP045	CMOS IC	Temperature Detector +45°C Open drain output	SOT23 6	33idd	TD1	Max
AALB	MAX6505UTP050	CMOS IC	Temperature Detector +50°C Open drain output	SOT23 6	33idd	TD1	Max
AALC	MAX6505UTP055	CMOS IC	Temperature Detector +55°C Open drain output	SOT23 6	33idd	TD1	Max
AALD	MAX6505UTP060	CMOS IC	Temperature Detector +60°C Open drain output	SOT23 6	33idd	TD1	Max
AALE	MAX6505UTP065	CMOS IC	Temperature Detector +65°C Open drain output	SOT23 6	33idd	TD1	Max
AALF	MAX6505UTP070	CMOS IC	Temperature Detector +70°C Open drain output	SOT23 6	33idd	TD1	Max
AALG	MAX6505UTP075	CMOS IC	Temperature Detector +75°C Open drain output	SOT23 6	33idd	TD1	Max
AALH	MAX6505UTP080	CMOS IC	Temperature Detector +80°C Open drain output	SOT23 6	33idd	TD1	Max
AALI	MAX6505UTP085	CMOS IC	Temperature Detector +85°C Open drain output	SOT23 6	33idd	TD1	Max
AALJ	MAX6505UTP090	CMOS IC	Temperature Detector +90°C Open drain output	SOT23 6	33idd	TD1	Max
AALK	MAX6505UTP095	CMOS IC	Temperature Detector +95°C Open drain output	SOT23 6	33idd	TD1	Max
AALM	MAX6505UTP100	CMOS IC	Temperature Detector +100°C Open drain output	SOT23 6	33idd	TD1	Max
AALN	MAX6505UTP105	CMOS IC	Temperature Detector +105°C Open drain output	SOT23 6	33idd	TD1	Max
AALO	MAX6505UTP110	CMOS IC	Temperature Detector +110°C Open drain output	SOT23 6	33idd	TD1	Max
AALO	MAX6505UTP115	CMOS IC	Temperature Detector +115°C Open drain output	SOT23 6	33idd	TD1	Max
AALP	MAX6505UTP120	CMOS IC	Temperature Detector +120°C Open drain output	SOT23 6	33idd	TD1	Max
AALQ	MAX6505UTP125	CMOS IC	Temperature Detector +125°C Open drain output	SOT23 6	33idd	TD1	Max
AALR	MAX6506UTN035	CMOS IC	Temperature Detector 35°C Push pull output	SOT23 6	33idd	TD1	Max
AALS	MAX6506UTN030	CMOS IC	Temperature Detector 30°C Push pull output	SOT23 6	33idd	TD1	Max
AALT	MAX6506UTN025	CMOS IC	Temperature Detector 25°C Push pull output	SOT23 6	33idd	TD1	Max
AALU	MAX6506UTN020	CMOS IC	Temperature Detector 20°C Push pull output	SOT23 6	33idd	TD1	Max
AALV	MAX6506UTN015	CMOS IC	Temperature Detector 15°C Push pull output	SOT23-6	33idd	TD1	Max
AALW	MAX6506UTN010	CMOS IC	Temperature Detector 10°C Push pull output	SOT23 6	33idd	TD1	Max
AALX	MAX6506UTN005	CMOS IC	Temperature Detector 5°C Push pull output	SOT23-6	33idd	TD1	Max
AALY	MAX6506UTP000	CMOS IC	Temperature Detector +0°C Push pull output	SOT23 6	33idd	TD1	Max
AALZ	MAX6506UTP005	CMOS IC	Temperature Detector +5°C Push pull output	SOT23 6	33idd	TD1	Max
AAM	MAX4368EBL T	Lin IC	AF PA BTL 2 3 5 5V 0 33W(5V/32Q) shutdown	BGA9	39	PA36	Max
AAM	MAX6410BS35 T	CMOS IC	Voltage Detector 3 5V MR Reset Push pull output	UCSP 4	39bd	VD5	Max
AAMA	MAX6506UTP010	CMOS IC	Temperature Detector +10°C Push pull output	SOT23 6	33idd	TD1	Max
AAMB	MAX6506UTP015	CMOS IC	Temperature Detector +15°C Push pull output	SOT23 6	33idd	TD1	Max
AAMC	MAX6506UTP020	CMOS IC	Temperature Detector +20°C Push pull output	SOT23 6	33idd	TD1	Max
AAMD	MAX6506UTP025	CMOS IC	Temperature Detector +25°C Push pull output	SOT23 6	33idd	TD1	Max
AAME	MAX6506UTP030	CMOS IC	Temperature Detector +30°C Push pull output	SOT23 6	33idd	TD1	Max
AAMF	MAX6506UTP035	CMOS IC	Temperature Detector +35°C Push pull output	SOT23 6	33idd	TD1	Max
AAMG	MAX6506UTP040	CMOS IC	Temperature Detector +40°C Push pull output	SOT23 6	33idd	TD1	Max
AAMH	MAX6506UTP045	CMOS IC	Temperature Detector +45°C Push pull output	SOT23 6	33idd	TD1	Max
AAMI	MAX6506UTP050	CMOS IC	Temperature Detector +50°C Push pull output	SOT23 6	33idd	TD1	Max
AAMJ	MAX6506UTP055	CMOS IC	Temperature Detector +55°C Push pull output	SOT23 6	33idd	TD1	Max
AAMK	MAX6506UTP060	CMOS IC	Temperature Detector +60°C Push pull output	SOT23 6	33idd	TD1	Max
AAML	MAX6506UTP065	CMOS IC	Temperature Detector +65°C Push pull output	SOT23 6	33idd	TD1	Max
AAMM	MAX6506UTP070	CMOS IC	Temperature Detector +70°C Push pull output	SOT23 6	33idd	TD1	Max
AAMN	MAX6506UTP075	CMOS IC	Temperature Detector +75°C Push pull output	SOT23 6	33idd	TD1	Max
AAMO	MAX6506UTP080	CMOS IC	Temperature Detector +80°C Push pull output	SOT23 6	33idd	TD1	Max
AAMP	MAX6506UTP085	CMOS IC	Temperature Detector +85°C Push pull output	SOT23 6	33idd	TD1	Max
AAMQ	MAX6506UTP090	CMOS IC	Temperature Detector +90°C Push pull output	SOT23 6	33idd	TD1	Max
AAMR	MAX6506UTP095	CMOS IC	Temperature Detector +95°C Push pull output	SOT23 6	33idd	TD1	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
AAMS	MAX6506UTP100	CMOS-IC	Temperature Detector +100°C, Push-pull output	SOT23-6	33idd	TD1	Max
AAMT	MAX6506UTP105	CMOS-IC	Temperature Detector +105°C, Push-pull output	SOT23-6	33idd	TD1	Max
AAMU	MAX6506UTP110	CMOS-IC	Temperature Detector +110°C, Push-pull output	SOT23-6	33idd	TD1	Max
AAMV	MAX6506UTP115	CMOS-IC	Temperature Detector +115°C, Push-pull output	SOT23-6	33idd	TD1	Max
AAMW	MAX6506UTP120	CMOS-IC	Temperature Detector +120°C, Push-pull output	SOT23-6	33idd	TD1	Max
AAMX	MAX6506UTP125	CMOS-IC	Temperature Detector +125°C, Push-pull output	SOT23-6	33idd	TD1	Max
AAN	MAX6410BS36-T	CMOS-IC	Voltage Detector 3.6V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAO	MAX6410BS37-T	CMOS-IC	Voltage Detector 3.7V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAP	MAX6410BS38-T	CMOS-IC	Voltage Detector 3.8V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAQ	MAX6410BS39-T	CMOS-IC	Voltage Detector 3.9V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAR	MAX6410BS40-T	CMOS-IC	Voltage Detector 4V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAS	MAX6410BS41-T	CMOS-IC	Voltage Detector 4.1V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAT	MAX6410BS42-T	CMOS-IC	Voltage Detector 4.2V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAU	MAX6410BS43-T	CMOS-IC	Voltage Detector 4.3V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAV	MAX6410BS44-T	CMOS-IC	Voltage Detector 4.4V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAW	MAX4336EXT-T	Lin-IC	AF PA, 2.7..5.5V, 40mW (3V/32Ω), shutdown	SC70-6	33	PA33	Max
AAW	MAX6410BS45-T	CMOS-IC	Voltage Detector 4.5V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAX	MAX4335EXT-T	Lin-IC	AF PA, 2.7..5.5V, 40mW (3V/32Ω)	SC70-6	33	PA32	Max
AAX	MAX6410BS46-T	CMOS-IC	Voltage Detector 4.6V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AAX	MAX9722AETE	Lin-IC	2xAf PA, BTL, 2.4..5.5V, 2x130mW (5V/32Ω), shutdown	LPP16	38	PA41	Max
AAZ	MAX6411BS33-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABA	MAX6411BS35-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABA	TPA701DGN	Lin-IC	AF PA, BTL, 2.5..5.5V, 700mW (5V/8Ω), shutdown	MINISO8	33	PA6	Tix
ABB	MAX6411BS36-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABB	TPA711DGN	Lin-IC	AF PA, BTL, 2.5..5.5V, 700mW (5V/8Ω), shutdown	MINISO8	33	PA55	Tix
ABC	MAX6411BS37-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABC	TPA721DGN	Lin-IC	AF PA, BTL, 2.5..5.5V, 700mW (5V/8Ω), shutdown	MINISO8	33	PA6	Tix
ABD	MAX6411BS38-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABE	MAX6411BS39-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABEL	MAX6449UT16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABEM	MAX6450UT16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABEN	MAX6451UT23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABF	MAX6411BS40-T	CMOS-IC	Voltage Detector 4V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABG	MAX6411BS41-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABH	MAX6411BS42-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABI	MAX6411BS43-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABJ	MAX6411BS44-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABK	MAX6411BS45-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABL	MAX6411BS46-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
ABN	MAX9721BECB-T	Lin-IC	AF PA, Cl-D, BTL, 2.2..5.5V, 500mW (1.5V/16Ω), shutdown	BGA12	39	PA38	Max
ABNP	MAX6449UT23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNQ	MAX6449UT26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNR	MAX6449UT29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNS	MAX6449UT46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNT	MAX6451UT16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNU	MAX6451UT26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNV	MAX6451UT29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNW	MAX6451UT46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Push-pull output	SOT23-6	33yg	-	Max
ABNX	MAX6450UT23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABNY	MAX6450UT26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABNZ	MAX6450UT29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABOA	MAX6450UT46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABOB	MAX6452UT16L	CMOS-IC	Voltage Detector 1.6V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABOC	MAX6452UT23L	CMOS-IC	Voltage Detector 2.3V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABOD	MAX6452UT26L	CMOS-IC	Voltage Detector 2.6V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABOE	MAX6452UT29L	CMOS-IC	Voltage Detector 2.9V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABOF	MAX6452UT46L	CMOS-IC	Voltage Detector 4.6V, ±MR, -Reset Open drain output	SOT23-6	33yg	-	Max
ABP	MAX9721AEBB-T	Lin-IC	2xAf PA, BTL, 0.9..1.8V, 2x20mW (1.5V/16Ω), shutdown	BGA12	39	PA39	Max
ABR	MAX9721CEBC-T	Lin-IC	2xAf PA, BTL, 0.9..1.8V, 2x20mW (1.5V/16Ω), shutdown	BGA12	39	PA39	Max
ACD	MAX4365ETA	Lin-IC	AF PA, BTL, 2.7..5.5V, 1W (5V/8Ω), shutdown	LPP8	37	PA34	Max
ACI	MAX9700BETB	Lin-IC	AF PA, Cl-D, BTL, 2.2..5.5V, 1.2W (5V/8Ω), shutdown	LPP10	38	PA37	Max
ACM	MAX9700AETB	Lin-IC	AF PA, Cl-D, BTL, 2.2..5.5V, 1.2W (5V/8Ω), shutdown	LPP10	38	PA37	Max
ACN	MAX9700CETB	Lin-IC	AF PA, Cl-D, BTL, 2.2..5.5V, 1.2W (5V/8Ω), shutdown	LPP10	38	PA37	Max
ACO	MAX9700DETB	Lin-IC	AF PA, Cl-D, BTL, 2.2..5.5V, 1.2W (5V/8Ω), shutdown	LPP10	38	PA37	Max
ADQ	MAX9721BEBB-T	Lin-IC	2xAf PA, BTL, 0.9..1.8V, 2x20mW (1.5V/16Ω), shutdown	BGA12	39	PA39	Max
ADV	MAX9890AEBL-T	Lin-IC	Audio click-pop suppress, (36dB), 2.7..5.5V, THD <0.003% (32Ω)	BGA-9	39bf	-	Max

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ADW	MAX6408BS22-T	CMOS-IC	Voltage Detector 2.2V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
ADW	MAX9890BEBL-T	Lim-IC	Audio click-pop suppress (36dB), 2.7 5.5V, THD<0.003%(32Q)	BGA-9	39bf	-	Max
ADX	MAX6408BS23-T	CMOS-IC	Voltage Detector 2.3V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
ADY	MAX6408BS24-T	CMOS-IC	Voltage Detector 2.4V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
ADZ	MAX6408BS25-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEA	MAX6408BS26-T	CMOS-IC	Voltage Detector 2.6V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEB	MAX6408BS27-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEC	MAX6408BS28-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AED	MAX6408BS29-T	CMOS-IC	Voltage Detector 2.9V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEE	MAX6408BS30-T	CMOS-IC	Voltage Detector 3.0V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEF	MAX6408BS31-T	CMOS-IC	Voltage Detector 3.1V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEG	MAX6407BS22-T	CMOS-IC	Voltage Detector 2.2V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEG	TPA0211DGN	Lim-IC	AF PA, BTL 2.5 5.5V, 2W(5V/40), shutdown	SO-8	33	PA48	Tix
AEH	MAX6407BS23-T	CMOS-IC	Voltage Detector 2.3V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEH	TPA0213DGG	Lim-IC	AF PA, 2.5 5.5V, BTL 2W(5V/40) or 2x 90mW(5V/32Q)	MINISO10	33	PA49	Tix
AEI	MAX6407BS24-T	CMOS-IC	Voltage Detector 2.4V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEI	TPA0223DGG	Lim-IC	AF PA, 2.5 5.5V, BTL 2W(3V/40), shutdown	MINISO10	33	PA49	Tix
AEJ	MAX6407BS25-T	CMOS-IC	Voltage Detector 2.5V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEJ	TPA0233DGG	Lim-IC	AF PA, 2.5 5.5V, BTL 2W(3V/40), shutdown	SO10	33	PA50	Tix
AEK	MAX6407BS26-T	CMOS-IC	Voltage Detector 2.6V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEK	TPA0243DGG	Lim-IC	AF PA, 2.5 5.5V, BTL 2W(3V/40), shutdown	MINISO10	33	PA50	Tix
AEL	MAX6407BS27-T	CMOS-IC	Voltage Detector 2.7V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEL	TPA0253DGG	Lim-IC	AF PA, 2.5 5.5V, BTL 1W(5V/8Q) or 2x 85mW(5V/32Q)	MINISO10	33	PA50	Tix
AEM	MAX6407BS28-T	CMOS-IC	Voltage Detector 2.8V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEN	MAX6407BS29-T	CMOS-IC	Voltage Detector 2.9V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEO	MAX6407BS30-T	CMOS-IC	Voltage Detector 3.0V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEP	MAX6407BS31-T	CMOS-IC	Voltage Detector 3.1V, -MR, Reset Push-pull output	UCSP-4	39bd	VD5	Max
AEQ	MAX6408BS22-T	CMOS-IC	Voltage Detector 2.2V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AER	MAX6408BS23-T	CMOS-IC	Voltage Detector 2.3V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AES	MAX6408BS24-T	CMOS-IC	Voltage Detector 2.4V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AET	MAX6408BS25-T	CMOS-IC	Voltage Detector 2.5V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AEU	MAX6408BS26-T	CMOS-IC	Voltage Detector 2.6V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AEV	MAX6408BS27-T	CMOS-IC	Voltage Detector 2.7V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AEW	MAX6408BS28-T	CMOS-IC	Voltage Detector 2.8V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AEX	MAX6408BS29-T	CMOS-IC	Voltage Detector 2.9V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AEY	MAX6408BS30-T	CMOS-IC	Voltage Detector 3.0V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AEZ	MAX6408BS31-T	CMOS-IC	Voltage Detector 3.1V, -MR, -Reset Open drain output	UCSP-4	39bd	VD4	Max
AFA	MAX6409BS33-T	CMOS-IC	Voltage Detector 3.3V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFB	MAX6409BS34-T	CMOS-IC	Voltage Detector 3.4V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFC	MAX6409BS35-T	CMOS-IC	Voltage Detector 3.5V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFD	MAX6409BS36-T	CMOS-IC	Voltage Detector 3.6V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFE	MAX6409BS37-T	CMOS-IC	Voltage Detector 3.7V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFF	MAX6409BS38-T	CMOS-IC	Voltage Detector 3.8V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFG	MAX6409BS39-T	CMOS-IC	Voltage Detector 3.9V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFH	MAX6409BS40-T	CMOS-IC	Voltage Detector 4.0V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFI	MAX6409BS41-T	CMOS-IC	Voltage Detector 4.1V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFJ	MAX6409BS42-T	CMOS-IC	Voltage Detector 4.2V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFK	MAX6409BS43-T	CMOS-IC	Voltage Detector 4.3V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFL	MAX6409BS44-T	CMOS-IC	Voltage Detector 4.4V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFM	MAX6409BS45-T	CMOS-IC	Voltage Detector 4.5V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD5	Max
AFN	MAX6409BS46-T	CMOS-IC	Voltage Detector 4.6V, -MR, -Reset Push-pull output	UCSP-4	39bd	VD6	Max
AHA	MAX9890AETA	Lim-IC	Audio click-pop suppressor (36dB), 2.7 5.5V, THD<0.003%(32Q)	LPP-8	37cf	-	Max
AHB	MAX9890BETA	Lim-IC	Audio click-pop suppressor (36dB), 2.7 5.5V, THD<0.003%(32Q)	LPP-8	37cf	-	Max
AIZ	TPA6110A2DGN	Lim-IC	2xAF PA, 2.5 5.5V, 2x100mW(5V/16Q), shutdown	MINISO8	33	PA16	Tix
AJA	TPA6111A2DGN	Lim-IC	2xAF PA, 2.5 5.5V, 2x100mW(5V/16Q), shutdown	MINISO8	33	PA15	Tix
AJB	TPA321DGN	Lim-IC	AF PA, BTL, 2.2 5.5V, 350mW(5V/8Q), shutdown	MINISO8	33	PA6	Tix
AJC	TPA731DGN	Lim-IC	AF PA, BTL, 2.5 5.5V, 700mW(5V/8Q), shutdown	MINISO8	33	PA6	Tix
AJD	TPA741DGN	Lim-IC	AF PA, BTL, 2.5 5.5V, 700mW(5V/8Q), shutdown	MINISO8	33	PA6	Tix
AJL	TPA6100A2DGG	Lim-IC	2xAF PA, 1.6 5.5V, 2x50mW(3V/16Q), shutdown	MINISO8	33	PA16	Tix
AJM	TPA6101A2DGG	Lim-IC	2xAF PA, 1.6 5.5V, 2x50mW(3V/16Q), shutdown	MINISO8	33	PA16	Tix
AJN	TPA6102A2DGG	Lim-IC	2xAF PA, 1.6 5.5V, 2x50mW(3V/16Q), shutdown	MINISO8	33	PA16	Tix
AJZ	TPA2010D1YEF	Lim-IC	AF PA, Cl-D, BTL, 2.5 5.5V, 2.5W(5V/8Q), shutdown	BGA8	39	PA54	Tix
AK	HSMS-280K	Si-Diode	3x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 35Q(5mA)	SOT363	33dw	-	Agi
AKO	TPA2010D1Y2F	Lim-IC	AF PA, Cl-D, BTL, 2.5 5.5V, 2.5W(5V/8Q), shutdown	BGA9	39	PA54	Tix
AKQ	TPA4411RTJ	Lim-IC	2xAF PA, 1.8 4.5V, 2x80mW(4V/16Q), shutdown	LPP20	38	PA56	Tix
AKT	TPA4411Y2H	Lim-IC	2xAF PA, 1.8 4.5V, 2x80mW(4V/16Q), shutdown	BGA16	39	PA57	Tix
AL	HSMS-280L	Si-Diode	3x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 35Q(5mA)	SOT363	33dd	-	Agi
ALN	TPS62220DDC	VR-IC	1.25MHz PWM St-Down DC-DC Converter, Adjust, 400mA	SOT23-5	33vj	-	Tix

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
ALO	TPS62221DDC	VR-IC	1,25MHz PWM St-Down DC-DC Converter, 1,5V, 400mA	SOT23-5	33yj	-	Tix
ALQ	TPS62224DDC	VR-IC	1,25MHz PWM St-Down DC-DC Converter, 1,6V, 400mA	SOT23-5	33yj	-	Tix
ALX	TPS62223DDC	VR-IC	1,25MHz PWM St-Down DC-DC Converter, 2,3V, 400mA	SOT23-5	33yj	-	Tix
AP	HSMS-280P	Si-Diode	4x Schottky, RF, 70V, 1A, Vf<0,41V(1mA), <2pF, 35Ω(5mA)	SOT363	33bx	-	Agf
APD	TPA6112A2DGG	Lin-IC	2xA F PA, 2,5..5,5V, 2x150mW(5V/16Ω), shutdown	MINISO8	33	PA58	Tix
APP	TPS62222DDC	VR-IC	1,25MHz PWM St-Down DC-DC Converter, 1,8V, 400mA	SOT23-5	33yj	-	Tix
ATC	TPA751DGN	Lin-IC	A F PA, BTL, 2,5..5,5V, 700mW(5V/8Ω), shutdown	MINISO8	33	PA6	Tix
AYJ	TPA6204A1DRB	Lin-IC	A F PA, BTL, 2,5..5,5V, 1W(5V/8Ω), shutdown	LPP8	37	PA61	Tix
B0	R1160D101A	VR-IC	LDO, -Enable, 1V±2%, 200mA	SON-6	35vrf	VR4	Ric
B0	R5421N111C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=1,1V	SOT23-6	33xj	VR21	Ric
B1	R1160D111A	VR-IC	LDO, -Enable, 1,1V±2%, 200mA	SON-6	35vrf	VR4	Ric
B1	R5421N112C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=1,2V	SOT23-6	33xj	VR21	Ric
B2	R1160D121A	VR-IC	LDO, -Enable, 1,2V±2%, 200mA	SON-6	35vrf	VR4	Ric
B2	R5421N126C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=2,6V	SOT23-6	33xj	VR21	Ric
B3	R1160D131A	VR-IC	LDO, -Enable, 1,3V±2%, 200mA	SON-6	35vrf	VR4	Ric
B3	R5421N131C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=3,1V	SOT23-6	33xj	VR21	Ric
B37A	OPA237EA	Op-IC	Dual, GP, Lo-Power, ±1,35..±18V, Icc=350μA, 1,5MHz	SO-8	33opd	OP3	Bub
B4	LM4667ITL	Lin-IC	A F PA, C-D, BTL, 2,7..5,5V, 1,3W(5V/8Ω), shutdown	BGA9	39	PA1	Nsc
B4	LM4667ITLX	Lin-IC	A F PA, C-D, BTL, 2,7..5,5V, 1,3W(5V/8Ω), shutdown	BGA9	39	PA1	Nsc
B4	R1160D141A	VR-IC	LDO, -Enable, 1,4V±2%, 200mA	SON-6	35vrf	VR4	Ric
B4	R5421N133C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=3,3V	SOT23-6	33xj	VR21	Ric
B5	R1160D151A	VR-IC	LDO, -Enable, 1,5V±2%, 200mA	SON-6	35vrf	VR4	Ric
B5	R5421N144C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=1,4V	SOT23-6	33xj	VR21	Ric
B55	TS4855J1	Lin-IC	A F PA, 3..5,5V, BTL 1W(5V/8Ω)+2x BTL 25mW(5V/32Ω)	BGA18	39	PA9	Ste
B5A	SSM2211CP	Lin-IC	A F PA, BTL, 2,5..5V, 1W(5V/8Ω), shutdown	LPP8	37	PA6	And
B6	R1160D161A	VR-IC	LDO, -Enable, 1,6V±2%, 200mA	SON-6	35vrf	VR4	Ric
B6	R5421N115C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=1,5V	SOT23-6	33xj	VR21	Ric
B62	S-80841CLPF-B62TFG	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B63	S-80842CLPF-B63TFG	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B64	S-80843CLPF-B64TFG	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B65	S-80844CLPF-B65TFG	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B66	S-80845CLPF-B66TFG	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B67	S-80846CLPF-B67TFG	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B68	S-80847CLPF-B68TFG	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B69	S-80848CLPF-B69TFG	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6A	S-80815CLPF-B6ATFG	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6B	S-80816CLPF-B6BTFG	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6C	S-80817CLPF-B6CTFG	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6D	S-80818CLPF-B6DTFG	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6E	S-80819CLPF-B6ETFG	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6F	S-80820CLPF-B6FTFG	CMOS-IC	Voltage Detector 2V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6G	S-80821CLPF-B6GTFG	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6H	S-80822CLPF-B6HTFG	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6I	S-80823CLPF-B6ITFG	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6J	S-80824CLPF-B6JTFG	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6K	S-80825CLPF-B6KTFG	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6L	S-80826CLPF-B6LTFG	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6M	S-80827CLPF-B6MTFG	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6N	S-80828CLPF-B6NTFG	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6O	S-80829CLPF-B6OTFG	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6P	S-80830CLPF-B6PTFG	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6Q	S-80831CLPF-B6QTFG	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6R	S-80832CLPF-B6RTFG	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6S	S-80833CLPF-B6STFG	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6T	S-80834CLPF-B6TTFG	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6U	S-80835CLPF-B6UTFG	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6V	S-80836CLPF-B6VTFG	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6W	S-80837CLPF-B6WTFG	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6X	S-80838CLPF-B6XTFG	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6Y	S-80839CLPF-B6YTFG	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B6Z	S-80840CLPF-B6ZTFG	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7	R1160D171A	VR-IC	LDO, -Enable, 1,7V±2%, 200mA	SON-6	35vrf	VR4	Ric
B7	R5421N124C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=2,4V	SOT23-6	33xj	VR21	Ric
B7A	S-80849CLPF-B7ATFG	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7B	S-80850CLPF-B7BTFG	CMOS-IC	Voltage Detector 5V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7C	S-80851CLPF-B7CTFG	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7D	S-80852CLPF-B7DTFG	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7E	S-80853CLPF-B7ETFG	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
B7F	S-80854CLPF-B7FTFG	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7G	S-80855CLPF-B7GTFG	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7H	S-80856CLPF-B7HTFG	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7I	S-80857CLPF-B7ITFG	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7J	S-80858CLPF-B7JTFG	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7K	S-80859CLPF-B7KTFG	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7L	S-80860CLPF-B7LTFG	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7M	S-80861CLPF-B7MTFG	CMOS-IC	Voltage Detector 0.8V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7N	S-80862CLPF-B7NTFG	CMOS-IC	Voltage Detector 0.9V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7O	S-80863CLPF-B7OTFG	CMOS-IC	Voltage Detector 1V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7P	S-80864CLPF-B7PTFG	CMOS-IC	Voltage Detector 1.1V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7Q	S-80865CLPF-B7QTFG	CMOS-IC	Voltage Detector 1.2V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7R	S-80866CLPF-B7RTFG	CMOS-IC	Voltage Detector 1.3V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B7S	S-80867CLPF-B7STFG	CMOS-IC	Voltage Detector 1.4V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B8	R1160D181A	VR-IC	LDO, -Enable, 1.8V±2%, 200mA	SON-6	35vrla	VR4	Ric
B8	R5421N125C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=2.5V	SOT23-6	33xj	VR21	Ric
B82	S-80841CNPF-B82TFG	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B83	S-80842CNPF-B83TFG	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B84	S-80843CNPF-B84TFG	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B85	S-80844CNPF-B85TFG	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B86	S-80845CNPF-B86TFG	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B87	S-80846CNPF-B87TFG	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B88	S-80847CNPF-B88TFG	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B89	S-80848CNPF-B89TFG	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8A	S-80815CNPF-B8ATFG	CMOS-IC	Voltage Detector 1.5V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8B	S-80816CNPF-B8BTFG	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8C	S-80817CNPF-B8CTFG	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8D	S-80818CNPF-B8DTFG	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8E	S-80819CNPF-B8ETFG	CMOS-IC	Voltage Detector 1.9V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8F	S-80820CNPF-B8FTFG	CMOS-IC	Voltage Detector 2V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8G	S-80821CNPF-B8GTFG	CMOS-IC	Voltage Detector 2.1V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8H	S-80822CNPF-B8HTFG	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8I	S-80823CNPF-B8ITFG	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8J	S-80824CNPF-B8JTFG	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8K	S-80825CNPF-B8KTFG	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8L	S-80826CNPF-B8LTFG	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8M	S-80827CNPF-B8MTFG	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8N	S-80828CNPF-B8NTFG	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8O	S-80829CNPF-B8OTFG	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8P	S-80830CNPF-B8PTFG	CMOS-IC	Voltage Detector 3V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8Q	S-80831CNPF-B8QTFG	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8R	S-80832CNPF-B8RTFG	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8S	S-80833CNPF-B8STFG	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8T	S-80834CNPF-B8TTFG	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8U	S-80835CNPF-B8UTFG	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8V	S-80836CNPF-B8VTFG	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8W	S-80837CNPF-B8WTFG	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8X	S-80838CNPF-B8XTFG	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8Y	S-80839CNPF-B8YTFG	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B8Z	S-80840CNPF-B8ZTFG	CMOS-IC	Voltage Detector 4V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9	R1160D191A	VR-IC	LDO, -Enable, 1.9V±2%, 200mA	SON-6	35vrla	VR4	Ric
B9	R5421N140C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=4V	SOT23-6	33xj	VR21	Ric
B9A	S-80849CNPF-B9ATFG	CMOS-IC	Voltage Detector 4.9V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9B	S-80850CNPF-B9BTFG	CMOS-IC	Voltage Detector 5V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9C	S-80851CNPF-B9CTFG	CMOS-IC	Voltage Detector 5.1V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9D	S-80852CNPF-B9DTFG	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9E	S-80853CNPF-B9ETFG	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9F	S-80854CNPF-B9FTFG	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9G	S-80855CNPF-B9GTFG	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9H	S-80856CNPF-B9HTFG	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9I	S-80857CNPF-B9ITFG	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9J	S-80858CNPF-B9JTFG	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9K	S-80859CNPF-B9KTFG	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9L	S-80860CNPF-B9LTFG	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output	SNT-4A	35vdj	VD7	Sei
B9M	S-80861CNPF-B9MTFG	CMOS-IC	Voltage Detector 0.8V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9N	S-80862CNPF-B9NTFG	CMOS-IC	Voltage Detector 0.9V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9O	S-80863CNPF-B9OTFG	CMOS-IC	Voltage Detector 1V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9P	S-80864CNPF-B9PTFG	CMOS-IC	Voltage Detector 1.1V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
B9Q	S-80812CNPF-B9QTFG	CMOS-IC	Voltage Detector 1.2V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9R	S-80813CNPF-B9RTFG	CMOS-IC	Voltage Detector 1.3V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
B9S	S-80814CNPF-B9STFG	CMOS-IC	Voltage Detector 1.4V, -Reset Open drain output	SNT-4A	35vdj	VD6	Sei
BA	R5421N127C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=2,7V	SOT23-6	33xj	VR21	Ric
BB	BC846BPDW1T1	Si-N/P	Dual, GP, 80V, 100mA, 250mW, B=200..450, >100MHz	SOT363	33id	-	Ons
BB	R5421N139F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=3,9V	SOT23-6	33xj	VR21	Ric
BC	R5421N128F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=2,8V	SOT23-6	33xj	VR21	Ric
BD	R5421N132F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=3,2V	SOT23-6	33xj	VR21	Ric
BE	R5421N145C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=4,5V	SOT23-6	33xj	VR21	Ric
BF	R5421N136C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=3,6V	SOT23-6	33xj	VR21	Ric
BG	R5421N148C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=4,8V	SOT23-6	33xj	VR21	Ric
BH	R5421N154F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=5,4V	SOT23-6	33xj	VR21	Ric
BIQ	TPA2005D1DRBR	Lin-IC	AF PA, Cl-D, BTL, 2,2..5,5V, 1,1W(5V/8Q), shutdown	LPBB	37	PA52	Tix
BJ	R5421N161C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=6,1V	SOT23-6	33xj	VR21	Ric
BK	HSMS-281K	Si-Diode	2x Schottky, RF, 20V, 1A, Vfk0,4V(1mA), <1,2pF, 15Q(5mA)	SOT323	33dw	-	Agj
BK	R5421N149C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=4,9V	SOT23-6	33xj	VR21	Ric
BL	HSMS-281L	Si-Diode	3x Schottky, RF, 20V, 1A, Vfk0,4V(1mA), <1,2pF, 15Q(5mA)	SOT323	33dd	-	Agj
BL	MBD54DW1T1	Si-Diode	Dual, Schottky, UHF/VHF-Det, 30V, 200mW, <1,5pF	SOT363	33de	-	Ons
BL	R5421N162F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=6,2V	SOT23-6	33xj	VR21	Ric
BM	R5421N163C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=6,3V	SOT23-6	33xj	VR21	Ric
BN	R5421N174C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=7,4V	SOT23-6	33xj	VR21	Ric
BP	R5421N175C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=7,5V	SOT23-6	33xj	VR21	Ric
BR	R5421N164C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=6,4V	SOT23-6	33xj	VR21	Ric
BS	R5421N165C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=6,5V	SOT23-6	33xj	VR21	Ric
BT	R5421N142C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=4,2V	SOT23-6	33xj	VR21	Ric
BU	R5421N163F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=6,3V	SOT23-6	33xj	VR21	Ric
BV	R5421N129C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=2,9V	SOT23-6	33xj	VR21	Ric
BW	R5421N130F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=3V	SOT23-6	33xj	VR21	Ric
BX	R5421N173F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=7,3V	SOT23-6	33xj	VR21	Ric
BY	R5421N151F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=5,1V	SOT23-6	33xj	VR21	Ric
BZ	R5421N152F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=5,2V	SOT23-6	33xj	VR21	Ric
C0	R1160D201A	VR-IC	LDO, -Enable, 2V±2%, 200mA	SON-6	35vrf	VR4	Ric
C06	DCX123JH	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 150mW, 250MHz, R1/R2=2,2/47k	SOT563	35ida	-	Dil
C06	DCX123JK	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=2k2/47k	SC74R	33ida	-	Dil
C06	DCX123JU	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=2k2/47k	SOT363	33ida	-	Dil
C07	DCX143TH	Si-N/P-Digi	Dual, Sw, 50V, 0,1A, 0,15W, 250MHz, R1=4,7k	SOT563	35ida	-	Dil
C07	DCX143TK	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 300mW, 50V 0,1A R1=4k7	SC-74R	33ida	-	Dil
C07	DCX143TU	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 200mW, 50V 0,1A R1=4k7	SOT363	33ida	-	Dil
C08	DCX143EH	Si-N/P-Digi	Dual, Sw, 50V, 0,1A, 0,15W, 250MHz, R1/R2=4,7/4,7k	SOT563	35ida	-	Dil
C1	LM4899TL	Lin-IC	AF PA, BTL, 2,2..5,5V, 1W(5V/8Q), shutdown	BGA9	39	PA22	Nsc
C1	LM4899TLX	Lin-IC	AF PA, BTL, 2,2..5,5V, 1W(5V/8Q), shutdown	BGA9	39	PA22	Nsc
C1	R1160D211A	VR-IC	LDO, -Enable, 2,1V±2%, 200mA	SON-6	35vrf	VR4	Ric
C12	DCX114TH	Si-N/P-Digi	Dual, Sw, 50V, 0,1A, 150mW, 250MHz, R1=10k	SOT563	35ida	-	Dil
C12	DCX114TK	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 300mW, R1=10k	SC-74R	33ida	-	Dil
C12	DCX114TU	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 200mW, R1=10k	SOT563	33ida	-	Dil
C13	DCX114EH	Si-N/P-Digi	Dual, Sw, 50V, 0,1A, 150mW, 250MHz, R1/R2=10/10k	SOT563	35ida	-	Dil
C13	DCX114EK	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=10k/10k	SC-74R	33ida	-	Dil
C13	DCX114EU	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT363	33ida	-	Dil
C14	DCX114YH	Si-N/P-Digi	Dual, Sw, 50V, 0,1A, 150mW, 250MHz, R1/R2=10/47k	SOT563	35ida	-	Dil
C14	DCX114YK	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=10k/47k	SC-74R	35ida	-	Dil
C14	DCX114YU	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/47k	SOT563	33ida	-	Dil
C15A	R1130D151A	VR-IC	LDO, -Enable, 1,5V±2%, 300mA	HSN-8	35vrf	VR4	Ric
C15B	R1130D151B	VR-IC	LDO, Enable, 1,5V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C16A	R1130D161A	VR-IC	LDO, -Enable, 1,6V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C16B	R1130D161B	VR-IC	LDO, Enable, 1,6V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C17	DCX124EH	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 150mW, 250MHz, R1/R2=22/22k	SOT563	35ida	-	Dil
C17	DCX124EK	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=22k/22k	SC-74R	33ida	-	Dil
C17	DCX124EU	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT363	33ida	-	Dil
C17A	R1130D171A	VR-IC	LDO, -Enable, 1,7V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C17B	R1130D171B	VR-IC	LDO, Enable, 1,7V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C18A	R1130D181A	VR-IC	LDO, -Enable, 1,8V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C18B	R1130D181B	VR-IC	LDO, Enable, 1,8V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C19A	R1130D191A	VR-IC	LDO, -Enable, 1,9V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C19B	R1130D191B	VR-IC	LDO, Enable, 1,9V±2%, 300mA	HSN-6	35vrf	VR4	Ric
C1D	μPC2708T	Lin-IC	RF amplifier, 2,9GHz, 15dB (50Q), Ucc=5V	SOT363	33ab	A2	Nec
C1D	μPC2708TB	Lin-IC	RF amplifier, 2,9GHz, 15dB (50Q), Ucc=5V	SOT363	33ab	A2	Nec
C1E	μPC2709T	Lin-IC	RF amplifier, 2,3GHz, 23dB (50Q), Ucc=5V	SOT363	33ab	A2	Nec
C1E	μPC2709TB	Lin-IC	RF amplifier, 2,3GHz, 23dB (50Q), Ucc=5V	SOT363	33ab	A2	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
C1F	μPC2710TB	Lin-IC	Cell-Phone Wide Band amplifier, 1GHz, Ucc=5V	MSOP-6	33ab	A2	Nec
C1G	μPC2711T	Lin-IC	Wide Band amplifier, 2,8GHz, Ucc=5V	MSOP-6	33ab	A2	Nec
C1H	μPC2712T	Lin-IC	Wide Band amplifier, 2,6GHz, Ucc=5V	MSOP-6	33ab	A2	Nec
C1J	μPC2713T	Lin-IC	Wide Band LN amplifier, 1,2GHz, Ucc=5V	MSOP-6	33ab	A2	Nec
C1K	μPC2714T	Lin-IC	Wide Band amplifier, 1,8GHz, Ucc=3.4V	MSOP-6	33ab	A2	Nec
C1L	μPC2715T	Lin-IC	Wide Band amplifier, 1,2GHz, Ucc=3.4V	MSOP-6	33ab	A2	Nec
C1M	μPC2723T	Lin-IC	Differential AGC amplifier, 1,1GHz, Ucc=5V	MSOP-6	33xp	-	Nec
C1P	μPC2726T	Lin-IC	Differential WB amplifier, 1,6GHz, Ucc=5V	MSOP-6	33xo	-	Nec
C1U	UPC2749TB	Lin-IC	RF Amplifier, Vcc=2.7...3.3V, 2,9GHz, 16dB	SOT363	33ab	A2	Nec
C2	R1160D221A	VR-IC	LDO, -Enable, 2.2V±2%, 200mA	SON-6	35vra	VR4	Ric
C20	DCX144EH	Si-N/P-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHz, R1/R2=47/47k	SOT563	35lda	-	Dil
C20	DCX144EK	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=47k/47k	SC-74R	33lda	-	Dil
C20	DCX144EU	Si-N/P-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT363	33lda	-	Dil
C20A	R1130D201A	VR-IC	LDO, -Enable, 2V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C20B	R1130D201B	VR-IC	LDO, Enable, 2V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C21A	R1130D211A	VR-IC	LDO, -Enable, 2.1V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C21B	R1130D211B	VR-IC	LDO, Enable, 2.1V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C22A	R1130D221A	VR-IC	LDO, -Enable, 2.2V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C22B	R1130D221B	VR-IC	LDO, Enable, 2.2V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C23A	R1130D231A	VR-IC	LDO, -Enable, 2.3V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C23B	R1130D231B	VR-IC	LDO, Enable, 2.3V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C24A	R1130D241A	VR-IC	LDO, -Enable, 2.4V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C24B	R1130D241B	VR-IC	LDO, Enable, 2.4V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C25A	R1130D251A	VR-IC	LDO, -Enable, 2.5V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C25B	R1130D251B	VR-IC	LDO, Enable, 2.5V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C26A	R1130D261A	VR-IC	LDO, -Enable, 2.6V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C26B	R1130D261B	VR-IC	LDO, Enable, 2.6V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C27A	R1130D271A	VR-IC	LDO, -Enable, 2.7V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C27B	R1130D271B	VR-IC	LDO, Enable, 2.7V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C28A	R1130D281A	VR-IC	LDO, -Enable, 2.8V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C28B	R1130D281B	VR-IC	LDO, Enable, 2.8V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C29A	R1130D291A	VR-IC	LDO, -Enable, 2.9V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C29B	R1130D291B	VR-IC	LDO, Enable, 2.9V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C2P	μPC8128TA	Lin-IC	Cell/Cordl-Phone Buff-Amp, Ucc=2.4...3.6V, 800...1900MHz	SOP-6	33ab	A2	Nec
C2P	μPC8128TB	Lin-IC	Cell/Cordl-Phone Buff-Amp, Ucc=2.4...3.6V, 800...1900MHz	MSOP-6	33ab	A2	Nec
C2U	μPC8151TA	Lin-IC	Cell/Cordl-Phone Buff-Amp, Ucc=2.4...3.8V, 800...1900MHz	SOP-6	33ab	A2	Nec
C2U	μPC8151TB	Lin-IC	Cell/Cordl-Phone Buff-Amp, Ucc=2.4...3.6V, 800...1900MHz	MSOP-6	33ab	A2	Nec
C2V	μPC8152TA	Lin-IC	Cell/Cordl-Phone Buff-Amp, Ucc=2.4...3.6V, 800...1900MHz	SOP-6	33ab	A2	Nec
C2V	μPC8152TB	Lin-IC	Cell/Cordl-Phone Buff-Amp, Ucc=2.4...3.6V, 800...1900MHz	MSOP-6	33ab	A2	Nec
C3	LM4898ITL	Lin-IC	AF PA, BTL, 2.2...5.5V, 1W (5V/8Ω), shutdown	BGA9	39	PA20	Nsc
C3	LM4898ITLX	Lin-IC	AF PA, BTL, 2.2...5.5V, 1W (5V/8Ω), shutdown	BGA9	39	PA20	Nsc
C3	R1160D231A	VR-IC	LDO, -Enable, 2.3V±2%, 200mA	SON-6	35vra	VR4	Ric
C30A	R1130D301A	VR-IC	LDO, -Enable, 3V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C30B	R1130D301B	VR-IC	LDO, Enable, 3V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C31A	R1130D311A	VR-IC	LDO, -Enable, 3.1V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C31B	R1130D311B	VR-IC	LDO, Enable, 3.1V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C32A	R1130D321A	VR-IC	LDO, -Enable, 3.2V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C32B	R1130D321B	VR-IC	LDO, Enable, 3.2V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C33A	R1130D331A	VR-IC	LDO, -Enable, 3.3V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C33B	R1130D331B	VR-IC	LDO, Enable, 3.3V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C34A	R1130D341A	VR-IC	LDO, -Enable, 3.4V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C34B	R1130D341B	VR-IC	LDO, Enable, 3.4V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C35A	R1130D351A	VR-IC	LDO, -Enable, 3.5V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C35B	R1130D351B	VR-IC	LDO, Enable, 3.5V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C36A	R1130D361A	VR-IC	LDO, -Enable, 3.6V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C36B	R1130D361B	VR-IC	LDO, Enable, 3.6V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C37A	R1130D371A	VR-IC	LDO, -Enable, 3.7V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C37B	R1130D371B	VR-IC	LDO, Enable, 3.7V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C38A	R1130D381A	VR-IC	LDO, -Enable, 3.8V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C38B	R1130D381B	VR-IC	LDO, Enable, 3.8V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C39A	R1130D391A	VR-IC	LDO, -Enable, 3.9V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C39B	R1130D391B	VR-IC	LDO, Enable, 3.9V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C4	R1160D241A	VR-IC	LDO, -Enable, 2.4V±2%, 200mA	SON-6	35vra	VR4	Ric
C40A	R1130D401A	VR-IC	LDO, -Enable, 4V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C40B	R1130D401B	VR-IC	LDO, Enable, 4V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C41A	R1130D411A	VR-IC	LDO, -Enable, 4.1V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C41B	R1130D411B	VR-IC	LDO, Enable, 4.1V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric
C42A	R1130D421A	VR-IC	LDO, -Enable, 4.2V±2%, 300mA	HSO6N-6	35vrf	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп	Цок	Сх.	Пр.
C42B	R1130D421B	VR IC	LDO Enable 4 2V±2% 300mA	HSO6N	35vrf	VR4	Ric
C43A	R1130D431A	VR IC	LDO Enable 4 3V±2% 300mA	HSO6N	35vrf	VR4	Ric
C43B	R1130D431B	VR IC	LDO Enable 4 3V±2% 300mA	HSO6N	35vrf	VR4	Ric
C44A	R1130D441A	VR IC	LDO Enable 4 4V±2% 300mA	HSO6N	35vrf	VR4	Ric
C44B	R1130D441B	VR IC	LDO Enable 4 4V±2% 300mA	HSO6N	35vrf	VR4	Ric
C45A	R1130D451A	VR IC	LDO Enable 4 5V±2% 300mA	HSO6N	35vrf	VR4	Ric
C45B	R1130D451B	VR IC	LDO Enable 4 5V±2% 300mA	HSO6N	35vrf	VR4	Ric
C46A	R1130D461A	VR IC	LDO Enable 4 6V±2% 300mA	HSO6N	35vrf	VR4	Ric
C46B	R1130D461B	VR IC	LDO Enable 4 6V±2% 300mA	HSO6N	35vrf	VR4	Ric
C47A	R1130D471A	VR IC	LDO Enable 4 7V±2% 300mA	HSO6N	35vrf	VR4	Ric
C47B	R1130D471B	VR IC	LDO Enable 4 7V±2% 300mA	HSO6N	35vrf	VR4	Ric
C48A	R1130D481A	VR IC	LDO Enable 4 8V±2% 300mA	HSO6N	35vrf	VR4	Ric
C48B	R1130D481B	VR IC	LDO Enable 4 8V±2% 300mA	HSO6N	35vrf	VR4	Ric
C49A	R1130D491A	VR IC	LDO Enable 4 9V±2% 300mA	HSO6N	35vrf	VR4	Ric
C49B	R1130D491B	VR IC	LDO Enable 4 9V±2% 300mA	HSO6N	35vrf	VR4	Ric
C5	LM4665MM	Lim IC	AF PA Cl D BTL 2 7 5V 1W(5V/8D) shutdown	SOT10	33	PA3	Nsc
C5	R1160D251A	VR IC	LDO Enable 2 5V±2% 200mA	SON6	35vrf	VR4	Ric
C50A	R1130D501A	VR IC	LDO Enable 5V±2% 300mA	HSO6N	35vrf	VR4	Ric
C50B	R1130D501B	VR IC	LDO Enable 5V±2% 300mA	HSO6N	35vrf	VR4	Ric
C6	R1160D261A	VR IC	LDO Enable 2 6V±2% 200mA	SON6	35vrf	VR4	Ric
C63	DCX114EK	Si N/P Digi	Dual Sw 50V 100mA 300mW R1/R2=10k/10k	SC 74R	33ida		Dil
C7	R1160D271A	VR IC	LDO Enable 2 7V±2% 200mA	SON6	35vrf	VR4	Ric
C70	DCX1437K	Si N/P Digi	Dual Sw 50V 100mA 300mW 50V 0 1A R1=4k7	SC 74R	33ida		Dil
C71	DCX1147K	Si N/P Digi	Dual Sw 50V 100mA 300mW R1=10k	SC 74R	33ida		Dil
C8	R1160D281A	VR IC	LDO Enable 2 8V±2% 200mA	SON6	35vrf	VR4	Ric
C81	DCX114YU	Si N/P Digi	Dual Sw 50V 100mA 200mW R1/R2=10k/47k	SOT563	33ida		Dil
C81	DCX122LH	Si N/P Digi	Dual Sw 50V 100mA 150mW R1/R2=0 22k/10k	SOT563	33ida		Dil
C81	DCX122LU	Si N/P Digi	Dual Sw 50V 100mA 200mW R1/R2=0 22k/10k	SOT363	33ida		Dil
C82	DCX142JU	Si N/P Digi	Dual Sw 50V 100mA 200mW R1/R2=0 47k/10k	SOT363	33ida		Dil
C83	DCX122TH	Si N/P Digi	Dual Sw 50V 100mA 150mW R1=0 22k	SOT563	33ida		Dil
C83	DCX122TU	Si N/P Digi	Dual Sw 50V 100mA 200mW R1=0 22k	SOT363	33ida		Dil
C84	DCX142TH	Si N/P Digi	Dual Sw 50V 100mA 150mW R1=0 47k	SOT563	33ida		Dil
C84	DCX142TU	Si N/P Digi	Dual Sw 50V 100mA 200mW R1=0 47k	SOT363	33ida		Dil
C9	R1160D291A	VR IC	LDO Enable 2 9V±2% 200mA	SON6	35vrf	VR4	Ric
CK	HSMS 282K	Si Diode	2x Schottky RF 15V 1A Vf<0 34V(1mA) <1pF 12Ω(5mA)	SOT363	33dw		Ag1
CL	HSMS 282L	Si Diode	3x Schottky RF 15V 1A Vf<0 34V(1mA) <1pF 12Ω(5mA)	SOT363	33dd		Ag1
CN	MCP73826 4 1	CMOS IC	Li Ion Battery Charge Management Vc=4 1V±1%	SOT23 6	33yh	VR22	Mcc
CP	HSMS 282P	Si Diode	4x Schottky RF 15V 1A Vf<0 34V(1mA) <1pF 12Ω(5mA)	SOT363	33bx		Ag1
CP	MCP73826 4 2	CMOS IC	Li Ion Battery Charge Management Vc=4 2V±1%	SOT23 6	33yh	VR22	Mcc
D0	R1160D301A	VR IC	LDO Enable 3V±2% 200mA	SON6	35vrf	VR4	Ric
D1	PM8T3904D	Si NPN	Dual Switching 60V 100mA 150mW B-100 300 >300MHz	SC 74	33tg		Phi
D1	R1160D311A	VR IC	LDO Enable 3 1V±2% 200mA	SON6	35vrf	VR4	Ric
D2	R1160D321A	VR IC	LDO Enable 3 2V±2% 200mA	SON6	35vrf	VR4	Ric
D3	R1160D331A	VR IC	LDO Enable 3 3V±2% 200mA	SON6	35vrf	VR4	Ric
DC	SSM6N04FU	MOS N FET e*	Dual LogL 20V 0 1A <12Ω(10mA) integr Rgs-1MΩ	SOT363	33fea		Tos
E0	TC1072 4 0VCH	VR IC	LDO Enable Error 4V±2% 50mA	SOT23 6	33vrka	VR9	Mcc
E1	1PS8BS82	Si Diode	Triple Schottky Barrier UHF Mix 15V 30mA 1pF	SC 88	33dd		Phi
E1	TC1072 2 5VCH	VR IC	LDO Enable Error 2 5V±2% 50mA	SOT23 6	33vrka	VR9	Mcc
E15A	R1170D151A	VR IC	LDO Enable 1 5V±2% 800mA	HSO6N	35vrg	VR4	Ric
E15B	R1170D151B	VR IC	LDO Enable 1 5V±2% 800mA	HSO6N	35vrg	VR4	Ric
E16A	R1170D161A	VR IC	LDO Enable 1 6V±2% 800mA	HSO6N	35vrg	VR4	Ric
E16B	R1170D161B	VR IC	LDO Enable 1 6V±2% 800mA	HSO6N	35vrg	VR4	Ric
E17A	R1170D171A	VR IC	LDO Enable 1 7V±2% 800mA	HSO6N	35vrg	VR4	Ric
E17B	R1170D171B	VR IC	LDO Enable 1 7V±2% 800mA	HSO6N	35vrg	VR4	Ric
E18A	R1170D181A	VR IC	LDO Enable 1 8V±2% 800mA	HSO6N	35vrg	VR4	Ric
E18B	R1170D181B	VR IC	LDO Enable 1 8V±2% 800mA	HSO6N	35vrg	VR4	Ric
E19A	R1170D191A	VR IC	LDO Enable 1 9V±2% 800mA	HSO6N	35vrg	VR4	Ric
E19B	R1170D191B	VR IC	LDO Enable 1 9V±2% 800mA	HSO6N	35vrg	VR4	Ric
E2	TC1072 2 7VCH	VR IC	LDO Enable Error 2 7V±2% 50mA	SOT23 6	33vrka	VR9	Mcc
E20A	R1170D201A	VR IC	LDO Enable 2V±2% 800mA	HSO6N	35vrg	VR4	Ric
E20B	R1170D201B	VR IC	LDO Enable 2V±2% 800mA	HSO6N	35vrg	VR4	Ric
E21A	R1170D211A	VR IC	LDO Enable 2 1V±2% 800mA	HSO6N	35vrg	VR4	Ric
E21B	R1170D211B	VR IC	LDO Enable 2 1V±2% 800mA	HSO6N	35vrg	VR4	Ric
E22A	R1170D221A	VR IC	LDO Enable 2 2V±2% 800mA	HSO6N	35vrg	VR4	Ric
E22B	R1170D221B	VR IC	LDO Enable 2 2V±2% 800mA	HSO6N	35vrg	VR4	Ric
E23A	R1170D231A	VR IC	LDO Enable 2 3V±2% 800mA	HSO6N	35vrg	VR4	Ric
E23B	R1170D231B	VR IC	LDO Enable 2 3V±2% 800mA	HSO6N	35vrg	VR4	Ric
E24A	R1170D241A	VR IC	LDO Enable 2 4V±2% 800mA	HSO6N	35vrg	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
E24B	R1170D241B	VR-IC	LDO, Enable, 2.4V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E25A	R1170D251A	VR-IC	LDO, -Enable, 2.5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E25B	R1170D251B	VR-IC	LDO, Enable, 2.5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E26A	R1170D261A	VR-IC	LDO, -Enable, 2.6V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E26B	R1170D261B	VR-IC	LDO, Enable, 2.6V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E27A	R1170D271A	VR-IC	LDO, -Enable, 2.7V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E27B	R1170D271B	VR-IC	LDO, Enable, 2.7V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E28A	R1170D281A	VR-IC	LDO, -Enable, 2.8V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E28B	R1170D281B	VR-IC	LDO, Enable, 2.8V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E29A	R1170D291A	VR-IC	LDO, -Enable, 2.9V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E29B	R1170D291B	VR-IC	LDO, Enable, 2.9V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E3	TC1072-3 0VCH	VR-IC	LDO, Enable, -Error, 3V±2%, 50mA	SOT23-6	33vrka	VR9	Mcc
E30A	R1170D301A	VR-IC	LDO, -Enable, 3V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E30B	R1170D301B	VR-IC	LDO, Enable, 3V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E31A	R1170D311A	VR-IC	LDO, -Enable, 3.1V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E31B	R1170D311B	VR-IC	LDO, Enable, 3.1V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E32A	R1170D321A	VR-IC	LDO, -Enable, 3.2V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E32B	R1170D321B	VR-IC	LDO, Enable, 3.2V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E33A	R1170D331A	VR-IC	LDO, -Enable, 3.3V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E33B	R1170D331B	VR-IC	LDO, Enable, 3.3V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E34A	R1170D341A	VR-IC	LDO, -Enable, 3.4V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E34B	R1170D341B	VR-IC	LDO, Enable, 3.4V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E35A	R1170D351A	VR-IC	LDO, -Enable, 3.5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E35B	R1170D351B	VR-IC	LDO, Enable, 3.5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E36A	R1170D361A	VR-IC	LDO, -Enable, 3.6V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E36B	R1170D361B	VR-IC	LDO, Enable, 3.6V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E37A	R1170D371A	VR-IC	LDO, -Enable, 3.7V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E37B	R1170D371B	VR-IC	LDO, Enable, 3.7V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E38A	R1170D381A	VR-IC	LDO, -Enable, 3.8V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E38B	R1170D381B	VR-IC	LDO, Enable, 3.8V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E39A	R1170D391A	VR-IC	LDO, -Enable, 3.9V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E39B	R1170D391B	VR-IC	LDO, Enable, 3.9V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E4	LM4664ITL	Lm-IC	AF PA, C-D, BTL, 2.7...5.5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA1	Nsc
E4	LM4664ITLX	Lm-IC	AF PA, C-D, BTL, 2.7...5.5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA1	Nsc
E40A	R1170D401A	VR-IC	LDO, -Enable, 4V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E40B	R1170D401B	VR-IC	LDO, Enable, 4V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E41A	R1170D411A	VR-IC	LDO, -Enable, 4.1V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E41B	R1170D411B	VR-IC	LDO, Enable, 4.1V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E42A	R1170D421A	VR-IC	LDO, -Enable, 4.2V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E42B	R1170D421B	VR-IC	LDO, Enable, 4.2V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E43A	R1170D431A	VR-IC	LDO, -Enable, 4.3V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E43B	R1170D431B	VR-IC	LDO, Enable, 4.3V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E44A	R1170D441A	VR-IC	LDO, -Enable, 4.4V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E44B	R1170D441B	VR-IC	LDO, Enable, 4.4V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E45A	R1170D451A	VR-IC	LDO, -Enable, 4.5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E45B	R1170D451B	VR-IC	LDO, Enable, 4.5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E46A	R1170D461A	VR-IC	LDO, -Enable, 4.6V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E46B	R1170D461B	VR-IC	LDO, Enable, 4.6V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E47A	R1170D471A	VR-IC	LDO, -Enable, 4.7V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E47B	R1170D471B	VR-IC	LDO, Enable, 4.7V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E48A	R1170D481A	VR-IC	LDO, -Enable, 4.8V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E48B	R1170D481B	VR-IC	LDO, Enable, 4.8V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E49A	R1170D491A	VR-IC	LDO, -Enable, 4.9V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E49B	R1170D491B	VR-IC	LDO, Enable, 4.9V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E5	TC1072-3 3VCH	VR-IC	LDO, Enable, -Error, 3.3V±2%, 50mA	SOT23-6	33vrka	VR9	Mcc
E50A	R1170D501A	VR-IC	LDO, -Enable, 5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E50B	R1170D501B	VR-IC	LDO, Enable, 5V±2%, 800mA	HS0N-6	35vrg	VR4	Ric
E7	TC1072-5 0VCH	VR-IC	LDO, Enable, -Error, 5V±2%, 50mA	SOT23-6	33vrka	VR9	Mcc
E8	R1160D081B	VR-IC	LDO, Enable, 0.81V±2%, 200mA	SON-6	35vrfa	VR4	Ric
E8	TC1072-2 85VCH	VR-IC	LDO, Enable, -Error, 2.85V±2%, 50mA	SOT23-6	33vrka	VR9	Mcc
E9	R1160D091B	VR-IC	LDO, Enable, 0.91V±2%, 200mA	SON-6	35vrfa	VR4	Ric
E9	TC1072-3 6VCH	VR-IC	LDO, Enable, -Error, 3.6V±2%, 50mA	SOT23-6	33vrka	VR9	Mcc
E9	TPS62228DDC	VR-IC	1.25MHz PWM St-Down DC-DC Converter, 1.875V, 400mA	SOT23-5	33yj	-	Tix
EJ	TPS62229DDC	VR-IC	1.25MHz PWM St-Down DC-DC Converter, 1.7V, 400mA	SOT23-5	33yj	-	Tix
EY	AP1603W	VR-IC	Step-Up DC-DC converter for NiMH battery charge (3.3V)	SOT23-6	33srd	-	Ana
EZ	TC1072-2 8VCH	VR-IC	LDO, Enable, -Error, 2.8V±2%, 50mA	SOT23-6	33vrka	VR9	Mcc
F	HMPP-3862	PIN-Diode	Dual, RF, Att. 50V, 1A(1µs), <0.2pF, 22Q(1mA), <80ns	MP	37cs	-	Agi
F	HMPP-3865	PIN-Diode	Dual, RF, Att. 50V, 1A(1µs), <0.2pF, 22Q(1mA), <80ns	MP	37ct	-	Agi

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
F	LM4820BP-6	Lin-IC	AF PA, BTL, 2 5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA10	Nsc
F	LM4820BPX-6	Lin-IC	AF PA, BTL, 2 5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA10	Nsc
F	R1113Z151A	VR-IC	LDO, LN, -Enable, 1.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z151B	VR-IC	LDO, LN, Enable, 1.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z161A	VR-IC	LDO, LN, -Enable, 1.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z161B	VR-IC	LDO, LN, Enable, 1.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z171A	VR-IC	LDO, LN, -Enable, 1.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z171B	VR-IC	LDO, LN, Enable, 1.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z181A	VR-IC	LDO, LN, -Enable, 1.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z181B	VR-IC	LDO, LN, Enable, 1.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z191A	VR-IC	LDO, LN, -Enable, 1.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z191B	VR-IC	LDO, LN, Enable, 1.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z201A	VR-IC	LDO, LN, -Enable, 2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z201B	VR-IC	LDO, LN, Enable, 2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z211A	VR-IC	LDO, LN, -Enable, 2.1V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z211B	VR-IC	LDO, LN, Enable, 2.1V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z221A	VR-IC	LDO, LN, -Enable, 2.2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z221B	VR-IC	LDO, LN, Enable, 2.2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z231A	VR-IC	LDO, LN, -Enable, 2.3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z231B	VR-IC	LDO, LN, Enable, 2.3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z241A	VR-IC	LDO, LN, -Enable, 2.4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z241B	VR-IC	LDO, LN, Enable, 2.4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z251A	VR-IC	LDO, LN, -Enable, 2.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z251B	VR-IC	LDO, LN, Enable, 2.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z261A	VR-IC	LDO, LN, -Enable, 2.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z261B	VR-IC	LDO, LN, Enable, 2.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z271A	VR-IC	LDO, LN, -Enable, 2.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z271B	VR-IC	LDO, LN, Enable, 2.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z281A	VR-IC	LDO, LN, -Enable, 2.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z281B	VR-IC	LDO, LN, Enable, 2.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z291A	VR-IC	LDO, LN, -Enable, 2.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z291B	VR-IC	LDO, LN, Enable, 2.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z301A	VR-IC	LDO, LN, -Enable, 3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z301B	VR-IC	LDO, LN, Enable, 3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z311A	VR-IC	LDO, LN, -Enable, 3.1V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z311B	VR-IC	LDO, LN, Enable, 3.1V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z321A	VR-IC	LDO, LN, -Enable, 3.2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z321B	VR-IC	LDO, LN, Enable, 3.2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z331A	VR-IC	LDO, LN, -Enable, 3.3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z331B	VR-IC	LDO, LN, Enable, 3.3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z341A	VR-IC	LDO, LN, -Enable, 3.4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z341B	VR-IC	LDO, LN, Enable, 3.4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z351A	VR-IC	LDO, LN, -Enable, 3.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z351B	VR-IC	LDO, LN, Enable, 3.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z361A	VR-IC	LDO, LN, -Enable, 3.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z361B	VR-IC	LDO, LN, Enable, 3.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z371A	VR-IC	LDO, LN, -Enable, 3.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z371B	VR-IC	LDO, LN, Enable, 3.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z381A	VR-IC	LDO, LN, -Enable, 3.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z381B	VR-IC	LDO, LN, Enable, 3.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z391A	VR-IC	LDO, LN, -Enable, 3.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z391B	VR-IC	LDO, LN, Enable, 3.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z401A	VR-IC	LDO, LN, -Enable, 4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z401B	VR-IC	LDO, LN, Enable, 4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z411A	VR-IC	LDO, LN, -Enable, 4.1V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z411B	VR-IC	LDO, LN, Enable, 4.1V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z421A	VR-IC	LDO, LN, -Enable, 4.2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z421B	VR-IC	LDO, LN, Enable, 4.2V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z431A	VR-IC	LDO, LN, -Enable, 4.3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z431B	VR-IC	LDO, LN, Enable, 4.3V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z441A	VR-IC	LDO, LN, -Enable, 4.4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z441B	VR-IC	LDO, LN, Enable, 4.4V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z451A	VR-IC	LDO, LN, -Enable, 4.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z451B	VR-IC	LDO, LN, Enable, 4.5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z461A	VR-IC	LDO, LN, -Enable, 4.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z461B	VR-IC	LDO, LN, Enable, 4.6V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z471A	VR-IC	LDO, LN, -Enable, 4.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z471B	VR-IC	LDO, LN, Enable, 4.7V±2%, 150mA	WLCSP-4	39bc	VR4	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
F	R1113Z481A	VR-IC	LDO, LN, -Enable, 4.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z481B	VR-IC	LDO, LN, Enable, 4.8V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z491A	VR-IC	LDO, LN, -Enable, 4.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z491B	VR-IC	LDO, LN, Enable, 4.9V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z501A	VR-IC	LDO, LN, -Enable, 5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F	R1113Z501B	VR-IC	LDO, LN, Enable, 5V±2%, 150mA	WLCSP-4	39bc	VR4	Ric
F0	R1160D101B	VR-IC	LDO, Enable, 1V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F0	R5421N177C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=7,7V	SOT23-6	33xj	VR21	Ric
F0	TC1073-4 0VCH	VR-IC	LDO, Enable, -Error, 4V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
F1	R1160D111B	VR-IC	LDO, Enable, 1.1V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F1	R5421N162C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=6,2V	SOT23-6	33xj	VR21	Ric
F1	TC1073-2 5VCH	VR-IC	LDO, Enable, -Error, 2.5V±2%, 50mA	SOT23-6	33vrka	VR9	Mcc
F2	R1160D121B	VR-IC	LDO, Enable, 1.2V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F2	R5421N148F	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=4,8V	SOT23-6	33xj	VR21	Ric
F2	TC1073-2.7VCH	VR-IC	LDO, Enable, -Error, 2.7V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
F3	R1160D131B	VR-IC	LDO, Enable, 1.3V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F3	R5421N173C	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vd=7,3V	SOT23-6	33xj	VR21	Ric
F3	TC1073-3.0VCH	VR-IC	LDO, Enable, -Error, 3V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
F4	R1160D141B	VR-IC	LDO, Enable, 1.4V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F5	R1160D151B	VR-IC	LDO, Enable, 1.5V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F5	TC1073-3.3VCH	VR-IC	LDO, Enable, -Error, 3.3V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
F6	R1160D161B	VR-IC	LDO, Enable, 1.6V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F7	R1160D171B	VR-IC	LDO, Enable, 1.7V±2%, 200mA	SON-8	35vrf4	VR4	Ric
F7	TC1073-5.0VCH	VR-IC	LDO, Enable, -Error, 5V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
F8	R1160D181B	VR-IC	LDO, Enable, 1.8V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F8	TC1073-2 85VCH	VR-IC	LDO, Enable, -Error, 2.85V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
F9	R1160D191B	VR-IC	LDO, Enable, 1.9V±2%, 200mA	SON-6	35vrf4	VR4	Ric
F9	TC1073-3 6VCH	VR-IC	LDO, Enable, -Error, 3.6V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
FZ	TC1073-2 8VCH	VR-IC	LDO, Enable, -Error, 2.8V±2%, 100mA	SOT23-6	33vrka	VR9	Mcc
G0	R1160D201B	VR-IC	LDO, Enable, 2V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G09	LM4809LD	Lim-IC	2xAF PA, 2.5, 5V, 2x105mW(4V/16Q), shutdown	LPP8	37	PA5	Nsc
G09	LM4809MM	Lim-IC	2xAF PA, 2.5, 5V, 2x105mW(4V/16Q), shutdown	SO-8	33	PA15	Nsc
G1	R1160D211B	VR-IC	LDO, Enable, 2.1V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G10	LM4810LD	Lim-IC	2xAF PA, 2.5, 5V, 2x105mW(4V/16Q), shutdown	LPP8	37	PA5	Nsc
G10	LM4810MM	Lim-IC	2xAF PA, 2.5, 5V, 2x105mW(4V/16Q), shutdown	SO-8	33	PA15	Nsc
G19	LM4819MM	Lim-IC	AF PA, BTL, 2.5, 5V, 350mW(5V/8Q), shutdown	MINISO8	33	PA6	Nsc
G2	R1160D221B	VR-IC	LDO, Enable, 2.2V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G26	LM4820MM-6	Lim-IC	AF PA, BTL, 2.5, 5V, 1W(5V/8Q), shutdown	MINISO8	33	PA7	Nsc
G3	R1160D231B	VR-IC	LDO, Enable, 2.3V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G4	MBT35200MT1	Si-PNP	GP, 55V, 2A, 625mW, B=100...200, >100MHz	TSOP-6	33af	-	Ons
G4	R1160D241B	VR-IC	LDO, Enable, 2.4V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G5	R1160D251B	VR-IC	LDO, Enable, 2.5V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G52	LM4851BL	Lim-IC	AF PA, 2.7, 5, 5V, BTL, 1.1W(5V/4Q)+2xBTL, 115mW(8Q)	BGA16	39	PA9	Nsc
G6	R1160D261B	VR-IC	LDO, Enable, 2.6V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G7	R1160D271B	VR-IC	LDO, Enable, 2.7V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G79	LM4879BL	Lim-IC	AF PA, BTL, 2.2, 5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
G79	LM4879BLX	Lim-IC	AF PA, BTL, 2.2, 5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
G79	LM4879MM	Lim-IC	AF PA, BTL, 2.2, 5V, 1.1W(5V/8Q), shutdown	SO10	33	PA13	Nsc
G8	R1160D281B	VR-IC	LDO, Enable, 2.8V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G9	R1160D291B	VR-IC	LDO, Enable, 2.9V±2%, 200mA	SON-6	35vrf4	VR4	Ric
G90	LM4890MM	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	MINISO8	33	PA11	Nsc
G91	LM4891MM	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	MINISO8	33	PA6	Nsc
G92	LM4892MM	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	MINISO8	33	PA18	Nsc
G93	LM4893ITL	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
G93	LM4893ITLX	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
G93	LM4893MM	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	MINISO10	33	PA13	Nsc
G97	LM4897MM	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	SOP10	33	PA23	Nsc
GA	µPA600T	Si-NPN	Dual, 60V, 100mA, 250MHz	SOT23-6	33if	-	Nec
GA2	LM4889MM	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1W(5V/8Q), shutdown	MINISO10	33	PA11	Nsc
GA3	LM4889ITL	Lim-IC	AF PA, BTL, 2.7, 5, 5V, 1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GA3	LM4889ITLX	Lim-IC	AF PA, BTL, 2.7, 5, 5V, 1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GA3	LM4902LD	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 265mW(5V/8Q), shutdown	LPP8	37	PA11	Nsc
GA3	LM4911MM	Lim-IC	2xAF PA, BTL, 2.2, 5, 5V, 2x40mW(5V/16Q), shutdown	MINISO10	33	PA28	Nsc
GA4	LM4903MM	Lim-IC	AF PA, BTL, 2.5, 5V, 1W(5V/8Q), shutdown	MINISO8	33	PA11	Nsc
GA7	LM4912MM	Lim-IC	2xAF PA, 2.2, 5, 5V, 2x40mW(5V/16Q), shutdown	MINISO10	33	PA29	Nsc
GA8	LM4890ITL	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GA8	LM4890ITLX	Lim-IC	AF PA, BTL, 2.2, 5, 5V, 1.1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GA8	LM4906MM	Lim-IC	AF PA, BTL, 2.5, 5, 5V, 1W(5V/8Q), shutdown	MINISO8	33	PA27	Nsc

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
GB1	LM4851ITL	Lim-IC	AF PA, 2,7 5,5V, BTL 1,1W(5V/8Q), shutdown	BGA16	39	PA9	Nsc
GB2	LM4899MM	Lim-IC	AF PA, BTL, 2,2 5,5V, 1W(5V/8Q), shutdown	MINISO10	33	PA21	Nsc
GB3	LM4898MM	Lim-IC	AF PA, BTL, 2,2 5,5V, 1W(5V/8Q), shutdown	MINISO10	33	PA19	Nsc
GC1	LM4901MM	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,6W(5V/8Q), shutdown	MINISO10	33	PA25	Nsc
GC2	LM4910MM	Lim-IC	2xAF PA, BTL, 2,2 5,5V, 2x35mW(5V/32Q), shutdown	MINISO8	33	PA27	Nsc
GC3	LM4902MM	Lim-IC	AF PA, BTL, 2,2 5,5V, 265mW(3V/8Q), shutdown	MINISO8	33	PA11	Nsc
GD	LM4878IBP	Lim-IC	AF PA, BTL, 2 5,5V, 1W(5V/8Q), shutdown	BGA9	39	PA12	Nsc
GD	LM4878IBPX	Lim-IC	AF PA, BTL, 2 5,5V, 1W(5V/8Q), shutdown	BGA9	39	PA12	Nsc
GE	LM4890IBP	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GE	LM4890IBPX	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GG	LM4891IBP	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GG	LM4891IBPX	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GH	LM4892IBP	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA17	Nsc
GH	LM4892IBPX	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA17	Nsc
GN	LM4879IBP	Lim-IC	AF PA, BTL, 2,2 5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GN	LM4879IBPX	Lim-IC	AF PA, BTL, 2,2 5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GP	LM4890IBL	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GP	LM4890IBLX	Lim-IC	AF PA, BTL, 2,2 5,5V, 1,1W(5V/8Q), shutdown	BGA9	39	PA14	Nsc
GQ	DDZX141TS	Z-Diode	Trnple, 3x14V ±2 5%, 200mW	SOT363	33dd	-	Dil
GY	DDZX151TS	Z-Diode	Trnple, 3x15V ±2 5%, 200mW	SOT363	33dd	-	Dil
H	HMP-3860	PIN-Diode	RF, Alt, 50V, 1A(1µs), <0,2pF, 22Q(1mA), <80ns	MP	37d	-	Agf
H	HSMS-280M	Si-Diode	4x Schottky, RF, 70V, 1A, Vf<0,41V(1mA), <2pF, 35Q(5mA)	SOT363	33bw	-	Agf
H0	R1160D301B	VR-IC	LDO, Enable, 3V±2%, 200mA	SON-6	35vrf	VR4	Ric
H1	R1160D311B	VR-IC	LDO, Enable, 3,1V±2%, 200mA	SON-6	35vrf	VR4	Ric
H2	R1160D321B	VR-IC	LDO, Enable, 3,2V±2%, 200mA	SON-6	35vrf	VR4	Ric
H3	R1160D331B	VR-IC	LDO, Enable, 3,3V±2%, 200mA	SON-6	35vrf	VR4	Ric
H5	MBD770DWT1	Si-Diode	Dual, Schottky, UHF/VHF-Det, 70V, 120mW, <1pF	SOT363	33de	-	Ons
HA	µPA601T	Si-PNP	Dual, 60V, 100mA, 180MHz	SOT23-6	33if	-	Nec
HA	DDZX9682TS	Z-Diode	Trnple, 3x2,7V±5%, 200mW	SOT363	33dd	-	Dil
HB	DDZX9683TS	Z-Diode	Trnple, 3x3V±5%, 200mW	SOT363	33dd	-	Dil
HC	DDZX9684TS	Z-Diode	Trnple, 3x3,3V±5%, 200mW	SOT363	33dd	-	Dil
HC10	HDC10CA	TVS	10V, 21,8A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC12	HDC12CA	TVS	12V, 18,6A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC15	HDC15CA	TVS	15V, 15,2A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC18	HDC18CA	TVS	18V, 12,7A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC22	HDC22CA	TVS	22V, 10,4A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC26	HDC26CA	TVS	26V, 8,8A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC30	HDC30CA	TVS	30V, 7,6A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HCS	HDG5 OCA	TVS	5V, 40,2A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC6	HDG6 OCA	TVS	6V, 35,9A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC7	HDG7 OCA	TVS	7V, 30,8A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HC8	HDG8 OCA	TVS	8V, 27,2A, 375W (1ms), Bidirectional	SO-4	33c	-	Dil
HD	DDZX9685TS	Z-Diode	Trnple, 3x3,6V±5%, 200mW	SOT363	33dd	-	Dil
HE	DDZX9686TS	Z-Diode	Trnple, 3x3,9V±5%, 200mW	SOT363	33dd	-	Dil
HF	DDZX9687TS	Z-Diode	Trnple, 3x4,3V±5%, 200mW	SOT363	33dd	-	Dil
HG	DDZX9688TS	Z-Diode	Trnple, 3x4,7V±5%, 200mW	SOT363	33dd	-	Dil
HH	DDZX9689TS	Z-Diode	Trnple, 3x5,1V±5%, 200mW	SOT363	33dd	-	Dil
HH	HSMS-282M	Si-Diode	4x Schottky, RF, 15V, 1A, Vf<0,34V(1mA), <1pF, 12Q(5mA)	SOT363	33bw	-	Agf
HJ	DDZX9690TS	Z-Diode	Trnple, 3x5,6V±5%, 200mW	SOT363	33dd	-	Dil
HK	DDZX9691TS	Z-Diode	Trnple, 3x6,2V±5%, 200mW	SOT363	33dd	-	Dil
HL	DDZX9692TS	Z-Diode	Trnple, 3x6,8V±5%, 200mW	SOT363	33dd	-	Dil
HM	DDZX9693TS	Z-Diode	Trnple, 3x7,5V±5%, 200mW	SOT363	33dd	-	Dil
HN	DDZX9694TS	Z-Diode	Trnple, 3x8,2V±5%, 200mW	SOT363	33dd	-	Dil
HP	DDZX9696TS	Z-Diode	Trnple, 3x9,1V±5%, 200mW	SOT363	33dd	-	Dil
HQ	DDZX9697TS	Z-Diode	Trnple, 3x10V±5%, 200mW	SOT363	33dd	-	Dil
HR	DDZX9698TS	Z-Diode	Trnple, 3x11V±5%, 200mW	SOT363	33dd	-	Dil
HS	BF485PN	Si-NIP	N+P, HV, 350V, 100mA, 600mW, B>60, >50MHz	SOT457	33df	-	Phi
HS	DDZX9699TS	Z-Diode	Trnple 3x12V±5%, 200mW	SOT363	33dd	-	Dil
HT	DDZX9700TS	Z-Diode	Trnple, 3x13V±5%, 200mW	SOT363	33dd	-	Dil
HU	DDZX9701TS	Z-Diode	Trnple, 3x14V±5%, 200mW	SOT363	33dd	-	Dil
HV	DDZX9702TS	Z-Diode	Trnple, 3x15V±5%, 200mW	SOT363	33dd	-	Dil
HW	DDZX9703TS	Z-Diode	Trnple, 3x16V±5%, 200mW	SOT363	33dd	-	Dil
HY	DDZX9705TS	Z-Diode	Trnple, 3x18V±5%, 200mW	SOT363	33dd	-	Dil
IA	µPA602T	MOS-N-FET-e*	Dual, V-MOS, 50V, 100mA, <25Q(10mA)	SOT23-6	33fe	-	Nec
IB	µPA611TA	MOS-N-FET-e*	Dual, V-MOS, LogL, 30V, ±100mA, <15Q	SOT23-6	33fe	-	Nec
IT	XP04387	Si-PIN-Digi	Dual, 50V, 100mA, 150mW, 80MHz, R1/R2=1k/10k	SMin6	33ci	-	Pan
J	HMP5-2825	Si-Diode	Dual, Schottky Barrier, RF, 15V, 1A(1µs), <1pF	MP	37cl	-	Agf
JA	µPA603T	MOS-P-FET-e*	Dual, V-MOS, 50V, 100mA, <60Q(10mA)	SOT23-6	33fe	-	Nec

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
JA2	S-80141ALPF-JA2TFG	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JA3	S-80142ALPF-JA3TFG	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JA4	S-80143ALPF-JA4TFG	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JA5	S-80144ALPF-JA5TFG	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JA6	S-80145ALPF-JA6TFG	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JA7	S-80146ALPF-JA7TFG	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JA8	S-80147ALPF-JA8TFG	CMOS-IC	Voltage Detector 4.7V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JA9	S-80148ALPF-JA9TFG	CMOS-IC	Voltage Detector 4.8V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAB	MMBD4448HSDW	Si-Diode	Quad, Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT363	33bk	-	Dil
JAH	S-80122ALPF-JAHTFG	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAI	S-80123ALPF-JAITFG	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAJ	S-80124ALPF-JAJTFG	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAK	S-80125ALPF-JAKTFG	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAL	S-80126ALPF-JALTFG	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAM	S-80127ALPF-JAMTFG	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAN	S-80128ALPF-JANTFG	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAQ	S-80129ALPF-JAOTFG	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAP	S-80130ALPF-JAPTFG	CMOS-IC	Voltage Detector 3V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAQ	S-80131ALPF-JAQTFG	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAR	S-80132ALPF-JARTFG	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAS	S-80133ALPF-JASTFG	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAT	S-80134ALPF-JATTFG	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAU	S-80135ALPF-JAUTFG	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAV	S-80136ALPF-JAVTFG	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAW	S-80137ALPF-JAWTFG	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAX	S-80138ALPF-JAXTFG	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAY	S-80139ALPF-JAYTFG	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JAZ	S-80140ALPF-JAZTFG	CMOS-IC	Voltage Detector 4V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JB	µPA610TA	MOS-P-FET- α	Dual, V-MOS, LogL, 30V, $\pm 100\mu A$, <60 Ω	SOT23-6	33fe	-	Nec
JBA	S-80149ALPF-JBATFG	CMOS-IC	Voltage Detector 4.9V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBB	S-80150ALPF-JBBTFG	CMOS-IC	Voltage Detector 5V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBC	S-80151ALPF-JBCTFG	CMOS-IC	Voltage Detector 5.1V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBD	S-80152ALPF-JBDTFG	CMOS-IC	Voltage Detector 5.2V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBE	S-80153ALPF-JBETFG	CMOS-IC	Voltage Detector 5.3V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBF	S-80154ALPF-JBFTFG	CMOS-IC	Voltage Detector 5.4V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBG	S-80155ALPF-JBGTFG	CMOS-IC	Voltage Detector 5.5V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBH	S-80156ALPF-JBHTFG	CMOS-IC	Voltage Detector 5.6V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBI	S-80157ALPF-JBITFG	CMOS-IC	Voltage Detector 5.7V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBJ	S-80158ALPF-JBJTFG	CMOS-IC	Voltage Detector 5.8V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBK	S-80159ALPF-JBKTFG	CMOS-IC	Voltage Detector 5.9V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JBL	S-80160ALPF-JBLTFG	CMOS-IC	Voltage Detector 6V, -Reset Push-pull output, 50ms	SNT-4	35ye	-	Sei
JC2	S-80141ANPF-JC2TFG	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JC3	S-80142ANPF-JC3TFG	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JC4	S-80143ANPF-JC4TFG	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JC5	S-80144ANPF-JC5TFG	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JC6	S-80145ANPF-JC6TFG	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JC7	S-80146ANPF-JC7TFG	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JC8	S-80147ANPF-JC8TFG	CMOS-IC	Voltage Detector 4.7V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JC9	S-80148ANPF-JC9TFG	CMOS-IC	Voltage Detector 4.8V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCH	S-80122ANPF-JCHTFG	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCI	S-80123ANPF-JCITFG	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCJ	S-80124ANPF-JCJTFG	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCK	S-80125ANPF-JCKTFG	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCL	S-80126ANPF-JCLTFG	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCM	S-80127ANPF-JCMTFG	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCN	S-80128ANPF-JCNTFG	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCO	S-80129ANPF-JCOTFG	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCP	S-80130ANPF-JCPTFG	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCQ	S-80131ANPF-JCQTFG	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCR	S-80132ANPF-JCRTFG	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCS	S-80133ANPF-JCSTFG	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCT	S-80134ANPF-JCTTFG	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCU	S-80135ANPF-JCUTFG	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCV	S-80136ANPF-JCVTFG	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCW	S-80137ANPF-JCWTFG	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCX	S-80138ANPF-JCXTFG	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCY	S-80139ANPF-JCYTFG	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei
JCZ	S-80140ANPF-JCZTFG	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 50ms	SNT-4	35ye	-	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
JK9	S-80148CNPFF-JK9TFG	CMOS-IC	Voltage Detector 4,8V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKH	S-80122CNPFF-JKHTFG	CMOS-IC	Voltage Detector 2,2V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKI	S-80123CNPFF-JKITFG	CMOS-IC	Voltage Detector 2,3V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKJ	S-80124CNPFF-JKJTFG	CMOS-IC	Voltage Detector 2,4V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKK	S-80125CNPFF-JKKTFG	CMOS-IC	Voltage Detector 2,5V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKL	S-80126CNPFF-JKLTFG	CMOS-IC	Voltage Detector 2,6V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKM	S-80127CNPFF-JKMTFG	CMOS-IC	Voltage Detector 2,7V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKN	S-80128CNPFF-JKNTFG	CMOS-IC	Voltage Detector 2,8V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKO	S-80129CNPFF-JKOTFG	CMOS-IC	Voltage Detector 2,9V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKP	S-80130CNPFF-JKPTFG	CMOS-IC	Voltage Detector 3V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKQ	S-80131CNPFF-JKQTFG	CMOS-IC	Voltage Detector 3,1V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKR	S-80132CNPFF-JKRTFG	CMOS-IC	Voltage Detector 3,2V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKS	S-80133CNPFF-JKSTFG	CMOS-IC	Voltage Detector 3,3V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKT	S-80134CNPFF-JKTTFG	CMOS-IC	Voltage Detector 3,4V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKU	S-80135CNPFF-JKUTFG	CMOS-IC	Voltage Detector 3,5V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKV	S-80136CNPFF-JKVTFG	CMOS-IC	Voltage Detector 3,6V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKW	S-80137CNPFF-JKWTFG	CMOS-IC	Voltage Detector 3,7V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKX	S-80138CNPFF-JKXTFG	CMOS-IC	Voltage Detector 3,8V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKY	S-80139CNPFF-JKYTFG	CMOS-IC	Voltage Detector 3,9V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JKZ	S-80140CNPFF-JKZTFG	CMOS-IC	Voltage Detector 4V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLA	S-80149CNPFF-JLATFG	CMOS-IC	Voltage Detector 4,9V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLB	S-80150CNPFF-JLBTFG	CMOS-IC	Voltage Detector 5V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLC	S-80151CNPFF-JLCTFG	CMOS-IC	Voltage Detector 5,1V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLD	S-80152CNPFF-JLDTFG	CMOS-IC	Voltage Detector 5,2V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLE	S-80153CNPFF-JLETFG	CMOS-IC	Voltage Detector 5,3V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLF	S-80154CNPFF-JLFTFG	CMOS-IC	Voltage Detector 5,4V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLG	S-80155CNPFF-JLGTFG	CMOS-IC	Voltage Detector 5,5V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
JLH	S-80156CNPFF-JLHTFG	CMOS-IC	Voltage Detector 5,6V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
LIJ	S-80157CNPFF-LIJTFG	CMOS-IC	Voltage Detector 5,7V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
LIJ	S-80158CNPFF-LIJTFG	CMOS-IC	Voltage Detector 5,8V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
LIJ	S-80159CNPFF-LIJTFG	CMOS-IC	Voltage Detector 5,9V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
LJL	S-80160CNPFF-LJLTFG	CMOS-IC	Voltage Detector 6V, -Reset Open drain output, 200ms	SNT-4	35ye	-	Sei
K	HMP5-2822	Si-Diode	Dual, Schottky Barrier, RF, 15V, 1A(1µs), <1pF	MP	37cs	-	Ag
K0	R5426D101AA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,01V	SON-6	35xx	VR21	Ric
K0	R5426N101AA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,01V	SOT23-6	33xx	VR21	Ric
K01	TLC363C5V5	Z-Diode	Triple, 5,5V±5%, 200mW, Bidirectional	SOT363	33dia	-	Dil
K03	TLC363C8V4	Z-Diode	Triple, 6,4V±5%, 200mW, Bidirectional	SOT363	33dia	-	Dil
K05	TLC363CTV0	Z-Diode	Triple, 7V±5%, 200mW, Bidirectional	SOT363	33dia	-	Dil
K07	TLC363C20V8	Z-Diode	Triple, 20V±5%, 200mW, Bidirectional	SOT363	33dia	-	Dil
K1	R5426D102AA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SON-6	35xx	VR21	Ric
K1	R5426N102AA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SOT23-6	33xx	VR21	Ric
K19A	TS419IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA6	Ste
K19A	TS419QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA64	Ste
K19B	TS419-2IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA62	Ste
K19B	TS419-2QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA63	Ste
K19C	TS419-4IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA62	Ste
K19C	TS419-4QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA63	Ste
K19D	TS419-8IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA62	Ste
K19D	TS419-8QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA63	Ste
K1B	MMDT4124	Si-NPN	Dual, Switching, 30V, 200mA, 330mW, B=120..360, >300MHz	SOT363	33lg	-	Dil
K1F	BC847BS	Si-NPN	Dual, GP, 2x50V, 100mA, 200mW, B=200..450, >100MHz	SOT363	33lg	-	Dil
K1P	MMDT2222A	Si-NPN	Dual, GP, 75V, 600mA, 330mW, B=120..360, >300MHz	SOT363	33lg	-	Dil
K2	HN1L02FU	MOS-P/N-FET-e	N+P, LogL, 20V, 50mA, <40Q(10mA)	SOT363	33fea	-	Tos
K2	R5426D103BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,03V	SON-6	35xx	VR21	Ric
K2	R5426N103BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,03V	SOT23-6	33xx	VR21	Ric
K21A	TS421IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA11	Ste
K21A	TS421QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA64	Ste
K21B	TS421-2IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA62	Ste
K21B	TS421-2QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA63	Ste
K21C	TS421-4IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA62	Ste
K21C	TS421-4QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA63	Ste
K21D	TS421-8IST	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	MINISO8	33	PA62	Ste
K21D	TS421-8QT	Lin-IC	AF PA, BTL, 2,5,5V, 367mW(5V/16Q), shutdown	LPP8	37	PA63	Ste
K2B	MMDT4126	Si-NPN	GP, 25V, 200mA, 350mW, B=120..360, >250MHz	SOT363	33lg	-	Dil
K2F	MMDT2907A	Si-NPN	Dual, GP, 60V, 600mA, 330mW, B=100..300, >200MHz	SOT363	33lg	-	Dil
K3	R5426D104BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,03V	SON-6	35xx	VR21	Ric
K3	R5426N104BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,04V	SOT23-6	33xx	VR21	Ric
K3B	BSS138DW	MOS-N-FET-e*	Dual, V-MOS, LogL, 50V, 200mA, 0,2W, 1,4Q(0,22A), 20/20ns	SOT363	33fea	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
K3N	MMDT3906	Si-PNP	Dual, GP, 40V, 200mA, 250mW, B=60..300, >250MHz	SOT363	33lg	-	Dil
K3W	BC857BS	Si-PNP	Dual, AF, 50V, 100mA, 310mW, B=90..270, >100MHz	SOT363	33lg	-	Dil
K4	R5426D105CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,05V	SON-6	35xx	VR21	Ric
K4	R5426N105CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,05V	SOT23-6	33xx	VR21	Ric
K46	MMDT3946	Si-P/N	Dual, GP, 60V, 200mA, 150mW, B= 100..300, >300MHz	SOT363	33lg	-	Dil
K4N	MMDT5551	Si-NPN	Dual, GP, 180V, 200mA, 200mW, B=80..250, <300MHz	SOT363	33lg	-	Dil
K4V	BC847BV	Si-NPN	Dual, GP, 50V, 100mA, 200mW, B=200..450, >100MHz	SOT666	35lg	-	Dil
K5	R5426D105DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,05V	SON-6	35xx	VR21	Ric
K5	R5426N105DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,05V	SOT23-6	33xx	VR21	Ric
K5F	QZX363C5V6	Z-Diode	Quad, 5,6V±5%, 200mW	SOT363	33bd	-	Dil
K5V	BC857BV	Si-PNP	Dual, AF, 50V, 100mA, 310mW, B=90..270, >100MHz	SOT666	35lg	-	Dil
K6	R5426D106CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,06V	SON-6	35xx	VR21	Ric
K6	R5426N106CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,06V	SOT23-6	33xx	VR21	Ric
K6F	QZX363C5V8	Z-Diode	Quad, 6,8V±5%, 200mW	SOT363	33bd	-	Dil
K6N	MMDT3904	Si-NPN	Dual, GP, 60V, 200mA, 250mW, B=100..300, >300MHz	SOT363	33lg	-	Dil
K7	R5426D106EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,06V	SON-6	35xx	VR21	Ric
K7	R5426N106EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,06V	SOT23-6	33xx	VR21	Ric
K72	2N7002DW	MOS-N-FET-e	Dual, D-MOS, 60V, 1150mA, 200mW, <7,5Q(0,5A), 7/11ns	SOT363	33fe	-	Trs
K7P	BC847PN	Si-P/N	Dual, GP, AF, 50V, 100mA, 250mW, B=110..800, >100MHz	SOT363	33da	-	Dil
K8	R5426D107CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,07V	SON-6	35xx	VR21	Ric
K8	R5426N107CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,07V	SOT23-6	33xx	VR21	Ric
K84	BSS84DW	MOS-P-FET-e*	Dual, V-MOS, LogL, 50V, 130mA, 0,3W, 6Q(0,1A), 10/18ns	SOT363	33fe	-	Dil
K86A	TS486-IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), Volume Control	LPP8	37	PA15	Ste
K86A	TS486IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), Volume Control	MINISO8	33	PA15	Ste
K86B	TS486-1IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	LPP8	37	PA65	Ste
K86B	TS486-1IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	MINISO8	33	PA65	Ste
K86C	TS486-2IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	MINISO8	33	PA65	Ste
K87A	TS487-1IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	MINISO8	33	PA65	Ste
K87A	TS487-IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), Volume Control	LPP8	37	PA15	Ste
K87A	TS487IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), Volume Control	MINISO8	33	PA15	Ste
K87B	TS487-1IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	LPP8	37	PA65	Ste
K87C	TS486-2IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	LPP8	37	PA65	Ste
K87C	TS467-2IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	LPP8	37	PA65	Ste
K87C	TS487-2IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	MINISO8	33	PA65	Ste
K87D	TS486-4IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	LPP8	37	PA65	Ste
K87D	TS486-4IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	MINISO8	33	PA65	Ste
K87D	TS487-4IQT	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	LPP8	37	PA65	Ste
K87D	TS487-4IST	Lin-IC	2xAF PA, 2,5,5V, 2x100mW (5V/16Q), shutdown	MINISO8	33	PA65	Ste
K9	R5426D108CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,08V	SON-6	35xx	VR21	Ric
K9	R5426N108CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,08V	SOT23-6	33xx	VR21	Ric
K990	TS4990IQT	Lin-IC	AF PA, BTL, 2,5..5,5V, 1,2W (5V/8Q), shutdown	LPP8	37	PA11	Ste
K990	TS4990IST	Lin-IC	AF PA, BTL, 2,5..5,5V, 1,2W (5V/8Q), shutdown	MINISO8	33	PA11	Ste
K994	TS4994IQT	Lin-IC	AF PA, BTL, 2,5..5,5V, 1,2W (5V/8Q), shutdown	LPP8	37	PA19	Ste
K994	TS4994IST	Lin-IC	AF PA, BTL, 2,5..5,5V, 1,2W (5V/8Q), shutdown	MINISO8	33	PA19	Ste
KA	µPA604T	Si-NPN	Dual, 60V, 100mA, 250mW	SOT23-6	33lg	-	Nec
KA	µPA670T	Si-NPN	Dual, 60V, 100mA, 250mW	SOT363	33lg	-	Nec
KA	R5426D109EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,09V	SON-6	35xx	VR21	Ric
KA	R5426N109EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,09V	SOT23-6	33xx	VR21	Ric
KA2	BAS16TW	Si-Diode	Triple, Sw, Fast, 75V, 300mA, Vf<1,25V(150mA), <4ns, 2pF	SOT363	33dd	-	Dil
KA2	MMBD4148TW	Si-Diode	Triple, Sw, Fast, 75V, 300mA, Vf<1,25V(150mA), <4ns, 2pF	SOT363	33dd	-	Dil
KA3	MMBD4448DW	Si-Diode	Dual, Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT363	33de	-	Dil
KA6	MMBD4448HADW	Si-Diode	Quad, Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT363	33be	-	Dil
KA7	MMBD4448HCDW	Si-Diode	Quad, Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT363	33bd	-	Dil
KAA	MMBD4448HTW	Si-Diode	Quad, Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT363	33dd	-	Dil
KAB	MMBD4448HSDW	Si-Diode	Quad, Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT363	33bk	-	Dil
KAD	MMBD4448HTM	Si-Diode	Triple, Switching, Fast, 75V, 500mA, Vf<1,25V(150mA), <4ns	SOT26	33bb	-	Dil
KB	R5426D110FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,1V	SON-6	35xx	VR21	Ric
KB	R5426N110FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,1V	SOT23-6	33xx	VR21	Ric
KC	R5426D111DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SON-6	35xx	VR21	Ric
KC	R5426N111DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SOT23-6	33xx	VR21	Ric
KC1	MMBZ5221BS	Z-Diode	Dual, 2x2,4V±5%, 200mW, Zzt=30Q	SOT363	33de	-	Dil
KC3	MMBZ5223BS	Z-Diode	Dual, 2x2,7V±5%, 200mW, Zzt=30Q	SOT363	33de	-	Dil
KC5	MMBZ5225BS	Z-Diode	Dual, 2x3V±5%, 200mW, Zzt=29Q	SOT363	33de	-	Dil
KD	R5426D112FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,12V	SON-6	35xx	VR21	Ric
KD	R5426N112FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,12V	SOT23-6	33xx	VR21	Ric
KDA	SSM6K06FU	MOS-N-FET-e*	Dual, LogL, 20V, 1,1A, <0,21Q(0,5A)	SOT363	33fc	-	Tos
KDB	SSM6J06FU	MOS-P-FET-e*	Dual, LogL, 20V, 0,65A, <0,7Q(0,5A)	SOT363	33fc	-	Tos
KDE	SSM6K07FU	MOS-N-FET-e*	Dual, LogL, 30V, 1,5A, <0,22Q(0,75A)	SOT363	33fc	-	Tos

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
KDF	SSM6J07FU	MOS-P-FET-e*	Dual, LogL, 30V, 0,8A, <0,8Ω(0,5A)	SOT363	33fc	-	Tos
KE	R5426D113CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,13V	SON-6	35xk	VR21	Ric
KE	R5426N113CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,13V	SOT23-6	33xk	VR21	Ric
KE1	MMBZ5231BS	Z-Diode	Dual, 2x5,1V±5%, 200mW, Zzt=17Ω	SOT363	33de	-	Dil
KE2	MMBZ5232BS	Z-Diode	Dual, 2x5,6V±5%, 200mW, Zzt=11Ω	SOT363	33de	-	Dil
KE3	MMBZ5233BS	Z-Diode	Dual, 2x6V±5%, 200mW, Zzt=7Ω	SOT363	33de	-	Dil
KE4	MMBZ5234BS	Z-Diode	Dual, 6,2V±5%, 200mW, Zzt=7Ω	SOT363	33de	-	Dil
KE5	MMBZ5235BS	Z-Diode	Dual, 2x6,8V±5%, 200mW, Zzt=5Ω	SOT363	33de	-	Dil
KF	R5426D114CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,14V	SON-6	35xk	VR21	Ric
KF	R5426N114CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,14V	SOT23-6	33xk	VR21	Ric
KF1	MMBZ5236BS	Z-Diode	Dual, 7,5V±5%, 200mW, Zzt=6Ω	SOT363	33de	-	Dil
KF2	MMBZ5237BS	Z-Diode	Dual, 2x8,2V±5%, 200mW, Zzt=8Ω	SOT363	33de	-	Dil
KF3	MMBZ5238BS	Z-Diode	Dual, 8,7V±5%, 200mW, Zzt=8Ω	SOT363	33de	-	Dil
KF4	MMBZ5239BS	Z-Diode	Dual, 2x9,1V±5%, 200mW, Zzt=10Ω	SOT363	33de	-	Dil
KF5	MMBZ5240BS	Z-Diode	Dual, 2x10V±5%, 200mW, Zzt=17Ω	SOT363	33de	-	Dil
KFF	QZX363C12	Z-Diode	Quad, 12V±5%, 200mW	SOT363	33bd	-	Dil
KG	R5426D111CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SON-6	35xk	VR21	Ric
KG	R5426N111CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SOT23-6	33xk	VR21	Ric
KG1	MMBZ5226BS	Z-Diode	Dual, 2x3,3V±5%, 200mW, Zzt=28Ω	SOT363	33de	-	Dil
KG2	MMBZ5227BS	Z-Diode	Dual, 2x3,6V±5%, 200mW, Zzt=24Ω	SOT363	33de	-	Dil
KG3	MMBZ5228BS	Z-Diode	Dual, 2x3,9V±5%, 200mW, Zzt=23Ω	SOT363	33de	-	Dil
KG4	MMBZ5229BS	Z-Diode	Dual, 2x4,3V±5%, 200mW, Zzt=22Ω	SOT363	33de	-	Dil
KG5	MMBZ5230BS	Z-Diode	Dual, 2x4,7V±5%, 200mW, Zzt=19Ω	SOT363	33de	-	Dil
KH	R5426D101CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,01V	SON-6	35xk	VR21	Ric
KH	R5426N101CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,01V	SOT23-6	33xk	VR21	Ric
KH1	MMBZ5241BS	Z-Diode	Dual, 2x11V±5%, 200mW, Zzt=22Ω	SOT363	33de	-	Dil
KH2	MMBZ5242BS	Z-Diode	Dual, 2x12V±5%, 200mW, Zzt=30Ω	SOT363	33de	-	Dil
KH3	MMBZ5243BS	Z-Diode	Dual, 2x13V±5%, 200mW, Zzt=13Ω	SOT363	33de	-	Dil
KH4	MMBZ5244BS	Z-Diode	Dual, 2x14V±5%, 200mW, Zzt=15Ω	SOT363	33de	-	Dil
KH5	MMBZ5245BS	Z-Diode	Dual, 15V±5%, 200mW, Zzt=16Ω	SOT363	33de	-	Dil
KI	HN1K02FU	MOS-N-FET-e*	Dual, LogL, 20V, 50mA, <40Ω(10mA)	SOT363	33fea	-	Tos
KJ	R5426D102CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SON-6	35xk	VR21	Ric
KJ	R5426N102CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SOT23-6	33xk	VR21	Ric
KJ1	MMBZ5246BS	Z-Diode	Dual, 2x16V±5%, 200mW, Zzt=17Ω	SOT363	33de	-	Dil
KJ2	MMBZ5247BS	Z-Diode	Dual, 2x17V±5%, 200mW, Zzt=19Ω	SOT363	33de	-	Dil
KJ3	MMBZ5248BS	Z-Diode	Dual, 18V±5%, 200mW, Zzt=21Ω	SOT363	33de	-	Dil
KJ4	MMBZ5249BS	Z-Diode	Dual, 2x19V±5%, 200mW, Zzt=23Ω	SOT363	33de	-	Dil
KJ5	MMBZ5250BS	Z-Diode	Dual, 2x20V±5%, 200mW, Zzt=25Ω	SOT363	33de	-	Dil
KJC	BAW56DW	Si-Diode	Quad, Fast Switching, 100V, 300mA, 200mW, <6ns	SOT363	33be	-	Dil
KJF	QZX363C15	Z-Diode	Quad, 15V±5%, 200mW	SOT363	33bd	-	Dil
KK	R5426D110EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,1V	SON-6	35xk	VR21	Ric
KK	R5426N110EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,1V	SOT23-6	33xk	VR21	Ric
KK1	MMBZ5251BS	Z-Diode	Dual, 2x22V±5%, 200mW, Zzt=29Ω	SOT363	33de	-	Dil
KK2	MMBZ5252BS	Z-Diode	Dual, 2x24V±5%, 200mW, Zzt=33Ω	SOT363	33de	-	Dil
KK3	MMBZ5253BS	Z-Diode	Dual, 2x25V±5%, 200mW, Zzt=35Ω	SOT363	33de	-	Dil
KK4	MMBZ5254BS	Z-Diode	Dual, 2x27V±5%, 200mW, Zzt=41Ω	SOT363	33de	-	Dil
KK5	MMBZ5255BS	Z-Diode	Dual, 2x28V±5%, 200mW, Zzt=44Ω	SOT363	33de	-	Dil
KL	R5426D116EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,16V	SON-6	35xk	VR21	Ric
KL	R5426N116EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,16V	SOT23-6	33xk	VR21	Ric
KL1	TBZ363C5V5	Z-Diode	Triple, 5,5V±5%, 200mW, Bidirectional	SOT363	33dl	-	Dil
KL3	TBZ363C6V4	Z-Diode	Triple, 6,4V±5%, 200mW, Bidirectional	SOT363	33dl	-	Dil
KL5	TBZ363C7V0	Z-Diode	Triple, 7V±5%, 200mW, Bidirectional	SOT363	33dl	-	Dil
KM	DDZX5V1BTS	Z-Diode	Triple, 3x5,1V±2,5%, 200mW	SOT363	33dd	-	Dil
KM	R5426D102FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SON-6	35xk	VR21	Ric
KM	R5426N102FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SOT23-6	33xk	VR21	Ric
KM1	MMBZ5256BS	Z-Diode	Dual, 2x30V±5%, 200mW, Zzt=49Ω	SOT363	33de	-	Dil
KM2	MMBZ5257BS	Z-Diode	Dual, 2x33V±5%, 200mW, Zzt=58Ω	SOT363	33de	-	Dil
KM3	MMBZ5258BS	Z-Diode	Dual, 2x36V±5%, 200mW, Zzt=70Ω	SOT363	33de	-	Dil
KM4	MMBZ5259BS	Z-Diode	Dual, 2x39V±5%, 200mW, Zzt=80Ω	SOT363	33de	-	Dil
KMF	QZX363C20	Z-Diode	Quad, 20V±5%, 200mW	SOT363	33bd	-	Dil
KN	DDZX5V6BTS	Z-Diode	Triple, 3x5,6V±2,5%, 200mW	SOT363	33dd	-	Dil
KN	R5426D119FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,19V	SON-6	35xk	VR21	Ric
KN	R5426N119FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,19V	SOT23-6	33xk	VR21	Ric
KO	DDZX6V2BTS	Z-Diode	Triple, 3x6,2V±2,5%, 200mW	SOT363	33dd	-	Dil
KP	HN1K03FU	MOS-N-FET-e*	Dual, LogL, 20V, 0,1A, <12Ω(10mA)	SOT363	33fea	-	Tos
KP	R5426D120CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,2V	SON-6	35xk	VR21	Ric
KP	R5426N120CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,2V	SOT23-6	33xk	VR21	Ric
KPB	BZX84-C30TS	Z-Diode	Triple, 3x30V±5%, 200mW	SOT363	33dd	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
KPD	BZX84-C36TS	Z-Diode	Triple, 3x36V±5%, 200mW	SOT363	33dd	-	DII
KPE	BZX84-C39TS	Z-Diode	Triple, 3x39V±5%, 200mW	SOT363	33dd	-	DII
KR	R5426D121BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,21V	SON-6	35xk	VR21	Ric
KR	R5426N121BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,21V	SOT23-6	33xk	VR21	Ric
KR1	BZX84-C4V7TS	Z-Diode	Triple, 3x4,7V±5%, 200mW	SOT363	33dd	-	DII
KR1	MMBZ5241BTS	Z-Diode	Triple, 3x11V±5%, 200mW, Zzt=22Ω	SOT363	33dd	-	DII
KR2	BZX84-C5V1TS	Z-Diode	Triple, 3x5,1V±5%, 200mW	SOT363	33dd	-	DII
KR2	MMBZ5242BTS	Z-Diode	Triple, 3x12V±5%, 200mW, Zzt=30Ω	SOT363	33dd	-	DII
KR3	BZX84-C5V6TS	Z-Diode	Triple, 3x5,6V±5%, 200mW	SOT363	33dd	-	DII
KR3	MMBZ5243BTS	Z-Diode	Triple, 3x13V±5%, 200mW, Zzt=13Ω	SOT363	33dd	-	DII
KR4	BZX84-C6V2TS	Z-Diode	Triple, 3x6,2V±5%, 200mW	SOT363	33dd	-	DII
KR4	MMBZ5245BTS	Z-Diode	Triple, 3x15V±5%, 200mW, Zzt=16Ω	SOT363	33dd	-	DII
KR5	BZX84-C6V8TS	Z-Diode	Triple, 3x6,8V±5%, 200mW	SOT363	33dd	-	DII
KR5	MMBZ5246BTS	Z-Diode	Triple, 3x16V±5%, 200mW, Zzt=17Ω	SOT363	33dd	-	DII
KR6	BZX84-C7V5TS	Z-Diode	Triple, 3x7,5V±5%, 200mW	SOT363	33dd	-	DII
KR6	MMBZ5248BTS	Z-Diode	Triple, 3x18V±5%, 200mW, Zzt=21Ω	SOT363	33dd	-	DII
KR7	BZX84-C8V2TS	Z-Diode	Triple, 3x8,2V±5%, 200mW	SOT363	33dd	-	DII
KR7	MMBZ5250BTS	Z-Diode	Triple, 3x20V±5%, 200mW, Zzt=25Ω	SOT363	33dd	-	DII
KR8	BZX84-C9V1TS	Z-Diode	Triple, 3x9,1V±5%, 200mW	SOT363	33dd	-	DII
KR8	MMBZ5251BTS	Z-Diode	Triple, 22V±5%, 200mW, Zzt=29Ω	SOT363	33dd	-	DII
KR9	MMBZ5252BTS	Z-Diode	Triple, 3x24V±5%, 200mW, Zzt=33Ω	SOT363	33dd	-	DII
KRA	MMBZ5254BTS	Z-Diode	Triple, 3x27V±5%, 200mW, Zzt=41Ω	SOT363	33dd	-	DII
KRB	BZX84-C2V4TS	Z-Diode	Triple, 3x2,4V±5%, 200mW	SOT363	33dd	-	DII
KRB	MMBZ5256BTS	Z-Diode	Triple, 3x30V±5%, 200mW, Zzt=49Ω	SOT363	33dd	-	DII
KRC	BZX84-C2V7TS	Z-Diode	Triple, 3x2,7V±5%, 200mW	SOT363	33dd	-	DII
KRC	MMBZ5257BTS	Z-Diode	Triple, 3x33V±5%, 200mW, Zzt=58Ω	SOT363	33dd	-	DII
KRD	BZX84-C3V0TS	Z-Diode	Triple, 3x3V±5%, 200mW	SOT363	33dd	-	DII
KRD	MMBZ5258BTS	Z-Diode	Triple, 3x36V±5%, 200mW, Zzt=70Ω	SOT363	33dd	-	DII
KRE	BZX84-C3V3TS	Z-Diode	Triple, 3x3,3V±5%, 200mW	SOT363	33dd	-	DII
KRE	MMBZ5259BTS	Z-Diode	Triple, 3x39V±5%, 200mW, Zzt=80Ω	SOT363	33dd	-	DII
KRF	BZX84-C3V6TS	Z-Diode	Triple, 3x3,6V±5%, 200mW	SOT363	33dd	-	DII
KRF	MMBZ5233BTS	Z-Diode	Triple, 3x8V±5%, 200mW, Zzt=70Ω	SOT363	33dd	-	DII
KRG	BZX84-C3V9TS	Z-Diode	Triple, 3x3,9V±5%, 200mW	SOT363	33dd	-	DII
KRG	MMBZ5238BTS	Z-Diode	Triple, 3x5,7V±5%, 200mW, Zzt=80Ω	SOT363	33dd	-	DII
KRH	BZX84-C4V3TS	Z-Diode	Triple, 3x4,3V±5%, 200mW	SOT363	33dd	-	DII
KRH	MMBZ5255BTS	Z-Diode	Triple, 3x28V±5%, 200mW, Zzt=44Ω	SOT363	33dd	-	DII
KS	HN1JQ2FU	MOS-P-FET-a	Dual, LogL, 20V, 50mA, <40Q(10mA)	SOT363	33fea	-	Tos
KS	R5426D116GA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,16V	SON-6	35xk	VR21	Ric
KS	R5426N116GA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,16V	SOT23-6	33xk	VR21	Ric
KS1	MMBZ5230BTS	Z-Diode	Triple, 3x4,7V±5%, 200mW, Zzt=19Ω	SOT363	33dd	-	DII
KS2	MMBZ5231BTS	Z-Diode	Triple, 3x5,1V±5%, 200mW, Zzt=17Ω	SOT363	33dd	-	DII
KS3	MMBZ5232BTS	Z-Diode	Triple, 3x5,6V±5%, 200mW, Zzt=11Ω	SOT363	33dd	-	DII
KS4	MMBZ5234BTS	Z-Diode	Triple, 3x6,2V±5%, 200mW, Zzt=7Ω	SOT363	33dd	-	DII
KS5	MMBZ5235BTS	Z-Diode	Triple, 3x6,8V±5%, 200mW, Zzt=5Ω	SOT363	33dd	-	DII
KS6	MMBZ5236BTS	Z-Diode	Triple, 3x7,5V±5%, 200mW, Zzt=6Ω	SOT363	33dd	-	DII
KS7	MMBZ5237BTS	Z-Diode	Triple, 3x8,2V±5%, 200mW, Zzt=8Ω	SOT363	33dd	-	DII
KS8	MMBZ5239BTS	Z-Diode	Triple, 3x9,1V±5%, 200mW, Zzt=10Ω	SOT363	33dd	-	DII
KS9	MMBZ5240BTS	Z-Diode	Triple, 3x10V±5%, 200mW, Zzt=17Ω	SOT363	33dd	-	DII
KS8	MMBZ5221BTS	Z-Diode	Triple, 3x2,4V±5%, 200mW, Zzt=30Ω	SOT363	33dd	-	DII
KSC	MMBZ5223BTS	Z-Diode	Triple, 3x2,7V±5%, 200mW, Zzt=30Ω	SOT363	33dd	-	DII
KSD	MMBZ5225BTS	Z-Diode	Triple, 3x3V±5%, 200mW, Zzt=29Ω	SOT363	33dd	-	DII
KSE	MMBZ5226BTS	Z-Diode	Triple, 3x3,3V±5%, 200mW, Zzt=28Ω	SOT363	33dd	-	DII
KSF	MMBZ5227BTS	Z-Diode	Triple, 3x3,6V±5%, 200mW, Zzt=24Ω	SOT363	33dd	-	DII
KS9	MMBZ5228BTS	Z-Diode	Triple, 3,9V±5%, 200mW, Zzt=23Ω	SOT363	33dd	-	DII
KSH	MMBZ5229BTS	Z-Diode	Triple, 3x4,3V±5%, 200mW, Zzt=22Ω	SOT363	33dd	-	DII
KT	R5426D122CD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,22V	SON-6	35xk	VR21	Ric
KT	R5426N122CD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,22V	SOT23-6	33xk	VR21	Ric
KU	R5426D102DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SON-6	35xk	VR21	Ric
KU	R5426N102DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,02V	SOT23-6	33xk	VR21	Ric
KV	R5426D110FD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,1V	SON-6	35xk	VR21	Ric
KV	R5426N110FD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,1V	SOT23-6	33xk	VR21	Ric
KV7	TBZ363C20V8	Z-Diode	Triple, 20V±5%, 200mW, Bidirectional	SOT363	33dt	-	DII
KW	DDZX138TS	Z-Diode	Triple, 3x13V ±2,5%, 200mW	SOT363	33dd	-	DII
KW	R5426D112FD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,12V	SON-6	35xk	VR21	Ric
KW	R5426N112FD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,12V	SOT23-6	33xk	VR21	Ric
KX	R5426D111DD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SON-6	35xk	VR21	Ric
KX	R5426N111DD	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SOT23-6	33xk	VR21	Ric
KY	R5426D112EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,12V	SON-6	35xk	VR21	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
KY	R5426N112EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1.12V	SOT23-6	33xk	VR21	Ric
KY1	BZX84-C11S	Z-Diode	Dual, 2x11V, 5%, 200mW	SOT363	33dn	-	Dil
KY2	BZX84-C12S	Z-Diode	Dual, 2x12V±5%, 200mW	SOT363	33dn	-	Dil
KY3	BZX84-C13S	Z-Diode	Dual, 2x13V±5%, 200mW	SOT363	33dn	-	Dil
KY4	BZX84-C15S	Z-Diode	Dual, 2x15V±5%, 200mW	SOT363	33dn	-	Dil
KY5	BZX84-C16S	Z-Diode	Dual, 2x16V±5%, 200mW	SOT363	33dn	-	Dil
KY6	BZX84-C18S	Z-Diode	Dual, 2x18V±5%, 200mW	SOT363	33dn	-	Dil
KY7	BZX84-C20S	Z-Diode	Dual, 2x20V±5%, 200mW	SOT363	33dn	-	Dil
KY8	BZX84-C22S	Z-Diode	Dual, 2x22V±5%, 200mW	SOT363	33dn	-	Dil
KY9	BZX84-C24S	Z-Diode	Dual, 2x24V±5%, 200mW	SOT363	33dn	-	Dil
KYA	BZX84-C27S	Z-Diode	Dual, 2x27V±5%, 200mW	SOT363	33dn	-	Dil
KYB	BZX84-C30S	Z-Diode	Dual, 2x30V±5%, 200mW	SOT363	33dn	-	Dil
KYC	BZX84-C33S	Z-Diode	Dual, 2x33V±5%, 200mW	SOT363	33dn	-	Dil
KYD	BZX84-C36S	Z-Diode	Dual, 2x36V±5%, 200mW	SOT363	33dn	-	Dil
KYE	BZX84-C39S	Z-Diode	Dual, 2x39V±5%, 200mW	SOT363	33dn	-	Dil
KZ	R5426D116DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1.16V	SON-6	35xk	VR21	Ric
KZ	R5426N116DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1.16V	SOT23-6	33xk	VR21	Ric
KZ1	BZX84-C4V7S	Z-Diode	Dual, 2x4,7V±5%, 200mW	SOT363	33dn	-	Dil
KZ2	BZX84-C5V1S	Z-Diode	Dual, 2x5,1V±5%, 200mW	SOT363	33dn	-	Dil
KZ3	BZX84-C5V6S	Z-Diode	Dual, 2x5,6V±5%, 200mW	SOT363	33dn	-	Dil
KZ4	BZX84-C6V2S	Z-Diode	Dual, 2x6,2V±5%, 200mW	SOT363	33dn	-	Dil
KZ5	BZX84-C6V8S	Z-Diode	Dual, 2x6,8V±5%, 200mW	SOT363	33dn	-	Dil
KZ6	BZX84-C7V5S	Z-Diode	Dual, 2x7,5V±5%, 200mW	SOT363	33dn	-	Dil
KZ7	BZX84-C8V2S	Z-Diode	Dual, 2x8,2V±5%, 200mW	SOT363	33dn	-	Dil
KZ8	BZX84-C9V1S	Z-Diode	Dual, 2x9,1V±5%, 200mW	SOT363	33dn	-	Dil
KZ9	BZX84-C10S	Z-Diode	Dual, 2x10V±5%, 200mW	SOT363	33dn	-	Dil
KZB	BZX84-C2V4S	Z-Diode	Dual, 2x2,4V±5%, 200mW	SOT363	33dn	-	Dil
KZC	BZX84-C2V7S	Z-Diode	Dual, 2x2,7V±5%, 200mW	SOT363	33dn	-	Dil
KZD	BZX84-C3V0S	Z-Diode	Dual, 2x3V±5%, 200mW	SOT363	33dn	-	Dil
KZE	BZX84-C3V3S	Z-Diode	Dual, 2x3,3V±5%, 200mW	SOT363	33dn	-	Dil
KZF	BZX84-C3V6S	Z-Diode	Dual, 2x3,6V±5%, 200mW	SOT363	33dn	-	Dil
KZG	BZX84-C3V9S	Z-Diode	Dual, 2x3,9V±5%, 200mW	SOT363	33dn	-	Dil
KZH	BZX84-C4V3S	Z-Diode	Dual, 2x4,3V±5%, 200mW	SOT363	33dn	-	Dil
KZZ	PZ363C3V9	Z-Diode	5x 3,9V±10%, 200mW	SOT363	33bf	-	Dil
L	HMP5-2820	Si-Diode	Schottky Barrier, RF, 15V, 1A(1µs), <1pF	MP	37d	-	Ag
LA	R1211D002A	VR-IC	PWM step-up DC-DC converter, 2.2V, 700KHz	SON-6	35vrx	-	Ric
LA0	R1211N002A	VR-IC	PWM step-up DC-DC converter, 2.2V, 700KHz	SOT23-6	33vrx	-	Ric
L1	R1211D002B	VR-IC	PWM step-up DC-DC converter, 2.2V, 700KHz	SON-6	35vrx	-	Ric
L1	R1211N002B	VR-IC	PWM step-up DC-DC converter, 2.2V, 700KHz	SOT23-6	33vrx	-	Ric
L2	R1211D002C	VR-IC	PWM step-up DC-DC converter, 2.2V, 300KHz	SON-6	35vrx	-	Ric
L2	R1211N002C	VR-IC	PWM step-up DC-DC converter, 2.2V, 300KHz	SOT23-6	33vrx	-	Ric
L3	R1211D002D	VR-IC	PWM step-up DC-DC converter, 2.2V, 300KHz	SON-6	35vrx	-	Ric
L3	R1211N002D	VR-IC	PWM step-up DC-DC converter, 2.2V, 300KHz	SOT23-6	33vrx	-	Ric
L39A	LP2986AIMM-3.0	VR-IC	Ultra-LDO, Enable, -Error, 3V±0.5%, 200mA	SO-8	33wa	-	Nsc
L39A	LP2986AIMMX-3.0	VR-IC	Ultra-LDO, Enable, -Error, 3V±0.5%, 200mA	SO-8	33wa	-	Nsc
L39B	LP2986IMM-3.0	VR-IC	Ultra-LDO, Enable, -Error, 3V±1%, 200mA	SO-8	33wa	-	Nsc
L39B	LP2986IMMX-3.0	VR-IC	Ultra-LDO, Enable, -Error, 3V±1%, 200mA	SO-8	33wa	-	Nsc
L40A	LP2986AIMM-3.3	VR-IC	Ultra-LDO, Enable, -Error, 3.3V±0.5%, 200mA	SO-8	33wa	-	Nsc
L40A	LP2986AIMMX-3.3	VR-IC	Ultra-LDO, Enable, -Error, 3.3V±0.5%, 200mA	SO-8	33wa	-	Nsc
L40B	LP2986IMM-3.3	VR-IC	Ultra-LDO, Enable, -Error, 3.3V±1%, 200mA	SO-8	33wa	-	Nsc
L40B	LP2986IMMX-3.3	VR-IC	Ultra-LDO, Enable, -Error, 3.3V±1%, 200mA	SO-8	33wa	-	Nsc
L41A	LP2986AIMM-5.0	VR-IC	Ultra-LDO, Enable, -Error, 5V±0.5%, 200mA	SO-8	33wa	-	Nsc
L41B	LP2986IMM-5.0	VR-IC	Ultra-LDO, Enable, -Error, 5V±1%, 200mA	SO-8	33wa	-	Nsc
L41B	LP2986IMMX-5.0	VR-IC	Ultra-LDO, Enable, -Error, 5V±1%, 200mA	SO-8	33wa	-	Nsc
L4889	LM4889LD	Lin-IC	AF PA, BTL, 2.7..5.5V, 1W(5V/8Ω), shutdown	LPP10	38	PA13	Nsc
L4890	LM4890LD	Lin-IC	AF PA, BTL, 2.2..5.5V, 1.1W(5V/8Ω), shutdown	LPP10	38	PA13	Nsc
L4891	LM4891LD	Lin-IC	AF PA, BTL, 2.2..5.5V, 1.1W(5V/8Ω), shutdown	LPP10	38	PA13	Nsc
L4892	LM4892LD	Lin-IC	AF PA, BTL, 2.2..5.5V, 1.1W(5V/8Ω), shutdown	LPP10	38	PA18	Nsc
L4898	LM4898LD	Lin-IC	AF PA, BTL, 2.5..5.5V, 1W(5V/8Ω), shutdown	LPP10	38	PA19	Nsc
L4899	LM4899LD	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Ω), shutdown	LPP10	38	PA21	Nsc
L4901	LM4901LD	Lin-IC	AF PA, BTL, 2.2..5.5V, 1.6W(5V/8Ω), shutdown	LPP10	38	PA25	Nsc
L4906	LM4906LD	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Ω), shutdown	LPP10	38	PA26	Nsc
L4916	LM4916LD	Lin-IC	AF PA, 2.2..5.5V, BTL 85mW(3V/32Ω), shutdown	LPP10	38	PA31	Nsc
LA	µPA605T	Si-PNP	Dual, 60V, 100mA, 180MHz	SOT23-6	33tg	-	Nec
LA	µPA671T	Si-PNP	Dual, 60V, 100mA, 180MHz	SOT363	33tg	-	Nec
LED	NCP500SN18T1	VR-IC	LDO, LN, Enable, 1.8V±2.5%, 150mA	LPP-6	37ve	VR4	Ons
LEE	NCP500SN25T1	VR-IC	LDO, LN, Enable, 2.5V±2.5%, 150mA	LPP-8	37ve	VR4	Ons
LEF	NCP500SN27T1	VR-IC	LDO, LN, Enable, 2.7V±2.5%, 150mA	LPP-6	37ve	VR4	Ons

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
LEG	NCP500SN28T1	VR-IC	LDO, LN, Enable, 2,8V±2,5%, 150mA	LPP-6	37ve	VR4	Ons
LEH	NCP500SN30T1	VR-IC	LDO, LN, Enable, 3V±2,5%, 150mA	LPP-6	37ve	VR4	Ons
LEJ	NCP500SN33T1	VR-IC	LDO, LN, Enable, 3,3V±2,5%, 150mA	LPP-6	37ve	VR4	Ons
LEK	NCP500SN50T1	VR-IC	LDO, LN, Enable, 5V±2,5%, 150mA	LPP-6	37ve	VR4	Ons
LFBB	MIC5211-1.8BM6	VR-IC	Dual, LDO, Enable, 1,8V+1,8V, 50mA	SOT23-6	33yf	-	Mcr
LFBC	MIC5211-1.8/2.5BM6	VR-IC	Dual, LDO, Enable, 1,8V+2,5V, 50mA	SOT23-6	33yf	-	Mcr
LFBL	MIC5211-1.8/3.3BM6	VR-IC	Dual, LDO, Enable, 1,8V+3.3V, 50mA	SOT23-6	33yf	-	Mcr
LFCC	MIC5211-2.5BM6	VR-IC	Dual, LDO, Enable, 2,5V+2,5V, 50mA	SOT23-6	33yf	-	Mcr
LFCL	MIC5211-2.5/3.3BM6	VR-IC	Dual, LDO, Enable, 2,5V+3.3V, 50mA	SOT23-6	33yf	-	Mcr
LFDD	MIC5211-2.7BM6	VR-IC	Dual, LDO, Enable, 2,7V+2,7V, 50mA	SOT23-6	33yf	-	Mcr
LFEE	MIC5211-2.8BM6	VR-IC	Dual, LDO, Enable, 2,8V+2,8V, 50mA	SOT23-6	33yf	-	Mcr
LFGG	MIC5211-3.0BM6	VR-IC	Dual, LDO, Enable, 3V+3V, 50mA	SOT23-6	33yf	-	Mcr
LFLL	MIC5211-3.3BM6	VR-IC	Dual, LDO, Enable, 3,3V+3,3V, 50mA	SOT23-6	33yf	-	Mcr
LFLL	MIC5211-3.3/5.0BM6	VR-IC	Dual, LDO, Enable, 3,3V+5V, 50mA	SOT23-6	33yf	-	Mcr
LFQX	MIC5211-3.6BM6	VR-IC	Dual, LDO, Enable, 3,6V+3,6V, 50mA	SOT23-6	33yf	-	Mcr
LFXX	MIC5211-5.0BM5	VR-IC	Dual, LDO, Enable, 5V+5V, 50mA	SOT23-6	33yf	-	Mcr
LL20	ZLLS2000TA	Si-Diode	Schottky Rectifier, 40V, 2.2A, Vf<0.54V(2A)	SOT23-6	33bp	-	Ztx
LL20	ZLLS2000TC	Si-Diode	Schottky Rectifier, 40V, 2.2A, Vf<0.54V(2A)	SOT23-6	33bp	-	Ztx
LTAEF	LT3010EMS6E-5	VR-IC	LDO, Lo-Pow, Enable, 5V±2%, 50mA	MSOP-8	33xb	-	Ltc
LTZF	LT3010EMS8E	VR-IC	LDO, Lo-Pow, Enable, Adjustable 1.275..60V±2%, 50mA	MSOP-8	33xc	-	Ltc
M2D	MA6X121	Si-Diode	Triple, 80V, 100mA, Vf<1.2V(100mA), <3ns	SOT23-6	33bb	-	Pan
M2T	MA6X556	PIN-Diode	Triple, UHF/SHF-AGC, 40V, 100mA, 150mW, Vf<1.2V, <0.5pF	SOT23-6	33dd	-	Pan
M4	MBD110DWT1	Si-Diode	Dual, Schottky, UHF/VHF-Det, 7V, 120mW, <1pF	SOT363	33de	-	Ons
M4206N	ZDM4206N	MOS-N-FET-e	V-MOS, Dual, 60V, 1A, 2.25W, 8.12na, <1Q(1.5A)	SO-8	33fe	-	Ztx
M4306N	ZDM4306N	MOS-N-FET-e	V-MOS, Dual, 60V, 2A, 2.5W, 8.03ns, <0.33Q(3A)	SO-8	33fo	-	Ztx
MA	µPA672T	MOS-N-FET-e'	Dual, V-MOS, 50V, 100mA, <20Q(10mA)	SOT363	33fc	-	Nec
MA	MBT3904DW 1T1	Si-NPN	Dual, GP, 60V, 200mA, 150mW, B= 100..300, >300MHz	SOT363	33tg	-	Ons
MAB	NCP2890DMR2	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Q), shutdown	MINISO8	33	PA11	Ons
MAC	NCP2809BDMR2	Lin-IC	2xAf PA, 2.2..5.5V, 2x131mW(5V/16Q), shutdown	MINISO10	33	PA42	Ons
MAE	NCP2809ADMR2	Lin-IC	2xAf PA, 2.2..5.5V, 2x131mW(5V/16Q), shutdown	MINISO10	33	PA42	Ons
MAG	NCP2890AFCT2	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA14	Ons
MAH	NCP2890AFCT2G	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA14	Ons
MAJ	NCP4894FCT1	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA20	Ons
MAI	NCP4894FCT1G	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA20	Ons
MAK	NCP4894DMR2	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Q), shutdown	MINISO10	33	PA19	Ons
MAK	NCP4894DMR2G	Lin-IC	AF PA, BTL, 2.2..5.5V, 1W(5V/8Q), shutdown	MINISO10	33	PA19	Ons
MAM	NCP4896FCT1	Lin-IC	AF PA, BTL 2.2..5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA43	Ons
MAM	NCP4896FCT1G	Lin-IC	AF PA, BTL 2.2..5.5V, 1W(5V/8Q), shutdown	BGA9	39	PA43	Ons
MD	DDZX9707TS	Z-Diode	Triple, 3x20V±5%, 200mW	SOT363	33dd	-	Dil
ME	DDZX9708TS	Z-Diode	Triple, 3x22V±5%, 200mW	SOT363	33dd	-	Dil
MF	DDZX9709TS	Z-Diode	Triple, 3x24V±5%, 200mW	SOT363	33dd	-	Dil
MH	DDZX9711TS	Z-Diode	Triple, 3x27V±5%, 200mW	SOT363	33dd	-	Dil
MJ	DDZX9712TS	Z-Diode	Triple, 3x28V±5%, 200mW	SOT363	33dd	-	Dil
MK	DDZX9713TS	Z-Diode	Triple, 3x30V±5%, 200mW	SOT363	33dd	-	Dil
ML	DDZX9714TS	Z-Diode	Triple, 3x33V±5%, 200mW	SOT363	33dd	-	Dil
MM	DDZX9715TS	Z-Diode	Triple, 3x36V±5%, 200mW	SOT363	33dd	-	Dil
MN	DDZX9716TS	Z-Diode	Triple, 3x39V±5%, 200mW	SOT363	33dd	-	Dil
N	HSMS-280N	Si-Diode	4x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 35Q(5mA)	SOT363	33dx	-	Agf
N06	DDC123JH	Si-NPN-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHz, R1/R2=2.2/47k	SOT563	35tg	-	Dil
N06	DDC123JK	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=2k/47k	SOT563	33tg	-	Dil
N06	DDC123JU	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=2k/47k	SOT363	33tg	-	Dil
N07	DDC143TH	Si-NPN-Digi	Dual, Sw, 50V, 0.1A, 0.15W, B=100..600, 250MHz, R1=4.7k	SOT563	35tg	-	Dil
N07	DDC143TK	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1=4k7	SOT563	33tg	-	Dil
N07	DDC143TU	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1=4k7	SOT363	33tg	-	Dil
N08	DDC143EH	Si-NPN-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHz, R1/R2=4.7/4.7k	SOT563	35tg	-	Dil
N12	DDC114TH	Si-NPN-Digi	Dual, Sw, 50V, 0.1A, 0.15W, B=100..600, 250MHz, R1=10k	SOT563	35tg	-	Dil
N12	DDC114TK	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R=10k	SOT563	33tg	-	Dil
N12	DDC114TU	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1=10k	SOT363	33tg	-	Dil
N13	DDC114EH	Si-NPN-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHz, R1/R2=10/10k	SOT563	35tg	-	Dil
N13	DDC114EK	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT563	33tg	-	Dil
N13	DDC114EU	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT363	33tg	-	Dil
N14	DDC114YH	Si-NPN-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHz, R1/R2=10/47k	SOT563	35tg	-	Dil
N14	DDC114YK	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/47k	SOT563	33tg	-	Dil
N14	DDC114YU	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/47k	SOT363	33tg	-	Dil
N15D	ZXT13N15DE6TA	Si-NPN	Lo-sat, Switching, 40V, 5A, 1.1W, B=250..800, 72MHz	SOT363	33af	-	Ztx
N15D	ZXT13N15DE6TC	Si-NPN	Lo-sat, Switching, 40V, 5A, 1.1W, B=250..800, 72MHz	SOT363	33af	-	Ztx
N17	DDC124EH	Si-NPN-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHz, R1/R2=22/22k	SOT563	35tg	-	Dil
N17	DDC124EK	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT563	33tg	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
N17	DDC124EU	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT363	33tg	-	Dil
N20	DDC144EH	Si-NPN-Digi	Dual, Sw, 50V, 0,1A, 0,15W, 250MHz, R1/R2=47k/47k	SOT563	35tg	-	Dil
N20	DDC144EK	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT563	33tg	-	Dil
N20	DDC144EU	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT363	33tg	-	Dil
N20D	ZXT13N20DE6	Si-NPN	Lo-sat, Switching, 50V, 4,5A, 96MHz	SOT363	33af	-	Ztx
N4A	S-1131A15PD-N4A-TF	VR-IC	LDO, -Enable, 1.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4A	S-1131B15PD-N4A-TF	VR-IC	LDO, Enable, 1.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4B	S-1131A16PD-N4B-TF	VR-IC	LDO, -Enable, 1.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4B	S-1131B16PD-N4B-TF	VR-IC	LDO, Enable, 1.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4C	S-1131A17PD-N4C-TF	VR-IC	LDO, -Enable, 1.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4C	S-1131B17PD-N4C-TF	VR-IC	LDO, Enable, 1.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4D	S-1131A18PD-N4D-TF	VR-IC	LDO, -Enable, 1.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4D	S-1131B18PD-N4D-TF	VR-IC	LDO, Enable, 1.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4E	S-1131A19PD-N4E-TF	VR-IC	LDO, -Enable, 1.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4E	S-1131B19PD-N4E-TF	VR-IC	LDO, Enable, 1.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4F	S-1131A20PD-N4F-TF	VR-IC	LDO, -Enable, 2.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4F	S-1131B20PD-N4F-TF	VR-IC	LDO, Enable, 2.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4G	S-1131A21PD-N4G-TF	VR-IC	LDO, -Enable, 2.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4G	S-1131B21PD-N4G-TF	VR-IC	LDO, Enable, 2.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4H	S-1131A22PD-N4H-TF	VR-IC	LDO, -Enable, 2.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4H	S-1131B22PD-N4H-TF	VR-IC	LDO, Enable, 2.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4I	S-1131A23PD-N4I-TF	VR-IC	LDO, -Enable, 2.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4I	S-1131B23PD-N4I-TF	VR-IC	LDO, Enable, 2.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4J	S-1131A24PD-N4J-TF	VR-IC	LDO, -Enable, 2.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4J	S-1131B24PD-N4J-TF	VR-IC	LDO, Enable, 2.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4K	S-1131A25PD-N4K-TF	VR-IC	LDO, -Enable, 2.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4K	S-1131B25PD-N4K-TF	VR-IC	LDO, Enable, 2.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4L	S-1131A26PD-N4L-TF	VR-IC	LDO, -Enable, 2.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4L	S-1131B26PD-N4L-TF	VR-IC	LDO, Enable, 2.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4M	S-1131A27PD-N4M-TF	VR-IC	LDO, -Enable, 2.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4M	S-1131B27PD-N4M-TF	VR-IC	LDO, Enable, 2.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4N	S-1131A28PD-N4N-TF	VR-IC	LDO, -Enable, 2.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4N	S-1131B28PD-N4N-TF	VR-IC	LDO, Enable, 2.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4O	S-1131A29PD-N4O-TF	VR-IC	LDO, -Enable, 2.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4O	S-1131B29PD-N4O-TF	VR-IC	LDO, Enable, 2.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4P	S-1131A30PD-N4P-TF	VR-IC	LDO, -Enable, 3.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4P	S-1131B30PD-N4P-TF	VR-IC	LDO, Enable, 3.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4Q	S-1131A31PD-N4Q-TF	VR-IC	LDO, -Enable, 3.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4Q	S-1131B31PD-N4Q-TF	VR-IC	LDO, Enable, 3.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4R	S-1131A32PD-N4R-TF	VR-IC	LDO, -Enable, 3.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4R	S-1131B32PD-N4R-TF	VR-IC	LDO, Enable, 3.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4S	S-1131A33PD-N4S-TF	VR-IC	LDO, -Enable, 3.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4S	S-1131B33PD-N4S-TF	VR-IC	LDO, Enable, 3.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4T	S-1131A34PD-N4T-TF	VR-IC	LDO, -Enable, 3.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4T	S-1131B34PD-N4T-TF	VR-IC	LDO, Enable, 3.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4U	S-1131A35PD-N4U-TF	VR-IC	LDO, -Enable, 3.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4U	S-1131B35PD-N4U-TF	VR-IC	LDO, Enable, 3.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4V	S-1131A36PD-N4V-TF	VR-IC	LDO, -Enable, 3.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4V	S-1131B36PD-N4V-TF	VR-IC	LDO, Enable, 3.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4W	S-1131A37PD-N4W-TF	VR-IC	LDO, -Enable, 3.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4W	S-1131B37PD-N4W-TF	VR-IC	LDO, Enable, 3.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4X	S-1131A38PD-N4X-TF	VR-IC	LDO, -Enable, 3.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4X	S-1131B38PD-N4X-TF	VR-IC	LDO, Enable, 3.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4Y	S-1131A39PD-N4Y-TF	VR-IC	LDO, -Enable, 3.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4Y	S-1131B39PD-N4Y-TF	VR-IC	LDO, Enable, 3.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4Z	S-1131A40PD-N4Z-TF	VR-IC	LDO, -Enable, 4.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N4Z	S-1131B40PD-N4Z-TF	VR-IC	LDO, Enable, 4.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N50D	ZXT13N50DE6	Si-NPN	Lo-sat, Switching, 100V, 4A, 115MHz	SOT363	33af	-	Ztx
N5A	S-1131A41PD-N5A-TF	VR-IC	LDO, -Enable, 4.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5A	S-1131B41PD-N5A-TF	VR-IC	LDO, Enable, 4.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5B	S-1131A42PD-N5B-TF	VR-IC	LDO, -Enable, 4.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5B	S-1131B42PD-N5B-TF	VR-IC	LDO, Enable, 4.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5C	S-1131A43PD-N5C-TF	VR-IC	LDO, -Enable, 4.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5C	S-1131B43PD-N5C-TF	VR-IC	LDO, Enable, 4.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5D	S-1131A44PD-N5D-TF	VR-IC	LDO, -Enable, 4.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5D	S-1131B44PD-N5D-TF	VR-IC	LDO, Enable, 4.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5E	S-1131A45PD-N5E-TF	VR-IC	LDO, -Enable, 4.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5E	S-1131B45PD-N5E-TF	VR-IC	LDO, Enable, 4.5V±1%, 300mA	HS0N-6	35va	VR4	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
N5F	S-1131A46PD-N5F-TF	VR-IC	LDO, -Enable, 4.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5F	S-1131B46PD-N5F-TF	VR-IC	LDO, Enable, 4.6V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5G	S-1131A47PD-N5G-TF	VR-IC	LDO, -Enable, 4.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5G	S-1131B47PD-N5G-TF	VR-IC	LDO, Enable, 4.7V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5H	S-1131A48PD-N5H-TF	VR-IC	LDO, -Enable, 4.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5H	S-1131B48PD-N5H-TF	VR-IC	LDO, Enable, 4.8V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5I	S-1131A49PD-N5I-TF	VR-IC	LDO, -Enable, 4.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5I	S-1131B49PD-N5I-TF	VR-IC	LDO, Enable, 4.9V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5J	S-1131A50PD-N5J-TF	VR-IC	LDO, -Enable, 5.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5J	S-1131B50PD-N5J-TF	VR-IC	LDO, Enable, 5.0V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5K	S-1131A51PD-N5K-TF	VR-IC	LDO, -Enable, 5.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5K	S-1131B51PD-N5K-TF	VR-IC	LDO, Enable, 5.1V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5L	S-1131A52PD-N5L-TF	VR-IC	LDO, -Enable, 5.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5L	S-1131B52PD-N5L-TF	VR-IC	LDO, Enable, 5.2V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5M	S-1131A53PD-N5M-TF	VR-IC	LDO, -Enable, 5.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5M	S-1131B53PD-N5M-TF	VR-IC	LDO, Enable, 5.3V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5N	S-1131A54PD-N5N-TF	VR-IC	LDO, -Enable, 5.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5N	S-1131B54PD-N5N-TF	VR-IC	LDO, Enable, 5.4V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5O	S-1131A55PD-N5O-TF	VR-IC	LDO, -Enable, 5.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N5O	S-1131B55PD-N5O-TF	VR-IC	LDO, Enable, 5.5V±1%, 300mA	HS0N-6	35va	VR4	Sei
N81	DDC122LH	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 150mW, R1/R2=0.22k/10k	SOT563	33tg	-	Dil
N82	DDC142JH	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 150mW, R1/R2=0.47k/10k	SOT563	33tg	-	Dil
N83	DDC122TH	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 150mW, R1=0.22k	SOT563	33tg	-	Dil
N84	DDC142TH	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 150mW, R1=0.47k	SOT563	33tg	-	Dil
NN	HSMS-282N	Si-Diode	4x Schottky, RF, 15V, 1A, Vf<0.34V(1mA), <1pF, 12Q(5mA)	SOT363	33dx	-	Agj
O	HSMS-280R	Si-Diode	4x Schottky, RF, 70V, 1A, Vf<0.41V(1mA), <2pF, 35Q(5mA)	SOT363	33by	-	Agj
OA	µPA608T	Si-PNP	PNP, 25V, 100mA; NPN: 60V, 100mA	SOT23-6	33tg	-	Nec
OA	SI1403DL	MOS-P-FET-ø	Dupl, V-MOS, LogL, 20V, ±1.4A, <0.265Q	SOT363	33fc	-	Six
OB	SI1405DL	MOS-P-FET-ø	Dual, V-MOS, LogL, 8V, ±1.6A, <0.21Q	SOT363	33fc	-	Six
OB2	S-8337A AAC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.3V)	SON-8	35vrfd	-	Sei
OBA	S-8337A AAA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.3V)	SON-8	35vrfd	-	Sei
OB8	S-8337A AAB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.3V)	SON-8	35vrfd	-	Sei
OBС	S-8337A ABA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.2V)	SON-8	35vrfd	-	Sei
OBD	S-8337A AB8-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.2V)	SON-8	35vrfd	-	Sei
OBЕ	S-8337A ABC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.2V)	SON-8	35vrfd	-	Sei
OBF	S-8337A ACA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.1V)	SON-8	35vrfd	-	Sei
OBG	S-8337A ACB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.1V)	SON-8	35vrfd	-	Sei
OBH	S-8337A ACC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.1V)	SON-8	35vrfd	-	Sei
OBi	S-8337A ADA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.0V)	SON-8	35vrfd	-	Sei
OBj	S-8337A ADB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.0V)	SON-8	35vrfd	-	Sei
OBK	S-8337A ADC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.0V)	SON-8	35vrfd	-	Sei
OBL	S-8337A AEA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.9V)	SON-8	35vrfd	-	Sei
OBM	S-8337A AEB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.9V)	SON-8	35vrfd	-	Sei
OBN	S-8337A AEC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.9V)	SON-8	35vrfd	-	Sei
OBO	S-8337A AFA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.8V)	SON-8	35vrfd	-	Sei
OBP	S-8337A AFB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.8V)	SON-8	35vrfd	-	Sei
OBQ	S-8337A AFC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.8V)	SON-8	35vrfd	-	Sei
OBR	S-8337A AGA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.7V)	SON-8	35vrfd	-	Sei
OB8	S-8337A AGB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.7V)	SON-8	35vrfd	-	Sei
OBT	S-8337A AGC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.7V)	SON-8	35vrfd	-	Sei
OBU	S-8337A AHA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.6V)	SON-8	35vrfd	-	Sei
OBV	S-8337A AHB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.6V)	SON-8	35vrfd	-	Sei
OBW	S-8337A AHC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.6V)	SON-8	35vrfd	-	Sei
OBX	S-8337A AIA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.5V)	SON-8	35vrfd	-	Sei
OBY	S-8337A AIB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.5V)	SON-8	35vrfd	-	Sei
OBZ	S-8337A AIC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.5V)	SON-8	35vrfd	-	Sei
OC	SI1407DL	MOS-P-FET-ø	Dual, V-MOS, LogL, 12V, ±1.6A, <0.225Q	SOT363	33fc	-	Six
OC2	S-8338A AAC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.3V), -Shutdwn	SON-8	35vrfe	-	Sei
OCA	S-8338A AAA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.3V), -Shutdwn	SON-8	35vrfe	-	Sei
OCB	S-8338A AAB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.3V), -Shutdwn	SON-8	35vrfe	-	Sei
OCC	S-8338A ABA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.2V), -Shutdwn	SON-8	35vrfe	-	Sei
OCD	S-8338A ABB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.2V), -Shutdwn	SON-8	35vrfe	-	Sei
OCE	S-8338A ABC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.2V), -Shutdwn	SON-8	35vrfe	-	Sei
OCF	S-8338A ACA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.1V), -Shutdwn	SON-8	35vrfe	-	Sei
OCG	S-8338A ACB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.1V), -Shutdwn	SON-8	35vrfe	-	Sei
OCH	S-8338A ACC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.1V), -Shutdwn	SON-8	35vrfe	-	Sei
Oci	S-8338A ADA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.0V), -Shutdwn	SON-8	35vrfe	-	Sei
OCJ	S-8338A ADB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.0V), -Shutdwn	SON-8	35vrfe	-	Sei

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
OY	S-8338ABIB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.5V), -Shutdwn	SON-8	35vrfe	-	Sei
OIZ	S-8338ABIC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.5V), -Shutdwn	SON-8	35vrfe	-	Sei
OJ2	S-8337ACAC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.3V)	SON-8	35vrfd	-	Sei
OJA	S-8337ACAA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.3V)	SON-8	35vrfd	-	Sei
OJB	S-8337ACAB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.3V)	SON-8	35vrfd	-	Sei
OJC	S-8337ACBA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.2V)	SON-8	35vrfd	-	Sei
OJD	S-8337ACBB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.2V)	SON-8	35vrfd	-	Sei
OJE	S-8337ACBC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.2V)	SON-8	35vrfd	-	Sei
OJF	S-8337ACCA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.1V)	SON-8	35vrfd	-	Sei
OJG	S-8337ACCB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.1V)	SON-8	35vrfd	-	Sei
OJH	S-8337ACCC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.1V)	SON-8	35vrfd	-	Sei
OJI	S-8337ACDA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.0V)	SON-8	35vrfd	-	Sei
OJJ	S-8337ACDB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.0V)	SON-8	35vrfd	-	Sei
OJK	S-8337ACDC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(2.0V)	SON-8	35vrfd	-	Sei
OJL	S-8337ACEA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.9V)	SON-8	35vrfd	-	Sei
OJM	S-8337ACEB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.9V)	SON-8	35vrfd	-	Sei
OJN	S-8337ACEC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.9V)	SON-8	35vrfd	-	Sei
OJO	S-8337ACFA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.8V)	SON-8	35vrfd	-	Sei
OJP	S-8337ACFB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.8V)	SON-8	35vrfd	-	Sei
OJQ	S-8337ACFC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.8V)	SON-8	35vrfd	-	Sei
OJR	S-8337ACGA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.7V)	SON-8	35vrfd	-	Sei
OJS	S-8337ACGB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.7V)	SON-8	35vrfd	-	Sei
OJT	S-8337ACGC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.7V)	SON-8	35vrfd	-	Sei
OJU	S-8337ACHA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.6V)	SON-8	35vrfd	-	Sei
OJV	S-8337ACHB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.6V)	SON-8	35vrfd	-	Sei
OJW	S-8337ACHC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.6V)	SON-8	35vrfd	-	Sei
OJX	S-8337ACIA-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.5V)	SON-8	35vrfd	-	Sei
OJY	S-8337ACIB-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.5V)	SON-8	35vrfd	-	Sei
OJZ	S-8337ACIC-P8T1	VR-IC	Regulated Step-Up, PWM Control Switching, UVLO(1.5V)	SON-8	35vrfd	-	Sei
OK2	S-8338ACAC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.3V), -Shutdwn	SON-8	35vrfe	-	Sei
OKA	S-8338ACAA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.3V), -Shutdwn	SON-8	35vrfe	-	Sei
OKB	S-8338ACAB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.3V), -Shutdwn	SON-8	35vrfe	-	Sei
OKC	S-8338ACBA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.2V), -Shutdwn	SON-8	35vrfe	-	Sei
OKD	S-8338ACBB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.2V), -Shutdwn	SON-8	35vrfe	-	Sei
OKE	S-8338ACBC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.2V), -Shutdwn	SON-8	35vrfe	-	Sei
OKF	S-8338ACCA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.1V), -Shutdwn	SON-8	35vrfe	-	Sei
OKG	S-8338ACCB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.1V), -Shutdwn	SON-8	35vrfe	-	Sei
OKH	S-8338ACCC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.1V), -Shutdwn	SON-8	35vrfe	-	Sei
OKI	S-8338ACDA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.0V), -Shutdwn	SON-8	35vrfe	-	Sei
OKJ	S-8338ACDB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.0V), -Shutdwn	SON-8	35vrfe	-	Sei
OKK	S-8338ACDC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(2.0V), -Shutdwn	SON-8	35vrfe	-	Sei
OKL	S-8338ACEA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.9V), -Shutdwn	SON-8	35vrfe	-	Sei
OKM	S-8338ACEB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.9V), -Shutdwn	SON-8	35vrfe	-	Sei
OKN	S-8338ACEC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.9V), -Shutdwn	SON-8	35vrfe	-	Sei
OKO	S-8338ACFA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.8V), -Shutdwn	SON-8	35vrfe	-	Sei
OKP	S-8338ACFB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.8V), -Shutdwn	SON-8	35vrfe	-	Sei
OKQ	S-8338ACFC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.8V), -Shutdwn	SON-8	35vrfe	-	Sei
OKR	S-8338ACGA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.7V), -Shutdwn	SON-8	35vrfe	-	Sei
OKS	S-8338ACGB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.7V), -Shutdwn	SON-8	35vrfe	-	Sei
OKT	S-8338ACGC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.7V), -Shutdwn	SON-8	35vrfe	-	Sei
OKU	S-8338ACHA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.6V), -Shutdwn	SON-8	35vrfe	-	Sei
OKV	S-8338ACHB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.6V), -Shutdwn	SON-8	35vrfe	-	Sei
OKW	S-8338ACHC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.6V), -Shutdwn	SON-8	35vrfe	-	Sei
OKX	S-8338ACIA-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.5V), -Shutdwn	SON-8	35vrfe	-	Sei
OKY	S-8338ACIB-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.5V), -Shutdwn	SON-8	35vrfe	-	Sei
OKZ	S-8338ACIC-P8T1	VR-IC	Reg. Step-Up, PWM Control Sw., UVLO(1.5V), -Shutdwn	SON-8	35vrfe	-	Sei
OO	HSMS-282R	Si-Diode	4x Schottky, RF, 15V, 1A, V _f <0.34V(1mA), <1pF, 120(5mA)	SOT363	33by	-	Agf
P0	R1225N122A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.2V, 300KHz	SOT23-6W	33vrfg	-	Ric
P06	DDA123HJ	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 150mW, R ₁ /R ₂ =2.2k/47k	SOT563	35tg	-	Dil
P06	DDA123JK	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 300mW, R ₁ /R ₂ =2k2/47k	SOT26	33tg	-	Dil
P06	DDA123JU	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R ₁ /R ₂ =2k2/47k	SOT363	33tg	-	Dil
P07	DDA143TH	Si-PNP-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHZ, R ₁ =4.7k	SOT563	35tg	-	Dil
P07	DDA143TK	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 300mW, R ₁ =4.7k	SOT26	33tg	-	Dil
P07	DDA143TU	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R ₁ =4.7k	SOT363	33tg	-	Dil
P08	DDA143EH	Si-PNP-Digi	Dual, Sw, 50V, 0.1A, 0.15W, 250MHZ, R ₁ /R ₂ =4.7/4.7k	SOT563	35tg	-	Dil
P1	1P574SB23	Si-Diode	Schottky Barrier, U-Fast, Switching, 25V, 1A, <100pF	SOT457	33dea	-	Phi
P1	BX84-C11TS	Z-Diode	Triple, 3x11V, 5%, 200mW	SOT363	33dd	-	Dil
P1	R1225N152A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.5V, 300KHz	SOT23-6W	33vrfg	-	Ric

SMD код	Тип	Функ.	Краткое описание	Корп.	Чок.	Сх.	Пр.
P12	DDA114TH	SI-PNP-Digi	Dual, Sw, 50V, 0,1A, 0,15W, B=100, 600, 250MHz, R=10k	SOT563	33tde	-	Dil
P12	DDA114TK	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=R1 10k	SOT26	33lda	-	Dil
P12	DDA114TU	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=R1 10k	SOT363	33lda	-	Dil
P12D	ZXT13P12DE6	SI-PNP	Lo-sat, Switching, 20V, 4A, 55MHz	SOT363	33af	-	Ztx
P13	DDA114EH	SI-PNP-Digi	Dual, Sw, 50V, 0,1A, 0,15W, 250MHz, R1/R2=10/10k	SOT563	33lda	-	Dil
P13	DDA114EK	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=10k/10k	SOT26	33lda	-	Dil
P13	DDA114EU	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/10k	SOT363	33lda	-	Dil
P14	DDA114YH	SI-PNP-Digi	Dual, Sw, 50V, 0,1A, 0,15W, 250MHz, R1/R2=10/47k	SOT563	33lda	-	Dil
P14	DDA114YK	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=10k/47k	SOT26	33lg	-	Dil
P14	DDA114YU	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=10k/47k	SOT363	33lg	-	Dil
P17	DDA124EH	SI-PNP-Digi	Dual, Sw, 50V, 0,1A, 0,15W, 250MHz, R1/R2=22/22k	SOT563	35lg	-	Dil
P17	DDA124EK	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=22k/22k	SOT26	33lg	-	Dil
P17	DDA124EU	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT363	33lg	-	Dil
P17	DDC124EK	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT563	33lg	-	Dil
P17	DDC124EU	SI-NPN-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=22k/22k	SOT563	33lg	-	Dil
P2	1PS74SB43	SI-Diode	Schottky Barrier, U-Fast, Switching, 40V, 1A, <80pF	SOT457	33dea	-	Phi
P2	BZX84-C12TS	Z-Diode	Triple, 3x12V±5%, 200mW	SOT363	33dd	-	Dil
P2	R1225N162A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1,6V, 300KHz	SOT23-6W	33vrf	-	Ric
P2	TK11220M	VR-IC	LDO, Enable, 2V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P2	TK11221M	VR-IC	LDO, Enable, 2,1V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P2	TK11222M	VR-IC	LDO, Enable, 2,2V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P2	TK11225M	VR-IC	LDO, Enable, 2,5V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P2	TK11227M	VR-IC	LDO, Enable, 2,7V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P20	DDA144EH	SI-PNP-Digi	Dual, Sw, 50V, 0,1A, 0,15W, 250MHz, R1/R2=47/47k	SOT563	35tg	-	Dil
P20	DDA144EK	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 300mW, R1/R2=47k/47k	SOT26	33tg	-	Dil
P20	DDA144EU	SI-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=47k/47k	SOT363	33tg	-	Dil
P20	TK11220AM	VR-IC	LDO, Enable, 2V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P20D	ZXT13P20DE6	SI-PNP	Lo-sat, Switching, 25V, 4A, 90MHz	SOT363	33af	-	Ztx
P21	TK11221AM	VR-IC	LDO, Enable, 2,1V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P22	TK11222AM	VR-IC	LDO, Enable, 2,2V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P25	TK11225AM	VR-IC	LDO, Enable, 2,5V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P28	TK11228AM	VR-IC	LDO, Enable, 2,8V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P29	TK11229AM	VR-IC	LDO, Enable, 2,9V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P3	BZX84-C18TS	Z-Diode	Triple, 3x13V±5%, 200mW	SOT363	33dd	-	Dil
P3	R1225N252A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 2,5V, 300KHz	SOT23-6W	33vrf	-	Ric
P3	TK11230M	VR-IC	LDO, Enable, 3V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P3	TK11232M	VR-IC	LDO, Enable, 3,2V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P3	TK11235M	VR-IC	LDO, Enable, 3,5V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P30	TK11230AM	VR-IC	LDO, Enable, 3V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P31	TK11231AM	VR-IC	LDO, Enable, 3,1V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P33	TK11233AM	VR-IC	LDO, Enable, 3,3V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P35	TK11235AM	VR-IC	LDO, Enable, 3,5V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P36	TK11236AM	VR-IC	LDO, Enable, 3,6V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P38	TK11238AM	VR-IC	LDO, Enable, 3,8V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P4	BZX84-C16TS	Z-Diode	Triple, 3x15V±5%, 200mW	SOT363	33dd	-	Dil
P4	R1225N332A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3,3V, 300KHz	SOT23-6W	33vrf	-	Ric
P4	TK11240M	VR-IC	LDO, Enable, 4V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P4	TK11245M	VR-IC	LDO, Enable, 4,5V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P4	TK11247M	VR-IC	LDO, Enable, 4,7V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P40	TK11240AM	VR-IC	LDO, Enable, 4V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P40D	ZXT13P40DE6	SI-PNP	Lo-sat, Switching, 40V, 3A, 115MHz	SOT363	33af	-	Ztx
P42	TK11242AM	VR-IC	LDO, Enable, 4,2V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P45	TK11245AM	VR-IC	LDO, Enable, 4,5V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P48	TK11248AM	VR-IC	LDO, Enable, 4,8V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P49	TK11249AM	VR-IC	LDO, Enable, 4,9V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P5	BZX84-C16TS	Z-Diode	Triple, 3x16V±5%, 200mW	SOT363	33dd	-	Dil
P5	R1225N502A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5V, 300KHz	SOT23-6W	33vrf	-	Ric
P5	TK11250M	VR-IC	LDO, Enable, 5V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P5	TK11255M	VR-IC	LDO, Enable, 5,5V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
P50	TK11250AM	VR-IC	LDO, Enable, 5V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P55	TK11255AM	VR-IC	LDO, Enable, 5,5V 2%, 150mA	SOT23L-6	33vf	VR7	Tok
P6	BZX84-C18TS	Z-Diode	Triple, 3x18V±5%, 200mW	SOT363	33dd	-	Dil
P6	R1225N552A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5,5V, 300KHz	SOT23-6W	33vrf	-	Ric
P7	BZX84-C20TS	Z-Diode	Triple, 3x20V±5%, 200mW	SOT363	33dd	-	Dil
P7	R1225N602A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 6V, 300KHz	SOT23-6W	33vrf	-	Ric
P8	BZX84-C22TS	Z-Diode	Triple, 3x22V±5%, 200mW	SOT363	33dd	-	Dil
P8	R1225N122B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1,2V, 500KHz	SOT23-6W	33vrf	-	Ric
P81	DDA122LH	SI-PNP-Digi	Dual Sw, 50V, 100mA, 150mW, R1/R2=0,22k/10k	SOT563	33lg	-	Dil

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
P81	DDA122LU	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=0.22k/10k	SOT363	35tg	-	Dil
P82	DDA142JH	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 150mW, R1/R2=0.47k/10k	SOT563	33tg	-	Dil
P82	DDA142JU	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1/R2=0.47k/10k	SOT363	33tg	-	Dil
P83	DDA122TH	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 150mW, R1=0.22k	SOT563	35tg	-	Dil
P83	DDA122TU	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1=0.22k	SOT363	35tg	-	Dil
P84	DDA142TH	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 150mW, R1=0.47k	SOT563	33tg	-	Dil
P84	DDA142TU	Si-PNP-Digi	Dual, Sw, 50V, 100mA, 200mW, R1=0.47k	SOT363	33tg	-	Dil
P9	BZX84-C24TS	Z-Diode	Tnple, 3x24V±5%, 200mW	SOT363	33dd	-	Dil
P9	R1225N152B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.5V, 500KHz	SOT23-6W	33vrg	-	Ric
PA	µPA609T	Si-P/N	PNP+NPN, 60V, 500mA, 200/150MHz	SOT23-6	33vj	-	Nec
PA	BZX84-C27TS	Z-Diode	Triple, 3x27V±5%, 200mW	SOT363	33dd	-	Dil
PA	R1225N182B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.8V, 500KHz	SOT23-6W	33vrg	-	Ric
PA	Si1902DL	MOS-N-FET-e	Dual, V-MOS, LogL, 20V, ±0.66A, <0.63Ω(0.4A), <50/40ns	SOT363	33fea	-	Six
PB	R1225N252B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 2.5V, 500KHz	SOT23-6W	33vrg	-	Ric
PB051	TPA2005D1GQYR	Lin-IC	AF PA, Cl-D, BTL, 2.2...5.5V, 1.1W(5V/8Ω), shutdown	BGA16	39	PA53	Tix
PC	R1225N32B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3.3V, 500KHz	SOT23-6W	33vrg	-	Ric
PD	R1225N502B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5V, 500KHz	SOT23-6W	33vrg	-	Ric
PE	R1225N552B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5.5V, 500KHz	SOT23-6W	33vrg	-	Ric
PF	R1225N602B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 6V, 500KHz	SOT23-6W	33vrg	-	Ric
PFWI	TPS3103E12DBVR	CMOS-IC	Voltage Detector 1.142V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PFWI	TPS3103E12DBVT	CMOS-IC	Voltage Detector 1.142V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PFXI	TPS3103E15DBVR	CMOS-IC	Voltage Detector 1.434V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PFXI	TPS3103E15DBVT	CMOS-IC	Voltage Detector 1.434V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PFYI	TPS3103H20DBVR	CMOS-IC	Voltage Detector 1.84V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PFYI	TPS3103H20DBVT	CMOS-IC	Voltage Detector 1.84V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PFZI	TPS3106E09DBVR	CMOS-IC	Voltage Detector 0.86V, -MR, -Reset Open drain output	SOP-6	33mb	-	Tix
PFZI	TPS3106E09DBVT	CMOS-IC	Voltage Detector 0.86V, -MR, -Reset Open drain output	SOP-6	33mb	-	Tix
PG	R1225N122J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.2V, 180KHz	SOT23-6W	33vrg	-	Ric
PGBI	TPS3106K33DBVR	CMOS-IC	Voltage Detector 2.941V, -MR, -Reset Open drain output	SOP-6	33mb	-	Tix
PGBI	TPS3106K33DBVT	CMOS-IC	Voltage Detector 2.941V, -MR, -Reset Open drain output	SOP-6	33mb	-	Tix
PGII	TPS3110E09DBVR	CMOS-IC	Voltage Detector 0.86V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGII	TPS3110E09DBVT	CMOS-IC	Voltage Detector 0.86V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGJI	TPS3110E12DBVR	CMOS-IC	Voltage Detector 1.142V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGJI	TPS3110E12DBVT	CMOS-IC	Voltage Detector 1.142V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGKI	TPS3110E15DBVR	CMOS-IC	Voltage Detector 1.434V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGKI	TPS3110E15DBVT	CMOS-IC	Voltage Detector 1.434V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGLI	TPS3110K33DBVR	CMOS-IC	Voltage Detector 2.941V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGLI	TPS3110K33DBVT	CMOS-IC	Voltage Detector 2.941V, -MR, -Reset Push-pull output	SOP-6	33mc	-	Tix
PGRI	TPS3103K33DBVR	CMOS-IC	Voltage Detector 2.941V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PGRI	TPS3103K33DBVT	CMOS-IC	Voltage Detector 2.941V, -MR, -Reset Open drain output	SOP-6	33ma	-	Tix
PGSI	TPS3106E16DBVR	CMOS-IC	Voltage Detector 1.521V, -MR, -Reset Open drain output	SOP-6	33mb	-	Tix
PGSI	TPS3106E16DBVT	CMOS-IC	Voltage Detector 1.521V, -MR, -Reset Open drain output	SOP-6	33mb	-	Tix
PH	R1225N152J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.5V, 180KHz	SOT23-6W	33vrg	-	Ric
PJ	DDZ20C2TS	Z-Diode	Triple, 3x20V±2.5%, 200mW	SOT363	33dd	-	Dil
PJ	R1225N182J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.8V, 180KHz	SOT23-6W	33vrg	-	Ric
PJAI	TPS64200DBVR	VR-IC	St-Down Convrtoller, Adjustable 1.2V..Vin	SOT23-6	33yk	-	Tix
PJBI	TPS64201DBVR	VR-IC	St-Down Convrtoller, Adjustable 1.2V..Vin	SOT23-6	33yk	-	Tix
PJCI	TPS64202DBVR	VR-IC	St-Down Convrtoller, Adjustable 1.2V..Vin	SOT23-6	33yk	-	Tix
PJDI	TPS64203DBVR	VR-IC	St-Down Convrtoller, Adjustable 1.2V..Vin	SOT23-6	33yk	-	Tix
PK	R1225N252J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 2.5V, 180KHz	SOT23-6W	33vrg	-	Ric
PK2	S-1000C41-I4T1G	CMOS-IC	Voltage Detector 4.1V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PK3	S-1000C42-I4T1G	CMOS-IC	Voltage Detector 4.2V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PK4	S-1000C43-I4T1G	CMOS-IC	Voltage Detector 4.3V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PK5	S-1000C44-I4T1G	CMOS-IC	Voltage Detector 4.4V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PK6	S-1000C45-I4T1G	CMOS-IC	Voltage Detector 4.5V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PK7	S-1000C46-I4T1G	CMOS-IC	Voltage Detector 4.6V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKA	S-1000C15-I4T1G	CMOS-IC	Voltage Detector 1.5V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKB	S-1000C16-I4T1G	CMOS-IC	Voltage Detector 1.6V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKC	S-1000C17-I4T1G	CMOS-IC	Voltage Detector 1.7V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKD	S-1000C18-I4T1G	CMOS-IC	Voltage Detector 1.8V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKE	S-1000C19-I4T1G	CMOS-IC	Voltage Detector 1.9V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKF	S-1000C20-I4T1G	CMOS-IC	Voltage Detector 2.0V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKG	S-1000C21-I4T1G	CMOS-IC	Voltage Detector 2.1V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKH	S-1000C22-I4T1G	CMOS-IC	Voltage Detector 2.2V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKI	S-1000C23-I4T1G	CMOS-IC	Voltage Detector 2.3V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKJ	S-1000C24-I4T1G	CMOS-IC	Voltage Detector 2.4V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKK	S-1000C25-I4T1G	CMOS-IC	Voltage Detector 2.5V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKL	S-1000C26-I4T1G	CMOS-IC	Voltage Detector 2.6V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei


SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
PKM	S-1000C27-14T1G	CMOS-IC	Voltage Detector 2.7V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKN	S-1000C28-14T1G	CMOS-IC	Voltage Detector 2.8V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKO	S-1000C29-14T1G	CMOS-IC	Voltage Detector 2.9V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKP	S-1000C30-14T1G	CMOS-IC	Voltage Detector 3.0V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKQ	S-1000C31-14T1G	CMOS-IC	Voltage Detector 3.1V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKR	S-1000C32-14T1G	CMOS-IC	Voltage Detector 3.2V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKS	S-1000C33-14T1G	CMOS-IC	Voltage Detector 3.3V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKT	S-1000C34-14T1G	CMOS-IC	Voltage Detector 3.4V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKU	S-1000C35-14T1G	CMOS-IC	Voltage Detector 3.5V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKV	S-1000C36-14T1G	CMOS-IC	Voltage Detector 3.6V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKW	S-1000C37-14T1G	CMOS-IC	Voltage Detector 3.7V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKX	S-1000C38-14T1G	CMOS-IC	Voltage Detector 3.8V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKY	S-1000C39-14T1G	CMOS-IC	Voltage Detector 3.9V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PKZ	S-1000C40-14T1G	CMOS-IC	Voltage Detector 4.0V, -Reset Push-pull output	SNT-4A	35vdj	-	Sei
PL	DDZ24C2TS	Z-Diode	Triple, 3x24V±2.5%, 200mW	SOT363	33dd	-	Dil
PL	R1225N332J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3.3V, 180KHz	SOT23-6W	33vrfq	-	Ric
PL2	S-1000N41-14T1G	CMOS-IC	Voltage Detector 4.1V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PL3	S-1000N42-14T1G	CMOS-IC	Voltage Detector 4.2V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PL4	S-1000N43-14T1G	CMOS-IC	Voltage Detector 4.3V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PL5	S-1000N44-14T1G	CMOS-IC	Voltage Detector 4.4V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PL6	S-1000N45-14T1G	CMOS-IC	Voltage Detector 4.5V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PL7	S-1000N46-14T1G	CMOS-IC	Voltage Detector 4.6V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLA	S-1000N15-14T1G	CMOS-IC	Voltage Detector 1.5V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLB	S-1000N16-14T1G	CMOS-IC	Voltage Detector 1.6V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLC	S-1000N17-14T1G	CMOS-IC	Voltage Detector 1.7V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLD	S-1000N18-14T1G	CMOS-IC	Voltage Detector 1.8V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLE	S-1000N19-14T1G	CMOS-IC	Voltage Detector 1.9V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLF	S-1000N20-14T1G	CMOS-IC	Voltage Detector 2.0V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLG	S-1000N21-14T1G	CMOS-IC	Voltage Detector 2.1V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLH	S-1000N22-14T1G	CMOS-IC	Voltage Detector 2.2V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLI	S-1000N23-14T1G	CMOS-IC	Voltage Detector 2.3V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLJ	S-1000N24-14T1G	CMOS-IC	Voltage Detector 2.4V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLK	S-1000N25-14T1G	CMOS-IC	Voltage Detector 2.5V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLL	S-1000N26-14T1G	CMOS-IC	Voltage Detector 2.6V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLM	S-1000N27-14T1G	CMOS-IC	Voltage Detector 2.7V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLN	S-1000N28-14T1G	CMOS-IC	Voltage Detector 2.8V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLO	S-1000N29-14T1G	CMOS-IC	Voltage Detector 2.9V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLP	S-1000N30-14T1G	CMOS-IC	Voltage Detector 3.0V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLQ	S-1000N31-14T1G	CMOS-IC	Voltage Detector 3.1V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLR	S-1000N32-14T1G	CMOS-IC	Voltage Detector 3.2V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLS	S-1000N33-14T1G	CMOS-IC	Voltage Detector 3.3V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLT	S-1000N34-14T1G	CMOS-IC	Voltage Detector 3.4V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLU	S-1000N35-14T1G	CMOS-IC	Voltage Detector 3.5V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLV	S-1000N36-14T1G	CMOS-IC	Voltage Detector 3.6V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLW	S-1000N37-14T1G	CMOS-IC	Voltage Detector 3.7V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLX	S-1000N38-14T1G	CMOS-IC	Voltage Detector 3.8V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLY	S-1000N39-14T1G	CMOS-IC	Voltage Detector 3.9V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PLZ	S-1000N40-14T1G	CMOS-IC	Voltage Detector 4.0V, -Reset Open drain output	SNT-4A	35vdj	-	Sei
PM	R1225N502J	VR-IC	PWM Step-Down DC-DC Converter, 5V, 180KHz	SOT23-6W	33vrfq	-	Ric
PN	R1225N552J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5.5V, 180KHz	SOT23-6W	33vrfq	-	Ric
PP	R1225N602J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 6V, 180KHz	SOT23-6W	33vrfq	-	Ric
PQ	R1225N302A	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3V, 300KHz	SOT23-6W	33vrfq	-	Ric
PR	R1225N302B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3V, 300KHz	SOT23-6W	33vrfq	-	Ric
PS	R1225N302J	VR-IC	WFM/PWM Step-Down DC-DC Converter, 3V, 180KHz	SOT23-6W	33vrfq	-	Ric
PT	R1225N162B	VR-IC	WFM/PWM Step-Down DC-DC Converter, 1.6V, 500KHz	SOT23-6W	33vrfq	-	Ric
PU	R1225N122C	VR-IC	PWM Step-Down DC-DC Converter, 1.2V, 300KHz	SOT23-6W	33vrfq	-	Ric
PV	R1225N152C	VR-IC	PWM Step-Down DC-DC Converter, 1.5V, 300KHz	SOT23-6W	33vrfq	-	Ric
PW	R1225N182C	VR-IC	PWM Step-Down DC-DC Converter, 1.8V, 300KHz	SOT23-6W	33vrfq	-	Ric
PX	R1225N252C	VR-IC	PWM Step-Down DC-DC Converter, 2.5V, 300KHz	SOT23-6W	33vrfq	-	Ric
PY	R1225N332C	VR-IC	PWM Step-Down DC-DC Converter, 3.3V, 300KHz	SOT23-6W	33vrfq	-	Ric
PZ	R1225N502C	VR-IC	PWM Step-Down DC-DC Converter, 5V, 300KHz	SOT23-6W	33vrfq	-	Ric
Q	LM4901BL	Lin-IC	AF PA, BTL, 2.2...5.5V, 1.6W (5V/8Ω), shutdown	BGA9	39	PA24	Nsc
Q	LM4901BLX	Lin-IC	AF PA, BTL, 2.2...5.5V, 1.6W (5V/8Ω), shutdown	BGA9	39	PA24	Nsc
Q20	TK11320M	VR-IC	LDO, -Enable, 2V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
Q30	TK11330M	VR-IC	LDO, -Enable, 3V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
Q33	TK11333M	VR-IC	LDO, -Enable, 3.3V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
Q40	TK11340M	VR-IC	LDO, -Enable, 4V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
Q45	TK11345M	VR-IC	LDO, -Enable, 4.5V 10%, 150mA	SOT23L-6	33vf	VR7	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
Q48	TK11348M	VR-IC	LDO, -Enable, 4,8V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
Q50	TK11350M	VR-IC	LDO, -Enable, 5V 10%, 150mA	SOT23L-6	33vf	VR7	Tok
QA	μPA673T	Si-NPN	Dual, 40V, 200mA, 500MHz, 12/25ns	SOT363	33tc	-	Nec
QA	SI1903DL	MOS-P-FET-e	Dual, V-MOS, LogL, 20V, ±0,41A, <1,8Ω(0,25A), <55/41ns	SOT363	33fea	-	Six
QB	SI1905DL	MOS-P-FET-e	Dual, V-MOS, LogL, 8V, ±0,57A, <1,2Ω(0,2A), <62/40ns	SOT363	33fea	-	Six
QC	SI1907DL	MOS-P-FET-e	Dual, V-MOS, LogL, 12V, ±0,53A, <1,31Ω(0,2A), <52/40ns	SOT363	33fea	-	Six
R0	R5426D111EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SON-6	35xx	VR21	Ric
R0	R5426N111EA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SOT23-6	33xx	VR21	Ric
R1	R5426D105BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,04V	SON-6	35xx	VR21	Ric
R1	R5426N105BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,05V	SOT23-6	33xx	VR21	Ric
R15	TK11215CM	VR-IC	LDO, Enable, 1,5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R16	TK11216CM	VR-IC	LDO, Enable, 1,6V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R17	TK11217CM	VR-IC	LDO, Enable, 1,7V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R18	TK11218CM	VR-IC	LDO, Enable, 1,8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R19	TK11219CM	VR-IC	LDO, Enable, 1,9V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R2	R5426D124CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,24V	SON-6	35xx	VR21	Ric
R2	R5426N124CA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,24V	SOT23-6	33xx	VR21	Ric
R20	TK11220CM	VR-IC	LDO, Enable, 2V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R21	TK11221CM	VR-IC	LDO, Enable, 2,1V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R22	TK11222CM	VR-IC	LDO, Enable, 2,2V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R23	TK11223CM	VR-IC	LDO, Enable, 2,3V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R24	TK11224CM	VR-IC	LDO, Enable, 2,4V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R25	TK11225CM	VR-IC	LDO, Enable, 2,5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R26	TK11226CM	VR-IC	LDO, Enable, 2,6V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R27	TK11227CM	VR-IC	LDO, Enable, 2,7V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R28	TK11228CM	VR-IC	LDO, Enable, 2,8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R29	TK11229CM	VR-IC	LDO, Enable, 2,9V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R3	R5426D105DF	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,05V	SON-6	35xx	VR21	Ric
R3	R5426N105DF	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,05V	SOT23-6	33xx	VR21	Ric
R30	TK11230CM	VR-IC	LDO, Enable, 3V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R31	TK11231CM	VR-IC	LDO, Enable, 3,1V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R32	TK11232CM	VR-IC	LDO, Enable, 3,2V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R33	TK11233CM	VR-IC	LDO, Enable, 3,3V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R34	μPA802T-FB	Si-NPN	Dual, VHF/UHF, 20V, 65mA, 150mW, 7GHz, B=70...140	SOT363	33tc	-	Nec
R34	TK11234CM	VR-IC	LDO, Enable, 3,4V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R35	μPA802T-GB	Si-NPN	Dual, VHF/UHF, 20V, 65mA, 150mW, 7GHz, B=110...240	SOT363	33tc	-	Nec
R35	TK11235CM	VR-IC	LDO, Enable, 3,5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R36	TK11236CM	VR-IC	LDO, Enable, 3,6V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R37	TK11237CM	VR-IC	LDO, Enable, 3,7V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R38	TK11238CM	VR-IC	LDO, Enable, 3,8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R39	TK11239CM	VR-IC	LDO, Enable, 3,9V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R4	R5426D106DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,06V	BON-6	35xx	VR21	Ric
R4	R5426N106DA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,06V	SOT23-6	33xx	VR21	Ric
R40	TK11240CM	VR-IC	LDO, Enable, 4V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R41	TK11241CM	VR-IC	LDO, Enable, 4,1V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R42	TK11242CM	VR-IC	LDO, Enable, 4,2V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R43	TK11243CM	VR-IC	LDO, Enable, 4,3V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R44	TK11244CM	VR-IC	LDO, Enable, 4,4V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R45	TK11245CM	VR-IC	LDO, Enable, 4,5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R46	TK11246CM	VR-IC	LDO, Enable, 4,6V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R47	TK11247CM	VR-IC	LDO, Enable, 4,7V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R48	TK11248CM	VR-IC	LDO, Enable, 4,8V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R49	TK11249CM	VR-IC	LDO, Enable, 4,9V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R5	R5426D111DG	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SON-6	35xx	VR21	Ric
R5	R5426N111DG	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,11V	SOT23-6	33xx	VR21	Ric
R50	TK11250CM	VR-IC	LDO, Enable, 5V 5%, 150mA	SOT23L-6	33vf	VR7	Tok
R6	R5426D125BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,25V	SON-6	35xx	VR21	Ric
R6	R5426N125BB	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,25V	SOT23-6	33xx	VR21	Ric
R7	R5426D126FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,26V	SON-6	35xx	VR21	Ric
R7	R5426N126FA	CMOS-IC	Li-Ion Battery Over-charge/discharge Protection, Vc/d=1,26V	SOT23-6	33xx	VR21	Ric
R84	μPA827TF	Si-NPN	Dual, VHF/UHF, LN, 5V, 10mA, 30mW, B=70...140, 13GHz	SOT363	33tdc	-	Nec
R86	μPA828TF	Si-NPN	Dual, VHF/UHF, LN, 5V, 30mA, 90mW, B=70...140, 11GHz	SOT363	33tdc	-	Nec
R9	BZX84-C10TS	Z-Diode	Triple, 3x10V±5%, 200mW	SOT363	33dd	-	Dil
RA	SI1553DL	MOS-P/N-FET-e	N+P-V-MOS, LogL, 20V, N: 1,3A, <0,63Ω, P: 0,82A, <1,8Ω	SOT363	33fea	-	Six
RB	SI1555DL	MOS-P/N-FET-e	N+P-V-MOS, LogL, 20V, N: 1,3A, <0,63Ω, P: ±1,2A, <1,2Ω	SOT363	33fea	-	Six
RFs	BFS480	Si-NPN	Dual, UHF, 10V, 10mA, >5GHz	SOT363	33idd	-	Six
RFs	BFS481	Si-NPN	Dual, UHF, 20V, 20mA, >6GHz	SOT363	33idd	-	Six
RGs	BFS482	Si-NPN	Dual, UHF, 20V, 35mA, >6GHz	SOT363	33idd	-	Six

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
R1a	BFS483	Si-NPN	Dual, UHF, 20V, 65mA, >6GHz	SOT363	33td	-	Sie
RL	µPA800T	Si-NPN	Dual, VHF/UHF, 20V, 35mA, 150mW, 8.5GHz, B=80...200	SOT363	33tc	-	Nec
RP	DD2X33TS	Z-Diode	Triple, 3x33V±2.5%, 200mW	SOT363	33dd	-	Dil
S0	R1225N552C	VR-IC	PWM Step-Down DC-DC Converter, 5.5V, 300KHz	SOT23-6W	33vrg	-	Ric
S03A	LM2684M6	Lin-IC	Switched Capacitor Voltage Converter	SOT23-6	33vcc	-	Nsc
S04A	LM2665M6	Lin-IC	Switched Capacitor Voltage Converter	SOT23-6	33vcb	-	Nsc
S1	R1225N602C	VR-IC	PWM Step-Down DC-DC Converter, 6V, 300KHz	SOT23-6W	33vrg	-	Ric
S10A	LM2681M6	Lin-IC	Switched Capacitor Voltage Converter	SOT23-6	33vcd	-	Nsc
S2	R1225N122D	VR-IC	PWM Step-Down DC-DC Converter, 1.2V, 500KHz	SOT23-6W	33vrg	-	Ric
S2P02	MMSF2P02E	MOS-P-FET-e	V-MOS, LogL, 20V, 2.5A, 2.5W, <0.250Q(5A)	SO-8	33md	-	Mot
S3	R1225N152D	VR-IC	PWM Step-Down DC-DC Converter, 1.5V, 500KHz	SOT23-6W	33vrg	-	Ric
S3P02	MMSF3P02HD	MOS-P-FET-e	V-MOS, LogL, 20V, 5.6A, 2.5W, <75mQ(5A)	SO-8	33md	-	Mot
S3P02Z	MMSF3P02Z	MOS-P-FET-e	V-MOS, LogL, 20V, 6.5A, 2.5W, <60mQ(5A)	SO-8	33md	-	Mot
S3P03	MMSF3P03HD	MOS-P-FET-e	V-MOS, LogL, 30V, 4.6A, 2.5W, <0.1Q(5A)	SO-8	33md	-	Mot
S4	R1225N182D	VR-IC	PWM Step-Down DC-DC Converter, 1.8V, 500KHz	SOT23-6W	33vrg	-	Ric
S4P01	MMSF4P01HD	MOS-P-FET-e	V-MOS, LogL, 12V, 5.1A, 2.5W, <80mQ(5A)	SO-8	33md	-	Mot
S4P01Z	MMSF4P01Z	MOS-P-FET-e	V-MOS, LogL, 20V, 5.7A, 2.5W, <70mQ(5A)	SO-8	33md	-	Mot
S5	R1225N252D	VR-IC	PWM Step-Down DC-DC Converter, 2.5V, 500KHz	SOT23-6W	33vrg	-	Ric
SSN02	MMSF5N02HD	MOS-N-FET-e	V-MOS, LogL, 20V, 8.2A, 2.5W, <25mQ(5A)	SO-8	33md	-	Mot
SSN03	MMSF5N03HD	MOS-N-FET-e	V-MOS, LogL, 30V, 6.5A, 2.5W, <40mQ(5A)	SO-8	33md	-	Mot
SSN03Z	MMSF5N03Z	MOS-N-FET-e	V-MOS, LogL, 30V, 7.5A, 2.5W, <30mQ(5A)	SO-8	33md	-	Mot
S6	R1225N332D	VR-IC	PWM Step-Down DC-DC Converter, 3.3V, 500KHz	SOT23-6W	33vrg	-	Ric
S7	R1225N502D	VR-IC	WFM/PWM Step-Down DC-DC Converter, 5V, 500KHz	SOT23-6W	33vrg	-	Ric
S7N03	MMSF7N03HD	MOS-N-FET-e	V-MOS, LogL, 30V, 8.2A, 2.5W, <28mQ(5A), 15/35ns	SO-8	33md	-	Mot
S8	R1225N552D	VR-IC	PWM Step-Down DC-DC Converter, 5.5V, 500KHz	SOT23-6W	33vrg	-	Ric
S9	R1225N602D	VR-IC	PWM Step-Down DC-DC Converter, 6V, 500KHz	SOT23-6W	33vrg	-	Ric
SA	R1225N122K	VR-IC	PWM Step-Down DC-DC Converter, 1.2V, 180KHz	SOT23-6W	33vrg	-	Ric
SB	R1225N152K	VR-IC	PWM Step-Down DC-DC Converter, 1.5V, 180KHz	SOT23-6W	33vrg	-	Ric
SC	R1225N182K	VR-IC	PWM Step-Down DC-DC Converter, 1.8V, 180KHz	SOT23-6W	33vrg	-	Ric
SD	R1225N252K	VR-IC	PWM Step-Down DC-DC Converter, 2.5V, 180KHz	SOT23-6W	33vrg	-	Ric
SE	R1225N332K	VR-IC	PWM Step-Down DC-DC Converter, 3.3V, 180KHz	SOT23-6W	33vrg	-	Ric
SF	R1225N502K	VR-IC	PWM Step-Down DC-DC Converter, 5V, 180KHz	SOT23-6W	33vrg	-	Ric
SG	R1225N552K	VR-IC	PWM Step-Down DC-DC Converter, 5.5V, 180KHz	SOT23-6W	33vrg	-	Ric
SH	R1225N602K	VR-IC	PWM Step-Down DC-DC Converter, 6V, 180KHz	SOT23-6W	33vrg	-	Ric
SJ	R1225N302C	VR-IC	PWM Step-Down DC-DC Converter, 3V, 300KHz	SOT23-6W	33vrg	-	Ric
SJA	MIC2288BML	VR-IC	1.2MHz PWM Boost Converter, 1A, Output OVP 34V	MLF-8	37bn	-	Mcr
SJA	MIC2288YML	VR-IC	1.2MHz PWM Boost Converter, 1A, Output OVP 34V	MLF-8	37bn	-	Mcr
SK	R1225N302D	VR-IC	PWM Step-Down DC-DC Converter, 3V, 500KHz	SOT23-6W	33vrg	-	Ric
SL	R1225N302K	VR-IC	PWM Step-Down DC-DC Converter, 3V, 180KHz	SOT23-6W	33vrg	-	Ric
SLA	MIC2287-15BML	VR-IC	1.2MHz PWM Boost Converter, Output OVP 15V	MLF-8	37bn	-	Mcr
SILA	MIC2287-15YML	VR-IC	1.2MHz PWM Boost Converter, Output OVP 15V	MLF-8	37bn	-	Mcr
SLB	MIC2287-24BML	VR-IC	1.2MHz PWM Boost Converter, Output OVP 24V	MLF-8	37bn	-	Mcr
SILB	MIC2287-24YML	VR-IC	1.2MHz PWM Boost Converter, Output OVP 24V	MLF-8	37bn	-	Mcr
SLC	MIC2287-34BML	VR-IC	1.2MHz PWM Boost Converter, Output OVP 34V	MLF-8	37bn	-	Mcr
SLC	MIC2287-34YML	VR-IC	1.2MHz PWM Boost Converter, Output OVP 34V	MLF-8	37bn	-	Mcr
SM	R1225N162D	VR-IC	PWM Step-Down DC-DC Converter, 1.6V, 500KHz	SOT23-6W	33vrg	-	Ric
SNA	MIC2289-15BML	VR-IC	1.2 MHz PWM White LED Driver, OVP 15V	LPP-8	37lc	VR19	Mcr
SNAI	MIC2289-15YML	VR-IC	1.2 MHz PWM White LED Driver, OVP 15V	LPP-8	37lc	VR19	Mcr
SNB	MIC2289-24BML	VR-IC	1.2 MHz PWM White LED Driver, OVP 24V	LPP-8	37lc	VR19	Mcr
SNBI	MIC2289-24YML	VR-IC	1.2 MHz PWM White LED Driver, OVP 24V	LPP-8	37lc	VR19	Mcr
SNC	MIC2289-34BML	VR-IC	1.2 MHz PWM White LED Driver, OVP 34V	LPP-8	37lc	VR19	Mcr
SNCI	MIC2289-34YML	VR-IC	1.2 MHz PWM White LED Driver, OVP 34V	LPP-8	37lc	VR19	Mcr
T1	IMT1A	Si-PNP	Dual, 60V, 0.5A, 200MHz	SOT363	33tg	-	Rhm
T4	IMT4	Si-PNP	Dual, 120V, 0.05A, 140MHz	SOT363	33tga	-	Rhm
T4	MBD330DWT1	Si-Diode	Dual, Schottky, UHF/VHF-Det, 30V, 120mW, <1pF	SOT363	33de	-	Ons
T605	ZDT605	Si-NPN-Darl	Dual, 140/120V, 1A, B=2k...100k	SO-8	33li	-	Ztx
T617	ZDT617	Si-NPN	Dual, Hi-beta, Lo-sat, 15V, 3A, >80MHz, B>300, 120/160ns	SO-8	33li	-	Ztx
T619	ZDT619	Si-NPN	Dual, Hi-beta, Lo-sat, 50V, 2A, >100MHz, B>300, 170/750ns	SO-8	33li	-	Ztx
T649	ZDT649	Si-NPN	Dual, lo-sat, 35V, 2A, >150MHz, 55/300ns	SO-8	33li	-	Ztx
T651	ZDT651	Si-NPN	Dual, lo-sat, 80V, 2A, >150MHz	SO-8	33li	-	Ztx
T6702	ZDT6702	Si-P/N-Darl	T1=PNP, T2=NPN, 80V, 2A, B=2000	SO-8	33li	-	Ztx
T6705	ZDT6705	Si-P/N-Darl	T1=PNP, T2=NPN, 140V, 1A, B>2000	SO-8	33li	-	Ztx
T6718	ZDT6718	Si-P/N	T1=PNP, T2=NPN, 20V, 1.5+2A, B>300, >150MHz+>100MHz	SO-8	33li	-	Ztx
T6753	ZDT6753	Si-P/N	T1=PNP, T2=NPN, Lo-sat, 120/100V, 2A, >100MHz+>150MHz	SO-8	33li	-	Ztx
T6757	ZDT6757	Si-P/N	T1=PNP, T2=NPN, 300/300V, 0.5A, >30MHz	SO-8	33li	-	Ztx
T6790	ZDT6790	Si-P/N	Hi-beta, lo-sat, 50+45V, 1A, B>200+B>400, >100+>150MHz	SO-8	33li	-	Ztx
T690	ZDT690	Si-NPN	Dual, Hi-beta, Lo-sat, 45V, 2A, >150MHz, B>400, 33/1300ns	SO-8	33li	-	Ztx
T694	ZDT694	Si-NPN	Dual, Hi-beta, Lo-sat, 120V, 0.5A, >130MHz, B>400, 80/290ns	SO-8	33li	-	Ztx

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
T705	ZDT705	Si-PNP-Darl	Dual 140/120V, 1A, B=3k 30k	SO-8	33U	-	Ztx
T717	ZDT717	Si-PNP	Dual, Hi-beta, Lo-sat, 12V, 2.5A, >80MHz, B>300, 70/130ns	SO-8	33U	-	Ztx
T73	μPA803T-FB	Si-NPN	Dual, VHF/UHF, 20V, 30mA, 120mW, 5.5GHz, B=60 120	SOT363	33tc	-	Nec
T74	μPA803T-GB	Si-NPN	Dual, VHF/UHF, 20V, 30mA, 120mW, 5.5GHz, B=100 200	SOT363	33tc	-	Nec
T749	ZDT749	Si-PNP	Dual lo-sat, 35V, 2A, >100MHz	SO-8	33U	-	Ztx
T758	ZDT758	Si-PNP	Dual, Sw, 400/400V, 0.5A, >50MHz	SO-8	33U	-	Ztx
T76	μPA804T-FB	Si-NPN	Dual, VHF/UHF, 20V, 60mA, 120mW, 5GHz, B=60 120	SOT363	33tc	-	Nec
T77	μPA804T-GB	Si-NPN	Dual, VHF/UHF, 20V, 60mA, 120mW, 5GHz, B=100 200	SOT363	33tc	-	Nec
T82	μPA805T	Si-NPN	Dual, VHF/UHF, 9V, 10mA, 60mW, 12GHz, B=75 150	SOT363	33tc	-	Nec
T83	μPA806T	Si-NPN	Dual, VHF/UHF, 9V, 30mA, 150mW, 12GHz, B=75 150	SOT363	33tc	-	Nec
T84	μPA807T	Si-NPN	Dual, VHF/UHF, 5V, 10mA, 30mW, 13GHz, B=70 140	SOT363	33tc	-	Nec
T86	μPA808T	Si-NPN	Dual, VHF/UHF, 5V, 30mA, 90mW, 11GHz, B=70 140	SOT363	33tc	-	Nec
T88	μPA809T	Si-NPN	Dual, VHF/UHF, 9V, 100mA, 150mW, 4.5GHz, B=80 160	SOT363	33tc	-	Nec
TA00	MIC280-0BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SDT23-6	33ica	-	Mcr
TA01	MIC280-1BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SOT23-6	33ica	-	Mcr
TA02	MIC280-2BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SOT23-6	33ica	-	Mcr
TA03	MIC280-3BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SOT23-6	33ica	-	Mcr
TA04	MIC280-4BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SOT23-6	33ica	-	Mcr
TA05	MIC280-5BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SOT23-6	33ica	-	Mcr
TA06	MIC280-6BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SOT23-6	33ica	-	Mcr
TA07	MIC280-7BM6	Digi-IC	Setable Precision Thermal Supervisor (-60 +100°C), I2C-bus	SOT23-6	33ica	-	Mcr
TB	μPA1910	MOS-P-FET-e*	V-MOS, LogL, 12V, ±2.5A, <130mΩ	SOT363	33fc	-	Nec
TB00	MIC281-0BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TB01	MIC281-1BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TB02	MIC281-2BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TB03	MIC281-3BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TB04	MIC281-4BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TB05	MIC281-5BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TB06	MIC281-6BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TB07	MIC281-7BM6	Digi-IC	Setable Thermal Supervisor (0 +100°C), I2C-bus	SOT23-6	33icb	-	Mcr
TBD	TPA6204A1DGN	Lin-IC	AF PA, BTL, 2.6, 5.5V, 1W(5V/8Ω), shutdown	MINISO8	33	PA61	Tix
TC	μPA1911	MOS-P-FET-e*	V-MOS, LogL, 20V, ±2.5A, <190mΩ	SOT363	33fc	-	Nec
TD	μPA1912	MOS-P-FET-e*	V-MOS, LogL, 12V, ±4.5A, <70mΩ	SOT363	33fc	-	Nec
TE	μPA1913	MOS-P-FET-e*	V-MOS, LogL, 20V, ±4.5A, <90mΩ	SOT363	33fc	-	Nec
TF	μPA1914	MOS-P-FET-e*	V-MOS, LogL, 30V, ±4.5A, <96mΩ	SOT363	33fc	-	Nec
TG	μPA1900	MOS-N-FET-e*	V-MOS, LogL, 20V, ±5.5A, <45mΩ	SOT363	33fc	-	Nec
TH	μPA1915	MOS-P-FET-e*	V-MOS, LogL, 20V, ±4.5A, <90mΩ	SOT363	33fc	-	Nec
V27	μPA834TF	Si-NPN	Dual, VHF/UHF, 20V, 65/(100)mA, B=75 150, 7GHz	SOT363	33tdc	-	Nec
V34	μPA832TF	Si-NPN	Dual, VHF/UHF, 20(9)V, 100(30)mA, B=100 145, 4.5GHz	SOT363	33tdc	-	Nec
V44	μPA833TF	Si-NPN	Dual, VHF/UHF, 9V, 100(30)mA, B=100 145, 4.5GHz	SOT363	33tdc	-	Nec
V47	μPA836TF	Si-NPN	Dual, VHF/UHF, 9V, 30(100)mA, B=75 150, 12GHz	SOT363	33tdc	-	Nec
W20	TK11120M	VR-IC	LDO, -Enable, 2V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W21	TK11121M	VR-IC	LDO, -Enable, 2.1V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W22	TK11122M	VR-IC	LDO, -Enable, 2.2V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W23	TK11123M	VR-IC	LDO, -Enable, 2.3V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W24	TK11124M	VR-IC	LDO, -Enable, 2.4V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W25	TK11125M	VR-IC	LDO, -Enable, 2.5V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W26	TK11126M	VR-IC	LDO, -Enable, 2.6V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W27	TK11127M	VR-IC	LDO, -Enable, 2.7V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W28	TK11128M	VR-IC	LDO, -Enable, 2.8V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W29	TK11129M	VR-IC	LDO, -Enable, 2.9V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W30	TK11130M	VR-IC	LDO, -Enable, 3V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W31	TK11131M	VR-IC	LDO, -Enable, 3.1V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W32	TK11132M	VR-IC	LDO, -Enable, 3.2V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W33	TK11133M	VR-IC	LDO, -Enable, 3.3V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W34	TK11134M	VR-IC	LDO, -Enable, 3.4V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W35	TK11135M	VR-IC	LDO, -Enable, 3.5V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W36	TK11136M	VR-IC	LDO, -Enable, 3.6V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W37	TK11137M	VR-IC	LDO, -Enable, 3.7V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W38	TK11138M	VR-IC	LDO, -Enable, 3.8V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W39	TK11139M	VR-IC	LDO, -Enable, 3.9V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W40	TK11140M	VR-IC	LDO, -Enable, 4V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W41	TK11141M	VR-IC	LDO, -Enable, 4.1V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W42	TK11142M	VR-IC	LDO, -Enable, 4.2V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W43	TK11143M	VR-IC	LDO, -Enable, 4.3V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W44	TK11144M	VR-IC	LDO, -Enable, 4.4V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W45	TK11145M	VR-IC	LDO, -Enable, 4.5V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W46	TK11146M	VR-IC	LDO, -Enable, 4.6V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
W47	TK11147M	VR-IC	LDO, -Enable, 4.7V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W48	TK11148M	VR-IC	LDO, -Enable, 4.8V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W49	TK11149M	VR-IC	LDO, -Enable, 4.9V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
W50	TK11150M	VR-IC	LDO, -Enable, 5V±1.5%, 200mA	SOT23L-6	33vrfc	-	Tok
X1	IMX1	Si-NPN	Dual, 60V, 0.15A, 180MHz	SOT363	33lg	-	Rhm
X11	IMX11	Si-NPN	Dual, HF, 25V, 20mA	SOT363	33lga	-	Rhm
X17	IMX17	Si-NPN	Dual, 60, 0.5A, 250MHz	SOT363	33lg	-	Rhm
X2	IMX2	Si-NPN	Dual, 60V, 0.15A, 180MHz	SOT363	33lf	-	Rhm
X3	IMX3	Si-NPN	Dual, 60V, 0.15A, 180MHz	SOT363	33lga	-	Rhm
X4	IMX4	Si-NPN	Dual, HF, 30V, 50mA, >600MHz	SOT363	33lga	-	Rhm
X5	IMX5	Si-NPN	Dual, HF, 20V, 50mA, >1400MHz	SOT363	33lga	-	Rhm
X8	IMX8	Si-NPN	Dual, HF, 40V, 50mA, >150MHz	SOT363	33lf	-	Rhm
X8	IMX8	Si-NPN	Dual, 120V, 0.05A, 140MHz	SOT363	33lga	-	Rhm
X9	IMX9	Si-NPN	Dual, Hi-beta, 25V, 0.5A, B>560	SOT363	33lg	-	Rhm
XXA	RN1981	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/4k7	SOT23-6	34lf	-	Tos
XXB	RN1982	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=20k/10k	SOT23-6	34lf	-	Tos
XXC	RN1983	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/22k	SOT23-6	34lf	-	Tos
XXD	RN1984	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/47k	SOT23-6	34lf	-	Tos
XXE	RN1985	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=2k2/47k	SOT23-6	34lf	-	Tos
XXF	RN1986	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=4k7/47k	SOT23-6	34lf	-	Tos
XXH	RN1987	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=10k/47k	SOT23-6	34lf	-	Tos
XXI	RN1986	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=22k/47k	SOT23-6	34lf	-	Tos
XXJ	RN1989	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1/R2=47k/22k	SOT23-6	34lf	-	Tos
XXK	RN1970	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=4k7	SOT23-6	34lf	-	Tos
XXM	RN1971	Si-NPN-Digi	Dual, Sw, 50V, 100mA, 300mW, 250MHz, R1=10k	SOT23-6	34lf	-	Tos
YA	RN2801	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	SO-6	33lg	-	Tos
YA	RN2901	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/4.7k	SO-6	35lg	-	Tos
YB	RN2802	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	SO-6	33lg	-	Tos
YB	RN2902	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/10k	SO-6	35lg	-	Tos
YD	RN2904	Si-PNP-Digi	Switching, 50V, 100mA, 400mW, R1/R2=47k/47k	SO-6	35lg	-	Tos
YE	RN2605	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=2.2k/47k	SO-6	33lg	-	Tos
YE	RN2905	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=2.2k/47k	SO-6	35lg	-	Tos
YF	RN2606	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/47k	SO-6	33lg	-	Tos
YF	RN2906	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=4.7k/47k	SO-6	35lg	-	Tos
YH	RN2607	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	SO-6	33lg	-	Tos
YH	RN2907	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=10k/47k	SO-6	35lg	-	Tos
YI	RN2608	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	SO-6	33lg	-	Tos
YI	RN2908	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=22k/47k	SO-6	35lg	-	Tos
YJ	RN2609	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	SO-6	33lg	-	Tos
YJ	RN2909	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1/R2=47k/22k	SO-6	35lg	-	Tos
YK	RN2610	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=4.7k	SO-6	33lg	-	Tos
YK	RN2910	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=4.7k	SO-6	35lg	-	Tos
YM	RN2611	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=10k	SO-6	33lg	-	Tos
YM	RN2911	Si-PNP-Digi	Dual, Switching, 50V, 100mA, 400mW, R1=10k	SO-6	35lg	-	Tos
YP	DDZX8V8CTS	Z-Diode	Triple, 3x8.8V±2.5%, 200mW	SOT363	33dd	-	Dil
YQ	DDZX7V5CTS	Z-Diode	Triple, 3x7.5V±2.5%, 200mW	SOT363	33dd	-	Dil
YR	DDZX8V2CTS	Z-Diode	Triple, 3x8.2V±2.5%, 200mW	SOT363	33dd	-	Dil
YS	DDZX9V1CTS	Z-Diode	Triple, 3x9.1V±2.5%, 200mW	SOT363	33dd	-	Dil
YT	DDZX10CTS	Z-Diode	Triple, 3x10V±2.5%, 200mW	SOT363	33dd	-	Dil
YU	DDZX11CTS	Z-Diode	Triple, 3x11V±2.5%, 200mW	SOT363	33dd	-	Dil
YV	DDZX12CTS	Z-Diode	Triple, 3x12V±2.5%, 200mW	SOT363	33dd	-	Dil
YY	DDZX16TS	Z-Diode	Triple, 3x16V±2.5%, 200mW	SOT363	33dd	-	Dil
YZ	DDZX16CTS	Z-Diode	Triple, 3x18V±2.5%, 200mW	SOT363	33dd	-	Dil
Z0	BZA420A	Z-Diode/TVS	Quad, 4.2V, 3.75A, 24W(1ms)	SO4457	33dx	-	Phi
Z2t	BZA462A	Z-Diode/TVS	Quad, 6.2V, 2.66A, 24W(1ms)	SO4457	33dx	-	Phi
Z6	BZA456A	Z-Diode/TVS	Quad, 5.6V, 3A, 24W(1ms)	SO4457	33dx	-	Phi
Z8	BZA408B	Z-Diode/TVS	Quad, 5V, 2A, 20W(1ms)	SO4457	33dx	-	Phi
ZF	NESG2031M16	SiGe-NPN	UHF, 13V, 35mA, 175mW, 25GHz	M16	33lk	-	Cal
ZH	NESG2101M16	SiGe-NPN	UHF, 13V, 0.1A, 190mW, 17GHz	M16	33lk	-	Cal
ZQ	DDZX36TS	Z-Diode	Triple, 3x36V±2.5%, 200mW	SOT363	33dd	-	Dil
ZR	DDZX43TS	Z-Diode	Triple, 3x43V±2.5%, 200mW	SOT363	33dd	-	Dil
ZS	DDZX47TS	Z-Diode	Triple, 3x47V±2.5%, 200mW	SOT363	33dd	-	Dil



SMD-компоненты в корпусах SOT-173

**SMD-коды электронных компонентов
в корпусах SOT-173**

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
01	MAR-15M	Lin-IC	RF amplifier, DC, 1GHz, 15,5dB (50Ω)	SOT-173	40ad	A1	Mc
01	RAM-1	Lin-IC	MMIC RF amplifier, DC, 1GHz, 13dB (50Ω)	SOT-173	40ad	A1	Mc
02	MAR-25M	Lin-IC	RF amplifier, DC, 2GHz, 11dB (50Ω)	SOT-173	40ad	A1	Mc
02	RAM-2	Lin-IC	MMIC RF amplifier, DC, 2GHz, 8,5dB (50Ω)	SOT-173	40ad	A1	Mc
03	MAR-35M	Lin-IC	RF amplifier, DC, 2GHz, 10,5dB (50Ω)	SOT-173	40ad	A1	Mc
03	RAM-3	Lin-IC	MMIC RF amplifier, DC, 2GHz, 8dB (50Ω)	SOT-173	40ad	A1	Mc
04	MAR-45M	Lin-IC	RF amplifier, DC, 1GHz, 8dB (50Ω)	SOT-173	40ad	A1	Mc
04	RAM-4	Lin-IC	MMIC RF amplifier, DC, 1GHz, 7dB (50Ω)	SOT-173	40ad	A1	Mc
06	MAR-65M	Lin-IC	RF amplifier, DC, 2GHz, 11dB (50Ω)	SOT-173	40ad	A1	Mc
06	RAM-6	Lin-IC	MMIC RF amplifier, DC, 2GHz, 9dB (50Ω)	SOT-173	40ad	A1	Mc
07	MAR-75M	Lin-IC	RF amplifier, DC, 2GHz, 11dB (50Ω)	SOT-173	40ad	A1	Mc
07	RAM-7	Lin-IC	MMIC RF amplifier, DC, 2GHz, 6,5dB (50Ω)	SOT-173	40ad	A1	Mc
08	MAR-85M	Lin-IC	RF amplifier, DC, 1GHz, 22,5dB (50Ω)	SOT-173	40ad	A1	Mc
08	RAM-8	Lin-IC	MMIC RF amplifier, DC, 1GHz, 19dB (50Ω)	SOT-173	40ad	A1	Mc
1	ERA-1	Lin-IC	RF amplifier, DC, 6GHz, 9dB (50Ω)	SOT173A	40ad	A1	Mc
1	ERA-15M	Lin-IC	RF amplifier, DC, 8GHz, 9dB (50Ω)	SOT-173	40ad	A1	Mc
1	RAM-1	Lin-IC	MMIC RF amplifier, DC, 1GHz, 13dB (50Ω)	SOT-173	40ad	A1	Mc
181	BFQ181	Si-NPN	UHF-A, 20V, 0,02A, 8GHz	SOT-173	40taa	-	Sie
182	BFQ182	Si-NPN	UHF-A, 20V, 35mA, 6,3GHz	SOT-173	40taa	-	Sie
2	ERA-2	Lin-IC	RF amplifier, DC, 6GHz, 13dB (50Ω)	SOT173A	40ad	A1	Mc
2	ERA-25M	Lin-IC	RF amplifier, DC, 6GHz, 13dB (50Ω)	SOT-173	40ad	A1	Mc
2	RAM-2	Lin-IC	MMIC RF amplifier, DC, 2GHz, 8,5dB (50Ω)	SOT-173	40ad	A1	Mc
21	ERA-215M	Lin-IC	RF amplifier, DC, 8GHz, 11,2dB (50Ω)	SOT-173	40ad	A1	Mc
28	BFQ28	Si-NPN	UHF-LN, 20V, 15mA, 0,2W, 5GHz	SOT-173	40tc	-	Sie
3	ERA-3	Lin-IC	RF amplifier, DC, 3GHz, 16dB (50Ω)	SOT173A	40ad	A1	Mc
3	ERA-35M	Lin-IC	RF amplifier, DC, 3GHz, 16dB (50Ω)	SOT-173	40ad	A1	Mc
3	RAM-3	Lin-IC	MMIC RF amplifier, DC, 2GHz, 8dB (50Ω)	SOT-173	40ad	A1	Mc
33	ERA-335M	Lin-IC	RF amplifier, DC, 3GHz, 15dB (50Ω)	SOT-173	40ad	A1	Mc
4	ERA-4	Lin-IC	RF amplifier, DC, 4GHz, 11dB (50Ω)	SOT173A	40ad	A1	Mc
4	ERA-45M	Lin-IC	RF amplifier, DC, 4GHz, 11dB (50Ω)	SOT-173	40ad	A1	Mc
4	RAM-4	Lin-IC	MMIC RF amplifier, DC, 1GHz, 7dB (50Ω)	SOT-173	40ad	A1	Mc
5	ERA-5	Lin-IC	RF amplifier, DC, 4GHz, 16dB (50Ω)	SOT173A	40ad	A1	Mc
5	ERA-55M	Lin-IC	RF amplifier, DC, 4GHz, 16dB (50Ω)	SOT-173	40ad	A1	Mc
50	ERA-505M	Lin-IC	RF amplifier, DC, 1,5GHz, 18B (50Ω)	SOT-173	40ad	A1	Mc
51	ERA-515M	Lin-IC	RF amplifier, DC, 4GHz, 14dB (50Ω)	SOT-173	40ad	A1	Mc
57	BFQ57	Si-NPN	UHF-A, 25V, 35mA, 0,45W, 6,5GHz	SOT-173	40tc	-	Sie
58	BFQ58	Si-NPN	UHF-A, LN, 25V, 30mA, 0,45W, 6,5GHz	SOT-173	40tc	-	Sie
59	BFQ59	Si-NPN	UHF, LN, 27V, 35mA, 0,7W, 4GHz	SOT-173	40tc	-	Sie
5X	ERA-5X5M	Lin-IC	RF amplifier, DC, 4GHz, 16dB (50Ω)	SOT-173	40ad	A1	Mc
6	ERA-6	Lin-IC	RF amplifier, DC, 4GHz, 10,5dB (50Ω)	SOT173A	40ad	A1	Mc
6	ERA-65M	Lin-IC	RF amplifier, DC, 4GHz, 10,5dB (50Ω)	SOT-173	40ad	A1	Mc
6	RAM-6	Lin-IC	MMIC RF amplifier, DC, 2GHz, 9dB (50Ω)	SOT-173	40ad	A1	Mc
60	BFQ60	Si-NPN	UHF, LN, 27V, 35mA, 0,7W, 4GHz	SOT-173	40tc	-	Sie
645	BFQ645	Si-NPN	UHF-A, 25V, 40mA, 9GHz	SOT-173	40taa	-	Sie
7	RAM-7	Lin-IC	MMIC RF amplifier, DC, 2GHz, 6,5dB (50Ω)	SOT-173	40ad	A1	Mc
70	BFQ70	Si-NPN	UHF, 20/15V, 35mA, 300mW, B=50, 250, 5GHz	SOT-173	40tc	-	Sie
71	BFQ71	Si-NPN	UHF, 20/15V, 30mA, 300mW, B=40, 250, 5,2GHz	SOT-173	40taa	-	Sie
72	BFQ72	Si-NPN	UHF-A, LN, 20V, 50mA, 5,1GHz	SOT-173	40taa	-	Sie
74	BFQ74	Si-NPN	UHF-A, LN, 25V, 35mA, 6GHz	SOT-173	40taa	-	Sie
75	BFQ75	Si-PNP	UHF-A, LN, 15V, 50mA, 5GHz	SOT-173	40taa	-	Sie
76	BFQ76	Si-PNP	UHF-A, LN, 20V, 30mA, 5GHz	SOT-173	40tc	-	Sie
77	BFQ77	Si-NPN	UHF-A, LN, 115V, 20mA, 0,25W, 7GHz	SOT-173	40taa	-	Sie
8	RAM-8	Lin-IC	MMIC RF amplifier, DC, 1GHz, 19dB (50Ω)	SOT-173	40ad	A1	Mc
82	BFQ82	Si-NPN	UHF-A, 20V, 80mA, 8GHz	SOT-173	40taa	-	Sie
8A	MAR-8ASM	Lin-IC	RF amplifier, DC, 1GHz, 25dB (50Ω)	SOT-173	40ad	A1	Mc
A	2SK1617	GaAs-N-FET	SHF, 3,5V, 60mA, Idss=12, 60mA, 12GHz	SOT-173	40tha	-	Hlt
A	2SK1619	GaAs-N-FET	UHF, 3V, 0,06A, Idss=15, 60mA, 12GHz	SOT-173	40tha	-	Hlt
A	EC1019C	Lin-IC	RF amplifier, DC, 4GHz, 20dB (50Ω)	SOT66	40ad	A1	Wjc
A1	CFY10	GaAs-N-FET-d	Micro wave, 6GHz, 5V, 100mA	SOT-173	40tha	-	Sie
B	2SK1325	GaAs-N-FET	UHF, 6V, 0,12A, Idss=40, 120mA, 12GHz	SOT-173	40tha	-	Tos
B	2SK1616	GaAs-N-FET	SHF, 3,5V, 70mA, Idss=12, 70mA, 12GHz	SOT-173	40tha	-	Hlt
C	2SK849	GaAs-N-FET	UHF, Ku-Band, 6V, 0,1A, 12GHz	SOT-173	40tha	-	Pan
EB	ERA-85M	Lin-IC	RF amplifier, DC, 2GHz, 17dB (50Ω)	SOT-173	40ad	A1	Mc
H	2SK1100	GaAs-N-FET	UHF, Ku-Band, 4V, 60mA, 12GHz	SOT-173	40tha	-	Pan
H	2SK1229	GaAs-N-FET	SHF, 4V, 60mA, Idss=12, 60mA, 12GHz	SOT-173	40tha	-	Hlt
I	2SK1196	GaAs-N-FET	UHF, 6V, 70mA, Idss=20, 70mA, 12GHz	SOT-173	40tha	-	Pan
J	2SK1687	GaAs-N-FET	UHF, X, Ku-Band, 4V, 60mA, 12GHz	SOT-173	40tha	-	Pan
K	2SK1688	GaAs-N-FET	UHF, X, Ku-Band, 4V, 60mA, 12GHz	SOT-173	40tha	-	Pan

SMD код	Тип	Функ.	Краткое описание	Корп.	Цок.	Сх.	Пр.
L	2SK1689	GaAs-N-FET	UHF, X Ku-Band, 6V, 70mA, 12GHz	SOT-173	40fha	-	Pan
M	2SK1962	GaAs-N-FET	UHF, 4V, 80mA, Idss>12mA, 12GHz	SOT-173	40fha	-	Pan
N	2SK1963	GaAs-N-FET	UHF, 4V, 60mA, Idss>12mA, 12GHz	SOT-173	40fha	-	Pan
P	2SK1964	GaAs-N-FET	UHF, 4V, 60mA, Idss>12mA, 12GHz	SOT-173	40fha	-	Pan
P6	BFP96	Si-NPN	UHF-A, 20V, 100mA, 500mW, 4.5GHz	SOT-173	40taa	-	Phi,Ste
Q6	BFO66	Si-NPN	UHF-A, LN, 20V, 50mA, 0.3W, 7.5GHz	SOT-173	40tc	-	Phi
T	2SK1615	GaAs-N-FET	SHF, 3.5V, 60mA, Idss=12 60mA, 12GHz	SOT-173	40fha	-	Hit

Приложение 1. Логотипы и адреса производителей электронных компонентов

**Agi- Agilent Technologies**

395 Page Mill Rd. Palo Alto, CA 94306 USA, Phone: +1 (877) 424-4536
www.semiconductor.agilent.com

**Ali- Alliance Semiconductor**

12575 Augustine Drive, Santa Clara, CA 95054, USA, Phone: +1-408.855.4900
www.alsc.com

**All- Allegro MicroSystems Inc.**

115 Northeast Cutoff, Box 15036 Worcester, MA 01615, USA, Phone: +1-508-853-5000
<http://www.allegromicro.com>

**Ame- AME, Inc.**

2F, 189 Kang-Chien Road, Nei-Hu Dist. Taipei 114 Taiwan, R.O.C., Phone: 886 2 2627-8687
www.ame.com.tw

**Ana- Anachip Corp.**

2F, No.24-2, Industry E. Rd. IV, Science-Based Industrial Park, Hsinchu 300, Taiwan
Phone: +886-3-5678234
www.anachip.com.tw

**And- Analog Devices**

One Technology Way, Norwood, MA 02062, USA, Phone: 781/329-4700
<http://www.analog.com>

**Ant- Advanced Analogic Technologies, Inc.**

830 E. Arques Avenue, Sunnyvale, CA 94085, USA, Phone: (408) 737-4600
<http://www.analogictech.com>

**Atr- Aimtron**

2F, No.10, Prosperity RD. II, Science-Based Industrial Park, Hsinchu 300, Taiwan, R.O.C.
Phone: 886-3-563-0878
<http://www.aimtron.com.tw>

**Auk- AUK Semiconductor Corp.**

Shinheung-dong, Iksan, Jeollabuk-do, Korea, Phone: 063-835-7111
<http://www.auk.co.kr>

**Bub- Burr-Brown Corp.**

PO Box 11400, 6730 S. Tucson Blvd., Tucson, AZ 85706 USA, Phone: 520/746-7365
<http://www.burr-brown.com>

**Cdi- Continental Device India Limited**

C-120, Naraina Industrial Area, New Delhi 110028, India, Phone: 91-11-5796150-63
<http://www.cdil.com>

**Cel- California Eastern Laboratories**

4590 Patrick Henry Drive, Santa Clara, CA 95054-1817, USA, Phone: (408) 988-3500
<http://www.cel.com>

**Cen- Central Semiconductor Corp.**

1145 Adams Avenue, Hauppauge, NY 11788, USA, Phone: 516/435-1110
<http://www.centralsemi.com>

**Cmc- Comchip Technology Corporation**

4115 Clipper Court, Fremont, CA 94538, USA, Phone: 510-657-8671
<http://www.comchiptech.com>

**Dal- Dallas Semiconductor Corporation**

4401 South Beltwood Parkway, Dallas TX 75244-3292, USA, Phone: 972-371-4448
<http://www.dalsemi.com>

**Dil- Diodes Inc.**

3050 East Hillcrest Drive, Suite 200, Westlake Village, CA 91362, USA, Phone: 805/446-4800
<http://www.diodes.com>

**Ecg- E C G**

A Philips (USA) subdivision. 1025 Westminster Drive, Williamsport, PA 17701 USA
<http://www.ecgproducts.com>

**Eic- EIC Semiconductor, Inc.**

12698 Schabaram Ave, Irwindale, CA 91706, USA, Phone: (626) 960-0877
<http://www.eicsemi.com>

**Em- EM Microelectronic-Marin SA**

CH - 2074 Marin, Switzerland, Phone: +41 - (0)32 75 55 111
<http://www.emmicroelectronic.com>

**Etc- Electronic Technology**

402 Campus Drive, Huxley, IA 50124, USA, Phone: (515) 597-7000
<http://www.etchcorp.com>

**Fag- Fagor Electronica**

Bd. San Andres, s/n - Apdo. 33-E 20500 Mondragon, Spain, Phone: +34 943-712-526
<http://www.fagorelectronica.es>

**Fch- Fairchild Semiconductor Corp.**

333 Western Avenue, South Portland ME 04106, USA, Phone: 207/775-8100
<http://www.fairchildsemi.com>

**Fer- Ferranti Semiconductors**

Fields New Road, Chadderton, Oldham OL9 8NP, England, Phone: +44-1161-6240515
 (Bought by GPSI)

**Fji- Fuji Semiconductor**

Shinjuku Koyama Building, 30-3, Yoyogi 4-chome, Shibuya-ku, Tokyo 151, Japan
 Phone: 3-5388-7562
<http://www.fujielectric.co.jp>

**Gen- General Electric Semiconductor**

Electronics Park Bldg. 7 Syracuse, NY 13221, USA, Phone: 315/456-3606
<http://www.ge.com>

**Gse- General Semiconductor**

10 Melville Park Road, Melville, NY 11747, USA, Phone: 516/847-3000
<http://www.gensemi.com>

**Hit- Hitachi America Ltd.**

2000 Sierra Point Parkway, MS 080 Brisbane, CA 94005, USA, Phone: +1-800-285-1601
<http://www.hitachi.com>

**Htk- Holtek Semiconductor Inc.**

No.3, Creation Rd. II, Science Park, Hsinchu, Taiwan, Phone: 886-3-563-1999
<http://www.holtek.com.tw>

**Imp- IMP, Inc.**

2830 N. First Street, San Jose, CA 95134-2071, USA, Phone: 408-432-9100
<http://www.impweb.com>

**Inf- Infineon Technologies AG**

St-Martin-Strasse 53, 81669 München, Germany, Phone: (+49) 911-252-930
<http://www.infineon.com>

**Ior- International Rectifier**

233 Kansas St., El Segundo, California 90245, USA, Phone: (310) 252-7105
<http://www.irf.com>

**Itt- ITT Internmetall**

Hans-Bunte-Strasse 19, D-79108 Freiburg, Germany, Phone: +49-761-517-0
<http://www.itt-sc.de>

**Kec- Korea Electronics Co. LTD**

9F Shamber Bldg, 45, 4-Ka Namadaemum-RO, Chung-Ku C.P.O. 4896 Seoul, Korea
<http://www.kec.co.kr>

**Lif- Littelfuse**

800 E. Northwest Highway, Des Plaines, IL 60016, USA, Phone: 847.824.1188
<http://www.littelfuse.com>

**Lin- LinFinity Microelectronics Inc.**

11861 Western Avenue, Garden Grove, CA. 92841, USA, Phone: 714-898-8121
<http://www.linfinity.com>

**Lrc- Leshan Radio Company, Ltd.**

Leshan City Demos West Road, Sichuan, China, Phone: +86-833-2150303
<http://www.lrc-china.com>

**Ltc- Linear Technology Corporation**

1630 McCarthy Blvd., Milpitas, CA 95035-7417, USA, Phone: (408) 432-1900
<http://www.linear.com>

**Mas- Micro Analog Systems Oy**

Kamreentie 2, P.O.Box 51, FIN-02771 Espoo, Finland, Phone: (09) 80-521
<http://www.mas-oy.com>

**Max- Maxim Integrated Products**

120 San Gabriel Sunnyvale, CA 94086, USA, Phone: +1-800-998-8800
<http://www.maxim-ic.com>

**Mc- Mini-Circuits**

P.O. Box 350166, Brooklyn, New York 11235-0003, USA, Phone: (718) 934-4500
<http://www.minicircuits.com>

**Mcc- Microchip**

2355 West Chandler Blvd. Chandler, AZ 85224-6199, USA, Phone: 480-792-7200
<http://www.microchip.com>

**Mco- Micro Commercial Components**

21201 Itasca Street Chatsworth, CA 91311, USA, Phone: (818) 701-4933
www.mccsemi.com

**Mcr, Mic- Micrel Inc.**

1849 Fortune Drive, San Jose, CA 95131, USA, Phone: + 1 (408) 944-0800
<http://www.micrel.com>

**Mit- Mitsubishi Electric Co. Ltd.**

2-3 Marunouchi, 2-chome J 100 Chiyoda-Ku, Tokyo, Japan, Phone: +81-3-3218-2863
<http://www.mitsubishichips.com>

**Mot- Motorola Inc.**

6501 William Cannon Drive W Austin, TX 78735, USA, Phone: +1-512-891-2000
<http://www.motorola.com>

**Msc- Microsemi Integrated Products Division**

11861 Western Avenue, Garden Grove, CA. 92841, USA, Phone: 714-898-8121
<http://www.microsemi.com>

**Mcp- Mospec**

No. 76, Chung Shan rd., Hsin-Shin Hsiang, Taiwan, R.O.C., Phone: 886-6-5991621
<http://www.mospec.com.tw>

**Nec- NEC Electronics Inc. (Nippon Electrical Company)**

NEC Building 7-1, Shiba 5-chome, Minato-ku Tokyo, Japan, Phone: +81-3-3454-1111
<http://www.ic.nec.co.jp>

**Nih- Nihon Inter Electronics Corporation**

1204 Soya, Hadano-shi, Kanagawa 257-8511, Japan, Phone: +81-463-81-2709
<http://www.niec.co.jp>

**Njr- New Japan Radio Co., Ltd.**

Arco Tower 17F, 1-8-1, Shimomeguro, Meguro-ku, Tokyo 153, Japan, Phone: +81-3-5434-8335
<http://www.njr.com>

**Nsc- National Semiconductor Corp.**

North America PO Box 7643 Mount Prospect, IL 60056-7643, USA
 Phone: +1-800-628-7364, ext 305
<http://www.national.com>

**Nte- NTE Electronics Inc.**

44 Farrand Street, Bloomfield, NJ 07003, USA, Phone: 800-631-1250
<http://www.nteinc.com>

**Ons- ON Semiconductor (Motorola semiconductors subdivision)**

Japan Customer Focus Center 4-32-1 Nishi-Gotanda, Shinagawa-ku, Tokyo, Japan
 Phone: 81-3-5740-2745
<http://onsemi.com>

**Org- Origin Semiconductor**

1-18-18 Takada, Toshima-ku, Tokyo 171-8575, Phone: +81-3-3988-6369
<http://www.origin.co.jp>

**Pan- Panasonic (Matsushita) Electronics Corp.**

1 Kotari-Yakemashi, Nagaokakyo, Kyoto 617, Japan, Phone: 075/921-8151
<http://www.mec.panasonic.co.jp>

**Phi- Philips GmbH; PhC- Philips China; PhH- Philips Hong Kong;****PhM- Philips, Malaysia**

Hammerbrookstrasszlige 69 D-20097 Hamburg, Germany, Phone: +49-40-23536-0
<http://www.philips.com>

**Pjt- PanJIT Semiconductor**

No. 21 Kang Shan Nort Road, Kang Shan Town, Kaohsihng Hsion 870, Taiwan R.O.C,
 Phone: (006) 7-621-3121
<http://www.panjit.com.tw>

**Rec- Rectron China, Ltd.**

82 Canton Road, 16th Floor, Tsimshatsui, Kowloon, Hong Kong, Phone: 852-2424-9127
<http://www.rectron.com>



Ren- Renesas (Hitachi and Mitsubishi) Ltd.

Nippon Bldg., 2-6-2, Ohte-machi, Chiyoda-ku, Tokyo 100-0004, Japan, Phone: 852-2424-9127
<http://www.hitachisemiconductor.com>



Rhm- Rohm Co. Ltd.

21 Saiin Mizosaki-cho, Ukyo-ku, Kyoto 615 Japan, Phone: +81-75-311-2121
<http://www.rohm.co.jp>



Ric- Ricoh Co.,Ltd

13-1 Himemuro-cho, Ikeda City, Osaka 563-8501, Japan, Phone: +81-72-753-1111
<http://www.ricoh.com>



Sam- Samsung Electronics

8/10FL. Samsung Main Bld. 250, 2-KA, Taepyung-Ro Chung-Ku, Seoul, Korea, Box 8233
Phone: +82-2-751-2114
<http://www.korea.samsungsemi.com>



Say- Sanyo Electric Co.Ltd

15-13-6 Chome Tokyo 113 Japan, Phone: +81-3-3835-1474
<http://www.sanyo.co.jp>



Sel- Seiko Instruments Inc

8, Nakase 1-chome, Mihama-ku, Chiba-shi, Chiba 261-8507, Japan, Phone: (+81) 43-211-1111
<http://www.sii.co.jp>



Shi- Shindengen Electric Mfg.Co.Ltd

Recruit Ikebukuro Bldg., 13-23 1Chome, Minami-Ikebukuro, Toshima-Ku, Tokyo 171, Japan
Phone: +81-3-5951-8106
<http://www.shindengen.com>



Sie- Siemens AG

Postfach 2352 90713 Fuerth-Bislohe, Germany, Phone: +49-911-3001-220
<http://www.siemens.de>

Sil- Silicon General Inc (Linfinity Microelectronics)

<http://www.linfinity.com>



Sir- Sienza Microdevices

522 Almanor Ave., Sunnyvale, CA 94085, USA
<http://www.sienza.com>

Six- Siliconix GmbH (Temic Telefunken microelectronic GmbH)

<http://www.siliconix.com>



Sme- Semtech Electronics Ltd.

(Wholly owned subsidiary of Honey Technology Ltd.)



Smt- Semtech Corporation

200 Flynn Road, Camarillo, CA 93012, USA, Phone: (805)498-2111
<http://www.semtech.com>



Ste- SGS-Thomson Microelectronics

Technoparc du Pays de Gex, 01630 Saint Genis Pouilly, France, Phone: +33-50402640
<http://www.st.com>



Stx- Supertex Inc.

1235 Bordeaux Dr. Sunnyvale, CA 94089, USA, Phone: +1-408-744-0100
<http://www.supertex.com>



Sur- Supge Components Inc.

11016 Grand Blvd., Deer Park, NY 11729, USA, Phone: (631) 595-1283
<http://www.surgecomponents.com>

**Tcs - TelCom Semiconductor**

1300 Terra Bella Avenue, P.O. Box 7267, Mountain View, CA 94039-7267, USA
 Phone: 415-968-9241
<http://www.telcom-semi.com>

**Tem - Temic Telefunken microelectronic GmbH**

Postfach 3535, 74025 Heilbronn, Germany, Phone: 49-7131-67-0
<http://www.temic.de>

**Tix - Texas Instruments**

13500 N Central Expwy PO Box 655474 Dallas, TX 72265, USA, Phone: 214/995-2011
<http://www.ti.com>

**Tok- Toko America, Inc.**

1250 Feehanville Drive Mt. Prospect, IL 60056, USA , Phone: (847) 297-0070
<http://www.tokoam.com>

**Tor- Torex Semiconducutor Ltd.**

8F Sakuranihonbashi Bldg, 1-13-12 Nihonbashikayabacho Chuo-ku, Tokyo 103-0025 Japan
 Phone: 03-5652-8700
<http://www.torex.co.jp>

**Tos- Toshiba Corporation**

1-1 Shibaura 1-Chome J 105 Tokyo, Japan, Phone: +813-3457-3495
<http://www.toshiba.com>

**Trs- Transys Electronics Ltd.**

Birmingham, PO Box 11848 B46 1ZT, UK, Phone: 0121-776-6321
<http://www.transyselectronics.com>

**Tsc- Taiwan Semiconductor Company, Ltd.**

2F, 8 Alley 16, Lane 235, Pao Chiao Road, Hsin Tien, Taipei, Hsien, Taiwan ROC,
 Phone: +886-2-2917-4145
<http://www.taiwansemi.com>

**Utc- Unisonic Technologies Co., Ltd.**

4F-2, No. 16, Lane 609, Sec. 5, Chung-shin Rd, San-Chung City, Taipei Hsien, Taiwan
 Phone: 886-2-2999-5013
<http://www.unisonic.com.tw>

**Vis- Vishay Semiconductor GmbH**

P.O.B. 3535, D-74025 Heilbronn, Germany, Phone: 49 (0)7131 67 2831
<http://www.vishay.com>

**Wjc - WJ Communications, Inc.**

401 River Oaks Parkway, San Jose, CA 95134, USA, Phone: 800-951-4401
<http://www.wj.com>

**Wte- Won-Top Electronics Co., Ltd.**

No. 44 Yu Kang North 3rd Road, Chine Chen Dist., Kaohsiung, Taiwan, Phone: 886-7822-5408
<http://www.wontop.com>





















**Zow- Zowie Technology Corporation**






















3F, No. 13, Fu Shin Rd., Hin Thin, Taipei, Taiwan, Phone: 885-2-22195533
<http://www.unisonic.com.tw>


**Ztx- Zetex plc.**

Fields New Road, Chadderton, Oldham, OL9 8NP, UK, Phone: (44) 161 622 4422
<http://www.zetex.com>

Приложение 2
Корпуса и расположение (назначение) выводов SMD электронных компонентов

 <p>Fig.1</p>	 <p>Fig.2</p>	 <p>Fig.3</p>	 <p>Fig.4</p>
 <p>Fig.5</p>	 <p>Fig.6</p>	 <p>Fig.7</p>	 <p>Fig.8</p>
 <p>Fig.9</p>	 <p>Fig.10</p>	 <p>Fig.11</p>	 <p>Fig.12</p>
 <p>Fig.13</p>	 <p>Fig.14</p>	 <p>Fig.15</p>	 <p>Fig.16</p>
 <p>Fig.17</p>	 <p>Fig.18</p>	 <p>Fig.19</p>	 <p>Fig.20</p>

 <p>Fig.21</p>	 <p>Fig.22</p>	 <p>Fig.23</p>	 <p>Fig.24</p>
 <p>Fig.25</p>	 <p>Fig.26</p>	 <p>Fig.27</p>	 <p>Fig.28</p>
 <p>Fig.29</p>	 <p>Fig.30</p>	 <p>Fig.31</p>	 <p>Fig.32</p>
 <p>Fig.33</p>	 <p>Fig.34</p>	 <p>Fig.35</p>	 <p>Fig.36</p>
 <p>Fig.37</p>	 <p>Fig.38</p>	 <p>Fig.39</p>	 <p>Fig.40</p>
 <p>Fig.41</p>			



приложение 3. Назначение выводов SMD электронных компонентов

	1	2	3	4	5	6	7	8
aa	Input	GND	Vcc/Output					
ab	Input	GND	GND	Output	GND	Vcc		
ac	Vcc	GND	Input	GND	GND	Output	GND	GND
ad	Input	GND	Vcc/Output	GND				
ae	Input	Vcc	GND	Output	GND	GND		
af	C	C	B	E	C	C		
ag	Contact	Contact	N/C					
ah	E(N)	B(N)	E(P)	C(P)	B(P)C(N)			
ak	N/C	K	A					
am	Vcc/Output	GND	Input	GND				
ba3	E1	B1/B2	E2	C2	C1			
bb	K1	K2	K3	A3	A2	A1		
bc	K1	Common A	K2	K3	K4			
bd	K1	Common A	K2	K3	N/C	K4		
be	K1	K2	A3/A4	K3	K4	A1/A2		
bf	K1	Common A	K2	K3	K4	K5		
bg	K1	K2	A2	N/C	A1			
bh	A1	Common K	A2	A3	A4			
bi	A	K	A	A	K	A		
bj	A1	A2	K3/K4	A3	A4	K1/K2		
bk	A1	K2	K3/A4	A3	K4	K1/A2		
bl	G	Prot Di	S	D				
bm	S	D	S	G				
bn	OVP	Vinput	CE	AGND	N/C	Feedback	SW	PGND
bp	K	K	A	A	K	K		
bq	GND	Voutput	Ixx					
br	GND	Voutput	Ext					
bs	A1	Common K	A2	Common K				
bt	K1	N/C	K2	Common A				
bu	A1	N/C	A2	Common K				
bv	A1	N/C	K2	K1/A2				
bw	A1	Common K	A2	A3	Common K	A4		
bx	A1	K1/A2	K2	K3	A3/K4	A4		
by	K1	A1/K2	A2	K3	A3/K4	A4		
c	K(A)	K(A)						
ca	Q	GND	+Input	-Input	Output			
cb	Vcc	Shutdown	Input L	Output L	GND	Output R	Input R	Cext
cd	K1/A2/K3	K2	A3	A1				
ce	K1	K2	A2	A1				
cf	GND	Vinput	Vinput	Vinput	Voutput	Voutput	Voutput	N/C
cg	GND	Voutput	Vinput					
ch	Voutput	GND	Vinput					
cj	Voutput	Vinput	GND					
ck	Voutput	Adjust	Vinput					
cm	Adjust	Vinput	Voutput					
cn	Adjust	Voutput	Vinput					

	1	2	3	4	5	6	7	8
co	±Reset	±MR	Vcc	GND				
cp	-Reset	GND	-MR	WDI	Vcc			
cq	±Reset	GND	±MR1	Vcc	±MR2			
cr	B1	E2	B2	C2	E1	C1		
cs	A1	K1	A2	K2				
ct	A1	K1	K2	A2				
d	A	K						
dc	A	N/C	K					
dd	A1	A2	A3	K3	K2	K1		
de	A1	N/C	K2	A2	N/C	K1		
df	K1	K2	A1/2					
dfb	A1/K4	A2/K1	A3/K2	A4/K3				
dg	A1	A2	K1/K2					
dh	A	A	K					
di	A	K	N/C					
dj	A1	K1/A2	K2					
dja	A1	K1/A2	K2	N/C				
dk	K	A	N/C					
di	A1	K2	K1/A2					
dln	A	K	A					
dn	N/C	A1	K1	N/C	A2	K2		
do	K1/K2	A3	A2/K3	A1				
dp	A(K)	A(K)	A(K)					
dq	A	N/C	K	N/C	N/C			
dr	N/C	A	K					
ds	A1	N/C	A2	K2	K1			
dt	A(K)1	A(K)2	A(K)3	A(K)3	A(K)2	A(K)1		
dta	K1(A1)	K2(A2)	K3(A3)	K3(A3)	K2(A2)	K1(A1)		
du	Adjust	K	A					
dv	A1	A2	K2	K1				
dw	A1	N/C	A2	K2	N/C	K1		
dx	K1	Common A	K2	K3	Common A	K4		
ea	K1	A2	A1/K2					
eb	K	N/C	A					
ec	A1	A2	A3	Common K	Common K	Common K		
ed	C	B	E	E				
ef	K1	A2	K2	A1				
eg	±Reset	-HV	Vcc	GND	-MR			
eh	-HV	GND	Vcc	±Reset	-MR			
ei	Vinput	GND	±CE	Flag	Voutput			
ej	Vinput	PGND	Vcc	CE	Vout/Feed	Mode	AGND	Lx
ek	±Reset	GND	±MR	ResetIn	Vcc			
em	±Reset	GND	ResetIn	OVRIn	Vcc			
fa	S	D	G					
fb	G1	S1/S2	G2	D2	D1			
fc	D	D	G	S	D	D		

	1	2	3	4	5	6	7	8
fd	S	D	G1	G2				
fe	S1	S2	G2	D2	G1	D1		
fea	S1	G1	D2	S2	G2	D1		
fg	S	G	D					
fh	G	S	D					
fha	G	S	D	S				
fi	G	D	S					
fj	D	S	G					
fk	D	G	S					
fl	Sub	S	D	G				
fm	D	S	G1	G2				
fn	D	S	G	N/C				
fo	S1	G1	S2	G2	D2	D2	D1	D1
ha	Vcc	Output	GND					
ica	Vcc	GND	T1 Input	CLK	DATA	/INT Output		
icb	Vcc	GND	T1 Input	CLK	DATA	N/C		
la	+Vcc	GND	Output	Trigger	THR			
lb	T/T	GND	CE	Vcc	Output			
lc	Voutput	Vinput	CE	A GND	N/C	Feedback	Switch	P GND
lda	N/C	GND	Vcc	SCLK	SDA			
ldb	GND	GND	Hysteresis	Vcc	±Tower			
ldc	GND	GND	Hysteresis	Vcc	±Tunder			
ldd	Vinput	GND	CE	-Reset	Voutput			
lde	Vinput	GND	Sense	-Reset	Voutput			
ldf	Vinput	GND	N/C	-Reset	Voutput			
ldg	Vinput	GND	Voutput	-Reset	CE			
ldh	Vinput	GND	Voutput	-Reset	Sense			
ldi	Vinput	GND	Voutput	-Reset	N/C			
ma	-Reset	GND	-MR	PFI	-PFO	Vcc		
mb	-Reset/Vcc	GND	-MR	Sense	-ResetSense	Vcc		
mc	-Reset	GND	-MR	Sense	WDI	Vcc		
md	N/C	S	S	G	D	D	D	D
me	S	S	S	G	D	D	D	D
opa	Output	-Vcc	+Input	-Input	+Vcc			
opb	Output	+Vcc	+Input	-Input	-Vcc			
opc	Output	-Vcc	+Input	-Input	+Vcc	Disable		
opd	Output A	-Input A	+Input A	-Vcc	+Input B	-Input B	Output B	+Vcc
ope	Offset	-Input	+Input	-Vcc	Offset	Output	+Vcc	N/C
opf	+Input	-Vcc	-Input	Output	+Vcc			
ra	A	Reference	K					
rb	Reference	A	K					
rc	K	Reference	A					
rd	Reference	K	A					
re	N/C	N/C	K	Reference	A			
rf	N/C	A	K	Reference	A			
sa	N/C	GND	N/C	Voutput	Vinput			

	1	2	3	4	5	6	7	8
sb	GND	Voutput	Vinput	N/C	±CE			
sc	±CE	Voutput	N/C	GND	Lx			
sd	±CE	Voutput	N/C	GND	Ext			
se	Delay	GND	Ext	Vinput	Vfeedback	Ampout		
sf	Delay	GND	Ext	Vinput	Vfeedback	±CE		
sg	Vinput	GND	±CE	Adjust	Voutput			
sh	±CE	Voutput	N/C	GND	LX			
sj	±CE	Voutput	N/C	GND	Ext			
sk	Voutput	Vinput	GND	±Reset	±CE			
sm	Voutput	Vinput	GND	±Reset	Vsense			
sn	Voutput	Vinput	GND	±Reset	CD			
so	EXT	Vinput	DLY	±CE	GND	Voutput		
sp	±CE	GND	Vinput	Voutput	Cb			
sra	Switch	GND	Feedback	-Shutdown	Vinput			
srb	Reference	GND	-Shutdown	LX	Output			
src	Feedback	GND	Reference	Output	LX			
srd	Feedback	GND	Reference	LX	Output	-Shutdown		
ta	B	E	C					
taa	B	E	C	E				
tac	B1/B2/C2	C1	E1	E2				
tad	E	C	E	B				
tb	B	C	E					
tc	C	E	B	E				
td	B1	E1/E2	B2	C2	C1			
tda	E(N)	B(N)	C(P)	E(P)	B(P)	C(N)		
tdb	C1	E1	C2	E2	B2	B1		
tdc	C1	E1	C2	B2	E2	B1		
tdd	B1	E1	C2	B2	E2	C1		
tde	C(N)	B(N)/B(P)	C(P)	E(N)/E(P)				
tdf	E(N)	B(P)	C(P)	E(P)	B(N)	C(N)		
te	E	B	C					
tea	E	C	B					
tf	E1	E2	B2	C2	B1	C1		
tg	E1	B1	C2	E2	B2	C1		
tga	E1	B1	B2	C2	E2	C1		
th	E	C/K	A	N/C	C/K	B		
ti	E1	C1/C2	B2	E2	C1/C2	B1		
tj	E1	E2	C2	B2	B1	C1		
tk	C	E	E	B	E	E		
tl	C1	C1	C2	C2	E2	B2	E1	B1
tm	B	C	E	C				
tn	K	B	E	C+A				
to	A	B	E	C+K				
tp	C1	B2	C2	E2	E1	B1		
tz	A	B	C	E	N/C	K		
va	Voutput	GND	N/C	N/C	±CE	Vinput		

	1	2	3	4	5	6	7	8
vb	Voutput	GND	GND	N/C	N/C	GND	GND	Vinput
vc	±CE	GND	N/C	Voutput	Vinput			
vca	GND	Voutput	Ext	N/C	±CE			
vcb	+Vcc	GND	Cap-	Shutdown	Output	Cap+		
vcc	GND	Output	Cap-	Shutdown	+Vcc	Cap+		
vcd	+Vcc	GND	Cap-	GND	Output	Cap+		
vce	Vreg	GND	Ext	Vcc	Select			
vda	±Reset	Vcc	GND					
vdb	±Reset	GND	Vcc					
vd	GND	±Reset	Vcc					
vdd	Vcc	GND	±Reset					
vde	GND	Vcc	±Reset					
vdh	GND	±Reset	±MR	Vcc				
vdj	±Reset	GND	N/C	Vcc				
vd	Vcc	GND	Cd	±Reset				
vd	±Reset	Vcc	N/C	GND				
vd	±Reset	Vcc	GND	N/C	N/C			
vd	±Reset	Vcc	GND	N/C	Cd			
vd	ER	GND	GND	±Reset	Vcc			
vd	N/C	GND	GND	±Reset	Vcc			
vd	N/C	GND	N/C	±Reset	Vcc			
vd	±Reset	GND	±MR	Strobe	Vcc			
vd	-Reset	GND	Reset	Strobe	Vcc			
vd	-Reset	GND	Reset	±MR	Vcc			
vd	±Reset	GND	N/C	GND	Vcc			
vd	±Reset	GND	Cd	GND	Vcc			
vd	Cd	GND	Vcc1	Vcc	±Reset			
vd	Vcc	±Reset	GND					
vd	N/C	N/C	GND	±Reset	Vcc			
ve	±CE	GND	Vinput	Voutput	GND	N/C		
vf	±CE	GND	Cb	Voutput	GND	Vinput		
vg	Cb	GND	±CE	Vinput	GND	Voutput		
vma	-Input	GND	N/C	Comp	Output			
vra	Vinput	Voutput	GND					
vrb	GND	Vinput	Voutput					
vrc	Voutput	GND	±CE	Vinput				
vr	±CE	GND	Voutput	Vinput				
vrda	±CE	GND	Voutput	Ext	Vinput			
vre	GND	Vinput	Voutput	±CE				
vrf	Vinput	GND	N/C	N/C	±CE	Voutput		
vrf	Vinput	N/C	Voutput	Mode	GND	±CE		
vrf	±CE	GND	Vinput	Voutput	N/C	Cb		
vrf	±CE	GND	Cb	Voutput	N/C	Vinput		
vrf	CC	Feedback	CSP	Vinput	EXT	GND	Rosc	Rduty
vrf	CC	Feedback	CSP	Vinput	EXT	GND	Rosc	Shutdown
vrg	Voutput	Voutput	±CE	GND	Vinput	Vinput		


	1	2	3	4	5	6	7	8
vrga	FeedbackA	VoutputA	VoutputB	FeedbackB	CE A	GND	Vinput	CE B
vrh	GND	Vinput	Voutput	N/C				
vri	Voutput	GND	Vinput	±CE	N/C			
vria	Voutput	GND	Vcc	±CE	Feedback			
vrib	±CE	GND	Feedback	Voutput	Vcc			
vric	Voutput	Vcc	GND	±CE	Feedback			
vrj	GND	Vinput	Voutput	N/C	N/C			
vrja	GND	±CE	Vinput	Voutput				
vrk	Vinput	GND	±CE	-Error	Voutput			
vrka	Vinput	GND	±CE	-Error	Cb	Voutput		
vrl	GND	Vinput	Voutput	Ext	±CE			
vrla	N/C	GND	±CE	Vinput	Voutput			
vrn	Vinput	GND	±CE	N/C	Voutput			
vrn	±CE	GND	N/C	Vinput	Voutput			
vma	±CE	GND	Cb	Voutput	Vinput			
vro	Voutput	Vinput	GND	N/C	±CE			
vrp	Voutput	Vinput	Adjust	N/C	±CE			
vrq	Voutput	GND	±CE	N/C	Vinput			
vrr	Voutput	GND	±CE	Adjust	Vinput			
vrs	Adjust	Vinput	Vinput	Vinput	Voutput	Voutput	Voutput	N/C
vrt	GND	Vinput	Voutput	N/C	±CE			
vrn	±CE	GND	Vinput	Cb	Voutput			
vrn	±CE	GND	Vinput	Voutput	Set			
vrw	Vinput	GND	±CE	Mode	Voutput			
vrn	Vinput	GND	±CE	Cb	Voutput			
vrn	±CE	Vinput	Voutput	Sense	GND			
wa	GND	Feedback	Tap	Vinput	Voutput	Sense	-Error	±CE
wb	GND	Voutput	Vinput	Voutput				
wc	Adjust	Voutput	Vinput	Voutput				
wd	Vinput	GND	Cb	Adjust	Voutput			
xa	N/C	GND	±CE	Voutput	Vinput			
xb	Voutput	Sense	N/C	GND	±CE	N/C	N/C	Vinput
xc	Voutput	Adjust	N/C	GND	±CE	N/C	N/C	Vinput
xd	±Reset	GND	-MR	WDI	Vcc			
xe	-Reset	GND	Reset	WDI	Vcc			
xf	-Reset	GND	Reset	-MR	Vcc			
xj	Dout	V-	Cout	Ct	Vcc	GND		
xk	Dout	V-	Cout	DS	Vcc	GND		
xm	±CE	N/C	GND	Voutput	Vinput			
xn	-Reset	GND	Reset	Vinput	Vcc			
xo	-Input	GND	Output	-Output	Vcc	Input		
xp	-Input	GND	Output	Vcc	Vagc	Input		
ya	Voutput	GND	±CE	-Reset	Vinput			
yb	Voutput	GND	Sense	-Reset	Vinput			
yc	Voutput	GND	Cdelay	-Reset	Vinput			
yd	DS	GND	N/C	-Reset	Vcc			


	1	2	3	4	5	6	7	8
ye	GND	DS	Vcc	-Reset				
yf	CE A	GND	CE B	Voutput B	Vinput	Voutput A		
yg	±Reset	GND	±MR1	ResetIn	±MR2			
yh	CE	GND	Vbat	Vdrv	Vinput	Vsense		
yj	Vinput	GND	CE	Feedback	SW/Voutput			
yk	±CE	GND	Feedback	Isense	Vinput	SW/Voutput		

Назначение выводов SMD электронных компонентов в корпусах BGA


	1	2	3	4	5	6	7	8	9
ba	GND	Cd	N/C	Vcc	±Reset	N/C	N/C	N/C	N/C
bb	±CE	N/C	Voutput	N/C	GND	N/C	Cb	N/C	Vinput
bc	GND	Voutput	N/C	±CE	Vinput	N/C	N/C	N/C	N/C
bd	GND	Vcc	N/C	±Reset	MR	N/C	N/C	N/C	N/C
be	±CE		Cb		GND		Voutput		Vinput
bf	Output L	GND	Output R	Input L		Input R	Shutdownm	Vcc	Cext

Приложение 4. Типовые схемы подключения SMD электронных компонентов







PA14




PA15




PA16




PA17




PA18




PA19




PA20




PA21




PA22




PA23




PA24




PA25




PA26




PA27




PA28




PA29




PA32




PA35




PA38




PA41




PA30




PA33




PA36




PA39




PA42




PA31




PA34



PA37



PA40



PA43

